

Clause 4.2.2 LTE Transmitter maximum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	23.71	20.3	25.7	PASS
Band1	5	18025	8	#0	QPSK	23.80	20.3	25.7	PASS
Band1	5	18025	25	#0	QPSK	22.70	20.3	25.7	PASS
Band1	5	18025	1	#0	QAM16	22.87	20.3	25.7	PASS
Band1	5	18025	8	#0	QAM16	22.71	20.3	25.7	PASS
Band1	5	18025	25	#0	QAM16	21.75	20.3	25.7	PASS
Band1	5	18300	1	#0	QPSK	23.71	20.3	25.7	PASS
Band1	5	18300	8	#0	QPSK	23.75	20.3	25.7	PASS
Band1	5	18300	25	#0	QPSK	22.71	20.3	25.7	PASS
Band1	5	18300	1	#0	QAM16	22.85	20.3	25.7	PASS
Band1	5	18300	8	#0	QAM16	22.72	20.3	25.7	PASS
Band1	5	18300	25	#0	QAM16	21.71	20.3	25.7	PASS
Band1	5	18575	1	#0	QPSK	23.49	20.3	25.7	PASS
Band1	5	18575	8	#0	QPSK	23.60	20.3	25.7	PASS
Band1	5	18575	25	#0	QPSK	22.68	20.3	25.7	PASS
Band1	5	18575	1	#0	QAM16	22.85	20.3	25.7	PASS
Band1	5	18575	8	#0	QAM16	22.66	20.3	25.7	PASS
Band1	5	18575	25	#0	QAM16	21.72	20.3	25.7	PASS
Band1	20	18100	1	#0	QPSK	23.71	20.3	25.7	PASS
Band1	20	18100	18	#0	QPSK	23.57	20.3	25.7	PASS
Band1	20	18100	100	#0	QPSK	22.67	20.3	25.7	PASS
Band1	20	18100	1	#0	QAM16	22.78	20.3	25.7	PASS
Band1	20	18100	18	#0	QAM16	22.56	20.3	25.7	PASS
Band1	20	18100	100	#0	QAM16	21.73	20.3	25.7	PASS
Band1	20	18300	1	#0	QPSK	23.74	20.3	25.7	PASS
Band1	20	18300	18	#0	QPSK	23.63	20.3	25.7	PASS
Band1	20	18300	100	#0	QPSK	22.74	20.3	25.7	PASS
Band1	20	18300	1	#0	QAM16	22.55	20.3	25.7	PASS
Band1	20	18300	18	#0	QAM16	22.59	20.3	25.7	PASS
Band1	20	18300	100	#0	QAM16	21.81	20.3	25.7	PASS
Band1	20	18500	1	#0	QPSK	23.60	20.3	25.7	PASS
Band1	20	18500	18	#0	QPSK	23.59	20.3	25.7	PASS
Band1	20	18500	100	#0	QPSK	22.71	20.3	25.7	PASS
Band1	20	18500	1	#0	QAM16	22.33	20.3	25.7	PASS
Band1	20	18500	18	#0	QAM16	22.58	20.3	25.7	PASS
Band1	20	18500	100	#0	QAM16	21.77	20.3	25.7	PASS
Band20	5	24175	1	#0	QPSK	23.67	18.8	25.7	PASS
Band20	5	24175	8	#0	QPSK	23.64	18.8	25.7	PASS
Band20	5	24175	25	#0	QPSK	22.67	20.3	25.7	PASS
Band20	5	24175	1	#0	QAM16	22.85	18.8	25.7	PASS

Band20	5	24175	8	#0	QAM16	22.62	18.8	25.7	PASS
Band20	5	24175	25	#0	QAM16	21.60	20.3	25.7	PASS
Band20	5	24300	1	#0	QPSK	23.55	20.3	25.7	PASS
Band20	5	24300	8	#0	QPSK	23.66	20.3	25.7	PASS
Band20	5	24300	25	#0	QPSK	22.66	20.3	25.7	PASS
Band20	5	24300	1	#0	QAM16	22.83	20.3	25.7	PASS
Band20	5	24300	8	#0	QAM16	22.64	20.3	25.7	PASS
Band20	5	24300	25	#0	QAM16	21.63	20.3	25.7	PASS
Band20	5	24425	1	#0	QPSK	23.56	20.3	25.7	PASS
Band20	5	24425	8	#0	QPSK	23.71	20.3	25.7	PASS
Band20	5	24425	25	#0	QPSK	22.69	20.3	25.7	PASS
Band20	5	24425	1	#0	QAM16	22.84	20.3	25.7	PASS
Band20	5	24425	8	#0	QAM16	22.71	20.3	25.7	PASS
Band20	5	24425	25	#0	QAM16	21.71	20.3	25.7	PASS
Band20	20	24250	1	#0	QPSK	23.62	18.8	25.7	PASS
Band20	20	24250	18	#0	QPSK	23.54	18.8	25.7	PASS
Band20	20	24250	100	#0	QPSK	22.58	20.3	25.7	PASS
Band20	20	24250	1	#0	QAM16	22.75	18.8	25.7	PASS
Band20	20	24250	18	#0	QAM16	22.48	18.8	25.7	PASS
Band20	20	24250	100	#0	QAM16	21.58	20.3	25.7	PASS
Band20	20	24300	1	#0	QPSK	23.65	20.3	25.7	PASS
Band20	20	24300	18	#0	QPSK	23.55	20.3	25.7	PASS
Band20	20	24300	100	#0	QPSK	22.64	20.3	25.7	PASS
Band20	20	24300	1	#0	QAM16	22.47	20.3	25.7	PASS
Band20	20	24300	18	#0	QAM16	22.47	20.3	25.7	PASS
Band20	20	24300	100	#0	QAM16	21.67	20.3	25.7	PASS
Band20	20	24350	1	#0	QPSK	23.58	20.3	25.7	PASS
Band20	20	24350	18	#0	QPSK	23.53	20.3	25.7	PASS
Band20	20	24350	100	#0	QPSK	22.60	20.3	25.7	PASS
Band20	20	24350	1	#0	QAM16	22.30	20.3	25.7	PASS
Band20	20	24350	18	#0	QAM16	22.45	20.3	25.7	PASS
Band20	20	24350	100	#0	QAM16	21.56	20.3	25.7	PASS
Band28	3	27225	1	#0	QPSK	23.43	19.8	25.7	PASS
Band28	3	27225	4	#0	QPSK	23.52	19.8	25.7	PASS
Band28	3	27225	15	#0	QPSK	22.67	19.8	25.7	PASS
Band28	3	27225	1	#0	QAM16	22.75	19.8	25.7	PASS
Band28	3	27225	4	#0	QAM16	22.59	19.8	25.7	PASS
Band28	3	27225	15	#0	QAM16	21.76	19.8	25.7	PASS
Band28	3	27360	1	#0	QPSK	23.36	19.8	25.7	PASS
Band28	3	27360	4	#0	QPSK	23.38	19.8	25.7	PASS
Band28	3	27360	15	#0	QPSK	22.56	19.8	25.7	PASS
Band28	3	27360	1	#0	QAM16	22.52	19.8	25.7	PASS
Band28	3	27360	4	#0	QAM16	22.57	19.8	25.7	PASS
Band28	3	27360	15	#0	QAM16	21.50	19.8	25.7	PASS

Band28	3	27494	1	#0	QPSK	23.39	19.8	25.7	PASS
Band28	3	27494	4	#0	QPSK	23.43	19.8	25.7	PASS
Band28	3	27494	15	#0	QPSK	22.60	19.8	25.7	PASS
Band28	3	27494	1	#0	QAM16	22.27	19.8	25.7	PASS
Band28	3	27494	4	#0	QAM16	22.29	19.8	25.7	PASS
Band28	3	27494	15	#0	QAM16	21.66	19.8	25.7	PASS
Band28	5	27235	1	#0	QPSK	23.73	19.8	25.7	PASS
Band28	5	27235	8	#0	QPSK	23.74	19.8	25.7	PASS
Band28	5	27235	25	#0	QPSK	22.80	19.8	25.7	PASS
Band28	5	27235	1	#0	QAM16	23.04	19.8	25.7	PASS
Band28	5	27235	8	#0	QAM16	22.81	19.8	25.7	PASS
Band28	5	27235	25	#0	QAM16	21.85	19.8	25.7	PASS
Band28	5	27360	1	#0	QPSK	23.61	19.8	25.7	PASS
Band28	5	27360	8	#0	QPSK	23.60	19.8	25.7	PASS
Band28	5	27360	25	#0	QPSK	22.62	19.8	25.7	PASS
Band28	5	27360	1	#0	QAM16	22.83	19.8	25.7	PASS
Band28	5	27360	8	#0	QAM16	22.60	19.8	25.7	PASS
Band28	5	27360	25	#0	QAM16	21.65	19.8	25.7	PASS
Band28	5	27484	1	#0	QPSK	23.54	19.8	25.7	PASS
Band28	5	27484	8	#0	QPSK	23.58	19.8	25.7	PASS
Band28	5	27484	25	#0	QPSK	22.61	19.8	25.7	PASS
Band28	5	27484	1	#0	QAM16	22.80	19.8	25.7	PASS
Band28	5	27484	8	#0	QAM16	22.58	19.8	25.7	PASS
Band28	5	27484	25	#0	QAM16	21.64	19.8	25.7	PASS
Band28	20	27310	1	#0	QPSK	23.67	19.8	25.7	PASS
Band28	20	27310	18	#0	QPSK	23.62	19.8	25.7	PASS
Band28	20	27310	100	#0	QPSK	22.67	19.8	25.7	PASS
Band28	20	27310	1	#0	QAM16	22.93	19.8	25.7	PASS
Band28	20	27310	18	#0	QAM16	22.59	19.8	25.7	PASS
Band28	20	27310	100	#0	QAM16	21.76	19.8	25.7	PASS
Band28	20	27360	1	#0	QPSK	23.79	19.8	25.7	PASS
Band28	20	27360	18	#0	QPSK	23.58	19.8	25.7	PASS
Band28	20	27360	100	#0	QPSK	22.67	19.8	25.7	PASS
Band28	20	27360	1	#0	QAM16	22.61	19.8	25.7	PASS
Band28	20	27360	18	#0	QAM16	22.55	19.8	25.7	PASS
Band28	20	27360	100	#0	QAM16	21.81	19.8	25.7	PASS
Band28	20	27409	1	#0	QPSK	23.67	19.8	25.7	PASS
Band28	20	27409	18	#0	QPSK	23.59	19.8	25.7	PASS
Band28	20	27409	100	#0	QPSK	22.65	19.8	25.7	PASS
Band28	20	27409	1	#0	QAM16	22.43	19.8	25.7	PASS
Band28	20	27409	18	#0	QAM16	22.56	19.8	25.7	PASS
Band28	20	27409	100	#0	QAM16	21.75	19.8	25.7	PASS
Band3	1.4	19207	1	#0	QPSK	23.72	18.8	25.7	PASS
Band3	1.4	19207	5	#0	QPSK	23.87	18.8	25.7	PASS

Band3	1.4	19207	6	#0	QPSK	22.83	18.8	25.7	PASS
Band3	1.4	19207	1	#0	QAM16	22.63	18.8	25.7	PASS
Band3	1.4	19207	5	#0	QAM16	22.97	18.8	25.7	PASS
Band3	1.4	19207	6	#0	QAM16	21.78	18.8	25.7	PASS
Band3	1.4	19575	1	#0	QPSK	23.51	20.3	25.7	PASS
Band3	1.4	19575	5	#0	QPSK	23.73	20.3	25.7	PASS
Band3	1.4	19575	6	#0	QPSK	22.70	20.3	25.7	PASS
Band3	1.4	19575	1	#0	QAM16	22.64	20.3	25.7	PASS
Band3	1.4	19575	5	#0	QAM16	22.96	20.3	25.7	PASS
Band3	1.4	19575	6	#0	QAM16	21.63	20.3	25.7	PASS
Band3	1.4	19943	1	#0	QPSK	23.57	18.8	25.7	PASS
Band3	1.4	19943	5	#0	QPSK	23.74	18.8	25.7	PASS
Band3	1.4	19943	6	#0	QPSK	22.73	18.8	25.7	PASS
Band3	1.4	19943	1	#0	QAM16	22.40	18.8	25.7	PASS
Band3	1.4	19943	5	#0	QAM16	22.77	18.8	25.7	PASS
Band3	1.4	19943	6	#0	QAM16	21.67	18.8	25.7	PASS
Band3	5	19225	1	#0	QPSK	23.73	18.8	25.7	PASS
Band3	5	19225	8	#0	QPSK	23.76	18.8	25.7	PASS
Band3	5	19225	25	#0	QPSK	22.73	20.3	25.7	PASS
Band3	5	19225	1	#0	QAM16	22.98	18.8	25.7	PASS
Band3	5	19225	8	#0	QAM16	22.74	18.8	25.7	PASS
Band3	5	19225	25	#0	QAM16	21.69	20.3	25.7	PASS
Band3	5	19575	1	#0	QPSK	23.61	20.3	25.7	PASS
Band3	5	19575	8	#0	QPSK	23.69	20.3	25.7	PASS
Band3	5	19575	25	#0	QPSK	22.70	20.3	25.7	PASS
Band3	5	19575	1	#0	QAM16	22.80	20.3	25.7	PASS
Band3	5	19575	8	#0	QAM16	22.64	20.3	25.7	PASS
Band3	5	19575	25	#0	QAM16	21.65	20.3	25.7	PASS
Band3	5	19925	1	#0	QPSK	23.54	20.3	25.7	PASS
Band3	5	19925	8	#0	QPSK	23.58	20.3	25.7	PASS
Band3	5	19925	25	#0	QPSK	22.64	20.3	25.7	PASS
Band3	5	19925	1	#0	QAM16	22.80	20.3	25.7	PASS
Band3	5	19925	8	#0	QAM16	22.60	20.3	25.7	PASS
Band3	5	19925	25	#0	QAM16	21.59	20.3	25.7	PASS
Band3	20	19300	1	#0	QPSK	23.65	18.8	25.7	PASS
Band3	20	19300	18	#0	QPSK	23.60	18.8	25.7	PASS
Band3	20	19300	100	#0	QPSK	22.72	20.3	25.7	PASS
Band3	20	19300	1	#0	QAM16	22.83	18.8	25.7	PASS
Band3	20	19300	18	#0	QAM16	22.57	18.8	25.7	PASS
Band3	20	19300	100	#0	QAM16	21.70	20.3	25.7	PASS
Band3	20	19575	1	#0	QPSK	23.68	20.3	25.7	PASS
Band3	20	19575	18	#0	QPSK	23.59	20.3	25.7	PASS
Band3	20	19575	100	#0	QPSK	22.70	20.3	25.7	PASS
Band3	20	19575	1	#0	QAM16	22.48	20.3	25.7	PASS

Band3	20	19575	18	#0	QAM16	22.47	20.3	25.7	PASS
Band3	20	19575	100	#0	QAM16	21.70	20.3	25.7	PASS
Band3	20	19850	1	#0	QPSK	23.62	20.3	25.7	PASS
Band3	20	19850	18	#0	QPSK	23.61	20.3	25.7	PASS
Band3	20	19850	100	#0	QPSK	22.70	20.3	25.7	PASS
Band3	20	19850	1	#0	QAM16	22.38	20.3	25.7	PASS
Band3	20	19850	18	#0	QAM16	22.55	20.3	25.7	PASS
Band3	20	19850	100	#0	QAM16	21.68	20.3	25.7	PASS
Band40	5	38675	1	#0	QPSK	23.03	20.3	25.7	PASS
Band40	5	38675	8	#0	QPSK	23.04	20.3	25.7	PASS
Band40	5	38675	25	#0	QPSK	22.03	20.3	25.7	PASS
Band40	5	38675	1	#0	QAM16	22.30	20.3	25.7	PASS
Band40	5	38675	8	#0	QAM16	22.01	20.3	25.7	PASS
Band40	5	38675	25	#0	QAM16	21.01	20.3	25.7	PASS
Band40	5	39150	1	#0	QPSK	22.87	20.3	25.7	PASS
Band40	5	39150	8	#0	QPSK	22.88	20.3	25.7	PASS
Band40	5	39150	25	#0	QPSK	21.88	20.3	25.7	PASS
Band40	5	39150	1	#0	QAM16	22.02	20.3	25.7	PASS
Band40	5	39150	8	#0	QAM16	21.89	20.3	25.7	PASS
Band40	5	39150	25	#0	QAM16	20.85	20.3	25.7	PASS
Band40	5	39625	1	#0	QPSK	22.70	20.3	25.7	PASS
Band40	5	39625	8	#0	QPSK	22.85	20.3	25.7	PASS
Band40	5	39625	25	#0	QPSK	21.80	20.3	25.7	PASS
Band40	5	39625	1	#0	QAM16	21.99	20.3	25.7	PASS
Band40	5	39625	8	#0	QAM16	21.82	20.3	25.7	PASS
Band40	5	39625	25	#0	QAM16	20.81	20.3	25.7	PASS
Band40	20	38750	1	#0	QPSK	22.96	20.3	25.7	PASS
Band40	20	38750	18	#0	QPSK	22.87	20.3	25.7	PASS
Band40	20	38750	100	#0	QPSK	21.95	20.3	25.7	PASS
Band40	20	38750	1	#0	QAM16	22.11	20.3	25.7	PASS
Band40	20	38750	18	#0	QAM16	21.85	20.3	25.7	PASS
Band40	20	38750	100	#0	QAM16	20.99	20.3	25.7	PASS
Band40	20	39150	1	#0	QPSK	22.81	20.3	25.7	PASS
Band40	20	39150	18	#0	QPSK	22.80	20.3	25.7	PASS
Band40	20	39150	100	#0	QPSK	21.81	20.3	25.7	PASS
Band40	20	39150	1	#0	QAM16	21.75	20.3	25.7	PASS
Band40	20	39150	18	#0	QAM16	21.73	20.3	25.7	PASS
Band40	20	39150	100	#0	QAM16	20.85	20.3	25.7	PASS
Band40	20	39550	1	#0	QPSK	22.82	20.3	25.7	PASS
Band40	20	39550	18	#0	QPSK	22.72	20.3	25.7	PASS
Band40	20	39550	100	#0	QPSK	21.76	20.3	25.7	PASS
Band40	20	39550	1	#0	QAM16	21.41	20.3	25.7	PASS
Band40	20	39550	18	#0	QAM16	21.66	20.3	25.7	PASS
Band40	20	39550	100	#0	QAM16	20.78	20.3	25.7	PASS

Band7	5	20775	1	#0	QPSK	24.09	18.8	25.7	PASS
Band7	5	20775	8	#0	QPSK	24.19	18.8	25.7	PASS
Band7	5	20775	25	#0	QPSK	23.13	20.3	25.7	PASS
Band7	5	20775	1	#0	QAM16	23.32	18.8	25.7	PASS
Band7	5	20775	8	#0	QAM16	23.14	18.8	25.7	PASS
Band7	5	20775	25	#0	QAM16	22.13	20.3	25.7	PASS
Band7	5	21100	1	#0	QPSK	24.14	20.3	25.7	PASS
Band7	5	21100	8	#0	QPSK	24.16	20.3	25.7	PASS
Band7	5	21100	25	#0	QPSK	23.13	20.3	25.7	PASS
Band7	5	21100	1	#0	QAM16	23.24	20.3	25.7	PASS
Band7	5	21100	8	#0	QAM16	23.09	20.3	25.7	PASS
Band7	5	21100	25	#0	QAM16	22.11	20.3	25.7	PASS
Band7	5	21425	1	#0	QPSK	24.06	20.3	25.7	PASS
Band7	5	21425	8	#0	QPSK	24.17	20.3	25.7	PASS
Band7	5	21425	25	#0	QPSK	23.09	20.3	25.7	PASS
Band7	5	21425	1	#0	QAM16	23.20	20.3	25.7	PASS
Band7	5	21425	8	#0	QAM16	23.04	20.3	25.7	PASS
Band7	5	21425	25	#0	QAM16	22.04	20.3	25.7	PASS
Band7	20	20850	1	#0	QPSK	24.11	18.8	25.7	PASS
Band7	20	20850	18	#0	QPSK	24.08	18.8	25.7	PASS
Band7	20	20850	100	#0	QPSK	23.22	20.3	25.7	PASS
Band7	20	20850	1	#0	QAM16	23.24	18.8	25.7	PASS
Band7	20	20850	18	#0	QAM16	22.97	18.8	25.7	PASS
Band7	20	20850	100	#0	QAM16	22.23	20.3	25.7	PASS
Band7	20	21100	1	#0	QPSK	24.16	20.3	25.7	PASS
Band7	20	21100	18	#0	QPSK	24.00	20.3	25.7	PASS
Band7	20	21100	100	#0	QPSK	23.00	20.3	25.7	PASS
Band7	20	21100	1	#0	QAM16	22.92	20.3	25.7	PASS
Band7	20	21100	18	#0	QAM16	22.91	20.3	25.7	PASS
Band7	20	21100	100	#0	QAM16	22.02	20.3	25.7	PASS
Band7	20	21350	1	#0	QPSK	24.06	20.3	25.7	PASS
Band7	20	21350	18	#0	QPSK	24.05	20.3	25.7	PASS
Band7	20	21350	100	#0	QPSK	23.18	20.3	25.7	PASS
Band7	20	21350	1	#0	QAM16	22.83	20.3	25.7	PASS
Band7	20	21350	18	#0	QAM16	23.05	20.3	25.7	PASS
Band7	20	21350	100	#0	QAM16	22.20	20.3	25.7	PASS
Band8	1.4	21457	1	#0	QPSK	23.36	18.8	25.7	PASS
Band8	1.4	21457	5	#0	QPSK	23.47	18.8	25.7	PASS
Band8	1.4	21457	6	#0	QPSK	22.46	18.8	25.7	PASS
Band8	1.4	21457	1	#0	QAM16	22.24	18.8	25.7	PASS
Band8	1.4	21457	5	#0	QAM16	22.56	18.8	25.7	PASS
Band8	1.4	21457	6	#0	QAM16	21.40	18.8	25.7	PASS
Band8	1.4	21625	1	#0	QPSK	23.40	20.3	25.7	PASS
Band8	1.4	21625	5	#0	QPSK	23.53	20.3	25.7	PASS

Band8	1.4	21625	6	#0	QPSK	22.52	20.3	25.7	PASS
Band8	1.4	21625	1	#0	QAM16	22.52	20.3	25.7	PASS
Band8	1.4	21625	5	#0	QAM16	22.81	20.3	25.7	PASS
Band8	1.4	21625	6	#0	QAM16	21.46	20.3	25.7	PASS
Band8	1.4	21793	1	#0	QPSK	23.34	18.8	25.7	PASS
Band8	1.4	21793	5	#0	QPSK	23.49	18.8	25.7	PASS
Band8	1.4	21793	6	#0	QPSK	22.44	18.8	25.7	PASS
Band8	1.4	21793	1	#0	QAM16	22.15	18.8	25.7	PASS
Band8	1.4	21793	5	#0	QAM16	22.49	18.8	25.7	PASS
Band8	1.4	21793	6	#0	QAM16	21.39	18.8	25.7	PASS
Band8	5	21475	1	#0	QPSK	23.39	18.8	25.7	PASS
Band8	5	21475	8	#0	QPSK	23.38	18.8	25.7	PASS
Band8	5	21475	25	#0	QPSK	22.35	20.3	25.7	PASS
Band8	5	21475	1	#0	QAM16	22.60	18.8	25.7	PASS
Band8	5	21475	8	#0	QAM16	22.34	18.8	25.7	PASS
Band8	5	21475	25	#0	QAM16	21.36	20.3	25.7	PASS
Band8	5	21625	1	#0	QPSK	23.51	20.3	25.7	PASS
Band8	5	21625	8	#0	QPSK	23.48	20.3	25.7	PASS
Band8	5	21625	25	#0	QPSK	22.56	20.3	25.7	PASS
Band8	5	21625	1	#0	QAM16	22.65	20.3	25.7	PASS
Band8	5	21625	8	#0	QAM16	22.46	20.3	25.7	PASS
Band8	5	21625	25	#0	QAM16	21.49	20.3	25.7	PASS
Band8	5	21775	1	#0	QPSK	23.40	20.3	25.7	PASS
Band8	5	21775	8	#0	QPSK	23.55	20.3	25.7	PASS
Band8	5	21775	25	#0	QPSK	22.47	20.3	25.7	PASS
Band8	5	21775	1	#0	QAM16	22.68	20.3	25.7	PASS
Band8	5	21775	8	#0	QAM16	22.42	20.3	25.7	PASS
Band8	5	21775	25	#0	QAM16	21.45	20.3	25.7	PASS
Band8	10	21500	1	#0	QPSK	23.43	18.8	25.7	PASS
Band8	10	21500	12	#0	QPSK	23.32	18.8	25.7	PASS
Band8	10	21500	50	#0	QPSK	22.35	20.3	25.7	PASS
Band8	10	21500	1	#0	QAM16	22.66	18.8	25.7	PASS
Band8	10	21500	12	#0	QAM16	22.30	18.8	25.7	PASS
Band8	10	21500	50	#0	QAM16	21.34	20.3	25.7	PASS
Band8	10	21625	1	#0	QPSK	23.55	20.3	25.7	PASS
Band8	10	21625	12	#0	QPSK	23.49	20.3	25.7	PASS
Band8	10	21625	50	#0	QPSK	22.58	20.3	25.7	PASS
Band8	10	21625	1	#0	QAM16	22.67	20.3	25.7	PASS
Band8	10	21625	12	#0	QAM16	22.45	20.3	25.7	PASS
Band8	10	21625	50	#0	QAM16	21.57	20.3	25.7	PASS
Band8	10	21750	1	#0	QPSK	23.61	20.3	25.7	PASS
Band8	10	21750	12	#0	QPSK	23.51	20.3	25.7	PASS
Band8	10	21750	50	#0	QPSK	22.55	20.3	25.7	PASS
Band8	10	21750	1	#0	QAM16	22.41	20.3	25.7	PASS

Band8	10	21750	12	#0	QAM16	22.55	20.3	25.7	PASS
Band8	10	21750	50	#0	QAM16	21.59	20.3	25.7	PASS

Clause 4.2.3 LTE Transmitter spectrum emission mask

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	7.38	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	8.08	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	24.51	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	12.82	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	30.84	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	24.78	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	25.06	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	13.27	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	32.89	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	25.55	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	24.94	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	12.88	PASS
Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	10.25	PASS
Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	9.08	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	24.42	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	12.95	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	18.80	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	12.65	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	17.30	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	7.64	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	19.54	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	12.09	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	16.68	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	7.11	PASS
Band1	5	18025	8	#0	QAM16	-1MHz-0MHz	14.02	PASS
Band1	5	18025	8	#0	QAM16	-5MHz--1MHz	12.14	PASS
Band1	5	18025	8	#0	QAM16	-6MHz--5MHz	24.85	PASS
Band1	5	18025	8	#0	QAM16	-10MHz--6MHz	12.83	PASS
Band1	5	18025	8	#0	QAM16	0MHz-1MHz	34.11	PASS
Band1	5	18025	8	#0	QAM16	1MHz-5MHz	25.62	PASS
Band1	5	18025	8	#0	QAM16	5MHz-6MHz	25.19	PASS
Band1	5	18025	8	#0	QAM16	6MHz-10MHz	13.25	PASS
Band1	5	18025	8	#Max	QAM16	-1MHz-0MHz	34.45	PASS
Band1	5	18025	8	#Max	QAM16	-5MHz--1MHz	26.13	PASS
Band1	5	18025	8	#Max	QAM16	-6MHz--5MHz	25.12	PASS
Band1	5	18025	8	#Max	QAM16	-10MHz--6MHz	12.81	PASS
Band1	5	18025	8	#Max	QAM16	0MHz-1MHz	14.85	PASS
Band1	5	18025	8	#Max	QAM16	1MHz-5MHz	13.09	PASS
Band1	5	18025	8	#Max	QAM16	5MHz-6MHz	24.79	PASS

Band1	5	18025	8	#Max	QAM16	6MHz-10MHz	13.12	PASS
Band1	5	18025	25	#0	QAM16	-1MHz-0MHz	21.24	PASS
Band1	5	18025	25	#0	QAM16	-5MHz--1MHz	14.23	PASS
Band1	5	18025	25	#0	QAM16	-6MHz--5MHz	20.03	PASS
Band1	5	18025	25	#0	QAM16	-10MHz--6MHz	10.14	PASS
Band1	5	18025	25	#0	QAM16	0MHz-1MHz	20.82	PASS
Band1	5	18025	25	#0	QAM16	1MHz-5MHz	13.56	PASS
Band1	5	18025	25	#0	QAM16	5MHz-6MHz	19.23	PASS
Band1	5	18025	25	#0	QAM16	6MHz-10MHz	9.55	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	9.93	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	8.67	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	24.18	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	12.71	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	31.76	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	25.26	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	25.11	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	13.16	PASS
Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	30.61	PASS
Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	24.62	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	24.86	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	12.74	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	9.96	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	9.05	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	24.34	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	12.86	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	20.99	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	13.43	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	16.94	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	7.40	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	21.06	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	14.39	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	18.01	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	8.66	PASS
Band1	5	18300	8	#0	QAM16	-1MHz-0MHz	12.20	PASS
Band1	5	18300	8	#0	QAM16	-5MHz--1MHz	11.76	PASS
Band1	5	18300	8	#0	QAM16	-6MHz--5MHz	24.44	PASS
Band1	5	18300	8	#0	QAM16	-10MHz--6MHz	12.74	PASS
Band1	5	18300	8	#0	QAM16	0MHz-1MHz	33.55	PASS
Band1	5	18300	8	#0	QAM16	1MHz-5MHz	25.73	PASS
Band1	5	18300	8	#0	QAM16	5MHz-6MHz	25.08	PASS
Band1	5	18300	8	#0	QAM16	6MHz-10MHz	13.13	PASS
Band1	5	18300	8	#Max	QAM16	-1MHz-0MHz	32.77	PASS
Band1	5	18300	8	#Max	QAM16	-5MHz--1MHz	25.09	PASS
Band1	5	18300	8	#Max	QAM16	-6MHz--5MHz	24.91	PASS

Band1	5	18300	8	#Max	QAM16	-10MHz--6MHz	12.75	PASS
Band1	5	18300	8	#Max	QAM16	0MHz-1MHz	13.06	PASS
Band1	5	18300	8	#Max	QAM16	1MHz-5MHz	12.05	PASS
Band1	5	18300	8	#Max	QAM16	5MHz-6MHz	24.70	PASS
Band1	5	18300	8	#Max	QAM16	6MHz-10MHz	13.11	PASS
Band1	5	18300	25	#0	QAM16	-1MHz-0MHz	20.42	PASS
Band1	5	18300	25	#0	QAM16	-5MHz--1MHz	13.59	PASS
Band1	5	18300	25	#0	QAM16	-6MHz--5MHz	19.32	PASS
Band1	5	18300	25	#0	QAM16	-10MHz--6MHz	9.63	PASS
Band1	5	18300	25	#0	QAM16	0MHz-1MHz	21.51	PASS
Band1	5	18300	25	#0	QAM16	1MHz-5MHz	14.27	PASS
Band1	5	18300	25	#0	QAM16	5MHz-6MHz	20.00	PASS
Band1	5	18300	25	#0	QAM16	6MHz-10MHz	10.43	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	12.56	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	11.34	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	24.70	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	13.11	PASS
Band1	5	18575	8	#0	QPSK	0MHz-1MHz	31.92	PASS
Band1	5	18575	8	#0	QPSK	1MHz-5MHz	25.36	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	25.51	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	13.67	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	32.29	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	25.54	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	25.43	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	13.34	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	10.29	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	10.02	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	24.81	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	13.42	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	24.47	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	17.01	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	20.66	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	10.40	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	23.47	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	15.59	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	19.03	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	9.36	PASS
Band1	5	18575	8	#0	QAM16	-1MHz-0MHz	17.30	PASS
Band1	5	18575	8	#0	QAM16	-5MHz--1MHz	16.56	PASS
Band1	5	18575	8	#0	QAM16	-6MHz--5MHz	25.22	PASS
Band1	5	18575	8	#0	QAM16	-10MHz--6MHz	13.30	PASS
Band1	5	18575	8	#0	QAM16	0MHz-1MHz	34.21	PASS
Band1	5	18575	8	#0	QAM16	1MHz-5MHz	25.83	PASS
Band1	5	18575	8	#0	QAM16	5MHz-6MHz	25.50	PASS

Band1	5	18575	8	#0	QAM16	6MHz-10MHz	13.70	PASS
Band1	5	18575	8	#Max	QAM16	-1MHz-0MHz	34.55	PASS
Band1	5	18575	8	#Max	QAM16	-5MHz--1MHz	26.36	PASS
Band1	5	18575	8	#Max	QAM16	-6MHz--5MHz	25.59	PASS
Band1	5	18575	8	#Max	QAM16	-10MHz--6MHz	13.31	PASS
Band1	5	18575	8	#Max	QAM16	0MHz-1MHz	16.77	PASS
Band1	5	18575	8	#Max	QAM16	1MHz-5MHz	15.15	PASS
Band1	5	18575	8	#Max	QAM16	5MHz-6MHz	25.17	PASS
Band1	5	18575	8	#Max	QAM16	6MHz-10MHz	13.59	PASS
Band1	5	18575	25	#0	QAM16	-1MHz-0MHz	24.05	PASS
Band1	5	18575	25	#0	QAM16	-5MHz--1MHz	16.88	PASS
Band1	5	18575	25	#0	QAM16	-6MHz--5MHz	21.61	PASS
Band1	5	18575	25	#0	QAM16	-10MHz--6MHz	10.95	PASS
Band1	5	18575	25	#0	QAM16	0MHz-1MHz	22.65	PASS
Band1	5	18575	25	#0	QAM16	1MHz-5MHz	15.56	PASS
Band1	5	18575	25	#0	QAM16	5MHz-6MHz	20.30	PASS
Band1	5	18575	25	#0	QAM16	6MHz-10MHz	10.10	PASS
Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	8.69	PASS
Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	7.70	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	22.67	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	11.34	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	32.36	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	26.70	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	23.35	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	13.23	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	33.42	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	27.23	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	23.67	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	11.26	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	10.72	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	9.22	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	23.24	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	13.04	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	20.49	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	16.11	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	15.00	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	8.12	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	19.11	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	15.26	PASS
Band1	10	18050	50	#0	QPSK	5MHz-10MHz	13.19	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	6.95	PASS
Band1	10	18050	12	#0	QAM16	-1MHz-0MHz	10.13	PASS
Band1	10	18050	12	#0	QAM16	-5MHz--1MHz	10.99	PASS
Band1	10	18050	12	#0	QAM16	-10MHz--5MHz	23.39	PASS

Band1	10	18050	12	#0	QAM16	-15MHz--10MHz	11.35	PASS
Band1	10	18050	12	#0	QAM16	0MHz-1MHz	32.89	PASS
Band1	10	18050	12	#0	QAM16	1MHz-5MHz	26.79	PASS
Band1	10	18050	12	#0	QAM16	5MHz-10MHz	23.46	PASS
Band1	10	18050	12	#0	QAM16	10MHz-15MHz	13.17	PASS
Band1	10	18050	12	#Max	QAM16	-1MHz-0MHz	33.85	PASS
Band1	10	18050	12	#Max	QAM16	-5MHz--1MHz	27.23	PASS
Band1	10	18050	12	#Max	QAM16	-10MHz--5MHz	23.88	PASS
Band1	10	18050	12	#Max	QAM16	-15MHz--10MHz	11.32	PASS
Band1	10	18050	12	#Max	QAM16	0MHz-1MHz	12.12	PASS
Band1	10	18050	12	#Max	QAM16	1MHz-5MHz	12.10	PASS
Band1	10	18050	12	#Max	QAM16	5MHz-10MHz	23.68	PASS
Band1	10	18050	12	#Max	QAM16	10MHz-15MHz	13.09	PASS
Band1	10	18050	50	#0	QAM16	-1MHz-0MHz	21.74	PASS
Band1	10	18050	50	#0	QAM16	-5MHz--1MHz	17.17	PASS
Band1	10	18050	50	#0	QAM16	-10MHz--5MHz	15.98	PASS
Band1	10	18050	50	#0	QAM16	-15MHz--10MHz	9.24	PASS
Band1	10	18050	50	#0	QAM16	0MHz-1MHz	20.90	PASS
Band1	10	18050	50	#0	QAM16	1MHz-5MHz	16.06	PASS
Band1	10	18050	50	#0	QAM16	5MHz-10MHz	14.72	PASS
Band1	10	18050	50	#0	QAM16	10MHz-15MHz	8.54	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	9.85	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	8.17	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	22.25	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	11.21	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	33.19	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	27.05	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	23.78	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	13.14	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	31.98	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	26.31	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	23.00	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	11.34	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	9.26	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	8.18	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	22.53	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	12.91	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	20.40	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	15.80	PASS
Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	13.89	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	6.68	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	21.96	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	17.14	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	15.64	PASS

Band1	10	18300	50	#0	QPSK	10MHz-15MHz	8.15	PASS
Band1	10	18300	12	#0	QAM16	-1MHz-0MHz	11.68	PASS
Band1	10	18300	12	#0	QAM16	-5MHz--1MHz	11.39	PASS
Band1	10	18300	12	#0	QAM16	-10MHz--5MHz	23.00	PASS
Band1	10	18300	12	#0	QAM16	-15MHz--10MHz	11.26	PASS
Band1	10	18300	12	#0	QAM16	0MHz-1MHz	33.37	PASS
Band1	10	18300	12	#0	QAM16	1MHz-5MHz	27.13	PASS
Band1	10	18300	12	#0	QAM16	5MHz-10MHz	24.03	PASS
Band1	10	18300	12	#0	QAM16	10MHz-15MHz	13.06	PASS
Band1	10	18300	12	#Max	QAM16	-1MHz-0MHz	33.00	PASS
Band1	10	18300	12	#Max	QAM16	-5MHz--1MHz	26.65	PASS
Band1	10	18300	12	#Max	QAM16	-10MHz--5MHz	23.13	PASS
Band1	10	18300	12	#Max	QAM16	-15MHz--10MHz	11.26	PASS
Band1	10	18300	12	#Max	QAM16	0MHz-1MHz	11.35	PASS
Band1	10	18300	12	#Max	QAM16	1MHz-5MHz	11.34	PASS
Band1	10	18300	12	#Max	QAM16	5MHz-10MHz	23.22	PASS
Band1	10	18300	12	#Max	QAM16	10MHz-15MHz	13.04	PASS
Band1	10	18300	50	#0	QAM16	-1MHz-0MHz	20.49	PASS
Band1	10	18300	50	#0	QAM16	-5MHz--1MHz	15.56	PASS
Band1	10	18300	50	#0	QAM16	-10MHz--5MHz	14.93	PASS
Band1	10	18300	50	#0	QAM16	-15MHz--10MHz	7.75	PASS
Band1	10	18300	50	#0	QAM16	0MHz-1MHz	21.33	PASS
Band1	10	18300	50	#0	QAM16	1MHz-5MHz	16.56	PASS
Band1	10	18300	50	#0	QAM16	5MHz-10MHz	16.41	PASS
Band1	10	18300	50	#0	QAM16	10MHz-15MHz	9.57	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	13.46	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	11.97	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	23.05	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.75	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	32.86	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	27.03	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	23.76	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	13.63	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	32.87	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	27.47	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	23.92	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.84	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	11.52	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	10.51	PASS
Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	23.40	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	13.59	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	24.72	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	19.78	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	19.06	PASS

Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	10.81	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	22.66	PASS
Band1	10	18550	50	#0	QPSK	1MHz-5MHz	18.43	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	17.28	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	10.34	PASS
Band1	10	18550	12	#0	QAM16	-1MHz-0MHz	15.13	PASS
Band1	10	18550	12	#0	QAM16	-5MHz--1MHz	14.22	PASS
Band1	10	18550	12	#0	QAM16	-10MHz--5MHz	23.73	PASS
Band1	10	18550	12	#0	QAM16	-15MHz--10MHz	11.73	PASS
Band1	10	18550	12	#0	QAM16	0MHz-1MHz	32.93	PASS
Band1	10	18550	12	#0	QAM16	1MHz-5MHz	27.21	PASS
Band1	10	18550	12	#0	QAM16	5MHz-10MHz	23.89	PASS
Band1	10	18550	12	#0	QAM16	10MHz-15MHz	13.68	PASS
Band1	10	18550	12	#Max	QAM16	-1MHz-0MHz	34.18	PASS
Band1	10	18550	12	#Max	QAM16	-5MHz--1MHz	27.58	PASS
Band1	10	18550	12	#Max	QAM16	-10MHz--5MHz	24.11	PASS
Band1	10	18550	12	#Max	QAM16	-15MHz--10MHz	11.78	PASS
Band1	10	18550	12	#Max	QAM16	0MHz-1MHz	13.86	PASS
Band1	10	18550	12	#Max	QAM16	1MHz-5MHz	13.37	PASS
Band1	10	18550	12	#Max	QAM16	5MHz-10MHz	23.93	PASS
Band1	10	18550	12	#Max	QAM16	10MHz-15MHz	13.71	PASS
Band1	10	18550	50	#0	QAM16	-1MHz-0MHz	23.51	PASS
Band1	10	18550	50	#0	QAM16	-5MHz--1MHz	18.46	PASS
Band1	10	18550	50	#0	QAM16	-10MHz--5MHz	18.67	PASS
Band1	10	18550	50	#0	QAM16	-15MHz--10MHz	10.78	PASS
Band1	10	18550	50	#0	QAM16	0MHz-1MHz	21.78	PASS
Band1	10	18550	50	#0	QAM16	1MHz-5MHz	16.89	PASS
Band1	10	18550	50	#0	QAM16	5MHz-10MHz	16.59	PASS
Band1	10	18550	50	#0	QAM16	10MHz-15MHz	10.64	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	9.13	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	9.59	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	20.64	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	13.50	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	30.49	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	27.41	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	23.83	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	13.41	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	30.70	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	27.12	PASS
Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	22.88	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	13.63	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	11.21	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	10.90	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	22.17	PASS

Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	13.27	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	20.63	PASS
Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	19.27	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	17.62	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	12.15	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	20.52	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	18.73	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	17.04	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	10.08	PASS
Band1	20	18100	18	#0	QAM16	-1MHz-0MHz	10.82	PASS
Band1	20	18100	18	#0	QAM16	-5MHz--1MHz	12.02	PASS
Band1	20	18100	18	#0	QAM16	-20MHz--5MHz	21.76	PASS
Band1	20	18100	18	#0	QAM16	-25MHz--20MHz	13.49	PASS
Band1	20	18100	18	#0	QAM16	0MHz-1MHz	30.61	PASS
Band1	20	18100	18	#0	QAM16	1MHz-5MHz	27.51	PASS
Band1	20	18100	18	#0	QAM16	5MHz-20MHz	23.97	PASS
Band1	20	18100	18	#0	QAM16	20MHz-25MHz	13.33	PASS
Band1	20	18100	18	#Max	QAM16	-1MHz-0MHz	30.85	PASS
Band1	20	18100	18	#Max	QAM16	-5MHz--1MHz	27.06	PASS
Band1	20	18100	18	#Max	QAM16	-20MHz--5MHz	22.97	PASS
Band1	20	18100	18	#Max	QAM16	-25MHz--20MHz	13.67	PASS
Band1	20	18100	18	#Max	QAM16	0MHz-1MHz	13.33	PASS
Band1	20	18100	18	#Max	QAM16	1MHz-5MHz	12.92	PASS
Band1	20	18100	18	#Max	QAM16	5MHz-20MHz	23.28	PASS
Band1	20	18100	18	#Max	QAM16	20MHz-25MHz	13.26	PASS
Band1	20	18100	100	#0	QAM16	-1MHz-0MHz	21.04	PASS
Band1	20	18100	100	#0	QAM16	-5MHz--1MHz	19.75	PASS
Band1	20	18100	100	#0	QAM16	-20MHz--5MHz	18.17	PASS
Band1	20	18100	100	#0	QAM16	-25MHz--20MHz	12.68	PASS
Band1	20	18100	100	#0	QAM16	0MHz-1MHz	20.94	PASS
Band1	20	18100	100	#0	QAM16	1MHz-5MHz	19.47	PASS
Band1	20	18100	100	#0	QAM16	5MHz-20MHz	17.64	PASS
Band1	20	18100	100	#0	QAM16	20MHz-25MHz	11.05	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	9.74	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	9.71	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	20.23	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	13.26	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	30.63	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	27.73	PASS
Band1	20	18300	18	#0	QPSK	5MHz-20MHz	24.59	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	14.01	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	30.20	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	26.63	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	22.50	PASS

Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	13.55	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	9.52	PASS
Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	9.71	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	20.58	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	13.85	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	18.06	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	17.02	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	15.14	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	8.67	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	20.58	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	19.02	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	16.78	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	8.89	PASS
Band1	20	18300	18	#0	QAM16	-1MHz-0MHz	12.41	PASS
Band1	20	18300	18	#0	QAM16	-5MHz--1MHz	12.22	PASS
Band1	20	18300	18	#0	QAM16	-20MHz--5MHz	21.78	PASS
Band1	20	18300	18	#0	QAM16	-25MHz--20MHz	13.33	PASS
Band1	20	18300	18	#0	QAM16	0MHz-1MHz	31.23	PASS
Band1	20	18300	18	#0	QAM16	1MHz-5MHz	27.74	PASS
Band1	20	18300	18	#0	QAM16	5MHz-20MHz	24.59	PASS
Band1	20	18300	18	#0	QAM16	20MHz-25MHz	14.03	PASS
Band1	20	18300	18	#Max	QAM16	-1MHz-0MHz	30.44	PASS
Band1	20	18300	18	#Max	QAM16	-5MHz--1MHz	26.73	PASS
Band1	20	18300	18	#Max	QAM16	-20MHz--5MHz	22.58	PASS
Band1	20	18300	18	#Max	QAM16	-25MHz--20MHz	13.45	PASS
Band1	20	18300	18	#Max	QAM16	0MHz-1MHz	12.46	PASS
Band1	20	18300	18	#Max	QAM16	1MHz-5MHz	12.48	PASS
Band1	20	18300	18	#Max	QAM16	5MHz-20MHz	22.41	PASS
Band1	20	18300	18	#Max	QAM16	20MHz-25MHz	13.88	PASS
Band1	20	18300	100	#0	QAM16	-1MHz-0MHz	19.50	PASS
Band1	20	18300	100	#0	QAM16	-5MHz--1MHz	17.67	PASS
Band1	20	18300	100	#0	QAM16	-20MHz--5MHz	16.05	PASS
Band1	20	18300	100	#0	QAM16	-25MHz--20MHz	10.30	PASS
Band1	20	18300	100	#0	QAM16	0MHz-1MHz	21.41	PASS
Band1	20	18300	100	#0	QAM16	1MHz-5MHz	19.42	PASS
Band1	20	18300	100	#0	QAM16	5MHz-20MHz	17.81	PASS
Band1	20	18300	100	#0	QAM16	20MHz-25MHz	10.85	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	10.41	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	10.66	PASS
Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	20.76	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	13.22	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	30.54	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	27.89	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	24.53	PASS

Band1	20	18500	18	#0	QPSK	20MHz-25MHz	13.83	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	31.30	PASS
Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	27.47	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	23.23	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	13.47	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	10.58	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	11.13	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	23.15	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	13.75	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	22.27	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	20.31	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	17.56	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	9.71	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	20.23	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	17.86	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	16.17	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	12.27	PASS
Band1	20	18500	18	#0	QAM16	-1MHz-0MHz	12.13	PASS
Band1	20	18500	18	#0	QAM16	-5MHz--1MHz	13.23	PASS
Band1	20	18500	18	#0	QAM16	-20MHz--5MHz	21.57	PASS
Band1	20	18500	18	#0	QAM16	-25MHz--20MHz	13.26	PASS
Band1	20	18500	18	#0	QAM16	0MHz-1MHz	30.87	PASS
Band1	20	18500	18	#0	QAM16	1MHz-5MHz	27.94	PASS
Band1	20	18500	18	#0	QAM16	5MHz-20MHz	24.63	PASS
Band1	20	18500	18	#0	QAM16	20MHz-25MHz	13.79	PASS
Band1	20	18500	18	#Max	QAM16	-1MHz-0MHz	31.32	PASS
Band1	20	18500	18	#Max	QAM16	-5MHz--1MHz	27.33	PASS
Band1	20	18500	18	#Max	QAM16	-20MHz--5MHz	23.15	PASS
Band1	20	18500	18	#Max	QAM16	-25MHz--20MHz	13.47	PASS
Band1	20	18500	18	#Max	QAM16	0MHz-1MHz	13.72	PASS
Band1	20	18500	18	#Max	QAM16	1MHz-5MHz	13.72	PASS
Band1	20	18500	18	#Max	QAM16	5MHz-20MHz	23.07	PASS
Band1	20	18500	18	#Max	QAM16	20MHz-25MHz	13.65	PASS
Band1	20	18500	100	#0	QAM16	-1MHz-0MHz	22.86	PASS
Band1	20	18500	100	#0	QAM16	-5MHz--1MHz	20.50	PASS
Band1	20	18500	100	#0	QAM16	-20MHz--5MHz	18.24	PASS
Band1	20	18500	100	#0	QAM16	-25MHz--20MHz	10.83	PASS
Band1	20	18500	100	#0	QAM16	0MHz-1MHz	20.59	PASS
Band1	20	18500	100	#0	QAM16	1MHz-5MHz	18.35	PASS
Band1	20	18500	100	#0	QAM16	5MHz-20MHz	16.30	PASS
Band1	20	18500	100	#0	QAM16	20MHz-25MHz	12.84	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	15.51	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	15.30	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	25.06	PASS

Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	13.04	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	34.76	PASS
Band20	5	24175	8	#0	QPSK	1MHz-5MHz	25.33	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	25.37	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	13.39	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	35.09	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	26.50	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	25.30	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	12.96	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	14.82	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	15.28	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	25.11	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	13.30	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	23.86	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	18.65	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	22.88	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	12.64	PASS
Band20	5	24175	25	#0	QPSK	0MHz-1MHz	24.56	PASS
Band20	5	24175	25	#0	QPSK	1MHz-5MHz	17.56	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	21.03	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	9.78	PASS
Band20	5	24175	8	#0	QAM16	-1MHz-0MHz	19.69	PASS
Band20	5	24175	8	#0	QAM16	-5MHz--1MHz	17.43	PASS
Band20	5	24175	8	#0	QAM16	-6MHz--5MHz	25.22	PASS
Band20	5	24175	8	#0	QAM16	-10MHz--6MHz	13.00	PASS
Band20	5	24175	8	#0	QAM16	0MHz-1MHz	34.67	PASS
Band20	5	24175	8	#0	QAM16	1MHz-5MHz	25.68	PASS
Band20	5	24175	8	#0	QAM16	5MHz-6MHz	25.22	PASS
Band20	5	24175	8	#0	QAM16	6MHz-10MHz	13.45	PASS
Band20	5	24175	8	#Max	QAM16	-1MHz-0MHz	35.39	PASS
Band20	5	24175	8	#Max	QAM16	-5MHz--1MHz	26.53	PASS
Band20	5	24175	8	#Max	QAM16	-6MHz--5MHz	25.27	PASS
Band20	5	24175	8	#Max	QAM16	-10MHz--6MHz	13.10	PASS
Band20	5	24175	8	#Max	QAM16	0MHz-1MHz	17.70	PASS
Band20	5	24175	8	#Max	QAM16	1MHz-5MHz	17.10	PASS
Band20	5	24175	8	#Max	QAM16	5MHz-6MHz	25.19	PASS
Band20	5	24175	8	#Max	QAM16	6MHz-10MHz	13.38	PASS
Band20	5	24175	25	#0	QAM16	-1MHz-0MHz	24.99	PASS
Band20	5	24175	25	#0	QAM16	-5MHz--1MHz	18.04	PASS
Band20	5	24175	25	#0	QAM16	-6MHz--5MHz	23.46	PASS
Band20	5	24175	25	#0	QAM16	-10MHz--6MHz	12.89	PASS
Band20	5	24175	25	#0	QAM16	0MHz-1MHz	23.87	PASS
Band20	5	24175	25	#0	QAM16	1MHz-5MHz	16.90	PASS
Band20	5	24175	25	#0	QAM16	5MHz-6MHz	21.69	PASS

Band20	5	24175	25	#0	QAM16	6MHz-10MHz	10.79	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	16.27	PASS
Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	16.02	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	24.94	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	12.87	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	35.12	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	25.47	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	25.29	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	13.37	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	34.95	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	26.02	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	25.02	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	13.03	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	16.63	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	16.71	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	25.14	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	13.26	PASS
Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	25.55	PASS
Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	18.71	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	22.48	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	11.25	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	24.45	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	18.44	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	21.65	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	10.70	PASS
Band20	5	24300	8	#0	QAM16	-1MHz-0MHz	17.87	PASS
Band20	5	24300	8	#0	QAM16	-5MHz--1MHz	17.73	PASS
Band20	5	24300	8	#0	QAM16	-6MHz--5MHz	25.02	PASS
Band20	5	24300	8	#0	QAM16	-10MHz--6MHz	12.98	PASS
Band20	5	24300	8	#0	QAM16	0MHz-1MHz	35.04	PASS
Band20	5	24300	8	#0	QAM16	1MHz-5MHz	25.72	PASS
Band20	5	24300	8	#0	QAM16	5MHz-6MHz	25.31	PASS
Band20	5	24300	8	#0	QAM16	6MHz-10MHz	13.42	PASS
Band20	5	24300	8	#Max	QAM16	-1MHz-0MHz	35.01	PASS
Band20	5	24300	8	#Max	QAM16	-5MHz--1MHz	26.08	PASS
Band20	5	24300	8	#Max	QAM16	-6MHz--5MHz	25.12	PASS
Band20	5	24300	8	#Max	QAM16	-10MHz--6MHz	13.05	PASS
Band20	5	24300	8	#Max	QAM16	0MHz-1MHz	18.40	PASS
Band20	5	24300	8	#Max	QAM16	1MHz-5MHz	18.36	PASS
Band20	5	24300	8	#Max	QAM16	5MHz-6MHz	25.09	PASS
Band20	5	24300	8	#Max	QAM16	6MHz-10MHz	13.23	PASS
Band20	5	24300	25	#0	QAM16	-1MHz-0MHz	23.57	PASS
Band20	5	24300	25	#0	QAM16	-5MHz--1MHz	17.76	PASS
Band20	5	24300	25	#0	QAM16	-6MHz--5MHz	22.64	PASS

Band20	5	24300	25	#0	QAM16	-10MHz--6MHz	11.72	PASS
Band20	5	24300	25	#0	QAM16	0MHz-1MHz	24.27	PASS
Band20	5	24300	25	#0	QAM16	1MHz-5MHz	16.88	PASS
Band20	5	24300	25	#0	QAM16	5MHz-6MHz	22.02	PASS
Band20	5	24300	25	#0	QAM16	6MHz-10MHz	11.25	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	12.78	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	15.52	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	24.77	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	12.80	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	35.28	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	25.52	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	25.15	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	13.27	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	34.06	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	25.43	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	25.00	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	12.85	PASS
Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	13.51	PASS
Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	15.89	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	24.90	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	13.11	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	23.33	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	17.23	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	22.64	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	11.71	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	23.84	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	18.22	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	21.23	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	10.19	PASS
Band20	5	24425	8	#0	QAM16	-1MHz-0MHz	18.65	PASS
Band20	5	24425	8	#0	QAM16	-5MHz--1MHz	18.81	PASS
Band20	5	24425	8	#0	QAM16	-6MHz--5MHz	24.91	PASS
Band20	5	24425	8	#0	QAM16	-10MHz--6MHz	12.94	PASS
Band20	5	24425	8	#0	QAM16	0MHz-1MHz	35.42	PASS
Band20	5	24425	8	#0	QAM16	1MHz-5MHz	25.98	PASS
Band20	5	24425	8	#0	QAM16	5MHz-6MHz	25.13	PASS
Band20	5	24425	8	#0	QAM16	6MHz-10MHz	13.28	PASS
Band20	5	24425	8	#Max	QAM16	-1MHz-0MHz	34.83	PASS
Band20	5	24425	8	#Max	QAM16	-5MHz--1MHz	25.62	PASS
Band20	5	24425	8	#Max	QAM16	-6MHz--5MHz	25.04	PASS
Band20	5	24425	8	#Max	QAM16	-10MHz--6MHz	12.80	PASS
Band20	5	24425	8	#Max	QAM16	0MHz-1MHz	18.14	PASS
Band20	5	24425	8	#Max	QAM16	1MHz-5MHz	18.85	PASS
Band20	5	24425	8	#Max	QAM16	5MHz-6MHz	24.96	PASS

Band20	5	24425	8	#Max	QAM16	6MHz-10MHz	13.14	PASS
Band20	5	24425	25	#0	QAM16	-1MHz-0MHz	24.64	PASS
Band20	5	24425	25	#0	QAM16	-5MHz--1MHz	17.98	PASS
Band20	5	24425	25	#0	QAM16	-6MHz--5MHz	22.77	PASS
Band20	5	24425	25	#0	QAM16	-10MHz--6MHz	11.85	PASS
Band20	5	24425	25	#0	QAM16	0MHz-1MHz	23.98	PASS
Band20	5	24425	25	#0	QAM16	1MHz-5MHz	17.45	PASS
Band20	5	24425	25	#0	QAM16	5MHz-6MHz	21.94	PASS
Band20	5	24425	25	#0	QAM16	6MHz-10MHz	10.67	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	15.66	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	14.09	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	24.49	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	11.50	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	33.60	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	26.69	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	23.05	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	13.36	PASS
Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	33.92	PASS
Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	27.43	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	24.51	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	11.51	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	18.61	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	15.44	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	24.27	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	13.21	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	24.50	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	19.90	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	20.45	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	11.58	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	23.92	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	20.29	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	16.85	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	10.82	PASS
Band20	10	24200	12	#0	QAM16	-1MHz-0MHz	16.50	PASS
Band20	10	24200	12	#0	QAM16	-5MHz--1MHz	16.62	PASS
Band20	10	24200	12	#0	QAM16	-10MHz--5MHz	24.52	PASS
Band20	10	24200	12	#0	QAM16	-15MHz--10MHz	11.50	PASS
Band20	10	24200	12	#0	QAM16	0MHz-1MHz	33.32	PASS
Band20	10	24200	12	#0	QAM16	1MHz-5MHz	26.90	PASS
Band20	10	24200	12	#0	QAM16	5MHz-10MHz	23.39	PASS
Band20	10	24200	12	#0	QAM16	10MHz-15MHz	13.30	PASS
Band20	10	24200	12	#Max	QAM16	-1MHz-0MHz	33.86	PASS
Band20	10	24200	12	#Max	QAM16	-5MHz--1MHz	27.51	PASS
Band20	10	24200	12	#Max	QAM16	-10MHz--5MHz	24.65	PASS

Band20	10	24200	12	#Max	QAM16	-15MHz--10MHz	11.62	PASS
Band20	10	24200	12	#Max	QAM16	0MHz-1MHz	17.76	PASS
Band20	10	24200	12	#Max	QAM16	1MHz-5MHz	17.11	PASS
Band20	10	24200	12	#Max	QAM16	5MHz-10MHz	24.37	PASS
Band20	10	24200	12	#Max	QAM16	10MHz-15MHz	13.34	PASS
Band20	10	24200	50	#0	QAM16	-1MHz-0MHz	23.55	PASS
Band20	10	24200	50	#0	QAM16	-5MHz--1MHz	20.28	PASS
Band20	10	24200	50	#0	QAM16	-10MHz--5MHz	20.87	PASS
Band20	10	24200	50	#0	QAM16	-15MHz--10MHz	11.56	PASS
Band20	10	24200	50	#0	QAM16	0MHz-1MHz	24.00	PASS
Band20	10	24200	50	#0	QAM16	1MHz-5MHz	19.22	PASS
Band20	10	24200	50	#0	QAM16	5MHz-10MHz	17.55	PASS
Band20	10	24200	50	#0	QAM16	10MHz-15MHz	10.75	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	18.18	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	15.41	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	23.96	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	11.57	PASS
Band20	10	24300	12	#0	QPSK	0MHz-1MHz	33.40	PASS
Band20	10	24300	12	#0	QPSK	1MHz-5MHz	26.86	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	23.28	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	13.34	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	33.46	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	27.07	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	23.54	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	11.54	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	18.70	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	16.23	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	24.06	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	13.20	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	24.26	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	20.35	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	19.00	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	11.18	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	25.00	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	21.00	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	18.50	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	11.75	PASS
Band20	10	24300	12	#0	QAM16	-1MHz-0MHz	18.22	PASS
Band20	10	24300	12	#0	QAM16	-5MHz--1MHz	17.48	PASS
Band20	10	24300	12	#0	QAM16	-10MHz--5MHz	24.08	PASS
Band20	10	24300	12	#0	QAM16	-15MHz--10MHz	11.62	PASS
Band20	10	24300	12	#0	QAM16	0MHz-1MHz	33.36	PASS
Band20	10	24300	12	#0	QAM16	1MHz-5MHz	26.90	PASS
Band20	10	24300	12	#0	QAM16	5MHz-10MHz	23.57	PASS

Band20	10	24300	12	#0	QAM16	10MHz-15MHz	13.28	PASS
Band20	10	24300	12	#Max	QAM16	-1MHz-0MHz	33.55	PASS
Band20	10	24300	12	#Max	QAM16	-5MHz--1MHz	27.11	PASS
Band20	10	24300	12	#Max	QAM16	-10MHz--5MHz	23.65	PASS
Band20	10	24300	12	#Max	QAM16	-15MHz--10MHz	11.56	PASS
Band20	10	24300	12	#Max	QAM16	0MHz-1MHz	17.83	PASS
Band20	10	24300	12	#Max	QAM16	1MHz-5MHz	18.31	PASS
Band20	10	24300	12	#Max	QAM16	5MHz-10MHz	24.27	PASS
Band20	10	24300	12	#Max	QAM16	10MHz-15MHz	13.20	PASS
Band20	10	24300	50	#0	QAM16	-1MHz-0MHz	23.79	PASS
Band20	10	24300	50	#0	QAM16	-5MHz--1MHz	19.46	PASS
Band20	10	24300	50	#0	QAM16	-10MHz--5MHz	19.55	PASS
Band20	10	24300	50	#0	QAM16	-15MHz--10MHz	11.25	PASS
Band20	10	24300	50	#0	QAM16	0MHz-1MHz	23.90	PASS
Band20	10	24300	50	#0	QAM16	1MHz-5MHz	19.12	PASS
Band20	10	24300	50	#0	QAM16	5MHz-10MHz	18.54	PASS
Band20	10	24300	50	#0	QAM16	10MHz-15MHz	11.88	PASS
Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	18.98	PASS
Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	17.38	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	23.85	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	11.44	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	33.39	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	26.77	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	22.96	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	13.21	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	32.86	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	26.83	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	23.28	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	11.48	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	14.63	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	15.27	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	23.93	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	13.18	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	26.07	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	21.30	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	19.93	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	11.00	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	26.93	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	22.22	PASS
Band20	10	24400	50	#0	QPSK	5MHz-10MHz	18.54	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	12.14	PASS
Band20	10	24400	12	#0	QAM16	-1MHz-0MHz	20.22	PASS
Band20	10	24400	12	#0	QAM16	-5MHz--1MHz	18.99	PASS
Band20	10	24400	12	#0	QAM16	-10MHz--5MHz	24.04	PASS

Band20	10	24400	12	#0	QAM16	-15MHz--10MHz	11.38	PASS
Band20	10	24400	12	#0	QAM16	0MHz-1MHz	33.92	PASS
Band20	10	24400	12	#0	QAM16	1MHz-5MHz	26.97	PASS
Band20	10	24400	12	#0	QAM16	5MHz-10MHz	23.40	PASS
Band20	10	24400	12	#0	QAM16	10MHz-15MHz	13.15	PASS
Band20	10	24400	12	#Max	QAM16	-1MHz-0MHz	33.08	PASS
Band20	10	24400	12	#Max	QAM16	-5MHz--1MHz	26.98	PASS
Band20	10	24400	12	#Max	QAM16	-10MHz--5MHz	23.37	PASS
Band20	10	24400	12	#Max	QAM16	-15MHz--10MHz	11.40	PASS
Band20	10	24400	12	#Max	QAM16	0MHz-1MHz	17.02	PASS
Band20	10	24400	12	#Max	QAM16	1MHz-5MHz	18.00	PASS
Band20	10	24400	12	#Max	QAM16	5MHz-10MHz	24.13	PASS
Band20	10	24400	12	#Max	QAM16	10MHz-15MHz	13.22	PASS
Band20	10	24400	50	#0	QAM16	-1MHz-0MHz	24.47	PASS
Band20	10	24400	50	#0	QAM16	-5MHz--1MHz	20.10	PASS
Band20	10	24400	50	#0	QAM16	-10MHz--5MHz	20.07	PASS
Band20	10	24400	50	#0	QAM16	-15MHz--10MHz	11.15	PASS
Band20	10	24400	50	#0	QAM16	0MHz-1MHz	25.32	PASS
Band20	10	24400	50	#0	QAM16	1MHz-5MHz	21.18	PASS
Band20	10	24400	50	#0	QAM16	5MHz-10MHz	18.58	PASS
Band20	10	24400	50	#0	QAM16	10MHz-15MHz	11.82	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	15.16	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	15.15	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	23.42	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	13.55	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	31.20	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	27.68	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	23.01	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	13.38	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	30.84	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	27.36	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	23.50	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	13.67	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	18.72	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	16.86	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	23.72	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	13.32	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	23.71	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	21.81	PASS
Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	21.22	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	13.55	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	23.39	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	22.17	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	19.20	PASS

Band20	20	24250	100	#0	QPSK	20MHz-25MHz	12.27	PASS
Band20	20	24250	18	#0	QAM16	-1MHz-0MHz	16.14	PASS
Band20	20	24250	18	#0	QAM16	-5MHz--1MHz	16.72	PASS
Band20	20	24250	18	#0	QAM16	-20MHz--5MHz	23.58	PASS
Band20	20	24250	18	#0	QAM16	-25MHz--20MHz	13.52	PASS
Band20	20	24250	18	#0	QAM16	0MHz-1MHz	30.60	PASS
Band20	20	24250	18	#0	QAM16	1MHz-5MHz	27.75	PASS
Band20	20	24250	18	#0	QAM16	5MHz-20MHz	23.35	PASS
Band20	20	24250	18	#0	QAM16	20MHz-25MHz	13.43	PASS
Band20	20	24250	18	#Max	QAM16	-1MHz-0MHz	31.28	PASS
Band20	20	24250	18	#Max	QAM16	-5MHz--1MHz	27.35	PASS
Band20	20	24250	18	#Max	QAM16	-20MHz--5MHz	23.40	PASS
Band20	20	24250	18	#Max	QAM16	-25MHz--20MHz	13.72	PASS
Band20	20	24250	18	#Max	QAM16	0MHz-1MHz	18.51	PASS
Band20	20	24250	18	#Max	QAM16	1MHz-5MHz	17.63	PASS
Band20	20	24250	18	#Max	QAM16	5MHz-20MHz	24.01	PASS
Band20	20	24250	18	#Max	QAM16	20MHz-25MHz	13.31	PASS
Band20	20	24250	100	#0	QAM16	-1MHz-0MHz	23.61	PASS
Band20	20	24250	100	#0	QAM16	-5MHz--1MHz	22.06	PASS
Band20	20	24250	100	#0	QAM16	-20MHz--5MHz	21.63	PASS
Band20	20	24250	100	#0	QAM16	-25MHz--20MHz	13.55	PASS
Band20	20	24250	100	#0	QAM16	0MHz-1MHz	22.35	PASS
Band20	20	24250	100	#0	QAM16	1MHz-5MHz	20.92	PASS
Band20	20	24250	100	#0	QAM16	5MHz-20MHz	19.49	PASS
Band20	20	24250	100	#0	QAM16	20MHz-25MHz	12.12	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	17.46	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	16.26	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	23.10	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	13.58	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	30.44	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	27.86	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	22.57	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	13.34	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	30.87	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	27.20	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	23.10	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	13.67	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	17.12	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	17.60	PASS
Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	24.10	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	13.29	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	23.62	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	21.57	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	20.13	PASS

Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	13.58	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	23.46	PASS
Band20	20	24300	100	#0	QPSK	1MHz-5MHz	22.79	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	19.94	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	13.26	PASS
Band20	20	24300	18	#0	QAM16	-1MHz-0MHz	18.52	PASS
Band20	20	24300	18	#0	QAM16	-5MHz--1MHz	17.53	PASS
Band20	20	24300	18	#0	QAM16	-20MHz--5MHz	23.07	PASS
Band20	20	24300	18	#0	QAM16	-25MHz--20MHz	13.49	PASS
Band20	20	24300	18	#0	QAM16	0MHz-1MHz	31.41	PASS
Band20	20	24300	18	#0	QAM16	1MHz-5MHz	27.78	PASS
Band20	20	24300	18	#0	QAM16	5MHz-20MHz	23.14	PASS
Band20	20	24300	18	#0	QAM16	20MHz-25MHz	13.32	PASS
Band20	20	24300	18	#Max	QAM16	-1MHz-0MHz	30.84	PASS
Band20	20	24300	18	#Max	QAM16	-5MHz--1MHz	27.16	PASS
Band20	20	24300	18	#Max	QAM16	-20MHz--5MHz	23.12	PASS
Band20	20	24300	18	#Max	QAM16	-25MHz--20MHz	13.68	PASS
Band20	20	24300	18	#Max	QAM16	0MHz-1MHz	19.28	PASS
Band20	20	24300	18	#Max	QAM16	1MHz-5MHz	19.62	PASS
Band20	20	24300	18	#Max	QAM16	5MHz-20MHz	24.30	PASS
Band20	20	24300	18	#Max	QAM16	20MHz-25MHz	13.24	PASS
Band20	20	24300	100	#0	QAM16	-1MHz-0MHz	23.70	PASS
Band20	20	24300	100	#0	QAM16	-5MHz--1MHz	21.70	PASS
Band20	20	24300	100	#0	QAM16	-20MHz--5MHz	20.21	PASS
Band20	20	24300	100	#0	QAM16	-25MHz--20MHz	13.45	PASS
Band20	20	24300	100	#0	QAM16	0MHz-1MHz	23.15	PASS
Band20	20	24300	100	#0	QAM16	1MHz-5MHz	21.65	PASS
Band20	20	24300	100	#0	QAM16	5MHz-20MHz	19.94	PASS
Band20	20	24300	100	#0	QAM16	20MHz-25MHz	13.25	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	17.55	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	15.77	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	22.95	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	13.52	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	31.01	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	27.75	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	23.42	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	13.31	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	30.69	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	26.98	PASS
Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	22.64	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	13.62	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	16.03	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	15.41	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	23.40	PASS

Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	13.20	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	24.40	PASS
Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	22.16	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	19.57	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	13.46	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	24.86	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	23.23	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	21.04	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	13.18	PASS
Band20	20	24350	18	#0	QAM16	-1MHz-0MHz	18.02	PASS
Band20	20	24350	18	#0	QAM16	-5MHz--1MHz	17.48	PASS
Band20	20	24350	18	#0	QAM16	-20MHz--5MHz	23.00	PASS
Band20	20	24350	18	#0	QAM16	-25MHz--20MHz	13.48	PASS
Band20	20	24350	18	#0	QAM16	0MHz-1MHz	31.30	PASS
Band20	20	24350	18	#0	QAM16	1MHz-5MHz	27.88	PASS
Band20	20	24350	18	#0	QAM16	5MHz-20MHz	23.76	PASS
Band20	20	24350	18	#0	QAM16	20MHz-25MHz	13.32	PASS
Band20	20	24350	18	#Max	QAM16	-1MHz-0MHz	30.29	PASS
Band20	20	24350	18	#Max	QAM16	-5MHz--1MHz	26.99	PASS
Band20	20	24350	18	#Max	QAM16	-20MHz--5MHz	22.83	PASS
Band20	20	24350	18	#Max	QAM16	-25MHz--20MHz	13.62	PASS
Band20	20	24350	18	#Max	QAM16	0MHz-1MHz	17.06	PASS
Band20	20	24350	18	#Max	QAM16	1MHz-5MHz	17.36	PASS
Band20	20	24350	18	#Max	QAM16	5MHz-20MHz	23.67	PASS
Band20	20	24350	18	#Max	QAM16	20MHz-25MHz	13.14	PASS
Band20	20	24350	100	#0	QAM16	-1MHz-0MHz	24.15	PASS
Band20	20	24350	100	#0	QAM16	-5MHz--1MHz	21.69	PASS
Band20	20	24350	100	#0	QAM16	-20MHz--5MHz	19.47	PASS
Band20	20	24350	100	#0	QAM16	-25MHz--20MHz	13.49	PASS
Band20	20	24350	100	#0	QAM16	0MHz-1MHz	23.28	PASS
Band20	20	24350	100	#0	QAM16	1MHz-5MHz	22.30	PASS
Band20	20	24350	100	#0	QAM16	5MHz-20MHz	20.14	PASS
Band20	20	24350	100	#0	QAM16	20MHz-25MHz	13.22	PASS
Band28	3	27225	4	#0	QPSK	-1MHz-0MHz	11.67	PASS
Band28	3	27225	4	#0	QPSK	-5MHz--1MHz	22.59	PASS
Band28	3	27225	4	#0	QPSK	-6MHz--5MHz	12.99	PASS
Band28	3	27225	4	#0	QPSK	0MHz-1MHz	31.53	PASS
Band28	3	27225	4	#0	QPSK	1MHz-5MHz	23.20	PASS
Band28	3	27225	4	#0	QPSK	5MHz-6MHz	12.50	PASS
Band28	3	27225	4	#Max	QPSK	-1MHz-0MHz	33.32	PASS
Band28	3	27225	4	#Max	QPSK	-5MHz--1MHz	24.35	PASS
Band28	3	27225	4	#Max	QPSK	-6MHz--5MHz	13.07	PASS
Band28	3	27225	4	#Max	QPSK	0MHz-1MHz	11.34	PASS
Band28	3	27225	4	#Max	QPSK	1MHz-5MHz	21.60	PASS

Band28	3	27225	4	#Max	QPSK	5MHz-6MHz	12.41	PASS
Band28	3	27225	15	#0	QPSK	-1MHz-0MHz	22.42	PASS
Band28	3	27225	15	#0	QPSK	-5MHz--1MHz	19.01	PASS
Band28	3	27225	15	#0	QPSK	-6MHz--5MHz	12.72	PASS
Band28	3	27225	15	#0	QPSK	0MHz-1MHz	20.35	PASS
Band28	3	27225	15	#0	QPSK	1MHz-5MHz	15.32	PASS
Band28	3	27225	15	#0	QPSK	5MHz-6MHz	10.99	PASS
Band28	3	27225	4	#0	QAM16	-1MHz-0MHz	12.32	PASS
Band28	3	27225	4	#0	QAM16	-5MHz--1MHz	23.04	PASS
Band28	3	27225	4	#0	QAM16	-6MHz--5MHz	13.14	PASS
Band28	3	27225	4	#0	QAM16	0MHz-1MHz	33.57	PASS
Band28	3	27225	4	#0	QAM16	1MHz-5MHz	23.66	PASS
Band28	3	27225	4	#0	QAM16	5MHz-6MHz	12.65	PASS
Band28	3	27225	4	#Max	QAM16	-1MHz-0MHz	33.97	PASS
Band28	3	27225	4	#Max	QAM16	-5MHz--1MHz	24.78	PASS
Band28	3	27225	4	#Max	QAM16	-6MHz--5MHz	13.02	PASS
Band28	3	27225	4	#Max	QAM16	0MHz-1MHz	12.59	PASS
Band28	3	27225	4	#Max	QAM16	1MHz-5MHz	22.25	PASS
Band28	3	27225	4	#Max	QAM16	5MHz-6MHz	12.54	PASS
Band28	3	27225	15	#0	QAM16	-1MHz-0MHz	21.59	PASS
Band28	3	27225	15	#0	QAM16	-5MHz--1MHz	20.64	PASS
Band28	3	27225	15	#0	QAM16	-6MHz--5MHz	12.73	PASS
Band28	3	27225	15	#0	QAM16	0MHz-1MHz	19.31	PASS
Band28	3	27225	15	#0	QAM16	1MHz-5MHz	17.40	PASS
Band28	3	27225	15	#0	QAM16	5MHz-6MHz	11.49	PASS
Band28	3	27360	4	#0	QPSK	-1MHz-0MHz	11.91	PASS
Band28	3	27360	4	#0	QPSK	-5MHz--1MHz	21.85	PASS
Band28	3	27360	4	#0	QPSK	-6MHz--5MHz	12.61	PASS
Band28	3	27360	4	#0	QPSK	0MHz-1MHz	32.11	PASS
Band28	3	27360	4	#0	QPSK	1MHz-5MHz	24.03	PASS
Band28	3	27360	4	#0	QPSK	5MHz-6MHz	12.68	PASS
Band28	3	27360	4	#Max	QPSK	-1MHz-0MHz	33.90	PASS
Band28	3	27360	4	#Max	QPSK	-5MHz--1MHz	24.27	PASS
Band28	3	27360	4	#Max	QPSK	-6MHz--5MHz	12.56	PASS
Band28	3	27360	4	#Max	QPSK	0MHz-1MHz	12.80	PASS
Band28	3	27360	4	#Max	QPSK	1MHz-5MHz	22.30	PASS
Band28	3	27360	4	#Max	QPSK	5MHz-6MHz	12.53	PASS
Band28	3	27360	15	#0	QPSK	-1MHz-0MHz	18.40	PASS
Band28	3	27360	15	#0	QPSK	-5MHz--1MHz	15.82	PASS
Band28	3	27360	15	#0	QPSK	-6MHz--5MHz	11.35	PASS
Band28	3	27360	15	#0	QPSK	0MHz-1MHz	17.45	PASS
Band28	3	27360	15	#0	QPSK	1MHz-5MHz	17.33	PASS
Band28	3	27360	15	#0	QPSK	5MHz-6MHz	11.29	PASS
Band28	3	27360	4	#0	QAM16	-1MHz-0MHz	13.30	PASS

Band28	3	27360	4	#0	QAM16	-5MHz--1MHz	22.76	PASS
Band28	3	27360	4	#0	QAM16	-6MHz--5MHz	12.58	PASS
Band28	3	27360	4	#0	QAM16	0MHz-1MHz	33.51	PASS
Band28	3	27360	4	#0	QAM16	1MHz-5MHz	24.32	PASS
Band28	3	27360	4	#0	QAM16	5MHz-6MHz	12.73	PASS
Band28	3	27360	4	#Max	QAM16	-1MHz-0MHz	33.56	PASS
Band28	3	27360	4	#Max	QAM16	-5MHz--1MHz	24.46	PASS
Band28	3	27360	4	#Max	QAM16	-6MHz--5MHz	12.75	PASS
Band28	3	27360	4	#Max	QAM16	0MHz-1MHz	13.59	PASS
Band28	3	27360	4	#Max	QAM16	1MHz-5MHz	22.84	PASS
Band28	3	27360	4	#Max	QAM16	5MHz-6MHz	12.61	PASS
Band28	3	27360	15	#0	QAM16	-1MHz-0MHz	19.96	PASS
Band28	3	27360	15	#0	QAM16	-5MHz--1MHz	16.92	PASS
Band28	3	27360	15	#0	QAM16	-6MHz--5MHz	11.74	PASS
Band28	3	27360	15	#0	QAM16	0MHz-1MHz	19.97	PASS
Band28	3	27360	15	#0	QAM16	1MHz-5MHz	19.02	PASS
Band28	3	27360	15	#0	QAM16	5MHz-6MHz	11.92	PASS
Band28	3	27494	4	#0	QPSK	-1MHz-0MHz	9.99	PASS
Band28	3	27494	4	#0	QPSK	-5MHz--1MHz	20.73	PASS
Band28	3	27494	4	#0	QPSK	-6MHz--5MHz	13.20	PASS
Band28	3	27494	4	#0	QPSK	0MHz-1MHz	33.79	PASS
Band28	3	27494	4	#0	QPSK	1MHz-5MHz	24.36	PASS
Band28	3	27494	4	#0	QPSK	5MHz-6MHz	13.53	PASS
Band28	3	27494	4	#Max	QPSK	-1MHz-0MHz	32.20	PASS
Band28	3	27494	4	#Max	QPSK	-5MHz--1MHz	24.11	PASS
Band28	3	27494	4	#Max	QPSK	-6MHz--5MHz	13.47	PASS
Band28	3	27494	4	#Max	QPSK	0MHz-1MHz	8.02	PASS
Band28	3	27494	4	#Max	QPSK	1MHz-5MHz	21.25	PASS
Band28	3	27494	4	#Max	QPSK	5MHz-6MHz	13.29	PASS
Band28	3	27494	15	#0	QPSK	-1MHz-0MHz	16.24	PASS
Band28	3	27494	15	#0	QPSK	-5MHz--1MHz	12.38	PASS
Band28	3	27494	15	#0	QPSK	-6MHz--5MHz	11.66	PASS
Band28	3	27494	15	#0	QPSK	0MHz-1MHz	17.69	PASS
Band28	3	27494	15	#0	QPSK	1MHz-5MHz	12.94	PASS
Band28	3	27494	15	#0	QPSK	5MHz-6MHz	11.94	PASS
Band28	3	27494	4	#0	QAM16	-1MHz-0MHz	11.93	PASS
Band28	3	27494	4	#0	QAM16	-5MHz--1MHz	22.35	PASS
Band28	3	27494	4	#0	QAM16	-6MHz--5MHz	13.28	PASS
Band28	3	27494	4	#0	QAM16	0MHz-1MHz	33.26	PASS
Band28	3	27494	4	#0	QAM16	1MHz-5MHz	24.85	PASS
Band28	3	27494	4	#0	QAM16	5MHz-6MHz	13.62	PASS
Band28	3	27494	4	#Max	QAM16	-1MHz-0MHz	33.57	PASS
Band28	3	27494	4	#Max	QAM16	-5MHz--1MHz	24.69	PASS
Band28	3	27494	4	#Max	QAM16	-6MHz--5MHz	13.37	PASS

Band28	3	27494	4	#Max	QAM16	0MHz-1MHz	10.80	PASS
Band28	3	27494	4	#Max	QAM16	1MHz-5MHz	22.24	PASS
Band28	3	27494	4	#Max	QAM16	5MHz-6MHz	13.37	PASS
Band28	3	27494	15	#0	QAM16	-1MHz-0MHz	17.30	PASS
Band28	3	27494	15	#0	QAM16	-5MHz--1MHz	13.13	PASS
Band28	3	27494	15	#0	QAM16	-6MHz--5MHz	11.88	PASS
Band28	3	27494	15	#0	QAM16	0MHz-1MHz	18.95	PASS
Band28	3	27494	15	#0	QAM16	1MHz-5MHz	14.02	PASS
Band28	3	27494	15	#0	QAM16	5MHz-6MHz	12.12	PASS
Band28	5	27235	8	#0	QPSK	-1MHz-0MHz	16.73	PASS
Band28	5	27235	8	#0	QPSK	-5MHz--1MHz	19.10	PASS
Band28	5	27235	8	#0	QPSK	-6MHz--5MHz	24.86	PASS
Band28	5	27235	8	#0	QPSK	-10MHz--6MHz	12.69	PASS
Band28	5	27235	8	#0	QPSK	0MHz-1MHz	33.31	PASS
Band28	5	27235	8	#0	QPSK	1MHz-5MHz	24.36	PASS
Band28	5	27235	8	#0	QPSK	5MHz-6MHz	24.86	PASS
Band28	5	27235	8	#0	QPSK	6MHz-10MHz	13.07	PASS
Band28	5	27235	8	#Max	QPSK	-1MHz-0MHz	33.76	PASS
Band28	5	27235	8	#Max	QPSK	-5MHz--1MHz	25.82	PASS
Band28	5	27235	8	#Max	QPSK	-6MHz--5MHz	25.04	PASS
Band28	5	27235	8	#Max	QPSK	-10MHz--6MHz	12.77	PASS
Band28	5	27235	8	#Max	QPSK	0MHz-1MHz	15.39	PASS
Band28	5	27235	8	#Max	QPSK	1MHz-5MHz	18.22	PASS
Band28	5	27235	8	#Max	QPSK	5MHz-6MHz	24.39	PASS
Band28	5	27235	8	#Max	QPSK	6MHz-10MHz	12.93	PASS
Band28	5	27235	25	#0	QPSK	-1MHz-0MHz	25.48	PASS
Band28	5	27235	25	#0	QPSK	-5MHz--1MHz	20.48	PASS
Band28	5	27235	25	#0	QPSK	-6MHz--5MHz	24.33	PASS
Band28	5	27235	25	#0	QPSK	-10MHz--6MHz	12.68	PASS
Band28	5	27235	25	#0	QPSK	0MHz-1MHz	21.58	PASS
Band28	5	27235	25	#0	QPSK	1MHz-5MHz	13.82	PASS
Band28	5	27235	25	#0	QPSK	5MHz-6MHz	20.98	PASS
Band28	5	27235	25	#0	QPSK	6MHz-10MHz	9.75	PASS
Band28	5	27235	8	#0	QAM16	-1MHz-0MHz	17.57	PASS
Band28	5	27235	8	#0	QAM16	-5MHz--1MHz	21.50	PASS
Band28	5	27235	8	#0	QAM16	-6MHz--5MHz	24.97	PASS
Band28	5	27235	8	#0	QAM16	-10MHz--6MHz	12.74	PASS
Band28	5	27235	8	#0	QAM16	0MHz-1MHz	33.64	PASS
Band28	5	27235	8	#0	QAM16	1MHz-5MHz	24.88	PASS
Band28	5	27235	8	#0	QAM16	5MHz-6MHz	24.79	PASS
Band28	5	27235	8	#0	QAM16	6MHz-10MHz	13.04	PASS
Band28	5	27235	8	#Max	QAM16	-1MHz-0MHz	34.31	PASS
Band28	5	27235	8	#Max	QAM16	-5MHz--1MHz	26.04	PASS
Band28	5	27235	8	#Max	QAM16	-6MHz--5MHz	25.02	PASS

Band28	5	27235	8	#Max	QAM16	-10MHz--6MHz	12.71	PASS
Band28	5	27235	8	#Max	QAM16	0MHz-1MHz	18.28	PASS
Band28	5	27235	8	#Max	QAM16	1MHz-5MHz	20.80	PASS
Band28	5	27235	8	#Max	QAM16	5MHz-6MHz	24.51	PASS
Band28	5	27235	8	#Max	QAM16	6MHz-10MHz	12.98	PASS
Band28	5	27235	25	#0	QAM16	-1MHz-0MHz	25.83	PASS
Band28	5	27235	25	#0	QAM16	-5MHz--1MHz	21.72	PASS
Band28	5	27235	25	#0	QAM16	-6MHz--5MHz	24.49	PASS
Band28	5	27235	25	#0	QAM16	-10MHz--6MHz	12.66	PASS
Band28	5	27235	25	#0	QAM16	0MHz-1MHz	23.34	PASS
Band28	5	27235	25	#0	QAM16	1MHz-5MHz	15.45	PASS
Band28	5	27235	25	#0	QAM16	5MHz-6MHz	22.19	PASS
Band28	5	27235	25	#0	QAM16	6MHz-10MHz	10.72	PASS
Band28	5	27360	8	#0	QPSK	-1MHz-0MHz	13.84	PASS
Band28	5	27360	8	#0	QPSK	-5MHz--1MHz	17.77	PASS
Band28	5	27360	8	#0	QPSK	-6MHz--5MHz	24.51	PASS
Band28	5	27360	8	#0	QPSK	-10MHz--6MHz	12.63	PASS
Band28	5	27360	8	#0	QPSK	0MHz-1MHz	33.63	PASS
Band28	5	27360	8	#0	QPSK	1MHz-5MHz	25.22	PASS
Band28	5	27360	8	#0	QPSK	5MHz-6MHz	25.02	PASS
Band28	5	27360	8	#0	QPSK	6MHz-10MHz	12.97	PASS
Band28	5	27360	8	#Max	QPSK	-1MHz-0MHz	33.50	PASS
Band28	5	27360	8	#Max	QPSK	-5MHz--1MHz	25.60	PASS
Band28	5	27360	8	#Max	QPSK	-6MHz--5MHz	24.90	PASS
Band28	5	27360	8	#Max	QPSK	-10MHz--6MHz	12.74	PASS
Band28	5	27360	8	#Max	QPSK	0MHz-1MHz	17.28	PASS
Band28	5	27360	8	#Max	QPSK	1MHz-5MHz	19.85	PASS
Band28	5	27360	8	#Max	QPSK	5MHz-6MHz	24.66	PASS
Band28	5	27360	8	#Max	QPSK	6MHz-10MHz	12.98	PASS
Band28	5	27360	25	#0	QPSK	-1MHz-0MHz	21.95	PASS
Band28	5	27360	25	#0	QPSK	-5MHz--1MHz	16.46	PASS
Band28	5	27360	25	#0	QPSK	-6MHz--5MHz	23.08	PASS
Band28	5	27360	25	#0	QPSK	-10MHz--6MHz	11.01	PASS
Band28	5	27360	25	#0	QPSK	0MHz-1MHz	23.09	PASS
Band28	5	27360	25	#0	QPSK	1MHz-5MHz	17.57	PASS
Band28	5	27360	25	#0	QPSK	5MHz-6MHz	23.30	PASS
Band28	5	27360	25	#0	QPSK	6MHz-10MHz	11.07	PASS
Band28	5	27360	8	#0	QAM16	-1MHz-0MHz	14.69	PASS
Band28	5	27360	8	#0	QAM16	-5MHz--1MHz	19.15	PASS
Band28	5	27360	8	#0	QAM16	-6MHz--5MHz	24.71	PASS
Band28	5	27360	8	#0	QAM16	-10MHz--6MHz	12.60	PASS
Band28	5	27360	8	#0	QAM16	0MHz-1MHz	34.43	PASS
Band28	5	27360	8	#0	QAM16	1MHz-5MHz	25.52	PASS
Band28	5	27360	8	#0	QAM16	5MHz-6MHz	24.90	PASS

Band28	5	27360	8	#0	QAM16	6MHz-10MHz	12.99	PASS
Band28	5	27360	8	#Max	QAM16	-1MHz-0MHz	33.78	PASS
Band28	5	27360	8	#Max	QAM16	-5MHz--1MHz	25.61	PASS
Band28	5	27360	8	#Max	QAM16	-6MHz--5MHz	24.94	PASS
Band28	5	27360	8	#Max	QAM16	-10MHz--6MHz	12.66	PASS
Band28	5	27360	8	#Max	QAM16	0MHz-1MHz	18.97	PASS
Band28	5	27360	8	#Max	QAM16	1MHz-5MHz	20.70	PASS
Band28	5	27360	8	#Max	QAM16	5MHz-6MHz	24.64	PASS
Band28	5	27360	8	#Max	QAM16	6MHz-10MHz	13.02	PASS
Band28	5	27360	25	#0	QAM16	-1MHz-0MHz	23.05	PASS
Band28	5	27360	25	#0	QAM16	-5MHz--1MHz	16.75	PASS
Band28	5	27360	25	#0	QAM16	-6MHz--5MHz	22.73	PASS
Band28	5	27360	25	#0	QAM16	-10MHz--6MHz	11.06	PASS
Band28	5	27360	25	#0	QAM16	0MHz-1MHz	25.10	PASS
Band28	5	27360	25	#0	QAM16	1MHz-5MHz	18.49	PASS
Band28	5	27360	25	#0	QAM16	5MHz-6MHz	22.92	PASS
Band28	5	27360	25	#0	QAM16	6MHz-10MHz	11.07	PASS
Band28	5	27484	8	#0	QPSK	-1MHz-0MHz	10.48	PASS
Band28	5	27484	8	#0	QPSK	-5MHz--1MHz	16.62	PASS
Band28	5	27484	8	#0	QPSK	-6MHz--5MHz	25.08	PASS
Band28	5	27484	8	#0	QPSK	-10MHz--6MHz	13.45	PASS
Band28	5	27484	8	#0	QPSK	0MHz-1MHz	33.50	PASS
Band28	5	27484	8	#0	QPSK	1MHz-5MHz	25.74	PASS
Band28	5	27484	8	#0	QPSK	5MHz-6MHz	25.79	PASS
Band28	5	27484	8	#0	QPSK	6MHz-10MHz	13.75	PASS
Band28	5	27484	8	#Max	QPSK	-1MHz-0MHz	32.20	PASS
Band28	5	27484	8	#Max	QPSK	-5MHz--1MHz	25.30	PASS
Band28	5	27484	8	#Max	QPSK	-6MHz--5MHz	25.53	PASS
Band28	5	27484	8	#Max	QPSK	-10MHz--6MHz	13.42	PASS
Band28	5	27484	8	#Max	QPSK	0MHz-1MHz	9.87	PASS
Band28	5	27484	8	#Max	QPSK	1MHz-5MHz	15.16	PASS
Band28	5	27484	8	#Max	QPSK	5MHz-6MHz	25.13	PASS
Band28	5	27484	8	#Max	QPSK	6MHz-10MHz	13.63	PASS
Band28	5	27484	25	#0	QPSK	-1MHz-0MHz	18.62	PASS
Band28	5	27484	25	#0	QPSK	-5MHz--1MHz	12.89	PASS
Band28	5	27484	25	#0	QPSK	-6MHz--5MHz	22.66	PASS
Band28	5	27484	25	#0	QPSK	-10MHz--6MHz	10.87	PASS
Band28	5	27484	25	#0	QPSK	0MHz-1MHz	18.77	PASS
Band28	5	27484	25	#0	QPSK	1MHz-5MHz	13.09	PASS
Band28	5	27484	25	#0	QPSK	5MHz-6MHz	24.00	PASS
Band28	5	27484	25	#0	QPSK	6MHz-10MHz	11.72	PASS
Band28	5	27484	8	#0	QAM16	-1MHz-0MHz	12.44	PASS
Band28	5	27484	8	#0	QAM16	-5MHz--1MHz	18.51	PASS
Band28	5	27484	8	#0	QAM16	-6MHz--5MHz	25.38	PASS

Band28	5	27484	8	#0	QAM16	-10MHz--6MHz	13.42	PASS
Band28	5	27484	8	#0	QAM16	0MHz-1MHz	34.70	PASS
Band28	5	27484	8	#0	QAM16	1MHz-5MHz	26.24	PASS
Band28	5	27484	8	#0	QAM16	5MHz-6MHz	25.75	PASS
Band28	5	27484	8	#0	QAM16	6MHz-10MHz	13.78	PASS
Band28	5	27484	8	#Max	QAM16	-1MHz-0MHz	33.45	PASS
Band28	5	27484	8	#Max	QAM16	-5MHz--1MHz	25.88	PASS
Band28	5	27484	8	#Max	QAM16	-6MHz--5MHz	25.54	PASS
Band28	5	27484	8	#Max	QAM16	-10MHz--6MHz	13.43	PASS
Band28	5	27484	8	#Max	QAM16	0MHz-1MHz	12.80	PASS
Band28	5	27484	8	#Max	QAM16	1MHz-5MHz	18.08	PASS
Band28	5	27484	8	#Max	QAM16	5MHz-6MHz	25.45	PASS
Band28	5	27484	8	#Max	QAM16	6MHz-10MHz	13.77	PASS
Band28	5	27484	25	#0	QAM16	-1MHz-0MHz	19.79	PASS
Band28	5	27484	25	#0	QAM16	-5MHz--1MHz	13.56	PASS
Band28	5	27484	25	#0	QAM16	-6MHz--5MHz	22.04	PASS
Band28	5	27484	25	#0	QAM16	-10MHz--6MHz	10.90	PASS
Band28	5	27484	25	#0	QAM16	0MHz-1MHz	20.12	PASS
Band28	5	27484	25	#0	QAM16	1MHz-5MHz	13.92	PASS
Band28	5	27484	25	#0	QAM16	5MHz-6MHz	23.39	PASS
Band28	5	27484	25	#0	QAM16	6MHz-10MHz	11.85	PASS
Band28	10	27260	12	#0	QPSK	-1MHz-0MHz	16.28	PASS
Band28	10	27260	12	#0	QPSK	-5MHz--1MHz	19.23	PASS
Band28	10	27260	12	#0	QPSK	-10MHz--5MHz	24.23	PASS
Band28	10	27260	12	#0	QPSK	-15MHz--10MHz	11.26	PASS
Band28	10	27260	12	#0	QPSK	0MHz-1MHz	32.00	PASS
Band28	10	27260	12	#0	QPSK	1MHz-5MHz	26.08	PASS
Band28	10	27260	12	#0	QPSK	5MHz-10MHz	22.48	PASS
Band28	10	27260	12	#0	QPSK	10MHz-15MHz	12.98	PASS
Band28	10	27260	12	#Max	QPSK	-1MHz-0MHz	33.22	PASS
Band28	10	27260	12	#Max	QPSK	-5MHz--1MHz	27.12	PASS
Band28	10	27260	12	#Max	QPSK	-10MHz--5MHz	24.41	PASS
Band28	10	27260	12	#Max	QPSK	-15MHz--10MHz	11.19	PASS
Band28	10	27260	12	#Max	QPSK	0MHz-1MHz	11.42	PASS
Band28	10	27260	12	#Max	QPSK	1MHz-5MHz	15.01	PASS
Band28	10	27260	12	#Max	QPSK	5MHz-10MHz	22.96	PASS
Band28	10	27260	12	#Max	QPSK	10MHz-15MHz	12.94	PASS
Band28	10	27260	50	#0	QPSK	-1MHz-0MHz	24.15	PASS
Band28	10	27260	50	#0	QPSK	-5MHz--1MHz	20.62	PASS
Band28	10	27260	50	#0	QPSK	-10MHz--5MHz	23.36	PASS
Band28	10	27260	50	#0	QPSK	-15MHz--10MHz	11.25	PASS
Band28	10	27260	50	#0	QPSK	0MHz-1MHz	18.53	PASS
Band28	10	27260	50	#0	QPSK	1MHz-5MHz	14.00	PASS
Band28	10	27260	50	#0	QPSK	5MHz-10MHz	14.25	PASS

Band28	10	27260	50	#0	QPSK	10MHz-15MHz	10.34	PASS
Band28	10	27260	12	#0	QAM16	-1MHz-0MHz	17.96	PASS
Band28	10	27260	12	#0	QAM16	-5MHz--1MHz	20.03	PASS
Band28	10	27260	12	#0	QAM16	-10MHz--5MHz	24.34	PASS
Band28	10	27260	12	#0	QAM16	-15MHz--10MHz	11.16	PASS
Band28	10	27260	12	#0	QAM16	0MHz-1MHz	32.50	PASS
Band28	10	27260	12	#0	QAM16	1MHz-5MHz	26.27	PASS
Band28	10	27260	12	#0	QAM16	5MHz-10MHz	22.77	PASS
Band28	10	27260	12	#0	QAM16	10MHz-15MHz	13.04	PASS
Band28	10	27260	12	#Max	QAM16	-1MHz-0MHz	33.68	PASS
Band28	10	27260	12	#Max	QAM16	-5MHz--1MHz	27.22	PASS
Band28	10	27260	12	#Max	QAM16	-10MHz--5MHz	24.43	PASS
Band28	10	27260	12	#Max	QAM16	-15MHz--10MHz	11.17	PASS
Band28	10	27260	12	#Max	QAM16	0MHz-1MHz	13.01	PASS
Band28	10	27260	12	#Max	QAM16	1MHz-5MHz	17.11	PASS
Band28	10	27260	12	#Max	QAM16	5MHz-10MHz	23.34	PASS
Band28	10	27260	12	#Max	QAM16	10MHz-15MHz	12.96	PASS
Band28	10	27260	50	#0	QAM16	-1MHz-0MHz	25.06	PASS
Band28	10	27260	50	#0	QAM16	-5MHz--1MHz	21.68	PASS
Band28	10	27260	50	#0	QAM16	-10MHz--5MHz	23.79	PASS
Band28	10	27260	50	#0	QAM16	-15MHz--10MHz	11.14	PASS
Band28	10	27260	50	#0	QAM16	0MHz-1MHz	18.93	PASS
Band28	10	27260	50	#0	QAM16	1MHz-5MHz	15.14	PASS
Band28	10	27260	50	#0	QAM16	5MHz-10MHz	16.16	PASS
Band28	10	27260	50	#0	QAM16	10MHz-15MHz	11.04	PASS
Band28	10	27360	12	#0	QPSK	-1MHz-0MHz	13.35	PASS
Band28	10	27360	12	#0	QPSK	-5MHz--1MHz	15.81	PASS
Band28	10	27360	12	#0	QPSK	-10MHz--5MHz	22.91	PASS
Band28	10	27360	12	#0	QPSK	-15MHz--10MHz	11.06	PASS
Band28	10	27360	12	#0	QPSK	0MHz-1MHz	33.15	PASS
Band28	10	27360	12	#0	QPSK	1MHz-5MHz	26.42	PASS
Band28	10	27360	12	#0	QPSK	5MHz-10MHz	22.87	PASS
Band28	10	27360	12	#0	QPSK	10MHz-15MHz	13.00	PASS
Band28	10	27360	12	#Max	QPSK	-1MHz-0MHz	32.87	PASS
Band28	10	27360	12	#Max	QPSK	-5MHz--1MHz	26.91	PASS
Band28	10	27360	12	#Max	QPSK	-10MHz--5MHz	23.63	PASS
Band28	10	27360	12	#Max	QPSK	-15MHz--10MHz	11.10	PASS
Band28	10	27360	12	#Max	QPSK	0MHz-1MHz	16.77	PASS
Band28	10	27360	12	#Max	QPSK	1MHz-5MHz	17.87	PASS
Band28	10	27360	12	#Max	QPSK	5MHz-10MHz	22.88	PASS
Band28	10	27360	12	#Max	QPSK	10MHz-15MHz	12.82	PASS
Band28	10	27360	50	#0	QPSK	-1MHz-0MHz	22.64	PASS
Band28	10	27360	50	#0	QPSK	-5MHz--1MHz	18.62	PASS
Band28	10	27360	50	#0	QPSK	-10MHz--5MHz	17.42	PASS

Band28	10	27360	50	#0	QPSK	-15MHz--10MHz	10.90	PASS
Band28	10	27360	50	#0	QPSK	0MHz-1MHz	22.45	PASS
Band28	10	27360	50	#0	QPSK	1MHz-5MHz	18.76	PASS
Band28	10	27360	50	#0	QPSK	5MHz-10MHz	18.41	PASS
Band28	10	27360	50	#0	QPSK	10MHz-15MHz	11.69	PASS
Band28	10	27360	12	#0	QAM16	-1MHz-0MHz	15.78	PASS
Band28	10	27360	12	#0	QAM16	-5MHz--1MHz	17.80	PASS
Band28	10	27360	12	#0	QAM16	-10MHz--5MHz	23.44	PASS
Band28	10	27360	12	#0	QAM16	-15MHz--10MHz	11.29	PASS
Band28	10	27360	12	#0	QAM16	0MHz-1MHz	33.06	PASS
Band28	10	27360	12	#0	QAM16	1MHz-5MHz	26.74	PASS
Band28	10	27360	12	#0	QAM16	5MHz-10MHz	23.36	PASS
Band28	10	27360	12	#0	QAM16	10MHz-15MHz	12.98	PASS
Band28	10	27360	12	#Max	QAM16	-1MHz-0MHz	33.17	PASS
Band28	10	27360	12	#Max	QAM16	-5MHz--1MHz	27.01	PASS
Band28	10	27360	12	#Max	QAM16	-10MHz--5MHz	23.76	PASS
Band28	10	27360	12	#Max	QAM16	-15MHz--10MHz	11.24	PASS
Band28	10	27360	12	#Max	QAM16	0MHz-1MHz	19.37	PASS
Band28	10	27360	12	#Max	QAM16	1MHz-5MHz	19.64	PASS
Band28	10	27360	12	#Max	QAM16	5MHz-10MHz	23.58	PASS
Band28	10	27360	12	#Max	QAM16	10MHz-15MHz	12.88	PASS
Band28	10	27360	50	#0	QAM16	-1MHz-0MHz	22.54	PASS
Band28	10	27360	50	#0	QAM16	-5MHz--1MHz	18.78	PASS
Band28	10	27360	50	#0	QAM16	-10MHz--5MHz	18.45	PASS
Band28	10	27360	50	#0	QAM16	-15MHz--10MHz	10.83	PASS
Band28	10	27360	50	#0	QAM16	0MHz-1MHz	23.39	PASS
Band28	10	27360	50	#0	QAM16	1MHz-5MHz	19.36	PASS
Band28	10	27360	50	#0	QAM16	5MHz-10MHz	19.66	PASS
Band28	10	27360	50	#0	QAM16	10MHz-15MHz	11.51	PASS
Band28	10	27459	12	#0	QPSK	-1MHz-0MHz	14.60	PASS
Band28	10	27459	12	#0	QPSK	-5MHz--1MHz	17.42	PASS
Band28	10	27459	12	#0	QPSK	-10MHz--5MHz	23.18	PASS
Band28	10	27459	12	#0	QPSK	-15MHz--10MHz	11.95	PASS
Band28	10	27459	12	#0	QPSK	0MHz-1MHz	33.41	PASS
Band28	10	27459	12	#0	QPSK	1MHz-5MHz	27.32	PASS
Band28	10	27459	12	#0	QPSK	5MHz-10MHz	23.78	PASS
Band28	10	27459	12	#0	QPSK	10MHz-15MHz	13.75	PASS
Band28	10	27459	12	#Max	QPSK	-1MHz-0MHz	33.40	PASS
Band28	10	27459	12	#Max	QPSK	-5MHz--1MHz	27.43	PASS
Band28	10	27459	12	#Max	QPSK	-10MHz--5MHz	23.96	PASS
Band28	10	27459	12	#Max	QPSK	-15MHz--10MHz	11.90	PASS
Band28	10	27459	12	#Max	QPSK	0MHz-1MHz	12.51	PASS
Band28	10	27459	12	#Max	QPSK	1MHz-5MHz	13.75	PASS
Band28	10	27459	12	#Max	QPSK	5MHz-10MHz	23.47	PASS

Band28	10	27459	12	#Max	QPSK	10MHz-15MHz	13.64	PASS
Band28	10	27459	50	#0	QPSK	-1MHz-0MHz	21.29	PASS
Band28	10	27459	50	#0	QPSK	-5MHz--1MHz	17.21	PASS
Band28	10	27459	50	#0	QPSK	-10MHz--5MHz	17.70	PASS
Band28	10	27459	50	#0	QPSK	-15MHz--10MHz	10.95	PASS
Band28	10	27459	50	#0	QPSK	0MHz-1MHz	19.24	PASS
Band28	10	27459	50	#0	QPSK	1MHz-5MHz	15.38	PASS
Band28	10	27459	50	#0	QPSK	5MHz-10MHz	16.56	PASS
Band28	10	27459	50	#0	QPSK	10MHz-15MHz	12.79	PASS
Band28	10	27459	12	#0	QAM16	-1MHz-0MHz	16.48	PASS
Band28	10	27459	12	#0	QAM16	-5MHz--1MHz	19.44	PASS
Band28	10	27459	12	#0	QAM16	-10MHz--5MHz	23.92	PASS
Band28	10	27459	12	#0	QAM16	-15MHz--10MHz	11.94	PASS
Band28	10	27459	12	#0	QAM16	0MHz-1MHz	34.24	PASS
Band28	10	27459	12	#0	QAM16	1MHz-5MHz	27.42	PASS
Band28	10	27459	12	#0	QAM16	5MHz-10MHz	24.15	PASS
Band28	10	27459	12	#0	QAM16	10MHz-15MHz	13.76	PASS
Band28	10	27459	12	#Max	QAM16	-1MHz-0MHz	33.83	PASS
Band28	10	27459	12	#Max	QAM16	-5MHz--1MHz	27.55	PASS
Band28	10	27459	12	#Max	QAM16	-10MHz--5MHz	24.18	PASS
Band28	10	27459	12	#Max	QAM16	-15MHz--10MHz	11.86	PASS
Band28	10	27459	12	#Max	QAM16	0MHz-1MHz	15.58	PASS
Band28	10	27459	12	#Max	QAM16	1MHz-5MHz	17.29	PASS
Band28	10	27459	12	#Max	QAM16	5MHz-10MHz	24.27	PASS
Band28	10	27459	12	#Max	QAM16	10MHz-15MHz	13.61	PASS
Band28	10	27459	50	#0	QAM16	-1MHz-0MHz	20.91	PASS
Band28	10	27459	50	#0	QAM16	-5MHz--1MHz	17.95	PASS
Band28	10	27459	50	#0	QAM16	-10MHz--5MHz	18.29	PASS
Band28	10	27459	50	#0	QAM16	-15MHz--10MHz	10.86	PASS
Band28	10	27459	50	#0	QAM16	0MHz-1MHz	19.87	PASS
Band28	10	27459	50	#0	QAM16	1MHz-5MHz	16.66	PASS
Band28	10	27459	50	#0	QAM16	5MHz-10MHz	17.51	PASS
Band28	10	27459	50	#0	QAM16	10MHz-15MHz	12.40	PASS
Band28	20	27310	18	#0	QPSK	-1MHz-0MHz	18.70	PASS
Band28	20	27310	18	#0	QPSK	-5MHz--1MHz	21.04	PASS
Band28	20	27310	18	#0	QPSK	-20MHz--5MHz	23.12	PASS
Band28	20	27310	18	#0	QPSK	-25MHz--20MHz	13.29	PASS
Band28	20	27310	18	#0	QPSK	0MHz-1MHz	30.33	PASS
Band28	20	27310	18	#0	QPSK	1MHz-5MHz	27.11	PASS
Band28	20	27310	18	#0	QPSK	5MHz-20MHz	22.80	PASS
Band28	20	27310	18	#0	QPSK	20MHz-25MHz	14.08	PASS
Band28	20	27310	18	#Max	QPSK	-1MHz-0MHz	30.89	PASS
Band28	20	27310	18	#Max	QPSK	-5MHz--1MHz	27.13	PASS
Band28	20	27310	18	#Max	QPSK	-20MHz--5MHz	23.04	PASS

Band28	20	27310	18	#Max	QPSK	-25MHz--20MHz	13.49	PASS
Band28	20	27310	18	#Max	QPSK	0MHz-1MHz	16.62	PASS
Band28	20	27310	18	#Max	QPSK	1MHz-5MHz	17.42	PASS
Band28	20	27310	18	#Max	QPSK	5MHz-20MHz	22.29	PASS
Band28	20	27310	18	#Max	QPSK	20MHz-25MHz	13.96	PASS
Band28	20	27310	100	#0	QPSK	-1MHz-0MHz	22.03	PASS
Band28	20	27310	100	#0	QPSK	-5MHz--1MHz	21.42	PASS
Band28	20	27310	100	#0	QPSK	-20MHz--5MHz	22.47	PASS
Band28	20	27310	100	#0	QPSK	-25MHz--20MHz	13.36	PASS
Band28	20	27310	100	#0	QPSK	0MHz-1MHz	18.67	PASS
Band28	20	27310	100	#0	QPSK	1MHz-5MHz	17.80	PASS
Band28	20	27310	100	#0	QPSK	5MHz-20MHz	16.60	PASS
Band28	20	27310	100	#0	QPSK	20MHz-25MHz	12.72	PASS
Band28	20	27310	18	#0	QAM16	-1MHz-0MHz	20.42	PASS
Band28	20	27310	18	#0	QAM16	-5MHz--1MHz	21.81	PASS
Band28	20	27310	18	#0	QAM16	-20MHz--5MHz	23.16	PASS
Band28	20	27310	18	#0	QAM16	-25MHz--20MHz	13.32	PASS
Band28	20	27310	18	#0	QAM16	0MHz-1MHz	29.98	PASS
Band28	20	27310	18	#0	QAM16	1MHz-5MHz	27.21	PASS
Band28	20	27310	18	#0	QAM16	5MHz-20MHz	23.43	PASS
Band28	20	27310	18	#0	QAM16	20MHz-25MHz	14.09	PASS
Band28	20	27310	18	#Max	QAM16	-1MHz-0MHz	30.99	PASS
Band28	20	27310	18	#Max	QAM16	-5MHz--1MHz	27.19	PASS
Band28	20	27310	18	#Max	QAM16	-20MHz--5MHz	22.98	PASS
Band28	20	27310	18	#Max	QAM16	-25MHz--20MHz	13.41	PASS
Band28	20	27310	18	#Max	QAM16	0MHz-1MHz	18.99	PASS
Band28	20	27310	18	#Max	QAM16	1MHz-5MHz	20.03	PASS
Band28	20	27310	18	#Max	QAM16	5MHz-20MHz	22.88	PASS
Band28	20	27310	18	#Max	QAM16	20MHz-25MHz	14.03	PASS
Band28	20	27310	100	#0	QAM16	-1MHz-0MHz	23.61	PASS
Band28	20	27310	100	#0	QAM16	-5MHz--1MHz	21.75	PASS
Band28	20	27310	100	#0	QAM16	-20MHz--5MHz	22.56	PASS
Band28	20	27310	100	#0	QAM16	-25MHz--20MHz	13.32	PASS
Band28	20	27310	100	#0	QAM16	0MHz-1MHz	21.21	PASS
Band28	20	27310	100	#0	QAM16	1MHz-5MHz	20.01	PASS
Band28	20	27310	100	#0	QAM16	5MHz-20MHz	18.47	PASS
Band28	20	27310	100	#0	QAM16	20MHz-25MHz	12.89	PASS
Band28	20	27360	18	#0	QPSK	-1MHz-0MHz	13.44	PASS
Band28	20	27360	18	#0	QPSK	-5MHz--1MHz	16.20	PASS
Band28	20	27360	18	#0	QPSK	-20MHz--5MHz	22.33	PASS
Band28	20	27360	18	#0	QPSK	-25MHz--20MHz	13.22	PASS
Band28	20	27360	18	#0	QPSK	0MHz-1MHz	30.26	PASS
Band28	20	27360	18	#0	QPSK	1MHz-5MHz	27.33	PASS
Band28	20	27360	18	#0	QPSK	5MHz-20MHz	23.58	PASS

Band28	20	27360	18	#0	QPSK	20MHz-25MHz	13.99	PASS
Band28	20	27360	18	#Max	QPSK	-1MHz-0MHz	30.81	PASS
Band28	20	27360	18	#Max	QPSK	-5MHz--1MHz	26.99	PASS
Band28	20	27360	18	#Max	QPSK	-20MHz--5MHz	23.03	PASS
Band28	20	27360	18	#Max	QPSK	-25MHz--20MHz	13.32	PASS
Band28	20	27360	18	#Max	QPSK	0MHz-1MHz	14.97	PASS
Band28	20	27360	18	#Max	QPSK	1MHz-5MHz	15.39	PASS
Band28	20	27360	18	#Max	QPSK	5MHz-20MHz	22.57	PASS
Band28	20	27360	18	#Max	QPSK	20MHz-25MHz	13.94	PASS
Band28	20	27360	100	#0	QPSK	-1MHz-0MHz	21.41	PASS
Band28	20	27360	100	#0	QPSK	-5MHz--1MHz	20.72	PASS
Band28	20	27360	100	#0	QPSK	-20MHz--5MHz	18.96	PASS
Band28	20	27360	100	#0	QPSK	-25MHz--20MHz	13.30	PASS
Band28	20	27360	100	#0	QPSK	0MHz-1MHz	20.00	PASS
Band28	20	27360	100	#0	QPSK	1MHz-5MHz	19.09	PASS
Band28	20	27360	100	#0	QPSK	5MHz-20MHz	17.94	PASS
Band28	20	27360	100	#0	QPSK	20MHz-25MHz	13.26	PASS
Band28	20	27360	18	#0	QAM16	-1MHz-0MHz	15.56	PASS
Band28	20	27360	18	#0	QAM16	-5MHz--1MHz	18.63	PASS
Band28	20	27360	18	#0	QAM16	-20MHz--5MHz	22.65	PASS
Band28	20	27360	18	#0	QAM16	-25MHz--20MHz	13.25	PASS
Band28	20	27360	18	#0	QAM16	0MHz-1MHz	30.44	PASS
Band28	20	27360	18	#0	QAM16	1MHz-5MHz	27.35	PASS
Band28	20	27360	18	#0	QAM16	5MHz-20MHz	24.15	PASS
Band28	20	27360	18	#0	QAM16	20MHz-25MHz	14.04	PASS
Band28	20	27360	18	#Max	QAM16	-1MHz-0MHz	30.80	PASS
Band28	20	27360	18	#Max	QAM16	-5MHz--1MHz	26.98	PASS
Band28	20	27360	18	#Max	QAM16	-20MHz--5MHz	23.02	PASS
Band28	20	27360	18	#Max	QAM16	-25MHz--20MHz	13.39	PASS
Band28	20	27360	18	#Max	QAM16	0MHz-1MHz	16.30	PASS
Band28	20	27360	18	#Max	QAM16	1MHz-5MHz	17.55	PASS
Band28	20	27360	18	#Max	QAM16	5MHz-20MHz	23.04	PASS
Band28	20	27360	18	#Max	QAM16	20MHz-25MHz	13.94	PASS
Band28	20	27360	100	#0	QAM16	-1MHz-0MHz	22.76	PASS
Band28	20	27360	100	#0	QAM16	-5MHz--1MHz	21.23	PASS
Band28	20	27360	100	#0	QAM16	-20MHz--5MHz	19.22	PASS
Band28	20	27360	100	#0	QAM16	-25MHz--20MHz	13.29	PASS
Band28	20	27360	100	#0	QAM16	0MHz-1MHz	22.53	PASS
Band28	20	27360	100	#0	QAM16	1MHz-5MHz	21.13	PASS
Band28	20	27360	100	#0	QAM16	5MHz-20MHz	19.48	PASS
Band28	20	27360	100	#0	QAM16	20MHz-25MHz	13.32	PASS
Band28	20	27409	18	#0	QPSK	-1MHz-0MHz	14.40	PASS
Band28	20	27409	18	#0	QPSK	-5MHz--1MHz	16.88	PASS
Band28	20	27409	18	#0	QPSK	-20MHz--5MHz	22.73	PASS

Band28	20	27409	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band28	20	27409	18	#0	QPSK	0MHz-1MHz	31.45	PASS
Band28	20	27409	18	#0	QPSK	1MHz-5MHz	28.18	PASS
Band28	20	27409	18	#0	QPSK	5MHz-20MHz	24.27	PASS
Band28	20	27409	18	#0	QPSK	20MHz-25MHz	14.00	PASS
Band28	20	27409	18	#Max	QPSK	-1MHz-0MHz	31.16	PASS
Band28	20	27409	18	#Max	QPSK	-5MHz--1MHz	27.69	PASS
Band28	20	27409	18	#Max	QPSK	-20MHz--5MHz	23.66	PASS
Band28	20	27409	18	#Max	QPSK	-25MHz--20MHz	13.37	PASS
Band28	20	27409	18	#Max	QPSK	0MHz-1MHz	14.48	PASS
Band28	20	27409	18	#Max	QPSK	1MHz-5MHz	14.40	PASS
Band28	20	27409	18	#Max	QPSK	5MHz-20MHz	23.40	PASS
Band28	20	27409	18	#Max	QPSK	20MHz-25MHz	13.95	PASS
Band28	20	27409	100	#0	QPSK	-1MHz-0MHz	21.54	PASS
Band28	20	27409	100	#0	QPSK	-5MHz--1MHz	20.60	PASS
Band28	20	27409	100	#0	QPSK	-20MHz--5MHz	18.78	PASS
Band28	20	27409	100	#0	QPSK	-25MHz--20MHz	13.16	PASS
Band28	20	27409	100	#0	QPSK	0MHz-1MHz	20.54	PASS
Band28	20	27409	100	#0	QPSK	1MHz-5MHz	18.80	PASS
Band28	20	27409	100	#0	QPSK	5MHz-20MHz	17.65	PASS
Band28	20	27409	100	#0	QPSK	20MHz-25MHz	13.89	PASS
Band28	20	27409	18	#0	QAM16	-1MHz-0MHz	16.24	PASS
Band28	20	27409	18	#0	QAM16	-5MHz--1MHz	18.27	PASS
Band28	20	27409	18	#0	QAM16	-20MHz--5MHz	23.16	PASS
Band28	20	27409	18	#0	QAM16	-25MHz--20MHz	13.19	PASS
Band28	20	27409	18	#0	QAM16	0MHz-1MHz	31.12	PASS
Band28	20	27409	18	#0	QAM16	1MHz-5MHz	28.18	PASS
Band28	20	27409	18	#0	QAM16	5MHz-20MHz	24.50	PASS
Band28	20	27409	18	#0	QAM16	20MHz-25MHz	14.09	PASS
Band28	20	27409	18	#Max	QAM16	-1MHz-0MHz	31.61	PASS
Band28	20	27409	18	#Max	QAM16	-5MHz--1MHz	27.62	PASS
Band28	20	27409	18	#Max	QAM16	-20MHz--5MHz	23.57	PASS
Band28	20	27409	18	#Max	QAM16	-25MHz--20MHz	13.31	PASS
Band28	20	27409	18	#Max	QAM16	0MHz-1MHz	14.93	PASS
Band28	20	27409	18	#Max	QAM16	1MHz-5MHz	16.79	PASS
Band28	20	27409	18	#Max	QAM16	5MHz-20MHz	23.79	PASS
Band28	20	27409	18	#Max	QAM16	20MHz-25MHz	13.91	PASS
Band28	20	27409	100	#0	QAM16	-1MHz-0MHz	22.12	PASS
Band28	20	27409	100	#0	QAM16	-5MHz--1MHz	21.12	PASS
Band28	20	27409	100	#0	QAM16	-20MHz--5MHz	19.37	PASS
Band28	20	27409	100	#0	QAM16	-25MHz--20MHz	13.24	PASS
Band28	20	27409	100	#0	QAM16	0MHz-1MHz	21.56	PASS
Band28	20	27409	100	#0	QAM16	1MHz-5MHz	20.04	PASS
Band28	20	27409	100	#0	QAM16	5MHz-20MHz	18.56	PASS

Band28	20	27409	100	#0	QAM16	20MHz-25MHz	13.89	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	14.27	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	17.51	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	11.64	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	16.25	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	18.50	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	11.49	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	16.67	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	19.03	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	12.09	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	13.86	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	16.98	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	11.36	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	20.54	PASS
Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	17.92	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	11.83	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	20.33	PASS
Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	17.67	PASS
Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	11.42	PASS
Band3	1.4	19207	5	#0	QAM16	-1MHz-0MHz	17.32	PASS
Band3	1.4	19207	5	#0	QAM16	-2.5MHz--1MHz	19.24	PASS
Band3	1.4	19207	5	#0	QAM16	-3.5MHz--2.5MHz	12.14	PASS
Band3	1.4	19207	5	#0	QAM16	0MHz-1MHz	18.78	PASS
Band3	1.4	19207	5	#0	QAM16	1MHz-2.5MHz	19.83	PASS
Band3	1.4	19207	5	#0	QAM16	2.5MHz-3.5MHz	11.92	PASS
Band3	1.4	19207	5	#Max	QAM16	-1MHz-0MHz	18.44	PASS
Band3	1.4	19207	5	#Max	QAM16	-2.5MHz--1MHz	20.98	PASS
Band3	1.4	19207	5	#Max	QAM16	-3.5MHz--2.5MHz	12.29	PASS
Band3	1.4	19207	5	#Max	QAM16	0MHz-1MHz	16.96	PASS
Band3	1.4	19207	5	#Max	QAM16	1MHz-2.5MHz	18.35	PASS
Band3	1.4	19207	5	#Max	QAM16	2.5MHz-3.5MHz	11.82	PASS
Band3	1.4	19207	6	#0	QAM16	-1MHz-0MHz	21.47	PASS
Band3	1.4	19207	6	#0	QAM16	-2.5MHz--1MHz	19.06	PASS
Band3	1.4	19207	6	#0	QAM16	-3.5MHz--2.5MHz	12.11	PASS
Band3	1.4	19207	6	#0	QAM16	0MHz-1MHz	22.23	PASS
Band3	1.4	19207	6	#0	QAM16	1MHz-2.5MHz	18.19	PASS
Band3	1.4	19207	6	#0	QAM16	2.5MHz-3.5MHz	11.84	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	18.46	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	17.26	PASS
Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	11.79	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	18.81	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	19.20	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	11.99	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	19.75	PASS

Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	18.88	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	12.01	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	18.10	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	17.76	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	11.76	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	23.79	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	17.20	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	11.76	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	23.51	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	17.72	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	11.64	PASS
Band3	1.4	19575	5	#0	QAM16	-1MHz-0MHz	18.80	PASS
Band3	1.4	19575	5	#0	QAM16	-2.5MHz--1MHz	18.83	PASS
Band3	1.4	19575	5	#0	QAM16	-3.5MHz--2.5MHz	12.07	PASS
Band3	1.4	19575	5	#0	QAM16	0MHz-1MHz	19.72	PASS
Band3	1.4	19575	5	#0	QAM16	1MHz-2.5MHz	21.16	PASS
Band3	1.4	19575	5	#0	QAM16	2.5MHz-3.5MHz	12.19	PASS
Band3	1.4	19575	5	#Max	QAM16	-1MHz-0MHz	20.36	PASS
Band3	1.4	19575	5	#Max	QAM16	-2.5MHz--1MHz	21.00	PASS
Band3	1.4	19575	5	#Max	QAM16	-3.5MHz--2.5MHz	12.26	PASS
Band3	1.4	19575	5	#Max	QAM16	0MHz-1MHz	17.87	PASS
Band3	1.4	19575	5	#Max	QAM16	1MHz-2.5MHz	19.53	PASS
Band3	1.4	19575	5	#Max	QAM16	2.5MHz-3.5MHz	11.92	PASS
Band3	1.4	19575	6	#0	QAM16	-1MHz-0MHz	23.30	PASS
Band3	1.4	19575	6	#0	QAM16	-2.5MHz--1MHz	19.64	PASS
Band3	1.4	19575	6	#0	QAM16	-3.5MHz--2.5MHz	12.22	PASS
Band3	1.4	19575	6	#0	QAM16	0MHz-1MHz	22.04	PASS
Band3	1.4	19575	6	#0	QAM16	1MHz-2.5MHz	19.30	PASS
Band3	1.4	19575	6	#0	QAM16	2.5MHz-3.5MHz	12.29	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	14.30	PASS
Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	17.41	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	11.53	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	16.26	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	19.26	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	12.01	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	15.49	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	18.68	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	11.80	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	15.08	PASS
Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	18.19	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	11.83	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	20.74	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	17.61	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	11.48	PASS

Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	20.92	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	18.09	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	11.73	PASS
Band3	1.4	19943	5	#0	QAM16	-1MHz-0MHz	17.40	PASS
Band3	1.4	19943	5	#0	QAM16	-2.5MHz--1MHz	19.75	PASS
Band3	1.4	19943	5	#0	QAM16	-3.5MHz--2.5MHz	12.02	PASS
Band3	1.4	19943	5	#0	QAM16	0MHz-1MHz	20.26	PASS
Band3	1.4	19943	5	#0	QAM16	1MHz-2.5MHz	21.70	PASS
Band3	1.4	19943	5	#0	QAM16	2.5MHz-3.5MHz	12.42	PASS
Band3	1.4	19943	5	#Max	QAM16	-1MHz-0MHz	19.76	PASS
Band3	1.4	19943	5	#Max	QAM16	-2.5MHz--1MHz	21.29	PASS
Band3	1.4	19943	5	#Max	QAM16	-3.5MHz--2.5MHz	12.11	PASS
Band3	1.4	19943	5	#Max	QAM16	0MHz-1MHz	18.38	PASS
Band3	1.4	19943	5	#Max	QAM16	1MHz-2.5MHz	19.96	PASS
Band3	1.4	19943	5	#Max	QAM16	2.5MHz-3.5MHz	12.37	PASS
Band3	1.4	19943	6	#0	QAM16	-1MHz-0MHz	21.50	PASS
Band3	1.4	19943	6	#0	QAM16	-2.5MHz--1MHz	18.98	PASS
Band3	1.4	19943	6	#0	QAM16	-3.5MHz--2.5MHz	11.94	PASS
Band3	1.4	19943	6	#0	QAM16	0MHz-1MHz	22.90	PASS
Band3	1.4	19943	6	#0	QAM16	1MHz-2.5MHz	19.36	PASS
Band3	1.4	19943	6	#0	QAM16	2.5MHz-3.5MHz	12.17	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	13.01	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	15.17	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	24.64	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	12.83	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	32.14	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	23.98	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	25.15	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	13.29	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	32.59	PASS
Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	25.81	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	25.16	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	12.93	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	12.92	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	13.71	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	24.75	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	13.12	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	21.12	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	14.98	PASS
Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	20.41	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	9.43	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	21.58	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	15.34	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	19.51	PASS

Band3	5	19225	25	#0	QPSK	6MHz-10MHz	7.82	PASS
Band3	5	19225	8	#0	QAM16	-1MHz-0MHz	15.67	PASS
Band3	5	19225	8	#0	QAM16	-5MHz--1MHz	17.00	PASS
Band3	5	19225	8	#0	QAM16	-6MHz--5MHz	24.81	PASS
Band3	5	19225	8	#0	QAM16	-10MHz--6MHz	12.94	PASS
Band3	5	19225	8	#0	QAM16	0MHz-1MHz	32.59	PASS
Band3	5	19225	8	#0	QAM16	1MHz-5MHz	24.74	PASS
Band3	5	19225	8	#0	QAM16	5MHz-6MHz	25.12	PASS
Band3	5	19225	8	#0	QAM16	6MHz-10MHz	13.24	PASS
Band3	5	19225	8	#Max	QAM16	-1MHz-0MHz	33.93	PASS
Band3	5	19225	8	#Max	QAM16	-5MHz--1MHz	26.26	PASS
Band3	5	19225	8	#Max	QAM16	-6MHz--5MHz	25.08	PASS
Band3	5	19225	8	#Max	QAM16	-10MHz--6MHz	12.81	PASS
Band3	5	19225	8	#Max	QAM16	0MHz-1MHz	16.48	PASS
Band3	5	19225	8	#Max	QAM16	1MHz-5MHz	15.85	PASS
Band3	5	19225	8	#Max	QAM16	5MHz-6MHz	24.89	PASS
Band3	5	19225	8	#Max	QAM16	6MHz-10MHz	13.17	PASS
Band3	5	19225	25	#0	QAM16	-1MHz-0MHz	23.29	PASS
Band3	5	19225	25	#0	QAM16	-5MHz--1MHz	15.85	PASS
Band3	5	19225	25	#0	QAM16	-6MHz--5MHz	21.42	PASS
Band3	5	19225	25	#0	QAM16	-10MHz--6MHz	10.14	PASS
Band3	5	19225	25	#0	QAM16	0MHz-1MHz	23.51	PASS
Band3	5	19225	25	#0	QAM16	1MHz-5MHz	16.26	PASS
Band3	5	19225	25	#0	QAM16	5MHz-6MHz	19.89	PASS
Band3	5	19225	25	#0	QAM16	6MHz-10MHz	8.95	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	15.83	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	13.96	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	24.52	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	12.82	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	33.26	PASS
Band3	5	19575	8	#0	QPSK	1MHz-5MHz	25.01	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	25.34	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	13.33	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	33.35	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	25.79	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	25.09	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.92	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	15.19	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	14.58	PASS
Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	24.77	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	13.19	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	25.29	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	17.49	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	20.03	PASS

Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	8.47	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	24.99	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	17.20	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	19.98	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	8.91	PASS
Band3	5	19575	8	#0	QAM16	-1MHz-0MHz	17.32	PASS
Band3	5	19575	8	#0	QAM16	-5MHz--1MHz	15.58	PASS
Band3	5	19575	8	#0	QAM16	-6MHz--5MHz	24.77	PASS
Band3	5	19575	8	#0	QAM16	-10MHz--6MHz	12.84	PASS
Band3	5	19575	8	#0	QAM16	0MHz-1MHz	33.72	PASS
Band3	5	19575	8	#0	QAM16	1MHz-5MHz	25.35	PASS
Band3	5	19575	8	#0	QAM16	5MHz-6MHz	25.16	PASS
Band3	5	19575	8	#0	QAM16	6MHz-10MHz	13.28	PASS
Band3	5	19575	8	#Max	QAM16	-1MHz-0MHz	33.21	PASS
Band3	5	19575	8	#Max	QAM16	-5MHz--1MHz	25.97	PASS
Band3	5	19575	8	#Max	QAM16	-6MHz--5MHz	25.03	PASS
Band3	5	19575	8	#Max	QAM16	-10MHz--6MHz	12.86	PASS
Band3	5	19575	8	#Max	QAM16	0MHz-1MHz	17.78	PASS
Band3	5	19575	8	#Max	QAM16	1MHz-5MHz	16.21	PASS
Band3	5	19575	8	#Max	QAM16	5MHz-6MHz	24.99	PASS
Band3	5	19575	8	#Max	QAM16	6MHz-10MHz	13.32	PASS
Band3	5	19575	25	#0	QAM16	-1MHz-0MHz	23.78	PASS
Band3	5	19575	25	#0	QAM16	-5MHz--1MHz	16.14	PASS
Band3	5	19575	25	#0	QAM16	-6MHz--5MHz	20.03	PASS
Band3	5	19575	25	#0	QAM16	-10MHz--6MHz	9.28	PASS
Band3	5	19575	25	#0	QAM16	0MHz-1MHz	23.50	PASS
Band3	5	19575	25	#0	QAM16	1MHz-5MHz	16.28	PASS
Band3	5	19575	25	#0	QAM16	5MHz-6MHz	19.96	PASS
Band3	5	19575	25	#0	QAM16	6MHz-10MHz	9.34	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	12.81	PASS
Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	17.36	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	24.63	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	12.68	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	32.36	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	25.77	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	25.16	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	13.25	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	32.83	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	25.48	PASS
Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	24.90	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	12.70	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	10.64	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	15.08	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	25.01	PASS

Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	13.20	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	22.28	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	16.04	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	20.78	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	8.80	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	22.37	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	16.76	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	21.85	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	10.74	PASS
Band3	5	19925	8	#0	QAM16	-1MHz-0MHz	17.22	PASS
Band3	5	19925	8	#0	QAM16	-5MHz--1MHz	18.43	PASS
Band3	5	19925	8	#0	QAM16	-6MHz--5MHz	24.84	PASS
Band3	5	19925	8	#0	QAM16	-10MHz--6MHz	12.76	PASS
Band3	5	19925	8	#0	QAM16	0MHz-1MHz	33.13	PASS
Band3	5	19925	8	#0	QAM16	1MHz-5MHz	25.99	PASS
Band3	5	19925	8	#0	QAM16	5MHz-6MHz	25.18	PASS
Band3	5	19925	8	#0	QAM16	6MHz-10MHz	13.21	PASS
Band3	5	19925	8	#Max	QAM16	-1MHz-0MHz	33.54	PASS
Band3	5	19925	8	#Max	QAM16	-5MHz--1MHz	25.95	PASS
Band3	5	19925	8	#Max	QAM16	-6MHz--5MHz	24.92	PASS
Band3	5	19925	8	#Max	QAM16	-10MHz--6MHz	12.78	PASS
Band3	5	19925	8	#Max	QAM16	0MHz-1MHz	15.44	PASS
Band3	5	19925	8	#Max	QAM16	1MHz-5MHz	17.34	PASS
Band3	5	19925	8	#Max	QAM16	5MHz-6MHz	25.13	PASS
Band3	5	19925	8	#Max	QAM16	6MHz-10MHz	13.22	PASS
Band3	5	19925	25	#0	QAM16	-1MHz-0MHz	24.44	PASS
Band3	5	19925	25	#0	QAM16	-5MHz--1MHz	16.96	PASS
Band3	5	19925	25	#0	QAM16	-6MHz--5MHz	20.68	PASS
Band3	5	19925	25	#0	QAM16	-10MHz--6MHz	9.53	PASS
Band3	5	19925	25	#0	QAM16	0MHz-1MHz	22.76	PASS
Band3	5	19925	25	#0	QAM16	1MHz-5MHz	17.67	PASS
Band3	5	19925	25	#0	QAM16	5MHz-6MHz	21.89	PASS
Band3	5	19925	25	#0	QAM16	6MHz-10MHz	11.01	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	12.36	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	13.59	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	23.43	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	11.23	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	33.22	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	25.09	PASS
Band3	10	19250	12	#0	QPSK	5MHz-10MHz	21.31	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	13.22	PASS
Band3	10	19250	12	#Max	QPSK	-1MHz-0MHz	33.60	PASS
Band3	10	19250	12	#Max	QPSK	-5MHz--1MHz	27.11	PASS
Band3	10	19250	12	#Max	QPSK	-10MHz--5MHz	23.50	PASS

Band3	10	19250	12	#Max	QPSK	-15MHz--10MHz	11.42	PASS
Band3	10	19250	12	#Max	QPSK	0MHz-1MHz	14.54	PASS
Band3	10	19250	12	#Max	QPSK	1MHz-5MHz	13.14	PASS
Band3	10	19250	12	#Max	QPSK	5MHz-10MHz	23.17	PASS
Band3	10	19250	12	#Max	QPSK	10MHz-15MHz	13.03	PASS
Band3	10	19250	50	#0	QPSK	-1MHz-0MHz	21.66	PASS
Band3	10	19250	50	#0	QPSK	-5MHz--1MHz	17.59	PASS
Band3	10	19250	50	#0	QPSK	-10MHz--5MHz	17.96	PASS
Band3	10	19250	50	#0	QPSK	-15MHz--10MHz	10.14	PASS
Band3	10	19250	50	#0	QPSK	0MHz-1MHz	23.38	PASS
Band3	10	19250	50	#0	QPSK	1MHz-5MHz	18.53	PASS
Band3	10	19250	50	#0	QPSK	5MHz-10MHz	16.64	PASS
Band3	10	19250	50	#0	QPSK	10MHz-15MHz	9.64	PASS
Band3	10	19250	12	#0	QAM16	-1MHz-0MHz	14.08	PASS
Band3	10	19250	12	#0	QAM16	-5MHz--1MHz	15.48	PASS
Band3	10	19250	12	#0	QAM16	-10MHz--5MHz	24.07	PASS
Band3	10	19250	12	#0	QAM16	-15MHz--10MHz	11.23	PASS
Band3	10	19250	12	#0	QAM16	0MHz-1MHz	33.13	PASS
Band3	10	19250	12	#0	QAM16	1MHz-5MHz	25.41	PASS
Band3	10	19250	12	#0	QAM16	5MHz-10MHz	21.89	PASS
Band3	10	19250	12	#0	QAM16	10MHz-15MHz	13.17	PASS
Band3	10	19250	12	#Max	QAM16	-1MHz-0MHz	33.91	PASS
Band3	10	19250	12	#Max	QAM16	-5MHz--1MHz	27.15	PASS
Band3	10	19250	12	#Max	QAM16	-10MHz--5MHz	23.86	PASS
Band3	10	19250	12	#Max	QAM16	-15MHz--10MHz	11.29	PASS
Band3	10	19250	12	#Max	QAM16	0MHz-1MHz	15.95	PASS
Band3	10	19250	12	#Max	QAM16	1MHz-5MHz	15.18	PASS
Band3	10	19250	12	#Max	QAM16	5MHz-10MHz	23.85	PASS
Band3	10	19250	12	#Max	QAM16	10MHz-15MHz	13.19	PASS
Band3	10	19250	50	#0	QAM16	-1MHz-0MHz	22.52	PASS
Band3	10	19250	50	#0	QAM16	-5MHz--1MHz	18.53	PASS
Band3	10	19250	50	#0	QAM16	-10MHz--5MHz	18.34	PASS
Band3	10	19250	50	#0	QAM16	-15MHz--10MHz	10.36	PASS
Band3	10	19250	50	#0	QAM16	0MHz-1MHz	23.17	PASS
Band3	10	19250	50	#0	QAM16	1MHz-5MHz	18.85	PASS
Band3	10	19250	50	#0	QAM16	5MHz-10MHz	17.70	PASS
Band3	10	19250	50	#0	QAM16	10MHz-15MHz	9.48	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	14.81	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	13.73	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	23.43	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	11.26	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	33.45	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	25.84	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	22.24	PASS

Band3	10	19575	12	#0	QPSK	10MHz-15MHz	13.26	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	33.59	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	26.67	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	22.95	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	11.40	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	15.55	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	13.47	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	23.69	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	13.22	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	24.65	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	19.55	PASS
Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	17.11	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	9.89	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	25.89	PASS
Band3	10	19575	50	#0	QPSK	1MHz-5MHz	20.31	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	16.64	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	10.35	PASS
Band3	10	19575	12	#0	QAM16	-1MHz-0MHz	16.47	PASS
Band3	10	19575	12	#0	QAM16	-5MHz--1MHz	15.54	PASS
Band3	10	19575	12	#0	QAM16	-10MHz--5MHz	23.85	PASS
Band3	10	19575	12	#0	QAM16	-15MHz--10MHz	11.40	PASS
Band3	10	19575	12	#0	QAM16	0MHz-1MHz	33.34	PASS
Band3	10	19575	12	#0	QAM16	1MHz-5MHz	26.31	PASS
Band3	10	19575	12	#0	QAM16	5MHz-10MHz	22.89	PASS
Band3	10	19575	12	#0	QAM16	10MHz-15MHz	13.29	PASS
Band3	10	19575	12	#Max	QAM16	-1MHz-0MHz	33.59	PASS
Band3	10	19575	12	#Max	QAM16	-5MHz--1MHz	26.95	PASS
Band3	10	19575	12	#Max	QAM16	-10MHz--5MHz	23.37	PASS
Band3	10	19575	12	#Max	QAM16	-15MHz--10MHz	11.45	PASS
Band3	10	19575	12	#Max	QAM16	0MHz-1MHz	16.61	PASS
Band3	10	19575	12	#Max	QAM16	1MHz-5MHz	15.79	PASS
Band3	10	19575	12	#Max	QAM16	5MHz-10MHz	24.06	PASS
Band3	10	19575	12	#Max	QAM16	10MHz-15MHz	13.24	PASS
Band3	10	19575	50	#0	QAM16	-1MHz-0MHz	23.25	PASS
Band3	10	19575	50	#0	QAM16	-5MHz--1MHz	18.60	PASS
Band3	10	19575	50	#0	QAM16	-10MHz--5MHz	17.24	PASS
Band3	10	19575	50	#0	QAM16	-15MHz--10MHz	9.86	PASS
Band3	10	19575	50	#0	QAM16	0MHz-1MHz	23.24	PASS
Band3	10	19575	50	#0	QAM16	1MHz-5MHz	18.58	PASS
Band3	10	19575	50	#0	QAM16	5MHz-10MHz	17.64	PASS
Band3	10	19575	50	#0	QAM16	10MHz-15MHz	10.28	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	16.83	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	18.04	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	23.08	PASS

Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	11.27	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	33.53	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	27.11	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	23.93	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	13.22	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	33.06	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	26.63	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	23.08	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	11.31	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	12.64	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	14.77	PASS
Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	24.07	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	13.20	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	23.01	PASS
Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	18.07	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	18.97	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	9.58	PASS
Band3	10	19900	50	#0	QPSK	0MHz-1MHz	24.56	PASS
Band3	10	19900	50	#0	QPSK	1MHz-5MHz	21.10	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	22.08	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	13.12	PASS
Band3	10	19900	12	#0	QAM16	-1MHz-0MHz	18.62	PASS
Band3	10	19900	12	#0	QAM16	-5MHz--1MHz	18.85	PASS
Band3	10	19900	12	#0	QAM16	-10MHz--5MHz	23.58	PASS
Band3	10	19900	12	#0	QAM16	-15MHz--10MHz	11.30	PASS
Band3	10	19900	12	#0	QAM16	0MHz-1MHz	33.34	PASS
Band3	10	19900	12	#0	QAM16	1MHz-5MHz	27.19	PASS
Band3	10	19900	12	#0	QAM16	5MHz-10MHz	24.11	PASS
Band3	10	19900	12	#0	QAM16	10MHz-15MHz	13.19	PASS
Band3	10	19900	12	#Max	QAM16	-1MHz-0MHz	33.61	PASS
Band3	10	19900	12	#Max	QAM16	-5MHz--1MHz	26.80	PASS
Band3	10	19900	12	#Max	QAM16	-10MHz--5MHz	23.35	PASS
Band3	10	19900	12	#Max	QAM16	-15MHz--10MHz	11.19	PASS
Band3	10	19900	12	#Max	QAM16	0MHz-1MHz	15.66	PASS
Band3	10	19900	12	#Max	QAM16	1MHz-5MHz	16.90	PASS
Band3	10	19900	12	#Max	QAM16	5MHz-10MHz	24.41	PASS
Band3	10	19900	12	#Max	QAM16	10MHz-15MHz	13.18	PASS
Band3	10	19900	50	#0	QAM16	-1MHz-0MHz	23.63	PASS
Band3	10	19900	50	#0	QAM16	-5MHz--1MHz	18.66	PASS
Band3	10	19900	50	#0	QAM16	-10MHz--5MHz	18.46	PASS
Band3	10	19900	50	#0	QAM16	-15MHz--10MHz	9.61	PASS
Band3	10	19900	50	#0	QAM16	0MHz-1MHz	24.68	PASS
Band3	10	19900	50	#0	QAM16	1MHz-5MHz	20.44	PASS
Band3	10	19900	50	#0	QAM16	5MHz-10MHz	21.37	PASS

Band3	10	19900	50	#0	QAM16	10MHz-15MHz	13.20	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	12.50	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	14.44	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	22.38	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	13.35	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	30.98	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	27.48	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	20.09	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	13.46	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	30.89	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	27.09	PASS
Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	22.59	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	13.53	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	17.79	PASS
Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	18.01	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	22.26	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	13.32	PASS
Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	22.54	PASS
Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	20.98	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	19.26	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	13.43	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	24.79	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	22.26	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	19.35	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	11.12	PASS
Band3	20	19300	18	#0	QAM16	-1MHz-0MHz	13.79	PASS
Band3	20	19300	18	#0	QAM16	-5MHz--1MHz	15.94	PASS
Band3	20	19300	18	#0	QAM16	-20MHz--5MHz	22.73	PASS
Band3	20	19300	18	#0	QAM16	-25MHz--20MHz	13.38	PASS
Band3	20	19300	18	#0	QAM16	0MHz-1MHz	30.50	PASS
Band3	20	19300	18	#0	QAM16	1MHz-5MHz	27.50	PASS
Band3	20	19300	18	#0	QAM16	5MHz-20MHz	20.70	PASS
Band3	20	19300	18	#0	QAM16	20MHz-25MHz	13.46	PASS
Band3	20	19300	18	#Max	QAM16	-1MHz-0MHz	30.81	PASS
Band3	20	19300	18	#Max	QAM16	-5MHz--1MHz	27.15	PASS
Band3	20	19300	18	#Max	QAM16	-20MHz--5MHz	22.71	PASS
Band3	20	19300	18	#Max	QAM16	-25MHz--20MHz	13.53	PASS
Band3	20	19300	18	#Max	QAM16	0MHz-1MHz	18.05	PASS
Band3	20	19300	18	#Max	QAM16	1MHz-5MHz	17.94	PASS
Band3	20	19300	18	#Max	QAM16	5MHz-20MHz	22.55	PASS
Band3	20	19300	18	#Max	QAM16	20MHz-25MHz	13.31	PASS
Band3	20	19300	100	#0	QAM16	-1MHz-0MHz	23.23	PASS
Band3	20	19300	100	#0	QAM16	-5MHz--1MHz	20.94	PASS
Band3	20	19300	100	#0	QAM16	-20MHz--5MHz	19.52	PASS

Band3	20	19300	100	#0	QAM16	-25MHz--20MHz	13.49	PASS
Band3	20	19300	100	#0	QAM16	0MHz-1MHz	23.99	PASS
Band3	20	19300	100	#0	QAM16	1MHz-5MHz	21.72	PASS
Band3	20	19300	100	#0	QAM16	5MHz-20MHz	18.89	PASS
Band3	20	19300	100	#0	QAM16	20MHz-25MHz	11.02	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	14.04	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	15.06	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	22.11	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	13.32	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	30.53	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	27.68	PASS
Band3	20	19575	18	#0	QPSK	5MHz-20MHz	21.44	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	13.43	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	30.87	PASS
Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	27.03	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	22.33	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	13.57	PASS
Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	14.51	PASS
Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	14.69	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	22.62	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	13.42	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	22.92	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	21.18	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	18.24	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	11.36	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	25.14	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	22.48	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	19.00	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	11.43	PASS
Band3	20	19575	18	#0	QAM16	-1MHz-0MHz	15.37	PASS
Band3	20	19575	18	#0	QAM16	-5MHz--1MHz	16.49	PASS
Band3	20	19575	18	#0	QAM16	-20MHz--5MHz	22.44	PASS
Band3	20	19575	18	#0	QAM16	-25MHz--20MHz	13.42	PASS
Band3	20	19575	18	#0	QAM16	0MHz-1MHz	30.66	PASS
Band3	20	19575	18	#0	QAM16	1MHz-5MHz	27.73	PASS
Band3	20	19575	18	#0	QAM16	5MHz-20MHz	21.92	PASS
Band3	20	19575	18	#0	QAM16	20MHz-25MHz	13.41	PASS
Band3	20	19575	18	#Max	QAM16	-1MHz-0MHz	30.99	PASS
Band3	20	19575	18	#Max	QAM16	-5MHz--1MHz	27.02	PASS
Band3	20	19575	18	#Max	QAM16	-20MHz--5MHz	22.66	PASS
Band3	20	19575	18	#Max	QAM16	-25MHz--20MHz	13.56	PASS
Band3	20	19575	18	#Max	QAM16	0MHz-1MHz	15.77	PASS
Band3	20	19575	18	#Max	QAM16	1MHz-5MHz	16.31	PASS
Band3	20	19575	18	#Max	QAM16	5MHz-20MHz	23.16	PASS

Band3	20	19575	18	#Max	QAM16	20MHz-25MHz	13.33	PASS
Band3	20	19575	100	#0	QAM16	-1MHz-0MHz	22.13	PASS
Band3	20	19575	100	#0	QAM16	-5MHz--1MHz	20.47	PASS
Band3	20	19575	100	#0	QAM16	-20MHz--5MHz	18.20	PASS
Band3	20	19575	100	#0	QAM16	-25MHz--20MHz	11.54	PASS
Band3	20	19575	100	#0	QAM16	0MHz-1MHz	22.63	PASS
Band3	20	19575	100	#0	QAM16	1MHz-5MHz	20.82	PASS
Band3	20	19575	100	#0	QAM16	5MHz-20MHz	18.69	PASS
Band3	20	19575	100	#0	QAM16	20MHz-25MHz	11.39	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	15.45	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	16.38	PASS
Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	21.83	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	13.27	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	30.57	PASS
Band3	20	19850	18	#0	QPSK	1MHz-5MHz	27.76	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	24.83	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	13.41	PASS
Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	30.60	PASS
Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	26.72	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	21.98	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	13.51	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	12.95	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	15.55	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	23.45	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	13.25	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	22.49	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	20.47	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	18.51	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	10.95	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	25.85	PASS
Band3	20	19850	100	#0	QPSK	1MHz-5MHz	23.41	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	22.26	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	13.27	PASS
Band3	20	19850	18	#0	QAM16	-1MHz-0MHz	16.11	PASS
Band3	20	19850	18	#0	QAM16	-5MHz--1MHz	17.25	PASS
Band3	20	19850	18	#0	QAM16	-20MHz--5MHz	22.01	PASS
Band3	20	19850	18	#0	QAM16	-25MHz--20MHz	13.23	PASS
Band3	20	19850	18	#0	QAM16	0MHz-1MHz	30.87	PASS
Band3	20	19850	18	#0	QAM16	1MHz-5MHz	27.79	PASS
Band3	20	19850	18	#0	QAM16	5MHz-20MHz	24.90	PASS
Band3	20	19850	18	#0	QAM16	20MHz-25MHz	13.39	PASS
Band3	20	19850	18	#Max	QAM16	-1MHz-0MHz	30.53	PASS
Band3	20	19850	18	#Max	QAM16	-5MHz--1MHz	26.77	PASS
Band3	20	19850	18	#Max	QAM16	-20MHz--5MHz	22.29	PASS

Band3	20	19850	18	#Max	QAM16	-25MHz--20MHz	13.47	PASS
Band3	20	19850	18	#Max	QAM16	0MHz-1MHz	15.59	PASS
Band3	20	19850	18	#Max	QAM16	1MHz-5MHz	17.42	PASS
Band3	20	19850	18	#Max	QAM16	5MHz-20MHz	23.56	PASS
Band3	20	19850	18	#Max	QAM16	20MHz-25MHz	13.26	PASS
Band3	20	19850	100	#0	QAM16	-1MHz-0MHz	22.77	PASS
Band3	20	19850	100	#0	QAM16	-5MHz--1MHz	20.67	PASS
Band3	20	19850	100	#0	QAM16	-20MHz--5MHz	18.41	PASS
Band3	20	19850	100	#0	QAM16	-25MHz--20MHz	11.13	PASS
Band3	20	19850	100	#0	QAM16	0MHz-1MHz	25.04	PASS
Band3	20	19850	100	#0	QAM16	1MHz-5MHz	22.97	PASS
Band3	20	19850	100	#0	QAM16	5MHz-20MHz	21.73	PASS
Band3	20	19850	100	#0	QAM16	20MHz-25MHz	13.32	PASS
Band40	5	38675	8	#0	QPSK	-1MHz-0MHz	8.85	PASS
Band40	5	38675	8	#0	QPSK	-5MHz--1MHz	13.44	PASS
Band40	5	38675	8	#0	QPSK	-6MHz--5MHz	24.02	PASS
Band40	5	38675	8	#0	QPSK	-10MHz--6MHz	12.36	PASS
Band40	5	38675	8	#0	QPSK	0MHz-1MHz	32.21	PASS
Band40	5	38675	8	#0	QPSK	1MHz-5MHz	23.33	PASS
Band40	5	38675	8	#0	QPSK	5MHz-6MHz	24.80	PASS
Band40	5	38675	8	#0	QPSK	6MHz-10MHz	13.10	PASS
Band40	5	38675	8	#Max	QPSK	-1MHz-0MHz	33.12	PASS
Band40	5	38675	8	#Max	QPSK	-5MHz--1MHz	24.46	PASS
Band40	5	38675	8	#Max	QPSK	-6MHz--5MHz	24.63	PASS
Band40	5	38675	8	#Max	QPSK	-10MHz--6MHz	12.69	PASS
Band40	5	38675	8	#Max	QPSK	0MHz-1MHz	8.72	PASS
Band40	5	38675	8	#Max	QPSK	1MHz-5MHz	13.07	PASS
Band40	5	38675	8	#Max	QPSK	5MHz-6MHz	24.05	PASS
Band40	5	38675	8	#Max	QPSK	6MHz-10MHz	12.61	PASS
Band40	5	38675	25	#0	QPSK	-1MHz-0MHz	18.05	PASS
Band40	5	38675	25	#0	QPSK	-5MHz--1MHz	11.69	PASS
Band40	5	38675	25	#0	QPSK	-6MHz--5MHz	21.43	PASS
Band40	5	38675	25	#0	QPSK	-10MHz--6MHz	9.92	PASS
Band40	5	38675	25	#0	QPSK	0MHz-1MHz	16.44	PASS
Band40	5	38675	25	#0	QPSK	1MHz-5MHz	10.61	PASS
Band40	5	38675	25	#0	QPSK	5MHz-6MHz	20.18	PASS
Band40	5	38675	25	#0	QPSK	6MHz-10MHz	8.87	PASS
Band40	5	38675	8	#0	QAM16	-1MHz-0MHz	10.87	PASS
Band40	5	38675	8	#0	QAM16	-5MHz--1MHz	14.92	PASS
Band40	5	38675	8	#0	QAM16	-6MHz--5MHz	24.16	PASS
Band40	5	38675	8	#0	QAM16	-10MHz--6MHz	12.65	PASS
Band40	5	38675	8	#0	QAM16	0MHz-1MHz	32.55	PASS
Band40	5	38675	8	#0	QAM16	1MHz-5MHz	23.92	PASS
Band40	5	38675	8	#0	QAM16	5MHz-6MHz	24.88	PASS

Band40	5	38675	8	#0	QAM16	6MHz-10MHz	13.05	PASS
Band40	5	38675	8	#Max	QAM16	-1MHz-0MHz	33.55	PASS
Band40	5	38675	8	#Max	QAM16	-5MHz--1MHz	24.89	PASS
Band40	5	38675	8	#Max	QAM16	-6MHz--5MHz	24.73	PASS
Band40	5	38675	8	#Max	QAM16	-10MHz--6MHz	12.77	PASS
Band40	5	38675	8	#Max	QAM16	0MHz-1MHz	11.80	PASS
Band40	5	38675	8	#Max	QAM16	1MHz-5MHz	14.57	PASS
Band40	5	38675	8	#Max	QAM16	5MHz-6MHz	24.12	PASS
Band40	5	38675	8	#Max	QAM16	6MHz-10MHz	12.62	PASS
Band40	5	38675	25	#0	QAM16	-1MHz-0MHz	20.58	PASS
Band40	5	38675	25	#0	QAM16	-5MHz--1MHz	13.48	PASS
Band40	5	38675	25	#0	QAM16	-6MHz--5MHz	21.11	PASS
Band40	5	38675	25	#0	QAM16	-10MHz--6MHz	10.34	PASS
Band40	5	38675	25	#0	QAM16	0MHz-1MHz	19.59	PASS
Band40	5	38675	25	#0	QAM16	1MHz-5MHz	12.52	PASS
Band40	5	38675	25	#0	QAM16	5MHz-6MHz	19.95	PASS
Band40	5	38675	25	#0	QAM16	6MHz-10MHz	9.35	PASS
Band40	5	39150	8	#0	QPSK	-1MHz-0MHz	10.21	PASS
Band40	5	39150	8	#0	QPSK	-5MHz--1MHz	12.74	PASS
Band40	5	39150	8	#0	QPSK	-6MHz--5MHz	24.00	PASS
Band40	5	39150	8	#0	QPSK	-10MHz--6MHz	12.81	PASS
Band40	5	39150	8	#0	QPSK	0MHz-1MHz	32.49	PASS
Band40	5	39150	8	#0	QPSK	1MHz-5MHz	24.03	PASS
Band40	5	39150	8	#0	QPSK	5MHz-6MHz	25.09	PASS
Band40	5	39150	8	#0	QPSK	6MHz-10MHz	13.42	PASS
Band40	5	39150	8	#Max	QPSK	-1MHz-0MHz	33.10	PASS
Band40	5	39150	8	#Max	QPSK	-5MHz--1MHz	23.95	PASS
Band40	5	39150	8	#Max	QPSK	-6MHz--5MHz	24.98	PASS
Band40	5	39150	8	#Max	QPSK	-10MHz--6MHz	13.28	PASS
Band40	5	39150	8	#Max	QPSK	0MHz-1MHz	9.82	PASS
Band40	5	39150	8	#Max	QPSK	1MHz-5MHz	13.11	PASS
Band40	5	39150	8	#Max	QPSK	5MHz-6MHz	24.13	PASS
Band40	5	39150	8	#Max	QPSK	6MHz-10MHz	12.86	PASS
Band40	5	39150	25	#0	QPSK	-1MHz-0MHz	22.22	PASS
Band40	5	39150	25	#0	QPSK	-5MHz--1MHz	15.04	PASS
Band40	5	39150	25	#0	QPSK	-6MHz--5MHz	20.08	PASS
Band40	5	39150	25	#0	QPSK	-10MHz--6MHz	9.00	PASS
Band40	5	39150	25	#0	QPSK	0MHz-1MHz	21.63	PASS
Band40	5	39150	25	#0	QPSK	1MHz-5MHz	14.66	PASS
Band40	5	39150	25	#0	QPSK	5MHz-6MHz	20.77	PASS
Band40	5	39150	25	#0	QPSK	6MHz-10MHz	9.75	PASS
Band40	5	39150	8	#0	QAM16	-1MHz-0MHz	15.14	PASS
Band40	5	39150	8	#0	QAM16	-5MHz--1MHz	15.10	PASS
Band40	5	39150	8	#0	QAM16	-6MHz--5MHz	24.65	PASS

Band40	5	39150	8	#0	QAM16	-10MHz--6MHz	13.17	PASS
Band40	5	39150	8	#0	QAM16	0MHz-1MHz	33.54	PASS
Band40	5	39150	8	#0	QAM16	1MHz-5MHz	24.84	PASS
Band40	5	39150	8	#0	QAM16	5MHz-6MHz	25.35	PASS
Band40	5	39150	8	#0	QAM16	6MHz-10MHz	13.52	PASS
Band40	5	39150	8	#Max	QAM16	-1MHz-0MHz	33.76	PASS
Band40	5	39150	8	#Max	QAM16	-5MHz--1MHz	24.90	PASS
Band40	5	39150	8	#Max	QAM16	-6MHz--5MHz	25.31	PASS
Band40	5	39150	8	#Max	QAM16	-10MHz--6MHz	13.26	PASS
Band40	5	39150	8	#Max	QAM16	0MHz-1MHz	14.80	PASS
Band40	5	39150	8	#Max	QAM16	1MHz-5MHz	15.62	PASS
Band40	5	39150	8	#Max	QAM16	5MHz-6MHz	24.48	PASS
Band40	5	39150	8	#Max	QAM16	6MHz-10MHz	13.23	PASS
Band40	5	39150	25	#0	QAM16	-1MHz-0MHz	23.05	PASS
Band40	5	39150	25	#0	QAM16	-5MHz--1MHz	15.46	PASS
Band40	5	39150	25	#0	QAM16	-6MHz--5MHz	19.94	PASS
Band40	5	39150	25	#0	QAM16	-10MHz--6MHz	9.49	PASS
Band40	5	39150	25	#0	QAM16	0MHz-1MHz	21.61	PASS
Band40	5	39150	25	#0	QAM16	1MHz-5MHz	15.37	PASS
Band40	5	39150	25	#0	QAM16	5MHz-6MHz	20.79	PASS
Band40	5	39150	25	#0	QAM16	6MHz-10MHz	10.00	PASS
Band40	5	39625	8	#0	QPSK	-1MHz-0MHz	9.10	PASS
Band40	5	39625	8	#0	QPSK	-5MHz--1MHz	12.00	PASS
Band40	5	39625	8	#0	QPSK	-6MHz--5MHz	23.95	PASS
Band40	5	39625	8	#0	QPSK	-10MHz--6MHz	12.46	PASS
Band40	5	39625	8	#0	QPSK	0MHz-1MHz	33.50	PASS
Band40	5	39625	8	#0	QPSK	1MHz-5MHz	25.02	PASS
Band40	5	39625	8	#0	QPSK	5MHz-6MHz	24.92	PASS
Band40	5	39625	8	#0	QPSK	6MHz-10MHz	13.13	PASS
Band40	5	39625	8	#Max	QPSK	-1MHz-0MHz	33.29	PASS
Band40	5	39625	8	#Max	QPSK	-5MHz--1MHz	24.40	PASS
Band40	5	39625	8	#Max	QPSK	-6MHz--5MHz	24.74	PASS
Band40	5	39625	8	#Max	QPSK	-10MHz--6MHz	12.86	PASS
Band40	5	39625	8	#Max	QPSK	0MHz-1MHz	10.18	PASS
Band40	5	39625	8	#Max	QPSK	1MHz-5MHz	13.58	PASS
Band40	5	39625	8	#Max	QPSK	5MHz-6MHz	24.37	PASS
Band40	5	39625	8	#Max	QPSK	6MHz-10MHz	12.66	PASS
Band40	5	39625	25	#0	QPSK	-1MHz-0MHz	19.54	PASS
Band40	5	39625	25	#0	QPSK	-5MHz--1MHz	12.83	PASS
Band40	5	39625	25	#0	QPSK	-6MHz--5MHz	19.49	PASS
Band40	5	39625	25	#0	QPSK	-10MHz--6MHz	8.67	PASS
Band40	5	39625	25	#0	QPSK	0MHz-1MHz	20.60	PASS
Band40	5	39625	25	#0	QPSK	1MHz-5MHz	14.35	PASS
Band40	5	39625	25	#0	QPSK	5MHz-6MHz	21.57	PASS

Band40	5	39625	25	#0	QPSK	6MHz-10MHz	10.32	PASS
Band40	5	39625	8	#0	QAM16	-1MHz-0MHz	14.80	PASS
Band40	5	39625	8	#0	QAM16	-5MHz--1MHz	14.49	PASS
Band40	5	39625	8	#0	QAM16	-6MHz--5MHz	24.28	PASS
Band40	5	39625	8	#0	QAM16	-10MHz--6MHz	12.62	PASS
Band40	5	39625	8	#0	QAM16	0MHz-1MHz	33.60	PASS
Band40	5	39625	8	#0	QAM16	1MHz-5MHz	25.48	PASS
Band40	5	39625	8	#0	QAM16	5MHz-6MHz	24.98	PASS
Band40	5	39625	8	#0	QAM16	6MHz-10MHz	13.14	PASS
Band40	5	39625	8	#Max	QAM16	-1MHz-0MHz	33.24	PASS
Band40	5	39625	8	#Max	QAM16	-5MHz--1MHz	24.76	PASS
Band40	5	39625	8	#Max	QAM16	-6MHz--5MHz	24.84	PASS
Band40	5	39625	8	#Max	QAM16	-10MHz--6MHz	12.92	PASS
Band40	5	39625	8	#Max	QAM16	0MHz-1MHz	15.11	PASS
Band40	5	39625	8	#Max	QAM16	1MHz-5MHz	16.23	PASS
Band40	5	39625	8	#Max	QAM16	5MHz-6MHz	24.53	PASS
Band40	5	39625	8	#Max	QAM16	6MHz-10MHz	12.83	PASS
Band40	5	39625	25	#0	QAM16	-1MHz-0MHz	21.94	PASS
Band40	5	39625	25	#0	QAM16	-5MHz--1MHz	14.98	PASS
Band40	5	39625	25	#0	QAM16	-6MHz--5MHz	20.10	PASS
Band40	5	39625	25	#0	QAM16	-10MHz--6MHz	9.32	PASS
Band40	5	39625	25	#0	QAM16	0MHz-1MHz	22.51	PASS
Band40	5	39625	25	#0	QAM16	1MHz-5MHz	16.31	PASS
Band40	5	39625	25	#0	QAM16	5MHz-6MHz	21.88	PASS
Band40	5	39625	25	#0	QAM16	6MHz-10MHz	10.98	PASS
Band40	10	38700	12	#0	QPSK	-1MHz-0MHz	8.72	PASS
Band40	10	38700	12	#0	QPSK	-5MHz--1MHz	11.48	PASS
Band40	10	38700	12	#0	QPSK	-10MHz--5MHz	23.21	PASS
Band40	10	38700	12	#0	QPSK	-15MHz--10MHz	11.20	PASS
Band40	10	38700	12	#0	QPSK	0MHz-1MHz	32.09	PASS
Band40	10	38700	12	#0	QPSK	1MHz-5MHz	24.61	PASS
Band40	10	38700	12	#0	QPSK	5MHz-10MHz	21.11	PASS
Band40	10	38700	12	#0	QPSK	10MHz-15MHz	12.96	PASS
Band40	10	38700	12	#Max	QPSK	-1MHz-0MHz	32.98	PASS
Band40	10	38700	12	#Max	QPSK	-5MHz--1MHz	26.11	PASS
Band40	10	38700	12	#Max	QPSK	-10MHz--5MHz	22.63	PASS
Band40	10	38700	12	#Max	QPSK	-15MHz--10MHz	11.25	PASS
Band40	10	38700	12	#Max	QPSK	0MHz-1MHz	7.84	PASS
Band40	10	38700	12	#Max	QPSK	1MHz-5MHz	10.89	PASS
Band40	10	38700	12	#Max	QPSK	5MHz-10MHz	22.45	PASS
Band40	10	38700	12	#Max	QPSK	10MHz-15MHz	12.61	PASS
Band40	10	38700	50	#0	QPSK	-1MHz-0MHz	17.64	PASS
Band40	10	38700	50	#0	QPSK	-5MHz--1MHz	13.54	PASS
Band40	10	38700	50	#0	QPSK	-10MHz--5MHz	15.30	PASS

Band40	10	38700	50	#0	QPSK	-15MHz--10MHz	10.46	PASS
Band40	10	38700	50	#0	QPSK	0MHz-1MHz	16.26	PASS
Band40	10	38700	50	#0	QPSK	1MHz-5MHz	11.82	PASS
Band40	10	38700	50	#0	QPSK	5MHz-10MHz	13.11	PASS
Band40	10	38700	50	#0	QPSK	10MHz-15MHz	9.42	PASS
Band40	10	38700	12	#0	QAM16	-1MHz-0MHz	10.91	PASS
Band40	10	38700	12	#0	QAM16	-5MHz--1MHz	13.98	PASS
Band40	10	38700	12	#0	QAM16	-10MHz--5MHz	23.27	PASS
Band40	10	38700	12	#0	QAM16	-15MHz--10MHz	11.26	PASS
Band40	10	38700	12	#0	QAM16	0MHz-1MHz	32.02	PASS
Band40	10	38700	12	#0	QAM16	1MHz-5MHz	25.34	PASS
Band40	10	38700	12	#0	QAM16	5MHz-10MHz	21.75	PASS
Band40	10	38700	12	#0	QAM16	10MHz-15MHz	13.08	PASS
Band40	10	38700	12	#Max	QAM16	-1MHz-0MHz	32.83	PASS
Band40	10	38700	12	#Max	QAM16	-5MHz--1MHz	26.48	PASS
Band40	10	38700	12	#Max	QAM16	-10MHz--5MHz	23.01	PASS
Band40	10	38700	12	#Max	QAM16	-15MHz--10MHz	11.26	PASS
Band40	10	38700	12	#Max	QAM16	0MHz-1MHz	11.02	PASS
Band40	10	38700	12	#Max	QAM16	1MHz-5MHz	13.44	PASS
Band40	10	38700	12	#Max	QAM16	5MHz-10MHz	22.74	PASS
Band40	10	38700	12	#Max	QAM16	10MHz-15MHz	12.69	PASS
Band40	10	38700	50	#0	QAM16	-1MHz-0MHz	19.95	PASS
Band40	10	38700	50	#0	QAM16	-5MHz--1MHz	15.86	PASS
Band40	10	38700	50	#0	QAM16	-10MHz--5MHz	16.78	PASS
Band40	10	38700	50	#0	QAM16	-15MHz--10MHz	10.35	PASS
Band40	10	38700	50	#0	QAM16	0MHz-1MHz	18.22	PASS
Band40	10	38700	50	#0	QAM16	1MHz-5MHz	14.13	PASS
Band40	10	38700	50	#0	QAM16	5MHz-10MHz	14.96	PASS
Band40	10	38700	50	#0	QAM16	10MHz-15MHz	8.69	PASS
Band40	10	39150	12	#0	QPSK	-1MHz-0MHz	11.54	PASS
Band40	10	39150	12	#0	QPSK	-5MHz--1MHz	12.28	PASS
Band40	10	39150	12	#0	QPSK	-10MHz--5MHz	22.54	PASS
Band40	10	39150	12	#0	QPSK	-15MHz--10MHz	11.70	PASS
Band40	10	39150	12	#0	QPSK	0MHz-1MHz	32.96	PASS
Band40	10	39150	12	#0	QPSK	1MHz-5MHz	26.35	PASS
Band40	10	39150	12	#0	QPSK	5MHz-10MHz	22.86	PASS
Band40	10	39150	12	#0	QPSK	10MHz-15MHz	13.48	PASS
Band40	10	39150	12	#Max	QPSK	-1MHz-0MHz	32.36	PASS
Band40	10	39150	12	#Max	QPSK	-5MHz--1MHz	25.94	PASS
Band40	10	39150	12	#Max	QPSK	-10MHz--5MHz	22.57	PASS
Band40	10	39150	12	#Max	QPSK	-15MHz--10MHz	11.80	PASS
Band40	10	39150	12	#Max	QPSK	0MHz-1MHz	11.88	PASS
Band40	10	39150	12	#Max	QPSK	1MHz-5MHz	13.21	PASS
Band40	10	39150	12	#Max	QPSK	5MHz-10MHz	22.89	PASS

Band40	10	39150	12	#Max	QPSK	10MHz-15MHz	13.02	PASS
Band40	10	39150	50	#0	QPSK	-1MHz-0MHz	20.54	PASS
Band40	10	39150	50	#0	QPSK	-5MHz--1MHz	16.36	PASS
Band40	10	39150	50	#0	QPSK	-10MHz--5MHz	15.40	PASS
Band40	10	39150	50	#0	QPSK	-15MHz--10MHz	9.76	PASS
Band40	10	39150	50	#0	QPSK	0MHz-1MHz	20.89	PASS
Band40	10	39150	50	#0	QPSK	1MHz-5MHz	16.65	PASS
Band40	10	39150	50	#0	QPSK	5MHz-10MHz	16.49	PASS
Band40	10	39150	50	#0	QPSK	10MHz-15MHz	10.74	PASS
Band40	10	39150	12	#0	QAM16	-1MHz-0MHz	13.76	PASS
Band40	10	39150	12	#0	QAM16	-5MHz--1MHz	13.99	PASS
Band40	10	39150	12	#0	QAM16	-10MHz--5MHz	22.90	PASS
Band40	10	39150	12	#0	QAM16	-15MHz--10MHz	11.87	PASS
Band40	10	39150	12	#0	QAM16	0MHz-1MHz	33.29	PASS
Band40	10	39150	12	#0	QAM16	1MHz-5MHz	26.68	PASS
Band40	10	39150	12	#0	QAM16	5MHz-10MHz	23.47	PASS
Band40	10	39150	12	#0	QAM16	10MHz-15MHz	13.48	PASS
Band40	10	39150	12	#Max	QAM16	-1MHz-0MHz	32.61	PASS
Band40	10	39150	12	#Max	QAM16	-5MHz--1MHz	26.34	PASS
Band40	10	39150	12	#Max	QAM16	-10MHz--5MHz	22.77	PASS
Band40	10	39150	12	#Max	QAM16	-15MHz--10MHz	11.81	PASS
Band40	10	39150	12	#Max	QAM16	0MHz-1MHz	14.29	PASS
Band40	10	39150	12	#Max	QAM16	1MHz-5MHz	14.71	PASS
Band40	10	39150	12	#Max	QAM16	5MHz-10MHz	23.13	PASS
Band40	10	39150	12	#Max	QAM16	10MHz-15MHz	13.19	PASS
Band40	10	39150	50	#0	QAM16	-1MHz-0MHz	21.93	PASS
Band40	10	39150	50	#0	QAM16	-5MHz--1MHz	17.35	PASS
Band40	10	39150	50	#0	QAM16	-10MHz--5MHz	16.02	PASS
Band40	10	39150	50	#0	QAM16	-15MHz--10MHz	9.21	PASS
Band40	10	39150	50	#0	QAM16	0MHz-1MHz	22.10	PASS
Band40	10	39150	50	#0	QAM16	1MHz-5MHz	17.55	PASS
Band40	10	39150	50	#0	QAM16	5MHz-10MHz	17.02	PASS
Band40	10	39150	50	#0	QAM16	10MHz-15MHz	10.27	PASS
Band40	10	39600	12	#0	QPSK	-1MHz-0MHz	8.73	PASS
Band40	10	39600	12	#0	QPSK	-5MHz--1MHz	10.23	PASS
Band40	10	39600	12	#0	QPSK	-10MHz--5MHz	22.63	PASS
Band40	10	39600	12	#0	QPSK	-15MHz--10MHz	11.53	PASS
Band40	10	39600	12	#0	QPSK	0MHz-1MHz	32.97	PASS
Band40	10	39600	12	#0	QPSK	1MHz-5MHz	26.81	PASS
Band40	10	39600	12	#0	QPSK	5MHz-10MHz	23.64	PASS
Band40	10	39600	12	#0	QPSK	10MHz-15MHz	13.03	PASS
Band40	10	39600	12	#Max	QPSK	-1MHz-0MHz	31.87	PASS
Band40	10	39600	12	#Max	QPSK	-5MHz--1MHz	25.95	PASS
Band40	10	39600	12	#Max	QPSK	-10MHz--5MHz	22.21	PASS

Band40	10	39600	12	#Max	QPSK	-15MHz--10MHz	11.51	PASS
Band40	10	39600	12	#Max	QPSK	0MHz-1MHz	10.01	PASS
Band40	10	39600	12	#Max	QPSK	1MHz-5MHz	12.11	PASS
Band40	10	39600	12	#Max	QPSK	5MHz-10MHz	23.52	PASS
Band40	10	39600	12	#Max	QPSK	10MHz-15MHz	12.78	PASS
Band40	10	39600	50	#0	QPSK	-1MHz-0MHz	19.81	PASS
Band40	10	39600	50	#0	QPSK	-5MHz--1MHz	14.79	PASS
Band40	10	39600	50	#0	QPSK	-10MHz--5MHz	14.64	PASS
Band40	10	39600	50	#0	QPSK	-15MHz--10MHz	9.10	PASS
Band40	10	39600	50	#0	QPSK	0MHz-1MHz	21.55	PASS
Band40	10	39600	50	#0	QPSK	1MHz-5MHz	17.09	PASS
Band40	10	39600	50	#0	QPSK	5MHz-10MHz	18.02	PASS
Band40	10	39600	50	#0	QPSK	10MHz-15MHz	10.96	PASS
Band40	10	39600	12	#0	QAM16	-1MHz-0MHz	12.37	PASS
Band40	10	39600	12	#0	QAM16	-5MHz--1MHz	12.94	PASS
Band40	10	39600	12	#0	QAM16	-10MHz--5MHz	22.81	PASS
Band40	10	39600	12	#0	QAM16	-15MHz--10MHz	11.42	PASS
Band40	10	39600	12	#0	QAM16	0MHz-1MHz	32.59	PASS
Band40	10	39600	12	#0	QAM16	1MHz-5MHz	27.01	PASS
Band40	10	39600	12	#0	QAM16	5MHz-10MHz	23.84	PASS
Band40	10	39600	12	#0	QAM16	10MHz-15MHz	13.07	PASS
Band40	10	39600	12	#Max	QAM16	-1MHz-0MHz	32.25	PASS
Band40	10	39600	12	#Max	QAM16	-5MHz--1MHz	26.19	PASS
Band40	10	39600	12	#Max	QAM16	-10MHz--5MHz	22.66	PASS
Band40	10	39600	12	#Max	QAM16	-15MHz--10MHz	11.55	PASS
Band40	10	39600	12	#Max	QAM16	0MHz-1MHz	14.01	PASS
Band40	10	39600	12	#Max	QAM16	1MHz-5MHz	14.82	PASS
Band40	10	39600	12	#Max	QAM16	5MHz-10MHz	23.74	PASS
Band40	10	39600	12	#Max	QAM16	10MHz-15MHz	12.90	PASS
Band40	10	39600	50	#0	QAM16	-1MHz-0MHz	20.65	PASS
Band40	10	39600	50	#0	QAM16	-5MHz--1MHz	15.55	PASS
Band40	10	39600	50	#0	QAM16	-10MHz--5MHz	15.56	PASS
Band40	10	39600	50	#0	QAM16	-15MHz--10MHz	8.78	PASS
Band40	10	39600	50	#0	QAM16	0MHz-1MHz	22.45	PASS
Band40	10	39600	50	#0	QAM16	1MHz-5MHz	17.44	PASS
Band40	10	39600	50	#0	QAM16	5MHz-10MHz	18.28	PASS
Band40	10	39600	50	#0	QAM16	10MHz-15MHz	10.66	PASS
Band40	20	38750	18	#0	QPSK	-1MHz-0MHz	9.19	PASS
Band40	20	38750	18	#0	QPSK	-5MHz--1MHz	12.30	PASS
Band40	20	38750	18	#0	QPSK	-20MHz--5MHz	22.56	PASS
Band40	20	38750	18	#0	QPSK	-25MHz--20MHz	13.23	PASS
Band40	20	38750	18	#0	QPSK	0MHz-1MHz	29.93	PASS
Band40	20	38750	18	#0	QPSK	1MHz-5MHz	27.21	PASS
Band40	20	38750	18	#0	QPSK	5MHz-20MHz	20.47	PASS

Band40	20	38750	18	#0	QPSK	20MHz-25MHz	14.04	PASS
Band40	20	38750	18	#Max	QPSK	-1MHz-0MHz	30.44	PASS
Band40	20	38750	18	#Max	QPSK	-5MHz--1MHz	27.07	PASS
Band40	20	38750	18	#Max	QPSK	-20MHz--5MHz	22.33	PASS
Band40	20	38750	18	#Max	QPSK	-25MHz--20MHz	13.32	PASS
Band40	20	38750	18	#Max	QPSK	0MHz-1MHz	9.18	PASS
Band40	20	38750	18	#Max	QPSK	1MHz-5MHz	11.81	PASS
Band40	20	38750	18	#Max	QPSK	5MHz-20MHz	22.71	PASS
Band40	20	38750	18	#Max	QPSK	20MHz-25MHz	13.91	PASS
Band40	20	38750	100	#0	QPSK	-1MHz-0MHz	19.05	PASS
Band40	20	38750	100	#0	QPSK	-5MHz--1MHz	17.45	PASS
Band40	20	38750	100	#0	QPSK	-20MHz--5MHz	16.36	PASS
Band40	20	38750	100	#0	QPSK	-25MHz--20MHz	12.35	PASS
Band40	20	38750	100	#0	QPSK	0MHz-1MHz	16.86	PASS
Band40	20	38750	100	#0	QPSK	1MHz-5MHz	14.93	PASS
Band40	20	38750	100	#0	QPSK	5MHz-20MHz	13.43	PASS
Band40	20	38750	100	#0	QPSK	20MHz-25MHz	11.07	PASS
Band40	20	38750	18	#0	QAM16	-1MHz-0MHz	10.94	PASS
Band40	20	38750	18	#0	QAM16	-5MHz--1MHz	14.18	PASS
Band40	20	38750	18	#0	QAM16	-20MHz--5MHz	22.67	PASS
Band40	20	38750	18	#0	QAM16	-25MHz--20MHz	13.21	PASS
Band40	20	38750	18	#0	QAM16	0MHz-1MHz	30.46	PASS
Band40	20	38750	18	#0	QAM16	1MHz-5MHz	27.28	PASS
Band40	20	38750	18	#0	QAM16	5MHz-20MHz	21.87	PASS
Band40	20	38750	18	#0	QAM16	20MHz-25MHz	13.96	PASS
Band40	20	38750	18	#Max	QAM16	-1MHz-0MHz	30.82	PASS
Band40	20	38750	18	#Max	QAM16	-5MHz--1MHz	27.11	PASS
Band40	20	38750	18	#Max	QAM16	-20MHz--5MHz	22.60	PASS
Band40	20	38750	18	#Max	QAM16	-25MHz--20MHz	13.29	PASS
Band40	20	38750	18	#Max	QAM16	0MHz-1MHz	12.66	PASS
Band40	20	38750	18	#Max	QAM16	1MHz-5MHz	13.71	PASS
Band40	20	38750	18	#Max	QAM16	5MHz-20MHz	22.52	PASS
Band40	20	38750	18	#Max	QAM16	20MHz-25MHz	13.86	PASS
Band40	20	38750	100	#0	QAM16	-1MHz-0MHz	20.68	PASS
Band40	20	38750	100	#0	QAM16	-5MHz--1MHz	19.17	PASS
Band40	20	38750	100	#0	QAM16	-20MHz--5MHz	17.77	PASS
Band40	20	38750	100	#0	QAM16	-25MHz--20MHz	12.21	PASS
Band40	20	38750	100	#0	QAM16	0MHz-1MHz	19.02	PASS
Band40	20	38750	100	#0	QAM16	1MHz-5MHz	17.02	PASS
Band40	20	38750	100	#0	QAM16	5MHz-20MHz	15.13	PASS
Band40	20	38750	100	#0	QAM16	20MHz-25MHz	10.45	PASS
Band40	20	39150	18	#0	QPSK	-1MHz-0MHz	10.96	PASS
Band40	20	39150	18	#0	QPSK	-5MHz--1MHz	12.60	PASS
Band40	20	39150	18	#0	QPSK	-20MHz--5MHz	22.27	PASS

Band40	20	39150	18	#0	QPSK	-25MHz--20MHz	13.92	PASS
Band40	20	39150	18	#0	QPSK	0MHz-1MHz	30.91	PASS
Band40	20	39150	18	#0	QPSK	1MHz-5MHz	27.99	PASS
Band40	20	39150	18	#0	QPSK	5MHz-20MHz	22.64	PASS
Band40	20	39150	18	#0	QPSK	20MHz-25MHz	13.60	PASS
Band40	20	39150	18	#Max	QPSK	-1MHz-0MHz	30.63	PASS
Band40	20	39150	18	#Max	QPSK	-5MHz--1MHz	27.27	PASS
Band40	20	39150	18	#Max	QPSK	-20MHz--5MHz	22.43	PASS
Band40	20	39150	18	#Max	QPSK	-25MHz--20MHz	14.09	PASS
Band40	20	39150	18	#Max	QPSK	0MHz-1MHz	11.01	PASS
Band40	20	39150	18	#Max	QPSK	1MHz-5MHz	13.33	PASS
Band40	20	39150	18	#Max	QPSK	5MHz-20MHz	23.33	PASS
Band40	20	39150	18	#Max	QPSK	20MHz-25MHz	13.47	PASS
Band40	20	39150	100	#0	QPSK	-1MHz-0MHz	20.98	PASS
Band40	20	39150	100	#0	QPSK	-5MHz--1MHz	19.22	PASS
Band40	20	39150	100	#0	QPSK	-20MHz--5MHz	17.19	PASS
Band40	20	39150	100	#0	QPSK	-25MHz--20MHz	11.62	PASS
Band40	20	39150	100	#0	QPSK	0MHz-1MHz	21.05	PASS
Band40	20	39150	100	#0	QPSK	1MHz-5MHz	19.04	PASS
Band40	20	39150	100	#0	QPSK	5MHz-20MHz	17.75	PASS
Band40	20	39150	100	#0	QPSK	20MHz-25MHz	11.68	PASS
Band40	20	39150	18	#0	QAM16	-1MHz-0MHz	13.21	PASS
Band40	20	39150	18	#0	QAM16	-5MHz--1MHz	14.44	PASS
Band40	20	39150	18	#0	QAM16	-20MHz--5MHz	22.36	PASS
Band40	20	39150	18	#0	QAM16	-25MHz--20MHz	13.94	PASS
Band40	20	39150	18	#0	QAM16	0MHz-1MHz	31.36	PASS
Band40	20	39150	18	#0	QAM16	1MHz-5MHz	28.03	PASS
Band40	20	39150	18	#0	QAM16	5MHz-20MHz	23.34	PASS
Band40	20	39150	18	#0	QAM16	20MHz-25MHz	13.55	PASS
Band40	20	39150	18	#Max	QAM16	-1MHz-0MHz	31.05	PASS
Band40	20	39150	18	#Max	QAM16	-5MHz--1MHz	27.32	PASS
Band40	20	39150	18	#Max	QAM16	-20MHz--5MHz	22.67	PASS
Band40	20	39150	18	#Max	QAM16	-25MHz--20MHz	14.10	PASS
Band40	20	39150	18	#Max	QAM16	0MHz-1MHz	13.49	PASS
Band40	20	39150	18	#Max	QAM16	1MHz-5MHz	15.65	PASS
Band40	20	39150	18	#Max	QAM16	5MHz-20MHz	23.17	PASS
Band40	20	39150	18	#Max	QAM16	20MHz-25MHz	13.43	PASS
Band40	20	39150	100	#0	QAM16	-1MHz-0MHz	21.38	PASS
Band40	20	39150	100	#0	QAM16	-5MHz--1MHz	19.84	PASS
Band40	20	39150	100	#0	QAM16	-20MHz--5MHz	17.56	PASS
Band40	20	39150	100	#0	QAM16	-25MHz--20MHz	11.29	PASS
Band40	20	39150	100	#0	QAM16	0MHz-1MHz	22.58	PASS
Band40	20	39150	100	#0	QAM16	1MHz-5MHz	20.38	PASS
Band40	20	39150	100	#0	QAM16	5MHz-20MHz	18.37	PASS

Band40	20	39150	100	#0	QAM16	20MHz-25MHz	11.27	PASS
Band40	20	39550	18	#0	QPSK	-1MHz-0MHz	9.67	PASS
Band40	20	39550	18	#0	QPSK	-5MHz--1MHz	12.43	PASS
Band40	20	39550	18	#0	QPSK	-20MHz--5MHz	22.45	PASS
Band40	20	39550	18	#0	QPSK	-25MHz--20MHz	13.53	PASS
Band40	20	39550	18	#0	QPSK	0MHz-1MHz	30.68	PASS
Band40	20	39550	18	#0	QPSK	1MHz-5MHz	27.70	PASS
Band40	20	39550	18	#0	QPSK	5MHz-20MHz	24.13	PASS
Band40	20	39550	18	#0	QPSK	20MHz-25MHz	13.92	PASS
Band40	20	39550	18	#Max	QPSK	-1MHz-0MHz	30.44	PASS
Band40	20	39550	18	#Max	QPSK	-5MHz--1MHz	26.97	PASS
Band40	20	39550	18	#Max	QPSK	-20MHz--5MHz	22.36	PASS
Band40	20	39550	18	#Max	QPSK	-25MHz--20MHz	13.78	PASS
Band40	20	39550	18	#Max	QPSK	0MHz-1MHz	9.91	PASS
Band40	20	39550	18	#Max	QPSK	1MHz-5MHz	12.94	PASS
Band40	20	39550	18	#Max	QPSK	5MHz-20MHz	23.39	PASS
Band40	20	39550	18	#Max	QPSK	20MHz-25MHz	13.76	PASS
Band40	20	39550	100	#0	QPSK	-1MHz-0MHz	20.34	PASS
Band40	20	39550	100	#0	QPSK	-5MHz--1MHz	18.25	PASS
Band40	20	39550	100	#0	QPSK	-20MHz--5MHz	16.29	PASS
Band40	20	39550	100	#0	QPSK	-25MHz--20MHz	11.08	PASS
Band40	20	39550	100	#0	QPSK	0MHz-1MHz	21.08	PASS
Band40	20	39550	100	#0	QPSK	1MHz-5MHz	19.57	PASS
Band40	20	39550	100	#0	QPSK	5MHz-20MHz	18.72	PASS
Band40	20	39550	100	#0	QPSK	20MHz-25MHz	13.36	PASS
Band40	20	39550	18	#0	QAM16	-1MHz-0MHz	12.27	PASS
Band40	20	39550	18	#0	QAM16	-5MHz--1MHz	14.51	PASS
Band40	20	39550	18	#0	QAM16	-20MHz--5MHz	22.41	PASS
Band40	20	39550	18	#0	QAM16	-25MHz--20MHz	13.56	PASS
Band40	20	39550	18	#0	QAM16	0MHz-1MHz	31.25	PASS
Band40	20	39550	18	#0	QAM16	1MHz-5MHz	27.68	PASS
Band40	20	39550	18	#0	QAM16	5MHz-20MHz	24.40	PASS
Band40	20	39550	18	#0	QAM16	20MHz-25MHz	13.92	PASS
Band40	20	39550	18	#Max	QAM16	-1MHz-0MHz	30.45	PASS
Band40	20	39550	18	#Max	QAM16	-5MHz--1MHz	27.06	PASS
Band40	20	39550	18	#Max	QAM16	-20MHz--5MHz	22.58	PASS
Band40	20	39550	18	#Max	QAM16	-25MHz--20MHz	13.76	PASS
Band40	20	39550	18	#Max	QAM16	0MHz-1MHz	12.97	PASS
Band40	20	39550	18	#Max	QAM16	1MHz-5MHz	15.29	PASS
Band40	20	39550	18	#Max	QAM16	5MHz-20MHz	23.44	PASS
Band40	20	39550	18	#Max	QAM16	20MHz-25MHz	13.88	PASS
Band40	20	39550	100	#0	QAM16	-1MHz-0MHz	20.69	PASS
Band40	20	39550	100	#0	QAM16	-5MHz--1MHz	18.94	PASS
Band40	20	39550	100	#0	QAM16	-20MHz--5MHz	17.09	PASS

Band40	20	39550	100	#0	QAM16	-25MHz--20MHz	10.92	PASS
Band40	20	39550	100	#0	QAM16	0MHz-1MHz	22.12	PASS
Band40	20	39550	100	#0	QAM16	1MHz-5MHz	20.68	PASS
Band40	20	39550	100	#0	QAM16	5MHz-20MHz	19.19	PASS
Band40	20	39550	100	#0	QAM16	20MHz-25MHz	13.22	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	9.29	PASS
Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	11.45	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	24.37	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	12.73	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	33.34	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	24.67	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	25.46	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	13.51	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	33.45	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	24.18	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	25.13	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	13.11	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	12.47	PASS
Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	13.70	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	24.40	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	12.96	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	20.72	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	14.10	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	20.52	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	10.42	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	22.15	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	15.29	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	21.12	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	10.84	PASS
Band7	5	20775	8	#0	QAM16	-1MHz-0MHz	15.17	PASS
Band7	5	20775	8	#0	QAM16	-5MHz--1MHz	14.82	PASS
Band7	5	20775	8	#0	QAM16	-6MHz--5MHz	24.75	PASS
Band7	5	20775	8	#0	QAM16	-10MHz--6MHz	13.12	PASS
Band7	5	20775	8	#0	QAM16	0MHz-1MHz	33.80	PASS
Band7	5	20775	8	#0	QAM16	1MHz-5MHz	25.05	PASS
Band7	5	20775	8	#0	QAM16	5MHz-6MHz	25.43	PASS
Band7	5	20775	8	#0	QAM16	6MHz-10MHz	13.64	PASS
Band7	5	20775	8	#Max	QAM16	-1MHz-0MHz	33.94	PASS
Band7	5	20775	8	#Max	QAM16	-5MHz--1MHz	24.93	PASS
Band7	5	20775	8	#Max	QAM16	-6MHz--5MHz	25.23	PASS
Band7	5	20775	8	#Max	QAM16	-10MHz--6MHz	13.21	PASS
Band7	5	20775	8	#Max	QAM16	0MHz-1MHz	17.17	PASS
Band7	5	20775	8	#Max	QAM16	1MHz-5MHz	16.71	PASS
Band7	5	20775	8	#Max	QAM16	5MHz-6MHz	24.76	PASS

Band7	5	20775	8	#Max	QAM16	6MHz-10MHz	13.32	PASS
Band7	5	20775	25	#0	QAM16	-1MHz-0MHz	23.61	PASS
Band7	5	20775	25	#0	QAM16	-5MHz--1MHz	16.61	PASS
Band7	5	20775	25	#0	QAM16	-6MHz--5MHz	22.01	PASS
Band7	5	20775	25	#0	QAM16	-10MHz--6MHz	11.41	PASS
Band7	5	20775	25	#0	QAM16	0MHz-1MHz	24.02	PASS
Band7	5	20775	25	#0	QAM16	1MHz-5MHz	17.27	PASS
Band7	5	20775	25	#0	QAM16	5MHz-6MHz	22.31	PASS
Band7	5	20775	25	#0	QAM16	6MHz-10MHz	11.57	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	8.56	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	11.06	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	24.44	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	12.91	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	33.56	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	24.57	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	25.31	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	13.61	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	32.87	PASS
Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	24.61	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	25.11	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	13.13	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	8.48	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	10.85	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	24.35	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	13.07	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	21.04	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	14.04	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	20.07	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	10.43	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	20.87	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	13.90	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	20.08	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	10.45	PASS
Band7	5	21100	8	#0	QAM16	-1MHz-0MHz	11.61	PASS
Band7	5	21100	8	#0	QAM16	-5MHz--1MHz	14.02	PASS
Band7	5	21100	8	#0	QAM16	-6MHz--5MHz	24.82	PASS
Band7	5	21100	8	#0	QAM16	-10MHz--6MHz	13.03	PASS
Band7	5	21100	8	#0	QAM16	0MHz-1MHz	33.79	PASS
Band7	5	21100	8	#0	QAM16	1MHz-5MHz	24.98	PASS
Band7	5	21100	8	#0	QAM16	5MHz-6MHz	25.28	PASS
Band7	5	21100	8	#0	QAM16	6MHz-10MHz	13.63	PASS
Band7	5	21100	8	#Max	QAM16	-1MHz-0MHz	33.26	PASS
Band7	5	21100	8	#Max	QAM16	-5MHz--1MHz	25.15	PASS
Band7	5	21100	8	#Max	QAM16	-6MHz--5MHz	25.18	PASS

Band7	5	21100	8	#Max	QAM16	-10MHz--6MHz	13.08	PASS
Band7	5	21100	8	#Max	QAM16	0MHz-1MHz	12.84	PASS
Band7	5	21100	8	#Max	QAM16	1MHz-5MHz	13.54	PASS
Band7	5	21100	8	#Max	QAM16	5MHz-6MHz	24.70	PASS
Band7	5	21100	8	#Max	QAM16	6MHz-10MHz	13.32	PASS
Band7	5	21100	25	#0	QAM16	-1MHz-0MHz	21.99	PASS
Band7	5	21100	25	#0	QAM16	-5MHz--1MHz	15.60	PASS
Band7	5	21100	25	#0	QAM16	-6MHz--5MHz	21.57	PASS
Band7	5	21100	25	#0	QAM16	-10MHz--6MHz	11.27	PASS
Band7	5	21100	25	#0	QAM16	0MHz-1MHz	22.04	PASS
Band7	5	21100	25	#0	QAM16	1MHz-5MHz	15.44	PASS
Band7	5	21100	25	#0	QAM16	5MHz-6MHz	20.95	PASS
Band7	5	21100	25	#0	QAM16	6MHz-10MHz	11.29	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	4.48	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	11.09	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	24.03	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	12.76	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	33.29	PASS
Band7	5	21425	8	#0	QPSK	1MHz-5MHz	24.30	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	25.40	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	13.57	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	33.29	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	24.79	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	25.10	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	13.08	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	5.59	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	10.41	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	24.68	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	13.25	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	17.47	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	11.57	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	20.31	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	10.39	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	17.36	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	11.19	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	20.44	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	10.63	PASS
Band7	5	21425	8	#0	QAM16	-1MHz-0MHz	10.84	PASS
Band7	5	21425	8	#0	QAM16	-5MHz--1MHz	14.57	PASS
Band7	5	21425	8	#0	QAM16	-6MHz--5MHz	24.70	PASS
Band7	5	21425	8	#0	QAM16	-10MHz--6MHz	13.07	PASS
Band7	5	21425	8	#0	QAM16	0MHz-1MHz	33.94	PASS
Band7	5	21425	8	#0	QAM16	1MHz-5MHz	24.89	PASS
Band7	5	21425	8	#0	QAM16	5MHz-6MHz	25.42	PASS

Band7	5	21425	8	#0	QAM16	6MHz-10MHz	13.52	PASS
Band7	5	21425	8	#Max	QAM16	-1MHz-0MHz	34.00	PASS
Band7	5	21425	8	#Max	QAM16	-5MHz--1MHz	25.56	PASS
Band7	5	21425	8	#Max	QAM16	-6MHz--5MHz	25.22	PASS
Band7	5	21425	8	#Max	QAM16	-10MHz--6MHz	13.09	PASS
Band7	5	21425	8	#Max	QAM16	0MHz-1MHz	11.12	PASS
Band7	5	21425	8	#Max	QAM16	1MHz-5MHz	14.00	PASS
Band7	5	21425	8	#Max	QAM16	5MHz-6MHz	24.82	PASS
Band7	5	21425	8	#Max	QAM16	6MHz-10MHz	13.35	PASS
Band7	5	21425	25	#0	QAM16	-1MHz-0MHz	20.72	PASS
Band7	5	21425	25	#0	QAM16	-5MHz--1MHz	13.91	PASS
Band7	5	21425	25	#0	QAM16	-6MHz--5MHz	21.09	PASS
Band7	5	21425	25	#0	QAM16	-10MHz--6MHz	10.98	PASS
Band7	5	21425	25	#0	QAM16	0MHz-1MHz	19.08	PASS
Band7	5	21425	25	#0	QAM16	1MHz-5MHz	13.43	PASS
Band7	5	21425	25	#0	QAM16	5MHz-6MHz	21.30	PASS
Band7	5	21425	25	#0	QAM16	6MHz-10MHz	11.22	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	9.42	PASS
Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	9.89	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	23.31	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	11.51	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	33.06	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	26.15	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	22.68	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	13.57	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	32.11	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	25.99	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	22.70	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	11.76	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	13.65	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	15.08	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	23.28	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	12.93	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	21.95	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	16.76	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	16.95	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	10.92	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	22.77	PASS
Band7	10	20800	50	#0	QPSK	1MHz-5MHz	18.66	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	18.22	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	10.53	PASS
Band7	10	20800	12	#0	QAM16	-1MHz-0MHz	11.45	PASS
Band7	10	20800	12	#0	QAM16	-5MHz--1MHz	13.22	PASS
Band7	10	20800	12	#0	QAM16	-10MHz--5MHz	23.40	PASS

Band7	10	20800	12	#0	QAM16	-15MHz--10MHz	11.67	PASS
Band7	10	20800	12	#0	QAM16	0MHz-1MHz	32.88	PASS
Band7	10	20800	12	#0	QAM16	1MHz-5MHz	26.59	PASS
Band7	10	20800	12	#0	QAM16	5MHz-10MHz	23.25	PASS
Band7	10	20800	12	#0	QAM16	10MHz-15MHz	13.55	PASS
Band7	10	20800	12	#Max	QAM16	-1MHz-0MHz	32.72	PASS
Band7	10	20800	12	#Max	QAM16	-5MHz--1MHz	26.47	PASS
Band7	10	20800	12	#Max	QAM16	-10MHz--5MHz	23.21	PASS
Band7	10	20800	12	#Max	QAM16	-15MHz--10MHz	11.59	PASS
Band7	10	20800	12	#Max	QAM16	0MHz-1MHz	15.63	PASS
Band7	10	20800	12	#Max	QAM16	1MHz-5MHz	17.63	PASS
Band7	10	20800	12	#Max	QAM16	5MHz-10MHz	23.28	PASS
Band7	10	20800	12	#Max	QAM16	10MHz-15MHz	13.28	PASS
Band7	10	20800	50	#0	QAM16	-1MHz-0MHz	23.06	PASS
Band7	10	20800	50	#0	QAM16	-5MHz--1MHz	18.77	PASS
Band7	10	20800	50	#0	QAM16	-10MHz--5MHz	18.17	PASS
Band7	10	20800	50	#0	QAM16	-15MHz--10MHz	11.20	PASS
Band7	10	20800	50	#0	QAM16	0MHz-1MHz	24.55	PASS
Band7	10	20800	50	#0	QAM16	1MHz-5MHz	20.15	PASS
Band7	10	20800	50	#0	QAM16	5MHz-10MHz	18.89	PASS
Band7	10	20800	50	#0	QAM16	10MHz-15MHz	11.02	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	8.45	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	9.86	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	23.14	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	11.45	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	32.28	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	26.75	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	23.31	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	13.57	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	32.47	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	26.74	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	23.27	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	11.49	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	9.86	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	10.11	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	23.50	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	13.31	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	20.71	PASS
Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	15.94	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	15.78	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	9.34	PASS
Band7	10	21100	50	#0	QPSK	0MHz-1MHz	20.88	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	16.17	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	16.20	PASS

Band7	10	21100	50	#0	QPSK	10MHz-15MHz	9.88	PASS
Band7	10	21100	12	#0	QAM16	-1MHz-0MHz	11.85	PASS
Band7	10	21100	12	#0	QAM16	-5MHz--1MHz	13.53	PASS
Band7	10	21100	12	#0	QAM16	-10MHz--5MHz	23.50	PASS
Band7	10	21100	12	#0	QAM16	-15MHz--10MHz	11.63	PASS
Band7	10	21100	12	#0	QAM16	0MHz-1MHz	32.99	PASS
Band7	10	21100	12	#0	QAM16	1MHz-5MHz	26.90	PASS
Band7	10	21100	12	#0	QAM16	5MHz-10MHz	23.71	PASS
Band7	10	21100	12	#0	QAM16	10MHz-15MHz	13.48	PASS
Band7	10	21100	12	#Max	QAM16	-1MHz-0MHz	33.08	PASS
Band7	10	21100	12	#Max	QAM16	-5MHz--1MHz	27.09	PASS
Band7	10	21100	12	#Max	QAM16	-10MHz--5MHz	23.56	PASS
Band7	10	21100	12	#Max	QAM16	-15MHz--10MHz	11.48	PASS
Band7	10	21100	12	#Max	QAM16	0MHz-1MHz	12.46	PASS
Band7	10	21100	12	#Max	QAM16	1MHz-5MHz	13.39	PASS
Band7	10	21100	12	#Max	QAM16	5MHz-10MHz	23.71	PASS
Band7	10	21100	12	#Max	QAM16	10MHz-15MHz	13.43	PASS
Band7	10	21100	50	#0	QAM16	-1MHz-0MHz	22.15	PASS
Band7	10	21100	50	#0	QAM16	-5MHz--1MHz	17.29	PASS
Band7	10	21100	50	#0	QAM16	-10MHz--5MHz	17.23	PASS
Band7	10	21100	50	#0	QAM16	-15MHz--10MHz	10.15	PASS
Band7	10	21100	50	#0	QAM16	0MHz-1MHz	21.55	PASS
Band7	10	21100	50	#0	QAM16	1MHz-5MHz	17.53	PASS
Band7	10	21100	50	#0	QAM16	5MHz-10MHz	17.50	PASS
Band7	10	21100	50	#0	QAM16	10MHz-15MHz	10.68	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	7.61	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	10.90	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	23.05	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	11.47	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	32.04	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	26.30	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	23.01	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	13.52	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	32.75	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	26.94	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	23.45	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	11.63	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	6.81	PASS
Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	9.08	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	23.55	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	13.32	PASS
Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	19.78	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	14.52	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	15.34	PASS

Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	9.20	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	17.48	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	13.17	PASS
Band7	10	21400	50	#0	QPSK	5MHz-10MHz	14.94	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	10.31	PASS
Band7	10	21400	12	#0	QAM16	-1MHz-0MHz	11.30	PASS
Band7	10	21400	12	#0	QAM16	-5MHz--1MHz	14.34	PASS
Band7	10	21400	12	#0	QAM16	-10MHz--5MHz	23.42	PASS
Band7	10	21400	12	#0	QAM16	-15MHz--10MHz	11.52	PASS
Band7	10	21400	12	#0	QAM16	0MHz-1MHz	32.76	PASS
Band7	10	21400	12	#0	QAM16	1MHz-5MHz	26.54	PASS
Band7	10	21400	12	#0	QAM16	5MHz-10MHz	23.29	PASS
Band7	10	21400	12	#0	QAM16	10MHz-15MHz	13.47	PASS
Band7	10	21400	12	#Max	QAM16	-1MHz-0MHz	33.87	PASS
Band7	10	21400	12	#Max	QAM16	-5MHz--1MHz	27.20	PASS
Band7	10	21400	12	#Max	QAM16	-10MHz--5MHz	23.77	PASS
Band7	10	21400	12	#Max	QAM16	-15MHz--10MHz	11.59	PASS
Band7	10	21400	12	#Max	QAM16	0MHz-1MHz	10.74	PASS
Band7	10	21400	12	#Max	QAM16	1MHz-5MHz	12.71	PASS
Band7	10	21400	12	#Max	QAM16	5MHz-10MHz	23.89	PASS
Band7	10	21400	12	#Max	QAM16	10MHz-15MHz	13.41	PASS
Band7	10	21400	50	#0	QAM16	-1MHz-0MHz	21.07	PASS
Band7	10	21400	50	#0	QAM16	-5MHz--1MHz	16.05	PASS
Band7	10	21400	50	#0	QAM16	-10MHz--5MHz	17.27	PASS
Band7	10	21400	50	#0	QAM16	-15MHz--10MHz	10.29	PASS
Band7	10	21400	50	#0	QAM16	0MHz-1MHz	17.86	PASS
Band7	10	21400	50	#0	QAM16	1MHz-5MHz	14.57	PASS
Band7	10	21400	50	#0	QAM16	5MHz-10MHz	16.50	PASS
Band7	10	21400	50	#0	QAM16	10MHz-15MHz	10.97	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	9.26	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	11.08	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	22.63	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	13.59	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	30.89	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	27.81	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	20.82	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	13.79	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	30.46	PASS
Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	27.15	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	22.81	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	13.83	PASS
Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	12.54	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	14.89	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	23.26	PASS

Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	13.55	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	22.15	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	20.36	PASS
Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	19.20	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	13.64	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	22.26	PASS
Band7	20	20850	100	#0	QPSK	1MHz-5MHz	19.89	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	17.38	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	12.26	PASS
Band7	20	20850	18	#0	QAM16	-1MHz-0MHz	11.57	PASS
Band7	20	20850	18	#0	QAM16	-5MHz--1MHz	13.83	PASS
Band7	20	20850	18	#0	QAM16	-20MHz--5MHz	23.02	PASS
Band7	20	20850	18	#0	QAM16	-25MHz--20MHz	13.67	PASS
Band7	20	20850	18	#0	QAM16	0MHz-1MHz	31.19	PASS
Band7	20	20850	18	#0	QAM16	1MHz-5MHz	27.89	PASS
Band7	20	20850	18	#0	QAM16	5MHz-20MHz	21.66	PASS
Band7	20	20850	18	#0	QAM16	20MHz-25MHz	13.81	PASS
Band7	20	20850	18	#Max	QAM16	-1MHz-0MHz	30.71	PASS
Band7	20	20850	18	#Max	QAM16	-5MHz--1MHz	27.18	PASS
Band7	20	20850	18	#Max	QAM16	-20MHz--5MHz	23.03	PASS
Band7	20	20850	18	#Max	QAM16	-25MHz--20MHz	13.75	PASS
Band7	20	20850	18	#Max	QAM16	0MHz-1MHz	15.46	PASS
Band7	20	20850	18	#Max	QAM16	1MHz-5MHz	17.82	PASS
Band7	20	20850	18	#Max	QAM16	5MHz-20MHz	23.09	PASS
Band7	20	20850	18	#Max	QAM16	20MHz-25MHz	13.65	PASS
Band7	20	20850	100	#0	QAM16	-1MHz-0MHz	24.09	PASS
Band7	20	20850	100	#0	QAM16	-5MHz--1MHz	22.60	PASS
Band7	20	20850	100	#0	QAM16	-20MHz--5MHz	21.03	PASS
Band7	20	20850	100	#0	QAM16	-25MHz--20MHz	13.63	PASS
Band7	20	20850	100	#0	QAM16	0MHz-1MHz	24.80	PASS
Band7	20	20850	100	#0	QAM16	1MHz-5MHz	22.28	PASS
Band7	20	20850	100	#0	QAM16	5MHz-20MHz	19.12	PASS
Band7	20	20850	100	#0	QAM16	20MHz-25MHz	12.27	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	9.15	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	11.88	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	22.52	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	13.62	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	30.76	PASS
Band7	20	21100	18	#0	QPSK	1MHz-5MHz	27.93	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	22.82	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	13.75	PASS
Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	30.75	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	27.21	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	22.75	PASS

Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	13.74	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	12.61	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	13.65	PASS
Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	23.54	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	13.55	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	22.70	PASS
Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	20.53	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	18.58	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	11.50	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	23.63	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	21.65	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	19.96	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	11.57	PASS
Band7	20	21100	18	#0	QAM16	-1MHz-0MHz	12.59	PASS
Band7	20	21100	18	#0	QAM16	-5MHz--1MHz	14.90	PASS
Band7	20	21100	18	#0	QAM16	-20MHz--5MHz	22.82	PASS
Band7	20	21100	18	#0	QAM16	-25MHz--20MHz	13.61	PASS
Band7	20	21100	18	#0	QAM16	0MHz-1MHz	31.21	PASS
Band7	20	21100	18	#0	QAM16	1MHz-5MHz	28.05	PASS
Band7	20	21100	18	#0	QAM16	5MHz-20MHz	23.64	PASS
Band7	20	21100	18	#0	QAM16	20MHz-25MHz	13.68	PASS
Band7	20	21100	18	#Max	QAM16	-1MHz-0MHz	31.08	PASS
Band7	20	21100	18	#Max	QAM16	-5MHz--1MHz	27.38	PASS
Band7	20	21100	18	#Max	QAM16	-20MHz--5MHz	23.07	PASS
Band7	20	21100	18	#Max	QAM16	-25MHz--20MHz	13.79	PASS
Band7	20	21100	18	#Max	QAM16	0MHz-1MHz	15.01	PASS
Band7	20	21100	18	#Max	QAM16	1MHz-5MHz	16.10	PASS
Band7	20	21100	18	#Max	QAM16	5MHz-20MHz	23.90	PASS
Band7	20	21100	18	#Max	QAM16	20MHz-25MHz	13.66	PASS
Band7	20	21100	100	#0	QAM16	-1MHz-0MHz	24.10	PASS
Band7	20	21100	100	#0	QAM16	-5MHz--1MHz	21.84	PASS
Band7	20	21100	100	#0	QAM16	-20MHz--5MHz	19.80	PASS
Band7	20	21100	100	#0	QAM16	-25MHz--20MHz	12.43	PASS
Band7	20	21100	100	#0	QAM16	0MHz-1MHz	23.80	PASS
Band7	20	21100	100	#0	QAM16	1MHz-5MHz	22.01	PASS
Band7	20	21100	100	#0	QAM16	5MHz-20MHz	20.29	PASS
Band7	20	21100	100	#0	QAM16	20MHz-25MHz	12.35	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	12.32	PASS
Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	14.74	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	22.20	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	13.57	PASS
Band7	20	21350	18	#0	QPSK	0MHz-1MHz	30.24	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	27.63	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	22.91	PASS

Band7	20	21350	18	#0	QPSK	20MHz-25MHz	13.75	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	31.26	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	27.17	PASS
Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	22.65	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	13.65	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	6.75	PASS
Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	9.38	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	22.37	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	13.69	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	19.78	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	17.77	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	16.17	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	11.52	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	17.48	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	15.33	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	14.85	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	13.06	PASS
Band7	20	21350	18	#0	QAM16	-1MHz-0MHz	15.43	PASS
Band7	20	21350	18	#0	QAM16	-5MHz--1MHz	17.52	PASS
Band7	20	21350	18	#0	QAM16	-20MHz--5MHz	22.48	PASS
Band7	20	21350	18	#0	QAM16	-25MHz--20MHz	13.58	PASS
Band7	20	21350	18	#0	QAM16	0MHz-1MHz	30.32	PASS
Band7	20	21350	18	#0	QAM16	1MHz-5MHz	27.57	PASS
Band7	20	21350	18	#0	QAM16	5MHz-20MHz	23.28	PASS
Band7	20	21350	18	#0	QAM16	20MHz-25MHz	13.73	PASS
Band7	20	21350	18	#Max	QAM16	-1MHz-0MHz	31.00	PASS
Band7	20	21350	18	#Max	QAM16	-5MHz--1MHz	27.31	PASS
Band7	20	21350	18	#Max	QAM16	-20MHz--5MHz	22.85	PASS
Band7	20	21350	18	#Max	QAM16	-25MHz--20MHz	13.71	PASS
Band7	20	21350	18	#Max	QAM16	0MHz-1MHz	9.98	PASS
Band7	20	21350	18	#Max	QAM16	1MHz-5MHz	12.58	PASS
Band7	20	21350	18	#Max	QAM16	5MHz-20MHz	23.60	PASS
Band7	20	21350	18	#Max	QAM16	20MHz-25MHz	13.68	PASS
Band7	20	21350	100	#0	QAM16	-1MHz-0MHz	22.20	PASS
Band7	20	21350	100	#0	QAM16	-5MHz--1MHz	20.08	PASS
Band7	20	21350	100	#0	QAM16	-20MHz--5MHz	18.25	PASS
Band7	20	21350	100	#0	QAM16	-25MHz--20MHz	11.99	PASS
Band7	20	21350	100	#0	QAM16	0MHz-1MHz	19.63	PASS
Band7	20	21350	100	#0	QAM16	1MHz-5MHz	17.48	PASS
Band7	20	21350	100	#0	QAM16	5MHz-20MHz	16.78	PASS
Band7	20	21350	100	#0	QAM16	20MHz-25MHz	13.11	PASS
Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	14.25	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	20.96	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	11.83	PASS

Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	15.95	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	21.50	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	11.66	PASS
Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	17.23	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	22.51	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	11.93	PASS
Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	14.47	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	19.96	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	11.63	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	23.98	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	21.10	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	11.61	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	24.08	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	20.43	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	11.43	PASS
Band8	1.4	21457	5	#0	QAM16	-1MHz-0MHz	17.72	PASS
Band8	1.4	21457	5	#0	QAM16	-2.5MHz--1MHz	22.30	PASS
Band8	1.4	21457	5	#0	QAM16	-3.5MHz--2.5MHz	12.20	PASS
Band8	1.4	21457	5	#0	QAM16	0MHz-1MHz	21.23	PASS
Band8	1.4	21457	5	#0	QAM16	1MHz-2.5MHz	22.87	PASS
Band8	1.4	21457	5	#0	QAM16	2.5MHz-3.5MHz	11.96	PASS
Band8	1.4	21457	5	#Max	QAM16	-1MHz-0MHz	19.64	PASS
Band8	1.4	21457	5	#Max	QAM16	-2.5MHz--1MHz	23.94	PASS
Band8	1.4	21457	5	#Max	QAM16	-3.5MHz--2.5MHz	12.38	PASS
Band8	1.4	21457	5	#Max	QAM16	0MHz-1MHz	18.47	PASS
Band8	1.4	21457	5	#Max	QAM16	1MHz-2.5MHz	21.60	PASS
Band8	1.4	21457	5	#Max	QAM16	2.5MHz-3.5MHz	11.91	PASS
Band8	1.4	21457	6	#0	QAM16	-1MHz-0MHz	25.74	PASS
Band8	1.4	21457	6	#0	QAM16	-2.5MHz--1MHz	22.17	PASS
Band8	1.4	21457	6	#0	QAM16	-3.5MHz--2.5MHz	12.13	PASS
Band8	1.4	21457	6	#0	QAM16	0MHz-1MHz	25.25	PASS
Band8	1.4	21457	6	#0	QAM16	1MHz-2.5MHz	21.33	PASS
Band8	1.4	21457	6	#0	QAM16	2.5MHz-3.5MHz	11.78	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	21.40	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	22.74	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	11.71	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	23.73	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	23.16	PASS
Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	11.47	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	24.06	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	23.80	PASS
Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	11.89	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	21.93	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	21.58	PASS

Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	11.37	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	28.03	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	22.51	PASS
Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	11.53	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	26.78	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	21.71	PASS
Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	11.11	PASS
Band8	1.4	21625	5	#0	QAM16	-1MHz-0MHz	22.67	PASS
Band8	1.4	21625	5	#0	QAM16	-2.5MHz--1MHz	23.33	PASS
Band8	1.4	21625	5	#0	QAM16	-3.5MHz--2.5MHz	12.02	PASS
Band8	1.4	21625	5	#0	QAM16	0MHz-1MHz	24.04	PASS
Band8	1.4	21625	5	#0	QAM16	1MHz-2.5MHz	23.72	PASS
Band8	1.4	21625	5	#0	QAM16	2.5MHz-3.5MHz	11.75	PASS
Band8	1.4	21625	5	#Max	QAM16	-1MHz-0MHz	24.76	PASS
Band8	1.4	21625	5	#Max	QAM16	-2.5MHz--1MHz	24.35	PASS
Band8	1.4	21625	5	#Max	QAM16	-3.5MHz--2.5MHz	11.95	PASS
Band8	1.4	21625	5	#Max	QAM16	0MHz-1MHz	21.95	PASS
Band8	1.4	21625	5	#Max	QAM16	1MHz-2.5MHz	22.40	PASS
Band8	1.4	21625	5	#Max	QAM16	2.5MHz-3.5MHz	11.74	PASS
Band8	1.4	21625	6	#0	QAM16	-1MHz-0MHz	28.94	PASS
Band8	1.4	21625	6	#0	QAM16	-2.5MHz--1MHz	23.82	PASS
Band8	1.4	21625	6	#0	QAM16	-3.5MHz--2.5MHz	12.00	PASS
Band8	1.4	21625	6	#0	QAM16	0MHz-1MHz	26.81	PASS
Band8	1.4	21625	6	#0	QAM16	1MHz-2.5MHz	22.71	PASS
Band8	1.4	21625	6	#0	QAM16	2.5MHz-3.5MHz	11.76	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	11.72	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	19.24	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	11.46	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	13.15	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	23.03	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	12.43	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	12.04	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	20.61	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	11.53	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	11.04	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	21.99	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	12.59	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	19.73	PASS
Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	19.66	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	11.52	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	19.52	PASS
Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	21.21	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	12.53	PASS
Band8	1.4	21793	5	#0	QAM16	-1MHz-0MHz	16.62	PASS

Band8	1.4	21793	5	#0	QAM16	-2.5MHz--1MHz	22.00	PASS
Band8	1.4	21793	5	#0	QAM16	-3.5MHz--2.5MHz	11.77	PASS
Band8	1.4	21793	5	#0	QAM16	0MHz-1MHz	18.64	PASS
Band8	1.4	21793	5	#0	QAM16	1MHz-2.5MHz	24.56	PASS
Band8	1.4	21793	5	#0	QAM16	2.5MHz-3.5MHz	12.65	PASS
Band8	1.4	21793	5	#Max	QAM16	-1MHz-0MHz	18.42	PASS
Band8	1.4	21793	5	#Max	QAM16	-2.5MHz--1MHz	23.37	PASS
Band8	1.4	21793	5	#Max	QAM16	-3.5MHz--2.5MHz	11.88	PASS
Band8	1.4	21793	5	#Max	QAM16	0MHz-1MHz	16.25	PASS
Band8	1.4	21793	5	#Max	QAM16	1MHz-2.5MHz	23.07	PASS
Band8	1.4	21793	5	#Max	QAM16	2.5MHz-3.5MHz	12.59	PASS
Band8	1.4	21793	6	#0	QAM16	-1MHz-0MHz	22.47	PASS
Band8	1.4	21793	6	#0	QAM16	-2.5MHz--1MHz	21.75	PASS
Band8	1.4	21793	6	#0	QAM16	-3.5MHz--2.5MHz	11.68	PASS
Band8	1.4	21793	6	#0	QAM16	0MHz-1MHz	23.54	PASS
Band8	1.4	21793	6	#0	QAM16	1MHz-2.5MHz	22.60	PASS
Band8	1.4	21793	6	#0	QAM16	2.5MHz-3.5MHz	12.58	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	14.56	PASS
Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	15.74	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	24.76	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	12.71	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	33.94	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	25.49	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	24.98	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	13.14	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	34.81	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	26.10	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	25.01	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	12.79	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	11.81	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	13.88	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	24.76	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	12.96	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	24.37	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	17.82	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	22.95	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	12.74	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	22.67	PASS
Band8	5	21475	25	#0	QPSK	1MHz-5MHz	15.26	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	21.39	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	10.33	PASS
Band8	5	21475	8	#0	QAM16	-1MHz-0MHz	18.90	PASS
Band8	5	21475	8	#0	QAM16	-5MHz--1MHz	18.89	PASS
Band8	5	21475	8	#0	QAM16	-6MHz--5MHz	24.96	PASS

Band8	5	21475	8	#0	QAM16	-10MHz--6MHz	12.79	PASS
Band8	5	21475	8	#0	QAM16	0MHz-1MHz	34.61	PASS
Band8	5	21475	8	#0	QAM16	1MHz-5MHz	25.76	PASS
Band8	5	21475	8	#0	QAM16	5MHz-6MHz	24.94	PASS
Band8	5	21475	8	#0	QAM16	6MHz-10MHz	13.06	PASS
Band8	5	21475	8	#Max	QAM16	-1MHz-0MHz	35.09	PASS
Band8	5	21475	8	#Max	QAM16	-5MHz--1MHz	26.27	PASS
Band8	5	21475	8	#Max	QAM16	-6MHz--5MHz	24.98	PASS
Band8	5	21475	8	#Max	QAM16	-10MHz--6MHz	12.72	PASS
Band8	5	21475	8	#Max	QAM16	0MHz-1MHz	16.46	PASS
Band8	5	21475	8	#Max	QAM16	1MHz-5MHz	17.07	PASS
Band8	5	21475	8	#Max	QAM16	5MHz-6MHz	24.89	PASS
Band8	5	21475	8	#Max	QAM16	6MHz-10MHz	13.00	PASS
Band8	5	21475	25	#0	QAM16	-1MHz-0MHz	26.35	PASS
Band8	5	21475	25	#0	QAM16	-5MHz--1MHz	19.03	PASS
Band8	5	21475	25	#0	QAM16	-6MHz--5MHz	23.76	PASS
Band8	5	21475	25	#0	QAM16	-10MHz--6MHz	12.78	PASS
Band8	5	21475	25	#0	QAM16	0MHz-1MHz	23.95	PASS
Band8	5	21475	25	#0	QAM16	1MHz-5MHz	16.58	PASS
Band8	5	21475	25	#0	QAM16	5MHz-6MHz	22.20	PASS
Band8	5	21475	25	#0	QAM16	6MHz-10MHz	11.28	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	18.08	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	18.32	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	24.58	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	12.61	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	34.59	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	24.80	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	24.88	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	12.98	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	34.74	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	25.88	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	24.88	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	12.66	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	19.64	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	17.01	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	24.48	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	12.87	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	28.49	PASS
Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	22.67	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	23.49	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	11.79	PASS
Band8	5	21625	25	#0	QPSK	0MHz-1MHz	25.82	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	18.75	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	21.40	PASS

Band8	5	21625	25	#0	QPSK	6MHz-10MHz	10.57	PASS
Band8	5	21625	8	#0	QAM16	-1MHz-0MHz	20.28	PASS
Band8	5	21625	8	#0	QAM16	-5MHz--1MHz	20.35	PASS
Band8	5	21625	8	#0	QAM16	-6MHz--5MHz	24.60	PASS
Band8	5	21625	8	#0	QAM16	-10MHz--6MHz	12.60	PASS
Band8	5	21625	8	#0	QAM16	0MHz-1MHz	34.83	PASS
Band8	5	21625	8	#0	QAM16	1MHz-5MHz	25.17	PASS
Band8	5	21625	8	#0	QAM16	5MHz-6MHz	24.98	PASS
Band8	5	21625	8	#0	QAM16	6MHz-10MHz	12.98	PASS
Band8	5	21625	8	#Max	QAM16	-1MHz-0MHz	34.95	PASS
Band8	5	21625	8	#Max	QAM16	-5MHz--1MHz	26.04	PASS
Band8	5	21625	8	#Max	QAM16	-6MHz--5MHz	24.80	PASS
Band8	5	21625	8	#Max	QAM16	-10MHz--6MHz	12.59	PASS
Band8	5	21625	8	#Max	QAM16	0MHz-1MHz	20.40	PASS
Band8	5	21625	8	#Max	QAM16	1MHz-5MHz	19.04	PASS
Band8	5	21625	8	#Max	QAM16	5MHz-6MHz	24.58	PASS
Band8	5	21625	8	#Max	QAM16	6MHz-10MHz	12.89	PASS
Band8	5	21625	25	#0	QAM16	-1MHz-0MHz	25.99	PASS
Band8	5	21625	25	#0	QAM16	-5MHz--1MHz	22.14	PASS
Band8	5	21625	25	#0	QAM16	-6MHz--5MHz	23.55	PASS
Band8	5	21625	25	#0	QAM16	-10MHz--6MHz	11.99	PASS
Band8	5	21625	25	#0	QAM16	0MHz-1MHz	26.16	PASS
Band8	5	21625	25	#0	QAM16	1MHz-5MHz	18.02	PASS
Band8	5	21625	25	#0	QAM16	5MHz-6MHz	22.06	PASS
Band8	5	21625	25	#0	QAM16	6MHz-10MHz	11.01	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	9.09	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	14.47	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	24.41	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	12.53	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	34.53	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	26.25	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	25.13	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	12.98	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	34.45	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	25.46	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	24.53	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	12.53	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	8.68	PASS
Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	14.52	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	25.14	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	13.04	PASS
Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	23.16	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	16.11	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	21.61	PASS


Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	11.19	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	22.40	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	15.87	PASS
Band8	5	21775	25	#0	QPSK	5MHz-6MHz	25.00	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	13.01	PASS
Band8	5	21775	8	#0	QAM16	-1MHz-0MHz	15.59	PASS
Band8	5	21775	8	#0	QAM16	-5MHz--1MHz	18.30	PASS
Band8	5	21775	8	#0	QAM16	-6MHz--5MHz	24.54	PASS
Band8	5	21775	8	#0	QAM16	-10MHz--6MHz	12.53	PASS
Band8	5	21775	8	#0	QAM16	0MHz-1MHz	35.10	PASS
Band8	5	21775	8	#0	QAM16	1MHz-5MHz	26.45	PASS
Band8	5	21775	8	#0	QAM16	5MHz-6MHz	25.11	PASS
Band8	5	21775	8	#0	QAM16	6MHz-10MHz	13.04	PASS
Band8	5	21775	8	#Max	QAM16	-1MHz-0MHz	34.94	PASS
Band8	5	21775	8	#Max	QAM16	-5MHz--1MHz	25.76	PASS
Band8	5	21775	8	#Max	QAM16	-6MHz--5MHz	24.71	PASS
Band8	5	21775	8	#Max	QAM16	-10MHz--6MHz	12.51	PASS
Band8	5	21775	8	#Max	QAM16	0MHz-1MHz	14.79	PASS
Band8	5	21775	8	#Max	QAM16	1MHz-5MHz	18.44	PASS
Band8	5	21775	8	#Max	QAM16	5MHz-6MHz	25.15	PASS
Band8	5	21775	8	#Max	QAM16	6MHz-10MHz	13.01	PASS
Band8	5	21775	25	#0	QAM16	-1MHz-0MHz	26.06	PASS
Band8	5	21775	25	#0	QAM16	-5MHz--1MHz	18.16	PASS
Band8	5	21775	25	#0	QAM16	-6MHz--5MHz	22.35	PASS
Band8	5	21775	25	#0	QAM16	-10MHz--6MHz	11.57	PASS
Band8	5	21775	25	#0	QAM16	0MHz-1MHz	23.32	PASS
Band8	5	21775	25	#0	QAM16	1MHz-5MHz	17.42	PASS
Band8	5	21775	25	#0	QAM16	5MHz-6MHz	25.15	PASS
Band8	5	21775	25	#0	QAM16	6MHz-10MHz	13.07	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	15.03	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	14.71	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	24.25	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	11.13	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	33.23	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	27.06	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	23.45	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	12.99	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	33.55	PASS
Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	27.04	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	24.32	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	11.17	PASS
Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	8.78	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	11.64	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	24.02	PASS

Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	12.90	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	21.90	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	17.66	PASS
Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	19.48	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	11.21	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	21.84	PASS
Band8	10	21500	50	#0	QPSK	1MHz-5MHz	17.03	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	17.16	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	10.67	PASS
Band8	10	21500	12	#0	QAM16	-1MHz-0MHz	15.72	PASS
Band8	10	21500	12	#0	QAM16	-5MHz--1MHz	17.17	PASS
Band8	10	21500	12	#0	QAM16	-10MHz--5MHz	24.34	PASS
Band8	10	21500	12	#0	QAM16	-15MHz--10MHz	11.19	PASS
Band8	10	21500	12	#0	QAM16	0MHz-1MHz	33.49	PASS
Band8	10	21500	12	#0	QAM16	1MHz-5MHz	27.18	PASS
Band8	10	21500	12	#0	QAM16	5MHz-10MHz	23.70	PASS
Band8	10	21500	12	#0	QAM16	10MHz-15MHz	13.03	PASS
Band8	10	21500	12	#Max	QAM16	-1MHz-0MHz	33.37	PASS
Band8	10	21500	12	#Max	QAM16	-5MHz--1MHz	27.12	PASS
Band8	10	21500	12	#Max	QAM16	-10MHz--5MHz	24.47	PASS
Band8	10	21500	12	#Max	QAM16	-15MHz--10MHz	11.21	PASS
Band8	10	21500	12	#Max	QAM16	0MHz-1MHz	11.10	PASS
Band8	10	21500	12	#Max	QAM16	1MHz-5MHz	15.12	PASS
Band8	10	21500	12	#Max	QAM16	5MHz-10MHz	24.09	PASS
Band8	10	21500	12	#Max	QAM16	10MHz-15MHz	12.99	PASS
Band8	10	21500	50	#0	QAM16	-1MHz-0MHz	23.39	PASS
Band8	10	21500	50	#0	QAM16	-5MHz--1MHz	19.41	PASS
Band8	10	21500	50	#0	QAM16	-10MHz--5MHz	20.43	PASS
Band8	10	21500	50	#0	QAM16	-15MHz--10MHz	11.15	PASS
Band8	10	21500	50	#0	QAM16	0MHz-1MHz	22.55	PASS
Band8	10	21500	50	#0	QAM16	1MHz-5MHz	18.90	PASS
Band8	10	21500	50	#0	QAM16	5MHz-10MHz	19.06	PASS
Band8	10	21500	50	#0	QAM16	10MHz-15MHz	11.20	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	13.12	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	14.07	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	23.51	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	11.12	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	32.63	PASS
Band8	10	21625	12	#0	QPSK	1MHz-5MHz	26.30	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	22.98	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	12.98	PASS
Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	33.45	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	26.76	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	23.16	PASS


Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	11.07	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	14.97	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	13.65	PASS
Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	23.33	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	12.93	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	27.59	PASS
Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	21.90	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	19.36	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	10.68	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	23.86	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	18.58	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	16.16	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	10.26	PASS
Band8	10	21625	12	#0	QAM16	-1MHz-0MHz	15.72	PASS
Band8	10	21625	12	#0	QAM16	-5MHz--1MHz	17.50	PASS
Band8	10	21625	12	#0	QAM16	-10MHz--5MHz	23.64	PASS
Band8	10	21625	12	#0	QAM16	-15MHz--10MHz	11.17	PASS
Band8	10	21625	12	#0	QAM16	0MHz-1MHz	33.01	PASS
Band8	10	21625	12	#0	QAM16	1MHz-5MHz	26.50	PASS
Band8	10	21625	12	#0	QAM16	5MHz-10MHz	23.27	PASS
Band8	10	21625	12	#0	QAM16	10MHz-15MHz	13.00	PASS
Band8	10	21625	12	#Max	QAM16	-1MHz-0MHz	33.38	PASS
Band8	10	21625	12	#Max	QAM16	-5MHz--1MHz	26.87	PASS
Band8	10	21625	12	#Max	QAM16	-10MHz--5MHz	23.30	PASS
Band8	10	21625	12	#Max	QAM16	-15MHz--10MHz	11.05	PASS
Band8	10	21625	12	#Max	QAM16	0MHz-1MHz	16.73	PASS
Band8	10	21625	12	#Max	QAM16	1MHz-5MHz	16.04	PASS
Band8	10	21625	12	#Max	QAM16	5MHz-10MHz	23.78	PASS
Band8	10	21625	12	#Max	QAM16	10MHz-15MHz	13.00	PASS
Band8	10	21625	50	#0	QAM16	-1MHz-0MHz	28.51	PASS
Band8	10	21625	50	#0	QAM16	-5MHz--1MHz	22.69	PASS
Band8	10	21625	50	#0	QAM16	-10MHz--5MHz	20.72	PASS
Band8	10	21625	50	#0	QAM16	-15MHz--10MHz	10.81	PASS
Band8	10	21625	50	#0	QAM16	0MHz-1MHz	23.20	PASS
Band8	10	21625	50	#0	QAM16	1MHz-5MHz	18.07	PASS
Band8	10	21625	50	#0	QAM16	5MHz-10MHz	17.19	PASS
Band8	10	21625	50	#0	QAM16	10MHz-15MHz	11.15	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	9.08	PASS
Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	10.59	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	23.24	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	10.96	PASS
Band8	10	21750	12	#0	QPSK	0MHz-1MHz	33.56	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	27.39	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	25.02	PASS

Band8	10	21750	12	#0	QPSK	10MHz-15MHz	12.93	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	32.52	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	26.41	PASS
Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	22.99	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	11.10	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	11.17	PASS
Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	13.25	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	25.02	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	13.03	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	20.31	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	15.06	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	14.73	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	10.17	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	22.45	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	19.10	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	24.95	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	12.98	PASS
Band8	10	21750	12	#0	QAM16	-1MHz-0MHz	11.91	PASS
Band8	10	21750	12	#0	QAM16	-5MHz--1MHz	13.90	PASS
Band8	10	21750	12	#0	QAM16	-10MHz--5MHz	23.58	PASS
Band8	10	21750	12	#0	QAM16	-15MHz--10MHz	11.06	PASS
Band8	10	21750	12	#0	QAM16	0MHz-1MHz	33.64	PASS
Band8	10	21750	12	#0	QAM16	1MHz-5MHz	27.60	PASS
Band8	10	21750	12	#0	QAM16	5MHz-10MHz	24.98	PASS
Band8	10	21750	12	#0	QAM16	10MHz-15MHz	13.03	PASS
Band8	10	21750	12	#Max	QAM16	-1MHz-0MHz	32.77	PASS
Band8	10	21750	12	#Max	QAM16	-5MHz--1MHz	26.52	PASS
Band8	10	21750	12	#Max	QAM16	-10MHz--5MHz	23.23	PASS
Band8	10	21750	12	#Max	QAM16	-15MHz--10MHz	11.05	PASS
Band8	10	21750	12	#Max	QAM16	0MHz-1MHz	14.57	PASS
Band8	10	21750	12	#Max	QAM16	1MHz-5MHz	16.52	PASS
Band8	10	21750	12	#Max	QAM16	5MHz-10MHz	25.06	PASS
Band8	10	21750	12	#Max	QAM16	10MHz-15MHz	12.95	PASS
Band8	10	21750	50	#0	QAM16	-1MHz-0MHz	21.17	PASS
Band8	10	21750	50	#0	QAM16	-5MHz--1MHz	16.09	PASS
Band8	10	21750	50	#0	QAM16	-10MHz--5MHz	16.84	PASS
Band8	10	21750	50	#0	QAM16	-15MHz--10MHz	10.53	PASS
Band8	10	21750	50	#0	QAM16	0MHz-1MHz	23.74	PASS
Band8	10	21750	50	#0	QAM16	1MHz-5MHz	19.58	PASS
Band8	10	21750	50	#0	QAM16	5MHz-10MHz	24.91	PASS
Band8	10	21750	50	#0	QAM16	10MHz-15MHz	12.95	PASS

Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0



Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27360 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27360 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27360 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27360 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27360 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27360 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27494 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27494 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27494 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27494 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27494 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27494 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27235 RB Size=25 Position=#0



Band28 QPSK BW=5MHz Channel=27360 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27360 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27360 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27360 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27360 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27360 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27484 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27484 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27484 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27484 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27484 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27484 RB Size=25 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27360 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27360 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27360 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27360 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27360 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27360 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27459 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27459 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27459 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27459 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27459 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27459 RB Size=50 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27360 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27360 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27360 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27360 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27360 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27360 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27409 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27409 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27409 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27409 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27409 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27409 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0



Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0



Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0



Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0



Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.4 LTE Transmitter Spurious Emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.53	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.02	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-62.53	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-56.99	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1935.89	-57.57	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-49.90	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.16	-74.33	-50	PASS
Band1	5	18025	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.83	-81.40	-50	PASS
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.22	-79.32	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.72	-81.82	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.93	-82.01	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.48	-79.90	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.88	-82.06	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.66	-82.19	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.06	-82.14	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.05	-81.20	-50	PASS

						MHz					
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2578.35	-76.06	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.10	-80.62	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-79.84	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.40	-80.47	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.70	-74.40	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.84	-82.29	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.90	-82.15	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1914.62	-51.11	-15.5	PASS
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.42	-47.03	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.66	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.04	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.48	-61.46	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1780.00	-51.23	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1965.09	-58.15	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3895.38	-52.21	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2141.44	-76.53	-50	PASS

Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.78	-81.46	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.09	-79.18	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-81.42	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.96	-81.96	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.80	-79.77	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.49	-81.98	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.97	-82.17	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.03	-82.05	-50	PASS
Band1	5	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.72	-81.17	-50	PASS
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2588.30	-71.46	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.50	-80.60	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3458.40	-79.03	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3630.80	-80.41	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.23	-76.60	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.30	-82.28	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.84	-82.12	-50	PASS
Band1	5	18300	1	#0	QPSK	1895	5	1914.14	-54.07	-15.5	PASS

						MHz-1915 MHz	MHz				
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1917.10	-54.06	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.01	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.04	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.80	-62.75	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-57.04	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	2468.91	-58.89	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.94	-53.92	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2168.62	-79.65	-50	PASS
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.98	-81.21	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.17	-79.24	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.73	-81.64	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.44	-81.89	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-79.76	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.70	-81.96	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.31	-82.14	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.68	-82.07	-50	PASS

Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.82	-81.11	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2580.15	-78.84	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.50	-80.50	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.70	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.00	-80.41	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2168.86	-79.73	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.36	-82.23	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.57	-82.06	-50	PASS
Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1914.30	-54.05	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.63	-54.02	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.81	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.02	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-62.30	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1895.00	-61.07	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	1965.86	-59.63	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3841.75	-50.95	-30	PASS
Band1	20	18100	1	#0	QPSK	2110	1	2112.88	-74.55	-50	PASS

						MHz-2170 MHz	MHz				
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.35	-81.40	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.23	-79.29	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.22	-81.60	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.70	-81.95	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.64	-79.77	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.62	-81.98	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.12	-82.17	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.29	-82.09	-50	PASS
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.57	-81.24	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2611.20	-79.68	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.30	-80.57	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-79.85	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.80	-80.44	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.43	-74.66	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.84	-82.32	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783	1	782.52	-82.10	-50	PASS

						MHz	MHz				
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1905.18	-38.08	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.19	-41.07	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.24	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.65	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-61.96	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1910.43	-53.77	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	1985.85	-59.87	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-51.00	-30	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.12	-76.39	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.30	-81.16	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.55	-79.27	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.28	-81.52	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.22	-81.99	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.44	-79.85	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.06	-81.99	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.56	-82.16	-50	PASS
Band1	20	18300	1	#0	QPSK	1452	1	1455.08	-82.09	-50	PASS

						MHz-1496 MHz	MHz				
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.10	-81.15	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2593.20	-75.39	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.40	-80.63	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.76	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.80	-80.42	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.67	-76.23	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	745.40	-82.31	-50	PASS
Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.21	-82.14	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1910.62	-53.62	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.22	-53.90	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.89	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.63	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-60.42	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1930.33	-49.93	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2644.29	-60.17	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 MHz	1 MHz	3922.19	-51.59	-30	PASS

						GHz					
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2152.18	-77.20	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.23	-81.40	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2664.10	-79.24	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.73	-81.58	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.44	-81.91	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.84	-79.75	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.65	-81.88	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.49	-82.08	-50	PASS
Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1483.11	-82.06	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.45	-81.14	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.60	-79.66	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2380.70	-80.53	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.00	-79.65	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.20	-80.35	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2151.94	-77.25	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758	1	757.70	-82.26	-50	PASS

						MHz	MHz				
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.92	-82.06	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1914.22	-54.01	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.04	-54.05	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.86	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-62.29	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	821.45	-70.49	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	849.60	-69.27	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1492.00	-63.95	-30	PASS
Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5810.10	-58.77	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12644.70	-60.59	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2137.24	-84.21	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.33	-84.54	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2631.06	-81.95	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.14	-85.01	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.14	-74.34	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-83.06	-50	PASS

Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.04	-85.36	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.86	-85.30	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.46	-84.89	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.86	-84.45	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2584.05	-79.00	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.60	-83.85	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-82.99	-50	PASS
Band20	5	24175	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.20	-83.66	-50	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.46	-84.11	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.20	-85.59	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.00	-85.38	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	781.91	-85.34	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.11	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.82	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	834.34	-68.70	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	862.17	-69.82	-36	PASS
Band20	5	24300	1	#0	QPSK	1000	1	1332.00	-63.93	-30	PASS

						MHz-1500 MHz	MHz				
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5816.40	-58.68	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12601.50	-60.45	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.78	-84.16	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.78	-83.29	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.91	-82.49	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.15	-84.38	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.96	-73.94	-50	PASS
Band20	5	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.60	-83.11	-50	PASS
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.88	-85.42	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1482.27	-84.94	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.80	-84.86	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.15	-84.43	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.65	-82.70	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.50	-83.87	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-83.04	-50	PASS

						MHz					
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.00	-83.49	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2116.03	-84.05	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.42	-85.58	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.42	-85.37	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	774.65	-85.30	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.93	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.85	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	846.92	-68.86	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 MHz	100 kHz	872.38	-70.42	-36	PASS
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1483.50	-63.94	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2480.10	-57.94	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12598.13	-60.47	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.26	-83.60	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.85	-83.28	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.26	-82.49	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-84.19	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.65	-77.23	-50	PASS

						MHz	MHz				
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.08	-83.04	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.34	-85.34	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.88	-85.00	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.78	-84.85	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.94	-84.44	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2593.15	-82.66	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.00	-83.86	-50	PASS
Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-83.00	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.60	-83.51	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.08	-84.15	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.04	-85.60	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.59	-85.30	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	760.19	-85.17	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.90	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.46	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	499.15	-70.18	-36	PASS

Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	947.73	-72.12	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1318.50	-63.99	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5835.30	-58.64	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.68	-60.52	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.44	-84.12	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.33	-83.79	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.47	-82.55	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-84.12	-50	PASS
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.04	-74.03	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-83.07	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.31	-85.39	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.34	-84.93	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.78	-79.36	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.29	-84.43	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2592.15	-82.49	-50	PASS
Band20	20	24250	1	#0	QPSK	2300	1	2386.50	-83.80	-50	PASS

						MHz-2400 MHz	MHz				
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.80	-83.00	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.80	-83.60	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.96	-84.19	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.68	-85.55	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.66	-85.30	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	783.71	-85.34	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.81	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.34	-36	PASS
Band20	20	24300	1	#0	QPSK	30 MHz-812.00 MHz	100 kHz	791.28	-70.69	-36	PASS
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	999.65	-72.30	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1351.50	-63.98	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	3149.70	-58.68	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12648.08	-60.51	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.44	-83.88	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.23	-84.15	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.84	-82.44	-50	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-83.48	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.47	-73.91	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.60	-83.13	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.40	-85.31	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.72	-84.96	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.80	-84.80	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.55	-84.31	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.50	-71.61	-50	PASS
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.40	-83.82	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.60	-83.02	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3635.40	-83.56	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2119.54	-83.95	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.40	-85.57	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.56	-85.35	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	779.87	-85.33	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.95	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30	10	0.16	-61.75	-36	PASS

Band20	20	24350	1	#0	QPSK	MHz 30 MHz-817.00 MHz	kHz 100 kHz	606.24	-70.40	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	952.20	-72.46	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1322.50	-63.97	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	3147.90	-58.71	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12619.73	-60.53	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.20	-83.69	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1866.05	-83.04	-50	PASS
Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2664.52	-82.47	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.01	-84.73	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.14	-74.11	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.84	-83.07	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.63	-85.38	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.70	-84.91	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1905.78	-84.88	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.04	-84.44	-50	PASS

Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.20	-82.68	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.30	-83.85	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3590.60	-83.04	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.60	-83.58	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.92	-84.14	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.80	-85.48	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.43	-85.24	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	780.68	-85.32	-50	PASS
Band28	3	27225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.08	-36	PASS
Band28	3	27225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.48	-36	PASS
Band28	3	27225	1	#0	QPSK	30 MHz-697.00 MHz	100 kHz	210.16	-73.37	-36	PASS
Band28	3	27225	1	#0	QPSK	712.00 MHz-1000 MHz	100 kHz	811.36	-74.68	-36	PASS
Band28	3	27225	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1294.00	-65.59	-30	PASS
Band28	3	27225	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	2109.34	-55.22	-30	PASS
Band28	3	27225	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.00	-60.84	-30	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2169.76	-71.94	-50	PASS
Band28	3	27225	1	#0	QPSK	1805	1	1871.15	-72.48	-50	PASS

						MHz-1880 MHz	MHz				
Band28	3	27225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2669.07	-70.29	-50	PASS
Band28	3	27225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.66	-75.96	-50	PASS
Band28	3	27225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.32	-75.84	-50	PASS
Band28	3	27225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.88	-70.81	-50	PASS
Band28	3	27225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.48	-76.05	-50	PASS
Band28	3	27225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.47	-72.46	-50	PASS
Band28	3	27225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.64	-72.14	-50	PASS
Band28	3	27225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.25	-70.65	-50	PASS
Band28	3	27225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.20	-70.80	-50	PASS
Band28	3	27225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.40	-71.13	-50	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.87	-71.94	-50	PASS
Band28	3	27225	1	#0	QPSK	758 MHz-773 MHz	1 MHz	770.30	-76.07	-32	PASS
Band28	3	27225	1	#0	QPSK	773 MHz-803 MHz	1 MHz	800.75	-75.90	-50	PASS
Band28	3	27225	1	#0	QPSK	470 MHz-694 MHz	8 MHz	493.74	-57.15	-25	PASS
Band28	3	27360	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.45	-36	PASS
Band28	3	27360	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.38	-36	PASS
Band28	3	27360	1	#0	QPSK	30	100	208.84	-73.54	-36	PASS

						MHz-710.50 MHz	kHz				
Band28	3	27360	1	#0	QPSK	725.50 MHz-1000 MHz	100 kHz	825.97	-74.75	-36	PASS
Band28	3	27360	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1296.70	-65.49	-30	PASS
Band28	3	27360	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1433.48	-52.47	-30	PASS
Band28	3	27360	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12634.13	-60.88	-30	PASS
Band28	3	27360	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.42	-71.96	-50	PASS
Band28	3	27360	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.53	-72.55	-50	PASS
Band28	3	27360	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.63	-70.34	-50	PASS
Band28	3	27360	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.86	-75.98	-50	PASS
Band28	3	27360	1	#0	QPSK	791 MHz-821 MHz	1 MHz	806.51	-75.85	-50	PASS
Band28	3	27360	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3572.72	-70.97	-50	PASS
Band28	3	27360	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.24	-76.04	-50	PASS
Band28	3	27360	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.18	-72.38	-50	PASS
Band28	3	27360	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.78	-72.13	-50	PASS
Band28	3	27360	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2605.10	-70.24	-50	PASS
Band28	3	27360	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-70.80	-50	PASS

						MHz					
Band28	3	27360	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.00	-71.14	-50	PASS
Band28	3	27360	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.57	-71.91	-50	PASS
Band28	3	27360	1	#0	QPSK	758 MHz-773 MHz	1 MHz	769.97	-76.07	-32	PASS
Band28	3	27360	1	#0	QPSK	773 MHz-803 MHz	1 MHz	802.70	-75.89	-50	PASS
Band28	3	27360	1	#0	QPSK	470 MHz-694 MHz	8 MHz	486.13	-57.18	-25	PASS
Band28	3	27494	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.02	-36	PASS
Band28	3	27494	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.75	-36	PASS
Band28	3	27494	1	#0	QPSK	30 MHz-723.90 MHz	100 kHz	237.82	-73.38	-36	PASS
Band28	3	27494	1	#0	QPSK	738.90 MHz-1000 MHz	100 kHz	841.77	-75.03	-36	PASS
Band28	3	27494	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1268.50	-65.61	-30	PASS
Band28	3	27494	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	2190.18	-55.00	-30	PASS
Band28	3	27494	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12665.63	-60.88	-30	PASS
Band28	3	27494	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2150.50	-71.95	-50	PASS
Band28	3	27494	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.50	-72.53	-50	PASS
Band28	3	27494	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.64	-70.31	-50	PASS
Band28	3	27494	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.97	-75.97	-50	PASS
Band28	3	27494	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.94	-75.92	-50	PASS

						MHz	MHz				
Band28	3	27494	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.00	-70.90	-50	PASS
Band28	3	27494	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.54	-75.99	-50	PASS
Band28	3	27494	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.24	-72.42	-50	PASS
Band28	3	27494	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.83	-72.13	-50	PASS
Band28	3	27494	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.45	-70.72	-50	PASS
Band28	3	27494	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.80	-70.80	-50	PASS
Band28	3	27494	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3625.60	-71.17	-50	PASS
Band28	3	27494	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.83	-71.93	-50	PASS
Band28	3	27494	1	#0	QPSK	758 MHz-773 MHz	1 MHz	768.86	-76.07	-32	PASS
Band28	3	27494	1	#0	QPSK	773 MHz-803 MHz	1 MHz	799.97	-75.76	-50	PASS
Band28	3	27494	1	#0	QPSK	470 MHz-694 MHz	8 MHz	489.04	-57.16	-25	PASS
Band28	5	27235	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.07	-36	PASS
Band28	5	27235	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.10	-36	PASS
Band28	5	27235	1	#0	QPSK	30 MHz-693.00 MHz	100 kHz	199.99	-73.43	-36	PASS
Band28	5	27235	1	#0	QPSK	718.00 MHz-1000 MHz	100 kHz	860.13	-74.81	-36	PASS
Band28	5	27235	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1279.60	-65.57	-30	PASS

Band28	5	27235	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	2110.28	-54.51	-30	PASS
Band28	5	27235	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12649.88	-60.85	-30	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2153.32	-71.93	-50	PASS
Band28	5	27235	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.13	-72.56	-50	PASS
Band28	5	27235	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.83	-70.27	-50	PASS
Band28	5	27235	1	#0	QPSK	925 MHz-960 MHz	1 MHz	952.37	-75.98	-50	PASS
Band28	5	27235	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.96	-75.88	-50	PASS
Band28	5	27235	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.48	-70.84	-50	PASS
Band28	5	27235	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.96	-76.07	-50	PASS
Band28	5	27235	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.80	-72.44	-50	PASS
Band28	5	27235	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.28	-72.17	-50	PASS
Band28	5	27235	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.55	-70.67	-50	PASS
Band28	5	27235	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.20	-70.73	-50	PASS
Band28	5	27235	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3621.00	-71.07	-50	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2145.10	-71.93	-50	PASS
Band28	5	27235	1	#0	QPSK	758 MHz-773	1	772.94	-75.98	-32	PASS

						MHz	MHz				
Band28	5	27235	1	#0	QPSK	773 MHz-803 MHz	1 MHz	797.96	-75.90	-50	PASS
Band28	5	27235	1	#0	QPSK	470 MHz-694 MHz	8 MHz	488.37	-57.16	-25	PASS
Band28	5	27360	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.31	-36	PASS
Band28	5	27360	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.42	-36	PASS
Band28	5	27360	1	#0	QPSK	30 MHz-705.50 MHz	100 kHz	203.74	-73.43	-36	PASS
Band28	5	27360	1	#0	QPSK	730.50 MHz-1000 MHz	100 kHz	775.78	-74.60	-36	PASS
Band28	5	27360	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1297.00	-65.59	-30	PASS
Band28	5	27360	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1431.60	-53.73	-30	PASS
Band28	5	27360	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12625.13	-60.89	-30	PASS
Band28	5	27360	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.80	-71.93	-50	PASS
Band28	5	27360	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1862.08	-72.57	-50	PASS
Band28	5	27360	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.25	-70.26	-50	PASS
Band28	5	27360	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.62	-75.97	-50	PASS
Band28	5	27360	1	#0	QPSK	791 MHz-821 MHz	1 MHz	811.73	-75.90	-50	PASS
Band28	5	27360	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3570.80	-70.98	-50	PASS
Band28	5	27360	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.01	-76.03	-50	PASS
Band28	5	27360	1	#0	QPSK	1452 MHz	1 MHz	1461.33	-72.43	-50	PASS

						MHz-1496 MHz	MHz				
Band28	5	27360	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.58	-72.14	-50	PASS
Band28	5	27360	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.15	-70.05	-50	PASS
Band28	5	27360	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3405.80	-70.91	-50	PASS
Band28	5	27360	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3632.60	-71.14	-50	PASS
Band28	5	27360	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.21	-71.99	-50	PASS
Band28	5	27360	1	#0	QPSK	758 MHz-773 MHz	1 MHz	769.28	-76.01	-32	PASS
Band28	5	27360	1	#0	QPSK	773 MHz-803 MHz	1 MHz	798.77	-75.84	-50	PASS
Band28	5	27360	1	#0	QPSK	470 MHz-694 MHz	8 MHz	493.52	-57.16	-25	PASS
Band28	5	27484	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.98	-36	PASS
Band28	5	27484	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.94	-36	PASS
Band28	5	27484	1	#0	QPSK	30 MHz-717.90 MHz	100 kHz	499.49	-73.40	-36	PASS
Band28	5	27484	1	#0	QPSK	742.90 MHz-1000 MHz	100 kHz	961.18	-74.99	-36	PASS
Band28	5	27484	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1293.70	-65.60	-30	PASS
Band28	5	27484	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	2184.54	-55.92	-30	PASS
Band28	5	27484	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12652.13	-60.85	-30	PASS
Band28	5	27484	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.44	-71.84	-50	PASS

						MHz					
Band28	5	27484	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.63	-72.61	-50	PASS
Band28	5	27484	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.28	-70.29	-50	PASS
Band28	5	27484	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.44	-76.00	-50	PASS
Band28	5	27484	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.62	-75.91	-50	PASS
Band28	5	27484	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.08	-70.83	-50	PASS
Band28	5	27484	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.74	-76.06	-50	PASS
Band28	5	27484	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.82	-72.41	-50	PASS
Band28	5	27484	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.48	-72.14	-50	PASS
Band28	5	27484	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.60	-66.25	-50	PASS
Band28	5	27484	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.80	-70.78	-50	PASS
Band28	5	27484	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.60	-71.15	-50	PASS
Band28	5	27484	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2146.45	-71.97	-50	PASS
Band28	5	27484	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.57	-76.05	-32	PASS
Band28	5	27484	1	#0	QPSK	773 MHz-803 MHz	1 MHz	798.65	-75.83	-50	PASS
Band28	5	27484	1	#0	QPSK	470 MHz-694 MHz	8 MHz	484.78	-57.16	-25	PASS
Band28	20	27310	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.71	-36	PASS
Band28	20	27310	1	#0	QPSK	150 kHz-30	10	0.16	-63.52	-36	PASS

						MHz	kHz				
Band28	20	27310	1	#0	QPSK	30 MHz-678.00 MHz	100 kHz	218.96	-73.61	-36	PASS
Band28	20	27310	1	#0	QPSK	748.00 MHz-1000 MHz	100 kHz	942.54	-75.16	-36	PASS
Band28	20	27310	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1295.50	-65.62	-30	PASS
Band28	20	27310	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1408.10	-53.29	-30	PASS
Band28	20	27310	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12638.63	-60.82	-30	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	0.00	-999.00	-50	PASS
Band28	20	27310	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.53	-72.51	-50	PASS
Band28	20	27310	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2668.23	-70.33	-50	PASS
Band28	20	27310	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.57	-75.95	-50	PASS
Band28	20	27310	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.31	-75.86	-50	PASS
Band28	20	27310	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3511.84	-71.23	-50	PASS
Band28	20	27310	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.23	-76.03	-50	PASS
Band28	20	27310	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.51	-72.41	-50	PASS
Band28	20	27310	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.44	-72.11	-50	PASS
Band28	20	27310	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2572.85	-70.67	-50	PASS

Band28	20	27310	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3423.20	-70.91	-50	PASS
Band28	20	27310	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.60	-71.06	-50	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2170.66	-72.12	-50	PASS
Band28	20	27310	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.69	-76.02	-32	PASS
Band28	20	27310	1	#0	QPSK	773 MHz-803 MHz	1 MHz	791.81	-75.88	-50	PASS
Band28	20	27310	1	#0	QPSK	470 MHz-694 MHz	8 MHz	487.47	-57.17	-25	PASS
Band28	20	27360	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.27	-36	PASS
Band28	20	27360	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.71	-36	PASS
Band28	20	27360	1	#0	QPSK	30 MHz-683.00 MHz	100 kHz	212.71	-73.50	-36	PASS
Band28	20	27360	1	#0	QPSK	753.00 MHz-1000 MHz	100 kHz	785.85	-75.22	-36	PASS
Band28	20	27360	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1292.80	-65.54	-30	PASS
Band28	20	27360	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1418.44	-50.62	-30	PASS
Band28	20	27360	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12639.75	-60.87	-30	PASS
Band28	20	27360	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.72	-71.90	-50	PASS
Band28	20	27360	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.00	-72.43	-50	PASS
Band28	20	27360	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.69	-70.27	-50	PASS
Band28	20	27360	1	#0	QPSK	925 MHz-960	1	929.76	-75.98	-50	PASS

						MHz	MHz				
Band28	20	27360	1	#0	QPSK	791 MHz-821 MHz	1 MHz	800.36	-75.91	-50	PASS
Band28	20	27360	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3535.20	-71.08	-50	PASS
Band28	20	27360	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.03	-76.04	-50	PASS
Band28	20	27360	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.54	-72.45	-50	PASS
Band28	20	27360	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.46	-72.18	-50	PASS
Band28	20	27360	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2590.35	-70.01	-50	PASS
Band28	20	27360	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3408.00	-70.90	-50	PASS
Band28	20	27360	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3667.20	-71.23	-50	PASS
Band28	20	27360	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2119.90	-72.01	-50	PASS
Band28	20	27360	1	#0	QPSK	758 MHz-773 MHz	1 MHz	771.05	-76.06	-32	PASS
Band28	20	27360	1	#0	QPSK	773 MHz-803 MHz	1 MHz	798.89	-75.95	-50	PASS
Band28	20	27360	1	#0	QPSK	470 MHz-694 MHz	8 MHz	503.15	-57.14	-25	PASS
Band28	20	27409	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.76	-36	PASS
Band28	20	27409	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.89	-36	PASS
Band28	20	27409	1	#0	QPSK	30 MHz-687.90 MHz	100 kHz	210.20	-73.50	-36	PASS
Band28	20	27409	1	#0	QPSK	757.90 MHz-1000 MHz	100 kHz	802.20	-75.12	-36	PASS
Band28	20	27409	1	#0	QPSK	1000 MHz	1 MHz	1288.30	-65.55	-30	PASS

						MHz-1300 MHz	MHz				
Band28	20	27409	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1427.84	-54.32	-30	PASS
Band28	20	27409	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12628.50	-60.90	-30	PASS
Band28	20	27409	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.48	-71.93	-50	PASS
Band28	20	27409	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.58	-72.58	-50	PASS
Band28	20	27409	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2667.88	-70.24	-50	PASS
Band28	20	27409	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.46	-76.03	-50	PASS
Band28	20	27409	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.40	-75.91	-50	PASS
Band28	20	27409	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3538.96	-71.16	-50	PASS
Band28	20	27409	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.26	-76.04	-50	PASS
Band28	20	27409	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.86	-72.44	-50	PASS
Band28	20	27409	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.17	-72.13	-50	PASS
Band28	20	27409	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2596.85	-69.59	-50	PASS
Band28	20	27409	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3411.60	-70.91	-50	PASS
Band28	20	27409	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3681.20	-71.32	-50	PASS
Band28	20	27409	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.37	-71.94	-50	PASS

						MHz					
Band28	20	27409	1	#0	QPSK	758 MHz-773 MHz	1 MHz	771.41	-76.02	-32	PASS
Band28	20	27409	1	#0	QPSK	773 MHz-803 MHz	1 MHz	797.06	-75.88	-50	PASS
Band28	20	27409	1	#0	QPSK	470 MHz-694 MHz	8 MHz	493.52	-57.14	-25	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.58	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.93	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	821.71	-70.90	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-40.27	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-44.53	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12654.13	-54.37	-30	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.92	-81.54	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.05	-81.73	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.72	-79.81	-50	PASS
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	949.12	-81.66	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.17	-82.57	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-80.43	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.94	-82.57	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.44	-82.69	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz	1 MHz	1469.16	-82.64	-50	PASS

						MHz-1496 MHz	MHz				
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.62	-82.17	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.05	-81.71	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.30	-79.06	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.00	-81.12	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3590.20	-80.34	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.60	-80.91	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2145.10	-81.52	-50	PASS
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.18	-82.88	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.32	-82.63	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.68	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.92	-36	PASS
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	808.43	-70.87	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-39.57	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-44.79	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12648.44	-54.27	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.26	-81.46	-50	PASS

						MHz					
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.65	-78.97	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2623.50	-79.04	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.98	-81.50	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.61	-82.46	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-80.36	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.52	-82.46	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.52	-82.67	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.80	-82.64	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.16	-82.12	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.68	-81.71	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.90	-79.73	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.60	-81.05	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.80	-80.35	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3603.40	-80.89	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2115.31	-81.53	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758	1	755.42	-82.81	-50	PASS

						MHz	MHz				
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.94	-82.64	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.38	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.66	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	977.40	-70.86	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-39.79	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.54	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12632.19	-54.26	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.36	-81.41	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.40	-80.78	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2626.58	-78.34	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.91	-80.56	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.59	-82.46	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.64	-80.30	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.31	-82.47	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.73	-82.64	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.03	-82.56	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.92	-82.05	-50	PASS

						MHz					
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.78	-81.67	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-78.63	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2369.30	-81.07	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-80.13	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3632.60	-80.89	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.42	-81.33	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.22	-82.77	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.82	-82.50	-50	PASS
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.45	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.46	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	934.82	-70.82	-36	PASS
Band3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-53.25	-30	PASS
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2646.19	-51.36	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12652.50	-54.37	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2115.16	-81.53	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.28	-81.91	-50	PASS

Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.69	-79.80	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.42	-81.99	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.73	-82.50	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.40	-80.42	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.54	-82.55	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.06	-82.72	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.16	-82.62	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.84	-82.09	-50	PASS
Band3	5	19225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.13	-81.76	-50	PASS
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2620.00	-80.27	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2389.90	-81.11	-50	PASS
Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-80.39	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.80	-80.99	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2153.56	-81.53	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	745.48	-82.91	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.62	-82.60	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150	1	0.01	-55.37	-36	PASS

						kHz	kHz				
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.27	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	869.15	-70.98	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-53.02	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	2667.27	-51.41	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12630.56	-54.32	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2157.28	-81.50	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1843.55	-78.32	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2663.40	-79.76	-50	PASS
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.51	-76.57	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.32	-82.47	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.76	-80.39	-50	PASS
Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.14	-82.48	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.71	-82.70	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.25	-82.57	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.80	-82.12	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.46	-81.73	-50	PASS

Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.50	-76.56	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.00	-81.13	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.80	-80.29	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.20	-80.99	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.24	-81.42	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.56	-82.85	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.61	-82.64	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.10	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.23	-36	PASS
Band3	5	19925	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	859.45	-70.97	-36	PASS
Band3	5	19925	1	#0	QPSK	1000 MHz-1770.00 MHz	1 MHz	1770.00	-52.75	-30	PASS
Band3	5	19925	1	#0	QPSK	1795.00 MHz-3000 MHz	1 MHz	2664.61	-51.39	-30	PASS
Band3	5	19925	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12655.75	-54.28	-30	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.68	-81.47	-50	PASS
Band3	5	19925	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.80	-79.16	-50	PASS
Band3	5	19925	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.44	-79.70	-50	PASS
Band3	5	19925	1	#0	QPSK	925 MHz-960	1	926.47	-75.81	-50	PASS

						MHz	MHz				
Band3	5	19925	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.29	-82.46	-50	PASS
Band3	5	19925	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.00	-80.27	-50	PASS
Band3	5	19925	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.73	-82.43	-50	PASS
Band3	5	19925	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.86	-82.64	-50	PASS
Band3	5	19925	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.08	-82.59	-50	PASS
Band3	5	19925	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1906.54	-82.11	-50	PASS
Band3	5	19925	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.48	-81.63	-50	PASS
Band3	5	19925	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.15	-77.38	-50	PASS
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.50	-81.09	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-80.17	-50	PASS
Band3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.00	-80.88	-50	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2112.97	-81.48	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.24	-82.81	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	769.35	-82.63	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.12	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.01	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000	100	822.68	-70.92	-36	PASS

						MHz	kHz				
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1608.28	-53.48	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1781.98	-49.10	-30	PASS
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12648.44	-54.32	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2135.62	-81.59	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.28	-81.89	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2629.31	-73.24	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.58	-76.51	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.62	-82.53	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-80.38	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.19	-82.55	-50	PASS
Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.13	-82.71	-50	PASS
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.78	-82.67	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.98	-82.15	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.92	-81.74	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.05	-67.42	-50	PASS
Band3	20	19300	1	#0	QPSK	2300	1	2376.70	-81.15	-50	PASS

						MHz-2400 MHz	MHz				
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-80.25	-50	PASS
Band3	20	19300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.80	-80.97	-50	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2111.62	-81.54	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.52	-82.77	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.80	-82.53	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.80	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.20	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	968.38	-70.89	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-43.20	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2660.11	-51.35	-30	PASS
Band3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12615.94	-54.33	-30	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.64	-81.52	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.80	-78.19	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2624.83	-79.53	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.44	-79.42	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.83	-82.42	-50	PASS
Band3	20	19575	1	#0	QPSK	3510	1	3589.68	-80.36	-50	PASS

						MHz-3590 MHz	MHz				
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.62	-82.47	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.24	-82.68	-50	PASS
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.96	-82.62	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.82	-82.08	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.96	-81.69	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.25	-80.21	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.20	-81.06	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-80.27	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3621.40	-80.96	-50	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2111.89	-81.28	-50	PASS
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.86	-82.82	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.58	-82.56	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.61	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.90	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	852.85	-70.67	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-38.42	-30	PASS

Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2647.96	-51.39	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12660.63	-54.31	-30	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.64	-81.42	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.28	-78.09	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.87	-79.76	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.47	-78.73	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.56	-82.49	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-80.40	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.77	-82.52	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.32	-82.61	-50	PASS
Band3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.06	-82.57	-50	PASS
Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.08	-82.08	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.75	-81.66	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.60	-80.15	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.10	-81.00	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-80.27	-50	PASS

						MHz					
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3610.80	-80.88	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.59	-81.54	-50	PASS
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.76	-82.78	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.32	-82.57	-50	PASS
Band40	5	38675	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.36	-36	PASS
Band40	5	38675	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.51	-36	PASS
Band40	5	38675	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	889.23	-68.59	-36	PASS
Band40	5	38675	1	#0	QPSK	1000 MHz-2290.00 MHz	1 MHz	2288.71	-47.55	-30	PASS
Band40	5	38675	1	#0	QPSK	2315.00 MHz-3000 MHz	1 MHz	2319.57	-45.42	-30	PASS
Band40	5	38675	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.94	-53.47	-30	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2118.28	-66.69	-50	PASS
Band40	5	38675	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.15	-68.39	-50	PASS
Band40	5	38675	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2620.77	-65.45	-50	PASS
Band40	5	38675	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.29	-71.26	-50	PASS
Band40	5	38675	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.94	-71.22	-50	PASS
Band40	5	38675	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.56	-66.82	-50	PASS
Band40	5	38675	1	#0	QPSK	758 MHz-803 MHz	1 MHz	775.42	-71.27	-50	PASS

Band40	5	38675	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.94	-71.33	-50	PASS
Band40	5	38675	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1458.34	-70.08	-50	PASS
Band40	5	38675	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.90	-68.88	-50	PASS
Band40	5	38675	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.46	-65.93	-50	PASS
Band40	5	38675	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2572.80	-64.48	-50	PASS
Band40	5	38675	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-66.72	-50	PASS
Band40	5	38675	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.00	-67.17	-50	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.65	-67.48	-50	PASS
Band40	5	38675	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.38	-71.62	-50	PASS
Band40	5	38675	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.77	-71.34	-50	PASS
Band40	5	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-54.60	-36	PASS
Band40	5	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.03	-36	PASS
Band40	5	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	904.94	-68.05	-36	PASS
Band40	5	39150	1	#0	QPSK	1000 MHz-2337.50 MHz	1 MHz	2336.16	-46.42	-30	PASS
Band40	5	39150	1	#0	QPSK	2362.50 MHz-3000 MHz	1 MHz	2366.75	-51.86	-30	PASS
Band40	5	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12633.81	-53.54	-30	PASS
Band40	5	39150	1	#0	QPSK	2110	1	2134.66	-59.27	-50	PASS

						MHz-2170 MHz	MHz				
Band40	5	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.40	-69.88	-50	PASS
Band40	5	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2620.21	-65.79	-50	PASS
Band40	5	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.29	-70.78	-50	PASS
Band40	5	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.15	-71.20	-50	PASS
Band40	5	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-66.79	-50	PASS
Band40	5	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.44	-71.21	-50	PASS
Band40	5	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.77	-71.34	-50	PASS
Band40	5	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.37	-54.29	-50	PASS
Band40	5	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.86	-68.82	-50	PASS
Band40	5	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.41	-67.24	-50	PASS
Band40	5	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.20	-64.31	-50	PASS
Band40	5	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-66.70	-50	PASS
Band40	5	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.80	-67.05	-50	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.57	-60.08	-50	PASS
Band40	5	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.98	-71.52	-50	PASS
Band40	5	39150	1	#0	QPSK	753 MHz-783	1	781.77	-71.37	-50	PASS

						MHz	MHz				
Band40	5	39625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.23	-36	PASS
Band40	5	39625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.90	-36	PASS
Band40	5	39625	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	904.94	-68.77	-36	PASS
Band40	5	39625	1	#0	QPSK	1000 MHz-2385.00 MHz	1 MHz	2382.23	-52.70	-30	PASS
Band40	5	39625	1	#0	QPSK	2410.00 MHz-3000 MHz	1 MHz	2414.43	-53.89	-30	PASS
Band40	5	39625	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12654.13	-53.44	-30	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2164.72	-66.15	-50	PASS
Band40	5	39625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.50	-70.26	-50	PASS
Band40	5	39625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2661.37	-64.12	-50	PASS
Band40	5	39625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.32	-70.65	-50	PASS
Band40	5	39625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	811.16	-71.20	-50	PASS
Band40	5	39625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.24	-66.73	-50	PASS
Band40	5	39625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.81	-71.21	-50	PASS
Band40	5	39625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.39	-71.37	-50	PASS
Band40	5	39625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.78	-70.52	-50	PASS
Band40	5	39625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.88	-69.25	-50	PASS
Band40	5	39625	1	#0	QPSK	2010 MHz	1 MHz	2022.53	-68.95	-50	PASS

						MHz-2025 MHz	MHz				
Band40	5	39625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.75	-64.56	-50	PASS
Band40	5	39625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-66.71	-50	PASS
Band40	5	39625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3641.00	-67.05	-50	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2196.85	-66.99	-50	PASS
Band40	5	39625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.64	-71.53	-50	PASS
Band40	5	39625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.70	-71.27	-50	PASS
Band40	20	38750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.88	-36	PASS
Band40	20	38750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.90	-36	PASS
Band40	20	38750	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	905.04	-66.70	-36	PASS
Band40	20	38750	1	#0	QPSK	1000 MHz-2275.00 MHz	1 MHz	2216.35	-60.43	-30	PASS
Band40	20	38750	1	#0	QPSK	2345.00 MHz-3000 MHz	1 MHz	2345.55	-59.47	-30	PASS
Band40	20	38750	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12637.06	-53.66	-30	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2110.12	-66.82	-50	PASS
Band40	20	38750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.98	-68.36	-50	PASS
Band40	20	38750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2623.71	-65.38	-50	PASS
Band40	20	38750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.90	-70.98	-50	PASS

Band40	20	38750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.35	-71.15	-50	PASS
Band40	20	38750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.72	-66.86	-50	PASS
Band40	20	38750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.83	-71.21	-50	PASS
Band40	20	38750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.82	-71.35	-50	PASS
Band40	20	38750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.90	-70.14	-50	PASS
Band40	20	38750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.20	-68.88	-50	PASS
Band40	20	38750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.73	-67.62	-50	PASS
Band40	20	38750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2571.95	-64.73	-50	PASS
Band40	20	38750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3410.80	-65.84	-50	PASS
Band40	20	38750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.00	-67.15	-50	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.29	-66.37	-50	PASS
Band40	20	38750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.52	-71.60	-50	PASS
Band40	20	38750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.75	-71.35	-50	PASS
Band40	20	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.75	-36	PASS
Band40	20	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.53	-36	PASS
Band40	20	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	950.34	-68.48	-36	PASS
Band40	20	39150	1	#0	QPSK	1000 MHz-2315.00 MHz	1 MHz	2305.80	-52.92	-30	PASS

Band40	20	39150	1	#0	QPSK	2385.00 MHz-3000 MHz	1 MHz	2649.45	-59.81	-30	PASS
Band40	20	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12652.50	-53.46	-30	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.86	-57.79	-50	PASS
Band40	20	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.13	-69.78	-50	PASS
Band40	20	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2621.75	-65.76	-50	PASS
Band40	20	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	938.48	-71.29	-50	PASS
Band40	20	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.22	-71.25	-50	PASS
Band40	20	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.64	-66.79	-50	PASS
Band40	20	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.64	-71.25	-50	PASS
Band40	20	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.82	-71.40	-50	PASS
Band40	20	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.27	-55.23	-50	PASS
Band40	20	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.74	-68.22	-50	PASS
Band40	20	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.92	-68.32	-50	PASS
Band40	20	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.35	-65.50	-50	PASS
Band40	20	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.40	-66.64	-50	PASS
Band40	20	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.00	-67.06	-50	PASS

						MHz					
Band40	20	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.71	-59.40	-50	PASS
Band40	20	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.74	-71.51	-50	PASS
Band40	20	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.71	-71.34	-50	PASS
Band40	20	39550	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.16	-36	PASS
Band40	20	39550	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.94	-36	PASS
Band40	20	39550	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	824.92	-70.01	-36	PASS
Band40	20	39550	1	#0	QPSK	1000 MHz-2355.00 MHz	1 MHz	2345.52	-53.65	-30	PASS
Band40	20	39550	1	#0	QPSK	2425.00 MHz-3000 MHz	1 MHz	2654.52	-59.25	-30	PASS
Band40	20	39550	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12662.25	-53.54	-30	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2161.72	-65.74	-50	PASS
Band40	20	39550	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1818.73	-70.23	-50	PASS
Band40	20	39550	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.38	-64.80	-50	PASS
Band40	20	39550	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.77	-71.27	-50	PASS
Band40	20	39550	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.98	-71.25	-50	PASS
Band40	20	39550	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.76	-66.73	-50	PASS
Band40	20	39550	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.34	-71.18	-50	PASS
Band40	20	39550	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.13	-71.37	-50	PASS

Band40	20	39550	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.06	-70.35	-50	PASS
Band40	20	39550	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.10	-69.72	-50	PASS
Band40	20	39550	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.85	-68.78	-50	PASS
Band40	20	39550	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.85	-65.74	-50	PASS
Band40	20	39550	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-66.69	-50	PASS
Band40	20	39550	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.40	-67.06	-50	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2199.01	-67.07	-50	PASS
Band40	20	39550	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.48	-71.53	-50	PASS
Band40	20	39550	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.26	-71.31	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.15	-49.77	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.91	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	810.66	-69.87	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-56.22	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2515.40	-57.74	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12633.81	-53.81	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.18	-79.78	-50	PASS
Band7	5	20775	1	#0	QPSK	1805	1	1863.80	-79.43	-50	PASS

						MHz-1880 MHz	MHz				
Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.22	-78.07	-50	PASS
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	948.38	-72.47	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.74	-80.75	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.04	-78.67	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.71	-80.75	-50	PASS
Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.15	-80.95	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.60	-80.50	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.24	-80.38	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.62	-79.94	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2396.00	-79.42	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3590.60	-78.56	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3621.20	-79.19	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.95	-79.57	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.26	-81.05	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.41	-80.88	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.38	-51.47	1.6	PASS

						MHz					
Band7	5	20775	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.64	-51.40	-15.5	PASS
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2614.53	-78.44	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.48	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.67	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	820.74	-69.85	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-55.17	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2547.88	-57.81	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12659.81	-53.73	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.46	-79.70	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.30	-79.00	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.58	-77.38	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-76.37	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.17	-80.68	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.92	-78.69	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.10	-80.72	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.69	-80.92	-50	PASS
Band7	5	21100	1	#0	QPSK	1452	1	1474.04	-80.48	-50	PASS

						MHz-1496 MHz	MHz				
Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.68	-80.16	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.43	-79.70	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.60	-79.39	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-78.50	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.00	-79.19	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2128.81	-79.74	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.92	-81.08	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.67	-80.84	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2573.36	-51.47	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.66	-51.40	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2616.53	-78.40	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.08	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.10	-55.44	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	888.35	-69.81	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-55.47	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2580.35	-58.23	-30	PASS

						MHz					
Band7	5	21425	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12599.69	-53.74	-30	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.34	-79.49	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.40	-79.38	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2686.36	-75.84	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-74.76	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.69	-80.68	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.68	-78.63	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.35	-80.67	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.22	-80.92	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.43	-80.43	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.54	-80.32	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2010.80	-79.65	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2367.10	-79.40	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.00	-78.51	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.20	-79.17	-50	PASS
Band7	5	21425	1	#0	QPSK	2110	1	2122.87	-79.46	-50	PASS

						MHz-2200 MHz	MHz				
Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.34	-81.08	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.22	-80.81	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-49.91	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.14	-51.38	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2617.90	-78.40	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.69	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.20	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	801.64	-69.90	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	2460.25	-59.70	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2545.38	-58.97	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12638.69	-53.60	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.20	-79.78	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.58	-79.49	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.98	-78.00	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.25	-74.96	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.56	-80.67	-50	PASS
Band7	20	20850	1	#0	QPSK	3510	1	3587.76	-78.62	-50	PASS

						MHz-3590 MHz	MHz				
Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	765.61	-80.71	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.66	-80.89	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.65	-80.51	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.30	-80.30	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.97	-79.60	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2375.30	-79.35	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-78.57	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3615.60	-79.19	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.29	-79.72	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.96	-81.03	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	765.42	-80.78	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.44	-51.45	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2591.84	-51.39	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.73	-78.45	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.74	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30	10	0.16	-61.16	-36	PASS

Band7	20	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	826.86	-69.91	-36	PASS
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-50.63	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2570.72	-58.92	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12645.19	-53.70	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.24	-79.73	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.35	-79.01	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.60	-77.19	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.15	-73.29	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.40	-80.63	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-78.58	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.47	-80.72	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.76	-80.85	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.08	-80.85	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.00	-64.53	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.31	-79.69	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.10	-79.36	-50	PASS

						MHz					
Band7	20	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-78.46	-50	PASS
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.60	-79.15	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.44	-79.68	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.56	-81.00	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.81	-80.81	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.70	-51.46	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.28	-51.37	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2612.50	-78.42	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-54.93	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.09	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-69.65	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2515.85	-49.45	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2751.94	-59.17	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12669.56	-53.66	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.48	-79.32	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.40	-77.92	-50	PASS

Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2684.68	-75.76	-50	PASS
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.28	-74.59	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.30	-80.67	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.12	-78.59	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	802.60	-80.76	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.20	-80.84	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.80	-80.79	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.00	-80.23	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.10	-79.55	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.20	-79.33	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3594.80	-78.55	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.80	-79.10	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2118.73	-79.49	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.68	-81.02	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.59	-80.77	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.08	-51.35	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575	5	2591.22	-51.39	-15.5	PASS

						MHz-2595 MHz	MHz				
Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2620.00	-78.44	-40	PASS
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.06	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.27	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.03	-47.79	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 MHz	100 kHz	884.32	-51.54	-36	PASS
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1488.50	-63.47	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5870.40	-58.67	-30	PASS
Band8	1.4	21457	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.68	-60.42	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2116.48	-83.56	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.58	-83.52	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2632.81	-80.78	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.25	-83.03	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.00	-84.45	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.80	-82.49	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.19	-84.32	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.20	-84.88	-50	PASS

						MHz					
Band8	1.4	21457	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.94	-84.82	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.22	-84.18	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.32	-83.88	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.00	-81.90	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.30	-83.25	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.20	-82.49	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.20	-83.12	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.59	-83.37	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.18	-84.98	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.99	-84.50	-50	PASS
Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.16	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.58	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	893.83	-46.73	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-51.30	-36	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1477.50	-63.41	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5814.60	-58.67	-30	PASS

						MHz					
Band8	1.4	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12627.83	-60.46	-30	PASS
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.20	-82.97	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.60	-82.17	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2631.41	-81.38	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.07	-78.26	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.39	-84.24	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.64	-82.59	-50	PASS
Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.52	-84.25	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.64	-84.82	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.48	-84.80	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.46	-84.12	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.11	-83.60	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.80	-81.77	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.50	-83.19	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.00	-82.46	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600	1	3619.00	-83.01	-50	PASS

						MHz-3800 MHz	MHz				
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.89	-81.68	-50	PASS
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.04	-84.86	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.28	-84.19	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.23	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.20	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.62	-47.52	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-57.53	-36	PASS
Band8	1.4	21793	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1470.00	-63.45	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1827.60	-57.28	-30	PASS
Band8	1.4	21793	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12652.80	-60.48	-30	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.22	-83.56	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.58	-81.88	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2624.83	-80.35	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.34	-76.07	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.08	-84.38	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-82.58	-50	PASS

Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.24	-84.41	-50	PASS
Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.52	-84.88	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.06	-84.78	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.02	-84.12	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.00	-83.83	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2576.45	-71.00	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2398.00	-83.24	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3590.20	-82.48	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3627.00	-83.09	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2119.27	-80.98	-50	PASS
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.90	-84.96	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.52	-84.06	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.14	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.30	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	869.08	-70.65	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	895.21	-69.64	-36	PASS
Band8	5	21475	1	#0	QPSK	1000	1	1457.50	-63.46	-30	PASS

						MHz-1500 MHz	MHz				
Band8	5	21475	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5852.40	-58.67	-30	PASS
Band8	5	21475	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12712.20	-60.49	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.92	-81.38	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.25	-81.66	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2621.96	-81.84	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.18	-78.85	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.56	-84.39	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-82.53	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.21	-84.25	-50	PASS
Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.13	-84.83	-50	PASS
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.29	-84.75	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.28	-83.99	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.67	-83.73	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2581.50	-77.39	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.80	-83.23	-50	PASS

Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.80	-82.49	-50	PASS
Band8	5	21475	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.20	-83.08	-50	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.35	-82.03	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.70	-84.97	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.81	-84.45	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.15	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.33	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	884.57	-67.73	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	912.52	-69.44	-36	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1367.00	-63.36	-30	PASS
Band8	5	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1790.70	-57.24	-30	PASS
Band8	5	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12666.98	-60.43	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.80	-82.78	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.65	-82.80	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.59	-81.95	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.11	-78.16	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821	1	794.87	-84.35	-50	PASS

						MHz	MHz				
Band8	5	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3571.20	-82.67	-50	PASS
Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	773.89	-84.28	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.91	-84.84	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.11	-84.79	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.08	-83.84	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.14	-83.76	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2597.00	-75.38	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.80	-83.30	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3405.80	-82.61	-50	PASS
Band8	5	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-83.04	-50	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.59	-82.82	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.24	-84.85	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.77	-84.33	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.48	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.51	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	899.57	-68.37	-36	PASS

Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 MHz	100 kHz	925.38	-71.93	-36	PASS
Band8	5	21775	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1462.50	-63.47	-30	PASS
Band8	5	21775	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2731.20	-58.47	-30	PASS
Band8	5	21775	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12592.73	-60.49	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2114.14	-83.41	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.78	-83.06	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2630.22	-73.32	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.20	-76.03	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.02	-84.17	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.92	-82.64	-50	PASS
Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	789.05	-84.18	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.54	-84.85	-50	PASS
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.73	-84.80	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.88	-84.27	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.90	-83.80	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.80	-82.21	-50	PASS

						MHz					
Band8	5	21775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.10	-83.25	-50	PASS
Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3498.40	-78.42	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-83.09	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2121.07	-83.43	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.96	-84.93	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.85	-84.05	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.16	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.55	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	817.74	-70.95	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	915.83	-69.19	-36	PASS
Band8	10	21500	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1448.00	-63.43	-30	PASS
Band8	10	21500	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5771.40	-58.62	-30	PASS
Band8	10	21500	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12574.50	-60.35	-30	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2136.22	-83.69	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.78	-82.72	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2673.48	-82.14	-50	PASS

						MHz					
Band8	10	21500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.32	-80.49	-50	PASS
Band8	10	21500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.51	-84.46	-50	PASS
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3583.04	-82.58	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	771.41	-84.32	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.43	-84.84	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.65	-84.80	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.04	-84.20	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.17	-83.82	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.80	-73.72	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.50	-83.30	-50	PASS
Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.20	-82.42	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.80	-83.10	-50	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.47	-83.24	-50	PASS
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-84.96	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.34	-84.30	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.26	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30	10	0.16	-63.99	-36	PASS

						MHz	kHz				
Band8	10	21625	1	#0	QPSK	30 MHz-877.50 MHz	100 kHz	875.55	-61.73	-36	PASS
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	917.58	-71.77	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1476.00	-63.39	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1786.20	-58.39	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12620.40	-60.44	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.34	-81.61	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1869.65	-82.49	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.17	-81.92	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	946.04	-74.89	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.38	-84.29	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3564.80	-82.80	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.06	-84.33	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.25	-84.84	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1452.31	-84.83	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.06	-83.95	-50	PASS
Band8	10	21625	1	#0	QPSK	2010	1	2011.20	-83.74	-50	PASS


						MHz-2025 MHz	MHz				
Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2578.75	-79.45	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.90	-83.34	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3464.40	-82.51	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.60	-83.08	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.08	-81.96	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.98	-84.95	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.70	-84.34	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.96	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.77	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	888.02	-63.48	-36	PASS
Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	936.51	-71.82	-36	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1370.50	-63.44	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1811.40	-56.86	-30	PASS
Band8	10	21750	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12656.85	-60.44	-30	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2115.88	-81.73	-50	PASS
Band8	10	21750	1	#0	QPSK	1805	1	1866.73	-82.54	-50	PASS

						MHz-1880 MHz	MHz				
Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2644.64	-81.96	-50	PASS
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	951.29	-76.23	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.33	-84.39	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.00	-82.49	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	786.76	-84.38	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.28	-84.85	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.06	-84.77	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.76	-83.43	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.38	-83.69	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2595.95	-77.99	-50	PASS
Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.80	-83.30	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-82.48	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.20	-83.05	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2117.38	-83.06	-50	PASS
Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.76	-84.95	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783	1	770.64	-84.23	-50	PASS

							MHz	MHz			
--	--	--	--	--	--	--	-----	-----	--	--	--


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27225 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27360 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27235 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27494 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27360 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27484 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27310 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27360 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27409 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=38675 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39625 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

Conducted spurious emissions



Clause 4.2.5 LTE Transmitter minimum output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-48.34	-39	PASS
Band1	5	18300	25	#0	QPSK	-50.26	-39	PASS
Band1	5	18575	25	#0	QPSK	-49.80	-39	PASS
Band1	20	18100	100	#0	QPSK	-49.14	-39	PASS
Band1	20	18300	100	#0	QPSK	-49.22	-39	PASS
Band1	20	18500	100	#0	QPSK	-49.35	-39	PASS
Band20	5	24175	25	#0	QPSK	-51.09	-39	PASS
Band20	5	24300	25	#0	QPSK	-51.27	-39	PASS
Band20	5	24425	25	#0	QPSK	-51.49	-39	PASS
Band20	20	24250	100	#0	QPSK	-50.67	-39	PASS
Band20	20	24300	100	#0	QPSK	-50.73	-39	PASS
Band20	20	24350	100	#0	QPSK	-50.82	-39	PASS
Band28	3	27225	15	#0	QPSK	-49.07	-39	PASS
Band28	3	27360	15	#0	QPSK	-52.33	-39	PASS
Band28	3	27494	15	#0	QPSK	-52.03	-39	PASS
Band28	5	27235	25	#0	QPSK	-51.34	-39	PASS
Band28	5	27360	25	#0	QPSK	-51.32	-39	PASS
Band28	5	27484	25	#0	QPSK	-51.06	-39	PASS
Band28	20	27310	100	#0	QPSK	-50.99	-39	PASS
Band28	20	27360	100	#0	QPSK	-51.03	-39	PASS
Band28	20	27409	100	#0	QPSK	-50.92	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-48.76	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-48.97	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-49.11	-39	PASS
Band3	5	19225	25	#0	QPSK	-48.60	-39	PASS
Band3	5	19575	25	#0	QPSK	-48.91	-39	PASS
Band3	5	19925	25	#0	QPSK	-49.26	-39	PASS
Band3	20	19300	100	#0	QPSK	-48.50	-39	PASS
Band3	20	19575	100	#0	QPSK	-48.66	-39	PASS
Band3	20	19850	100	#0	QPSK	-48.87	-39	PASS
Band40	5	38675	25	#0	QPSK	-50.71	-39	PASS
Band40	5	39150	25	#0	QPSK	-51.16	-39	PASS
Band40	5	39625	25	#0	QPSK	-50.96	-39	PASS
Band40	20	38750	100	#0	QPSK	-50.53	-39	PASS
Band40	20	39150	100	#0	QPSK	-50.95	-39	PASS
Band40	20	39550	100	#0	QPSK	-50.52	-39	PASS
Band7	5	20775	25	#0	QPSK	-50.16	-39	PASS
Band7	5	21100	25	#0	QPSK	-50.32	-39	PASS
Band7	5	21425	25	#0	QPSK	-50.49	-39	PASS
Band7	20	20850	100	#0	QPSK	-50.07	-39	PASS
Band7	20	21100	100	#0	QPSK	-49.90	-39	PASS
Band7	20	21350	100	#0	QPSK	-50.46	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-50.88	-39	PASS

Band8	1.4	21625	6	#0	QPSK	-51.29	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-51.42	-39	PASS
Band8	5	21475	25	#0	QPSK	-50.74	-39	PASS
Band8	5	21625	25	#0	QPSK	-51.32	-39	PASS
Band8	5	21775	25	#0	QPSK	-51.45	-39	PASS
Band8	10	21500	50	#0	QPSK	-50.61	-39	PASS
Band8	10	21625	50	#0	QPSK	-51.22	-39	PASS
Band8	10	21750	50	#0	QPSK	-51.02	-39	PASS

Clause 4.2.6 LTE Receiver adjacent channel selectivity

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band28	3	27360	15	QPSK	Case1	769.9925	-54	100.00	95	PASS
Band28	3	27360	15	QPSK	Case1	776.0075	-54	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	769.9925	-25	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	776.0075	-25	100.00	95	PASS
Band28	5	27360	25	QPSK	Case1	767.9975	-52.3	100.00	95	PASS
Band28	5	27360	25	QPSK	Case1	778.0025	-52.3	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	767.9975	-25	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	778.0025	-25	100.00	95	PASS
Band28	20	27360	100	QPSK	Case1	760.4975	-50.8	100.00	95	PASS
Band28	20	27360	100	QPSK	Case1	785.5025	-50.8	100.00	95	PASS
Band28	20	27360	100	QPSK	Case2	760.4975	-25	100.00	95	PASS
Band28	20	27360	100	QPSK	Case2	785.5025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2344.9975	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2355.0025	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2344.9975	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2355.0025	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2337.4975	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2362.5025	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2337.4975	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2362.5025	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	99.36	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	99.77	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

Clause 4.2.7 LTE Receiver blocking characteristics in-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS

Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case1	766.9925	-56	100.00	95	PASS
Band28	3	27360	15	QPSK	Case1	779.0075	-56	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	763.9925	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	760.9925	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	757.9925	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	754.9925	-44	100.00	95	PASS

Band28	3	27360	15	QPSK	Case2	751.9925	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	748.9925	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	745.9925	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	782.0075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	785.0075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	788.0075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	791.0075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	794.0075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	797.0075	-44	100.00	95	PASS
Band28	3	27360	15	QPSK	Case2	800.0075	-44	100.00	95	PASS
Band28	5	27360	25	QPSK	Case1	762.9875	-56	100.00	95	PASS
Band28	5	27360	25	QPSK	Case1	783.0125	-56	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	757.9925	-44	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	752.9925	-44	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	747.9925	-44	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	788.0075	-44	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	793.0075	-44	100.00	95	PASS
Band28	5	27360	25	QPSK	Case2	798.0075	-44	100.00	95	PASS
Band28	20	27360	100	QPSK	Case1	755.4875	-56	100.00	95	PASS
Band28	20	27360	100	QPSK	Case1	790.5125	-56	100.00	95	PASS
Band28	20	27360	100	QPSK	Case2	750.4925	-44	100.00	95	PASS
Band28	20	27360	100	QPSK	Case2	745.4925	-44	100.00	95	PASS
Band28	20	27360	100	QPSK	Case2	795.5075	-44	100.00	95	PASS
Band28	20	27360	100	QPSK	Case2	800.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	99.88	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS

Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2339.9875	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2360.0125	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2334.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2329.9925	-44	100.00	95	PASS

Band40	5	39150	25	QPSK	Case2	2324.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2319.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2314.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2309.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2304.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2299.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2294.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2289.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2365.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2370.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2375.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2380.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2385.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2390.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2395.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2400.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2405.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2410.0075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2332.4875	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2367.5125	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2327.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2322.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2317.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2312.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2307.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2302.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2297.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2292.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2287.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2372.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2377.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2382.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2387.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2392.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2397.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2402.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2407.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2412.5075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS

Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS

Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS

Clause 4.2.7 LTE Receiver blocking characteristics narrow-band

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band28	3	27360	15	QPSK	771.2975	-55	100.00	95	PASS
Band28	3	27360	15	QPSK	774.7025	-55	100.00	95	PASS
Band28	5	27360	25	QPSK	770.2925	-55	100.00	95	PASS
Band28	5	27360	25	QPSK	775.7075	-55	100.00	95	PASS
Band28	20	27360	100	QPSK	762.7925	-55	100.00	95	PASS
Band28	20	27360	100	QPSK	783.2075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2347.2925	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2352.7075	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2339.7925	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2360.2075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

Clause 4.2.8 LTE Receiver Spurious Response

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	-----------------	------------	------------	------------	-------------------------	--------------------------	----------------	-----------	---------

Clause 4.2.9 LTE Receiver intermodulation characteristics

Band	Bandwidth (MHz)	UL Channel	UL RB	Modulation	Interference 1 Freq	Interference 1 Level	Interference 2 Freq	Interference 2 Level	Throughput (%)	Limit	Verdict
------	-----------------	------------	-------	------------	---------------------	----------------------	---------------------	----------------------	----------------	-------	---------

		el	Size		(MHz)	(dBm)	(MHz)	(dBm)		(%)	
Band1	5	18300	25	QPSK	2130	-46	2120	-46	99.89	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band2 0	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS
Band2 0	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band2 0	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band2 0	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band2 8	3	27360	15	QPSK	767	-46	761	-46	100.00	95	PASS
Band2 8	3	27360	15	QPSK	779	-46	785	-46	100.00	95	PASS
Band2 8	5	27360	25	QPSK	763	-46	753	-46	100.00	95	PASS
Band2 8	5	27360	25	QPSK	783	-46	793	-46	100.00	95	PASS
Band2 8	20	27360	100	QPSK	755.5	-46	738	-46	100.00	95	PASS
Band2 8	20	27360	100	QPSK	790.5	-46	808	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band4 0	5	39150	25	QPSK	2340	-46	2330	-46	100.00	95	PASS
Band4 0	5	39150	25	QPSK	2360	-46	2370	-46	100.00	95	PASS
Band4 0	20	39150	100	QPSK	2332.5	-46	2315	-46	100.00	95	PASS
Band4 0	20	39150	100	QPSK	2367.5	-46	2385	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS

Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS

Clause 4.2.10 LTE Receiver spurious emissions


Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	866.53	-89.80	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	2465.81	-67.80	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	866.43	-90.66	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	2480.50	-72.66	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	866.53	-90.51	-57	PASS
Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	2469.73	-57.65	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	801.64	-83.42	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	2475.60	-59.43	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000 MHz	100 kHz	798.53	-83.15	-57	PASS
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2430.56	-59.61	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	802.22	-82.79	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	2428.60	-63.94	-47	PASS
Band28	20	27310	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-83.92	-57	PASS
Band28	20	27310	QPSK	1000 MHz-12.75 GHz	1 MHz	2467.77	-65.79	-47	PASS
Band28	20	27360	QPSK	30 MHz-1000 MHz	100 kHz	879.43	-83.10	-57	PASS
Band28	20	27360	QPSK	1000 MHz-12.75 GHz	1 MHz	2522.60	-78.79	-47	PASS
Band28	20	27409	QPSK	30 MHz-1000 MHz	100 kHz	769.04	-86.94	-57	PASS

Band28	20	27409	QPSK	1000 MHz-12.75 GHz	1 MHz	2472.67	-61.09	-47	PASS
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	946.36	-89.04	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	1817.60	-77.41	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	946.46	-88.26	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1722.63	-65.23	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	896.70	-66.32	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	2475.60	-55.86	-47	PASS
Band40	20	38750	QPSK	30 MHz-1000 MHz	100 kHz	890.10	-61.93	-57	PASS
Band40	20	38750	QPSK	1000 MHz-12.75 GHz	1 MHz	2317.96	-74.92	-47	PASS
Band40	20	39150	QPSK	30 MHz-1000 MHz	100 kHz	948.78	-81.35	-57	PASS
Band40	20	39150	QPSK	1000 MHz-12.75 GHz	1 MHz	2357.13	-77.80	-47	PASS
Band40	20	39550	QPSK	30 MHz-1000 MHz	100 kHz	879.53	-85.22	-57	PASS
Band40	20	39550	QPSK	1000 MHz-12.75 GHz	1 MHz	2381.60	-75.24	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	945.78	-82.54	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2440.35	-72.89	-47	PASS
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	945.78	-85.45	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2517.71	-71.22	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	945.78	-84.90	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	2402.17	-74.17	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-79.83	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	1903.77	-76.71	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	948.88	-81.75	-57	PASS

Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	2459.94	-78.76	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	950.53	-85.37	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	2459.94	-77.69	-47	PASS


Band1 QPSK BW=20MHz Channel=18300

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27409

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27360

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27310

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21625

Conducted spurious emissions



Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	54.37	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	35.94	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	34.00	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	51.06	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	51.85	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	54.79	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	54.51	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	52.47	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	51.70	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	35.46	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	37.25	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	54.59	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	48.99	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	38.48	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	37.77	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	37.13	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	37.87	32.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2+	48.99	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2-	53.41	35.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR1-	39.06	32.2	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR-	37.15	29.2	PASS
Band1	5	18025	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QAM16	E-ACLR+	50.62	29.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR+	51.35	32.2	PASS
Band1	5	18025	8	#0	QAM16	U-ACLR2+	53.77	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2-	53.48	35.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR1-	51.90	32.2	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR-	51.19	29.2	PASS
Band1	5	18025	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QAM16	E-ACLR+	38.73	29.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR+	40.48	32.2	PASS
Band1	5	18025	8	#Max	QAM16	U-ACLR2+	53.66	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2-	50.25	35.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR1-	39.51	32.2	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR-	38.76	29.2	PASS
Band1	5	18025	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QAM16	E-ACLR+	38.14	29.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR+	38.82	32.2	PASS
Band1	5	18025	25	#0	QAM16	U-ACLR2+	50.13	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2-	54.17	35.2	PASS

Band1	5	18300	8	#0	QPSK	U-ACLR1-	37.42	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	35.62	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	51.50	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	52.29	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	54.64	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	54.33	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	51.60	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	50.80	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	35.68	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	37.58	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	54.38	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	49.26	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	39.40	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	38.69	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	39.59	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	40.31	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	50.39	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2-	53.24	35.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR1-	39.13	32.2	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR-	37.17	29.2	PASS
Band1	5	18300	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QAM16	E-ACLR+	50.85	29.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR+	51.60	32.2	PASS
Band1	5	18300	8	#0	QAM16	U-ACLR2+	53.65	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2-	53.30	35.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR1-	51.07	32.2	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR-	50.32	29.2	PASS
Band1	5	18300	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QAM16	E-ACLR+	37.32	29.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR+	39.44	32.2	PASS
Band1	5	18300	8	#Max	QAM16	U-ACLR2+	53.49	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2-	50.01	35.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR1-	39.09	32.2	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR-	38.34	29.2	PASS
Band1	5	18300	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QAM16	E-ACLR+	39.09	29.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR+	39.83	32.2	PASS
Band1	5	18300	25	#0	QAM16	U-ACLR2+	50.71	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	54.59	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	39.90	32.2	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR-	37.89	29.2	PASS

Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	51.13	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	51.95	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	55.12	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	54.82	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	52.39	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	51.56	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	36.66	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	38.74	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	54.85	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	51.38	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	42.95	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	42.19	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	40.78	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	41.46	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	50.78	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2-	53.77	35.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR1-	43.36	32.2	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR-	41.36	29.2	PASS
Band1	5	18575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QAM16	E-ACLR+	50.74	29.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR+	51.43	32.2	PASS
Band1	5	18575	8	#0	QAM16	U-ACLR2+	54.08	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2-	53.84	35.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR1-	52.13	32.2	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR-	51.41	29.2	PASS
Band1	5	18575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QAM16	E-ACLR+	40.03	29.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR+	42.04	32.2	PASS
Band1	5	18575	8	#Max	QAM16	U-ACLR2+	54.02	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2-	51.07	35.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR1-	42.65	32.2	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR-	41.86	29.2	PASS
Band1	5	18575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QAM16	E-ACLR+	40.36	29.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR+	41.13	32.2	PASS
Band1	5	18575	25	#0	QAM16	U-ACLR2+	50.52	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	53.02	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	36.73	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	36.32	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR+	49.65	29.2	PASS

Band1	10	18050	12	#0	QPSK	U-ACLR+	53.17	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	53.55	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	53.56	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	53.69	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	49.91	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	38.47	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	38.91	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	53.66	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	44.04	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	41.96	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	39.19	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	38.01	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	40.93	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	42.58	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2-	52.46	35.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR1-	38.55	32.2	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR-	37.87	29.2	PASS
Band1	10	18050	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	QAM16	E-ACLR+	48.72	29.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR+	52.25	32.2	PASS
Band1	10	18050	12	#0	QAM16	U-ACLR2+	52.64	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2-	52.59	35.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR1-	52.75	32.2	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR-	48.96	29.2	PASS
Band1	10	18050	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QAM16	E-ACLR+	39.52	29.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR+	40.19	32.2	PASS
Band1	10	18050	12	#Max	QAM16	U-ACLR2+	52.82	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2-	44.99	35.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR1-	42.04	32.2	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR-	39.52	29.2	PASS
Band1	10	18050	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QAM16	E-ACLR+	38.40	29.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR+	41.00	32.2	PASS
Band1	10	18050	50	#0	QAM16	U-ACLR2+	43.66	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	52.81	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	37.64	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	37.22	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	49.96	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	53.52	32.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2+	53.80	35.2	PASS

Band1	10	18300	12	#Max	QPSK	U-ACLR2-	53.03	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	52.81	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	49.22	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	37.23	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	37.69	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	53.21	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	42.75	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	41.50	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	38.42	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	39.78	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	42.75	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	44.45	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2-	52.24	35.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR1-	39.20	32.2	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR-	38.53	29.2	PASS
Band1	10	18300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QAM16	E-ACLR+	49.14	29.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR+	52.69	32.2	PASS
Band1	10	18300	12	#0	QAM16	U-ACLR2+	53.05	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2-	52.14	35.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR1-	52.12	32.2	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR-	48.42	29.2	PASS
Band1	10	18300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QAM16	E-ACLR+	38.55	29.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR+	39.20	32.2	PASS
Band1	10	18300	12	#Max	QAM16	U-ACLR2+	52.61	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2-	43.52	35.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR1-	40.52	32.2	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR-	38.05	29.2	PASS
Band1	10	18300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QAM16	E-ACLR+	39.29	29.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR+	41.61	32.2	PASS
Band1	10	18300	50	#0	QAM16	U-ACLR2+	45.06	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	53.46	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	40.76	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	40.15	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	49.97	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	53.38	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	53.99	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	53.88	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR1-	53.83	32.2	PASS

Band1	10	18550	12	#Max	QPSK	E-ACLR-	50.17	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	39.24	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	39.79	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	54.05	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	48.97	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	45.96	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	43.42	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	41.51	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	44.25	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	46.54	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2-	52.80	35.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR1-	41.73	32.2	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR-	40.98	29.2	PASS
Band1	10	18550	12	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QAM16	E-ACLR+	49.18	29.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR+	52.64	32.2	PASS
Band1	10	18550	12	#0	QAM16	U-ACLR2+	53.19	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2-	53.06	35.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR1-	53.10	32.2	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR-	49.37	29.2	PASS
Band1	10	18550	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QAM16	E-ACLR+	40.50	29.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR+	41.16	32.2	PASS
Band1	10	18550	12	#Max	QAM16	U-ACLR2+	53.36	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2-	47.67	35.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR1-	43.53	32.2	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR-	41.43	29.2	PASS
Band1	10	18550	50	#0	QAM16	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QAM16	E-ACLR+	39.53	29.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR+	41.76	32.2	PASS
Band1	10	18550	50	#0	QAM16	U-ACLR2+	45.50	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	51.42	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	38.33	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR-	38.81	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	47.27	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	53.87	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	53.81	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	52.93	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	53.64	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	47.01	29.2	PASS
Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS

Band1	20	18100	18	#Max	QPSK	E-ACLR+	39.93	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	39.64	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	52.89	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	46.23	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	45.19	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	39.90	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	39.27	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	44.44	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	45.94	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2-	50.93	35.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR1-	39.49	32.2	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR-	39.82	29.2	PASS
Band1	20	18100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QAM16	E-ACLR+	46.24	29.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR+	52.82	32.2	PASS
Band1	20	18100	18	#0	QAM16	U-ACLR2+	52.75	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2-	51.92	35.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR1-	52.63	32.2	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR-	46.01	29.2	PASS
Band1	20	18100	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QAM16	E-ACLR+	40.69	29.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR+	40.58	32.2	PASS
Band1	20	18100	18	#Max	QAM16	U-ACLR2+	52.20	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2-	45.95	35.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR1-	44.64	32.2	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR-	39.81	29.2	PASS
Band1	20	18100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QAM16	E-ACLR+	39.25	29.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR+	44.19	32.2	PASS
Band1	20	18100	100	#0	QAM16	U-ACLR2+	45.47	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	51.31	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	38.48	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	38.86	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR+	47.69	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	54.06	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	54.00	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	52.57	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	53.19	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	46.60	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	38.85	29.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR+	38.20	32.2	PASS

Band1	20	18300	18	#Max	QPSK	U-ACLR2+	51.84	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	43.89	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	42.59	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	37.52	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	39.06	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	44.73	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	45.96	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2-	50.98	35.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR1-	39.84	32.2	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR-	39.95	29.2	PASS
Band1	20	18300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QAM16	E-ACLR+	46.77	29.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR+	53.14	32.2	PASS
Band1	20	18300	18	#0	QAM16	U-ACLR2+	53.08	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2-	51.56	35.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR1-	52.25	32.2	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR-	45.65	29.2	PASS
Band1	20	18300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QAM16	E-ACLR+	40.22	29.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR+	39.97	32.2	PASS
Band1	20	18300	18	#Max	QAM16	U-ACLR2+	51.84	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2-	43.68	35.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR1-	42.45	32.2	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR-	37.72	29.2	PASS
Band1	20	18300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QAM16	E-ACLR+	39.19	29.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR+	44.09	32.2	PASS
Band1	20	18300	100	#0	QAM16	U-ACLR2+	45.52	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	50.87	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	38.68	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	38.96	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	47.76	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	54.22	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	54.30	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	53.23	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	53.97	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	47.04	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	40.11	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	39.54	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	53.14	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2-	46.57	35.2	PASS

Band1	20	18500	100	#0	QPSK	U-ACLR1-	46.13	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	40.42	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	39.22	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	43.62	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	45.33	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2-	50.91	35.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR1-	40.45	32.2	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR-	40.43	29.2	PASS
Band1	20	18500	18	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QAM16	E-ACLR+	46.80	29.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR+	53.31	32.2	PASS
Band1	20	18500	18	#0	QAM16	U-ACLR2+	53.34	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2-	52.24	35.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR1-	53.02	32.2	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR-	46.09	29.2	PASS
Band1	20	18500	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QAM16	E-ACLR+	41.49	29.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR+	41.36	32.2	PASS
Band1	20	18500	18	#Max	QAM16	U-ACLR2+	52.40	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2-	45.90	35.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR1-	45.13	32.2	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR-	39.83	29.2	PASS
Band1	20	18500	100	#0	QAM16	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QAM16	E-ACLR+	38.80	29.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR+	43.00	32.2	PASS
Band1	20	18500	100	#0	QAM16	U-ACLR2+	44.53	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	54.50	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	43.97	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	42.41	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	51.54	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	52.13	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	54.76	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	54.60	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	53.09	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	52.40	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	42.36	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	43.84	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	54.70	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	53.15	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	44.35	32.2	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR-	43.59	29.2	PASS

Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	42.42	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	43.06	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	51.38	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2-	53.49	35.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR1-	44.92	32.2	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR-	43.35	29.2	PASS
Band20	5	24175	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QAM16	E-ACLR+	50.70	29.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR+	51.30	32.2	PASS
Band20	5	24175	8	#0	QAM16	U-ACLR2+	53.74	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2-	53.55	35.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR1-	52.35	32.2	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR-	51.65	29.2	PASS
Band20	5	24175	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QAM16	E-ACLR+	43.03	29.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR+	44.65	32.2	PASS
Band20	5	24175	8	#Max	QAM16	U-ACLR2+	53.78	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2-	52.29	35.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR1-	43.70	32.2	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR-	42.88	29.2	PASS
Band20	5	24175	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QAM16	E-ACLR+	41.76	29.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR+	42.41	32.2	PASS
Band20	5	24175	25	#0	QAM16	U-ACLR2+	51.14	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	54.43	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	44.74	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	43.18	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	51.61	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	52.21	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	54.72	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	54.42	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	52.49	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	51.80	29.2	PASS
Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	43.76	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	45.24	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	54.53	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	52.16	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	44.56	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	43.87	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR+	43.50	29.2	PASS

Band20	5	24300	25	#0	QPSK	U-ACLR+	44.12	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	51.93	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	54.35	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	44.20	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	42.25	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	51.74	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	52.32	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	54.68	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	54.38	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	52.14	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	51.49	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	42.53	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR+	44.55	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	54.51	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	52.55	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	43.92	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	43.24	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	43.73	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	44.40	32.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2+	51.80	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2-	53.35	35.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR1-	44.91	32.2	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR-	42.99	29.2	PASS
Band20	5	24425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QAM16	E-ACLR+	51.09	29.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR+	51.71	32.2	PASS
Band20	5	24425	8	#0	QAM16	U-ACLR2+	53.65	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2-	53.45	35.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR1-	51.21	32.2	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR-	50.58	29.2	PASS
Band20	5	24425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QAM16	E-ACLR+	43.02	29.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR+	45.22	32.2	PASS
Band20	5	24425	8	#Max	QAM16	U-ACLR2+	53.58	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2-	51.72	35.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR1-	43.69	32.2	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR-	42.89	29.2	PASS
Band20	5	24425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QAM16	E-ACLR+	42.61	29.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR+	43.36	32.2	PASS
Band20	5	24425	25	#0	QAM16	U-ACLR2+	51.22	35.2	PASS

Band20	10	24200	12	#0	QPSK	U-ACLR2-	54.10	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	43.32	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	42.63	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	49.70	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	53.42	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	53.52	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	54.09	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	53.79	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	50.21	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	43.85	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	44.67	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	53.99	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	51.84	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	46.19	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	44.45	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	42.41	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	46.01	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	46.26	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2-	53.12	35.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR1-	44.04	32.2	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR-	43.04	29.2	PASS
Band20	10	24200	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QAM16	E-ACLR+	48.77	29.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR+	52.46	32.2	PASS
Band20	10	24200	12	#0	QAM16	U-ACLR2+	52.59	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2-	53.10	35.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR1-	52.82	32.2	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR-	49.24	29.2	PASS
Band20	10	24200	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QAM16	E-ACLR+	43.73	29.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR+	44.81	32.2	PASS
Band20	10	24200	12	#Max	QAM16	U-ACLR2+	52.98	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2-	51.21	35.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR1-	45.41	32.2	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR-	43.70	29.2	PASS
Band20	10	24200	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QAM16	E-ACLR+	41.39	29.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR+	44.09	32.2	PASS
Band20	10	24200	50	#0	QAM16	U-ACLR2+	46.51	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	53.50	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	44.63	32.2	PASS

Band20	10	24300	12	#0	QPSK	E-ACLR-	43.73	29.2	PASS
Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	49.71	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	53.37	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	53.56	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	53.44	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	53.47	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	49.76	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	44.23	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	45.15	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	54.00	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	48.35	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	46.61	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR-	43.76	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	43.56	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	46.85	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	47.91	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2-	52.58	35.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR1-	45.03	32.2	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR-	43.85	29.2	PASS
Band20	10	24300	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QAM16	E-ACLR+	48.81	29.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR+	52.43	32.2	PASS
Band20	10	24300	12	#0	QAM16	U-ACLR2+	52.74	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2-	52.41	35.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR1-	52.48	32.2	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR-	48.74	29.2	PASS
Band20	10	24300	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QAM16	E-ACLR+	44.34	29.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR+	45.52	32.2	PASS
Band20	10	24300	12	#Max	QAM16	U-ACLR2+	53.05	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2-	48.18	35.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR1-	44.88	32.2	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR-	42.55	29.2	PASS
Band20	10	24300	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QAM16	E-ACLR+	41.98	29.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR+	44.38	32.2	PASS
Band20	10	24300	50	#0	QAM16	U-ACLR2+	47.72	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	53.37	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	46.23	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	45.02	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS

Band20	10	24400	12	#0	QPSK	E-ACLR+	49.72	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR+	53.60	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	53.38	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	53.19	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	53.28	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	49.53	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	43.32	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	44.20	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	53.83	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	48.89	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	47.57	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	44.57	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR+	44.18	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	47.89	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	48.05	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2-	52.59	35.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR1-	46.16	32.2	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR-	44.73	29.2	PASS
Band20	10	24400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QAM16	E-ACLR+	48.92	29.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR+	52.71	32.2	PASS
Band20	10	24400	12	#0	QAM16	U-ACLR2+	52.69	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2-	52.29	35.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR1-	52.30	32.2	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR-	48.59	29.2	PASS
Band20	10	24400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QAM16	E-ACLR+	43.82	29.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR+	44.98	32.2	PASS
Band20	10	24400	12	#Max	QAM16	U-ACLR2+	52.90	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2-	48.39	35.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR1-	45.36	32.2	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR-	42.98	29.2	PASS
Band20	10	24400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QAM16	E-ACLR+	42.90	29.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR+	45.79	32.2	PASS
Band20	10	24400	50	#0	QAM16	U-ACLR2+	47.85	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	53.18	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	43.89	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	43.27	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	46.91	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	54.03	32.2	PASS

Band20	20	24250	18	#0	QPSK	U-ACLR2+	53.80	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	53.33	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	53.73	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	47.35	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	44.10	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	45.56	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	53.49	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	51.64	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	47.67	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	44.38	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	42.13	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	47.74	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	49.36	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2-	52.17	35.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR1-	44.13	32.2	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR-	43.15	29.2	PASS
Band20	20	24250	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QAM16	E-ACLR+	46.07	29.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR+	52.96	32.2	PASS
Band20	20	24250	18	#0	QAM16	U-ACLR2+	52.92	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2-	52.24	35.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR1-	52.66	32.2	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR-	46.26	29.2	PASS
Band20	20	24250	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QAM16	E-ACLR+	43.60	29.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR+	45.04	32.2	PASS
Band20	20	24250	18	#Max	QAM16	U-ACLR2+	52.61	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2-	50.66	35.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR1-	46.84	32.2	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR-	43.49	29.2	PASS
Band20	20	24250	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QAM16	E-ACLR+	40.94	29.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR+	45.65	32.2	PASS
Band20	20	24250	100	#0	QAM16	U-ACLR2+	47.52	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	52.54	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	44.69	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	43.60	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	46.92	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	54.13	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	53.81	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	52.95	35.2	PASS

Band20	20	24300	18	#Max	QPSK	U-ACLR1-	53.60	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR-	47.17	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	44.61	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	46.02	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	53.67	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	48.80	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	47.30	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	43.27	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	42.73	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	48.61	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	49.67	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2-	51.57	35.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR1-	44.74	32.2	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR-	43.30	29.2	PASS
Band20	20	24300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QAM16	E-ACLR+	46.04	29.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR+	53.02	32.2	PASS
Band20	20	24300	18	#0	QAM16	U-ACLR2+	52.87	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2-	52.07	35.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR1-	52.63	32.2	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR-	46.19	29.2	PASS
Band20	20	24300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QAM16	E-ACLR+	44.50	29.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR+	46.60	32.2	PASS
Band20	20	24300	18	#Max	QAM16	U-ACLR2+	52.78	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2-	47.97	35.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR1-	46.41	32.2	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR-	42.40	29.2	PASS
Band20	20	24300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QAM16	E-ACLR+	41.57	29.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR+	46.60	32.2	PASS
Band20	20	24300	100	#0	QAM16	U-ACLR2+	47.89	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	52.41	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	44.68	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	43.49	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	47.25	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	54.14	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	53.74	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	52.72	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	53.41	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	46.69	29.2	PASS

Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR+	43.32	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	43.97	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	53.21	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	48.30	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	47.74	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	42.67	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	43.83	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	48.88	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	49.64	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2-	51.50	35.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR1-	44.71	32.2	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR-	43.29	29.2	PASS
Band20	20	24350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QAM16	E-ACLR+	46.36	29.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR+	53.12	32.2	PASS
Band20	20	24350	18	#0	QAM16	U-ACLR2+	52.84	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2-	51.81	35.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR1-	52.43	32.2	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR-	45.77	29.2	PASS
Band20	20	24350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QAM16	E-ACLR+	43.46	29.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR+	44.74	32.2	PASS
Band20	20	24350	18	#Max	QAM16	U-ACLR2+	52.37	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2-	47.20	35.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR1-	46.35	32.2	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR-	41.63	29.2	PASS
Band20	20	24350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QAM16	E-ACLR+	42.21	29.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR+	46.89	32.2	PASS
Band20	20	24350	100	#0	QAM16	U-ACLR2+	47.85	35.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR1-	48.21	32.2	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR-	43.25	29.2	PASS
Band28	3	27225	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR+	51.98	29.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR+	51.18	32.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR1-	52.02	32.2	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR-	52.68	29.2	PASS
Band28	3	27225	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR+	45.36	29.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR+	49.01	32.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR1-	46.83	32.2	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR-	45.88	29.2	PASS

Band28	3	27225	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR+	42.59	29.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR+	43.30	32.2	PASS
Band28	3	27225	4	#0	QAM16	U-ACLR1-	48.24	32.2	PASS
Band28	3	27225	4	#0	QAM16	E-ACLR-	43.28	29.2	PASS
Band28	3	27225	4	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	QAM16	E-ACLR+	51.30	29.2	PASS
Band28	3	27225	4	#0	QAM16	U-ACLR+	50.48	32.2	PASS
Band28	3	27225	4	#Max	QAM16	U-ACLR1-	51.33	32.2	PASS
Band28	3	27225	4	#Max	QAM16	E-ACLR-	52.03	29.2	PASS
Band28	3	27225	4	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	QAM16	E-ACLR+	45.53	29.2	PASS
Band28	3	27225	4	#Max	QAM16	U-ACLR+	48.45	32.2	PASS
Band28	3	27225	15	#0	QAM16	U-ACLR1-	47.24	32.2	PASS
Band28	3	27225	15	#0	QAM16	E-ACLR-	46.50	29.2	PASS
Band28	3	27225	15	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	QAM16	E-ACLR+	43.61	29.2	PASS
Band28	3	27225	15	#0	QAM16	U-ACLR+	44.25	32.2	PASS
Band28	3	27360	4	#0	QPSK	U-ACLR1-	49.22	32.2	PASS
Band28	3	27360	4	#0	QPSK	E-ACLR-	43.55	29.2	PASS
Band28	3	27360	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27360	4	#0	QPSK	E-ACLR+	52.48	29.2	PASS
Band28	3	27360	4	#0	QPSK	U-ACLR+	51.65	32.2	PASS
Band28	3	27360	4	#Max	QPSK	U-ACLR1-	51.73	32.2	PASS
Band28	3	27360	4	#Max	QPSK	E-ACLR-	52.55	29.2	PASS
Band28	3	27360	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27360	4	#Max	QPSK	E-ACLR+	45.51	29.2	PASS
Band28	3	27360	4	#Max	QPSK	U-ACLR+	49.69	32.2	PASS
Band28	3	27360	15	#0	QPSK	U-ACLR1-	43.97	32.2	PASS
Band28	3	27360	15	#0	QPSK	E-ACLR-	42.55	29.2	PASS
Band28	3	27360	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27360	15	#0	QPSK	E-ACLR+	44.32	29.2	PASS
Band28	3	27360	15	#0	QPSK	U-ACLR+	45.40	32.2	PASS
Band28	3	27360	4	#0	QAM16	U-ACLR1-	48.95	32.2	PASS
Band28	3	27360	4	#0	QAM16	E-ACLR-	44.25	29.2	PASS
Band28	3	27360	4	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27360	4	#0	QAM16	E-ACLR+	51.86	29.2	PASS
Band28	3	27360	4	#0	QAM16	U-ACLR+	50.99	32.2	PASS
Band28	3	27360	4	#Max	QAM16	U-ACLR1-	51.15	32.2	PASS
Band28	3	27360	4	#Max	QAM16	E-ACLR-	52.05	29.2	PASS
Band28	3	27360	4	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	3	27360	4	#Max	QAM16	E-ACLR+	46.18	29.2	PASS
Band28	3	27360	4	#Max	QAM16	U-ACLR+	49.26	32.2	PASS
Band28	3	27360	15	#0	QAM16	U-ACLR1-	43.80	32.2	PASS

Band28	3	27360	15	#0	QAM16	E-ACLR-	42.40	29.2	PASS
Band28	3	27360	15	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27360	15	#0	QAM16	E-ACLR+	44.56	29.2	PASS
Band28	3	27360	15	#0	QAM16	U-ACLR+	45.54	32.2	PASS
Band28	3	27494	4	#0	QPSK	U-ACLR1-	46.54	32.2	PASS
Band28	3	27494	4	#0	QPSK	E-ACLR-	39.20	29.2	PASS
Band28	3	27494	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27494	4	#0	QPSK	E-ACLR+	52.97	29.2	PASS
Band28	3	27494	4	#0	QPSK	U-ACLR+	52.14	32.2	PASS
Band28	3	27494	4	#Max	QPSK	U-ACLR1-	51.89	32.2	PASS
Band28	3	27494	4	#Max	QPSK	E-ACLR-	52.52	29.2	PASS
Band28	3	27494	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27494	4	#Max	QPSK	E-ACLR+	39.42	29.2	PASS
Band28	3	27494	4	#Max	QPSK	U-ACLR+	46.76	32.2	PASS
Band28	3	27494	15	#0	QPSK	U-ACLR1-	40.86	32.2	PASS
Band28	3	27494	15	#0	QPSK	E-ACLR-	39.15	29.2	PASS
Band28	3	27494	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27494	15	#0	QPSK	E-ACLR+	40.21	29.2	PASS
Band28	3	27494	15	#0	QPSK	U-ACLR+	41.71	32.2	PASS
Band28	3	27494	4	#0	QAM16	U-ACLR1-	47.73	32.2	PASS
Band28	3	27494	4	#0	QAM16	E-ACLR-	41.37	29.2	PASS
Band28	3	27494	4	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27494	4	#0	QAM16	E-ACLR+	52.00	29.2	PASS
Band28	3	27494	4	#0	QAM16	U-ACLR+	51.18	32.2	PASS
Band28	3	27494	4	#Max	QAM16	U-ACLR1-	50.95	32.2	PASS
Band28	3	27494	4	#Max	QAM16	E-ACLR-	51.64	29.2	PASS
Band28	3	27494	4	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	3	27494	4	#Max	QAM16	E-ACLR+	41.90	29.2	PASS
Band28	3	27494	4	#Max	QAM16	U-ACLR+	47.69	32.2	PASS
Band28	3	27494	15	#0	QAM16	U-ACLR1-	40.35	32.2	PASS
Band28	3	27494	15	#0	QAM16	E-ACLR-	38.66	29.2	PASS
Band28	3	27494	15	#0	QAM16	EUTRA	0.00	0	PASS
Band28	3	27494	15	#0	QAM16	E-ACLR+	40.02	29.2	PASS
Band28	3	27494	15	#0	QAM16	U-ACLR+	41.60	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2-	54.32	35.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR1-	46.33	32.2	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR-	44.21	29.2	PASS
Band28	5	27235	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR+	50.64	29.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR+	51.28	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2+	54.47	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2-	54.38	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR1-	52.69	32.2	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR-	51.94	29.2	PASS

Band28	5	27235	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR+	42.78	29.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR+	45.03	32.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2+	54.39	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2-	53.21	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR1-	47.38	32.2	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR-	46.27	29.2	PASS
Band28	5	27235	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR+	40.19	29.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR+	40.79	32.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2+	51.01	35.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR2-	53.36	35.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR1-	47.57	32.2	PASS
Band28	5	27235	8	#0	QAM16	E-ACLR-	45.40	29.2	PASS
Band28	5	27235	8	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	QAM16	E-ACLR+	50.11	29.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR+	50.75	32.2	PASS
Band28	5	27235	8	#0	QAM16	U-ACLR2+	53.55	35.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR2-	53.43	35.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR1-	52.04	32.2	PASS
Band28	5	27235	8	#Max	QAM16	E-ACLR-	51.33	29.2	PASS
Band28	5	27235	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	5	27235	8	#Max	QAM16	E-ACLR+	44.34	29.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR+	46.57	32.2	PASS
Band28	5	27235	8	#Max	QAM16	U-ACLR2+	53.55	35.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR2-	52.38	35.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR1-	47.80	32.2	PASS
Band28	5	27235	25	#0	QAM16	E-ACLR-	46.73	29.2	PASS
Band28	5	27235	25	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	QAM16	E-ACLR+	41.17	29.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR+	41.78	32.2	PASS
Band28	5	27235	25	#0	QAM16	U-ACLR2+	50.79	35.2	PASS
Band28	5	27360	8	#0	QPSK	U-ACLR2-	54.06	35.2	PASS
Band28	5	27360	8	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band28	5	27360	8	#0	QPSK	E-ACLR-	41.27	29.2	PASS
Band28	5	27360	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27360	8	#0	QPSK	E-ACLR+	51.18	29.2	PASS
Band28	5	27360	8	#0	QPSK	U-ACLR+	51.88	32.2	PASS
Band28	5	27360	8	#0	QPSK	U-ACLR2+	54.34	35.2	PASS
Band28	5	27360	8	#Max	QPSK	U-ACLR2-	54.05	35.2	PASS
Band28	5	27360	8	#Max	QPSK	U-ACLR1-	52.26	32.2	PASS
Band28	5	27360	8	#Max	QPSK	E-ACLR-	51.49	29.2	PASS
Band28	5	27360	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27360	8	#Max	QPSK	E-ACLR+	44.06	29.2	PASS

Band28	5	27360	8	#Max	QPSK	U-ACLR+	46.25	32.2	PASS
Band28	5	27360	8	#Max	QPSK	U-ACLR2+	54.28	35.2	PASS
Band28	5	27360	25	#0	QPSK	U-ACLR2-	51.63	35.2	PASS
Band28	5	27360	25	#0	QPSK	U-ACLR1-	43.32	32.2	PASS
Band28	5	27360	25	#0	QPSK	E-ACLR-	42.47	29.2	PASS
Band28	5	27360	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27360	25	#0	QPSK	E-ACLR+	43.62	29.2	PASS
Band28	5	27360	25	#0	QPSK	U-ACLR+	44.44	32.2	PASS
Band28	5	27360	25	#0	QPSK	U-ACLR2+	51.69	35.2	PASS
Band28	5	27360	8	#0	QAM16	U-ACLR2-	53.11	35.2	PASS
Band28	5	27360	8	#0	QAM16	U-ACLR1-	44.48	32.2	PASS
Band28	5	27360	8	#0	QAM16	E-ACLR-	41.78	29.2	PASS
Band28	5	27360	8	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27360	8	#0	QAM16	E-ACLR+	50.57	29.2	PASS
Band28	5	27360	8	#0	QAM16	U-ACLR+	51.24	32.2	PASS
Band28	5	27360	8	#0	QAM16	U-ACLR2+	53.42	35.2	PASS
Band28	5	27360	8	#Max	QAM16	U-ACLR2-	53.15	35.2	PASS
Band28	5	27360	8	#Max	QAM16	U-ACLR1-	51.47	32.2	PASS
Band28	5	27360	8	#Max	QAM16	E-ACLR-	50.72	29.2	PASS
Band28	5	27360	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	5	27360	8	#Max	QAM16	E-ACLR+	44.80	29.2	PASS
Band28	5	27360	8	#Max	QAM16	U-ACLR+	46.73	32.2	PASS
Band28	5	27360	8	#Max	QAM16	U-ACLR2+	53.33	35.2	PASS
Band28	5	27360	25	#0	QAM16	U-ACLR2-	50.74	35.2	PASS
Band28	5	27360	25	#0	QAM16	U-ACLR1-	42.95	32.2	PASS
Band28	5	27360	25	#0	QAM16	E-ACLR-	42.11	29.2	PASS
Band28	5	27360	25	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27360	25	#0	QAM16	E-ACLR+	43.55	29.2	PASS
Band28	5	27360	25	#0	QAM16	U-ACLR+	44.39	32.2	PASS
Band28	5	27360	25	#0	QAM16	U-ACLR2+	50.90	35.2	PASS
Band28	5	27484	8	#0	QPSK	U-ACLR2-	54.78	35.2	PASS
Band28	5	27484	8	#0	QPSK	U-ACLR1-	42.61	32.2	PASS
Band28	5	27484	8	#0	QPSK	E-ACLR-	39.58	29.2	PASS
Band28	5	27484	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27484	8	#0	QPSK	E-ACLR+	51.78	29.2	PASS
Band28	5	27484	8	#0	QPSK	U-ACLR+	52.53	32.2	PASS
Band28	5	27484	8	#0	QPSK	U-ACLR2+	55.09	35.2	PASS
Band28	5	27484	8	#Max	QPSK	U-ACLR2-	54.92	35.2	PASS
Band28	5	27484	8	#Max	QPSK	U-ACLR1-	52.29	32.2	PASS
Band28	5	27484	8	#Max	QPSK	E-ACLR-	51.49	29.2	PASS
Band28	5	27484	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27484	8	#Max	QPSK	E-ACLR+	37.99	29.2	PASS
Band28	5	27484	8	#Max	QPSK	U-ACLR+	41.22	32.2	PASS
Band28	5	27484	8	#Max	QPSK	U-ACLR2+	55.05	35.2	PASS

Band28	5	27484	25	#0	QPSK	U-ACLR2-	51.54	35.2	PASS
Band28	5	27484	25	#0	QPSK	U-ACLR1-	40.03	32.2	PASS
Band28	5	27484	25	#0	QPSK	E-ACLR-	39.15	29.2	PASS
Band28	5	27484	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27484	25	#0	QPSK	E-ACLR+	39.53	29.2	PASS
Band28	5	27484	25	#0	QPSK	U-ACLR+	40.40	32.2	PASS
Band28	5	27484	25	#0	QPSK	U-ACLR2+	52.35	35.2	PASS
Band28	5	27484	8	#0	QAM16	U-ACLR2-	53.82	35.2	PASS
Band28	5	27484	8	#0	QAM16	U-ACLR1-	43.43	32.2	PASS
Band28	5	27484	8	#0	QAM16	E-ACLR-	40.25	29.2	PASS
Band28	5	27484	8	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27484	8	#0	QAM16	E-ACLR+	51.13	29.2	PASS
Band28	5	27484	8	#0	QAM16	U-ACLR+	51.80	32.2	PASS
Band28	5	27484	8	#0	QAM16	U-ACLR2+	54.14	35.2	PASS
Band28	5	27484	8	#Max	QAM16	U-ACLR2-	53.97	35.2	PASS
Band28	5	27484	8	#Max	QAM16	U-ACLR1-	51.61	32.2	PASS
Band28	5	27484	8	#Max	QAM16	E-ACLR-	50.87	29.2	PASS
Band28	5	27484	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	5	27484	8	#Max	QAM16	E-ACLR+	40.21	29.2	PASS
Band28	5	27484	8	#Max	QAM16	U-ACLR+	43.22	32.2	PASS
Band28	5	27484	8	#Max	QAM16	U-ACLR2+	54.14	35.2	PASS
Band28	5	27484	25	#0	QAM16	U-ACLR2-	50.69	35.2	PASS
Band28	5	27484	25	#0	QAM16	U-ACLR1-	39.95	32.2	PASS
Band28	5	27484	25	#0	QAM16	E-ACLR-	39.11	29.2	PASS
Band28	5	27484	25	#0	QAM16	EUTRA	0.00	0	PASS
Band28	5	27484	25	#0	QAM16	E-ACLR+	39.63	29.2	PASS
Band28	5	27484	25	#0	QAM16	U-ACLR+	40.50	32.2	PASS
Band28	5	27484	25	#0	QAM16	U-ACLR2+	51.49	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2-	53.98	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR1-	46.98	32.2	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR-	45.72	29.2	PASS
Band28	10	27260	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR+	49.17	29.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR+	52.80	32.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2+	53.05	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2-	53.87	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR1-	53.70	32.2	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR-	50.09	29.2	PASS
Band28	10	27260	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR+	42.09	29.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR+	43.00	32.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2+	53.50	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2-	52.67	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR1-	47.48	32.2	PASS

Band28	10	27260	50	#0	QPSK	E-ACLR-	45.81	29.2	PASS
Band28	10	27260	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR+	38.44	29.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR+	40.18	32.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2+	45.82	35.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR2-	53.03	35.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR1-	46.93	32.2	PASS
Band28	10	27260	12	#0	QAM16	E-ACLR-	45.55	29.2	PASS
Band28	10	27260	12	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	QAM16	E-ACLR+	48.34	29.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR+	51.98	32.2	PASS
Band28	10	27260	12	#0	QAM16	U-ACLR2+	52.24	35.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR2-	53.03	35.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR1-	52.82	32.2	PASS
Band28	10	27260	12	#Max	QAM16	E-ACLR-	49.24	29.2	PASS
Band28	10	27260	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	QAM16	E-ACLR+	42.83	29.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR+	43.93	32.2	PASS
Band28	10	27260	12	#Max	QAM16	U-ACLR2+	52.73	35.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR2-	51.94	35.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR1-	47.58	32.2	PASS
Band28	10	27260	50	#0	QAM16	E-ACLR-	45.66	29.2	PASS
Band28	10	27260	50	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	QAM16	E-ACLR+	38.99	29.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR+	40.56	32.2	PASS
Band28	10	27260	50	#0	QAM16	U-ACLR2+	46.89	35.2	PASS
Band28	10	27360	12	#0	QPSK	U-ACLR2-	53.18	35.2	PASS
Band28	10	27360	12	#0	QPSK	U-ACLR1-	43.25	32.2	PASS
Band28	10	27360	12	#0	QPSK	E-ACLR-	42.31	29.2	PASS
Band28	10	27360	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27360	12	#0	QPSK	E-ACLR+	49.47	29.2	PASS
Band28	10	27360	12	#0	QPSK	U-ACLR+	53.16	32.2	PASS
Band28	10	27360	12	#0	QPSK	U-ACLR2+	53.29	35.2	PASS
Band28	10	27360	12	#Max	QPSK	U-ACLR2-	53.36	35.2	PASS
Band28	10	27360	12	#Max	QPSK	U-ACLR1-	53.35	32.2	PASS
Band28	10	27360	12	#Max	QPSK	E-ACLR-	49.66	29.2	PASS
Band28	10	27360	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27360	12	#Max	QPSK	E-ACLR+	44.44	29.2	PASS
Band28	10	27360	12	#Max	QPSK	U-ACLR+	45.66	32.2	PASS
Band28	10	27360	12	#Max	QPSK	U-ACLR2+	53.41	35.2	PASS
Band28	10	27360	50	#0	QPSK	U-ACLR2-	48.45	35.2	PASS
Band28	10	27360	50	#0	QPSK	U-ACLR1-	44.57	32.2	PASS
Band28	10	27360	50	#0	QPSK	E-ACLR-	42.32	29.2	PASS
Band28	10	27360	50	#0	QPSK	EUTRA	0.00	0	PASS

Band28	10	27360	50	#0	QPSK	E-ACLR+	42.63	29.2	PASS
Band28	10	27360	50	#0	QPSK	U-ACLR+	44.70	32.2	PASS
Band28	10	27360	50	#0	QPSK	U-ACLR2+	48.96	35.2	PASS
Band28	10	27360	12	#0	QAM16	U-ACLR2-	52.36	35.2	PASS
Band28	10	27360	12	#0	QAM16	U-ACLR1-	44.13	32.2	PASS
Band28	10	27360	12	#0	QAM16	E-ACLR-	42.97	29.2	PASS
Band28	10	27360	12	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27360	12	#0	QAM16	E-ACLR+	48.62	29.2	PASS
Band28	10	27360	12	#0	QAM16	U-ACLR+	52.29	32.2	PASS
Band28	10	27360	12	#0	QAM16	U-ACLR2+	52.46	35.2	PASS
Band28	10	27360	12	#Max	QAM16	U-ACLR2-	52.46	35.2	PASS
Band28	10	27360	12	#Max	QAM16	U-ACLR1-	52.45	32.2	PASS
Band28	10	27360	12	#Max	QAM16	E-ACLR-	48.75	29.2	PASS
Band28	10	27360	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	10	27360	12	#Max	QAM16	E-ACLR+	44.62	29.2	PASS
Band28	10	27360	12	#Max	QAM16	U-ACLR+	46.09	32.2	PASS
Band28	10	27360	12	#Max	QAM16	U-ACLR2+	52.66	35.2	PASS
Band28	10	27360	50	#0	QAM16	U-ACLR2-	48.28	35.2	PASS
Band28	10	27360	50	#0	QAM16	U-ACLR1-	43.96	32.2	PASS
Band28	10	27360	50	#0	QAM16	E-ACLR-	41.81	29.2	PASS
Band28	10	27360	50	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27360	50	#0	QAM16	E-ACLR+	42.73	29.2	PASS
Band28	10	27360	50	#0	QAM16	U-ACLR+	44.71	32.2	PASS
Band28	10	27360	50	#0	QAM16	U-ACLR2+	49.21	35.2	PASS
Band28	10	27459	12	#0	QPSK	U-ACLR2-	53.56	35.2	PASS
Band28	10	27459	12	#0	QPSK	U-ACLR1-	45.09	32.2	PASS
Band28	10	27459	12	#0	QPSK	E-ACLR-	44.02	29.2	PASS
Band28	10	27459	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27459	12	#0	QPSK	E-ACLR+	50.19	29.2	PASS
Band28	10	27459	12	#0	QPSK	U-ACLR+	53.77	32.2	PASS
Band28	10	27459	12	#0	QPSK	U-ACLR2+	54.10	35.2	PASS
Band28	10	27459	12	#Max	QPSK	U-ACLR2-	53.84	35.2	PASS
Band28	10	27459	12	#Max	QPSK	U-ACLR1-	53.71	32.2	PASS
Band28	10	27459	12	#Max	QPSK	E-ACLR-	50.09	29.2	PASS
Band28	10	27459	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27459	12	#Max	QPSK	E-ACLR+	41.23	29.2	PASS
Band28	10	27459	12	#Max	QPSK	U-ACLR+	42.01	32.2	PASS
Band28	10	27459	12	#Max	QPSK	U-ACLR2+	54.10	35.2	PASS
Band28	10	27459	50	#0	QPSK	U-ACLR2-	48.42	35.2	PASS
Band28	10	27459	50	#0	QPSK	U-ACLR1-	43.66	32.2	PASS
Band28	10	27459	50	#0	QPSK	E-ACLR-	41.72	29.2	PASS
Band28	10	27459	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27459	50	#0	QPSK	E-ACLR+	40.29	29.2	PASS
Band28	10	27459	50	#0	QPSK	U-ACLR+	41.89	32.2	PASS

Band28	10	27459	50	#0	QPSK	U-ACLR2+	47.99	35.2	PASS
Band28	10	27459	12	#0	QAM16	U-ACLR2-	52.82	35.2	PASS
Band28	10	27459	12	#0	QAM16	U-ACLR1-	45.22	32.2	PASS
Band28	10	27459	12	#0	QAM16	E-ACLR-	43.93	29.2	PASS
Band28	10	27459	12	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27459	12	#0	QAM16	E-ACLR+	49.34	29.2	PASS
Band28	10	27459	12	#0	QAM16	U-ACLR+	52.96	32.2	PASS
Band28	10	27459	12	#0	QAM16	U-ACLR2+	53.19	35.2	PASS
Band28	10	27459	12	#Max	QAM16	U-ACLR2-	52.85	35.2	PASS
Band28	10	27459	12	#Max	QAM16	U-ACLR1-	52.91	32.2	PASS
Band28	10	27459	12	#Max	QAM16	E-ACLR-	49.18	29.2	PASS
Band28	10	27459	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	10	27459	12	#Max	QAM16	E-ACLR+	41.91	29.2	PASS
Band28	10	27459	12	#Max	QAM16	U-ACLR+	42.89	32.2	PASS
Band28	10	27459	12	#Max	QAM16	U-ACLR2+	53.34	35.2	PASS
Band28	10	27459	50	#0	QAM16	U-ACLR2-	48.15	35.2	PASS
Band28	10	27459	50	#0	QAM16	U-ACLR1-	42.86	32.2	PASS
Band28	10	27459	50	#0	QAM16	E-ACLR-	41.04	29.2	PASS
Band28	10	27459	50	#0	QAM16	EUTRA	0.00	0	PASS
Band28	10	27459	50	#0	QAM16	E-ACLR+	40.03	29.2	PASS
Band28	10	27459	50	#0	QAM16	U-ACLR+	41.57	32.2	PASS
Band28	10	27459	50	#0	QAM16	U-ACLR2+	48.29	35.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2-	53.00	35.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR1-	48.62	32.2	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR-	45.88	29.2	PASS
Band28	20	27310	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR+	46.98	29.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR+	53.57	32.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2+	53.35	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2-	53.12	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR1-	53.61	32.2	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR-	47.18	29.2	PASS
Band28	20	27310	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR+	44.74	29.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR+	45.95	32.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2+	52.61	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2-	51.73	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR1-	47.83	32.2	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR-	44.56	29.2	PASS
Band28	20	27310	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR+	39.98	29.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR+	43.89	32.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2+	45.81	35.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR2-	52.03	35.2	PASS

Band28	20	27310	18	#0	QAM16	U-ACLR1-	47.89	32.2	PASS
Band28	20	27310	18	#0	QAM16	E-ACLR-	44.95	29.2	PASS
Band28	20	27310	18	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	QAM16	E-ACLR+	46.09	29.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR+	52.47	32.2	PASS
Band28	20	27310	18	#0	QAM16	U-ACLR2+	52.43	35.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR2-	52.12	35.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR1-	52.56	32.2	PASS
Band28	20	27310	18	#Max	QAM16	E-ACLR-	46.13	29.2	PASS
Band28	20	27310	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	QAM16	E-ACLR+	44.44	29.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR+	46.36	32.2	PASS
Band28	20	27310	18	#Max	QAM16	U-ACLR2+	51.83	35.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR2-	50.90	35.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR1-	46.98	32.2	PASS
Band28	20	27310	100	#0	QAM16	E-ACLR-	43.71	29.2	PASS
Band28	20	27310	100	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	QAM16	E-ACLR+	40.59	29.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR+	44.46	32.2	PASS
Band28	20	27310	100	#0	QAM16	U-ACLR2+	46.56	35.2	PASS
Band28	20	27360	18	#0	QPSK	U-ACLR2-	52.01	35.2	PASS
Band28	20	27360	18	#0	QPSK	U-ACLR1-	43.88	32.2	PASS
Band28	20	27360	18	#0	QPSK	E-ACLR-	43.46	29.2	PASS
Band28	20	27360	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27360	18	#0	QPSK	E-ACLR+	47.25	29.2	PASS
Band28	20	27360	18	#0	QPSK	U-ACLR+	53.71	32.2	PASS
Band28	20	27360	18	#0	QPSK	U-ACLR2+	53.57	35.2	PASS
Band28	20	27360	18	#Max	QPSK	U-ACLR2-	52.85	35.2	PASS
Band28	20	27360	18	#Max	QPSK	U-ACLR1-	53.48	32.2	PASS
Band28	20	27360	18	#Max	QPSK	E-ACLR-	47.05	29.2	PASS
Band28	20	27360	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27360	18	#Max	QPSK	E-ACLR+	43.47	29.2	PASS
Band28	20	27360	18	#Max	QPSK	U-ACLR+	43.62	32.2	PASS
Band28	20	27360	18	#Max	QPSK	U-ACLR2+	52.66	35.2	PASS
Band28	20	27360	100	#0	QPSK	U-ACLR2-	47.63	35.2	PASS
Band28	20	27360	100	#0	QPSK	U-ACLR1-	46.37	32.2	PASS
Band28	20	27360	100	#0	QPSK	E-ACLR-	42.38	29.2	PASS
Band28	20	27360	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27360	100	#0	QPSK	E-ACLR+	40.30	29.2	PASS
Band28	20	27360	100	#0	QPSK	U-ACLR+	44.55	32.2	PASS
Band28	20	27360	100	#0	QPSK	U-ACLR2+	46.16	35.2	PASS
Band28	20	27360	18	#0	QAM16	U-ACLR2-	51.20	35.2	PASS
Band28	20	27360	18	#0	QAM16	U-ACLR1-	44.76	32.2	PASS
Band28	20	27360	18	#0	QAM16	E-ACLR-	43.64	29.2	PASS

Band28	20	27360	18	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27360	18	#0	QAM16	E-ACLR+	46.37	29.2	PASS
Band28	20	27360	18	#0	QAM16	U-ACLR+	52.68	32.2	PASS
Band28	20	27360	18	#0	QAM16	U-ACLR2+	52.60	35.2	PASS
Band28	20	27360	18	#Max	QAM16	U-ACLR2-	51.89	35.2	PASS
Band28	20	27360	18	#Max	QAM16	U-ACLR1-	52.42	32.2	PASS
Band28	20	27360	18	#Max	QAM16	E-ACLR-	46.03	29.2	PASS
Band28	20	27360	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	20	27360	18	#Max	QAM16	E-ACLR+	43.80	29.2	PASS
Band28	20	27360	18	#Max	QAM16	U-ACLR+	44.52	32.2	PASS
Band28	20	27360	18	#Max	QAM16	U-ACLR2+	51.93	35.2	PASS
Band28	20	27360	100	#0	QAM16	U-ACLR2-	47.00	35.2	PASS
Band28	20	27360	100	#0	QAM16	U-ACLR1-	45.70	32.2	PASS
Band28	20	27360	100	#0	QAM16	E-ACLR-	41.68	29.2	PASS
Band28	20	27360	100	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27360	100	#0	QAM16	E-ACLR+	40.86	29.2	PASS
Band28	20	27360	100	#0	QAM16	U-ACLR+	44.99	32.2	PASS
Band28	20	27360	100	#0	QAM16	U-ACLR2+	46.72	35.2	PASS
Band28	20	27409	18	#0	QPSK	U-ACLR2-	52.51	35.2	PASS
Band28	20	27409	18	#0	QPSK	U-ACLR1-	44.21	32.2	PASS
Band28	20	27409	18	#0	QPSK	E-ACLR-	43.76	29.2	PASS
Band28	20	27409	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27409	18	#0	QPSK	E-ACLR+	47.79	29.2	PASS
Band28	20	27409	18	#0	QPSK	U-ACLR+	54.43	32.2	PASS
Band28	20	27409	18	#0	QPSK	U-ACLR2+	54.37	35.2	PASS
Band28	20	27409	18	#Max	QPSK	U-ACLR2-	53.42	35.2	PASS
Band28	20	27409	18	#Max	QPSK	U-ACLR1-	54.05	32.2	PASS
Band28	20	27409	18	#Max	QPSK	E-ACLR-	47.23	29.2	PASS
Band28	20	27409	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27409	18	#Max	QPSK	E-ACLR+	43.02	29.2	PASS
Band28	20	27409	18	#Max	QPSK	U-ACLR+	42.60	32.2	PASS
Band28	20	27409	18	#Max	QPSK	U-ACLR2+	53.32	35.2	PASS
Band28	20	27409	100	#0	QPSK	U-ACLR2-	47.68	35.2	PASS
Band28	20	27409	100	#0	QPSK	U-ACLR1-	46.44	32.2	PASS
Band28	20	27409	100	#0	QPSK	E-ACLR-	41.81	29.2	PASS
Band28	20	27409	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27409	100	#0	QPSK	E-ACLR+	39.76	29.2	PASS
Band28	20	27409	100	#0	QPSK	U-ACLR+	43.88	32.2	PASS
Band28	20	27409	100	#0	QPSK	U-ACLR2+	45.35	35.2	PASS
Band28	20	27409	18	#0	QAM16	U-ACLR2-	51.75	35.2	PASS
Band28	20	27409	18	#0	QAM16	U-ACLR1-	44.50	32.2	PASS
Band28	20	27409	18	#0	QAM16	E-ACLR-	43.52	29.2	PASS
Band28	20	27409	18	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27409	18	#0	QAM16	E-ACLR+	46.90	29.2	PASS

Band28	20	27409	18	#0	QAM16	U-ACLR+	53.46	32.2	PASS
Band28	20	27409	18	#0	QAM16	U-ACLR2+	53.41	35.2	PASS
Band28	20	27409	18	#Max	QAM16	U-ACLR2-	52.45	35.2	PASS
Band28	20	27409	18	#Max	QAM16	U-ACLR1-	53.09	32.2	PASS
Band28	20	27409	18	#Max	QAM16	E-ACLR-	46.29	29.2	PASS
Band28	20	27409	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band28	20	27409	18	#Max	QAM16	E-ACLR+	43.36	29.2	PASS
Band28	20	27409	18	#Max	QAM16	U-ACLR+	43.35	32.2	PASS
Band28	20	27409	18	#Max	QAM16	U-ACLR2+	52.63	35.2	PASS
Band28	20	27409	100	#0	QAM16	U-ACLR2-	46.99	35.2	PASS
Band28	20	27409	100	#0	QAM16	U-ACLR1-	45.55	32.2	PASS
Band28	20	27409	100	#0	QAM16	E-ACLR-	41.03	29.2	PASS
Band28	20	27409	100	#0	QAM16	EUTRA	0.00	0	PASS
Band28	20	27409	100	#0	QAM16	E-ACLR+	39.97	29.2	PASS
Band28	20	27409	100	#0	QAM16	U-ACLR+	43.92	32.2	PASS
Band28	20	27409	100	#0	QAM16	U-ACLR2+	45.80	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	44.87	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	40.20	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	42.24	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	46.09	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	46.43	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	42.42	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	39.47	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	43.95	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	45.22	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	42.70	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	42.81	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	45.04	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR1-	45.75	32.2	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR-	40.85	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QAM16	E-ACLR+	43.45	29.2	PASS
Band3	1.4	19207	5	#0	QAM16	U-ACLR+	46.64	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR1-	47.35	32.2	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR-	43.89	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QAM16	E-ACLR+	40.82	29.2	PASS
Band3	1.4	19207	5	#Max	QAM16	U-ACLR+	44.97	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR1-	44.79	32.2	PASS
Band3	1.4	19207	6	#0	QAM16	E-ACLR-	42.61	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	EUTRA	0.00	0	PASS

Band3	1.4	19207	6	#0	QAM16	E-ACLR+	42.15	29.2	PASS
Band3	1.4	19207	6	#0	QAM16	U-ACLR+	44.14	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	43.88	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	40.48	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	42.16	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	45.87	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	45.68	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	41.82	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	40.54	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	44.02	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	43.32	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	42.07	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	42.26	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	43.51	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR1-	44.54	32.2	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR-	40.79	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QAM16	E-ACLR+	42.40	29.2	PASS
Band3	1.4	19575	5	#0	QAM16	U-ACLR+	46.29	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR1-	46.34	32.2	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR-	42.57	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QAM16	E-ACLR+	40.95	29.2	PASS
Band3	1.4	19575	5	#Max	QAM16	U-ACLR+	44.50	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR1-	44.18	32.2	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR-	41.65	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QAM16	E-ACLR+	41.44	29.2	PASS
Band3	1.4	19575	6	#0	QAM16	U-ACLR+	44.03	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	43.98	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	39.23	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	42.06	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	46.40	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	45.86	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	41.33	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	39.50	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	44.24	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	44.11	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	42.41	29.2	PASS

Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR+	42.52	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	44.40	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR1-	45.51	32.2	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR-	41.80	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QAM16	E-ACLR+	43.54	29.2	PASS
Band3	1.4	19943	5	#0	QAM16	U-ACLR+	47.09	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR1-	46.99	32.2	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR-	43.51	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QAM16	E-ACLR+	41.41	29.2	PASS
Band3	1.4	19943	5	#Max	QAM16	U-ACLR+	45.38	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR1-	44.53	32.2	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR-	42.82	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QAM16	E-ACLR+	42.85	29.2	PASS
Band3	1.4	19943	6	#0	QAM16	U-ACLR+	44.69	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	54.41	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	43.31	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	40.81	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR+	50.46	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR+	51.13	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	54.75	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	54.58	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	52.86	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	52.07	29.2	PASS
Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	40.05	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	42.32	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	54.71	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	50.77	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	42.15	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	41.27	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	41.49	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	42.27	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	49.69	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2-	53.39	35.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR1-	43.96	32.2	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR-	41.36	29.2	PASS
Band3	5	19225	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	QAM16	E-ACLR+	49.94	29.2	PASS

Band3	5	19225	8	#0	QAM16	U-ACLR+	50.57	32.2	PASS
Band3	5	19225	8	#0	QAM16	U-ACLR2+	53.74	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2-	53.51	35.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR1-	52.17	32.2	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR-	51.43	29.2	PASS
Band3	5	19225	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QAM16	E-ACLR+	41.40	29.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR+	43.45	32.2	PASS
Band3	5	19225	8	#Max	QAM16	U-ACLR2+	53.77	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2-	50.54	35.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR1-	42.16	32.2	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR-	41.41	29.2	PASS
Band3	5	19225	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QAM16	E-ACLR+	41.51	29.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR+	42.24	32.2	PASS
Band3	5	19225	25	#0	QAM16	U-ACLR2+	49.72	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	54.33	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	43.25	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	41.59	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	51.34	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	52.00	32.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2+	54.75	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	54.48	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	52.52	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	51.77	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	41.79	29.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR+	43.46	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	54.69	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	50.17	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	43.25	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	42.71	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	42.85	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	43.40	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	50.34	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2-	53.34	35.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR1-	43.21	32.2	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR-	41.37	29.2	PASS
Band3	5	19575	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QAM16	E-ACLR+	50.59	29.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR+	51.25	32.2	PASS
Band3	5	19575	8	#0	QAM16	U-ACLR2+	53.80	35.2	PASS

Band3	5	19575	8	#Max	QAM16	U-ACLR2-	53.49	35.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR1-	51.71	32.2	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR-	51.01	29.2	PASS
Band3	5	19575	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QAM16	E-ACLR+	41.69	29.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR+	43.49	32.2	PASS
Band3	5	19575	8	#Max	QAM16	U-ACLR2+	53.71	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2-	49.87	35.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR1-	41.52	32.2	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR-	40.85	29.2	PASS
Band3	5	19575	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QAM16	E-ACLR+	40.79	29.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR+	41.48	32.2	PASS
Band3	5	19575	25	#0	QAM16	U-ACLR2+	50.07	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	54.19	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	44.52	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	41.94	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	51.71	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	52.49	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	54.58	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	54.30	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR1-	52.40	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR-	51.62	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	39.51	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	42.31	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	54.53	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	50.15	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	43.54	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	42.71	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	43.59	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	44.45	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	51.90	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2-	53.20	35.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR1-	44.95	32.2	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR-	42.81	29.2	PASS
Band3	5	19925	8	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QAM16	E-ACLR+	50.93	29.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR+	51.68	32.2	PASS
Band3	5	19925	8	#0	QAM16	U-ACLR2+	53.59	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2-	53.26	35.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR1-	51.68	32.2	PASS

Band3	5	19925	8	#Max	QAM16	E-ACLR-	50.97	29.2	PASS
Band3	5	19925	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QAM16	E-ACLR+	41.75	29.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR+	44.03	32.2	PASS
Band3	5	19925	8	#Max	QAM16	U-ACLR2+	53.54	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2-	49.76	35.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR1-	43.08	32.2	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR-	42.32	29.2	PASS
Band3	5	19925	25	#0	QAM16	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QAM16	E-ACLR+	42.91	29.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR+	43.68	32.2	PASS
Band3	5	19925	25	#0	QAM16	U-ACLR2+	51.13	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	53.62	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	42.48	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	41.70	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	48.59	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	52.74	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	52.27	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	53.54	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	53.75	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	49.90	29.2	PASS
Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR+	41.72	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	42.42	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	53.77	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	47.83	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	43.95	32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR-	41.79	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	42.00	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	44.92	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	46.44	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2-	52.75	35.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR1-	42.99	32.2	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR-	42.15	29.2	PASS
Band3	10	19250	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QAM16	E-ACLR+	48.04	29.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR+	52.02	32.2	PASS
Band3	10	19250	12	#0	QAM16	U-ACLR2+	51.82	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2-	52.70	35.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR1-	52.79	32.2	PASS
Band3	10	19250	12	#Max	QAM16	E-ACLR-	49.01	29.2	PASS
Band3	10	19250	12	#Max	QAM16	EUTRA	0.00	0	PASS

Band3	10	19250	12	#Max	QAM16	E-ACLR+	42.05	29.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR+	42.94	32.2	PASS
Band3	10	19250	12	#Max	QAM16	U-ACLR2+	52.94	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2-	47.81	35.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR1-	43.63	32.2	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR-	41.50	29.2	PASS
Band3	10	19250	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QAM16	E-ACLR+	41.32	29.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR+	44.06	32.2	PASS
Band3	10	19250	50	#0	QAM16	U-ACLR2+	46.25	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	53.42	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	42.84	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	42.13	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	49.12	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	53.07	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	52.81	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	53.15	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	53.33	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	49.46	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	42.26	29.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR+	42.93	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	53.90	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	46.51	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	45.63	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	42.35	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR+	42.50	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	46.28	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	46.13	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2-	52.60	35.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR1-	43.12	32.2	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR-	42.23	29.2	PASS
Band3	10	19575	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QAM16	E-ACLR+	48.47	29.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR+	52.31	32.2	PASS
Band3	10	19575	12	#0	QAM16	U-ACLR2+	52.33	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR2-	52.35	35.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR1-	52.51	32.2	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR-	48.68	29.2	PASS
Band3	10	19575	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QAM16	E-ACLR+	42.43	29.2	PASS
Band3	10	19575	12	#Max	QAM16	U-ACLR+	43.34	32.2	PASS

Band3	10	19575	12	#Max	QAM16	U-ACLR2+	53.06	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2-	46.08	35.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR1-	43.39	32.2	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR-	40.75	29.2	PASS
Band3	10	19575	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QAM16	E-ACLR+	40.73	29.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR+	43.41	32.2	PASS
Band3	10	19575	50	#0	QAM16	U-ACLR2+	45.93	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	53.29	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	46.23	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	44.98	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	49.94	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	53.55	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	53.85	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	52.98	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	53.22	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	49.35	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	42.56	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	43.34	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	54.29	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2-	48.47	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	44.96	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	42.73	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	45.75	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	48.02	32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	51.32	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2-	52.37	35.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR1-	45.82	32.2	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR-	44.45	29.2	PASS
Band3	10	19900	12	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QAM16	E-ACLR+	49.10	29.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR+	52.63	32.2	PASS
Band3	10	19900	12	#0	QAM16	U-ACLR2+	53.12	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2-	52.23	35.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR1-	52.40	32.2	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR-	48.59	29.2	PASS
Band3	10	19900	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QAM16	E-ACLR+	43.08	29.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR+	43.99	32.2	PASS
Band3	10	19900	12	#Max	QAM16	U-ACLR2+	53.43	35.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2-	47.35	35.2	PASS

Band3	10	19900	50	#0	QAM16	U-ACLR1-	43.95	32.2	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR-	41.60	29.2	PASS
Band3	10	19900	50	#0	QAM16	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QAM16	E-ACLR+	43.96	29.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR+	46.03	32.2	PASS
Band3	10	19900	50	#0	QAM16	U-ACLR2+	50.19	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	52.27	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	43.10	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	42.93	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	45.60	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	53.91	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	53.07	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	52.95	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	53.73	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	46.97	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	44.24	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	46.14	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	52.71	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	48.38	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	46.88	32.2	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR-	42.36	29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	42.02	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	48.12	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	48.80	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2-	51.45	35.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR1-	43.26	32.2	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR-	42.75	29.2	PASS
Band3	20	19300	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QAM16	E-ACLR+	44.97	29.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR+	52.80	32.2	PASS
Band3	20	19300	18	#0	QAM16	U-ACLR2+	52.39	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2-	51.99	35.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR1-	52.72	32.2	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR-	46.01	29.2	PASS
Band3	20	19300	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QAM16	E-ACLR+	43.38	29.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR+	44.97	32.2	PASS
Band3	20	19300	18	#Max	QAM16	U-ACLR2+	52.04	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2-	47.32	35.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR1-	45.86	32.2	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR-	41.45	29.2	PASS

Band3	20	19300	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QAM16	E-ACLR+	40.68	29.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR+	46.43	32.2	PASS
Band3	20	19300	100	#0	QAM16	U-ACLR2+	46.86	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	52.14	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	43.66	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	42.90	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	46.35	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	54.03	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	53.53	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	52.87	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	53.57	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	46.60	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	42.70	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	43.31	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	53.07	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	47.97	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	46.97	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	41.19	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR+	41.68	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR+	47.99	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	48.60	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2-	51.30	35.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR1-	43.71	32.2	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR-	42.60	29.2	PASS
Band3	20	19575	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QAM16	E-ACLR+	45.60	29.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR+	53.09	32.2	PASS
Band3	20	19575	18	#0	QAM16	U-ACLR2+	52.75	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2-	51.83	35.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR1-	52.67	32.2	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR-	45.73	29.2	PASS
Band3	20	19575	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QAM16	E-ACLR+	42.70	29.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR+	43.63	32.2	PASS
Band3	20	19575	18	#Max	QAM16	U-ACLR2+	52.42	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2-	46.30	35.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR1-	45.20	32.2	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR-	40.10	29.2	PASS
Band3	20	19575	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	QAM16	E-ACLR+	40.22	29.2	PASS

Band3	20	19575	100	#0	QAM16	U-ACLR+	45.40	32.2	PASS
Band3	20	19575	100	#0	QAM16	U-ACLR2+	46.43	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	51.83	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	44.42	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	43.11	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	47.75	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	54.15	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	54.36	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	52.49	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	53.41	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	46.22	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	44.02	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	44.24	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	53.85	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	47.89	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	46.82	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	41.39	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	45.45	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	49.82	32.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2+	52.11	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2-	51.01	35.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR1-	44.05	32.2	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR-	42.70	29.2	PASS
Band3	20	19850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QAM16	E-ACLR+	46.75	29.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR+	53.14	32.2	PASS
Band3	20	19850	18	#0	QAM16	U-ACLR2+	53.32	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2-	51.57	35.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR1-	52.39	32.2	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR-	45.41	29.2	PASS
Band3	20	19850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QAM16	E-ACLR+	43.75	29.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR+	44.67	32.2	PASS
Band3	20	19850	18	#Max	QAM16	U-ACLR2+	52.99	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2-	46.41	35.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR1-	45.57	32.2	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR-	40.19	29.2	PASS
Band3	20	19850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QAM16	E-ACLR+	43.89	29.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR+	47.84	32.2	PASS
Band3	20	19850	100	#0	QAM16	U-ACLR2+	50.40	35.2	PASS

Band40	5	38675	8	#0	QPSK	U-ACLR2-	52.56	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR1-	35.97	32.2	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR-	36.42	29.2	PASS
Band40	5	38675	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR+	50.64	29.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR+	55.39	32.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2+	55.76	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2-	56.77	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR1-	56.25	32.2	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR-	51.44	29.2	PASS
Band40	5	38675	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR+	36.03	29.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR+	35.70	32.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2+	51.60	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2-	44.59	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR1-	40.67	32.2	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR-	38.38	29.2	PASS
Band40	5	38675	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR+	37.28	29.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR+	39.76	32.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2+	43.45	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2-	52.04	35.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR1-	37.54	32.2	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR-	37.85	29.2	PASS
Band40	5	38675	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QAM16	E-ACLR+	49.89	29.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR+	54.72	32.2	PASS
Band40	5	38675	8	#0	QAM16	U-ACLR2+	54.95	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2-	55.97	35.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR1-	55.64	32.2	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR-	50.69	29.2	PASS
Band40	5	38675	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QAM16	E-ACLR+	37.41	29.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR+	37.09	32.2	PASS
Band40	5	38675	8	#Max	QAM16	U-ACLR2+	51.33	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2-	45.22	35.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR1-	41.95	32.2	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR-	39.26	29.2	PASS
Band40	5	38675	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QAM16	E-ACLR+	38.09	29.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR+	40.74	32.2	PASS
Band40	5	38675	25	#0	QAM16	U-ACLR2+	44.09	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2-	51.07	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR1-	37.39	32.2	PASS

Band40	5	39150	8	#0	QPSK	E-ACLR-	37.62	29.2	PASS
Band40	5	39150	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR+	51.12	29.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR+	55.81	32.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2+	56.41	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2-	56.44	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR1-	55.80	32.2	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR-	51.09	29.2	PASS
Band40	5	39150	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR+	37.66	29.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR+	37.38	32.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2+	51.66	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2-	46.64	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1-	43.98	32.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR-	40.52	29.2	PASS
Band40	5	39150	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR+	40.52	29.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR+	43.82	32.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2+	46.96	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2-	51.54	35.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR1-	39.78	32.2	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR-	39.69	29.2	PASS
Band40	5	39150	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QAM16	E-ACLR+	50.54	29.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR+	55.16	32.2	PASS
Band40	5	39150	8	#0	QAM16	U-ACLR2+	55.89	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2-	55.93	35.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR1-	55.11	32.2	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR-	50.52	29.2	PASS
Band40	5	39150	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QAM16	E-ACLR+	39.94	29.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR+	39.99	32.2	PASS
Band40	5	39150	8	#Max	QAM16	U-ACLR2+	51.83	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2-	45.81	35.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR1-	43.91	32.2	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR-	40.32	29.2	PASS
Band40	5	39150	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	QAM16	E-ACLR+	40.38	29.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR+	43.66	32.2	PASS
Band40	5	39150	25	#0	QAM16	U-ACLR2+	46.22	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2-	50.90	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR1-	36.15	32.2	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR-	36.53	29.2	PASS
Band40	5	39625	8	#0	QPSK	EUTRA	0.00	0	PASS

Band40	5	39625	8	#0	QPSK	E-ACLR+	51.83	29.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR+	56.65	32.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2+	57.22	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2-	56.41	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR1-	55.85	32.2	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR-	50.99	29.2	PASS
Band40	5	39625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR+	36.97	29.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR+	36.61	32.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2+	52.64	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2-	44.00	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR1-	41.17	32.2	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR-	38.12	29.2	PASS
Band40	5	39625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR+	39.92	29.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR+	42.46	32.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2+	46.32	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2-	51.72	35.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR1-	38.79	32.2	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR-	38.86	29.2	PASS
Band40	5	39625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	QAM16	E-ACLR+	50.85	29.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR+	55.56	32.2	PASS
Band40	5	39625	8	#0	QAM16	U-ACLR2+	56.36	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2-	55.60	35.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR1-	55.02	32.2	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR-	50.20	29.2	PASS
Band40	5	39625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QAM16	E-ACLR+	39.95	29.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR+	39.88	32.2	PASS
Band40	5	39625	8	#Max	QAM16	U-ACLR2+	53.09	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2-	45.51	35.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR1-	43.20	32.2	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR-	39.85	29.2	PASS
Band40	5	39625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QAM16	E-ACLR+	41.45	29.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR+	44.42	32.2	PASS
Band40	5	39625	25	#0	QAM16	U-ACLR2+	47.31	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2-	51.39	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR1-	37.50	32.2	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR-	38.78	29.2	PASS
Band40	10	38700	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR+	48.72	29.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR+	57.57	32.2	PASS

Band40	10	38700	12	#0	QPSK	U-ACLR2+	57.58	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2-	58.12	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR1-	58.01	32.2	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR-	49.46	29.2	PASS
Band40	10	38700	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR+	38.10	29.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR+	37.07	32.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2+	50.15	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2-	45.07	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR1-	42.71	32.2	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR-	38.26	29.2	PASS
Band40	10	38700	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR+	36.54	29.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR+	41.47	32.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2+	43.10	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2-	51.06	35.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR1-	38.80	32.2	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR-	40.09	29.2	PASS
Band40	10	38700	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QAM16	E-ACLR+	47.96	29.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR+	56.72	32.2	PASS
Band40	10	38700	12	#0	QAM16	U-ACLR2+	56.80	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2-	57.27	35.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR1-	57.16	32.2	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR-	48.57	29.2	PASS
Band40	10	38700	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QAM16	E-ACLR+	39.71	29.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR+	38.90	32.2	PASS
Band40	10	38700	12	#Max	QAM16	U-ACLR2+	49.79	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2-	45.89	35.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR1-	44.36	32.2	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR-	39.26	29.2	PASS
Band40	10	38700	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QAM16	E-ACLR+	37.60	29.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR+	42.78	32.2	PASS
Band40	10	38700	50	#0	QAM16	U-ACLR2+	44.39	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2-	50.04	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR1-	39.44	32.2	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR-	39.90	29.2	PASS
Band40	10	39150	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR+	49.66	29.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR+	58.02	32.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2+	58.40	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2-	57.86	35.2	PASS

Band40	10	39150	12	#Max	QPSK	U-ACLR1-	57.71	32.2	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR-	49.19	29.2	PASS
Band40	10	39150	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR+	40.95	29.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR+	40.39	32.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2+	51.30	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2-	47.23	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1-	45.89	32.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR-	39.94	29.2	PASS
Band40	10	39150	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR+	40.37	29.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR+	46.00	32.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2+	47.52	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2-	49.69	35.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR1-	40.89	32.2	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR-	40.79	29.2	PASS
Band40	10	39150	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QAM16	E-ACLR+	48.90	29.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR+	57.26	32.2	PASS
Band40	10	39150	12	#0	QAM16	U-ACLR2+	57.57	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2-	57.14	35.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR1-	57.04	32.2	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR-	48.50	29.2	PASS
Band40	10	39150	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QAM16	E-ACLR+	40.87	29.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR+	40.95	32.2	PASS
Band40	10	39150	12	#Max	QAM16	U-ACLR2+	50.22	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2-	47.31	35.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR1-	45.94	32.2	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR-	39.80	29.2	PASS
Band40	10	39150	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	QAM16	E-ACLR+	40.31	29.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR+	46.13	32.2	PASS
Band40	10	39150	50	#0	QAM16	U-ACLR2+	47.51	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2-	49.32	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR1-	37.28	32.2	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR-	38.03	29.2	PASS
Band40	10	39600	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR+	49.87	29.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR+	58.09	32.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2+	58.40	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2-	57.50	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR1-	57.19	32.2	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR-	48.92	29.2	PASS

Band40	10	39600	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR+	39.52	29.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR+	38.23	32.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2+	51.92	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2-	45.17	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR1-	44.24	32.2	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR-	38.08	29.2	PASS
Band40	10	39600	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR+	41.02	29.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR+	46.04	32.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2+	47.86	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2-	48.70	35.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR1-	38.79	32.2	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR-	39.26	29.2	PASS
Band40	10	39600	12	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QAM16	E-ACLR+	48.98	29.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR+	57.22	32.2	PASS
Band40	10	39600	12	#0	QAM16	U-ACLR2+	57.48	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2-	56.60	35.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR1-	56.44	32.2	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR-	48.09	29.2	PASS
Band40	10	39600	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	QAM16	E-ACLR+	40.98	29.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR+	40.42	32.2	PASS
Band40	10	39600	12	#Max	QAM16	U-ACLR2+	51.16	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2-	45.37	35.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR1-	44.34	32.2	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR-	38.38	29.2	PASS
Band40	10	39600	50	#0	QAM16	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QAM16	E-ACLR+	40.89	29.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR+	46.18	32.2	PASS
Band40	10	39600	50	#0	QAM16	U-ACLR2+	47.85	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2-	49.72	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR1-	39.57	32.2	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR-	41.72	29.2	PASS
Band40	20	38750	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR+	46.38	29.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR+	58.49	32.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2+	58.62	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2-	58.57	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR1-	58.64	32.2	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR-	46.88	29.2	PASS
Band40	20	38750	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR+	41.25	29.2	PASS

Band40	20	38750	18	#Max	QPSK	U-ACLR+	39.75	32.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2+	47.86	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2-	47.76	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR1-	46.73	32.2	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR-	39.32	29.2	PASS
Band40	20	38750	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR+	36.79	29.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR+	44.51	32.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2+	45.79	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2-	49.54	35.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR1-	40.72	32.2	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR-	41.82	29.2	PASS
Band40	20	38750	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QAM16	E-ACLR+	45.74	29.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR+	57.43	32.2	PASS
Band40	20	38750	18	#0	QAM16	U-ACLR2+	57.57	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2-	57.43	35.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR1-	57.61	32.2	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR-	45.92	29.2	PASS
Band40	20	38750	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QAM16	E-ACLR+	41.45	29.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR+	40.89	32.2	PASS
Band40	20	38750	18	#Max	QAM16	U-ACLR2+	47.89	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2-	48.55	35.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR1-	47.85	32.2	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR-	39.74	29.2	PASS
Band40	20	38750	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QAM16	E-ACLR+	37.64	29.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR+	46.37	32.2	PASS
Band40	20	38750	100	#0	QAM16	U-ACLR2+	46.93	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2-	47.35	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR1-	41.04	32.2	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR-	41.52	29.2	PASS
Band40	20	39150	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR+	47.24	29.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR+	59.06	32.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2+	59.19	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2-	58.60	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR1-	58.58	32.2	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR-	46.84	29.2	PASS
Band40	20	39150	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR+	42.22	29.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR+	40.92	32.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2+	49.04	35.2	PASS

Band40	20	39150	100	#0	QPSK	U-ACLR2-	48.88	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1-	48.42	32.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR-	39.31	29.2	PASS
Band40	20	39150	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR+	39.76	29.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR+	48.22	32.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2+	48.74	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2-	47.81	35.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR1-	42.59	32.2	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR-	41.73	29.2	PASS
Band40	20	39150	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QAM16	E-ACLR+	46.41	29.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR+	58.14	32.2	PASS
Band40	20	39150	18	#0	QAM16	U-ACLR2+	58.28	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2-	57.65	35.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR1-	57.66	32.2	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR-	45.94	29.2	PASS
Band40	20	39150	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QAM16	E-ACLR+	42.54	29.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR+	42.66	32.2	PASS
Band40	20	39150	18	#Max	QAM16	U-ACLR2+	49.33	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2-	49.56	35.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR1-	48.44	32.2	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR-	39.46	29.2	PASS
Band40	20	39150	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QAM16	E-ACLR+	39.95	29.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR+	49.00	32.2	PASS
Band40	20	39150	100	#0	QAM16	U-ACLR2+	49.82	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2-	47.50	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR1-	39.92	32.2	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR-	41.19	29.2	PASS
Band40	20	39550	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR+	47.56	29.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR+	58.84	32.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2+	58.91	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2-	58.22	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR1-	58.27	32.2	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR-	46.58	29.2	PASS
Band40	20	39550	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR+	42.17	29.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR+	40.44	32.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2+	48.98	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2-	48.03	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR1-	47.33	32.2	PASS

Band40	20	39550	100	#0	QPSK	E-ACLR-	38.28	29.2	PASS
Band40	20	39550	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR+	41.11	29.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR+	48.49	32.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2+	49.97	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2-	48.02	35.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR1-	41.31	32.2	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR-	41.50	29.2	PASS
Band40	20	39550	18	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QAM16	E-ACLR+	46.56	29.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR+	57.77	32.2	PASS
Band40	20	39550	18	#0	QAM16	U-ACLR2+	57.73	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2-	57.26	35.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR1-	57.39	32.2	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR-	45.75	29.2	PASS
Band40	20	39550	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	QAM16	E-ACLR+	42.57	29.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR+	41.98	32.2	PASS
Band40	20	39550	18	#Max	QAM16	U-ACLR2+	49.70	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2-	48.28	35.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR1-	47.63	32.2	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR-	38.64	29.2	PASS
Band40	20	39550	100	#0	QAM16	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QAM16	E-ACLR+	40.90	29.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR+	49.15	32.2	PASS
Band40	20	39550	100	#0	QAM16	U-ACLR2+	50.11	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	54.58	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	39.39	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	37.05	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	51.48	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	52.11	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	55.11	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	54.72	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	51.80	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	51.15	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	39.51	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	41.75	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	54.68	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	52.05	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	41.05	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	40.33	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS

Band7	5	20775	25	#0	QPSK	E-ACLR+	41.39	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR+	42.14	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	52.32	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2-	53.62	35.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR1-	42.02	32.2	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR-	39.82	29.2	PASS
Band7	5	20775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QAM16	E-ACLR+	50.81	29.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR+	51.48	32.2	PASS
Band7	5	20775	8	#0	QAM16	U-ACLR2+	54.14	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2-	53.84	35.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR1-	51.40	32.2	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR-	50.74	29.2	PASS
Band7	5	20775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QAM16	E-ACLR+	42.11	29.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR+	44.03	32.2	PASS
Band7	5	20775	8	#Max	QAM16	U-ACLR2+	53.88	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2-	51.68	35.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR1-	42.62	32.2	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR-	41.88	29.2	PASS
Band7	5	20775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QAM16	E-ACLR+	42.56	29.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR+	43.25	32.2	PASS
Band7	5	20775	25	#0	QAM16	U-ACLR2+	51.80	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	54.54	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	38.53	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	35.81	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	51.48	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	52.16	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	55.16	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	54.81	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	52.09	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	51.37	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	35.82	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	38.46	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	54.86	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	51.78	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	40.86	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	40.18	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	39.99	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	40.69	32.2	PASS

Band7	5	21100	25	#0	QPSK	U-ACLR2+	51.91	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2-	53.56	35.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR1-	40.78	32.2	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR-	38.27	29.2	PASS
Band7	5	21100	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QAM16	E-ACLR+	50.59	29.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR+	51.28	32.2	PASS
Band7	5	21100	8	#0	QAM16	U-ACLR2+	54.05	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2-	53.75	35.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR1-	51.45	32.2	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR-	50.75	29.2	PASS
Band7	5	21100	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QAM16	E-ACLR+	37.94	29.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR+	40.48	32.2	PASS
Band7	5	21100	8	#Max	QAM16	U-ACLR2+	53.79	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2-	51.32	35.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR1-	41.70	32.2	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR-	40.92	29.2	PASS
Band7	5	21100	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QAM16	E-ACLR+	40.66	29.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR+	41.39	32.2	PASS
Band7	5	21100	25	#0	QAM16	U-ACLR2+	51.42	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	54.47	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	37.23	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	33.95	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	51.25	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	51.94	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	55.12	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	54.80	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	52.18	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	51.48	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	34.33	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	37.40	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	54.88	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	51.69	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	38.76	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	37.95	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	37.72	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	38.54	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	52.13	35.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2-	53.55	35.2	PASS

Band7	5	21425	8	#0	QAM16	U-ACLR1-	40.35	32.2	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR-	37.56	29.2	PASS
Band7	5	21425	8	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QAM16	E-ACLR+	50.65	29.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR+	51.32	32.2	PASS
Band7	5	21425	8	#0	QAM16	U-ACLR2+	54.06	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2-	53.66	35.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR1-	51.77	32.2	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR-	51.07	29.2	PASS
Band7	5	21425	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QAM16	E-ACLR+	37.69	29.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR+	40.40	32.2	PASS
Band7	5	21425	8	#Max	QAM16	U-ACLR2+	53.93	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2-	51.02	35.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR1-	40.04	32.2	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR-	39.22	29.2	PASS
Band7	5	21425	25	#0	QAM16	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QAM16	E-ACLR+	38.86	29.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR+	39.64	32.2	PASS
Band7	5	21425	25	#0	QAM16	U-ACLR2+	51.46	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	53.39	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	39.18	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	38.62	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	49.67	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	53.43	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	53.54	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	53.36	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	52.85	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	49.30	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	43.04	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	44.01	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	53.43	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	47.15	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	43.22	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	41.09	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	42.75	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	45.30	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	47.88	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2-	52.65	35.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR1-	40.88	32.2	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR-	40.12	29.2	PASS

Band7	10	20800	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QAM16	E-ACLR+	48.99	29.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR+	52.73	32.2	PASS
Band7	10	20800	12	#0	QAM16	U-ACLR2+	52.83	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2-	52.58	35.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR1-	52.26	32.2	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR-	48.65	29.2	PASS
Band7	10	20800	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QAM16	E-ACLR+	43.78	29.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR+	45.06	32.2	PASS
Band7	10	20800	12	#Max	QAM16	U-ACLR2+	52.71	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2-	47.64	35.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR1-	43.93	32.2	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR-	41.69	29.2	PASS
Band7	10	20800	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QAM16	E-ACLR+	42.93	29.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR+	45.56	32.2	PASS
Band7	10	20800	50	#0	QAM16	U-ACLR2+	48.07	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	53.25	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	38.59	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	38.03	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	49.92	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	53.48	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	53.87	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	53.60	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	53.48	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	49.79	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	39.13	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	39.67	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.80	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	45.62	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	42.14	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	39.89	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	40.27	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	42.61	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	45.79	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2-	52.51	35.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR1-	40.69	32.2	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR-	39.90	29.2	PASS
Band7	10	21100	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QAM16	E-ACLR+	49.10	29.2	PASS

Band7	10	21100	12	#0	QAM16	U-ACLR+	52.66	32.2	PASS
Band7	10	21100	12	#0	QAM16	U-ACLR2+	53.08	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2-	52.70	35.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR1-	52.65	32.2	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR-	48.93	29.2	PASS
Band7	10	21100	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QAM16	E-ACLR+	40.38	29.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR+	41.21	32.2	PASS
Band7	10	21100	12	#Max	QAM16	U-ACLR2+	53.11	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2-	46.47	35.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR1-	42.50	32.2	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR-	40.35	29.2	PASS
Band7	10	21100	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QAM16	E-ACLR+	40.55	29.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR+	42.69	32.2	PASS
Band7	10	21100	50	#0	QAM16	U-ACLR2+	46.57	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	53.06	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	39.30	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	38.65	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	49.68	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	53.15	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	53.78	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	53.62	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	53.62	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	49.89	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	37.50	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	38.02	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	53.95	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	45.89	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	41.32	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	39.40	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	38.38	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	40.00	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	45.81	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2-	52.33	35.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR1-	41.43	32.2	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR-	40.61	29.2	PASS
Band7	10	21400	12	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QAM16	E-ACLR+	48.91	29.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR+	52.40	32.2	PASS
Band7	10	21400	12	#0	QAM16	U-ACLR2+	52.99	35.2	PASS

Band7	10	21400	12	#Max	QAM16	U-ACLR2-	52.72	35.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR1-	52.79	32.2	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR-	49.03	29.2	PASS
Band7	10	21400	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QAM16	E-ACLR+	39.28	29.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR+	39.93	32.2	PASS
Band7	10	21400	12	#Max	QAM16	U-ACLR2+	53.17	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2-	46.75	35.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR1-	41.66	32.2	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR-	39.86	29.2	PASS
Band7	10	21400	50	#0	QAM16	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QAM16	E-ACLR+	38.76	29.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR+	40.27	32.2	PASS
Band7	10	21400	50	#0	QAM16	U-ACLR2+	46.50	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	52.69	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	40.24	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR-	41.03	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	46.79	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	54.38	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	53.83	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	53.27	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	53.81	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	47.24	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	43.72	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	43.58	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	53.10	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	48.50	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	46.28	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	42.41	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	40.32	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	45.48	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	46.41	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2-	51.79	35.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR1-	41.47	32.2	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR-	41.77	29.2	PASS
Band7	20	20850	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QAM16	E-ACLR+	46.02	29.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR+	53.33	32.2	PASS
Band7	20	20850	18	#0	QAM16	U-ACLR2+	53.01	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2-	52.27	35.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR1-	52.82	32.2	PASS

Band7	20	20850	18	#Max	QAM16	E-ACLR-	46.32	29.2	PASS
Band7	20	20850	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QAM16	E-ACLR+	44.07	29.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR+	45.13	32.2	PASS
Band7	20	20850	18	#Max	QAM16	U-ACLR2+	52.06	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2-	49.24	35.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR1-	47.62	32.2	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR-	43.10	29.2	PASS
Band7	20	20850	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QAM16	E-ACLR+	41.43	29.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR+	47.25	32.2	PASS
Band7	20	20850	100	#0	QAM16	U-ACLR2+	47.66	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	52.46	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	40.59	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	41.50	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR+	47.32	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	54.44	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	54.25	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	53.28	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	53.90	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	47.18	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	42.74	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	42.59	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	53.67	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	47.17	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	45.98	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	40.93	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	42.00	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	47.30	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	48.72	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2-	51.53	35.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR1-	42.48	32.2	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR-	42.40	29.2	PASS
Band7	20	21100	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QAM16	E-ACLR+	46.55	29.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR+	53.42	32.2	PASS
Band7	20	21100	18	#0	QAM16	U-ACLR2+	53.41	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2-	52.30	35.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR1-	53.01	32.2	PASS
Band7	20	21100	18	#Max	QAM16	E-ACLR-	46.36	29.2	PASS
Band7	20	21100	18	#Max	QAM16	EUTRA	0.00	0	PASS

Band7	20	21100	18	#Max	QAM16	E-ACLR+	43.34	29.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR+	44.06	32.2	PASS
Band7	20	21100	18	#Max	QAM16	U-ACLR2+	52.88	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2-	47.53	35.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR1-	46.53	32.2	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR-	41.50	29.2	PASS
Band7	20	21100	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QAM16	E-ACLR+	41.87	29.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR+	46.87	32.2	PASS
Band7	20	21100	100	#0	QAM16	U-ACLR2+	48.24	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2-	51.99	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	43.37	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	43.20	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	47.37	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	54.24	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	54.28	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	53.11	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	53.95	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	47.00	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	39.86	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	38.25	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	53.77	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	45.45	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	43.87	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	39.45	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	38.20	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	41.66	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	44.41	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2-	51.19	35.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR1-	44.69	32.2	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR-	43.54	29.2	PASS
Band7	20	21350	18	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QAM16	E-ACLR+	46.56	29.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR+	53.29	32.2	PASS
Band7	20	21350	18	#0	QAM16	U-ACLR2+	53.40	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR2-	52.15	35.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR1-	52.99	32.2	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR-	46.09	29.2	PASS
Band7	20	21350	18	#Max	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QAM16	E-ACLR+	41.18	29.2	PASS
Band7	20	21350	18	#Max	QAM16	U-ACLR+	40.33	32.2	PASS

Band7	20	21350	18	#Max	QAM16	U-ACLR2+	52.90	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2-	46.29	35.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR1-	45.04	32.2	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR-	40.28	29.2	PASS
Band7	20	21350	100	#0	QAM16	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QAM16	E-ACLR+	39.20	29.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR+	42.57	32.2	PASS
Band7	20	21350	100	#0	QAM16	U-ACLR2+	45.48	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	44.19	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	38.68	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	40.76	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	46.06	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	46.84	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	41.19	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	38.34	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	43.49	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	44.72	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	42.09	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	41.78	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	44.08	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR1-	45.34	32.2	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR-	39.92	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QAM16	E-ACLR+	41.53	29.2	PASS
Band8	1.4	21457	5	#0	QAM16	U-ACLR+	46.63	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR1-	47.84	32.2	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR-	42.74	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QAM16	E-ACLR+	39.55	29.2	PASS
Band8	1.4	21457	5	#Max	QAM16	U-ACLR+	44.46	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR1-	46.57	32.2	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR-	43.98	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QAM16	E-ACLR+	43.22	29.2	PASS
Band8	1.4	21457	6	#0	QAM16	U-ACLR+	45.53	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	47.83	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	45.17	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	45.59	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	48.32	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	49.18	32.2	PASS

Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	46.83	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	44.61	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	47.08	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	49.11	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR-	48.99	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	47.52	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	48.09	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR1-	49.24	32.2	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR-	47.70	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QAM16	E-ACLR+	47.98	29.2	PASS
Band8	1.4	21625	5	#0	QAM16	U-ACLR+	49.26	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR1-	50.03	32.2	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR-	49.17	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QAM16	E-ACLR+	46.64	29.2	PASS
Band8	1.4	21625	5	#Max	QAM16	U-ACLR+	48.42	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR1-	48.94	32.2	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR-	48.34	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QAM16	E-ACLR+	47.03	29.2	PASS
Band8	1.4	21625	6	#0	QAM16	U-ACLR+	48.03	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	42.34	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	36.40	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	39.18	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	46.15	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	44.83	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	38.22	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	35.23	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	42.48	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	44.61	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	41.93	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	42.08	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	45.62	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR1-	44.55	32.2	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR-	39.11	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QAM16	E-ACLR+	42.12	29.2	PASS
Band8	1.4	21793	5	#0	QAM16	U-ACLR+	47.54	32.2	PASS

Band8	1.4	21793	5	#Max	QAM16	U-ACLR1-	46.67	32.2	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR-	41.63	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QAM16	E-ACLR+	38.84	29.2	PASS
Band8	1.4	21793	5	#Max	QAM16	U-ACLR+	44.84	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR1-	46.33	32.2	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR-	44.01	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QAM16	E-ACLR+	44.22	29.2	PASS
Band8	1.4	21793	6	#0	QAM16	U-ACLR+	46.90	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2-	53.95	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	43.15	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	40.92	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	51.38	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	52.03	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	54.26	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	54.08	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	52.51	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	51.82	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	38.56	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	41.08	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	54.23	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	52.76	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	43.91	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	43.16	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	40.78	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	41.46	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	51.25	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2-	52.99	35.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR1-	45.28	32.2	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR-	43.12	29.2	PASS
Band8	5	21475	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QAM16	E-ACLR+	50.47	29.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR+	51.14	32.2	PASS
Band8	5	21475	8	#0	QAM16	U-ACLR2+	53.21	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR2-	53.01	35.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR1-	51.77	32.2	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR-	51.09	29.2	PASS
Band8	5	21475	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QAM16	E-ACLR+	41.46	29.2	PASS
Band8	5	21475	8	#Max	QAM16	U-ACLR+	43.71	32.2	PASS

Band8	5	21475	8	#Max	QAM16	U-ACLR2+	53.20	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2-	51.83	35.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR1-	44.54	32.2	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR-	43.80	29.2	PASS
Band8	5	21475	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QAM16	E-ACLR+	41.42	29.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR+	42.12	32.2	PASS
Band8	5	21475	25	#0	QAM16	U-ACLR2+	51.00	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	53.90	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	46.28	32.2	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR-	44.35	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	50.87	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	51.46	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	54.23	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	54.00	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	52.38	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	51.71	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	44.10	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	45.57	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	54.17	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	52.28	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	48.56	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	47.90	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	43.97	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	44.55	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	51.53	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2-	53.02	35.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR1-	46.81	32.2	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR-	45.00	29.2	PASS
Band8	5	21625	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QAM16	E-ACLR+	50.17	29.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR+	50.80	32.2	PASS
Band8	5	21625	8	#0	QAM16	U-ACLR2+	53.34	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2-	53.13	35.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR1-	51.53	32.2	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR-	50.85	29.2	PASS
Band8	5	21625	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QAM16	E-ACLR+	44.57	29.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR+	46.11	32.2	PASS
Band8	5	21625	8	#Max	QAM16	U-ACLR2+	53.31	35.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2-	51.27	35.2	PASS


Band8	5	21625	25	#0	QAM16	U-ACLR1-	47.50	32.2	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR-	46.79	29.2	PASS
Band8	5	21625	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QAM16	E-ACLR+	42.75	29.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR+	43.39	32.2	PASS
Band8	5	21625	25	#0	QAM16	U-ACLR2+	50.79	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	53.84	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	40.66	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	37.69	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR+	52.24	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	52.97	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	54.27	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	53.86	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	51.88	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	51.24	29.2	PASS
Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	36.80	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	40.18	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	54.25	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	51.75	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	42.40	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	41.71	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	42.23	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	43.11	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	53.25	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2-	52.86	35.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR1-	43.72	32.2	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR-	41.20	29.2	PASS
Band8	5	21775	8	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	QAM16	E-ACLR+	51.31	29.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR+	52.02	32.2	PASS
Band8	5	21775	8	#0	QAM16	U-ACLR2+	53.28	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2-	52.83	35.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR1-	51.03	32.2	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR-	50.38	29.2	PASS
Band8	5	21775	8	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QAM16	E-ACLR+	40.61	29.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR+	43.58	32.2	PASS
Band8	5	21775	8	#Max	QAM16	U-ACLR2+	53.20	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2-	51.00	35.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR1-	43.36	32.2	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR-	42.66	29.2	PASS

Band8	5	21775	25	#0	QAM16	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QAM16	E-ACLR+	42.57	29.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR+	43.41	32.2	PASS
Band8	5	21775	25	#0	QAM16	U-ACLR2+	52.32	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	53.52	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	43.24	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	42.43	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	49.48	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	53.22	32.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2+	53.21	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	53.53	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	53.23	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	49.66	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	39.14	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR+	39.77	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	53.45	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	51.39	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	43.50	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	42.19	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	40.65	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	42.82	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	46.46	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2-	52.57	35.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR1-	44.30	32.2	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR-	43.20	29.2	PASS
Band8	10	21500	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QAM16	E-ACLR+	48.62	29.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR+	52.28	32.2	PASS
Band8	10	21500	12	#0	QAM16	U-ACLR2+	52.42	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2-	52.63	35.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR1-	52.27	32.2	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR-	48.73	29.2	PASS
Band8	10	21500	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QAM16	E-ACLR+	40.76	29.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR+	41.67	32.2	PASS
Band8	10	21500	12	#Max	QAM16	U-ACLR2+	52.55	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2-	50.80	35.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR1-	43.85	32.2	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR-	42.35	29.2	PASS
Band8	10	21500	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QAM16	E-ACLR+	41.52	29.2	PASS


Band8	10	21500	50	#0	QAM16	U-ACLR+	43.68	32.2	PASS
Band8	10	21500	50	#0	QAM16	U-ACLR2+	47.44	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	52.94	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	42.45	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	41.64	29.2	PASS
Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	49.21	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	52.74	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	53.16	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	53.03	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR1-	53.26	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	49.44	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	41.76	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	42.55	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	53.58	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	49.21	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	47.60	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	44.58	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	41.46	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	44.29	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	46.49	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2-	52.00	35.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR1-	44.15	32.2	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR-	42.92	29.2	PASS
Band8	10	21625	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QAM16	E-ACLR+	48.41	29.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR+	51.92	32.2	PASS
Band8	10	21625	12	#0	QAM16	U-ACLR2+	52.42	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2-	52.12	35.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR1-	52.43	32.2	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR-	48.55	29.2	PASS
Band8	10	21625	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QAM16	E-ACLR+	42.36	29.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR+	43.39	32.2	PASS
Band8	10	21625	12	#Max	QAM16	U-ACLR2+	52.80	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2-	49.13	35.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR1-	47.20	32.2	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR-	44.30	29.2	PASS
Band8	10	21625	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QAM16	E-ACLR+	40.73	29.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR+	43.07	32.2	PASS
Band8	10	21625	50	#0	QAM16	U-ACLR2+	46.66	35.2	PASS

Band8	10	21750	12	#0	QPSK	U-ACLR2-	52.91	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	39.09	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	38.46	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	50.37	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR+	53.83	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	54.33	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	52.74	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	52.66	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	48.99	29.2	PASS
Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	40.71	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	41.42	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	54.27	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	45.63	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	40.74	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR-	38.79	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	44.95	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	46.09	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	53.36	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2-	52.17	35.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR1-	40.90	32.2	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR-	40.12	29.2	PASS
Band8	10	21750	12	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QAM16	E-ACLR+	49.43	29.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR+	52.92	32.2	PASS
Band8	10	21750	12	#0	QAM16	U-ACLR2+	53.36	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2-	51.82	35.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR1-	51.66	32.2	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR-	48.04	29.2	PASS
Band8	10	21750	12	#Max	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QAM16	E-ACLR+	42.35	29.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR+	43.27	32.2	PASS
Band8	10	21750	12	#Max	QAM16	U-ACLR2+	53.26	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2-	46.57	35.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR1-	40.90	32.2	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR-	39.19	29.2	PASS
Band8	10	21750	50	#0	QAM16	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QAM16	E-ACLR+	44.20	29.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR+	45.39	32.2	PASS
Band8	10	21750	50	#0	QAM16	U-ACLR2+	52.38	35.2	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18025 RB Size=25 Position=#0



Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max



Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QAM16 BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QAM16 BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#0



Band1 QAM16 BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QAM16 BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QAM16 BW=10MHz Channel=18550 RB Size=50 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0



Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QAM16 BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0



Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QAM16 BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QAM16 BW=20MHz Channel=18500 RB Size=100 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QAM16 BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QAM16 BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 QAM16 BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QAM16 BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QAM16 BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 QAM16 BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0



Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QAM16 BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QAM16 BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27360 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27360 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27360 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27360 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27360 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27360 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27494 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27494 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27494 RB Size=15 Position=#0




Band28 QAM16 BW=3MHz Channel=27494 RB Size=4 Position=#0




Band28 QAM16 BW=3MHz Channel=27494 RB Size=4 Position=#Max




Band28 QAM16 BW=3MHz Channel=27494 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27360 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27360 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27360 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27360 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27360 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27360 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27484 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27484 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27484 RB Size=25 Position=#0




Band28 QAM16 BW=5MHz Channel=27484 RB Size=8 Position=#0




Band28 QAM16 BW=5MHz Channel=27484 RB Size=8 Position=#Max




Band28 QAM16 BW=5MHz Channel=27484 RB Size=25 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max



Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27360 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27360 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27360 RB Size=50 Position=#0



Band28 QAM16 BW=10MHz Channel=27360 RB Size=12 Position=#0




Band28 QAM16 BW=10MHz Channel=27360 RB Size=12 Position=#Max



Band28 QAM16 BW=10MHz Channel=27360 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27459 RB Size=12 Position=#0



Band28 QPSK BW=10MHz Channel=27459 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27459 RB Size=50 Position=#0




Band28 QAM16 BW=10MHz Channel=27459 RB Size=12 Position=#0



Band28 QAM16 BW=10MHz Channel=27459 RB Size=12 Position=#Max




Band28 QAM16 BW=10MHz Channel=27459 RB Size=50 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0



Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0



Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27310 RB Size=18 Position=#Max



Band28 QAM16 BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27360 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27360 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27360 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27360 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27360 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27360 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27409 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27409 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27409 RB Size=100 Position=#0




Band28 QAM16 BW=20MHz Channel=27409 RB Size=18 Position=#0




Band28 QAM16 BW=20MHz Channel=27409 RB Size=18 Position=#Max




Band28 QAM16 BW=20MHz Channel=27409 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0



Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QAM16 BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QAM16 BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QAM16 BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QAM16 BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#0



Band3 QAM16 BW=10MHz Channel=19250 RB Size=12 Position=#Max



Band3 QAM16 BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19575 RB Size=50 Position=#0



Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QAM16 BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QAM16 BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 QAM16 BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QAM16 BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QAM16 BW=20MHz Channel=19850 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QAM16 BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QAM16 BW=5MHz Channel=39625 RB Size=8 Position=#Max



Band40 QAM16 BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QAM16 BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QAM16 BW=10MHz Channel=39600 RB Size=12 Position=#Max



Band40 QAM16 BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QAM16 BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0



Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QAM16 BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QAM16 BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QAM16 BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QAM16 BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QAM16 BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QAM16 BW=10MHz Channel=21400 RB Size=50 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0



Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 QAM16 BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QAM16 BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QAM16 BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QAM16 BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QAM16 BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QAM16 BW=5MHz Channel=21775 RB Size=8 Position=#Max



Band8 QAM16 BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21500 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21500 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0



Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QAM16 BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QAM16 BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 QAM16 BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QAM16 BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.12 LTE Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	100.00	95	PASS
Band1	5	18300	25	QPSK	-100	100.00	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	100.00	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	100.00	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band28	3	27225	15	QPSK	-99.5	99.88	95	PASS
Band28	3	27360	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27494	15	QPSK	-99.5	100.00	95	PASS
Band28	5	27235	25	QPSK	-97.8	100.00	95	PASS
Band28	5	27360	25	QPSK	-97.8	100.00	95	PASS
Band28	5	27484	25	QPSK	-97.8	100.00	95	PASS
Band28	20	27310	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27360	100	QPSK	-90.3	100.00	95	PASS

Band28	20	27409	100	QPSK	-90.3	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	100.00	95	PASS
Band3	5	19225	25	QPSK	-97	100.00	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	100.00	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	100.00	95	PASS
Band40	5	38675	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39150	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39625	25	QPSK	-99.3	100.00	95	PASS
Band40	20	38750	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39150	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39550	100	QPSK	-93.3	100.00	95	PASS
Band7	5	20775	25	QPSK	-98	100.00	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	100.00	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS
Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	100.00	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS
Band8	10	21500	50	QPSK	-94	99.89	95	PASS
Band8	10	21625	50	QPSK	-94	99.89	95	PASS
Band8	10	21750	50	QPSK	-94	100.00	95	PASS