

**Clause 4.2.2 LTE Transmitter maximum output power**

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Low Limit (dBm)	high Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	24.14	21	25	PASS
Band1	5	18025	8	#0	QPSK	24.18	21	25	PASS
Band1	5	18025	25	#0	QPSK	23.16	21	25	PASS
Band1	5	18025	1	#0	16QAM	23.33	21	25	PASS
Band1	5	18025	8	#0	16QAM	23.14	21	25	PASS
Band1	5	18025	25	#0	16QAM	22.15	21	25	PASS
Band1	5	18300	1	#0	QPSK	24.15	21	25	PASS
Band1	5	18300	8	#0	QPSK	24.17	21	25	PASS
Band1	5	18300	25	#0	QPSK	23.21	21	25	PASS
Band1	5	18300	1	#0	16QAM	23.39	21	25	PASS
Band1	5	18300	8	#0	16QAM	23.14	21	25	PASS
Band1	5	18300	25	#0	16QAM	22.24	21	25	PASS
Band1	5	18575	1	#0	QPSK	24.23	21	25	PASS
Band1	5	18575	8	#0	QPSK	24.29	21	25	PASS
Band1	5	18575	25	#0	QPSK	23.27	21	25	PASS
Band1	5	18575	1	#0	16QAM	23.46	21	25	PASS
Band1	5	18575	8	#0	16QAM	23.25	21	25	PASS
Band1	5	18575	25	#0	16QAM	22.27	21	25	PASS
Band1	20	18100	1	#0	QPSK	24.06	21	25	PASS
Band1	20	18100	18	#0	QPSK	24.07	21	25	PASS
Band1	20	18100	100	#0	QPSK	23.31	21	25	PASS
Band1	20	18100	1	#0	16QAM	23.22	21	25	PASS
Band1	20	18100	18	#0	16QAM	23.09	21	25	PASS
Band1	20	18100	100	#0	16QAM	22.31	21	25	PASS
Band1	20	18300	1	#0	QPSK	24.17	21	25	PASS
Band1	20	18300	18	#0	QPSK	24.02	21	25	PASS
Band1	20	18300	100	#0	QPSK	23.12	21	25	PASS
Band1	20	18300	1	#0	16QAM	22.95	21	25	PASS
Band1	20	18300	18	#0	16QAM	22.96	21	25	PASS
Band1	20	18300	100	#0	16QAM	22.10	21	25	PASS
Band1	20	18500	1	#0	QPSK	24.19	21	25	PASS
Band1	20	18500	18	#0	QPSK	24.18	21	25	PASS
Band1	20	18500	100	#0	QPSK	23.34	21	25	PASS
Band1	20	18500	1	#0	16QAM	22.97	21	25	PASS
Band1	20	18500	18	#0	16QAM	23.17	21	25	PASS
Band1	20	18500	100	#0	16QAM	22.31	21	25	PASS
Band20	5	24175	1	#0	QPSK	24.28	19.5	25	PASS
Band20	5	24175	8	#0	QPSK	24.45	19.5	25	PASS
Band20	5	24175	25	#0	QPSK	23.99	21	25	PASS
Band20	5	24300	1	#0	QPSK	24.26	21	25	PASS

Band20	5	24300	8	#0	QPSK	24.42	21	25	PASS
Band20	5	24300	25	#0	QPSK	23.89	21	25	PASS
Band20	5	24425	1	#0	QPSK	24.06	21	25	PASS
Band20	5	24425	8	#0	QPSK	24.24	21	25	PASS
Band20	5	24425	25	#0	QPSK	23.68	21	25	PASS
Band20	20	24250	1	#0	QPSK	24.23	19.5	25	PASS
Band20	20	24250	18	#0	QPSK	24.55	19.5	25	PASS
Band20	20	24250	100	#0	QPSK	24.14	21	25	PASS
Band20	20	24300	1	#0	QPSK	24.51	21	25	PASS
Band20	20	24300	18	#0	QPSK	24.68	21	25	PASS
Band20	20	24300	100	#0	QPSK	23.95	21	25	PASS
Band20	20	24350	1	#0	QPSK	24.25	21	25	PASS
Band20	20	24350	18	#0	QPSK	24.41	21	25	PASS
Band20	20	24350	100	#0	QPSK	23.67	21	25	PASS
Band28	3	27225	1	#0	QPSK	24.26	20.5	25	PASS
Band28	3	27225	4	#0	QPSK	24.19	20.5	25	PASS
Band28	3	27225	15	#0	QPSK	22.33	20.5	25	PASS
Band28	3	27375	1	#0	QPSK	24.59	20.5	25	PASS
Band28	3	27375	4	#0	QPSK	24.48	20.5	25	PASS
Band28	3	27375	15	#0	QPSK	24.25	20.5	25	PASS
Band28	3	27525	1	#0	QPSK	24.54	20.5	25	PASS
Band28	3	27525	4	#0	QPSK	24.48	20.5	25	PASS
Band28	3	27525	15	#0	QPSK	24.15	20.5	25	PASS
Band28	5	27235	1	#0	QPSK	24.34	20.5	25	PASS
Band28	5	27235	8	#0	QPSK	24.64	20.5	25	PASS
Band28	5	27235	25	#0	QPSK	22.45	20.5	25	PASS
Band28	5	27375	1	#0	QPSK	24.70	20.5	25	PASS
Band28	5	27375	8	#0	QPSK	24.95	20.5	25	PASS
Band28	5	27375	25	#0	QPSK	24.38	20.5	25	PASS
Band28	5	27515	1	#0	QPSK	24.66	20.5	25	PASS
Band28	5	27515	8	#0	QPSK	24.88	20.5	25	PASS
Band28	5	27515	25	#0	QPSK	24.30	20.5	25	PASS
Band28	20	27310	1	#0	QPSK	24.27	20.5	25	PASS
Band28	20	27310	18	#0	QPSK	24.58	20.5	25	PASS
Band28	20	27310	100	#0	QPSK	22.54	20.5	25	PASS
Band28	20	27375	1	#0	QPSK	24.48	20.5	25	PASS
Band28	20	27375	18	#0	QPSK	24.79	20.5	25	PASS
Band28	20	27375	100	#0	QPSK	22.83	20.5	25	PASS
Band28	20	27440	1	#0	QPSK	24.64	20.5	25	PASS
Band28	20	27440	18	#0	QPSK	24.93	20.5	25	PASS
Band28	20	27440	100	#0	QPSK	24.31	20.5	25	PASS
Band3	1.4	19207	1	#0	QPSK	24.45	19.5	25	PASS
Band3	1.4	19207	5	#0	QPSK	24.44	19.5	25	PASS
Band3	1.4	19207	6	#0	QPSK	23.61	19.5	25	PASS



Band3	1.4	19575	1	#0	QPSK	24.37	21	25	PASS
Band3	1.4	19575	5	#0	QPSK	24.43	21	25	PASS
Band3	1.4	19575	6	#0	QPSK	23.62	21	25	PASS
Band3	1.4	19943	1	#0	QPSK	24.24	19.5	25	PASS
Band3	1.4	19943	5	#0	QPSK	24.25	19.5	25	PASS
Band3	1.4	19943	6	#0	QPSK	23.44	19.5	25	PASS
Band3	5	19225	1	#0	QPSK	24.53	19.5	25	PASS
Band3	5	19225	8	#0	QPSK	24.72	19.5	25	PASS
Band3	5	19225	25	#0	QPSK	24.12	21	25	PASS
Band3	5	19575	1	#0	QPSK	24.48	21	25	PASS
Band3	5	19575	8	#0	QPSK	24.69	21	25	PASS
Band3	5	19575	25	#0	QPSK	24.10	21	25	PASS
Band3	5	19925	1	#0	QPSK	24.39	21	25	PASS
Band3	5	19925	8	#0	QPSK	24.68	21	25	PASS
Band3	5	19925	25	#0	QPSK	23.83	21	25	PASS
Band3	20	19300	1	#0	QPSK	24.38	19.5	25	PASS
Band3	20	19300	18	#0	QPSK	24.68	19.5	25	PASS
Band3	20	19300	100	#0	QPSK	24.14	21	25	PASS
Band3	20	19575	1	#0	QPSK	24.49	21	25	PASS
Band3	20	19575	18	#0	QPSK	24.69	21	25	PASS
Band3	20	19575	100	#0	QPSK	24.19	21	25	PASS
Band3	20	19850	1	#0	QPSK	24.38	21	25	PASS
Band3	20	19850	18	#0	QPSK	24.66	21	25	PASS
Band3	20	19850	100	#0	QPSK	24.11	21	25	PASS
Band34	5	36225	1	#0	QPSK	24.24	21	25	PASS
Band34	5	36225	8	#0	QPSK	24.38	21	25	PASS
Band34	5	36225	25	#0	QPSK	23.79	21	25	PASS
Band34	5	36275	1	#0	QPSK	24.27	21	25	PASS
Band34	5	36275	8	#0	QPSK	24.34	21	25	PASS
Band34	5	36275	25	#0	QPSK	23.74	21	25	PASS
Band34	5	36325	1	#0	QPSK	24.14	21	25	PASS
Band34	5	36325	8	#0	QPSK	24.31	21	25	PASS
Band34	5	36325	25	#0	QPSK	23.72	21	25	PASS
Band34	15	36275	1	#0	QPSK	24.31	21	25	PASS
Band34	15	36275	16	#0	QPSK	24.44	21	25	PASS
Band34	15	36275	75	#0	QPSK	23.51	21	25	PASS
Band38	5	37775	1	#0	QPSK	24.44	21	25	PASS
Band38	5	37775	8	#0	QPSK	24.55	21	25	PASS
Band38	5	37775	25	#0	QPSK	23.92	21	25	PASS
Band38	5	38000	1	#0	QPSK	24.53	21	25	PASS
Band38	5	38000	8	#0	QPSK	24.62	21	25	PASS
Band38	5	38000	25	#0	QPSK	23.99	21	25	PASS
Band38	5	38225	1	#0	QPSK	24.42	21	25	PASS
Band38	5	38225	8	#0	QPSK	24.57	21	25	PASS

Band38	5	38225	25	#0	QPSK	23.87	21	25	PASS
Band38	20	37850	1	#0	QPSK	24.38	21	25	PASS
Band38	20	37850	18	#0	QPSK	24.51	21	25	PASS
Band38	20	37850	100	#0	QPSK	24.01	21	25	PASS
Band38	20	38000	1	#0	QPSK	24.52	21	25	PASS
Band38	20	38000	18	#0	QPSK	24.62	21	25	PASS
Band38	20	38000	100	#0	QPSK	23.99	21	25	PASS
Band38	20	38150	1	#0	QPSK	24.47	21	25	PASS
Band38	20	38150	18	#0	QPSK	24.56	21	25	PASS
Band38	20	38150	100	#0	QPSK	23.92	21	25	PASS
Band40	5	38675	1	#0	QPSK	24.18	21	25	PASS
Band40	5	38675	8	#0	QPSK	24.33	21	25	PASS
Band40	5	38675	25	#0	QPSK	23.78	21	25	PASS
Band40	5	39150	1	#0	QPSK	24.59	21	25	PASS
Band40	5	39150	8	#0	QPSK	24.70	21	25	PASS
Band40	5	39150	25	#0	QPSK	24.13	21	25	PASS
Band40	5	39625	1	#0	QPSK	24.27	21	25	PASS
Band40	5	39625	8	#0	QPSK	24.40	21	25	PASS
Band40	5	39625	25	#0	QPSK	23.76	21	25	PASS
Band40	20	38750	1	#0	QPSK	23.96	21	25	PASS
Band40	20	38750	18	#0	QPSK	24.37	21	25	PASS
Band40	20	38750	100	#0	QPSK	23.96	21	25	PASS
Band40	20	39150	1	#0	QPSK	24.46	21	25	PASS
Band40	20	39150	18	#0	QPSK	24.63	21	25	PASS
Band40	20	39150	100	#0	QPSK	24.14	21	25	PASS
Band40	20	39550	1	#0	QPSK	24.50	21	25	PASS
Band40	20	39550	18	#0	QPSK	24.62	21	25	PASS
Band40	20	39550	100	#0	QPSK	23.93	21	25	PASS
Band7	5	20775	1	#0	QPSK	24.66	19.5	25	PASS
Band7	5	20775	8	#0	QPSK	24.79	19.5	25	PASS
Band7	5	20775	25	#0	QPSK	24.20	21	25	PASS
Band7	5	21100	1	#0	QPSK	24.87	21	25	PASS
Band7	5	21100	8	#0	QPSK	25.00	21	25	PASS
Band7	5	21100	25	#0	QPSK	24.40	21	25	PASS
Band7	5	21425	1	#0	QPSK	24.47	21	25	PASS
Band7	5	21425	8	#0	QPSK	24.62	21	25	PASS
Band7	5	21425	25	#0	QPSK	24.00	21	25	PASS
Band7	20	20850	1	#0	QPSK	24.60	19.5	25	PASS
Band7	20	20850	18	#0	QPSK	24.74	19.5	25	PASS
Band7	20	20850	100	#0	QPSK	24.30	21	25	PASS
Band7	20	21100	1	#0	QPSK	24.82	21	25	PASS
Band7	20	21100	18	#0	QPSK	24.89	21	25	PASS
Band7	20	21100	100	#0	QPSK	24.44	21	25	PASS
Band7	20	21350	1	#0	QPSK	24.72	21	25	PASS

Band7	20	21350	18	#0	QPSK	24.80	21	25	PASS
Band7	20	21350	100	#0	QPSK	24.20	21	25	PASS
Band8	1.4	21457	1	#0	QPSK	23.96	19.5	25	PASS
Band8	1.4	21457	5	#0	QPSK	23.99	19.5	25	PASS
Band8	1.4	21457	6	#0	QPSK	23.14	19.5	25	PASS
Band8	1.4	21625	1	#0	QPSK	24.11	21	25	PASS
Band8	1.4	21625	5	#0	QPSK	24.23	21	25	PASS
Band8	1.4	21625	6	#0	QPSK	23.40	21	25	PASS
Band8	1.4	21793	1	#0	QPSK	23.85	19.5	25	PASS
Band8	1.4	21793	5	#0	QPSK	23.88	19.5	25	PASS
Band8	1.4	21793	6	#0	QPSK	23.03	19.5	25	PASS
Band8	5	21475	1	#0	QPSK	24.06	19.5	25	PASS
Band8	5	21475	8	#0	QPSK	24.24	19.5	25	PASS
Band8	5	21475	25	#0	QPSK	23.66	21	25	PASS
Band8	5	21625	1	#0	QPSK	24.31	21	25	PASS
Band8	5	21625	8	#0	QPSK	24.49	21	25	PASS
Band8	5	21625	25	#0	QPSK	23.80	21	25	PASS
Band8	5	21775	1	#0	QPSK	24.06	21	25	PASS
Band8	5	21775	8	#0	QPSK	24.29	21	25	PASS
Band8	5	21775	25	#0	QPSK	23.51	21	25	PASS
Band8	10	21500	1	#0	QPSK	24.07	19.5	25	PASS
Band8	10	21500	12	#0	QPSK	24.27	19.5	25	PASS
Band8	10	21500	50	#0	QPSK	23.78	21	25	PASS
Band8	10	21625	1	#0	QPSK	24.26	21	25	PASS
Band8	10	21625	12	#0	QPSK	24.40	21	25	PASS
Band8	10	21625	50	#0	QPSK	23.83	21	25	PASS
Band8	10	21750	1	#0	QPSK	24.20	21	25	PASS
Band8	10	21750	12	#0	QPSK	24.28	21	25	PASS
Band8	10	21750	50	#0	QPSK	23.62	21	25	PASS

**Clause 4.2.3 LTE Transmitter spectrum emission mask**

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range	SEM Margin (dB)	Verdict
Band1	5	18025	8	#0	QPSK	-1MHz-0MHz	15.59	PASS
Band1	5	18025	8	#0	QPSK	-5MHz--1MHz	20.63	PASS
Band1	5	18025	8	#0	QPSK	-6MHz--5MHz	23.46	PASS
Band1	5	18025	8	#0	QPSK	-10MHz--6MHz	11.60	PASS
Band1	5	18025	8	#0	QPSK	0MHz-1MHz	32.94	PASS
Band1	5	18025	8	#0	QPSK	1MHz-5MHz	24.32	PASS
Band1	5	18025	8	#0	QPSK	5MHz-6MHz	24.20	PASS
Band1	5	18025	8	#0	QPSK	6MHz-10MHz	12.07	PASS
Band1	5	18025	8	#Max	QPSK	-1MHz-0MHz	32.33	PASS
Band1	5	18025	8	#Max	QPSK	-5MHz--1MHz	23.45	PASS
Band1	5	18025	8	#Max	QPSK	-6MHz--5MHz	23.99	PASS
Band1	5	18025	8	#Max	QPSK	-10MHz--6MHz	11.62	PASS

Band1	5	18025	8	#Max	QPSK	0MHz-1MHz	15.26	PASS
Band1	5	18025	8	#Max	QPSK	1MHz-5MHz	19.97	PASS
Band1	5	18025	8	#Max	QPSK	5MHz-6MHz	23.44	PASS
Band1	5	18025	8	#Max	QPSK	6MHz-10MHz	11.86	PASS
Band1	5	18025	25	#0	QPSK	-1MHz-0MHz	23.44	PASS
Band1	5	18025	25	#0	QPSK	-5MHz--1MHz	17.87	PASS
Band1	5	18025	25	#0	QPSK	-6MHz--5MHz	23.40	PASS
Band1	5	18025	25	#0	QPSK	-10MHz--6MHz	11.38	PASS
Band1	5	18025	25	#0	QPSK	0MHz-1MHz	24.40	PASS
Band1	5	18025	25	#0	QPSK	1MHz-5MHz	18.75	PASS
Band1	5	18025	25	#0	QPSK	5MHz-6MHz	23.54	PASS
Band1	5	18025	25	#0	QPSK	6MHz-10MHz	11.52	PASS
Band1	5	18025	8	#0	16QAM	-1MHz-0MHz	18.66	PASS
Band1	5	18025	8	#0	16QAM	-5MHz--1MHz	22.64	PASS
Band1	5	18025	8	#0	16QAM	-6MHz--5MHz	23.55	PASS
Band1	5	18025	8	#0	16QAM	-10MHz--6MHz	11.87	PASS
Band1	5	18025	8	#0	16QAM	0MHz-1MHz	33.20	PASS
Band1	5	18025	8	#0	16QAM	1MHz-5MHz	24.60	PASS
Band1	5	18025	8	#0	16QAM	5MHz-6MHz	24.18	PASS
Band1	5	18025	8	#0	16QAM	6MHz-10MHz	12.09	PASS
Band1	5	18025	8	#Max	16QAM	-1MHz-0MHz	32.88	PASS
Band1	5	18025	8	#Max	16QAM	-5MHz--1MHz	23.89	PASS
Band1	5	18025	8	#Max	16QAM	-6MHz--5MHz	23.95	PASS
Band1	5	18025	8	#Max	16QAM	-10MHz--6MHz	11.80	PASS
Band1	5	18025	8	#Max	16QAM	0MHz-1MHz	17.66	PASS
Band1	5	18025	8	#Max	16QAM	1MHz-5MHz	21.86	PASS
Band1	5	18025	8	#Max	16QAM	5MHz-6MHz	23.72	PASS
Band1	5	18025	8	#Max	16QAM	6MHz-10MHz	11.98	PASS
Band1	5	18025	25	#0	16QAM	-1MHz-0MHz	25.67	PASS
Band1	5	18025	25	#0	16QAM	-5MHz--1MHz	19.97	PASS
Band1	5	18025	25	#0	16QAM	-6MHz--5MHz	23.24	PASS
Band1	5	18025	25	#0	16QAM	-10MHz--6MHz	11.48	PASS
Band1	5	18025	25	#0	16QAM	0MHz-1MHz	25.65	PASS
Band1	5	18025	25	#0	16QAM	1MHz-5MHz	20.74	PASS
Band1	5	18025	25	#0	16QAM	5MHz-6MHz	23.51	PASS
Band1	5	18025	25	#0	16QAM	6MHz-10MHz	11.62	PASS
Band1	5	18300	8	#0	QPSK	-1MHz-0MHz	12.87	PASS
Band1	5	18300	8	#0	QPSK	-5MHz--1MHz	17.26	PASS
Band1	5	18300	8	#0	QPSK	-6MHz--5MHz	23.32	PASS
Band1	5	18300	8	#0	QPSK	-10MHz--6MHz	11.52	PASS
Band1	5	18300	8	#0	QPSK	0MHz-1MHz	32.58	PASS
Band1	5	18300	8	#0	QPSK	1MHz-5MHz	23.90	PASS
Band1	5	18300	8	#0	QPSK	5MHz-6MHz	23.86	PASS
Band1	5	18300	8	#0	QPSK	6MHz-10MHz	11.84	PASS

Band1	5	18300	8	#Max	QPSK	-1MHz-0MHz	32.55	PASS
Band1	5	18300	8	#Max	QPSK	-5MHz--1MHz	23.95	PASS
Band1	5	18300	8	#Max	QPSK	-6MHz--5MHz	23.76	PASS
Band1	5	18300	8	#Max	QPSK	-10MHz--6MHz	11.57	PASS
Band1	5	18300	8	#Max	QPSK	0MHz-1MHz	12.42	PASS
Band1	5	18300	8	#Max	QPSK	1MHz-5MHz	17.78	PASS
Band1	5	18300	8	#Max	QPSK	5MHz-6MHz	23.23	PASS
Band1	5	18300	8	#Max	QPSK	6MHz-10MHz	11.63	PASS
Band1	5	18300	25	#0	QPSK	-1MHz-0MHz	23.74	PASS
Band1	5	18300	25	#0	QPSK	-5MHz--1MHz	17.43	PASS
Band1	5	18300	25	#0	QPSK	-6MHz--5MHz	23.03	PASS
Band1	5	18300	25	#0	QPSK	-10MHz--6MHz	11.20	PASS
Band1	5	18300	25	#0	QPSK	0MHz-1MHz	21.53	PASS
Band1	5	18300	25	#0	QPSK	1MHz-5MHz	15.85	PASS
Band1	5	18300	25	#0	QPSK	5MHz-6MHz	22.79	PASS
Band1	5	18300	25	#0	QPSK	6MHz-10MHz	11.18	PASS
Band1	5	18300	8	#0	16QAM	-1MHz-0MHz	14.41	PASS
Band1	5	18300	8	#0	16QAM	-5MHz--1MHz	19.93	PASS
Band1	5	18300	8	#0	16QAM	-6MHz--5MHz	23.46	PASS
Band1	5	18300	8	#0	16QAM	-10MHz--6MHz	11.62	PASS
Band1	5	18300	8	#0	16QAM	0MHz-1MHz	33.10	PASS
Band1	5	18300	8	#0	16QAM	1MHz-5MHz	24.06	PASS
Band1	5	18300	8	#0	16QAM	5MHz-6MHz	23.78	PASS
Band1	5	18300	8	#0	16QAM	6MHz-10MHz	11.70	PASS
Band1	5	18300	8	#Max	16QAM	-1MHz-0MHz	33.19	PASS
Band1	5	18300	8	#Max	16QAM	-5MHz--1MHz	24.23	PASS
Band1	5	18300	8	#Max	16QAM	-6MHz--5MHz	23.79	PASS
Band1	5	18300	8	#Max	16QAM	-10MHz--6MHz	11.62	PASS
Band1	5	18300	8	#Max	16QAM	0MHz-1MHz	15.57	PASS
Band1	5	18300	8	#Max	16QAM	1MHz-5MHz	20.05	PASS
Band1	5	18300	8	#Max	16QAM	5MHz-6MHz	23.33	PASS
Band1	5	18300	8	#Max	16QAM	6MHz-10MHz	11.70	PASS
Band1	5	18300	25	#0	16QAM	-1MHz-0MHz	25.27	PASS
Band1	5	18300	25	#0	16QAM	-5MHz--1MHz	19.73	PASS
Band1	5	18300	25	#0	16QAM	-6MHz--5MHz	23.07	PASS
Band1	5	18300	25	#0	16QAM	-10MHz--6MHz	11.23	PASS
Band1	5	18300	25	#0	16QAM	0MHz-1MHz	24.60	PASS
Band1	5	18300	25	#0	16QAM	1MHz-5MHz	18.02	PASS
Band1	5	18300	25	#0	16QAM	5MHz-6MHz	22.82	PASS
Band1	5	18300	25	#0	16QAM	6MHz-10MHz	11.28	PASS
Band1	5	18575	8	#0	QPSK	-1MHz-0MHz	8.94	PASS
Band1	5	18575	8	#0	QPSK	-5MHz--1MHz	16.25	PASS
Band1	5	18575	8	#0	QPSK	-6MHz--5MHz	23.70	PASS
Band1	5	18575	8	#0	QPSK	-10MHz--6MHz	12.04	PASS

Band1	5	18575	8	#0	QPSK	0MHz-1MHz	32.49	PASS
Band1	5	18575	8	#0	QPSK	1MHz-5MHz	24.48	PASS
Band1	5	18575	8	#0	QPSK	5MHz-6MHz	24.36	PASS
Band1	5	18575	8	#0	QPSK	6MHz-10MHz	12.33	PASS
Band1	5	18575	8	#Max	QPSK	-1MHz-0MHz	32.75	PASS
Band1	5	18575	8	#Max	QPSK	-5MHz--1MHz	24.11	PASS
Band1	5	18575	8	#Max	QPSK	-6MHz--5MHz	24.38	PASS
Band1	5	18575	8	#Max	QPSK	-10MHz--6MHz	12.24	PASS
Band1	5	18575	8	#Max	QPSK	0MHz-1MHz	11.01	PASS
Band1	5	18575	8	#Max	QPSK	1MHz-5MHz	17.49	PASS
Band1	5	18575	8	#Max	QPSK	5MHz-6MHz	23.82	PASS
Band1	5	18575	8	#Max	QPSK	6MHz-10MHz	12.31	PASS
Band1	5	18575	25	#0	QPSK	-1MHz-0MHz	21.37	PASS
Band1	5	18575	25	#0	QPSK	-5MHz--1MHz	15.78	PASS
Band1	5	18575	25	#0	QPSK	-6MHz--5MHz	23.21	PASS
Band1	5	18575	25	#0	QPSK	-10MHz--6MHz	11.43	PASS
Band1	5	18575	25	#0	QPSK	0MHz-1MHz	19.31	PASS
Band1	5	18575	25	#0	QPSK	1MHz-5MHz	14.87	PASS
Band1	5	18575	25	#0	QPSK	5MHz-6MHz	23.56	PASS
Band1	5	18575	25	#0	QPSK	6MHz-10MHz	11.79	PASS
Band1	5	18575	8	#0	16QAM	-1MHz-0MHz	14.19	PASS
Band1	5	18575	8	#0	16QAM	-5MHz--1MHz	19.95	PASS
Band1	5	18575	8	#0	16QAM	-6MHz--5MHz	24.05	PASS
Band1	5	18575	8	#0	16QAM	-10MHz--6MHz	12.19	PASS
Band1	5	18575	8	#0	16QAM	0MHz-1MHz	33.03	PASS
Band1	5	18575	8	#0	16QAM	1MHz-5MHz	24.93	PASS
Band1	5	18575	8	#0	16QAM	5MHz-6MHz	24.48	PASS
Band1	5	18575	8	#0	16QAM	6MHz-10MHz	12.36	PASS
Band1	5	18575	8	#Max	16QAM	-1MHz-0MHz	33.54	PASS
Band1	5	18575	8	#Max	16QAM	-5MHz--1MHz	24.65	PASS
Band1	5	18575	8	#Max	16QAM	-6MHz--5MHz	24.40	PASS
Band1	5	18575	8	#Max	16QAM	-10MHz--6MHz	12.10	PASS
Band1	5	18575	8	#Max	16QAM	0MHz-1MHz	15.99	PASS
Band1	5	18575	8	#Max	16QAM	1MHz-5MHz	20.84	PASS
Band1	5	18575	8	#Max	16QAM	5MHz-6MHz	24.05	PASS
Band1	5	18575	8	#Max	16QAM	6MHz-10MHz	12.40	PASS
Band1	5	18575	25	#0	16QAM	-1MHz-0MHz	25.10	PASS
Band1	5	18575	25	#0	16QAM	-5MHz--1MHz	18.63	PASS
Band1	5	18575	25	#0	16QAM	-6MHz--5MHz	23.10	PASS
Band1	5	18575	25	#0	16QAM	-10MHz--6MHz	11.63	PASS
Band1	5	18575	25	#0	16QAM	0MHz-1MHz	23.43	PASS
Band1	5	18575	25	#0	16QAM	1MHz-5MHz	17.58	PASS
Band1	5	18575	25	#0	16QAM	5MHz-6MHz	23.50	PASS
Band1	5	18575	25	#0	16QAM	6MHz-10MHz	11.86	PASS

Band1	10	18050	12	#0	QPSK	-1MHz-0MHz	15.92	PASS
Band1	10	18050	12	#0	QPSK	-5MHz--1MHz	18.71	PASS
Band1	10	18050	12	#0	QPSK	-10MHz--5MHz	22.64	PASS
Band1	10	18050	12	#0	QPSK	-15MHz--10MHz	10.82	PASS
Band1	10	18050	12	#0	QPSK	0MHz-1MHz	32.17	PASS
Band1	10	18050	12	#0	QPSK	1MHz-5MHz	26.07	PASS
Band1	10	18050	12	#0	QPSK	5MHz-10MHz	22.78	PASS
Band1	10	18050	12	#0	QPSK	10MHz-15MHz	12.06	PASS
Band1	10	18050	12	#Max	QPSK	-1MHz-0MHz	30.98	PASS
Band1	10	18050	12	#Max	QPSK	-5MHz--1MHz	24.95	PASS
Band1	10	18050	12	#Max	QPSK	-10MHz--5MHz	21.77	PASS
Band1	10	18050	12	#Max	QPSK	-15MHz--10MHz	10.84	PASS
Band1	10	18050	12	#Max	QPSK	0MHz-1MHz	12.45	PASS
Band1	10	18050	12	#Max	QPSK	1MHz-5MHz	15.32	PASS
Band1	10	18050	12	#Max	QPSK	5MHz-10MHz	22.28	PASS
Band1	10	18050	12	#Max	QPSK	10MHz-15MHz	11.64	PASS
Band1	10	18050	50	#0	QPSK	-1MHz-0MHz	21.25	PASS
Band1	10	18050	50	#0	QPSK	-5MHz--1MHz	17.15	PASS
Band1	10	18050	50	#0	QPSK	-10MHz--5MHz	17.55	PASS
Band1	10	18050	50	#0	QPSK	-15MHz--10MHz	10.58	PASS
Band1	10	18050	50	#0	QPSK	0MHz-1MHz	22.91	PASS
Band1	10	18050	50	#0	QPSK	1MHz-5MHz	19.48	PASS
Band1	10	18050	50	#0	QPSK	5MHz-10MHz	19.25	PASS
Band1	10	18050	50	#0	QPSK	10MHz-15MHz	11.50	PASS
Band1	10	18050	12	#0	16QAM	-1MHz-0MHz	17.97	PASS
Band1	10	18050	12	#0	16QAM	-5MHz--1MHz	21.01	PASS
Band1	10	18050	12	#0	16QAM	-10MHz--5MHz	22.93	PASS
Band1	10	18050	12	#0	16QAM	-15MHz--10MHz	10.69	PASS
Band1	10	18050	12	#0	16QAM	0MHz-1MHz	32.67	PASS
Band1	10	18050	12	#0	16QAM	1MHz-5MHz	26.14	PASS
Band1	10	18050	12	#0	16QAM	5MHz-10MHz	23.01	PASS
Band1	10	18050	12	#0	16QAM	10MHz-15MHz	11.98	PASS
Band1	10	18050	12	#Max	16QAM	-1MHz-0MHz	31.64	PASS
Band1	10	18050	12	#Max	16QAM	-5MHz--1MHz	25.30	PASS
Band1	10	18050	12	#Max	16QAM	-10MHz--5MHz	22.11	PASS
Band1	10	18050	12	#Max	16QAM	-15MHz--10MHz	10.85	PASS
Band1	10	18050	12	#Max	16QAM	0MHz-1MHz	14.82	PASS
Band1	10	18050	12	#Max	16QAM	1MHz-5MHz	17.99	PASS
Band1	10	18050	12	#Max	16QAM	5MHz-10MHz	22.67	PASS
Band1	10	18050	12	#Max	16QAM	10MHz-15MHz	11.82	PASS
Band1	10	18050	50	#0	16QAM	-1MHz-0MHz	23.53	PASS
Band1	10	18050	50	#0	16QAM	-5MHz--1MHz	19.37	PASS
Band1	10	18050	50	#0	16QAM	-10MHz--5MHz	19.98	PASS
Band1	10	18050	50	#0	16QAM	-15MHz--10MHz	10.61	PASS



Band1	10	18050	50	#0	16QAM	0MHz-1MHz	25.85	PASS
Band1	10	18050	50	#0	16QAM	1MHz-5MHz	21.44	PASS
Band1	10	18050	50	#0	16QAM	5MHz-10MHz	21.28	PASS
Band1	10	18050	50	#0	16QAM	10MHz-15MHz	11.57	PASS
Band1	10	18300	12	#0	QPSK	-1MHz-0MHz	11.47	PASS
Band1	10	18300	12	#0	QPSK	-5MHz--1MHz	13.36	PASS
Band1	10	18300	12	#0	QPSK	-10MHz--5MHz	22.42	PASS
Band1	10	18300	12	#0	QPSK	-15MHz--10MHz	10.60	PASS
Band1	10	18300	12	#0	QPSK	0MHz-1MHz	31.20	PASS
Band1	10	18300	12	#0	QPSK	1MHz-5MHz	25.48	PASS
Band1	10	18300	12	#0	QPSK	5MHz-10MHz	22.54	PASS
Band1	10	18300	12	#0	QPSK	10MHz-15MHz	11.77	PASS
Band1	10	18300	12	#Max	QPSK	-1MHz-0MHz	31.73	PASS
Band1	10	18300	12	#Max	QPSK	-5MHz--1MHz	25.85	PASS
Band1	10	18300	12	#Max	QPSK	-10MHz--5MHz	22.54	PASS
Band1	10	18300	12	#Max	QPSK	-15MHz--10MHz	10.58	PASS
Band1	10	18300	12	#Max	QPSK	0MHz-1MHz	12.22	PASS
Band1	10	18300	12	#Max	QPSK	1MHz-5MHz	15.70	PASS
Band1	10	18300	12	#Max	QPSK	5MHz-10MHz	22.40	PASS
Band1	10	18300	12	#Max	QPSK	10MHz-15MHz	11.47	PASS
Band1	10	18300	50	#0	QPSK	-1MHz-0MHz	22.35	PASS
Band1	10	18300	50	#0	QPSK	-5MHz--1MHz	18.43	PASS
Band1	10	18300	50	#0	QPSK	-10MHz--5MHz	18.99	PASS
Band1	10	18300	50	#0	QPSK	-15MHz--10MHz	10.36	PASS
Band1	10	18300	50	#0	QPSK	0MHz-1MHz	20.07	PASS
Band1	10	18300	50	#0	QPSK	1MHz-5MHz	16.88	PASS
Band1	10	18300	50	#0	QPSK	5MHz-10MHz	17.37	PASS
Band1	10	18300	50	#0	QPSK	10MHz-15MHz	11.34	PASS
Band1	10	18300	12	#0	16QAM	-1MHz-0MHz	14.31	PASS
Band1	10	18300	12	#0	16QAM	-5MHz--1MHz	17.25	PASS
Band1	10	18300	12	#0	16QAM	-10MHz--5MHz	22.62	PASS
Band1	10	18300	12	#0	16QAM	-15MHz--10MHz	10.63	PASS
Band1	10	18300	12	#0	16QAM	0MHz-1MHz	31.70	PASS
Band1	10	18300	12	#0	16QAM	1MHz-5MHz	25.51	PASS
Band1	10	18300	12	#0	16QAM	5MHz-10MHz	22.81	PASS
Band1	10	18300	12	#0	16QAM	10MHz-15MHz	11.76	PASS
Band1	10	18300	12	#Max	16QAM	-1MHz-0MHz	31.85	PASS
Band1	10	18300	12	#Max	16QAM	-5MHz--1MHz	25.98	PASS
Band1	10	18300	12	#Max	16QAM	-10MHz--5MHz	22.79	PASS
Band1	10	18300	12	#Max	16QAM	-15MHz--10MHz	10.66	PASS
Band1	10	18300	12	#Max	16QAM	0MHz-1MHz	16.04	PASS
Band1	10	18300	12	#Max	16QAM	1MHz-5MHz	18.64	PASS
Band1	10	18300	12	#Max	16QAM	5MHz-10MHz	22.73	PASS
Band1	10	18300	12	#Max	16QAM	10MHz-15MHz	11.59	PASS



Band1	10	18300	50	#0	16QAM	-1MHz-0MHz	24.75	PASS
Band1	10	18300	50	#0	16QAM	-5MHz--1MHz	20.76	PASS
Band1	10	18300	50	#0	16QAM	-10MHz--5MHz	21.33	PASS
Band1	10	18300	50	#0	16QAM	-15MHz--10MHz	10.45	PASS
Band1	10	18300	50	#0	16QAM	0MHz-1MHz	23.44	PASS
Band1	10	18300	50	#0	16QAM	1MHz-5MHz	19.19	PASS
Band1	10	18300	50	#0	16QAM	5MHz-10MHz	20.01	PASS
Band1	10	18300	50	#0	16QAM	10MHz-15MHz	11.37	PASS
Band1	10	18550	12	#0	QPSK	-1MHz-0MHz	8.47	PASS
Band1	10	18550	12	#0	QPSK	-5MHz--1MHz	12.49	PASS
Band1	10	18550	12	#0	QPSK	-10MHz--5MHz	22.15	PASS
Band1	10	18550	12	#0	QPSK	-15MHz--10MHz	11.17	PASS
Band1	10	18550	12	#0	QPSK	0MHz-1MHz	30.41	PASS
Band1	10	18550	12	#0	QPSK	1MHz-5MHz	25.88	PASS
Band1	10	18550	12	#0	QPSK	5MHz-10MHz	23.28	PASS
Band1	10	18550	12	#0	QPSK	10MHz-15MHz	12.42	PASS
Band1	10	18550	12	#Max	QPSK	-1MHz-0MHz	31.88	PASS
Band1	10	18550	12	#Max	QPSK	-5MHz--1MHz	26.17	PASS
Band1	10	18550	12	#Max	QPSK	-10MHz--5MHz	22.88	PASS
Band1	10	18550	12	#Max	QPSK	-15MHz--10MHz	11.19	PASS
Band1	10	18550	12	#Max	QPSK	0MHz-1MHz	11.48	PASS
Band1	10	18550	12	#Max	QPSK	1MHz-5MHz	15.30	PASS
Band1	10	18550	12	#Max	QPSK	5MHz-10MHz	22.96	PASS
Band1	10	18550	12	#Max	QPSK	10MHz-15MHz	12.13	PASS
Band1	10	18550	50	#0	QPSK	-1MHz-0MHz	22.25	PASS
Band1	10	18550	50	#0	QPSK	-5MHz--1MHz	17.41	PASS
Band1	10	18550	50	#0	QPSK	-10MHz--5MHz	17.88	PASS
Band1	10	18550	50	#0	QPSK	-15MHz--10MHz	10.81	PASS
Band1	10	18550	50	#0	QPSK	0MHz-1MHz	19.30	PASS
Band1	10	18550	50	#0	QPSK	1MHz-5MHz	15.43	PASS
Band1	10	18550	50	#0	QPSK	5MHz-10MHz	17.31	PASS
Band1	10	18550	50	#0	QPSK	10MHz-15MHz	11.82	PASS
Band1	10	18550	12	#0	16QAM	-1MHz-0MHz	12.15	PASS
Band1	10	18550	12	#0	16QAM	-5MHz--1MHz	15.95	PASS
Band1	10	18550	12	#0	16QAM	-10MHz--5MHz	22.81	PASS
Band1	10	18550	12	#0	16QAM	-15MHz--10MHz	11.00	PASS
Band1	10	18550	12	#0	16QAM	0MHz-1MHz	32.12	PASS
Band1	10	18550	12	#0	16QAM	1MHz-5MHz	26.03	PASS
Band1	10	18550	12	#0	16QAM	5MHz-10MHz	23.57	PASS
Band1	10	18550	12	#0	16QAM	10MHz-15MHz	12.42	PASS
Band1	10	18550	12	#Max	16QAM	-1MHz-0MHz	32.33	PASS
Band1	10	18550	12	#Max	16QAM	-5MHz--1MHz	26.29	PASS
Band1	10	18550	12	#Max	16QAM	-10MHz--5MHz	23.12	PASS
Band1	10	18550	12	#Max	16QAM	-15MHz--10MHz	11.19	PASS

Band1	10	18550	12	#Max	16QAM	0MHz-1MHz	15.09	PASS
Band1	10	18550	12	#Max	16QAM	1MHz-5MHz	18.68	PASS
Band1	10	18550	12	#Max	16QAM	5MHz-10MHz	23.40	PASS
Band1	10	18550	12	#Max	16QAM	10MHz-15MHz	12.29	PASS
Band1	10	18550	50	#0	16QAM	-1MHz-0MHz	23.35	PASS
Band1	10	18550	50	#0	16QAM	-5MHz--1MHz	18.78	PASS
Band1	10	18550	50	#0	16QAM	-10MHz--5MHz	19.53	PASS
Band1	10	18550	50	#0	16QAM	-15MHz--10MHz	10.85	PASS
Band1	10	18550	50	#0	16QAM	0MHz-1MHz	19.91	PASS
Band1	10	18550	50	#0	16QAM	1MHz-5MHz	17.15	PASS
Band1	10	18550	50	#0	16QAM	5MHz-10MHz	18.95	PASS
Band1	10	18550	50	#0	16QAM	10MHz-15MHz	11.76	PASS
Band1	20	18100	18	#0	QPSK	-1MHz-0MHz	14.94	PASS
Band1	20	18100	18	#0	QPSK	-5MHz--1MHz	16.77	PASS
Band1	20	18100	18	#0	QPSK	-20MHz--5MHz	22.26	PASS
Band1	20	18100	18	#0	QPSK	-25MHz--20MHz	12.39	PASS
Band1	20	18100	18	#0	QPSK	0MHz-1MHz	29.99	PASS
Band1	20	18100	18	#0	QPSK	1MHz-5MHz	26.54	PASS
Band1	20	18100	18	#0	QPSK	5MHz-20MHz	22.03	PASS
Band1	20	18100	18	#0	QPSK	20MHz-25MHz	12.04	PASS
Band1	20	18100	18	#Max	QPSK	-1MHz-0MHz	28.56	PASS
Band1	20	18100	18	#Max	QPSK	-5MHz--1MHz	25.95	PASS
Band1	20	18100	18	#Max	QPSK	-20MHz--5MHz	22.16	PASS
Band1	20	18100	18	#Max	QPSK	-25MHz--20MHz	12.56	PASS
Band1	20	18100	18	#Max	QPSK	0MHz-1MHz	7.51	PASS
Band1	20	18100	18	#Max	QPSK	1MHz-5MHz	9.35	PASS
Band1	20	18100	18	#Max	QPSK	5MHz-20MHz	21.18	PASS
Band1	20	18100	18	#Max	QPSK	20MHz-25MHz	12.01	PASS
Band1	20	18100	100	#0	QPSK	-1MHz-0MHz	16.03	PASS
Band1	20	18100	100	#0	QPSK	-5MHz--1MHz	15.15	PASS
Band1	20	18100	100	#0	QPSK	-20MHz--5MHz	14.99	PASS
Band1	20	18100	100	#0	QPSK	-25MHz--20MHz	12.40	PASS
Band1	20	18100	100	#0	QPSK	0MHz-1MHz	19.11	PASS
Band1	20	18100	100	#0	QPSK	1MHz-5MHz	17.76	PASS
Band1	20	18100	100	#0	QPSK	5MHz-20MHz	16.27	PASS
Band1	20	18100	100	#0	QPSK	20MHz-25MHz	11.18	PASS
Band1	20	18100	18	#0	16QAM	-1MHz-0MHz	15.81	PASS
Band1	20	18100	18	#0	16QAM	-5MHz--1MHz	18.91	PASS
Band1	20	18100	18	#0	16QAM	-20MHz--5MHz	22.29	PASS
Band1	20	18100	18	#0	16QAM	-25MHz--20MHz	12.48	PASS
Band1	20	18100	18	#0	16QAM	0MHz-1MHz	30.23	PASS
Band1	20	18100	18	#0	16QAM	1MHz-5MHz	26.49	PASS
Band1	20	18100	18	#0	16QAM	5MHz-20MHz	22.29	PASS
Band1	20	18100	18	#0	16QAM	20MHz-25MHz	11.97	PASS

Band1	20	18100	18	#Max	16QAM	-1MHz-0MHz	29.25	PASS
Band1	20	18100	18	#Max	16QAM	-5MHz--1MHz	25.93	PASS
Band1	20	18100	18	#Max	16QAM	-20MHz--5MHz	22.27	PASS
Band1	20	18100	18	#Max	16QAM	-25MHz--20MHz	12.52	PASS
Band1	20	18100	18	#Max	16QAM	0MHz-1MHz	10.69	PASS
Band1	20	18100	18	#Max	16QAM	1MHz-5MHz	12.91	PASS
Band1	20	18100	18	#Max	16QAM	5MHz-20MHz	21.42	PASS
Band1	20	18100	18	#Max	16QAM	20MHz-25MHz	12.00	PASS
Band1	20	18100	100	#0	16QAM	-1MHz-0MHz	19.00	PASS
Band1	20	18100	100	#0	16QAM	-5MHz--1MHz	17.62	PASS
Band1	20	18100	100	#0	16QAM	-20MHz--5MHz	16.79	PASS
Band1	20	18100	100	#0	16QAM	-25MHz--20MHz	12.46	PASS
Band1	20	18100	100	#0	16QAM	0MHz-1MHz	21.87	PASS
Band1	20	18100	100	#0	16QAM	1MHz-5MHz	19.96	PASS
Band1	20	18100	100	#0	16QAM	5MHz-20MHz	18.10	PASS
Band1	20	18100	100	#0	16QAM	20MHz-25MHz	11.35	PASS
Band1	20	18300	18	#0	QPSK	-1MHz-0MHz	9.25	PASS
Band1	20	18300	18	#0	QPSK	-5MHz--1MHz	11.63	PASS
Band1	20	18300	18	#0	QPSK	-20MHz--5MHz	21.77	PASS
Band1	20	18300	18	#0	QPSK	-25MHz--20MHz	12.13	PASS
Band1	20	18300	18	#0	QPSK	0MHz-1MHz	29.28	PASS
Band1	20	18300	18	#0	QPSK	1MHz-5MHz	26.34	PASS
Band1	20	18300	18	#0	QPSK	5MHz-20MHz	23.09	PASS
Band1	20	18300	18	#0	QPSK	20MHz-25MHz	12.71	PASS
Band1	20	18300	18	#Max	QPSK	-1MHz-0MHz	29.85	PASS
Band1	20	18300	18	#Max	QPSK	-5MHz--1MHz	26.12	PASS
Band1	20	18300	18	#Max	QPSK	-20MHz--5MHz	21.96	PASS
Band1	20	18300	18	#Max	QPSK	-25MHz--20MHz	12.26	PASS
Band1	20	18300	18	#Max	QPSK	0MHz-1MHz	11.64	PASS
Band1	20	18300	18	#Max	QPSK	1MHz-5MHz	13.97	PASS
Band1	20	18300	18	#Max	QPSK	5MHz-20MHz	22.26	PASS
Band1	20	18300	18	#Max	QPSK	20MHz-25MHz	12.54	PASS
Band1	20	18300	100	#0	QPSK	-1MHz-0MHz	21.60	PASS
Band1	20	18300	100	#0	QPSK	-5MHz--1MHz	19.78	PASS
Band1	20	18300	100	#0	QPSK	-20MHz--5MHz	18.79	PASS
Band1	20	18300	100	#0	QPSK	-25MHz--20MHz	11.86	PASS
Band1	20	18300	100	#0	QPSK	0MHz-1MHz	19.22	PASS
Band1	20	18300	100	#0	QPSK	1MHz-5MHz	18.17	PASS
Band1	20	18300	100	#0	QPSK	5MHz-20MHz	17.13	PASS
Band1	20	18300	100	#0	QPSK	20MHz-25MHz	12.45	PASS
Band1	20	18300	18	#0	16QAM	-1MHz-0MHz	12.47	PASS
Band1	20	18300	18	#0	16QAM	-5MHz--1MHz	15.04	PASS
Band1	20	18300	18	#0	16QAM	-20MHz--5MHz	21.93	PASS
Band1	20	18300	18	#0	16QAM	-25MHz--20MHz	12.22	PASS

Band1	20	18300	18	#0	16QAM	0MHz-1MHz	29.66	PASS
Band1	20	18300	18	#0	16QAM	1MHz-5MHz	26.28	PASS
Band1	20	18300	18	#0	16QAM	5MHz-20MHz	23.20	PASS
Band1	20	18300	18	#0	16QAM	20MHz-25MHz	12.72	PASS
Band1	20	18300	18	#Max	16QAM	-1MHz-0MHz	30.06	PASS
Band1	20	18300	18	#Max	16QAM	-5MHz--1MHz	26.16	PASS
Band1	20	18300	18	#Max	16QAM	-20MHz--5MHz	22.16	PASS
Band1	20	18300	18	#Max	16QAM	-25MHz--20MHz	12.35	PASS
Band1	20	18300	18	#Max	16QAM	0MHz-1MHz	15.05	PASS
Band1	20	18300	18	#Max	16QAM	1MHz-5MHz	17.74	PASS
Band1	20	18300	18	#Max	16QAM	5MHz-20MHz	22.42	PASS
Band1	20	18300	18	#Max	16QAM	20MHz-25MHz	12.66	PASS
Band1	20	18300	100	#0	16QAM	-1MHz-0MHz	23.95	PASS
Band1	20	18300	100	#0	16QAM	-5MHz--1MHz	22.12	PASS
Band1	20	18300	100	#0	16QAM	-20MHz--5MHz	20.52	PASS
Band1	20	18300	100	#0	16QAM	-25MHz--20MHz	11.97	PASS
Band1	20	18300	100	#0	16QAM	0MHz-1MHz	22.84	PASS
Band1	20	18300	100	#0	16QAM	1MHz-5MHz	20.56	PASS
Band1	20	18300	100	#0	16QAM	5MHz-20MHz	19.11	PASS
Band1	20	18300	100	#0	16QAM	20MHz-25MHz	12.43	PASS
Band1	20	18500	18	#0	QPSK	-1MHz-0MHz	9.62	PASS
Band1	20	18500	18	#0	QPSK	-5MHz--1MHz	11.71	PASS
Band1	20	18500	18	#0	QPSK	-20MHz--5MHz	21.07	PASS
Band1	20	18500	18	#0	QPSK	-25MHz--20MHz	11.97	PASS
Band1	20	18500	18	#0	QPSK	0MHz-1MHz	29.20	PASS
Band1	20	18500	18	#0	QPSK	1MHz-5MHz	26.18	PASS
Band1	20	18500	18	#0	QPSK	5MHz-20MHz	23.08	PASS
Band1	20	18500	18	#0	QPSK	20MHz-25MHz	12.49	PASS
Band1	20	18500	18	#Max	QPSK	-1MHz-0MHz	29.66	PASS
Band1	20	18500	18	#Max	QPSK	-5MHz--1MHz	25.89	PASS
Band1	20	18500	18	#Max	QPSK	-20MHz--5MHz	21.73	PASS
Band1	20	18500	18	#Max	QPSK	-25MHz--20MHz	12.03	PASS
Band1	20	18500	18	#Max	QPSK	0MHz-1MHz	11.82	PASS
Band1	20	18500	18	#Max	QPSK	1MHz-5MHz	13.41	PASS
Band1	20	18500	18	#Max	QPSK	5MHz-20MHz	22.65	PASS
Band1	20	18500	18	#Max	QPSK	20MHz-25MHz	12.51	PASS
Band1	20	18500	100	#0	QPSK	-1MHz-0MHz	17.36	PASS
Band1	20	18500	100	#0	QPSK	-5MHz--1MHz	16.16	PASS
Band1	20	18500	100	#0	QPSK	-20MHz--5MHz	14.89	PASS
Band1	20	18500	100	#0	QPSK	-25MHz--20MHz	11.82	PASS
Band1	20	18500	100	#0	QPSK	0MHz-1MHz	16.96	PASS
Band1	20	18500	100	#0	QPSK	1MHz-5MHz	15.97	PASS
Band1	20	18500	100	#0	QPSK	5MHz-20MHz	16.01	PASS
Band1	20	18500	100	#0	QPSK	20MHz-25MHz	12.49	PASS

Band1	20	18500	18	#0	16QAM	-1MHz-0MHz	12.49	PASS
Band1	20	18500	18	#0	16QAM	-5MHz--1MHz	14.42	PASS
Band1	20	18500	18	#0	16QAM	-20MHz--5MHz	21.36	PASS
Band1	20	18500	18	#0	16QAM	-25MHz--20MHz	11.95	PASS
Band1	20	18500	18	#0	16QAM	0MHz-1MHz	29.09	PASS
Band1	20	18500	18	#0	16QAM	1MHz-5MHz	26.14	PASS
Band1	20	18500	18	#0	16QAM	5MHz-20MHz	23.21	PASS
Band1	20	18500	18	#0	16QAM	20MHz-25MHz	12.53	PASS
Band1	20	18500	18	#Max	16QAM	-1MHz-0MHz	29.61	PASS
Band1	20	18500	18	#Max	16QAM	-5MHz--1MHz	25.81	PASS
Band1	20	18500	18	#Max	16QAM	-20MHz--5MHz	21.84	PASS
Band1	20	18500	18	#Max	16QAM	-25MHz--20MHz	12.07	PASS
Band1	20	18500	18	#Max	16QAM	0MHz-1MHz	13.50	PASS
Band1	20	18500	18	#Max	16QAM	1MHz-5MHz	16.11	PASS
Band1	20	18500	18	#Max	16QAM	5MHz-20MHz	22.56	PASS
Band1	20	18500	18	#Max	16QAM	20MHz-25MHz	12.45	PASS
Band1	20	18500	100	#0	16QAM	-1MHz-0MHz	20.00	PASS
Band1	20	18500	100	#0	16QAM	-5MHz--1MHz	18.40	PASS
Band1	20	18500	100	#0	16QAM	-20MHz--5MHz	16.37	PASS
Band1	20	18500	100	#0	16QAM	-25MHz--20MHz	11.81	PASS
Band1	20	18500	100	#0	16QAM	0MHz-1MHz	19.62	PASS
Band1	20	18500	100	#0	16QAM	1MHz-5MHz	18.03	PASS
Band1	20	18500	100	#0	16QAM	5MHz-20MHz	17.51	PASS
Band1	20	18500	100	#0	16QAM	20MHz-25MHz	12.50	PASS
Band20	5	24175	8	#0	QPSK	-1MHz-0MHz	17.85	PASS
Band20	5	24175	8	#0	QPSK	-5MHz--1MHz	19.50	PASS
Band20	5	24175	8	#0	QPSK	-6MHz--5MHz	23.62	PASS
Band20	5	24175	8	#0	QPSK	-10MHz--6MHz	11.79	PASS
Band20	5	24175	8	#0	QPSK	0MHz-1MHz	30.20	PASS
Band20	5	24175	8	#0	QPSK	1MHz-5MHz	22.84	PASS
Band20	5	24175	8	#0	QPSK	5MHz-6MHz	23.97	PASS
Band20	5	24175	8	#0	QPSK	6MHz-10MHz	11.87	PASS
Band20	5	24175	8	#Max	QPSK	-1MHz-0MHz	32.89	PASS
Band20	5	24175	8	#Max	QPSK	-5MHz--1MHz	24.80	PASS
Band20	5	24175	8	#Max	QPSK	-6MHz--5MHz	23.89	PASS
Band20	5	24175	8	#Max	QPSK	-10MHz--6MHz	11.74	PASS
Band20	5	24175	8	#Max	QPSK	0MHz-1MHz	17.60	PASS
Band20	5	24175	8	#Max	QPSK	1MHz-5MHz	18.57	PASS
Band20	5	24175	8	#Max	QPSK	5MHz-6MHz	23.61	PASS
Band20	5	24175	8	#Max	QPSK	6MHz-10MHz	11.87	PASS
Band20	5	24175	25	#0	QPSK	-1MHz-0MHz	26.57	PASS
Band20	5	24175	25	#0	QPSK	-5MHz--1MHz	20.18	PASS
Band20	5	24175	25	#0	QPSK	-6MHz--5MHz	22.95	PASS
Band20	5	24175	25	#0	QPSK	-10MHz--6MHz	11.68	PASS

Band20	5	24175	25	#0	QPSK	0MHz-1MHz	23.97	PASS
Band20	5	24175	25	#0	QPSK	1MHz-5MHz	19.36	PASS
Band20	5	24175	25	#0	QPSK	5MHz-6MHz	21.48	PASS
Band20	5	24175	25	#0	QPSK	6MHz-10MHz	9.66	PASS
Band20	5	24175	8	#0	16QAM	-1MHz-0MHz	18.25	PASS
Band20	5	24175	8	#0	16QAM	-5MHz--1MHz	19.59	PASS
Band20	5	24175	8	#0	16QAM	-6MHz--5MHz	23.74	PASS
Band20	5	24175	8	#0	16QAM	-10MHz--6MHz	11.79	PASS
Band20	5	24175	8	#0	16QAM	0MHz-1MHz	30.95	PASS
Band20	5	24175	8	#0	16QAM	1MHz-5MHz	23.04	PASS
Band20	5	24175	8	#0	16QAM	5MHz-6MHz	23.92	PASS
Band20	5	24175	8	#0	16QAM	6MHz-10MHz	11.95	PASS
Band20	5	24175	8	#Max	16QAM	-1MHz-0MHz	32.98	PASS
Band20	5	24175	8	#Max	16QAM	-5MHz--1MHz	25.05	PASS
Band20	5	24175	8	#Max	16QAM	-6MHz--5MHz	23.99	PASS
Band20	5	24175	8	#Max	16QAM	-10MHz--6MHz	11.82	PASS
Band20	5	24175	8	#Max	16QAM	0MHz-1MHz	18.66	PASS
Band20	5	24175	8	#Max	16QAM	1MHz-5MHz	18.74	PASS
Band20	5	24175	8	#Max	16QAM	5MHz-6MHz	23.70	PASS
Band20	5	24175	8	#Max	16QAM	6MHz-10MHz	11.88	PASS
Band20	5	24175	25	#0	16QAM	-1MHz-0MHz	26.13	PASS
Band20	5	24175	25	#0	16QAM	-5MHz--1MHz	19.48	PASS
Band20	5	24175	25	#0	16QAM	-6MHz--5MHz	22.79	PASS
Band20	5	24175	25	#0	16QAM	-10MHz--6MHz	11.62	PASS
Band20	5	24175	25	#0	16QAM	0MHz-1MHz	24.80	PASS
Band20	5	24175	25	#0	16QAM	1MHz-5MHz	19.18	PASS
Band20	5	24175	25	#0	16QAM	5MHz-6MHz	21.26	PASS
Band20	5	24175	25	#0	16QAM	6MHz-10MHz	9.80	PASS
Band20	5	24300	8	#0	QPSK	-1MHz-0MHz	14.69	PASS
Band20	5	24300	8	#0	QPSK	-5MHz--1MHz	17.14	PASS
Band20	5	24300	8	#0	QPSK	-6MHz--5MHz	22.52	PASS
Band20	5	24300	8	#0	QPSK	-10MHz--6MHz	10.92	PASS
Band20	5	24300	8	#0	QPSK	0MHz-1MHz	28.54	PASS
Band20	5	24300	8	#0	QPSK	1MHz-5MHz	21.76	PASS
Band20	5	24300	8	#0	QPSK	5MHz-6MHz	23.54	PASS
Band20	5	24300	8	#0	QPSK	6MHz-10MHz	11.82	PASS
Band20	5	24300	8	#Max	QPSK	-1MHz-0MHz	31.39	PASS
Band20	5	24300	8	#Max	QPSK	-5MHz--1MHz	24.08	PASS
Band20	5	24300	8	#Max	QPSK	-6MHz--5MHz	23.58	PASS
Band20	5	24300	8	#Max	QPSK	-10MHz--6MHz	11.28	PASS
Band20	5	24300	8	#Max	QPSK	0MHz-1MHz	12.66	PASS
Band20	5	24300	8	#Max	QPSK	1MHz-5MHz	15.25	PASS
Band20	5	24300	8	#Max	QPSK	5MHz-6MHz	22.97	PASS
Band20	5	24300	8	#Max	QPSK	6MHz-10MHz	11.44	PASS



Band20	5	24300	25	#0	QPSK	-1MHz-0MHz	23.78	PASS
Band20	5	24300	25	#0	QPSK	-5MHz--1MHz	18.86	PASS
Band20	5	24300	25	#0	QPSK	-6MHz--5MHz	20.56	PASS
Band20	5	24300	25	#0	QPSK	-10MHz--6MHz	7.92	PASS
Band20	5	24300	25	#0	QPSK	0MHz-1MHz	21.26	PASS
Band20	5	24300	25	#0	QPSK	1MHz-5MHz	15.17	PASS
Band20	5	24300	25	#0	QPSK	5MHz-6MHz	19.81	PASS
Band20	5	24300	25	#0	QPSK	6MHz-10MHz	7.80	PASS
Band20	5	24300	8	#0	16QAM	-1MHz-0MHz	17.59	PASS
Band20	5	24300	8	#0	16QAM	-5MHz--1MHz	18.04	PASS
Band20	5	24300	8	#0	16QAM	-6MHz--5MHz	23.03	PASS
Band20	5	24300	8	#0	16QAM	-10MHz--6MHz	11.52	PASS
Band20	5	24300	8	#0	16QAM	0MHz-1MHz	30.37	PASS
Band20	5	24300	8	#0	16QAM	1MHz-5MHz	22.49	PASS
Band20	5	24300	8	#0	16QAM	5MHz-6MHz	23.88	PASS
Band20	5	24300	8	#0	16QAM	6MHz-10MHz	11.68	PASS
Band20	5	24300	8	#Max	16QAM	-1MHz-0MHz	33.18	PASS
Band20	5	24300	8	#Max	16QAM	-5MHz--1MHz	24.58	PASS
Band20	5	24300	8	#Max	16QAM	-6MHz--5MHz	23.69	PASS
Band20	5	24300	8	#Max	16QAM	-10MHz--6MHz	11.71	PASS
Band20	5	24300	8	#Max	16QAM	0MHz-1MHz	16.36	PASS
Band20	5	24300	8	#Max	16QAM	1MHz-5MHz	17.30	PASS
Band20	5	24300	8	#Max	16QAM	5MHz-6MHz	23.24	PASS
Band20	5	24300	8	#Max	16QAM	6MHz-10MHz	11.68	PASS
Band20	5	24300	25	#0	16QAM	-1MHz-0MHz	25.59	PASS
Band20	5	24300	25	#0	16QAM	-5MHz--1MHz	18.67	PASS
Band20	5	24300	25	#0	16QAM	-6MHz--5MHz	20.31	PASS
Band20	5	24300	25	#0	16QAM	-10MHz--6MHz	8.88	PASS
Band20	5	24300	25	#0	16QAM	0MHz-1MHz	22.47	PASS
Band20	5	24300	25	#0	16QAM	1MHz-5MHz	15.31	PASS
Band20	5	24300	25	#0	16QAM	5MHz-6MHz	19.64	PASS
Band20	5	24300	25	#0	16QAM	6MHz-10MHz	8.63	PASS
Band20	5	24425	8	#0	QPSK	-1MHz-0MHz	17.96	PASS
Band20	5	24425	8	#0	QPSK	-5MHz--1MHz	16.41	PASS
Band20	5	24425	8	#0	QPSK	-6MHz--5MHz	21.95	PASS
Band20	5	24425	8	#0	QPSK	-10MHz--6MHz	10.50	PASS
Band20	5	24425	8	#0	QPSK	0MHz-1MHz	29.10	PASS
Band20	5	24425	8	#0	QPSK	1MHz-5MHz	22.40	PASS
Band20	5	24425	8	#0	QPSK	5MHz-6MHz	23.76	PASS
Band20	5	24425	8	#0	QPSK	6MHz-10MHz	11.89	PASS
Band20	5	24425	8	#Max	QPSK	-1MHz-0MHz	30.83	PASS
Band20	5	24425	8	#Max	QPSK	-5MHz--1MHz	23.38	PASS
Band20	5	24425	8	#Max	QPSK	-6MHz--5MHz	23.26	PASS
Band20	5	24425	8	#Max	QPSK	-10MHz--6MHz	11.58	PASS

Band20	5	24425	8	#Max	QPSK	0MHz-1MHz	15.05	PASS
Band20	5	24425	8	#Max	QPSK	1MHz-5MHz	16.56	PASS
Band20	5	24425	8	#Max	QPSK	5MHz-6MHz	23.28	PASS
Band20	5	24425	8	#Max	QPSK	6MHz-10MHz	11.48	PASS
Band20	5	24425	25	#0	QPSK	-1MHz-0MHz	27.05	PASS
Band20	5	24425	25	#0	QPSK	-5MHz--1MHz	18.75	PASS
Band20	5	24425	25	#0	QPSK	-6MHz--5MHz	18.46	PASS
Band20	5	24425	25	#0	QPSK	-10MHz--6MHz	6.48	PASS
Band20	5	24425	25	#0	QPSK	0MHz-1MHz	23.46	PASS
Band20	5	24425	25	#0	QPSK	1MHz-5MHz	17.09	PASS
Band20	5	24425	25	#0	QPSK	5MHz-6MHz	20.41	PASS
Band20	5	24425	25	#0	QPSK	6MHz-10MHz	8.62	PASS
Band20	5	24425	8	#0	16QAM	-1MHz-0MHz	17.21	PASS
Band20	5	24425	8	#0	16QAM	-5MHz--1MHz	16.91	PASS
Band20	5	24425	8	#0	16QAM	-6MHz--5MHz	22.59	PASS
Band20	5	24425	8	#0	16QAM	-10MHz--6MHz	11.14	PASS
Band20	5	24425	8	#0	16QAM	0MHz-1MHz	30.02	PASS
Band20	5	24425	8	#0	16QAM	1MHz-5MHz	22.63	PASS
Band20	5	24425	8	#0	16QAM	5MHz-6MHz	23.93	PASS
Band20	5	24425	8	#0	16QAM	6MHz-10MHz	11.89	PASS
Band20	5	24425	8	#Max	16QAM	-1MHz-0MHz	32.17	PASS
Band20	5	24425	8	#Max	16QAM	-5MHz--1MHz	23.93	PASS
Band20	5	24425	8	#Max	16QAM	-6MHz--5MHz	23.47	PASS
Band20	5	24425	8	#Max	16QAM	-10MHz--6MHz	11.62	PASS
Band20	5	24425	8	#Max	16QAM	0MHz-1MHz	17.26	PASS
Band20	5	24425	8	#Max	16QAM	1MHz-5MHz	16.99	PASS
Band20	5	24425	8	#Max	16QAM	5MHz-6MHz	23.32	PASS
Band20	5	24425	8	#Max	16QAM	6MHz-10MHz	11.75	PASS
Band20	5	24425	25	#0	16QAM	-1MHz-0MHz	24.44	PASS
Band20	5	24425	25	#0	16QAM	-5MHz--1MHz	18.53	PASS
Band20	5	24425	25	#0	16QAM	-6MHz--5MHz	18.69	PASS
Band20	5	24425	25	#0	16QAM	-10MHz--6MHz	7.36	PASS
Band20	5	24425	25	#0	16QAM	0MHz-1MHz	24.36	PASS
Band20	5	24425	25	#0	16QAM	1MHz-5MHz	17.09	PASS
Band20	5	24425	25	#0	16QAM	5MHz-6MHz	20.55	PASS
Band20	5	24425	25	#0	16QAM	6MHz-10MHz	9.34	PASS
Band20	10	24200	12	#0	QPSK	-1MHz-0MHz	16.62	PASS
Band20	10	24200	12	#0	QPSK	-5MHz--1MHz	18.69	PASS
Band20	10	24200	12	#0	QPSK	-10MHz--5MHz	22.96	PASS
Band20	10	24200	12	#0	QPSK	-15MHz--10MHz	10.60	PASS
Band20	10	24200	12	#0	QPSK	0MHz-1MHz	31.72	PASS
Band20	10	24200	12	#0	QPSK	1MHz-5MHz	24.80	PASS
Band20	10	24200	12	#0	QPSK	5MHz-10MHz	21.16	PASS
Band20	10	24200	12	#0	QPSK	10MHz-15MHz	11.87	PASS



Band20	10	24200	12	#Max	QPSK	-1MHz-0MHz	31.11	PASS
Band20	10	24200	12	#Max	QPSK	-5MHz--1MHz	25.71	PASS
Band20	10	24200	12	#Max	QPSK	-10MHz--5MHz	23.45	PASS
Band20	10	24200	12	#Max	QPSK	-15MHz--10MHz	10.62	PASS
Band20	10	24200	12	#Max	QPSK	0MHz-1MHz	18.03	PASS
Band20	10	24200	12	#Max	QPSK	1MHz-5MHz	18.18	PASS
Band20	10	24200	12	#Max	QPSK	5MHz-10MHz	20.94	PASS
Band20	10	24200	12	#Max	QPSK	10MHz-15MHz	11.33	PASS
Band20	10	24200	50	#0	QPSK	-1MHz-0MHz	25.90	PASS
Band20	10	24200	50	#0	QPSK	-5MHz--1MHz	20.55	PASS
Band20	10	24200	50	#0	QPSK	-10MHz--5MHz	19.36	PASS
Band20	10	24200	50	#0	QPSK	-15MHz--10MHz	10.66	PASS
Band20	10	24200	50	#0	QPSK	0MHz-1MHz	27.20	PASS
Band20	10	24200	50	#0	QPSK	1MHz-5MHz	22.66	PASS
Band20	10	24200	50	#0	QPSK	5MHz-10MHz	20.26	PASS
Band20	10	24200	50	#0	QPSK	10MHz-15MHz	10.51	PASS
Band20	10	24200	12	#0	16QAM	-1MHz-0MHz	17.28	PASS
Band20	10	24200	12	#0	16QAM	-5MHz--1MHz	18.89	PASS
Band20	10	24200	12	#0	16QAM	-10MHz--5MHz	23.13	PASS
Band20	10	24200	12	#0	16QAM	-15MHz--10MHz	10.76	PASS
Band20	10	24200	12	#0	16QAM	0MHz-1MHz	32.14	PASS
Band20	10	24200	12	#0	16QAM	1MHz-5MHz	25.15	PASS
Band20	10	24200	12	#0	16QAM	5MHz-10MHz	21.48	PASS
Band20	10	24200	12	#0	16QAM	10MHz-15MHz	11.83	PASS
Band20	10	24200	12	#Max	16QAM	-1MHz-0MHz	31.71	PASS
Band20	10	24200	12	#Max	16QAM	-5MHz--1MHz	25.76	PASS
Band20	10	24200	12	#Max	16QAM	-10MHz--5MHz	23.35	PASS
Band20	10	24200	12	#Max	16QAM	-15MHz--10MHz	10.74	PASS
Band20	10	24200	12	#Max	16QAM	0MHz-1MHz	19.98	PASS
Band20	10	24200	12	#Max	16QAM	1MHz-5MHz	18.84	PASS
Band20	10	24200	12	#Max	16QAM	5MHz-10MHz	21.46	PASS
Band20	10	24200	12	#Max	16QAM	10MHz-15MHz	11.58	PASS
Band20	10	24200	50	#0	16QAM	-1MHz-0MHz	25.39	PASS
Band20	10	24200	50	#0	16QAM	-5MHz--1MHz	20.49	PASS
Band20	10	24200	50	#0	16QAM	-10MHz--5MHz	20.04	PASS
Band20	10	24200	50	#0	16QAM	-15MHz--10MHz	10.62	PASS
Band20	10	24200	50	#0	16QAM	0MHz-1MHz	27.19	PASS
Band20	10	24200	50	#0	16QAM	1MHz-5MHz	22.18	PASS
Band20	10	24200	50	#0	16QAM	5MHz-10MHz	20.02	PASS
Band20	10	24200	50	#0	16QAM	10MHz-15MHz	10.23	PASS
Band20	10	24300	12	#0	QPSK	-1MHz-0MHz	17.16	PASS
Band20	10	24300	12	#0	QPSK	-5MHz--1MHz	16.76	PASS
Band20	10	24300	12	#0	QPSK	-10MHz--5MHz	20.23	PASS
Band20	10	24300	12	#0	QPSK	-15MHz--10MHz	10.51	PASS

Band20	10	24300	12	#0	QPSK	0MHz-1MHz	30.01	PASS
Band20	10	24300	12	#0	QPSK	1MHz-5MHz	24.49	PASS
Band20	10	24300	12	#0	QPSK	5MHz-10MHz	21.14	PASS
Band20	10	24300	12	#0	QPSK	10MHz-15MHz	11.82	PASS
Band20	10	24300	12	#Max	QPSK	-1MHz-0MHz	31.21	PASS
Band20	10	24300	12	#Max	QPSK	-5MHz--1MHz	25.80	PASS
Band20	10	24300	12	#Max	QPSK	-10MHz--5MHz	22.32	PASS
Band20	10	24300	12	#Max	QPSK	-15MHz--10MHz	10.70	PASS
Band20	10	24300	12	#Max	QPSK	0MHz-1MHz	16.14	PASS
Band20	10	24300	12	#Max	QPSK	1MHz-5MHz	16.52	PASS
Band20	10	24300	12	#Max	QPSK	5MHz-10MHz	22.37	PASS
Band20	10	24300	12	#Max	QPSK	10MHz-15MHz	11.74	PASS
Band20	10	24300	50	#0	QPSK	-1MHz-0MHz	25.25	PASS
Band20	10	24300	50	#0	QPSK	-5MHz--1MHz	21.26	PASS
Band20	10	24300	50	#0	QPSK	-10MHz--5MHz	18.50	PASS
Band20	10	24300	50	#0	QPSK	-15MHz--10MHz	9.66	PASS
Band20	10	24300	50	#0	QPSK	0MHz-1MHz	21.13	PASS
Band20	10	24300	50	#0	QPSK	1MHz-5MHz	18.08	PASS
Band20	10	24300	50	#0	QPSK	5MHz-10MHz	17.44	PASS
Band20	10	24300	50	#0	QPSK	10MHz-15MHz	9.40	PASS
Band20	10	24300	12	#0	16QAM	-1MHz-0MHz	18.17	PASS
Band20	10	24300	12	#0	16QAM	-5MHz--1MHz	17.45	PASS
Band20	10	24300	12	#0	16QAM	-10MHz--5MHz	20.72	PASS
Band20	10	24300	12	#0	16QAM	-15MHz--10MHz	10.54	PASS
Band20	10	24300	12	#0	16QAM	0MHz-1MHz	30.11	PASS
Band20	10	24300	12	#0	16QAM	1MHz-5MHz	24.98	PASS
Band20	10	24300	12	#0	16QAM	5MHz-10MHz	21.79	PASS
Band20	10	24300	12	#0	16QAM	10MHz-15MHz	11.86	PASS
Band20	10	24300	12	#Max	16QAM	-1MHz-0MHz	32.13	PASS
Band20	10	24300	12	#Max	16QAM	-5MHz--1MHz	25.76	PASS
Band20	10	24300	12	#Max	16QAM	-10MHz--5MHz	22.28	PASS
Band20	10	24300	12	#Max	16QAM	-15MHz--10MHz	10.79	PASS
Band20	10	24300	12	#Max	16QAM	0MHz-1MHz	17.67	PASS
Band20	10	24300	12	#Max	16QAM	1MHz-5MHz	17.11	PASS
Band20	10	24300	12	#Max	16QAM	5MHz-10MHz	22.56	PASS
Band20	10	24300	12	#Max	16QAM	10MHz-15MHz	11.72	PASS
Band20	10	24300	50	#0	16QAM	-1MHz-0MHz	25.29	PASS
Band20	10	24300	50	#0	16QAM	-5MHz--1MHz	20.96	PASS
Band20	10	24300	50	#0	16QAM	-10MHz--5MHz	19.17	PASS
Band20	10	24300	50	#0	16QAM	-15MHz--10MHz	10.00	PASS
Band20	10	24300	50	#0	16QAM	0MHz-1MHz	22.19	PASS
Band20	10	24300	50	#0	16QAM	1MHz-5MHz	18.34	PASS
Band20	10	24300	50	#0	16QAM	5MHz-10MHz	18.85	PASS
Band20	10	24300	50	#0	16QAM	10MHz-15MHz	9.48	PASS

Band20	10	24400	12	#0	QPSK	-1MHz-0MHz	20.14	PASS
Band20	10	24400	12	#0	QPSK	-5MHz--1MHz	16.55	PASS
Band20	10	24400	12	#0	QPSK	-10MHz--5MHz	21.28	PASS
Band20	10	24400	12	#0	QPSK	-15MHz--10MHz	10.46	PASS
Band20	10	24400	12	#0	QPSK	0MHz-1MHz	30.82	PASS
Band20	10	24400	12	#0	QPSK	1MHz-5MHz	25.61	PASS
Band20	10	24400	12	#0	QPSK	5MHz-10MHz	22.51	PASS
Band20	10	24400	12	#0	QPSK	10MHz-15MHz	11.78	PASS
Band20	10	24400	12	#Max	QPSK	-1MHz-0MHz	29.11	PASS
Band20	10	24400	12	#Max	QPSK	-5MHz--1MHz	24.53	PASS
Band20	10	24400	12	#Max	QPSK	-10MHz--5MHz	22.11	PASS
Band20	10	24400	12	#Max	QPSK	-15MHz--10MHz	10.62	PASS
Band20	10	24400	12	#Max	QPSK	0MHz-1MHz	16.52	PASS
Band20	10	24400	12	#Max	QPSK	1MHz-5MHz	15.62	PASS
Band20	10	24400	12	#Max	QPSK	5MHz-10MHz	22.16	PASS
Band20	10	24400	12	#Max	QPSK	10MHz-15MHz	11.70	PASS
Band20	10	24400	50	#0	QPSK	-1MHz-0MHz	24.06	PASS
Band20	10	24400	50	#0	QPSK	-5MHz--1MHz	20.14	PASS
Band20	10	24400	50	#0	QPSK	-10MHz--5MHz	19.75	PASS
Band20	10	24400	50	#0	QPSK	-15MHz--10MHz	8.33	PASS
Band20	10	24400	50	#0	QPSK	0MHz-1MHz	24.77	PASS
Band20	10	24400	50	#0	QPSK	1MHz-5MHz	20.01	PASS
Band20	10	24400	50	#0	QPSK	5MHz-10MHz	19.39	PASS
Band20	10	24400	50	#0	QPSK	10MHz-15MHz	11.77	PASS
Band20	10	24400	12	#0	16QAM	-1MHz-0MHz	19.43	PASS
Band20	10	24400	12	#0	16QAM	-5MHz--1MHz	17.27	PASS
Band20	10	24400	12	#0	16QAM	-10MHz--5MHz	21.78	PASS
Band20	10	24400	12	#0	16QAM	-15MHz--10MHz	10.61	PASS
Band20	10	24400	12	#0	16QAM	0MHz-1MHz	31.53	PASS
Band20	10	24400	12	#0	16QAM	1MHz-5MHz	25.76	PASS
Band20	10	24400	12	#0	16QAM	5MHz-10MHz	22.68	PASS
Band20	10	24400	12	#0	16QAM	10MHz-15MHz	11.80	PASS
Band20	10	24400	12	#Max	16QAM	-1MHz-0MHz	30.46	PASS
Band20	10	24400	12	#Max	16QAM	-5MHz--1MHz	24.85	PASS
Band20	10	24400	12	#Max	16QAM	-10MHz--5MHz	22.38	PASS
Band20	10	24400	12	#Max	16QAM	-15MHz--10MHz	10.54	PASS
Band20	10	24400	12	#Max	16QAM	0MHz-1MHz	17.82	PASS
Band20	10	24400	12	#Max	16QAM	1MHz-5MHz	16.66	PASS
Band20	10	24400	12	#Max	16QAM	5MHz-10MHz	22.45	PASS
Band20	10	24400	12	#Max	16QAM	10MHz-15MHz	11.85	PASS
Band20	10	24400	50	#0	16QAM	-1MHz-0MHz	23.86	PASS
Band20	10	24400	50	#0	16QAM	-5MHz--1MHz	18.92	PASS
Band20	10	24400	50	#0	16QAM	-10MHz--5MHz	18.80	PASS
Band20	10	24400	50	#0	16QAM	-15MHz--10MHz	8.97	PASS

Band20	10	24400	50	#0	16QAM	0MHz-1MHz	23.30	PASS
Band20	10	24400	50	#0	16QAM	1MHz-5MHz	19.09	PASS
Band20	10	24400	50	#0	16QAM	5MHz-10MHz	19.66	PASS
Band20	10	24400	50	#0	16QAM	10MHz-15MHz	11.68	PASS
Band20	20	24250	18	#0	QPSK	-1MHz-0MHz	17.45	PASS
Band20	20	24250	18	#0	QPSK	-5MHz--1MHz	18.32	PASS
Band20	20	24250	18	#0	QPSK	-20MHz--5MHz	22.56	PASS
Band20	20	24250	18	#0	QPSK	-25MHz--20MHz	12.18	PASS
Band20	20	24250	18	#0	QPSK	0MHz-1MHz	29.72	PASS
Band20	20	24250	18	#0	QPSK	1MHz-5MHz	26.57	PASS
Band20	20	24250	18	#0	QPSK	5MHz-20MHz	21.52	PASS
Band20	20	24250	18	#0	QPSK	20MHz-25MHz	11.99	PASS
Band20	20	24250	18	#Max	QPSK	-1MHz-0MHz	29.89	PASS
Band20	20	24250	18	#Max	QPSK	-5MHz--1MHz	26.22	PASS
Band20	20	24250	18	#Max	QPSK	-20MHz--5MHz	22.68	PASS
Band20	20	24250	18	#Max	QPSK	-25MHz--20MHz	12.26	PASS
Band20	20	24250	18	#Max	QPSK	0MHz-1MHz	15.04	PASS
Band20	20	24250	18	#Max	QPSK	1MHz-5MHz	16.82	PASS
Band20	20	24250	18	#Max	QPSK	5MHz-20MHz	21.99	PASS
Band20	20	24250	18	#Max	QPSK	20MHz-25MHz	11.98	PASS
Band20	20	24250	100	#0	QPSK	-1MHz-0MHz	24.57	PASS
Band20	20	24250	100	#0	QPSK	-5MHz--1MHz	22.21	PASS
Band20	20	24250	100	#0	QPSK	-20MHz--5MHz	21.54	PASS
Band20	20	24250	100	#0	QPSK	-25MHz--20MHz	12.22	PASS
Band20	20	24250	100	#0	QPSK	0MHz-1MHz	21.80	PASS
Band20	20	24250	100	#0	QPSK	1MHz-5MHz	19.72	PASS
Band20	20	24250	100	#0	QPSK	5MHz-20MHz	17.97	PASS
Band20	20	24250	100	#0	QPSK	20MHz-25MHz	11.98	PASS
Band20	20	24250	18	#0	16QAM	-1MHz-0MHz	17.24	PASS
Band20	20	24250	18	#0	16QAM	-5MHz--1MHz	19.06	PASS
Band20	20	24250	18	#0	16QAM	-20MHz--5MHz	22.59	PASS
Band20	20	24250	18	#0	16QAM	-25MHz--20MHz	12.28	PASS
Band20	20	24250	18	#0	16QAM	0MHz-1MHz	30.10	PASS
Band20	20	24250	18	#0	16QAM	1MHz-5MHz	26.55	PASS
Band20	20	24250	18	#0	16QAM	5MHz-20MHz	21.79	PASS
Band20	20	24250	18	#0	16QAM	20MHz-25MHz	11.96	PASS
Band20	20	24250	18	#Max	16QAM	-1MHz-0MHz	29.86	PASS
Band20	20	24250	18	#Max	16QAM	-5MHz--1MHz	26.18	PASS
Band20	20	24250	18	#Max	16QAM	-20MHz--5MHz	22.69	PASS
Band20	20	24250	18	#Max	16QAM	-25MHz--20MHz	12.23	PASS
Band20	20	24250	18	#Max	16QAM	0MHz-1MHz	15.64	PASS
Band20	20	24250	18	#Max	16QAM	1MHz-5MHz	17.63	PASS
Band20	20	24250	18	#Max	16QAM	5MHz-20MHz	22.00	PASS
Band20	20	24250	18	#Max	16QAM	20MHz-25MHz	11.90	PASS

Band20	20	24250	100	#0	16QAM	-1MHz-0MHz	25.11	PASS
Band20	20	24250	100	#0	16QAM	-5MHz--1MHz	22.58	PASS
Band20	20	24250	100	#0	16QAM	-20MHz--5MHz	21.87	PASS
Band20	20	24250	100	#0	16QAM	-25MHz--20MHz	12.24	PASS
Band20	20	24250	100	#0	16QAM	0MHz-1MHz	22.86	PASS
Band20	20	24250	100	#0	16QAM	1MHz-5MHz	20.61	PASS
Band20	20	24250	100	#0	16QAM	5MHz-20MHz	19.11	PASS
Band20	20	24250	100	#0	16QAM	20MHz-25MHz	11.94	PASS
Band20	20	24300	18	#0	QPSK	-1MHz-0MHz	19.33	PASS
Band20	20	24300	18	#0	QPSK	-5MHz--1MHz	18.23	PASS
Band20	20	24300	18	#0	QPSK	-20MHz--5MHz	21.18	PASS
Band20	20	24300	18	#0	QPSK	-25MHz--20MHz	12.27	PASS
Band20	20	24300	18	#0	QPSK	0MHz-1MHz	29.84	PASS
Band20	20	24300	18	#0	QPSK	1MHz-5MHz	26.48	PASS
Band20	20	24300	18	#0	QPSK	5MHz-20MHz	22.35	PASS
Band20	20	24300	18	#0	QPSK	20MHz-25MHz	11.94	PASS
Band20	20	24300	18	#Max	QPSK	-1MHz-0MHz	29.19	PASS
Band20	20	24300	18	#Max	QPSK	-5MHz--1MHz	25.91	PASS
Band20	20	24300	18	#Max	QPSK	-20MHz--5MHz	22.13	PASS
Band20	20	24300	18	#Max	QPSK	-25MHz--20MHz	12.19	PASS
Band20	20	24300	18	#Max	QPSK	0MHz-1MHz	19.90	PASS
Band20	20	24300	18	#Max	QPSK	1MHz-5MHz	19.44	PASS
Band20	20	24300	18	#Max	QPSK	5MHz-20MHz	20.99	PASS
Band20	20	24300	18	#Max	QPSK	20MHz-25MHz	11.88	PASS
Band20	20	24300	100	#0	QPSK	-1MHz-0MHz	23.00	PASS
Band20	20	24300	100	#0	QPSK	-5MHz--1MHz	21.08	PASS
Band20	20	24300	100	#0	QPSK	-20MHz--5MHz	19.85	PASS
Band20	20	24300	100	#0	QPSK	-25MHz--20MHz	12.22	PASS
Band20	20	24300	100	#0	QPSK	0MHz-1MHz	25.62	PASS
Band20	20	24300	100	#0	QPSK	1MHz-5MHz	22.61	PASS
Band20	20	24300	100	#0	QPSK	5MHz-20MHz	19.13	PASS
Band20	20	24300	100	#0	QPSK	20MHz-25MHz	11.86	PASS
Band20	20	24300	18	#0	16QAM	-1MHz-0MHz	18.73	PASS
Band20	20	24300	18	#0	16QAM	-5MHz--1MHz	18.67	PASS
Band20	20	24300	18	#0	16QAM	-20MHz--5MHz	21.03	PASS
Band20	20	24300	18	#0	16QAM	-25MHz--20MHz	12.15	PASS
Band20	20	24300	18	#0	16QAM	0MHz-1MHz	29.95	PASS
Band20	20	24300	18	#0	16QAM	1MHz-5MHz	26.49	PASS
Band20	20	24300	18	#0	16QAM	5MHz-20MHz	22.55	PASS
Band20	20	24300	18	#0	16QAM	20MHz-25MHz	11.94	PASS
Band20	20	24300	18	#Max	16QAM	-1MHz-0MHz	29.32	PASS
Band20	20	24300	18	#Max	16QAM	-5MHz--1MHz	25.96	PASS
Band20	20	24300	18	#Max	16QAM	-20MHz--5MHz	22.29	PASS
Band20	20	24300	18	#Max	16QAM	-25MHz--20MHz	12.24	PASS

Band20	20	24300	18	#Max	16QAM	0MHz-1MHz	20.32	PASS
Band20	20	24300	18	#Max	16QAM	1MHz-5MHz	20.58	PASS
Band20	20	24300	18	#Max	16QAM	5MHz-20MHz	21.37	PASS
Band20	20	24300	18	#Max	16QAM	20MHz-25MHz	11.92	PASS
Band20	20	24300	100	#0	16QAM	-1MHz-0MHz	22.44	PASS
Band20	20	24300	100	#0	16QAM	-5MHz--1MHz	21.09	PASS
Band20	20	24300	100	#0	16QAM	-20MHz--5MHz	19.70	PASS
Band20	20	24300	100	#0	16QAM	-25MHz--20MHz	12.16	PASS
Band20	20	24300	100	#0	16QAM	0MHz-1MHz	25.37	PASS
Band20	20	24300	100	#0	16QAM	1MHz-5MHz	22.35	PASS
Band20	20	24300	100	#0	16QAM	5MHz-20MHz	19.75	PASS
Band20	20	24300	100	#0	16QAM	20MHz-25MHz	11.81	PASS
Band20	20	24350	18	#0	QPSK	-1MHz-0MHz	16.59	PASS
Band20	20	24350	18	#0	QPSK	-5MHz--1MHz	17.42	PASS
Band20	20	24350	18	#0	QPSK	-20MHz--5MHz	19.93	PASS
Band20	20	24350	18	#0	QPSK	-25MHz--20MHz	12.16	PASS
Band20	20	24350	18	#0	QPSK	0MHz-1MHz	29.16	PASS
Band20	20	24350	18	#0	QPSK	1MHz-5MHz	26.37	PASS
Band20	20	24350	18	#0	QPSK	5MHz-20MHz	23.68	PASS
Band20	20	24350	18	#0	QPSK	20MHz-25MHz	11.97	PASS
Band20	20	24350	18	#Max	QPSK	-1MHz-0MHz	29.10	PASS
Band20	20	24350	18	#Max	QPSK	-5MHz--1MHz	25.70	PASS
Band20	20	24350	18	#Max	QPSK	-20MHz--5MHz	21.66	PASS
Band20	20	24350	18	#Max	QPSK	-25MHz--20MHz	12.20	PASS
Band20	20	24350	18	#Max	QPSK	0MHz-1MHz	15.19	PASS
Band20	20	24350	18	#Max	QPSK	1MHz-5MHz	14.91	PASS
Band20	20	24350	18	#Max	QPSK	5MHz-20MHz	21.37	PASS
Band20	20	24350	18	#Max	QPSK	20MHz-25MHz	11.86	PASS
Band20	20	24350	100	#0	QPSK	-1MHz-0MHz	25.35	PASS
Band20	20	24350	100	#0	QPSK	-5MHz--1MHz	21.69	PASS
Band20	20	24350	100	#0	QPSK	-20MHz--5MHz	17.98	PASS
Band20	20	24350	100	#0	QPSK	-25MHz--20MHz	12.18	PASS
Band20	20	24350	100	#0	QPSK	0MHz-1MHz	24.39	PASS
Band20	20	24350	100	#0	QPSK	1MHz-5MHz	22.96	PASS
Band20	20	24350	100	#0	QPSK	5MHz-20MHz	22.00	PASS
Band20	20	24350	100	#0	QPSK	20MHz-25MHz	11.86	PASS
Band20	20	24350	18	#0	16QAM	-1MHz-0MHz	17.00	PASS
Band20	20	24350	18	#0	16QAM	-5MHz--1MHz	18.09	PASS
Band20	20	24350	18	#0	16QAM	-20MHz--5MHz	20.02	PASS
Band20	20	24350	18	#0	16QAM	-25MHz--20MHz	12.21	PASS
Band20	20	24350	18	#0	16QAM	0MHz-1MHz	29.36	PASS
Band20	20	24350	18	#0	16QAM	1MHz-5MHz	26.44	PASS
Band20	20	24350	18	#0	16QAM	5MHz-20MHz	23.67	PASS
Band20	20	24350	18	#0	16QAM	20MHz-25MHz	11.91	PASS



Band20	20	24350	18	#Max	16QAM	-1MHz-0MHz	29.31	PASS
Band20	20	24350	18	#Max	16QAM	-5MHz--1MHz	25.75	PASS
Band20	20	24350	18	#Max	16QAM	-20MHz--5MHz	21.82	PASS
Band20	20	24350	18	#Max	16QAM	-25MHz--20MHz	12.25	PASS
Band20	20	24350	18	#Max	16QAM	0MHz-1MHz	15.03	PASS
Band20	20	24350	18	#Max	16QAM	1MHz-5MHz	16.18	PASS
Band20	20	24350	18	#Max	16QAM	5MHz-20MHz	21.70	PASS
Band20	20	24350	18	#Max	16QAM	20MHz-25MHz	11.83	PASS
Band20	20	24350	100	#0	16QAM	-1MHz-0MHz	25.50	PASS
Band20	20	24350	100	#0	16QAM	-5MHz--1MHz	21.25	PASS
Band20	20	24350	100	#0	16QAM	-20MHz--5MHz	17.44	PASS
Band20	20	24350	100	#0	16QAM	-25MHz--20MHz	12.21	PASS
Band20	20	24350	100	#0	16QAM	0MHz-1MHz	24.84	PASS
Band20	20	24350	100	#0	16QAM	1MHz-5MHz	22.75	PASS
Band20	20	24350	100	#0	16QAM	5MHz-20MHz	21.78	PASS
Band20	20	24350	100	#0	16QAM	20MHz-25MHz	11.85	PASS
Band28	3	27225	4	#0	QPSK	-1MHz-0MHz	11.45	PASS
Band28	3	27225	4	#0	QPSK	-5MHz--1MHz	21.35	PASS
Band28	3	27225	4	#0	QPSK	-6MHz--5MHz	11.49	PASS
Band28	3	27225	4	#0	QPSK	0MHz-1MHz	32.30	PASS
Band28	3	27225	4	#0	QPSK	1MHz-5MHz	22.05	PASS
Band28	3	27225	4	#0	QPSK	5MHz-6MHz	11.59	PASS
Band28	3	27225	4	#Max	QPSK	-1MHz-0MHz	32.03	PASS
Band28	3	27225	4	#Max	QPSK	-5MHz--1MHz	23.17	PASS
Band28	3	27225	4	#Max	QPSK	-6MHz--5MHz	11.81	PASS
Band28	3	27225	4	#Max	QPSK	0MHz-1MHz	11.05	PASS
Band28	3	27225	4	#Max	QPSK	1MHz-5MHz	20.64	PASS
Band28	3	27225	4	#Max	QPSK	5MHz-6MHz	11.48	PASS
Band28	3	27225	15	#0	QPSK	-1MHz-0MHz	23.37	PASS
Band28	3	27225	15	#0	QPSK	-5MHz--1MHz	19.20	PASS
Band28	3	27225	15	#0	QPSK	-6MHz--5MHz	11.40	PASS
Band28	3	27225	15	#0	QPSK	0MHz-1MHz	20.34	PASS
Band28	3	27225	15	#0	QPSK	1MHz-5MHz	17.37	PASS
Band28	3	27225	15	#0	QPSK	5MHz-6MHz	10.90	PASS
Band28	3	27225	4	#0	16QAM	-1MHz-0MHz	13.39	PASS
Band28	3	27225	4	#0	16QAM	-5MHz--1MHz	23.17	PASS
Band28	3	27225	4	#0	16QAM	-6MHz--5MHz	11.74	PASS
Band28	3	27225	4	#0	16QAM	0MHz-1MHz	32.58	PASS
Band28	3	27225	4	#0	16QAM	1MHz-5MHz	23.57	PASS
Band28	3	27225	4	#0	16QAM	5MHz-6MHz	11.76	PASS
Band28	3	27225	4	#Max	16QAM	-1MHz-0MHz	34.60	PASS
Band28	3	27225	4	#Max	16QAM	-5MHz--1MHz	24.36	PASS
Band28	3	27225	4	#Max	16QAM	-6MHz--5MHz	11.71	PASS
Band28	3	27225	4	#Max	16QAM	0MHz-1MHz	14.00	PASS

Band28	3	27225	4	#Max	16QAM	1MHz-5MHz	22.61	PASS
Band28	3	27225	4	#Max	16QAM	5MHz-6MHz	11.54	PASS
Band28	3	27225	15	#0	16QAM	-1MHz-0MHz	21.46	PASS
Band28	3	27225	15	#0	16QAM	-5MHz--1MHz	18.79	PASS
Band28	3	27225	15	#0	16QAM	-6MHz--5MHz	11.43	PASS
Band28	3	27225	15	#0	16QAM	0MHz-1MHz	19.72	PASS
Band28	3	27225	15	#0	16QAM	1MHz-5MHz	17.52	PASS
Band28	3	27225	15	#0	16QAM	5MHz-6MHz	10.79	PASS
Band28	3	27375	4	#0	QPSK	-1MHz-0MHz	12.96	PASS
Band28	3	27375	4	#0	QPSK	-5MHz--1MHz	21.51	PASS
Band28	3	27375	4	#0	QPSK	-6MHz--5MHz	11.16	PASS
Band28	3	27375	4	#0	QPSK	0MHz-1MHz	31.65	PASS
Band28	3	27375	4	#0	QPSK	1MHz-5MHz	22.35	PASS
Band28	3	27375	4	#0	QPSK	5MHz-6MHz	11.41	PASS
Band28	3	27375	4	#Max	QPSK	-1MHz-0MHz	31.90	PASS
Band28	3	27375	4	#Max	QPSK	-5MHz--1MHz	22.43	PASS
Band28	3	27375	4	#Max	QPSK	-6MHz--5MHz	11.31	PASS
Band28	3	27375	4	#Max	QPSK	0MHz-1MHz	13.66	PASS
Band28	3	27375	4	#Max	QPSK	1MHz-5MHz	21.18	PASS
Band28	3	27375	4	#Max	QPSK	5MHz-6MHz	11.32	PASS
Band28	3	27375	15	#0	QPSK	-1MHz-0MHz	20.56	PASS
Band28	3	27375	15	#0	QPSK	-5MHz--1MHz	16.11	PASS
Band28	3	27375	15	#0	QPSK	-6MHz--5MHz	10.43	PASS
Band28	3	27375	15	#0	QPSK	0MHz-1MHz	17.83	PASS
Band28	3	27375	15	#0	QPSK	1MHz-5MHz	15.96	PASS
Band28	3	27375	15	#0	QPSK	5MHz-6MHz	10.62	PASS
Band28	3	27375	4	#0	16QAM	-1MHz-0MHz	12.98	PASS
Band28	3	27375	4	#0	16QAM	-5MHz--1MHz	21.71	PASS
Band28	3	27375	4	#0	16QAM	-6MHz--5MHz	11.30	PASS
Band28	3	27375	4	#0	16QAM	0MHz-1MHz	30.75	PASS
Band28	3	27375	4	#0	16QAM	1MHz-5MHz	22.59	PASS
Band28	3	27375	4	#0	16QAM	5MHz-6MHz	11.48	PASS
Band28	3	27375	4	#Max	16QAM	-1MHz-0MHz	31.89	PASS
Band28	3	27375	4	#Max	16QAM	-5MHz--1MHz	22.66	PASS
Band28	3	27375	4	#Max	16QAM	-6MHz--5MHz	11.35	PASS
Band28	3	27375	4	#Max	16QAM	0MHz-1MHz	12.84	PASS
Band28	3	27375	4	#Max	16QAM	1MHz-5MHz	21.38	PASS
Band28	3	27375	4	#Max	16QAM	5MHz-6MHz	11.42	PASS
Band28	3	27375	15	#0	16QAM	-1MHz-0MHz	20.03	PASS
Band28	3	27375	15	#0	16QAM	-5MHz--1MHz	16.84	PASS
Band28	3	27375	15	#0	16QAM	-6MHz--5MHz	10.25	PASS
Band28	3	27375	15	#0	16QAM	0MHz-1MHz	20.30	PASS
Band28	3	27375	15	#0	16QAM	1MHz-5MHz	16.73	PASS
Band28	3	27375	15	#0	16QAM	5MHz-6MHz	10.56	PASS



Band28	3	27525	4	#0	QPSK	-1MHz-0MHz	11.98	PASS
Band28	3	27525	4	#0	QPSK	-5MHz--1MHz	19.99	PASS
Band28	3	27525	4	#0	QPSK	-6MHz--5MHz	10.97	PASS
Band28	3	27525	4	#0	QPSK	0MHz-1MHz	31.52	PASS
Band28	3	27525	4	#0	QPSK	1MHz-5MHz	22.70	PASS
Band28	3	27525	4	#0	QPSK	5MHz-6MHz	11.54	PASS
Band28	3	27525	4	#Max	QPSK	-1MHz-0MHz	32.17	PASS
Band28	3	27525	4	#Max	QPSK	-5MHz--1MHz	22.13	PASS
Band28	3	27525	4	#Max	QPSK	-6MHz--5MHz	11.25	PASS
Band28	3	27525	4	#Max	QPSK	0MHz-1MHz	11.48	PASS
Band28	3	27525	4	#Max	QPSK	1MHz-5MHz	20.72	PASS
Band28	3	27525	4	#Max	QPSK	5MHz-6MHz	11.32	PASS
Band28	3	27525	15	#0	QPSK	-1MHz-0MHz	19.17	PASS
Band28	3	27525	15	#0	QPSK	-5MHz--1MHz	16.65	PASS
Band28	3	27525	15	#0	QPSK	-6MHz--5MHz	10.25	PASS
Band28	3	27525	15	#0	QPSK	0MHz-1MHz	20.51	PASS
Band28	3	27525	15	#0	QPSK	1MHz-5MHz	16.57	PASS
Band28	3	27525	15	#0	QPSK	5MHz-6MHz	10.72	PASS
Band28	3	27525	4	#0	16QAM	-1MHz-0MHz	13.16	PASS
Band28	3	27525	4	#0	16QAM	-5MHz--1MHz	21.31	PASS
Band28	3	27525	4	#0	16QAM	-6MHz--5MHz	11.25	PASS
Band28	3	27525	4	#0	16QAM	0MHz-1MHz	32.23	PASS
Band28	3	27525	4	#0	16QAM	1MHz-5MHz	23.24	PASS
Band28	3	27525	4	#0	16QAM	5MHz-6MHz	11.52	PASS
Band28	3	27525	4	#Max	16QAM	-1MHz-0MHz	31.49	PASS
Band28	3	27525	4	#Max	16QAM	-5MHz--1MHz	22.39	PASS
Band28	3	27525	4	#Max	16QAM	-6MHz--5MHz	11.37	PASS
Band28	3	27525	4	#Max	16QAM	0MHz-1MHz	12.98	PASS
Band28	3	27525	4	#Max	16QAM	1MHz-5MHz	22.08	PASS
Band28	3	27525	4	#Max	16QAM	5MHz-6MHz	11.55	PASS
Band28	3	27525	15	#0	16QAM	-1MHz-0MHz	20.01	PASS
Band28	3	27525	15	#0	16QAM	-5MHz--1MHz	17.20	PASS
Band28	3	27525	15	#0	16QAM	-6MHz--5MHz	10.14	PASS
Band28	3	27525	15	#0	16QAM	0MHz-1MHz	20.58	PASS
Band28	3	27525	15	#0	16QAM	1MHz-5MHz	17.15	PASS
Band28	3	27525	15	#0	16QAM	5MHz-6MHz	10.81	PASS
Band28	5	27235	8	#0	QPSK	-1MHz-0MHz	14.92	PASS
Band28	5	27235	8	#0	QPSK	-5MHz--1MHz	13.96	PASS
Band28	5	27235	8	#0	QPSK	-6MHz--5MHz	23.50	PASS
Band28	5	27235	8	#0	QPSK	-10MHz--6MHz	11.49	PASS
Band28	5	27235	8	#0	QPSK	0MHz-1MHz	31.92	PASS
Band28	5	27235	8	#0	QPSK	1MHz-5MHz	23.54	PASS
Band28	5	27235	8	#0	QPSK	5MHz-6MHz	23.56	PASS
Band28	5	27235	8	#0	QPSK	6MHz-10MHz	11.78	PASS

Band28	5	27235	8	#Max	QPSK	-1MHz-0MHz	33.14	PASS
Band28	5	27235	8	#Max	QPSK	-5MHz--1MHz	24.43	PASS
Band28	5	27235	8	#Max	QPSK	-6MHz--5MHz	23.69	PASS
Band28	5	27235	8	#Max	QPSK	-10MHz--6MHz	11.51	PASS
Band28	5	27235	8	#Max	QPSK	0MHz-1MHz	16.91	PASS
Band28	5	27235	8	#Max	QPSK	1MHz-5MHz	15.82	PASS
Band28	5	27235	8	#Max	QPSK	5MHz-6MHz	23.05	PASS
Band28	5	27235	8	#Max	QPSK	6MHz-10MHz	11.27	PASS
Band28	5	27235	25	#0	QPSK	-1MHz-0MHz	24.85	PASS
Band28	5	27235	25	#0	QPSK	-5MHz--1MHz	18.70	PASS
Band28	5	27235	25	#0	QPSK	-6MHz--5MHz	23.31	PASS
Band28	5	27235	25	#0	QPSK	-10MHz--6MHz	11.47	PASS
Band28	5	27235	25	#0	QPSK	0MHz-1MHz	23.07	PASS
Band28	5	27235	25	#0	QPSK	1MHz-5MHz	17.18	PASS
Band28	5	27235	25	#0	QPSK	5MHz-6MHz	22.33	PASS
Band28	5	27235	25	#0	QPSK	6MHz-10MHz	10.79	PASS
Band28	5	27235	8	#0	16QAM	-1MHz-0MHz	18.90	PASS
Band28	5	27235	8	#0	16QAM	-5MHz--1MHz	21.79	PASS
Band28	5	27235	8	#0	16QAM	-6MHz--5MHz	23.66	PASS
Band28	5	27235	8	#0	16QAM	-10MHz--6MHz	11.52	PASS
Band28	5	27235	8	#0	16QAM	0MHz-1MHz	33.05	PASS
Band28	5	27235	8	#0	16QAM	1MHz-5MHz	24.40	PASS
Band28	5	27235	8	#0	16QAM	5MHz-6MHz	23.64	PASS
Band28	5	27235	8	#0	16QAM	6MHz-10MHz	11.79	PASS
Band28	5	27235	8	#Max	16QAM	-1MHz-0MHz	34.27	PASS
Band28	5	27235	8	#Max	16QAM	-5MHz--1MHz	25.00	PASS
Band28	5	27235	8	#Max	16QAM	-6MHz--5MHz	23.72	PASS
Band28	5	27235	8	#Max	16QAM	-10MHz--6MHz	11.52	PASS
Band28	5	27235	8	#Max	16QAM	0MHz-1MHz	19.47	PASS
Band28	5	27235	8	#Max	16QAM	1MHz-5MHz	21.58	PASS
Band28	5	27235	8	#Max	16QAM	5MHz-6MHz	23.45	PASS
Band28	5	27235	8	#Max	16QAM	6MHz-10MHz	11.72	PASS
Band28	5	27235	25	#0	16QAM	-1MHz-0MHz	24.91	PASS
Band28	5	27235	25	#0	16QAM	-5MHz--1MHz	18.33	PASS
Band28	5	27235	25	#0	16QAM	-6MHz--5MHz	23.31	PASS
Band28	5	27235	25	#0	16QAM	-10MHz--6MHz	11.48	PASS
Band28	5	27235	25	#0	16QAM	0MHz-1MHz	22.84	PASS
Band28	5	27235	25	#0	16QAM	1MHz-5MHz	17.23	PASS
Band28	5	27235	25	#0	16QAM	5MHz-6MHz	22.55	PASS
Band28	5	27235	25	#0	16QAM	6MHz-10MHz	10.98	PASS
Band28	5	27375	8	#0	QPSK	-1MHz-0MHz	17.70	PASS
Band28	5	27375	8	#0	QPSK	-5MHz--1MHz	14.89	PASS
Band28	5	27375	8	#0	QPSK	-6MHz--5MHz	22.86	PASS
Band28	5	27375	8	#0	QPSK	-10MHz--6MHz	11.06	PASS

Band28	5	27375	8	#0	QPSK	0MHz-1MHz	32.36	PASS
Band28	5	27375	8	#0	QPSK	1MHz-5MHz	23.49	PASS
Band28	5	27375	8	#0	QPSK	5MHz-6MHz	23.55	PASS
Band28	5	27375	8	#0	QPSK	6MHz-10MHz	11.65	PASS
Band28	5	27375	8	#Max	QPSK	-1MHz-0MHz	32.15	PASS
Band28	5	27375	8	#Max	QPSK	-5MHz--1MHz	23.63	PASS
Band28	5	27375	8	#Max	QPSK	-6MHz--5MHz	23.30	PASS
Band28	5	27375	8	#Max	QPSK	-10MHz--6MHz	11.31	PASS
Band28	5	27375	8	#Max	QPSK	0MHz-1MHz	18.17	PASS
Band28	5	27375	8	#Max	QPSK	1MHz-5MHz	15.24	PASS
Band28	5	27375	8	#Max	QPSK	5MHz-6MHz	22.89	PASS
Band28	5	27375	8	#Max	QPSK	6MHz-10MHz	11.32	PASS
Band28	5	27375	25	#0	QPSK	-1MHz-0MHz	23.11	PASS
Band28	5	27375	25	#0	QPSK	-5MHz--1MHz	16.56	PASS
Band28	5	27375	25	#0	QPSK	-6MHz--5MHz	20.83	PASS
Band28	5	27375	25	#0	QPSK	-10MHz--6MHz	9.80	PASS
Band28	5	27375	25	#0	QPSK	0MHz-1MHz	22.49	PASS
Band28	5	27375	25	#0	QPSK	1MHz-5MHz	16.36	PASS
Band28	5	27375	25	#0	QPSK	5MHz-6MHz	20.28	PASS
Band28	5	27375	25	#0	QPSK	6MHz-10MHz	9.63	PASS
Band28	5	27375	8	#0	16QAM	-1MHz-0MHz	17.66	PASS
Band28	5	27375	8	#0	16QAM	-5MHz--1MHz	15.68	PASS
Band28	5	27375	8	#0	16QAM	-6MHz--5MHz	23.11	PASS
Band28	5	27375	8	#0	16QAM	-10MHz--6MHz	11.30	PASS
Band28	5	27375	8	#0	16QAM	0MHz-1MHz	32.44	PASS
Band28	5	27375	8	#0	16QAM	1MHz-5MHz	23.83	PASS
Band28	5	27375	8	#0	16QAM	5MHz-6MHz	23.50	PASS
Band28	5	27375	8	#0	16QAM	6MHz-10MHz	11.65	PASS
Band28	5	27375	8	#Max	16QAM	-1MHz-0MHz	32.39	PASS
Band28	5	27375	8	#Max	16QAM	-5MHz--1MHz	23.83	PASS
Band28	5	27375	8	#Max	16QAM	-6MHz--5MHz	23.40	PASS
Band28	5	27375	8	#Max	16QAM	-10MHz--6MHz	11.36	PASS
Band28	5	27375	8	#Max	16QAM	0MHz-1MHz	17.77	PASS
Band28	5	27375	8	#Max	16QAM	1MHz-5MHz	16.68	PASS
Band28	5	27375	8	#Max	16QAM	5MHz-6MHz	23.02	PASS
Band28	5	27375	8	#Max	16QAM	6MHz-10MHz	11.47	PASS
Band28	5	27375	25	#0	16QAM	-1MHz-0MHz	21.82	PASS
Band28	5	27375	25	#0	16QAM	-5MHz--1MHz	16.25	PASS
Band28	5	27375	25	#0	16QAM	-6MHz--5MHz	22.35	PASS
Band28	5	27375	25	#0	16QAM	-10MHz--6MHz	10.69	PASS
Band28	5	27375	25	#0	16QAM	0MHz-1MHz	22.99	PASS
Band28	5	27375	25	#0	16QAM	1MHz-5MHz	16.08	PASS
Band28	5	27375	25	#0	16QAM	5MHz-6MHz	22.16	PASS
Band28	5	27375	25	#0	16QAM	6MHz-10MHz	10.53	PASS

Band28	5	27515	8	#0	QPSK	-1MHz-0MHz	15.05	PASS
Band28	5	27515	8	#0	QPSK	-5MHz--1MHz	12.64	PASS
Band28	5	27515	8	#0	QPSK	-6MHz--5MHz	22.84	PASS
Band28	5	27515	8	#0	QPSK	-10MHz--6MHz	11.14	PASS
Band28	5	27515	8	#0	QPSK	0MHz-1MHz	32.36	PASS
Band28	5	27515	8	#0	QPSK	1MHz-5MHz	23.87	PASS
Band28	5	27515	8	#0	QPSK	5MHz-6MHz	23.62	PASS
Band28	5	27515	8	#0	QPSK	6MHz-10MHz	11.56	PASS
Band28	5	27515	8	#Max	QPSK	-1MHz-0MHz	31.44	PASS
Band28	5	27515	8	#Max	QPSK	-5MHz--1MHz	23.12	PASS
Band28	5	27515	8	#Max	QPSK	-6MHz--5MHz	23.23	PASS
Band28	5	27515	8	#Max	QPSK	-10MHz--6MHz	11.23	PASS
Band28	5	27515	8	#Max	QPSK	0MHz-1MHz	17.49	PASS
Band28	5	27515	8	#Max	QPSK	1MHz-5MHz	14.87	PASS
Band28	5	27515	8	#Max	QPSK	5MHz-6MHz	23.15	PASS
Band28	5	27515	8	#Max	QPSK	6MHz-10MHz	11.38	PASS
Band28	5	27515	25	#0	QPSK	-1MHz-0MHz	23.36	PASS
Band28	5	27515	25	#0	QPSK	-5MHz--1MHz	16.94	PASS
Band28	5	27515	25	#0	QPSK	-6MHz--5MHz	19.93	PASS
Band28	5	27515	25	#0	QPSK	-10MHz--6MHz	9.18	PASS
Band28	5	27515	25	#0	QPSK	0MHz-1MHz	23.59	PASS
Band28	5	27515	25	#0	QPSK	1MHz-5MHz	16.82	PASS
Band28	5	27515	25	#0	QPSK	5MHz-6MHz	20.79	PASS
Band28	5	27515	25	#0	QPSK	6MHz-10MHz	9.67	PASS
Band28	5	27515	8	#0	16QAM	-1MHz-0MHz	18.56	PASS
Band28	5	27515	8	#0	16QAM	-5MHz--1MHz	15.96	PASS
Band28	5	27515	8	#0	16QAM	-6MHz--5MHz	23.13	PASS
Band28	5	27515	8	#0	16QAM	-10MHz--6MHz	11.27	PASS
Band28	5	27515	8	#0	16QAM	0MHz-1MHz	33.09	PASS
Band28	5	27515	8	#0	16QAM	1MHz-5MHz	24.36	PASS
Band28	5	27515	8	#0	16QAM	5MHz-6MHz	23.63	PASS
Band28	5	27515	8	#0	16QAM	6MHz-10MHz	11.55	PASS
Band28	5	27515	8	#Max	16QAM	-1MHz-0MHz	31.75	PASS
Band28	5	27515	8	#Max	16QAM	-5MHz--1MHz	23.68	PASS
Band28	5	27515	8	#Max	16QAM	-6MHz--5MHz	23.38	PASS
Band28	5	27515	8	#Max	16QAM	-10MHz--6MHz	11.34	PASS
Band28	5	27515	8	#Max	16QAM	0MHz-1MHz	19.11	PASS
Band28	5	27515	8	#Max	16QAM	1MHz-5MHz	17.82	PASS
Band28	5	27515	8	#Max	16QAM	5MHz-6MHz	23.28	PASS
Band28	5	27515	8	#Max	16QAM	6MHz-10MHz	11.52	PASS
Band28	5	27515	25	#0	16QAM	-1MHz-0MHz	22.79	PASS
Band28	5	27515	25	#0	16QAM	-5MHz--1MHz	17.16	PASS
Band28	5	27515	25	#0	16QAM	-6MHz--5MHz	22.00	PASS
Band28	5	27515	25	#0	16QAM	-10MHz--6MHz	10.47	PASS

Band28	5	27515	25	#0	16QAM	0MHz-1MHz	23.19	PASS
Band28	5	27515	25	#0	16QAM	1MHz-5MHz	16.85	PASS
Band28	5	27515	25	#0	16QAM	5MHz-6MHz	22.46	PASS
Band28	5	27515	25	#0	16QAM	6MHz-10MHz	10.91	PASS
Band28	10	27260	12	#0	QPSK	-1MHz-0MHz	14.83	PASS
Band28	10	27260	12	#0	QPSK	-5MHz--1MHz	13.15	PASS
Band28	10	27260	12	#0	QPSK	-10MHz--5MHz	22.95	PASS
Band28	10	27260	12	#0	QPSK	-15MHz--10MHz	10.46	PASS
Band28	10	27260	12	#0	QPSK	0MHz-1MHz	30.71	PASS
Band28	10	27260	12	#0	QPSK	1MHz-5MHz	25.10	PASS
Band28	10	27260	12	#0	QPSK	5MHz-10MHz	21.78	PASS
Band28	10	27260	12	#0	QPSK	10MHz-15MHz	11.67	PASS
Band28	10	27260	12	#Max	QPSK	-1MHz-0MHz	31.73	PASS
Band28	10	27260	12	#Max	QPSK	-5MHz--1MHz	25.61	PASS
Band28	10	27260	12	#Max	QPSK	-10MHz--5MHz	23.24	PASS
Band28	10	27260	12	#Max	QPSK	-15MHz--10MHz	10.34	PASS
Band28	10	27260	12	#Max	QPSK	0MHz-1MHz	18.86	PASS
Band28	10	27260	12	#Max	QPSK	1MHz-5MHz	14.82	PASS
Band28	10	27260	12	#Max	QPSK	5MHz-10MHz	22.32	PASS
Band28	10	27260	12	#Max	QPSK	10MHz-15MHz	11.53	PASS
Band28	10	27260	50	#0	QPSK	-1MHz-0MHz	24.52	PASS
Band28	10	27260	50	#0	QPSK	-5MHz--1MHz	20.14	PASS
Band28	10	27260	50	#0	QPSK	-10MHz--5MHz	21.56	PASS
Band28	10	27260	50	#0	QPSK	-15MHz--10MHz	10.43	PASS
Band28	10	27260	50	#0	QPSK	0MHz-1MHz	22.48	PASS
Band28	10	27260	50	#0	QPSK	1MHz-5MHz	18.85	PASS
Band28	10	27260	50	#0	QPSK	5MHz-10MHz	18.97	PASS
Band28	10	27260	50	#0	QPSK	10MHz-15MHz	10.69	PASS
Band28	10	27260	12	#0	16QAM	-1MHz-0MHz	20.14	PASS
Band28	10	27260	12	#0	16QAM	-5MHz--1MHz	19.75	PASS
Band28	10	27260	12	#0	16QAM	-10MHz--5MHz	23.21	PASS
Band28	10	27260	12	#0	16QAM	-15MHz--10MHz	10.38	PASS
Band28	10	27260	12	#0	16QAM	0MHz-1MHz	31.89	PASS
Band28	10	27260	12	#0	16QAM	1MHz-5MHz	25.80	PASS
Band28	10	27260	12	#0	16QAM	5MHz-10MHz	22.51	PASS
Band28	10	27260	12	#0	16QAM	10MHz-15MHz	11.65	PASS
Band28	10	27260	12	#Max	16QAM	-1MHz-0MHz	32.47	PASS
Band28	10	27260	12	#Max	16QAM	-5MHz--1MHz	26.14	PASS
Band28	10	27260	12	#Max	16QAM	-10MHz--5MHz	23.21	PASS
Band28	10	27260	12	#Max	16QAM	-15MHz--10MHz	10.50	PASS
Band28	10	27260	12	#Max	16QAM	0MHz-1MHz	20.21	PASS
Band28	10	27260	12	#Max	16QAM	1MHz-5MHz	19.76	PASS
Band28	10	27260	12	#Max	16QAM	5MHz-10MHz	22.80	PASS
Band28	10	27260	12	#Max	16QAM	10MHz-15MHz	11.59	PASS

Band28	10	27260	50	#0	16QAM	-1MHz-0MHz	24.22	PASS
Band28	10	27260	50	#0	16QAM	-5MHz--1MHz	20.26	PASS
Band28	10	27260	50	#0	16QAM	-10MHz--5MHz	21.54	PASS
Band28	10	27260	50	#0	16QAM	-15MHz--10MHz	10.36	PASS
Band28	10	27260	50	#0	16QAM	0MHz-1MHz	22.40	PASS
Band28	10	27260	50	#0	16QAM	1MHz-5MHz	18.67	PASS
Band28	10	27260	50	#0	16QAM	5MHz-10MHz	18.88	PASS
Band28	10	27260	50	#0	16QAM	10MHz-15MHz	10.83	PASS
Band28	10	27375	12	#0	QPSK	-1MHz-0MHz	16.99	PASS
Band28	10	27375	12	#0	QPSK	-5MHz--1MHz	14.21	PASS
Band28	10	27375	12	#0	QPSK	-10MHz--5MHz	22.08	PASS
Band28	10	27375	12	#0	QPSK	-15MHz--10MHz	10.30	PASS
Band28	10	27375	12	#0	QPSK	0MHz-1MHz	31.69	PASS
Band28	10	27375	12	#0	QPSK	1MHz-5MHz	25.26	PASS
Band28	10	27375	12	#0	QPSK	5MHz-10MHz	21.66	PASS
Band28	10	27375	12	#0	QPSK	10MHz-15MHz	11.64	PASS
Band28	10	27375	12	#Max	QPSK	-1MHz-0MHz	30.67	PASS
Band28	10	27375	12	#Max	QPSK	-5MHz--1MHz	25.26	PASS
Band28	10	27375	12	#Max	QPSK	-10MHz--5MHz	22.43	PASS
Band28	10	27375	12	#Max	QPSK	-15MHz--10MHz	10.27	PASS
Band28	10	27375	12	#Max	QPSK	0MHz-1MHz	17.15	PASS
Band28	10	27375	12	#Max	QPSK	1MHz-5MHz	14.32	PASS
Band28	10	27375	12	#Max	QPSK	5MHz-10MHz	21.73	PASS
Band28	10	27375	12	#Max	QPSK	10MHz-15MHz	11.36	PASS
Band28	10	27375	50	#0	QPSK	-1MHz-0MHz	23.16	PASS
Band28	10	27375	50	#0	QPSK	-5MHz--1MHz	18.66	PASS
Band28	10	27375	50	#0	QPSK	-10MHz--5MHz	18.50	PASS
Band28	10	27375	50	#0	QPSK	-15MHz--10MHz	9.61	PASS
Band28	10	27375	50	#0	QPSK	0MHz-1MHz	22.10	PASS
Band28	10	27375	50	#0	QPSK	1MHz-5MHz	17.74	PASS
Band28	10	27375	50	#0	QPSK	5MHz-10MHz	16.80	PASS
Band28	10	27375	50	#0	QPSK	10MHz-15MHz	9.33	PASS
Band28	10	27375	12	#0	16QAM	-1MHz-0MHz	19.59	PASS
Band28	10	27375	12	#0	16QAM	-5MHz--1MHz	19.59	PASS
Band28	10	27375	12	#0	16QAM	-10MHz--5MHz	22.51	PASS
Band28	10	27375	12	#0	16QAM	-15MHz--10MHz	10.24	PASS
Band28	10	27375	12	#0	16QAM	0MHz-1MHz	32.14	PASS
Band28	10	27375	12	#0	16QAM	1MHz-5MHz	25.70	PASS
Band28	10	27375	12	#0	16QAM	5MHz-10MHz	22.36	PASS
Band28	10	27375	12	#0	16QAM	10MHz-15MHz	11.61	PASS
Band28	10	27375	12	#Max	16QAM	-1MHz-0MHz	31.24	PASS
Band28	10	27375	12	#Max	16QAM	-5MHz--1MHz	25.33	PASS
Band28	10	27375	12	#Max	16QAM	-10MHz--5MHz	22.48	PASS
Band28	10	27375	12	#Max	16QAM	-15MHz--10MHz	10.31	PASS



Band28	10	27375	12	#Max	16QAM	0MHz-1MHz	16.94	PASS
Band28	10	27375	12	#Max	16QAM	1MHz-5MHz	15.29	PASS
Band28	10	27375	12	#Max	16QAM	5MHz-10MHz	21.96	PASS
Band28	10	27375	12	#Max	16QAM	10MHz-15MHz	11.46	PASS
Band28	10	27375	50	#0	16QAM	-1MHz-0MHz	22.59	PASS
Band28	10	27375	50	#0	16QAM	-5MHz--1MHz	18.42	PASS
Band28	10	27375	50	#0	16QAM	-10MHz--5MHz	18.97	PASS
Band28	10	27375	50	#0	16QAM	-15MHz--10MHz	10.06	PASS
Band28	10	27375	50	#0	16QAM	0MHz-1MHz	21.85	PASS
Band28	10	27375	50	#0	16QAM	1MHz-5MHz	17.49	PASS
Band28	10	27375	50	#0	16QAM	5MHz-10MHz	17.65	PASS
Band28	10	27375	50	#0	16QAM	10MHz-15MHz	10.65	PASS
Band28	10	27490	12	#0	QPSK	-1MHz-0MHz	16.83	PASS
Band28	10	27490	12	#0	QPSK	-5MHz--1MHz	15.08	PASS
Band28	10	27490	12	#0	QPSK	-10MHz--5MHz	21.85	PASS
Band28	10	27490	12	#0	QPSK	-15MHz--10MHz	10.30	PASS
Band28	10	27490	12	#0	QPSK	0MHz-1MHz	31.11	PASS
Band28	10	27490	12	#0	QPSK	1MHz-5MHz	25.71	PASS
Band28	10	27490	12	#0	QPSK	5MHz-10MHz	22.57	PASS
Band28	10	27490	12	#0	QPSK	10MHz-15MHz	11.58	PASS
Band28	10	27490	12	#Max	QPSK	-1MHz-0MHz	30.28	PASS
Band28	10	27490	12	#Max	QPSK	-5MHz--1MHz	25.22	PASS
Band28	10	27490	12	#Max	QPSK	-10MHz--5MHz	22.36	PASS
Band28	10	27490	12	#Max	QPSK	-15MHz--10MHz	10.18	PASS
Band28	10	27490	12	#Max	QPSK	0MHz-1MHz	18.00	PASS
Band28	10	27490	12	#Max	QPSK	1MHz-5MHz	15.37	PASS
Band28	10	27490	12	#Max	QPSK	5MHz-10MHz	22.32	PASS
Band28	10	27490	12	#Max	QPSK	10MHz-15MHz	11.37	PASS
Band28	10	27490	50	#0	QPSK	-1MHz-0MHz	23.54	PASS
Band28	10	27490	50	#0	QPSK	-5MHz--1MHz	20.33	PASS
Band28	10	27490	50	#0	QPSK	-10MHz--5MHz	19.45	PASS
Band28	10	27490	50	#0	QPSK	-15MHz--10MHz	9.48	PASS
Band28	10	27490	50	#0	QPSK	0MHz-1MHz	23.81	PASS
Band28	10	27490	50	#0	QPSK	1MHz-5MHz	19.71	PASS
Band28	10	27490	50	#0	QPSK	5MHz-10MHz	18.10	PASS
Band28	10	27490	50	#0	QPSK	10MHz-15MHz	9.95	PASS
Band28	10	27490	12	#0	16QAM	-1MHz-0MHz	16.61	PASS
Band28	10	27490	12	#0	16QAM	-5MHz--1MHz	15.53	PASS
Band28	10	27490	12	#0	16QAM	-10MHz--5MHz	22.12	PASS
Band28	10	27490	12	#0	16QAM	-15MHz--10MHz	10.29	PASS
Band28	10	27490	12	#0	16QAM	0MHz-1MHz	31.84	PASS
Band28	10	27490	12	#0	16QAM	1MHz-5MHz	25.76	PASS
Band28	10	27490	12	#0	16QAM	5MHz-10MHz	22.50	PASS
Band28	10	27490	12	#0	16QAM	10MHz-15MHz	11.51	PASS

Band28	10	27490	12	#Max	16QAM	-1MHz-0MHz	31.46	PASS
Band28	10	27490	12	#Max	16QAM	-5MHz--1MHz	25.33	PASS
Band28	10	27490	12	#Max	16QAM	-10MHz--5MHz	22.45	PASS
Band28	10	27490	12	#Max	16QAM	-15MHz--10MHz	10.31	PASS
Band28	10	27490	12	#Max	16QAM	0MHz-1MHz	16.21	PASS
Band28	10	27490	12	#Max	16QAM	1MHz-5MHz	15.97	PASS
Band28	10	27490	12	#Max	16QAM	5MHz-10MHz	22.46	PASS
Band28	10	27490	12	#Max	16QAM	10MHz-15MHz	11.42	PASS
Band28	10	27490	50	#0	16QAM	-1MHz-0MHz	23.53	PASS
Band28	10	27490	50	#0	16QAM	-5MHz--1MHz	19.79	PASS
Band28	10	27490	50	#0	16QAM	-10MHz--5MHz	19.69	PASS
Band28	10	27490	50	#0	16QAM	-15MHz--10MHz	9.98	PASS
Band28	10	27490	50	#0	16QAM	0MHz-1MHz	23.23	PASS
Band28	10	27490	50	#0	16QAM	1MHz-5MHz	19.37	PASS
Band28	10	27490	50	#0	16QAM	5MHz-10MHz	18.90	PASS
Band28	10	27490	50	#0	16QAM	10MHz-15MHz	10.80	PASS
Band28	20	27310	18	#0	QPSK	-1MHz-0MHz	16.22	PASS
Band28	20	27310	18	#0	QPSK	-5MHz--1MHz	15.84	PASS
Band28	20	27310	18	#0	QPSK	-20MHz--5MHz	22.35	PASS
Band28	20	27310	18	#0	QPSK	-25MHz--20MHz	11.90	PASS
Band28	20	27310	18	#0	QPSK	0MHz-1MHz	29.19	PASS
Band28	20	27310	18	#0	QPSK	1MHz-5MHz	26.20	PASS
Band28	20	27310	18	#0	QPSK	5MHz-20MHz	21.38	PASS
Band28	20	27310	18	#0	QPSK	20MHz-25MHz	11.78	PASS
Band28	20	27310	18	#Max	QPSK	-1MHz-0MHz	29.48	PASS
Band28	20	27310	18	#Max	QPSK	-5MHz--1MHz	25.91	PASS
Band28	20	27310	18	#Max	QPSK	-20MHz--5MHz	22.30	PASS
Band28	20	27310	18	#Max	QPSK	-25MHz--20MHz	12.00	PASS
Band28	20	27310	18	#Max	QPSK	0MHz-1MHz	16.84	PASS
Band28	20	27310	18	#Max	QPSK	1MHz-5MHz	15.99	PASS
Band28	20	27310	18	#Max	QPSK	5MHz-20MHz	21.87	PASS
Band28	20	27310	18	#Max	QPSK	20MHz-25MHz	11.71	PASS
Band28	20	27310	100	#0	QPSK	-1MHz-0MHz	22.60	PASS
Band28	20	27310	100	#0	QPSK	-5MHz--1MHz	21.43	PASS
Band28	20	27310	100	#0	QPSK	-20MHz--5MHz	21.49	PASS
Band28	20	27310	100	#0	QPSK	-25MHz--20MHz	11.92	PASS
Band28	20	27310	100	#0	QPSK	0MHz-1MHz	21.18	PASS
Band28	20	27310	100	#0	QPSK	1MHz-5MHz	19.87	PASS
Band28	20	27310	100	#0	QPSK	5MHz-20MHz	17.98	PASS
Band28	20	27310	100	#0	QPSK	20MHz-25MHz	11.32	PASS
Band28	20	27310	18	#0	16QAM	-1MHz-0MHz	19.23	PASS
Band28	20	27310	18	#0	16QAM	-5MHz--1MHz	20.10	PASS
Band28	20	27310	18	#0	16QAM	-20MHz--5MHz	22.28	PASS
Band28	20	27310	18	#0	16QAM	-25MHz--20MHz	12.04	PASS



Band28	20	27310	18	#0	16QAM	0MHz-1MHz	29.73	PASS
Band28	20	27310	18	#0	16QAM	1MHz-5MHz	26.28	PASS
Band28	20	27310	18	#0	16QAM	5MHz-20MHz	22.52	PASS
Band28	20	27310	18	#0	16QAM	20MHz-25MHz	11.73	PASS
Band28	20	27310	18	#Max	16QAM	-1MHz-0MHz	29.10	PASS
Band28	20	27310	18	#Max	16QAM	-5MHz--1MHz	25.99	PASS
Band28	20	27310	18	#Max	16QAM	-20MHz--5MHz	22.40	PASS
Band28	20	27310	18	#Max	16QAM	-25MHz--20MHz	12.03	PASS
Band28	20	27310	18	#Max	16QAM	0MHz-1MHz	15.19	PASS
Band28	20	27310	18	#Max	16QAM	1MHz-5MHz	15.65	PASS
Band28	20	27310	18	#Max	16QAM	5MHz-20MHz	21.68	PASS
Band28	20	27310	18	#Max	16QAM	20MHz-25MHz	11.69	PASS
Band28	20	27310	100	#0	16QAM	-1MHz-0MHz	23.03	PASS
Band28	20	27310	100	#0	16QAM	-5MHz--1MHz	21.81	PASS
Band28	20	27310	100	#0	16QAM	-20MHz--5MHz	21.33	PASS
Band28	20	27310	100	#0	16QAM	-25MHz--20MHz	11.86	PASS
Band28	20	27310	100	#0	16QAM	0MHz-1MHz	22.11	PASS
Band28	20	27310	100	#0	16QAM	1MHz-5MHz	19.97	PASS
Band28	20	27310	100	#0	16QAM	5MHz-20MHz	17.98	PASS
Band28	20	27310	100	#0	16QAM	20MHz-25MHz	11.33	PASS
Band28	20	27375	18	#0	QPSK	-1MHz-0MHz	16.76	PASS
Band28	20	27375	18	#0	QPSK	-5MHz--1MHz	16.32	PASS
Band28	20	27375	18	#0	QPSK	-20MHz--5MHz	21.81	PASS
Band28	20	27375	18	#0	QPSK	-25MHz--20MHz	11.80	PASS
Band28	20	27375	18	#0	QPSK	0MHz-1MHz	29.26	PASS
Band28	20	27375	18	#0	QPSK	1MHz-5MHz	26.11	PASS
Band28	20	27375	18	#0	QPSK	5MHz-20MHz	22.30	PASS
Band28	20	27375	18	#0	QPSK	20MHz-25MHz	11.70	PASS
Band28	20	27375	18	#Max	QPSK	-1MHz-0MHz	29.42	PASS
Band28	20	27375	18	#Max	QPSK	-5MHz--1MHz	25.86	PASS
Band28	20	27375	18	#Max	QPSK	-20MHz--5MHz	22.17	PASS
Band28	20	27375	18	#Max	QPSK	-25MHz--20MHz	11.99	PASS
Band28	20	27375	18	#Max	QPSK	0MHz-1MHz	15.01	PASS
Band28	20	27375	18	#Max	QPSK	1MHz-5MHz	14.83	PASS
Band28	20	27375	18	#Max	QPSK	5MHz-20MHz	22.00	PASS
Band28	20	27375	18	#Max	QPSK	20MHz-25MHz	11.60	PASS
Band28	20	27375	100	#0	QPSK	-1MHz-0MHz	21.96	PASS
Band28	20	27375	100	#0	QPSK	-5MHz--1MHz	20.74	PASS
Band28	20	27375	100	#0	QPSK	-20MHz--5MHz	20.17	PASS
Band28	20	27375	100	#0	QPSK	-25MHz--20MHz	11.91	PASS
Band28	20	27375	100	#0	QPSK	0MHz-1MHz	21.64	PASS
Band28	20	27375	100	#0	QPSK	1MHz-5MHz	19.91	PASS
Band28	20	27375	100	#0	QPSK	5MHz-20MHz	19.10	PASS
Band28	20	27375	100	#0	QPSK	20MHz-25MHz	11.38	PASS

Band28	20	27375	18	#0	16QAM	-1MHz-0MHz	18.62	PASS
Band28	20	27375	18	#0	16QAM	-5MHz--1MHz	20.49	PASS
Band28	20	27375	18	#0	16QAM	-20MHz--5MHz	22.09	PASS
Band28	20	27375	18	#0	16QAM	-25MHz--20MHz	11.88	PASS
Band28	20	27375	18	#0	16QAM	0MHz-1MHz	29.81	PASS
Band28	20	27375	18	#0	16QAM	1MHz-5MHz	26.33	PASS
Band28	20	27375	18	#0	16QAM	5MHz-20MHz	22.77	PASS
Band28	20	27375	18	#0	16QAM	20MHz-25MHz	11.59	PASS
Band28	20	27375	18	#Max	16QAM	-1MHz-0MHz	29.37	PASS
Band28	20	27375	18	#Max	16QAM	-5MHz--1MHz	25.87	PASS
Band28	20	27375	18	#Max	16QAM	-20MHz--5MHz	22.13	PASS
Band28	20	27375	18	#Max	16QAM	-25MHz--20MHz	12.03	PASS
Band28	20	27375	18	#Max	16QAM	0MHz-1MHz	15.51	PASS
Band28	20	27375	18	#Max	16QAM	1MHz-5MHz	15.80	PASS
Band28	20	27375	18	#Max	16QAM	5MHz-20MHz	22.07	PASS
Band28	20	27375	18	#Max	16QAM	20MHz-25MHz	11.68	PASS
Band28	20	27375	100	#0	16QAM	-1MHz-0MHz	22.47	PASS
Band28	20	27375	100	#0	16QAM	-5MHz--1MHz	20.91	PASS
Band28	20	27375	100	#0	16QAM	-20MHz--5MHz	19.61	PASS
Band28	20	27375	100	#0	16QAM	-25MHz--20MHz	11.95	PASS
Band28	20	27375	100	#0	16QAM	0MHz-1MHz	21.86	PASS
Band28	20	27375	100	#0	16QAM	1MHz-5MHz	19.68	PASS
Band28	20	27375	100	#0	16QAM	5MHz-20MHz	18.35	PASS
Band28	20	27375	100	#0	16QAM	20MHz-25MHz	11.35	PASS
Band28	20	27440	18	#0	QPSK	-1MHz-0MHz	17.03	PASS
Band28	20	27440	18	#0	QPSK	-5MHz--1MHz	15.67	PASS
Band28	20	27440	18	#0	QPSK	-20MHz--5MHz	21.58	PASS
Band28	20	27440	18	#0	QPSK	-25MHz--20MHz	11.90	PASS
Band28	20	27440	18	#0	QPSK	0MHz-1MHz	29.52	PASS
Band28	20	27440	18	#0	QPSK	1MHz-5MHz	26.35	PASS
Band28	20	27440	18	#0	QPSK	5MHz-20MHz	22.08	PASS
Band28	20	27440	18	#0	QPSK	20MHz-25MHz	11.69	PASS
Band28	20	27440	18	#Max	QPSK	-1MHz-0MHz	29.21	PASS
Band28	20	27440	18	#Max	QPSK	-5MHz--1MHz	25.60	PASS
Band28	20	27440	18	#Max	QPSK	-20MHz--5MHz	21.98	PASS
Band28	20	27440	18	#Max	QPSK	-25MHz--20MHz	11.94	PASS
Band28	20	27440	18	#Max	QPSK	0MHz-1MHz	16.52	PASS
Band28	20	27440	18	#Max	QPSK	1MHz-5MHz	15.57	PASS
Band28	20	27440	18	#Max	QPSK	5MHz-20MHz	22.24	PASS
Band28	20	27440	18	#Max	QPSK	20MHz-25MHz	11.59	PASS
Band28	20	27440	100	#0	QPSK	-1MHz-0MHz	22.42	PASS
Band28	20	27440	100	#0	QPSK	-5MHz--1MHz	20.47	PASS
Band28	20	27440	100	#0	QPSK	-20MHz--5MHz	19.41	PASS
Band28	20	27440	100	#0	QPSK	-25MHz--20MHz	11.78	PASS

Band28	20	27440	100	#0	QPSK	0MHz-1MHz	22.12	PASS
Band28	20	27440	100	#0	QPSK	1MHz-5MHz	21.06	PASS
Band28	20	27440	100	#0	QPSK	5MHz-20MHz	18.69	PASS
Band28	20	27440	100	#0	QPSK	20MHz-25MHz	11.68	PASS
Band28	20	27440	18	#0	16QAM	-1MHz-0MHz	14.44	PASS
Band28	20	27440	18	#0	16QAM	-5MHz--1MHz	15.77	PASS
Band28	20	27440	18	#0	16QAM	-20MHz--5MHz	21.33	PASS
Band28	20	27440	18	#0	16QAM	-25MHz--20MHz	11.93	PASS
Band28	20	27440	18	#0	16QAM	0MHz-1MHz	29.42	PASS
Band28	20	27440	18	#0	16QAM	1MHz-5MHz	26.32	PASS
Band28	20	27440	18	#0	16QAM	5MHz-20MHz	22.19	PASS
Band28	20	27440	18	#0	16QAM	20MHz-25MHz	11.70	PASS
Band28	20	27440	18	#Max	16QAM	-1MHz-0MHz	29.14	PASS
Band28	20	27440	18	#Max	16QAM	-5MHz--1MHz	25.66	PASS
Band28	20	27440	18	#Max	16QAM	-20MHz--5MHz	22.01	PASS
Band28	20	27440	18	#Max	16QAM	-25MHz--20MHz	11.94	PASS
Band28	20	27440	18	#Max	16QAM	0MHz-1MHz	15.64	PASS
Band28	20	27440	18	#Max	16QAM	1MHz-5MHz	15.82	PASS
Band28	20	27440	18	#Max	16QAM	5MHz-20MHz	22.22	PASS
Band28	20	27440	18	#Max	16QAM	20MHz-25MHz	11.72	PASS
Band28	20	27440	100	#0	16QAM	-1MHz-0MHz	21.92	PASS
Band28	20	27440	100	#0	16QAM	-5MHz--1MHz	20.42	PASS
Band28	20	27440	100	#0	16QAM	-20MHz--5MHz	18.94	PASS
Band28	20	27440	100	#0	16QAM	-25MHz--20MHz	11.86	PASS
Band28	20	27440	100	#0	16QAM	0MHz-1MHz	22.55	PASS
Band28	20	27440	100	#0	16QAM	1MHz-5MHz	20.93	PASS
Band28	20	27440	100	#0	16QAM	5MHz-20MHz	19.22	PASS
Band28	20	27440	100	#0	16QAM	20MHz-25MHz	11.64	PASS
Band3	1.4	19207	5	#0	QPSK	-1MHz-0MHz	17.24	PASS
Band3	1.4	19207	5	#0	QPSK	-2.5MHz--1MHz	19.27	PASS
Band3	1.4	19207	5	#0	QPSK	-3.5MHz--2.5MHz	10.29	PASS
Band3	1.4	19207	5	#0	QPSK	0MHz-1MHz	20.12	PASS
Band3	1.4	19207	5	#0	QPSK	1MHz-2.5MHz	21.11	PASS
Band3	1.4	19207	5	#0	QPSK	2.5MHz-3.5MHz	10.26	PASS
Band3	1.4	19207	5	#Max	QPSK	-1MHz-0MHz	19.98	PASS
Band3	1.4	19207	5	#Max	QPSK	-2.5MHz--1MHz	20.95	PASS
Band3	1.4	19207	5	#Max	QPSK	-3.5MHz--2.5MHz	10.50	PASS
Band3	1.4	19207	5	#Max	QPSK	0MHz-1MHz	18.71	PASS
Band3	1.4	19207	5	#Max	QPSK	1MHz-2.5MHz	19.20	PASS
Band3	1.4	19207	5	#Max	QPSK	2.5MHz-3.5MHz	10.21	PASS
Band3	1.4	19207	6	#0	QPSK	-1MHz-0MHz	18.63	PASS
Band3	1.4	19207	6	#0	QPSK	-2.5MHz--1MHz	19.67	PASS
Band3	1.4	19207	6	#0	QPSK	-3.5MHz--2.5MHz	10.45	PASS
Band3	1.4	19207	6	#0	QPSK	0MHz-1MHz	18.77	PASS

Band3	1.4	19207	6	#0	QPSK	1MHz-2.5MHz	20.12	PASS
Band3	1.4	19207	6	#0	QPSK	2.5MHz-3.5MHz	10.31	PASS
Band3	1.4	19207	5	#0	16QAM	-1MHz-0MHz	17.61	PASS
Band3	1.4	19207	5	#0	16QAM	-2.5MHz--1MHz	20.22	PASS
Band3	1.4	19207	5	#0	16QAM	-3.5MHz--2.5MHz	10.64	PASS
Band3	1.4	19207	5	#0	16QAM	0MHz-1MHz	18.36	PASS
Band3	1.4	19207	5	#0	16QAM	1MHz-2.5MHz	21.91	PASS
Band3	1.4	19207	5	#0	16QAM	2.5MHz-3.5MHz	10.31	PASS
Band3	1.4	19207	5	#Max	16QAM	-1MHz-0MHz	19.36	PASS
Band3	1.4	19207	5	#Max	16QAM	-2.5MHz--1MHz	22.08	PASS
Band3	1.4	19207	5	#Max	16QAM	-3.5MHz--2.5MHz	10.69	PASS
Band3	1.4	19207	5	#Max	16QAM	0MHz-1MHz	18.52	PASS
Band3	1.4	19207	5	#Max	16QAM	1MHz-2.5MHz	20.07	PASS
Band3	1.4	19207	5	#Max	16QAM	2.5MHz-3.5MHz	10.30	PASS
Band3	1.4	19207	6	#0	16QAM	-1MHz-0MHz	19.14	PASS
Band3	1.4	19207	6	#0	16QAM	-2.5MHz--1MHz	21.88	PASS
Band3	1.4	19207	6	#0	16QAM	-3.5MHz--2.5MHz	10.87	PASS
Band3	1.4	19207	6	#0	16QAM	0MHz-1MHz	19.20	PASS
Band3	1.4	19207	6	#0	16QAM	1MHz-2.5MHz	21.91	PASS
Band3	1.4	19207	6	#0	16QAM	2.5MHz-3.5MHz	10.77	PASS
Band3	1.4	19575	5	#0	QPSK	-1MHz-0MHz	16.70	PASS
Band3	1.4	19575	5	#0	QPSK	-2.5MHz--1MHz	19.13	PASS
Band3	1.4	19575	5	#0	QPSK	-3.5MHz--2.5MHz	10.90	PASS
Band3	1.4	19575	5	#0	QPSK	0MHz-1MHz	18.55	PASS
Band3	1.4	19575	5	#0	QPSK	1MHz-2.5MHz	21.12	PASS
Band3	1.4	19575	5	#0	QPSK	2.5MHz-3.5MHz	10.77	PASS
Band3	1.4	19575	5	#Max	QPSK	-1MHz-0MHz	19.02	PASS
Band3	1.4	19575	5	#Max	QPSK	-2.5MHz--1MHz	21.53	PASS
Band3	1.4	19575	5	#Max	QPSK	-3.5MHz--2.5MHz	11.01	PASS
Band3	1.4	19575	5	#Max	QPSK	0MHz-1MHz	16.99	PASS
Band3	1.4	19575	5	#Max	QPSK	1MHz-2.5MHz	18.78	PASS
Band3	1.4	19575	5	#Max	QPSK	2.5MHz-3.5MHz	10.66	PASS
Band3	1.4	19575	6	#0	QPSK	-1MHz-0MHz	18.15	PASS
Band3	1.4	19575	6	#0	QPSK	-2.5MHz--1MHz	18.50	PASS
Band3	1.4	19575	6	#0	QPSK	-3.5MHz--2.5MHz	10.86	PASS
Band3	1.4	19575	6	#0	QPSK	0MHz-1MHz	18.17	PASS
Band3	1.4	19575	6	#0	QPSK	1MHz-2.5MHz	18.22	PASS
Band3	1.4	19575	6	#0	QPSK	2.5MHz-3.5MHz	10.61	PASS
Band3	1.4	19575	5	#0	16QAM	-1MHz-0MHz	16.12	PASS
Band3	1.4	19575	5	#0	16QAM	-2.5MHz--1MHz	19.74	PASS
Band3	1.4	19575	5	#0	16QAM	-3.5MHz--2.5MHz	11.19	PASS
Band3	1.4	19575	5	#0	16QAM	0MHz-1MHz	19.07	PASS
Band3	1.4	19575	5	#0	16QAM	1MHz-2.5MHz	21.81	PASS
Band3	1.4	19575	5	#0	16QAM	2.5MHz-3.5MHz	11.01	PASS

Band3	1.4	19575	5	#Max	16QAM	-1MHz-0MHz	17.68	PASS
Band3	1.4	19575	5	#Max	16QAM	-2.5MHz--1MHz	22.12	PASS
Band3	1.4	19575	5	#Max	16QAM	-3.5MHz--2.5MHz	11.11	PASS
Band3	1.4	19575	5	#Max	16QAM	0MHz-1MHz	16.31	PASS
Band3	1.4	19575	5	#Max	16QAM	1MHz-2.5MHz	19.31	PASS
Band3	1.4	19575	5	#Max	16QAM	2.5MHz-3.5MHz	10.94	PASS
Band3	1.4	19575	6	#0	16QAM	-1MHz-0MHz	18.46	PASS
Band3	1.4	19575	6	#0	16QAM	-2.5MHz--1MHz	22.77	PASS
Band3	1.4	19575	6	#0	16QAM	-3.5MHz--2.5MHz	11.41	PASS
Band3	1.4	19575	6	#0	16QAM	0MHz-1MHz	18.69	PASS
Band3	1.4	19575	6	#0	16QAM	1MHz-2.5MHz	22.29	PASS
Band3	1.4	19575	6	#0	16QAM	2.5MHz-3.5MHz	11.29	PASS
Band3	1.4	19943	5	#0	QPSK	-1MHz-0MHz	15.32	PASS
Band3	1.4	19943	5	#0	QPSK	-2.5MHz--1MHz	15.86	PASS
Band3	1.4	19943	5	#0	QPSK	-3.5MHz--2.5MHz	10.28	PASS
Band3	1.4	19943	5	#0	QPSK	0MHz-1MHz	17.05	PASS
Band3	1.4	19943	5	#0	QPSK	1MHz-2.5MHz	20.72	PASS
Band3	1.4	19943	5	#0	QPSK	2.5MHz-3.5MHz	11.05	PASS
Band3	1.4	19943	5	#Max	QPSK	-1MHz-0MHz	15.61	PASS
Band3	1.4	19943	5	#Max	QPSK	-2.5MHz--1MHz	19.05	PASS
Band3	1.4	19943	5	#Max	QPSK	-3.5MHz--2.5MHz	10.31	PASS
Band3	1.4	19943	5	#Max	QPSK	0MHz-1MHz	16.74	PASS
Band3	1.4	19943	5	#Max	QPSK	1MHz-2.5MHz	18.40	PASS
Band3	1.4	19943	5	#Max	QPSK	2.5MHz-3.5MHz	10.98	PASS
Band3	1.4	19943	6	#0	QPSK	-1MHz-0MHz	19.50	PASS
Band3	1.4	19943	6	#0	QPSK	-2.5MHz--1MHz	16.16	PASS
Band3	1.4	19943	6	#0	QPSK	-3.5MHz--2.5MHz	10.20	PASS
Band3	1.4	19943	6	#0	QPSK	0MHz-1MHz	20.74	PASS
Band3	1.4	19943	6	#0	QPSK	1MHz-2.5MHz	17.65	PASS
Band3	1.4	19943	6	#0	QPSK	2.5MHz-3.5MHz	10.97	PASS
Band3	1.4	19943	5	#0	16QAM	-1MHz-0MHz	15.24	PASS
Band3	1.4	19943	5	#0	16QAM	-2.5MHz--1MHz	18.48	PASS
Band3	1.4	19943	5	#0	16QAM	-3.5MHz--2.5MHz	10.57	PASS
Band3	1.4	19943	5	#0	16QAM	0MHz-1MHz	17.20	PASS
Band3	1.4	19943	5	#0	16QAM	1MHz-2.5MHz	21.87	PASS
Band3	1.4	19943	5	#0	16QAM	2.5MHz-3.5MHz	11.30	PASS
Band3	1.4	19943	5	#Max	16QAM	-1MHz-0MHz	17.70	PASS
Band3	1.4	19943	5	#Max	16QAM	-2.5MHz--1MHz	21.09	PASS
Band3	1.4	19943	5	#Max	16QAM	-3.5MHz--2.5MHz	10.75	PASS
Band3	1.4	19943	5	#Max	16QAM	0MHz-1MHz	17.08	PASS
Band3	1.4	19943	5	#Max	16QAM	1MHz-2.5MHz	19.50	PASS
Band3	1.4	19943	5	#Max	16QAM	2.5MHz-3.5MHz	11.23	PASS
Band3	1.4	19943	6	#0	16QAM	-1MHz-0MHz	20.21	PASS
Band3	1.4	19943	6	#0	16QAM	-2.5MHz--1MHz	21.06	PASS

Band3	1.4	19943	6	#0	16QAM	-3.5MHz--2.5MHz	10.95	PASS
Band3	1.4	19943	6	#0	16QAM	0MHz-1MHz	21.78	PASS
Band3	1.4	19943	6	#0	16QAM	1MHz-2.5MHz	21.83	PASS
Band3	1.4	19943	6	#0	16QAM	2.5MHz-3.5MHz	11.56	PASS
Band3	5	19225	8	#0	QPSK	-1MHz-0MHz	14.33	PASS
Band3	5	19225	8	#0	QPSK	-5MHz--1MHz	14.45	PASS
Band3	5	19225	8	#0	QPSK	-6MHz--5MHz	23.11	PASS
Band3	5	19225	8	#0	QPSK	-10MHz--6MHz	11.22	PASS
Band3	5	19225	8	#0	QPSK	0MHz-1MHz	32.75	PASS
Band3	5	19225	8	#0	QPSK	1MHz-5MHz	22.38	PASS
Band3	5	19225	8	#0	QPSK	5MHz-6MHz	23.47	PASS
Band3	5	19225	8	#0	QPSK	6MHz-10MHz	11.41	PASS
Band3	5	19225	8	#Max	QPSK	-1MHz-0MHz	32.64	PASS
Band3	5	19225	8	#Max	QPSK	-5MHz--1MHz	23.73	PASS
Band3	5	19225	8	#Max	QPSK	-6MHz--5MHz	23.40	PASS
Band3	5	19225	8	#Max	QPSK	-10MHz--6MHz	11.27	PASS
Band3	5	19225	8	#Max	QPSK	0MHz-1MHz	14.18	PASS
Band3	5	19225	8	#Max	QPSK	1MHz-5MHz	13.63	PASS
Band3	5	19225	8	#Max	QPSK	5MHz-6MHz	23.12	PASS
Band3	5	19225	8	#Max	QPSK	6MHz-10MHz	11.34	PASS
Band3	5	19225	25	#0	QPSK	-1MHz-0MHz	20.45	PASS
Band3	5	19225	25	#0	QPSK	-5MHz--1MHz	14.44	PASS
Band3	5	19225	25	#0	QPSK	-6MHz--5MHz	20.16	PASS
Band3	5	19225	25	#0	QPSK	-10MHz--6MHz	8.98	PASS
Band3	5	19225	25	#0	QPSK	0MHz-1MHz	20.25	PASS
Band3	5	19225	25	#0	QPSK	1MHz-5MHz	13.72	PASS
Band3	5	19225	25	#0	QPSK	5MHz-6MHz	18.51	PASS
Band3	5	19225	25	#0	QPSK	6MHz-10MHz	7.75	PASS
Band3	5	19225	8	#0	16QAM	-1MHz-0MHz	11.83	PASS
Band3	5	19225	8	#0	16QAM	-5MHz--1MHz	15.06	PASS
Band3	5	19225	8	#0	16QAM	-6MHz--5MHz	23.08	PASS
Band3	5	19225	8	#0	16QAM	-10MHz--6MHz	11.17	PASS
Band3	5	19225	8	#0	16QAM	0MHz-1MHz	32.70	PASS
Band3	5	19225	8	#0	16QAM	1MHz-5MHz	23.36	PASS
Band3	5	19225	8	#0	16QAM	5MHz-6MHz	23.38	PASS
Band3	5	19225	8	#0	16QAM	6MHz-10MHz	11.48	PASS
Band3	5	19225	8	#Max	16QAM	-1MHz-0MHz	33.10	PASS
Band3	5	19225	8	#Max	16QAM	-5MHz--1MHz	24.02	PASS
Band3	5	19225	8	#Max	16QAM	-6MHz--5MHz	23.47	PASS
Band3	5	19225	8	#Max	16QAM	-10MHz--6MHz	11.26	PASS
Band3	5	19225	8	#Max	16QAM	0MHz-1MHz	12.47	PASS
Band3	5	19225	8	#Max	16QAM	1MHz-5MHz	14.29	PASS
Band3	5	19225	8	#Max	16QAM	5MHz-6MHz	23.20	PASS
Band3	5	19225	8	#Max	16QAM	6MHz-10MHz	11.41	PASS



Band3	5	19225	25	#0	16QAM	-1MHz-0MHz	20.58	PASS
Band3	5	19225	25	#0	16QAM	-5MHz--1MHz	13.69	PASS
Band3	5	19225	25	#0	16QAM	-6MHz--5MHz	21.81	PASS
Band3	5	19225	25	#0	16QAM	-10MHz--6MHz	10.53	PASS
Band3	5	19225	25	#0	16QAM	0MHz-1MHz	19.28	PASS
Band3	5	19225	25	#0	16QAM	1MHz-5MHz	13.21	PASS
Band3	5	19225	25	#0	16QAM	5MHz-6MHz	21.20	PASS
Band3	5	19225	25	#0	16QAM	6MHz-10MHz	10.18	PASS
Band3	5	19575	8	#0	QPSK	-1MHz-0MHz	15.09	PASS
Band3	5	19575	8	#0	QPSK	-5MHz--1MHz	12.40	PASS
Band3	5	19575	8	#0	QPSK	-6MHz--5MHz	24.00	PASS
Band3	5	19575	8	#0	QPSK	-10MHz--6MHz	11.94	PASS
Band3	5	19575	8	#0	QPSK	0MHz-1MHz	33.14	PASS
Band3	5	19575	8	#0	QPSK	1MHz-5MHz	24.30	PASS
Band3	5	19575	8	#0	QPSK	5MHz-6MHz	24.15	PASS
Band3	5	19575	8	#0	QPSK	6MHz-10MHz	12.38	PASS
Band3	5	19575	8	#Max	QPSK	-1MHz-0MHz	33.35	PASS
Band3	5	19575	8	#Max	QPSK	-5MHz--1MHz	24.35	PASS
Band3	5	19575	8	#Max	QPSK	-6MHz--5MHz	24.22	PASS
Band3	5	19575	8	#Max	QPSK	-10MHz--6MHz	12.09	PASS
Band3	5	19575	8	#Max	QPSK	0MHz-1MHz	15.97	PASS
Band3	5	19575	8	#Max	QPSK	1MHz-5MHz	11.91	PASS
Band3	5	19575	8	#Max	QPSK	5MHz-6MHz	23.95	PASS
Band3	5	19575	8	#Max	QPSK	6MHz-10MHz	12.17	PASS
Band3	5	19575	25	#0	QPSK	-1MHz-0MHz	20.16	PASS
Band3	5	19575	25	#0	QPSK	-5MHz--1MHz	13.59	PASS
Band3	5	19575	25	#0	QPSK	-6MHz--5MHz	19.43	PASS
Band3	5	19575	25	#0	QPSK	-10MHz--6MHz	8.91	PASS
Band3	5	19575	25	#0	QPSK	0MHz-1MHz	19.91	PASS
Band3	5	19575	25	#0	QPSK	1MHz-5MHz	13.64	PASS
Band3	5	19575	25	#0	QPSK	5MHz-6MHz	18.77	PASS
Band3	5	19575	25	#0	QPSK	6MHz-10MHz	8.67	PASS
Band3	5	19575	8	#0	16QAM	-1MHz-0MHz	11.72	PASS
Band3	5	19575	8	#0	16QAM	-5MHz--1MHz	12.51	PASS
Band3	5	19575	8	#0	16QAM	-6MHz--5MHz	23.87	PASS
Band3	5	19575	8	#0	16QAM	-10MHz--6MHz	12.06	PASS
Band3	5	19575	8	#0	16QAM	0MHz-1MHz	33.32	PASS
Band3	5	19575	8	#0	16QAM	1MHz-5MHz	24.67	PASS
Band3	5	19575	8	#0	16QAM	5MHz-6MHz	24.09	PASS
Band3	5	19575	8	#0	16QAM	6MHz-10MHz	12.32	PASS
Band3	5	19575	8	#Max	16QAM	-1MHz-0MHz	33.42	PASS
Band3	5	19575	8	#Max	16QAM	-5MHz--1MHz	24.25	PASS
Band3	5	19575	8	#Max	16QAM	-6MHz--5MHz	24.19	PASS
Band3	5	19575	8	#Max	16QAM	-10MHz--6MHz	12.05	PASS

Band3	5	19575	8	#Max	16QAM	0MHz-1MHz	11.90	PASS
Band3	5	19575	8	#Max	16QAM	1MHz-5MHz	12.38	PASS
Band3	5	19575	8	#Max	16QAM	5MHz-6MHz	23.87	PASS
Band3	5	19575	8	#Max	16QAM	6MHz-10MHz	12.23	PASS
Band3	5	19575	25	#0	16QAM	-1MHz-0MHz	19.25	PASS
Band3	5	19575	25	#0	16QAM	-5MHz--1MHz	12.87	PASS
Band3	5	19575	25	#0	16QAM	-6MHz--5MHz	21.95	PASS
Band3	5	19575	25	#0	16QAM	-10MHz--6MHz	11.00	PASS
Band3	5	19575	25	#0	16QAM	0MHz-1MHz	19.33	PASS
Band3	5	19575	25	#0	16QAM	1MHz-5MHz	12.73	PASS
Band3	5	19575	25	#0	16QAM	5MHz-6MHz	21.67	PASS
Band3	5	19575	25	#0	16QAM	6MHz-10MHz	10.94	PASS
Band3	5	19925	8	#0	QPSK	-1MHz-0MHz	8.76	PASS
Band3	5	19925	8	#0	QPSK	-5MHz--1MHz	8.18	PASS
Band3	5	19925	8	#0	QPSK	-6MHz--5MHz	23.61	PASS
Band3	5	19925	8	#0	QPSK	-10MHz--6MHz	11.80	PASS
Band3	5	19925	8	#0	QPSK	0MHz-1MHz	32.09	PASS
Band3	5	19925	8	#0	QPSK	1MHz-5MHz	25.17	PASS
Band3	5	19925	8	#0	QPSK	5MHz-6MHz	24.10	PASS
Band3	5	19925	8	#0	QPSK	6MHz-10MHz	12.15	PASS
Band3	5	19925	8	#Max	QPSK	-1MHz-0MHz	29.86	PASS
Band3	5	19925	8	#Max	QPSK	-5MHz--1MHz	23.46	PASS
Band3	5	19925	8	#Max	QPSK	-6MHz--5MHz	23.90	PASS
Band3	5	19925	8	#Max	QPSK	-10MHz--6MHz	11.88	PASS
Band3	5	19925	8	#Max	QPSK	0MHz-1MHz	9.87	PASS
Band3	5	19925	8	#Max	QPSK	1MHz-5MHz	9.64	PASS
Band3	5	19925	8	#Max	QPSK	5MHz-6MHz	23.64	PASS
Band3	5	19925	8	#Max	QPSK	6MHz-10MHz	12.01	PASS
Band3	5	19925	25	#0	QPSK	-1MHz-0MHz	18.37	PASS
Band3	5	19925	25	#0	QPSK	-5MHz--1MHz	11.45	PASS
Band3	5	19925	25	#0	QPSK	-6MHz--5MHz	16.74	PASS
Band3	5	19925	25	#0	QPSK	-10MHz--6MHz	7.15	PASS
Band3	5	19925	25	#0	QPSK	0MHz-1MHz	20.05	PASS
Band3	5	19925	25	#0	QPSK	1MHz-5MHz	13.19	PASS
Band3	5	19925	25	#0	QPSK	5MHz-6MHz	18.77	PASS
Band3	5	19925	25	#0	QPSK	6MHz-10MHz	8.75	PASS
Band3	5	19925	8	#0	16QAM	-1MHz-0MHz	11.51	PASS
Band3	5	19925	8	#0	16QAM	-5MHz--1MHz	10.99	PASS
Band3	5	19925	8	#0	16QAM	-6MHz--5MHz	23.68	PASS
Band3	5	19925	8	#0	16QAM	-10MHz--6MHz	11.83	PASS
Band3	5	19925	8	#0	16QAM	0MHz-1MHz	33.46	PASS
Band3	5	19925	8	#0	16QAM	1MHz-5MHz	25.34	PASS
Band3	5	19925	8	#0	16QAM	5MHz-6MHz	24.24	PASS
Band3	5	19925	8	#0	16QAM	6MHz-10MHz	12.13	PASS

Band3	5	19925	8	#Max	16QAM	-1MHz-0MHz	31.94	PASS
Band3	5	19925	8	#Max	16QAM	-5MHz--1MHz	23.70	PASS
Band3	5	19925	8	#Max	16QAM	-6MHz--5MHz	23.88	PASS
Band3	5	19925	8	#Max	16QAM	-10MHz--6MHz	11.91	PASS
Band3	5	19925	8	#Max	16QAM	0MHz-1MHz	13.14	PASS
Band3	5	19925	8	#Max	16QAM	1MHz-5MHz	12.62	PASS
Band3	5	19925	8	#Max	16QAM	5MHz-6MHz	23.81	PASS
Band3	5	19925	8	#Max	16QAM	6MHz-10MHz	12.08	PASS
Band3	5	19925	25	#0	16QAM	-1MHz-0MHz	21.61	PASS
Band3	5	19925	25	#0	16QAM	-5MHz--1MHz	14.63	PASS
Band3	5	19925	25	#0	16QAM	-6MHz--5MHz	20.36	PASS
Band3	5	19925	25	#0	16QAM	-10MHz--6MHz	10.05	PASS
Band3	5	19925	25	#0	16QAM	0MHz-1MHz	22.82	PASS
Band3	5	19925	25	#0	16QAM	1MHz-5MHz	16.31	PASS
Band3	5	19925	25	#0	16QAM	5MHz-6MHz	21.83	PASS
Band3	5	19925	25	#0	16QAM	6MHz-10MHz	10.95	PASS
Band3	10	19250	12	#0	QPSK	-1MHz-0MHz	15.53	PASS
Band3	10	19250	12	#0	QPSK	-5MHz--1MHz	13.54	PASS
Band3	10	19250	12	#0	QPSK	-10MHz--5MHz	22.61	PASS
Band3	10	19250	12	#0	QPSK	-15MHz--10MHz	10.22	PASS
Band3	10	19250	12	#0	QPSK	0MHz-1MHz	31.63	PASS
Band3	10	19250	12	#0	QPSK	1MHz-5MHz	22.47	PASS
Band3	10	19250	12	#0	QPSK	5MHz-10MHz	18.68	PASS
Band3	10	19250	12	#0	QPSK	10MHz-15MHz	11.40	PASS
Band3	10	19250	12	#Max	QPSK	-1MHz-0MHz	32.10	PASS
Band3	10	19250	12	#Max	QPSK	-5MHz--1MHz	24.37	PASS
Band3	10	19250	12	#Max	QPSK	-10MHz--5MHz	21.13	PASS
Band3	10	19250	12	#Max	QPSK	-15MHz--10MHz	10.03	PASS
Band3	10	19250	12	#Max	QPSK	0MHz-1MHz	15.41	PASS
Band3	10	19250	12	#Max	QPSK	1MHz-5MHz	11.85	PASS
Band3	10	19250	12	#Max	QPSK	5MHz-10MHz	22.25	PASS
Band3	10	19250	12	#Max	QPSK	10MHz-15MHz	11.27	PASS
Band3	10	19250	50	#0	QPSK	-1MHz-0MHz	19.94	PASS
Band3	10	19250	50	#0	QPSK	-5MHz--1MHz	16.06	PASS
Band3	10	19250	50	#0	QPSK	-10MHz--5MHz	15.46	PASS
Band3	10	19250	50	#0	QPSK	-15MHz--10MHz	9.67	PASS
Band3	10	19250	50	#0	QPSK	0MHz-1MHz	20.20	PASS
Band3	10	19250	50	#0	QPSK	1MHz-5MHz	15.90	PASS
Band3	10	19250	50	#0	QPSK	5MHz-10MHz	13.66	PASS
Band3	10	19250	50	#0	QPSK	10MHz-15MHz	7.58	PASS
Band3	10	19250	12	#0	16QAM	-1MHz-0MHz	12.30	PASS
Band3	10	19250	12	#0	16QAM	-5MHz--1MHz	13.17	PASS
Band3	10	19250	12	#0	16QAM	-10MHz--5MHz	22.45	PASS
Band3	10	19250	12	#0	16QAM	-15MHz--10MHz	10.13	PASS

Band3	10	19250	12	#0	16QAM	0MHz-1MHz	31.34	PASS
Band3	10	19250	12	#0	16QAM	1MHz-5MHz	23.88	PASS
Band3	10	19250	12	#0	16QAM	5MHz-10MHz	20.29	PASS
Band3	10	19250	12	#0	16QAM	10MHz-15MHz	11.38	PASS
Band3	10	19250	12	#Max	16QAM	-1MHz-0MHz	31.95	PASS
Band3	10	19250	12	#Max	16QAM	-5MHz--1MHz	24.80	PASS
Band3	10	19250	12	#Max	16QAM	-10MHz--5MHz	21.61	PASS
Band3	10	19250	12	#Max	16QAM	-15MHz--10MHz	10.06	PASS
Band3	10	19250	12	#Max	16QAM	0MHz-1MHz	11.56	PASS
Band3	10	19250	12	#Max	16QAM	1MHz-5MHz	11.24	PASS
Band3	10	19250	12	#Max	16QAM	5MHz-10MHz	21.98	PASS
Band3	10	19250	12	#Max	16QAM	10MHz-15MHz	11.31	PASS
Band3	10	19250	50	#0	16QAM	-1MHz-0MHz	19.20	PASS
Band3	10	19250	50	#0	16QAM	-5MHz--1MHz	16.16	PASS
Band3	10	19250	50	#0	16QAM	-10MHz--5MHz	16.67	PASS
Band3	10	19250	50	#0	16QAM	-15MHz--10MHz	9.95	PASS
Band3	10	19250	50	#0	16QAM	0MHz-1MHz	19.16	PASS
Band3	10	19250	50	#0	16QAM	1MHz-5MHz	15.11	PASS
Band3	10	19250	50	#0	16QAM	5MHz-10MHz	14.83	PASS
Band3	10	19250	50	#0	16QAM	10MHz-15MHz	9.76	PASS
Band3	10	19575	12	#0	QPSK	-1MHz-0MHz	15.24	PASS
Band3	10	19575	12	#0	QPSK	-5MHz--1MHz	11.83	PASS
Band3	10	19575	12	#0	QPSK	-10MHz--5MHz	23.03	PASS
Band3	10	19575	12	#0	QPSK	-15MHz--10MHz	10.92	PASS
Band3	10	19575	12	#0	QPSK	0MHz-1MHz	31.49	PASS
Band3	10	19575	12	#0	QPSK	1MHz-5MHz	24.20	PASS
Band3	10	19575	12	#0	QPSK	5MHz-10MHz	20.62	PASS
Band3	10	19575	12	#0	QPSK	10MHz-15MHz	12.26	PASS
Band3	10	19575	12	#Max	QPSK	-1MHz-0MHz	31.95	PASS
Band3	10	19575	12	#Max	QPSK	-5MHz--1MHz	24.96	PASS
Band3	10	19575	12	#Max	QPSK	-10MHz--5MHz	21.36	PASS
Band3	10	19575	12	#Max	QPSK	-15MHz--10MHz	10.91	PASS
Band3	10	19575	12	#Max	QPSK	0MHz-1MHz	14.32	PASS
Band3	10	19575	12	#Max	QPSK	1MHz-5MHz	10.60	PASS
Band3	10	19575	12	#Max	QPSK	5MHz-10MHz	22.49	PASS
Band3	10	19575	12	#Max	QPSK	10MHz-15MHz	12.02	PASS
Band3	10	19575	50	#0	QPSK	-1MHz-0MHz	19.44	PASS
Band3	10	19575	50	#0	QPSK	-5MHz--1MHz	15.92	PASS
Band3	10	19575	50	#0	QPSK	-10MHz--5MHz	14.14	PASS
Band3	10	19575	50	#0	QPSK	-15MHz--10MHz	9.29	PASS
Band3	10	19575	50	#0	QPSK	0MHz-1MHz	20.53	PASS
Band3	10	19575	50	#0	QPSK	1MHz-5MHz	16.00	PASS
Band3	10	19575	50	#0	QPSK	5MHz-10MHz	14.18	PASS
Band3	10	19575	50	#0	QPSK	10MHz-15MHz	8.63	PASS

Band3	10	19575	12	#0	16QAM	-1MHz-0MHz	11.96	PASS
Band3	10	19575	12	#0	16QAM	-5MHz--1MHz	11.89	PASS
Band3	10	19575	12	#0	16QAM	-10MHz--5MHz	22.88	PASS
Band3	10	19575	12	#0	16QAM	-15MHz--10MHz	10.89	PASS
Band3	10	19575	12	#0	16QAM	0MHz-1MHz	31.91	PASS
Band3	10	19575	12	#0	16QAM	1MHz-5MHz	25.72	PASS
Band3	10	19575	12	#0	16QAM	5MHz-10MHz	22.28	PASS
Band3	10	19575	12	#0	16QAM	10MHz-15MHz	12.29	PASS
Band3	10	19575	12	#Max	16QAM	-1MHz-0MHz	32.13	PASS
Band3	10	19575	12	#Max	16QAM	-5MHz--1MHz	25.39	PASS
Band3	10	19575	12	#Max	16QAM	-10MHz--5MHz	21.84	PASS
Band3	10	19575	12	#Max	16QAM	-15MHz--10MHz	10.99	PASS
Band3	10	19575	12	#Max	16QAM	0MHz-1MHz	11.86	PASS
Band3	10	19575	12	#Max	16QAM	1MHz-5MHz	11.28	PASS
Band3	10	19575	12	#Max	16QAM	5MHz-10MHz	22.56	PASS
Band3	10	19575	12	#Max	16QAM	10MHz-15MHz	12.17	PASS
Band3	10	19575	50	#0	16QAM	-1MHz-0MHz	18.73	PASS
Band3	10	19575	50	#0	16QAM	-5MHz--1MHz	15.09	PASS
Band3	10	19575	50	#0	16QAM	-10MHz--5MHz	15.36	PASS
Band3	10	19575	50	#0	16QAM	-15MHz--10MHz	10.41	PASS
Band3	10	19575	50	#0	16QAM	0MHz-1MHz	18.80	PASS
Band3	10	19575	50	#0	16QAM	1MHz-5MHz	14.82	PASS
Band3	10	19575	50	#0	16QAM	5MHz-10MHz	15.35	PASS
Band3	10	19575	50	#0	16QAM	10MHz-15MHz	10.83	PASS
Band3	10	19900	12	#0	QPSK	-1MHz-0MHz	13.90	PASS
Band3	10	19900	12	#0	QPSK	-5MHz--1MHz	10.29	PASS
Band3	10	19900	12	#0	QPSK	-10MHz--5MHz	22.37	PASS
Band3	10	19900	12	#0	QPSK	-15MHz--10MHz	10.68	PASS
Band3	10	19900	12	#0	QPSK	0MHz-1MHz	31.31	PASS
Band3	10	19900	12	#0	QPSK	1MHz-5MHz	26.39	PASS
Band3	10	19900	12	#0	QPSK	5MHz-10MHz	23.13	PASS
Band3	10	19900	12	#0	QPSK	10MHz-15MHz	12.07	PASS
Band3	10	19900	12	#Max	QPSK	-1MHz-0MHz	30.25	PASS
Band3	10	19900	12	#Max	QPSK	-5MHz--1MHz	25.03	PASS
Band3	10	19900	12	#Max	QPSK	-10MHz--5MHz	21.42	PASS
Band3	10	19900	12	#Max	QPSK	-15MHz--10MHz	10.72	PASS
Band3	10	19900	12	#Max	QPSK	0MHz-1MHz	10.01	PASS
Band3	10	19900	12	#Max	QPSK	1MHz-5MHz	9.34	PASS
Band3	10	19900	12	#Max	QPSK	5MHz-10MHz	22.45	PASS
Band3	10	19900	12	#Max	QPSK	10MHz-15MHz	12.11	PASS
Band3	10	19900	50	#0	QPSK	-1MHz-0MHz	20.98	PASS
Band3	10	19900	50	#0	QPSK	-5MHz--1MHz	16.19	PASS
Band3	10	19900	50	#0	QPSK	-10MHz--5MHz	13.85	PASS
Band3	10	19900	50	#0	QPSK	-15MHz--10MHz	8.28	PASS

Band3	10	19900	50	#0	QPSK	0MHz-1MHz	21.87	PASS
Band3	10	19900	50	#0	QPSK	1MHz-5MHz	17.71	PASS
Band3	10	19900	50	#0	QPSK	5MHz-10MHz	15.93	PASS
Band3	10	19900	50	#0	QPSK	10MHz-15MHz	12.02	PASS
Band3	10	19900	12	#0	16QAM	-1MHz-0MHz	12.94	PASS
Band3	10	19900	12	#0	16QAM	-5MHz--1MHz	11.59	PASS
Band3	10	19900	12	#0	16QAM	-10MHz--5MHz	22.35	PASS
Band3	10	19900	12	#0	16QAM	-15MHz--10MHz	10.65	PASS
Band3	10	19900	12	#0	16QAM	0MHz-1MHz	32.44	PASS
Band3	10	19900	12	#0	16QAM	1MHz-5MHz	26.39	PASS
Band3	10	19900	12	#0	16QAM	5MHz-10MHz	23.31	PASS
Band3	10	19900	12	#0	16QAM	10MHz-15MHz	12.12	PASS
Band3	10	19900	12	#Max	16QAM	-1MHz-0MHz	30.93	PASS
Band3	10	19900	12	#Max	16QAM	-5MHz--1MHz	25.35	PASS
Band3	10	19900	12	#Max	16QAM	-10MHz--5MHz	21.79	PASS
Band3	10	19900	12	#Max	16QAM	-15MHz--10MHz	10.80	PASS
Band3	10	19900	12	#Max	16QAM	0MHz-1MHz	11.43	PASS
Band3	10	19900	12	#Max	16QAM	1MHz-5MHz	11.64	PASS
Band3	10	19900	12	#Max	16QAM	5MHz-10MHz	22.59	PASS
Band3	10	19900	12	#Max	16QAM	10MHz-15MHz	12.11	PASS
Band3	10	19900	50	#0	16QAM	-1MHz-0MHz	20.42	PASS
Band3	10	19900	50	#0	16QAM	-5MHz--1MHz	16.18	PASS
Band3	10	19900	50	#0	16QAM	-10MHz--5MHz	15.79	PASS
Band3	10	19900	50	#0	16QAM	-15MHz--10MHz	10.02	PASS
Band3	10	19900	50	#0	16QAM	0MHz-1MHz	21.88	PASS
Band3	10	19900	50	#0	16QAM	1MHz-5MHz	18.90	PASS
Band3	10	19900	50	#0	16QAM	5MHz-10MHz	18.40	PASS
Band3	10	19900	50	#0	16QAM	10MHz-15MHz	12.08	PASS
Band3	20	19300	18	#0	QPSK	-1MHz-0MHz	16.50	PASS
Band3	20	19300	18	#0	QPSK	-5MHz--1MHz	13.93	PASS
Band3	20	19300	18	#0	QPSK	-20MHz--5MHz	21.75	PASS
Band3	20	19300	18	#0	QPSK	-25MHz--20MHz	11.61	PASS
Band3	20	19300	18	#0	QPSK	0MHz-1MHz	29.12	PASS
Band3	20	19300	18	#0	QPSK	1MHz-5MHz	25.94	PASS
Band3	20	19300	18	#0	QPSK	5MHz-20MHz	18.16	PASS
Band3	20	19300	18	#0	QPSK	20MHz-25MHz	12.44	PASS
Band3	20	19300	18	#Max	QPSK	-1MHz-0MHz	29.42	PASS
Band3	20	19300	18	#Max	QPSK	-5MHz--1MHz	25.54	PASS
Band3	20	19300	18	#Max	QPSK	-20MHz--5MHz	21.05	PASS
Band3	20	19300	18	#Max	QPSK	-25MHz--20MHz	11.69	PASS
Band3	20	19300	18	#Max	QPSK	0MHz-1MHz	15.49	PASS
Band3	20	19300	18	#Max	QPSK	1MHz-5MHz	12.51	PASS
Band3	20	19300	18	#Max	QPSK	5MHz-20MHz	22.10	PASS
Band3	20	19300	18	#Max	QPSK	20MHz-25MHz	12.39	PASS



Band3	20	19300	100	#0	QPSK	-1MHz-0MHz	18.93	PASS
Band3	20	19300	100	#0	QPSK	-5MHz--1MHz	17.91	PASS
Band3	20	19300	100	#0	QPSK	-20MHz--5MHz	17.85	PASS
Band3	20	19300	100	#0	QPSK	-25MHz--20MHz	11.23	PASS
Band3	20	19300	100	#0	QPSK	0MHz-1MHz	19.05	PASS
Band3	20	19300	100	#0	QPSK	1MHz-5MHz	17.55	PASS
Band3	20	19300	100	#0	QPSK	5MHz-20MHz	15.73	PASS
Band3	20	19300	100	#0	QPSK	20MHz-25MHz	9.26	PASS
Band3	20	19300	18	#0	16QAM	-1MHz-0MHz	11.90	PASS
Band3	20	19300	18	#0	16QAM	-5MHz--1MHz	12.41	PASS
Band3	20	19300	18	#0	16QAM	-20MHz--5MHz	21.78	PASS
Band3	20	19300	18	#0	16QAM	-25MHz--20MHz	11.58	PASS
Band3	20	19300	18	#0	16QAM	0MHz-1MHz	29.00	PASS
Band3	20	19300	18	#0	16QAM	1MHz-5MHz	25.87	PASS
Band3	20	19300	18	#0	16QAM	5MHz-20MHz	20.12	PASS
Band3	20	19300	18	#0	16QAM	20MHz-25MHz	12.48	PASS
Band3	20	19300	18	#Max	16QAM	-1MHz-0MHz	29.38	PASS
Band3	20	19300	18	#Max	16QAM	-5MHz--1MHz	25.64	PASS
Band3	20	19300	18	#Max	16QAM	-20MHz--5MHz	21.31	PASS
Band3	20	19300	18	#Max	16QAM	-25MHz--20MHz	11.69	PASS
Band3	20	19300	18	#Max	16QAM	0MHz-1MHz	10.87	PASS
Band3	20	19300	18	#Max	16QAM	1MHz-5MHz	11.13	PASS
Band3	20	19300	18	#Max	16QAM	5MHz-20MHz	22.11	PASS
Band3	20	19300	18	#Max	16QAM	20MHz-25MHz	12.36	PASS
Band3	20	19300	100	#0	16QAM	-1MHz-0MHz	19.04	PASS
Band3	20	19300	100	#0	16QAM	-5MHz--1MHz	18.07	PASS
Band3	20	19300	100	#0	16QAM	-20MHz--5MHz	17.79	PASS
Band3	20	19300	100	#0	16QAM	-25MHz--20MHz	11.48	PASS
Band3	20	19300	100	#0	16QAM	0MHz-1MHz	18.46	PASS
Band3	20	19300	100	#0	16QAM	1MHz-5MHz	16.78	PASS
Band3	20	19300	100	#0	16QAM	5MHz-20MHz	15.69	PASS
Band3	20	19300	100	#0	16QAM	20MHz-25MHz	11.24	PASS
Band3	20	19575	18	#0	QPSK	-1MHz-0MHz	15.15	PASS
Band3	20	19575	18	#0	QPSK	-5MHz--1MHz	12.57	PASS
Band3	20	19575	18	#0	QPSK	-20MHz--5MHz	21.92	PASS
Band3	20	19575	18	#0	QPSK	-25MHz--20MHz	11.40	PASS
Band3	20	19575	18	#0	QPSK	0MHz-1MHz	30.02	PASS
Band3	20	19575	18	#0	QPSK	1MHz-5MHz	26.67	PASS
Band3	20	19575	18	#0	QPSK	5MHz-20MHz	19.57	PASS
Band3	20	19575	18	#0	QPSK	20MHz-25MHz	12.39	PASS
Band3	20	19575	18	#Max	QPSK	-1MHz-0MHz	29.93	PASS
Band3	20	19575	18	#Max	QPSK	-5MHz--1MHz	25.93	PASS
Band3	20	19575	18	#Max	QPSK	-20MHz--5MHz	19.85	PASS
Band3	20	19575	18	#Max	QPSK	-25MHz--20MHz	11.59	PASS

Band3	20	19575	18	#Max	QPSK	0MHz-1MHz	12.80	PASS
Band3	20	19575	18	#Max	QPSK	1MHz-5MHz	10.96	PASS
Band3	20	19575	18	#Max	QPSK	5MHz-20MHz	22.16	PASS
Band3	20	19575	18	#Max	QPSK	20MHz-25MHz	12.25	PASS
Band3	20	19575	100	#0	QPSK	-1MHz-0MHz	18.69	PASS
Band3	20	19575	100	#0	QPSK	-5MHz--1MHz	17.65	PASS
Band3	20	19575	100	#0	QPSK	-20MHz--5MHz	16.29	PASS
Band3	20	19575	100	#0	QPSK	-25MHz--20MHz	10.45	PASS
Band3	20	19575	100	#0	QPSK	0MHz-1MHz	18.93	PASS
Band3	20	19575	100	#0	QPSK	1MHz-5MHz	17.86	PASS
Band3	20	19575	100	#0	QPSK	5MHz-20MHz	16.02	PASS
Band3	20	19575	100	#0	QPSK	20MHz-25MHz	9.15	PASS
Band3	20	19575	18	#0	16QAM	-1MHz-0MHz	11.55	PASS
Band3	20	19575	18	#0	16QAM	-5MHz--1MHz	11.67	PASS
Band3	20	19575	18	#0	16QAM	-20MHz--5MHz	22.21	PASS
Band3	20	19575	18	#0	16QAM	-25MHz--20MHz	11.40	PASS
Band3	20	19575	18	#0	16QAM	0MHz-1MHz	29.35	PASS
Band3	20	19575	18	#0	16QAM	1MHz-5MHz	26.69	PASS
Band3	20	19575	18	#0	16QAM	5MHz-20MHz	21.44	PASS
Band3	20	19575	18	#0	16QAM	20MHz-25MHz	12.34	PASS
Band3	20	19575	18	#Max	16QAM	-1MHz-0MHz	29.99	PASS
Band3	20	19575	18	#Max	16QAM	-5MHz--1MHz	26.31	PASS
Band3	20	19575	18	#Max	16QAM	-20MHz--5MHz	20.74	PASS
Band3	20	19575	18	#Max	16QAM	-25MHz--20MHz	11.61	PASS
Band3	20	19575	18	#Max	16QAM	0MHz-1MHz	12.18	PASS
Band3	20	19575	18	#Max	16QAM	1MHz-5MHz	11.03	PASS
Band3	20	19575	18	#Max	16QAM	5MHz-20MHz	22.55	PASS
Band3	20	19575	18	#Max	16QAM	20MHz-25MHz	12.32	PASS
Band3	20	19575	100	#0	16QAM	-1MHz-0MHz	18.59	PASS
Band3	20	19575	100	#0	16QAM	-5MHz--1MHz	17.19	PASS
Band3	20	19575	100	#0	16QAM	-20MHz--5MHz	16.53	PASS
Band3	20	19575	100	#0	16QAM	-25MHz--20MHz	11.08	PASS
Band3	20	19575	100	#0	16QAM	0MHz-1MHz	18.97	PASS
Band3	20	19575	100	#0	16QAM	1MHz-5MHz	17.21	PASS
Band3	20	19575	100	#0	16QAM	5MHz-20MHz	16.42	PASS
Band3	20	19575	100	#0	16QAM	20MHz-25MHz	11.34	PASS
Band3	20	19850	18	#0	QPSK	-1MHz-0MHz	13.59	PASS
Band3	20	19850	18	#0	QPSK	-5MHz--1MHz	10.54	PASS
Band3	20	19850	18	#0	QPSK	-20MHz--5MHz	21.80	PASS
Band3	20	19850	18	#0	QPSK	-25MHz--20MHz	12.26	PASS
Band3	20	19850	18	#0	QPSK	0MHz-1MHz	29.54	PASS
Band3	20	19850	18	#0	QPSK	1MHz-5MHz	26.73	PASS
Band3	20	19850	18	#0	QPSK	5MHz-20MHz	23.80	PASS
Band3	20	19850	18	#0	QPSK	20MHz-25MHz	12.24	PASS

Band3	20	19850	18	#Max	QPSK	-1MHz-0MHz	29.48	PASS
Band3	20	19850	18	#Max	QPSK	-5MHz--1MHz	25.92	PASS
Band3	20	19850	18	#Max	QPSK	-20MHz--5MHz	20.47	PASS
Band3	20	19850	18	#Max	QPSK	-25MHz--20MHz	12.44	PASS
Band3	20	19850	18	#Max	QPSK	0MHz-1MHz	9.35	PASS
Band3	20	19850	18	#Max	QPSK	1MHz-5MHz	10.13	PASS
Band3	20	19850	18	#Max	QPSK	5MHz-20MHz	22.55	PASS
Band3	20	19850	18	#Max	QPSK	20MHz-25MHz	12.25	PASS
Band3	20	19850	100	#0	QPSK	-1MHz-0MHz	17.70	PASS
Band3	20	19850	100	#0	QPSK	-5MHz--1MHz	16.29	PASS
Band3	20	19850	100	#0	QPSK	-20MHz--5MHz	14.42	PASS
Band3	20	19850	100	#0	QPSK	-25MHz--20MHz	10.01	PASS
Band3	20	19850	100	#0	QPSK	0MHz-1MHz	18.24	PASS
Band3	20	19850	100	#0	QPSK	1MHz-5MHz	17.73	PASS
Band3	20	19850	100	#0	QPSK	5MHz-20MHz	17.88	PASS
Band3	20	19850	100	#0	QPSK	20MHz-25MHz	12.22	PASS
Band3	20	19850	18	#0	16QAM	-1MHz-0MHz	11.07	PASS
Band3	20	19850	18	#0	16QAM	-5MHz--1MHz	11.29	PASS
Band3	20	19850	18	#0	16QAM	-20MHz--5MHz	21.72	PASS
Band3	20	19850	18	#0	16QAM	-25MHz--20MHz	12.20	PASS
Band3	20	19850	18	#0	16QAM	0MHz-1MHz	29.90	PASS
Band3	20	19850	18	#0	16QAM	1MHz-5MHz	26.75	PASS
Band3	20	19850	18	#0	16QAM	5MHz-20MHz	23.82	PASS
Band3	20	19850	18	#0	16QAM	20MHz-25MHz	12.22	PASS
Band3	20	19850	18	#Max	16QAM	-1MHz-0MHz	29.35	PASS
Band3	20	19850	18	#Max	16QAM	-5MHz--1MHz	25.98	PASS
Band3	20	19850	18	#Max	16QAM	-20MHz--5MHz	20.78	PASS
Band3	20	19850	18	#Max	16QAM	-25MHz--20MHz	12.48	PASS
Band3	20	19850	18	#Max	16QAM	0MHz-1MHz	10.98	PASS
Band3	20	19850	18	#Max	16QAM	1MHz-5MHz	11.53	PASS
Band3	20	19850	18	#Max	16QAM	5MHz-20MHz	22.71	PASS
Band3	20	19850	18	#Max	16QAM	20MHz-25MHz	12.22	PASS
Band3	20	19850	100	#0	16QAM	-1MHz-0MHz	18.86	PASS
Band3	20	19850	100	#0	16QAM	-5MHz--1MHz	17.71	PASS
Band3	20	19850	100	#0	16QAM	-20MHz--5MHz	15.99	PASS
Band3	20	19850	100	#0	16QAM	-25MHz--20MHz	11.49	PASS
Band3	20	19850	100	#0	16QAM	0MHz-1MHz	20.63	PASS
Band3	20	19850	100	#0	16QAM	1MHz-5MHz	20.06	PASS
Band3	20	19850	100	#0	16QAM	5MHz-20MHz	19.25	PASS
Band3	20	19850	100	#0	16QAM	20MHz-25MHz	12.26	PASS
Band34	5	36225	8	#0	QPSK	-1MHz-0MHz	15.52	PASS
Band34	5	36225	8	#0	QPSK	-5MHz--1MHz	19.09	PASS
Band34	5	36225	8	#0	QPSK	-6MHz--5MHz	23.41	PASS
Band34	5	36225	8	#0	QPSK	-10MHz--6MHz	11.84	PASS

Band34	5	36225	8	#0	QPSK	0MHz-1MHz	33.61	PASS
Band34	5	36225	8	#0	QPSK	1MHz-5MHz	24.42	PASS
Band34	5	36225	8	#0	QPSK	5MHz-6MHz	24.07	PASS
Band34	5	36225	8	#0	QPSK	6MHz-10MHz	12.25	PASS
Band34	5	36225	8	#Max	QPSK	-1MHz-0MHz	33.51	PASS
Band34	5	36225	8	#Max	QPSK	-5MHz--1MHz	23.94	PASS
Band34	5	36225	8	#Max	QPSK	-6MHz--5MHz	23.96	PASS
Band34	5	36225	8	#Max	QPSK	-10MHz--6MHz	11.91	PASS
Band34	5	36225	8	#Max	QPSK	0MHz-1MHz	15.02	PASS
Band34	5	36225	8	#Max	QPSK	1MHz-5MHz	19.21	PASS
Band34	5	36225	8	#Max	QPSK	5MHz-6MHz	23.67	PASS
Band34	5	36225	8	#Max	QPSK	6MHz-10MHz	12.00	PASS
Band34	5	36225	25	#0	QPSK	-1MHz-0MHz	20.12	PASS
Band34	5	36225	25	#0	QPSK	-5MHz--1MHz	13.88	PASS
Band34	5	36225	25	#0	QPSK	-6MHz--5MHz	22.53	PASS
Band34	5	36225	25	#0	QPSK	-10MHz--6MHz	11.36	PASS
Band34	5	36225	25	#0	QPSK	0MHz-1MHz	20.46	PASS
Band34	5	36225	25	#0	QPSK	1MHz-5MHz	14.30	PASS
Band34	5	36225	25	#0	QPSK	5MHz-6MHz	22.60	PASS
Band34	5	36225	25	#0	QPSK	6MHz-10MHz	11.23	PASS
Band34	5	36225	8	#0	16QAM	-1MHz-0MHz	14.67	PASS
Band34	5	36225	8	#0	16QAM	-5MHz--1MHz	20.60	PASS
Band34	5	36225	8	#0	16QAM	-6MHz--5MHz	23.55	PASS
Band34	5	36225	8	#0	16QAM	-10MHz--6MHz	11.88	PASS
Band34	5	36225	8	#0	16QAM	0MHz-1MHz	33.41	PASS
Band34	5	36225	8	#0	16QAM	1MHz-5MHz	24.54	PASS
Band34	5	36225	8	#0	16QAM	5MHz-6MHz	24.00	PASS
Band34	5	36225	8	#0	16QAM	6MHz-10MHz	12.16	PASS
Band34	5	36225	8	#Max	16QAM	-1MHz-0MHz	33.33	PASS
Band34	5	36225	8	#Max	16QAM	-5MHz--1MHz	24.17	PASS
Band34	5	36225	8	#Max	16QAM	-6MHz--5MHz	24.05	PASS
Band34	5	36225	8	#Max	16QAM	-10MHz--6MHz	11.95	PASS
Band34	5	36225	8	#Max	16QAM	0MHz-1MHz	17.24	PASS
Band34	5	36225	8	#Max	16QAM	1MHz-5MHz	20.92	PASS
Band34	5	36225	8	#Max	16QAM	5MHz-6MHz	23.70	PASS
Band34	5	36225	8	#Max	16QAM	6MHz-10MHz	12.00	PASS
Band34	5	36225	25	#0	16QAM	-1MHz-0MHz	23.59	PASS
Band34	5	36225	25	#0	16QAM	-5MHz--1MHz	16.27	PASS
Band34	5	36225	25	#0	16QAM	-6MHz--5MHz	23.69	PASS
Band34	5	36225	25	#0	16QAM	-10MHz--6MHz	11.71	PASS
Band34	5	36225	25	#0	16QAM	0MHz-1MHz	22.41	PASS
Band34	5	36225	25	#0	16QAM	1MHz-5MHz	16.96	PASS
Band34	5	36225	25	#0	16QAM	5MHz-6MHz	23.84	PASS
Band34	5	36225	25	#0	16QAM	6MHz-10MHz	11.93	PASS

Band34	5	36275	8	#0	QPSK	-1MHz-0MHz	16.94	PASS
Band34	5	36275	8	#0	QPSK	-5MHz--1MHz	17.85	PASS
Band34	5	36275	8	#0	QPSK	-6MHz--5MHz	23.52	PASS
Band34	5	36275	8	#0	QPSK	-10MHz--6MHz	11.78	PASS
Band34	5	36275	8	#0	QPSK	0MHz-1MHz	33.33	PASS
Band34	5	36275	8	#0	QPSK	1MHz-5MHz	24.56	PASS
Band34	5	36275	8	#0	QPSK	5MHz-6MHz	23.98	PASS
Band34	5	36275	8	#0	QPSK	6MHz-10MHz	12.20	PASS
Band34	5	36275	8	#Max	QPSK	-1MHz-0MHz	33.36	PASS
Band34	5	36275	8	#Max	QPSK	-5MHz--1MHz	24.04	PASS
Band34	5	36275	8	#Max	QPSK	-6MHz--5MHz	23.91	PASS
Band34	5	36275	8	#Max	QPSK	-10MHz--6MHz	11.84	PASS
Band34	5	36275	8	#Max	QPSK	0MHz-1MHz	16.99	PASS
Band34	5	36275	8	#Max	QPSK	1MHz-5MHz	17.94	PASS
Band34	5	36275	8	#Max	QPSK	5MHz-6MHz	23.57	PASS
Band34	5	36275	8	#Max	QPSK	6MHz-10MHz	11.90	PASS
Band34	5	36275	25	#0	QPSK	-1MHz-0MHz	20.00	PASS
Band34	5	36275	25	#0	QPSK	-5MHz--1MHz	13.78	PASS
Band34	5	36275	25	#0	QPSK	-6MHz--5MHz	22.80	PASS
Band34	5	36275	25	#0	QPSK	-10MHz--6MHz	11.33	PASS
Band34	5	36275	25	#0	QPSK	0MHz-1MHz	19.75	PASS
Band34	5	36275	25	#0	QPSK	1MHz-5MHz	14.39	PASS
Band34	5	36275	25	#0	QPSK	5MHz-6MHz	22.76	PASS
Band34	5	36275	25	#0	QPSK	6MHz-10MHz	11.42	PASS
Band34	5	36275	8	#0	16QAM	-1MHz-0MHz	15.23	PASS
Band34	5	36275	8	#0	16QAM	-5MHz--1MHz	19.26	PASS
Band34	5	36275	8	#0	16QAM	-6MHz--5MHz	23.70	PASS
Band34	5	36275	8	#0	16QAM	-10MHz--6MHz	11.84	PASS
Band34	5	36275	8	#0	16QAM	0MHz-1MHz	33.43	PASS
Band34	5	36275	8	#0	16QAM	1MHz-5MHz	24.61	PASS
Band34	5	36275	8	#0	16QAM	5MHz-6MHz	24.02	PASS
Band34	5	36275	8	#0	16QAM	6MHz-10MHz	12.17	PASS
Band34	5	36275	8	#Max	16QAM	-1MHz-0MHz	33.57	PASS
Band34	5	36275	8	#Max	16QAM	-5MHz--1MHz	24.31	PASS
Band34	5	36275	8	#Max	16QAM	-6MHz--5MHz	24.00	PASS
Band34	5	36275	8	#Max	16QAM	-10MHz--6MHz	11.92	PASS
Band34	5	36275	8	#Max	16QAM	0MHz-1MHz	17.02	PASS
Band34	5	36275	8	#Max	16QAM	1MHz-5MHz	20.17	PASS
Band34	5	36275	8	#Max	16QAM	5MHz-6MHz	23.65	PASS
Band34	5	36275	8	#Max	16QAM	6MHz-10MHz	11.96	PASS
Band34	5	36275	25	#0	16QAM	-1MHz-0MHz	21.48	PASS
Band34	5	36275	25	#0	16QAM	-5MHz--1MHz	16.14	PASS
Band34	5	36275	25	#0	16QAM	-6MHz--5MHz	23.66	PASS
Band34	5	36275	25	#0	16QAM	-10MHz--6MHz	11.63	PASS

Band34	5	36275	25	#0	16QAM	0MHz-1MHz	22.73	PASS
Band34	5	36275	25	#0	16QAM	1MHz-5MHz	16.35	PASS
Band34	5	36275	25	#0	16QAM	5MHz-6MHz	23.70	PASS
Band34	5	36275	25	#0	16QAM	6MHz-10MHz	11.85	PASS
Band34	5	36325	8	#0	QPSK	-1MHz-0MHz	14.56	PASS
Band34	5	36325	8	#0	QPSK	-5MHz--1MHz	15.69	PASS
Band34	5	36325	8	#0	QPSK	-6MHz--5MHz	22.83	PASS
Band34	5	36325	8	#0	QPSK	-10MHz--6MHz	11.29	PASS
Band34	5	36325	8	#0	QPSK	0MHz-1MHz	32.91	PASS
Band34	5	36325	8	#0	QPSK	1MHz-5MHz	23.91	PASS
Band34	5	36325	8	#0	QPSK	5MHz-6MHz	23.99	PASS
Band34	5	36325	8	#0	QPSK	6MHz-10MHz	12.07	PASS
Band34	5	36325	8	#Max	QPSK	-1MHz-0MHz	32.85	PASS
Band34	5	36325	8	#Max	QPSK	-5MHz--1MHz	23.48	PASS
Band34	5	36325	8	#Max	QPSK	-6MHz--5MHz	23.87	PASS
Band34	5	36325	8	#Max	QPSK	-10MHz--6MHz	11.83	PASS
Band34	5	36325	8	#Max	QPSK	0MHz-1MHz	16.02	PASS
Band34	5	36325	8	#Max	QPSK	1MHz-5MHz	16.09	PASS
Band34	5	36325	8	#Max	QPSK	5MHz-6MHz	23.06	PASS
Band34	5	36325	8	#Max	QPSK	6MHz-10MHz	11.74	PASS
Band34	5	36325	25	#0	QPSK	-1MHz-0MHz	19.08	PASS
Band34	5	36325	25	#0	QPSK	-5MHz--1MHz	13.78	PASS
Band34	5	36325	25	#0	QPSK	-6MHz--5MHz	22.43	PASS
Band34	5	36325	25	#0	QPSK	-10MHz--6MHz	11.19	PASS
Band34	5	36325	25	#0	QPSK	0MHz-1MHz	19.54	PASS
Band34	5	36325	25	#0	QPSK	1MHz-5MHz	14.04	PASS
Band34	5	36325	25	#0	QPSK	5MHz-6MHz	22.41	PASS
Band34	5	36325	25	#0	QPSK	6MHz-10MHz	11.21	PASS
Band34	5	36325	8	#0	16QAM	-1MHz-0MHz	15.58	PASS
Band34	5	36325	8	#0	16QAM	-5MHz--1MHz	19.32	PASS
Band34	5	36325	8	#0	16QAM	-6MHz--5MHz	23.66	PASS
Band34	5	36325	8	#0	16QAM	-10MHz--6MHz	11.80	PASS
Band34	5	36325	8	#0	16QAM	0MHz-1MHz	33.70	PASS
Band34	5	36325	8	#0	16QAM	1MHz-5MHz	24.68	PASS
Band34	5	36325	8	#0	16QAM	5MHz-6MHz	23.98	PASS
Band34	5	36325	8	#0	16QAM	6MHz-10MHz	12.07	PASS
Band34	5	36325	8	#Max	16QAM	-1MHz-0MHz	33.43	PASS
Band34	5	36325	8	#Max	16QAM	-5MHz--1MHz	24.39	PASS
Band34	5	36325	8	#Max	16QAM	-6MHz--5MHz	23.93	PASS
Band34	5	36325	8	#Max	16QAM	-10MHz--6MHz	11.83	PASS
Band34	5	36325	8	#Max	16QAM	0MHz-1MHz	16.83	PASS
Band34	5	36325	8	#Max	16QAM	1MHz-5MHz	19.50	PASS
Band34	5	36325	8	#Max	16QAM	5MHz-6MHz	23.63	PASS
Band34	5	36325	8	#Max	16QAM	6MHz-10MHz	11.98	PASS



Band34	5	36325	25	#0	16QAM	-1MHz-0MHz	22.68	PASS
Band34	5	36325	25	#0	16QAM	-5MHz--1MHz	16.26	PASS
Band34	5	36325	25	#0	16QAM	-6MHz--5MHz	23.41	PASS
Band34	5	36325	25	#0	16QAM	-10MHz--6MHz	11.50	PASS
Band34	5	36325	25	#0	16QAM	0MHz-1MHz	22.85	PASS
Band34	5	36325	25	#0	16QAM	1MHz-5MHz	16.22	PASS
Band34	5	36325	25	#0	16QAM	5MHz-6MHz	23.46	PASS
Band34	5	36325	25	#0	16QAM	6MHz-10MHz	11.76	PASS
Band34	10	36250	12	#0	QPSK	-1MHz-0MHz	16.44	PASS
Band34	10	36250	12	#0	QPSK	-5MHz--1MHz	17.44	PASS
Band34	10	36250	12	#0	QPSK	-10MHz--5MHz	22.77	PASS
Band34	10	36250	12	#0	QPSK	-15MHz--10MHz	10.73	PASS
Band34	10	36250	12	#0	QPSK	0MHz-1MHz	32.01	PASS
Band34	10	36250	12	#0	QPSK	1MHz-5MHz	25.95	PASS
Band34	10	36250	12	#0	QPSK	5MHz-10MHz	22.72	PASS
Band34	10	36250	12	#0	QPSK	10MHz-15MHz	12.11	PASS
Band34	10	36250	12	#Max	QPSK	-1MHz-0MHz	31.59	PASS
Band34	10	36250	12	#Max	QPSK	-5MHz--1MHz	25.12	PASS
Band34	10	36250	12	#Max	QPSK	-10MHz--5MHz	21.59	PASS
Band34	10	36250	12	#Max	QPSK	-15MHz--10MHz	10.85	PASS
Band34	10	36250	12	#Max	QPSK	0MHz-1MHz	15.90	PASS
Band34	10	36250	12	#Max	QPSK	1MHz-5MHz	17.60	PASS
Band34	10	36250	12	#Max	QPSK	5MHz-10MHz	22.75	PASS
Band34	10	36250	12	#Max	QPSK	10MHz-15MHz	11.96	PASS
Band34	10	36250	50	#0	QPSK	-1MHz-0MHz	19.21	PASS
Band34	10	36250	50	#0	QPSK	-5MHz--1MHz	15.13	PASS
Band34	10	36250	50	#0	QPSK	-10MHz--5MHz	15.52	PASS
Band34	10	36250	50	#0	QPSK	-15MHz--10MHz	10.46	PASS
Band34	10	36250	50	#0	QPSK	0MHz-1MHz	20.09	PASS
Band34	10	36250	50	#0	QPSK	1MHz-5MHz	16.50	PASS
Band34	10	36250	50	#0	QPSK	5MHz-10MHz	16.65	PASS
Band34	10	36250	50	#0	QPSK	10MHz-15MHz	10.78	PASS
Band34	10	36250	12	#0	16QAM	-1MHz-0MHz	16.24	PASS
Band34	10	36250	12	#0	16QAM	-5MHz--1MHz	17.90	PASS
Band34	10	36250	12	#0	16QAM	-10MHz--5MHz	22.67	PASS
Band34	10	36250	12	#0	16QAM	-15MHz--10MHz	10.72	PASS
Band34	10	36250	12	#0	16QAM	0MHz-1MHz	31.94	PASS
Band34	10	36250	12	#0	16QAM	1MHz-5MHz	26.01	PASS
Band34	10	36250	12	#0	16QAM	5MHz-10MHz	22.76	PASS
Band34	10	36250	12	#0	16QAM	10MHz-15MHz	12.08	PASS
Band34	10	36250	12	#Max	16QAM	-1MHz-0MHz	32.12	PASS
Band34	10	36250	12	#Max	16QAM	-5MHz--1MHz	25.32	PASS
Band34	10	36250	12	#Max	16QAM	-10MHz--5MHz	21.86	PASS
Band34	10	36250	12	#Max	16QAM	-15MHz--10MHz	10.87	PASS

Band34	10	36250	12	#Max	16QAM	0MHz-1MHz	16.94	PASS
Band34	10	36250	12	#Max	16QAM	1MHz-5MHz	17.76	PASS
Band34	10	36250	12	#Max	16QAM	5MHz-10MHz	22.72	PASS
Band34	10	36250	12	#Max	16QAM	10MHz-15MHz	11.89	PASS
Band34	10	36250	50	#0	16QAM	-1MHz-0MHz	22.00	PASS
Band34	10	36250	50	#0	16QAM	-5MHz--1MHz	17.72	PASS
Band34	10	36250	50	#0	16QAM	-10MHz--5MHz	18.46	PASS
Band34	10	36250	50	#0	16QAM	-15MHz--10MHz	10.80	PASS
Band34	10	36250	50	#0	16QAM	0MHz-1MHz	21.99	PASS
Band34	10	36250	50	#0	16QAM	1MHz-5MHz	18.11	PASS
Band34	10	36250	50	#0	16QAM	5MHz-10MHz	18.96	PASS
Band34	10	36250	50	#0	16QAM	10MHz-15MHz	11.83	PASS
Band34	10	36275	12	#0	QPSK	-1MHz-0MHz	15.57	PASS
Band34	10	36275	12	#0	QPSK	-5MHz--1MHz	16.44	PASS
Band34	10	36275	12	#0	QPSK	-10MHz--5MHz	22.67	PASS
Band34	10	36275	12	#0	QPSK	-15MHz--10MHz	10.67	PASS
Band34	10	36275	12	#0	QPSK	0MHz-1MHz	31.00	PASS
Band34	10	36275	12	#0	QPSK	1MHz-5MHz	25.76	PASS
Band34	10	36275	12	#0	QPSK	5MHz-10MHz	22.73	PASS
Band34	10	36275	12	#0	QPSK	10MHz-15MHz	12.00	PASS
Band34	10	36275	12	#Max	QPSK	-1MHz-0MHz	31.66	PASS
Band34	10	36275	12	#Max	QPSK	-5MHz--1MHz	25.14	PASS
Band34	10	36275	12	#Max	QPSK	-10MHz--5MHz	21.74	PASS
Band34	10	36275	12	#Max	QPSK	-15MHz--10MHz	10.75	PASS
Band34	10	36275	12	#Max	QPSK	0MHz-1MHz	16.47	PASS
Band34	10	36275	12	#Max	QPSK	1MHz-5MHz	17.44	PASS
Band34	10	36275	12	#Max	QPSK	5MHz-10MHz	22.79	PASS
Band34	10	36275	12	#Max	QPSK	10MHz-15MHz	11.81	PASS
Band34	10	36275	50	#0	QPSK	-1MHz-0MHz	19.17	PASS
Band34	10	36275	50	#0	QPSK	-5MHz--1MHz	15.29	PASS
Band34	10	36275	50	#0	QPSK	-10MHz--5MHz	15.47	PASS
Band34	10	36275	50	#0	QPSK	-15MHz--10MHz	10.52	PASS
Band34	10	36275	50	#0	QPSK	0MHz-1MHz	19.73	PASS
Band34	10	36275	50	#0	QPSK	1MHz-5MHz	16.48	PASS
Band34	10	36275	50	#0	QPSK	5MHz-10MHz	16.91	PASS
Band34	10	36275	50	#0	QPSK	10MHz-15MHz	11.17	PASS
Band34	10	36275	12	#0	16QAM	-1MHz-0MHz	16.73	PASS
Band34	10	36275	12	#0	16QAM	-5MHz--1MHz	17.62	PASS
Band34	10	36275	12	#0	16QAM	-10MHz--5MHz	22.50	PASS
Band34	10	36275	12	#0	16QAM	-15MHz--10MHz	10.73	PASS
Band34	10	36275	12	#0	16QAM	0MHz-1MHz	32.32	PASS
Band34	10	36275	12	#0	16QAM	1MHz-5MHz	26.00	PASS
Band34	10	36275	12	#0	16QAM	5MHz-10MHz	23.00	PASS
Band34	10	36275	12	#0	16QAM	10MHz-15MHz	12.03	PASS

Band34	10	36275	12	#Max	16QAM	-1MHz-0MHz	31.95	PASS
Band34	10	36275	12	#Max	16QAM	-5MHz--1MHz	25.26	PASS
Band34	10	36275	12	#Max	16QAM	-10MHz--5MHz	21.80	PASS
Band34	10	36275	12	#Max	16QAM	-15MHz--10MHz	10.78	PASS
Band34	10	36275	12	#Max	16QAM	0MHz-1MHz	15.95	PASS
Band34	10	36275	12	#Max	16QAM	1MHz-5MHz	17.20	PASS
Band34	10	36275	12	#Max	16QAM	5MHz-10MHz	22.57	PASS
Band34	10	36275	12	#Max	16QAM	10MHz-15MHz	11.99	PASS
Band34	10	36275	50	#0	16QAM	-1MHz-0MHz	21.57	PASS
Band34	10	36275	50	#0	16QAM	-5MHz--1MHz	17.73	PASS
Band34	10	36275	50	#0	16QAM	-10MHz--5MHz	18.31	PASS
Band34	10	36275	50	#0	16QAM	-15MHz--10MHz	10.64	PASS
Band34	10	36275	50	#0	16QAM	0MHz-1MHz	21.96	PASS
Band34	10	36275	50	#0	16QAM	1MHz-5MHz	17.96	PASS
Band34	10	36275	50	#0	16QAM	5MHz-10MHz	18.94	PASS
Band34	10	36275	50	#0	16QAM	10MHz-15MHz	11.85	PASS
Band34	10	36300	12	#0	QPSK	-1MHz-0MHz	14.91	PASS
Band34	10	36300	12	#0	QPSK	-5MHz--1MHz	17.08	PASS
Band34	10	36300	12	#0	QPSK	-10MHz--5MHz	22.56	PASS
Band34	10	36300	12	#0	QPSK	-15MHz--10MHz	10.74	PASS
Band34	10	36300	12	#0	QPSK	0MHz-1MHz	31.61	PASS
Band34	10	36300	12	#0	QPSK	1MHz-5MHz	25.90	PASS
Band34	10	36300	12	#0	QPSK	5MHz-10MHz	22.65	PASS
Band34	10	36300	12	#0	QPSK	10MHz-15MHz	12.08	PASS
Band34	10	36300	12	#Max	QPSK	-1MHz-0MHz	31.77	PASS
Band34	10	36300	12	#Max	QPSK	-5MHz--1MHz	25.12	PASS
Band34	10	36300	12	#Max	QPSK	-10MHz--5MHz	21.59	PASS
Band34	10	36300	12	#Max	QPSK	-15MHz--10MHz	10.81	PASS
Band34	10	36300	12	#Max	QPSK	0MHz-1MHz	16.61	PASS
Band34	10	36300	12	#Max	QPSK	1MHz-5MHz	17.56	PASS
Band34	10	36300	12	#Max	QPSK	5MHz-10MHz	22.85	PASS
Band34	10	36300	12	#Max	QPSK	10MHz-15MHz	11.92	PASS
Band34	10	36300	50	#0	QPSK	-1MHz-0MHz	19.24	PASS
Band34	10	36300	50	#0	QPSK	-5MHz--1MHz	15.02	PASS
Band34	10	36300	50	#0	QPSK	-10MHz--5MHz	15.78	PASS
Band34	10	36300	50	#0	QPSK	-15MHz--10MHz	10.57	PASS
Band34	10	36300	50	#0	QPSK	0MHz-1MHz	19.83	PASS
Band34	10	36300	50	#0	QPSK	1MHz-5MHz	16.23	PASS
Band34	10	36300	50	#0	QPSK	5MHz-10MHz	16.85	PASS
Band34	10	36300	50	#0	QPSK	10MHz-15MHz	11.33	PASS
Band34	10	36300	12	#0	16QAM	-1MHz-0MHz	16.15	PASS
Band34	10	36300	12	#0	16QAM	-5MHz--1MHz	17.88	PASS
Band34	10	36300	12	#0	16QAM	-10MHz--5MHz	22.57	PASS
Band34	10	36300	12	#0	16QAM	-15MHz--10MHz	10.74	PASS

Band34	10	36300	12	#0	16QAM	0MHz-1MHz	32.11	PASS
Band34	10	36300	12	#0	16QAM	1MHz-5MHz	26.03	PASS
Band34	10	36300	12	#0	16QAM	5MHz-10MHz	22.70	PASS
Band34	10	36300	12	#0	16QAM	10MHz-15MHz	12.05	PASS
Band34	10	36300	12	#Max	16QAM	-1MHz-0MHz	31.93	PASS
Band34	10	36300	12	#Max	16QAM	-5MHz--1MHz	25.28	PASS
Band34	10	36300	12	#Max	16QAM	-10MHz--5MHz	21.83	PASS
Band34	10	36300	12	#Max	16QAM	-15MHz--10MHz	10.71	PASS
Band34	10	36300	12	#Max	16QAM	0MHz-1MHz	16.49	PASS
Band34	10	36300	12	#Max	16QAM	1MHz-5MHz	18.40	PASS
Band34	10	36300	12	#Max	16QAM	5MHz-10MHz	22.84	PASS
Band34	10	36300	12	#Max	16QAM	10MHz-15MHz	11.90	PASS
Band34	10	36300	50	#0	16QAM	-1MHz-0MHz	22.14	PASS
Band34	10	36300	50	#0	16QAM	-5MHz--1MHz	17.64	PASS
Band34	10	36300	50	#0	16QAM	-10MHz--5MHz	18.26	PASS
Band34	10	36300	50	#0	16QAM	-15MHz--10MHz	10.71	PASS
Band34	10	36300	50	#0	16QAM	0MHz-1MHz	21.92	PASS
Band34	10	36300	50	#0	16QAM	1MHz-5MHz	18.45	PASS
Band34	10	36300	50	#0	16QAM	5MHz-10MHz	18.74	PASS
Band34	10	36300	50	#0	16QAM	10MHz-15MHz	11.79	PASS
Band34	15	36275	16	#0	QPSK	-1MHz-0MHz	15.58	PASS
Band34	15	36275	16	#0	QPSK	-5MHz--1MHz	16.20	PASS
Band34	15	36275	16	#0	QPSK	-15MHz--5MHz	22.30	PASS
Band34	15	36275	16	#0	QPSK	-20MHz--15MHz	12.25	PASS
Band34	15	36275	16	#0	QPSK	0MHz-1MHz	30.36	PASS
Band34	15	36275	16	#0	QPSK	1MHz-5MHz	26.38	PASS
Band34	15	36275	16	#0	QPSK	5MHz-15MHz	22.30	PASS
Band34	15	36275	16	#0	QPSK	15MHz-20MHz	11.98	PASS
Band34	15	36275	16	#Max	QPSK	-1MHz-0MHz	30.35	PASS
Band34	15	36275	16	#Max	QPSK	-5MHz--1MHz	26.11	PASS
Band34	15	36275	16	#Max	QPSK	-15MHz--5MHz	21.30	PASS
Band34	15	36275	16	#Max	QPSK	-20MHz--15MHz	12.36	PASS
Band34	15	36275	16	#Max	QPSK	0MHz-1MHz	16.50	PASS
Band34	15	36275	16	#Max	QPSK	1MHz-5MHz	16.36	PASS
Band34	15	36275	16	#Max	QPSK	5MHz-15MHz	23.06	PASS
Band34	15	36275	16	#Max	QPSK	15MHz-20MHz	11.89	PASS
Band34	15	36275	75	#0	QPSK	-1MHz-0MHz	18.27	PASS
Band34	15	36275	75	#0	QPSK	-5MHz--1MHz	14.68	PASS
Band34	15	36275	75	#0	QPSK	-15MHz--5MHz	14.78	PASS
Band34	15	36275	75	#0	QPSK	-20MHz--15MHz	11.18	PASS
Band34	15	36275	75	#0	QPSK	0MHz-1MHz	20.23	PASS
Band34	15	36275	75	#0	QPSK	1MHz-5MHz	16.58	PASS
Band34	15	36275	75	#0	QPSK	5MHz-15MHz	16.61	PASS
Band34	15	36275	75	#0	QPSK	15MHz-20MHz	10.36	PASS

Band34	15	36275	16	#0	16QAM	-1MHz-0MHz	14.76	PASS
Band34	15	36275	16	#0	16QAM	-5MHz--1MHz	16.64	PASS
Band34	15	36275	16	#0	16QAM	-15MHz--5MHz	22.30	PASS
Band34	15	36275	16	#0	16QAM	-20MHz--15MHz	12.27	PASS
Band34	15	36275	16	#0	16QAM	0MHz-1MHz	30.38	PASS
Band34	15	36275	16	#0	16QAM	1MHz-5MHz	26.45	PASS
Band34	15	36275	16	#0	16QAM	5MHz-15MHz	22.61	PASS
Band34	15	36275	16	#0	16QAM	15MHz-20MHz	11.97	PASS
Band34	15	36275	16	#Max	16QAM	-1MHz-0MHz	30.44	PASS
Band34	15	36275	16	#Max	16QAM	-5MHz--1MHz	26.24	PASS
Band34	15	36275	16	#Max	16QAM	-15MHz--5MHz	21.39	PASS
Band34	15	36275	16	#Max	16QAM	-20MHz--15MHz	12.40	PASS
Band34	15	36275	16	#Max	16QAM	0MHz-1MHz	16.41	PASS
Band34	15	36275	16	#Max	16QAM	1MHz-5MHz	17.08	PASS
Band34	15	36275	16	#Max	16QAM	5MHz-15MHz	23.05	PASS
Band34	15	36275	16	#Max	16QAM	15MHz-20MHz	11.87	PASS
Band34	15	36275	75	#0	16QAM	-1MHz-0MHz	20.71	PASS
Band34	15	36275	75	#0	16QAM	-5MHz--1MHz	17.19	PASS
Band34	15	36275	75	#0	16QAM	-15MHz--5MHz	16.77	PASS
Band34	15	36275	75	#0	16QAM	-20MHz--15MHz	12.22	PASS
Band34	15	36275	75	#0	16QAM	0MHz-1MHz	22.04	PASS
Band34	15	36275	75	#0	16QAM	1MHz-5MHz	18.23	PASS
Band34	15	36275	75	#0	16QAM	5MHz-15MHz	17.74	PASS
Band34	15	36275	75	#0	16QAM	15MHz-20MHz	11.66	PASS
Band38	5	37775	8	#0	QPSK	-1MHz-0MHz	20.12	PASS
Band38	5	37775	8	#0	QPSK	-5MHz--1MHz	20.24	PASS
Band38	5	37775	8	#0	QPSK	-6MHz--5MHz	23.33	PASS
Band38	5	37775	8	#0	QPSK	-10MHz--6MHz	11.41	PASS
Band38	5	37775	8	#0	QPSK	0MHz-1MHz	31.70	PASS
Band38	5	37775	8	#0	QPSK	1MHz-5MHz	23.10	PASS
Band38	5	37775	8	#0	QPSK	5MHz-6MHz	23.53	PASS
Band38	5	37775	8	#0	QPSK	6MHz-10MHz	11.75	PASS
Band38	5	37775	8	#Max	QPSK	-1MHz-0MHz	31.70	PASS
Band38	5	37775	8	#Max	QPSK	-5MHz--1MHz	23.27	PASS
Band38	5	37775	8	#Max	QPSK	-6MHz--5MHz	23.49	PASS
Band38	5	37775	8	#Max	QPSK	-10MHz--6MHz	11.45	PASS
Band38	5	37775	8	#Max	QPSK	0MHz-1MHz	18.85	PASS
Band38	5	37775	8	#Max	QPSK	1MHz-5MHz	20.03	PASS
Band38	5	37775	8	#Max	QPSK	5MHz-6MHz	23.29	PASS
Band38	5	37775	8	#Max	QPSK	6MHz-10MHz	11.62	PASS
Band38	5	37775	25	#0	QPSK	-1MHz-0MHz	26.95	PASS
Band38	5	37775	25	#0	QPSK	-5MHz--1MHz	21.98	PASS
Band38	5	37775	25	#0	QPSK	-6MHz--5MHz	21.32	PASS
Band38	5	37775	25	#0	QPSK	-10MHz--6MHz	9.44	PASS

Band38	5	37775	25	#0	QPSK	0MHz-1MHz	25.89	PASS
Band38	5	37775	25	#0	QPSK	1MHz-5MHz	21.94	PASS
Band38	5	37775	25	#0	QPSK	5MHz-6MHz	21.35	PASS
Band38	5	37775	25	#0	QPSK	6MHz-10MHz	9.25	PASS
Band38	5	37775	8	#0	16QAM	-1MHz-0MHz	18.69	PASS
Band38	5	37775	8	#0	16QAM	-5MHz--1MHz	19.91	PASS
Band38	5	37775	8	#0	16QAM	-6MHz--5MHz	23.22	PASS
Band38	5	37775	8	#0	16QAM	-10MHz--6MHz	11.42	PASS
Band38	5	37775	8	#0	16QAM	0MHz-1MHz	31.76	PASS
Band38	5	37775	8	#0	16QAM	1MHz-5MHz	23.50	PASS
Band38	5	37775	8	#0	16QAM	5MHz-6MHz	23.67	PASS
Band38	5	37775	8	#0	16QAM	6MHz-10MHz	11.71	PASS
Band38	5	37775	8	#Max	16QAM	-1MHz-0MHz	32.32	PASS
Band38	5	37775	8	#Max	16QAM	-5MHz--1MHz	23.53	PASS
Band38	5	37775	8	#Max	16QAM	-6MHz--5MHz	23.58	PASS
Band38	5	37775	8	#Max	16QAM	-10MHz--6MHz	11.39	PASS
Band38	5	37775	8	#Max	16QAM	0MHz-1MHz	21.17	PASS
Band38	5	37775	8	#Max	16QAM	1MHz-5MHz	19.64	PASS
Band38	5	37775	8	#Max	16QAM	5MHz-6MHz	23.35	PASS
Band38	5	37775	8	#Max	16QAM	6MHz-10MHz	11.64	PASS
Band38	5	37775	25	#0	16QAM	-1MHz-0MHz	25.18	PASS
Band38	5	37775	25	#0	16QAM	-5MHz--1MHz	21.33	PASS
Band38	5	37775	25	#0	16QAM	-6MHz--5MHz	21.07	PASS
Band38	5	37775	25	#0	16QAM	-10MHz--6MHz	9.59	PASS
Band38	5	37775	25	#0	16QAM	0MHz-1MHz	27.20	PASS
Band38	5	37775	25	#0	16QAM	1MHz-5MHz	21.17	PASS
Band38	5	37775	25	#0	16QAM	5MHz-6MHz	21.12	PASS
Band38	5	37775	25	#0	16QAM	6MHz-10MHz	9.50	PASS
Band38	5	38000	8	#0	QPSK	-1MHz-0MHz	22.29	PASS
Band38	5	38000	8	#0	QPSK	-5MHz--1MHz	20.06	PASS
Band38	5	38000	8	#0	QPSK	-6MHz--5MHz	23.24	PASS
Band38	5	38000	8	#0	QPSK	-10MHz--6MHz	11.33	PASS
Band38	5	38000	8	#0	QPSK	0MHz-1MHz	31.25	PASS
Band38	5	38000	8	#0	QPSK	1MHz-5MHz	23.13	PASS
Band38	5	38000	8	#0	QPSK	5MHz-6MHz	23.59	PASS
Band38	5	38000	8	#0	QPSK	6MHz-10MHz	11.67	PASS
Band38	5	38000	8	#Max	QPSK	-1MHz-0MHz	31.40	PASS
Band38	5	38000	8	#Max	QPSK	-5MHz--1MHz	23.06	PASS
Band38	5	38000	8	#Max	QPSK	-6MHz--5MHz	23.35	PASS
Band38	5	38000	8	#Max	QPSK	-10MHz--6MHz	11.35	PASS
Band38	5	38000	8	#Max	QPSK	0MHz-1MHz	20.35	PASS
Band38	5	38000	8	#Max	QPSK	1MHz-5MHz	20.05	PASS
Band38	5	38000	8	#Max	QPSK	5MHz-6MHz	23.19	PASS
Band38	5	38000	8	#Max	QPSK	6MHz-10MHz	11.54	PASS



Band38	5	38000	25	#0	QPSK	-1MHz-0MHz	25.78	PASS
Band38	5	38000	25	#0	QPSK	-5MHz--1MHz	21.87	PASS
Band38	5	38000	25	#0	QPSK	-6MHz--5MHz	21.25	PASS
Band38	5	38000	25	#0	QPSK	-10MHz--6MHz	9.18	PASS
Band38	5	38000	25	#0	QPSK	0MHz-1MHz	25.54	PASS
Band38	5	38000	25	#0	QPSK	1MHz-5MHz	21.99	PASS
Band38	5	38000	25	#0	QPSK	5MHz-6MHz	21.35	PASS
Band38	5	38000	25	#0	QPSK	6MHz-10MHz	9.28	PASS
Band38	5	38000	8	#0	16QAM	-1MHz-0MHz	20.49	PASS
Band38	5	38000	8	#0	16QAM	-5MHz--1MHz	19.40	PASS
Band38	5	38000	8	#0	16QAM	-6MHz--5MHz	23.11	PASS
Band38	5	38000	8	#0	16QAM	-10MHz--6MHz	11.35	PASS
Band38	5	38000	8	#0	16QAM	0MHz-1MHz	32.16	PASS
Band38	5	38000	8	#0	16QAM	1MHz-5MHz	23.31	PASS
Band38	5	38000	8	#0	16QAM	5MHz-6MHz	23.46	PASS
Band38	5	38000	8	#0	16QAM	6MHz-10MHz	11.67	PASS
Band38	5	38000	8	#Max	16QAM	-1MHz-0MHz	32.02	PASS
Band38	5	38000	8	#Max	16QAM	-5MHz--1MHz	23.32	PASS
Band38	5	38000	8	#Max	16QAM	-6MHz--5MHz	23.39	PASS
Band38	5	38000	8	#Max	16QAM	-10MHz--6MHz	11.34	PASS
Band38	5	38000	8	#Max	16QAM	0MHz-1MHz	21.76	PASS
Band38	5	38000	8	#Max	16QAM	1MHz-5MHz	19.70	PASS
Band38	5	38000	8	#Max	16QAM	5MHz-6MHz	23.39	PASS
Band38	5	38000	8	#Max	16QAM	6MHz-10MHz	11.63	PASS
Band38	5	38000	25	#0	16QAM	-1MHz-0MHz	24.64	PASS
Band38	5	38000	25	#0	16QAM	-5MHz--1MHz	20.90	PASS
Band38	5	38000	25	#0	16QAM	-6MHz--5MHz	20.73	PASS
Band38	5	38000	25	#0	16QAM	-10MHz--6MHz	9.31	PASS
Band38	5	38000	25	#0	16QAM	0MHz-1MHz	25.75	PASS
Band38	5	38000	25	#0	16QAM	1MHz-5MHz	20.70	PASS
Band38	5	38000	25	#0	16QAM	5MHz-6MHz	20.76	PASS
Band38	5	38000	25	#0	16QAM	6MHz-10MHz	9.31	PASS
Band38	5	38225	8	#0	QPSK	-1MHz-0MHz	19.23	PASS
Band38	5	38225	8	#0	QPSK	-5MHz--1MHz	18.36	PASS
Band38	5	38225	8	#0	QPSK	-6MHz--5MHz	23.01	PASS
Band38	5	38225	8	#0	QPSK	-10MHz--6MHz	11.18	PASS
Band38	5	38225	8	#0	QPSK	0MHz-1MHz	30.54	PASS
Band38	5	38225	8	#0	QPSK	1MHz-5MHz	21.98	PASS
Band38	5	38225	8	#0	QPSK	5MHz-6MHz	23.51	PASS
Band38	5	38225	8	#0	QPSK	6MHz-10MHz	11.54	PASS
Band38	5	38225	8	#Max	QPSK	-1MHz-0MHz	30.12	PASS
Band38	5	38225	8	#Max	QPSK	-5MHz--1MHz	21.61	PASS
Band38	5	38225	8	#Max	QPSK	-6MHz--5MHz	23.40	PASS
Band38	5	38225	8	#Max	QPSK	-10MHz--6MHz	11.22	PASS

Band38	5	38225	8	#Max	QPSK	0MHz-1MHz	18.48	PASS
Band38	5	38225	8	#Max	QPSK	1MHz-5MHz	18.50	PASS
Band38	5	38225	8	#Max	QPSK	5MHz-6MHz	23.18	PASS
Band38	5	38225	8	#Max	QPSK	6MHz-10MHz	11.38	PASS
Band38	5	38225	25	#0	QPSK	-1MHz-0MHz	26.13	PASS
Band38	5	38225	25	#0	QPSK	-5MHz--1MHz	21.01	PASS
Band38	5	38225	25	#0	QPSK	-6MHz--5MHz	20.97	PASS
Band38	5	38225	25	#0	QPSK	-10MHz--6MHz	8.66	PASS
Band38	5	38225	25	#0	QPSK	0MHz-1MHz	25.67	PASS
Band38	5	38225	25	#0	QPSK	1MHz-5MHz	20.43	PASS
Band38	5	38225	25	#0	QPSK	5MHz-6MHz	20.71	PASS
Band38	5	38225	25	#0	QPSK	6MHz-10MHz	8.73	PASS
Band38	5	38225	8	#0	16QAM	-1MHz-0MHz	21.11	PASS
Band38	5	38225	8	#0	16QAM	-5MHz--1MHz	19.15	PASS
Band38	5	38225	8	#0	16QAM	-6MHz--5MHz	23.12	PASS
Band38	5	38225	8	#0	16QAM	-10MHz--6MHz	11.27	PASS
Band38	5	38225	8	#0	16QAM	0MHz-1MHz	32.11	PASS
Band38	5	38225	8	#0	16QAM	1MHz-5MHz	23.04	PASS
Band38	5	38225	8	#0	16QAM	5MHz-6MHz	23.55	PASS
Band38	5	38225	8	#0	16QAM	6MHz-10MHz	11.56	PASS
Band38	5	38225	8	#Max	16QAM	-1MHz-0MHz	31.92	PASS
Band38	5	38225	8	#Max	16QAM	-5MHz--1MHz	23.22	PASS
Band38	5	38225	8	#Max	16QAM	-6MHz--5MHz	23.39	PASS
Band38	5	38225	8	#Max	16QAM	-10MHz--6MHz	11.40	PASS
Band38	5	38225	8	#Max	16QAM	0MHz-1MHz	19.65	PASS
Band38	5	38225	8	#Max	16QAM	1MHz-5MHz	18.94	PASS
Band38	5	38225	8	#Max	16QAM	5MHz-6MHz	23.24	PASS
Band38	5	38225	8	#Max	16QAM	6MHz-10MHz	11.55	PASS
Band38	5	38225	25	#0	16QAM	-1MHz-0MHz	27.23	PASS
Band38	5	38225	25	#0	16QAM	-5MHz--1MHz	20.46	PASS
Band38	5	38225	25	#0	16QAM	-6MHz--5MHz	20.49	PASS
Band38	5	38225	25	#0	16QAM	-10MHz--6MHz	9.09	PASS
Band38	5	38225	25	#0	16QAM	0MHz-1MHz	26.12	PASS
Band38	5	38225	25	#0	16QAM	1MHz-5MHz	20.01	PASS
Band38	5	38225	25	#0	16QAM	5MHz-6MHz	20.46	PASS
Band38	5	38225	25	#0	16QAM	6MHz-10MHz	9.07	PASS
Band38	10	37800	12	#0	QPSK	-1MHz-0MHz	21.17	PASS
Band38	10	37800	12	#0	QPSK	-5MHz--1MHz	20.65	PASS
Band38	10	37800	12	#0	QPSK	-10MHz--5MHz	21.87	PASS
Band38	10	37800	12	#0	QPSK	-15MHz--10MHz	10.37	PASS
Band38	10	37800	12	#0	QPSK	0MHz-1MHz	31.28	PASS
Band38	10	37800	12	#0	QPSK	1MHz-5MHz	24.57	PASS
Band38	10	37800	12	#0	QPSK	5MHz-10MHz	21.10	PASS
Band38	10	37800	12	#0	QPSK	10MHz-15MHz	11.62	PASS

Band38	10	37800	12	#Max	QPSK	-1MHz-0MHz	31.49	PASS
Band38	10	37800	12	#Max	QPSK	-5MHz--1MHz	24.84	PASS
Band38	10	37800	12	#Max	QPSK	-10MHz--5MHz	21.34	PASS
Band38	10	37800	12	#Max	QPSK	-15MHz--10MHz	10.46	PASS
Band38	10	37800	12	#Max	QPSK	0MHz-1MHz	19.85	PASS
Band38	10	37800	12	#Max	QPSK	1MHz-5MHz	20.55	PASS
Band38	10	37800	12	#Max	QPSK	5MHz-10MHz	21.97	PASS
Band38	10	37800	12	#Max	QPSK	10MHz-15MHz	11.57	PASS
Band38	10	37800	50	#0	QPSK	-1MHz-0MHz	27.69	PASS
Band38	10	37800	50	#0	QPSK	-5MHz--1MHz	23.56	PASS
Band38	10	37800	50	#0	QPSK	-10MHz--5MHz	21.09	PASS
Band38	10	37800	50	#0	QPSK	-15MHz--10MHz	9.54	PASS
Band38	10	37800	50	#0	QPSK	0MHz-1MHz	26.14	PASS
Band38	10	37800	50	#0	QPSK	1MHz-5MHz	23.89	PASS
Band38	10	37800	50	#0	QPSK	5MHz-10MHz	20.89	PASS
Band38	10	37800	50	#0	QPSK	10MHz-15MHz	10.31	PASS
Band38	10	37800	12	#0	16QAM	-1MHz-0MHz	22.32	PASS
Band38	10	37800	12	#0	16QAM	-5MHz--1MHz	20.65	PASS
Band38	10	37800	12	#0	16QAM	-10MHz--5MHz	22.25	PASS
Band38	10	37800	12	#0	16QAM	-15MHz--10MHz	10.37	PASS
Band38	10	37800	12	#0	16QAM	0MHz-1MHz	31.70	PASS
Band38	10	37800	12	#0	16QAM	1MHz-5MHz	24.88	PASS
Band38	10	37800	12	#0	16QAM	5MHz-10MHz	21.27	PASS
Band38	10	37800	12	#0	16QAM	10MHz-15MHz	11.66	PASS
Band38	10	37800	12	#Max	16QAM	-1MHz-0MHz	31.78	PASS
Band38	10	37800	12	#Max	16QAM	-5MHz--1MHz	24.96	PASS
Band38	10	37800	12	#Max	16QAM	-10MHz--5MHz	21.46	PASS
Band38	10	37800	12	#Max	16QAM	-15MHz--10MHz	10.47	PASS
Band38	10	37800	12	#Max	16QAM	0MHz-1MHz	22.08	PASS
Band38	10	37800	12	#Max	16QAM	1MHz-5MHz	20.58	PASS
Band38	10	37800	12	#Max	16QAM	5MHz-10MHz	22.28	PASS
Band38	10	37800	12	#Max	16QAM	10MHz-15MHz	11.56	PASS
Band38	10	37800	50	#0	16QAM	-1MHz-0MHz	25.66	PASS
Band38	10	37800	50	#0	16QAM	-5MHz--1MHz	23.17	PASS
Band38	10	37800	50	#0	16QAM	-10MHz--5MHz	21.04	PASS
Band38	10	37800	50	#0	16QAM	-15MHz--10MHz	9.71	PASS
Band38	10	37800	50	#0	16QAM	0MHz-1MHz	27.33	PASS
Band38	10	37800	50	#0	16QAM	1MHz-5MHz	23.00	PASS
Band38	10	37800	50	#0	16QAM	5MHz-10MHz	20.98	PASS
Band38	10	37800	50	#0	16QAM	10MHz-15MHz	10.18	PASS
Band38	10	38000	12	#0	QPSK	-1MHz-0MHz	20.16	PASS
Band38	10	38000	12	#0	QPSK	-5MHz--1MHz	19.95	PASS
Band38	10	38000	12	#0	QPSK	-10MHz--5MHz	21.75	PASS
Band38	10	38000	12	#0	QPSK	-15MHz--10MHz	10.33	PASS

Band38	10	38000	12	#0	QPSK	0MHz-1MHz	31.25	PASS
Band38	10	38000	12	#0	QPSK	1MHz-5MHz	24.71	PASS
Band38	10	38000	12	#0	QPSK	5MHz-10MHz	21.12	PASS
Band38	10	38000	12	#0	QPSK	10MHz-15MHz	11.61	PASS
Band38	10	38000	12	#Max	QPSK	-1MHz-0MHz	31.26	PASS
Band38	10	38000	12	#Max	QPSK	-5MHz--1MHz	24.75	PASS
Band38	10	38000	12	#Max	QPSK	-10MHz--5MHz	21.45	PASS
Band38	10	38000	12	#Max	QPSK	-15MHz--10MHz	10.44	PASS
Band38	10	38000	12	#Max	QPSK	0MHz-1MHz	21.67	PASS
Band38	10	38000	12	#Max	QPSK	1MHz-5MHz	20.35	PASS
Band38	10	38000	12	#Max	QPSK	5MHz-10MHz	21.91	PASS
Band38	10	38000	12	#Max	QPSK	10MHz-15MHz	11.59	PASS
Band38	10	38000	50	#0	QPSK	-1MHz-0MHz	27.49	PASS
Band38	10	38000	50	#0	QPSK	-5MHz--1MHz	23.39	PASS
Band38	10	38000	50	#0	QPSK	-10MHz--5MHz	20.79	PASS
Band38	10	38000	50	#0	QPSK	-15MHz--10MHz	9.33	PASS
Band38	10	38000	50	#0	QPSK	0MHz-1MHz	28.18	PASS
Band38	10	38000	50	#0	QPSK	1MHz-5MHz	23.68	PASS
Band38	10	38000	50	#0	QPSK	5MHz-10MHz	20.93	PASS
Band38	10	38000	50	#0	QPSK	10MHz-15MHz	10.18	PASS
Band38	10	38000	12	#0	16QAM	-1MHz-0MHz	19.65	PASS
Band38	10	38000	12	#0	16QAM	-5MHz--1MHz	20.09	PASS
Band38	10	38000	12	#0	16QAM	-10MHz--5MHz	21.90	PASS
Band38	10	38000	12	#0	16QAM	-15MHz--10MHz	10.33	PASS
Band38	10	38000	12	#0	16QAM	0MHz-1MHz	31.62	PASS
Band38	10	38000	12	#0	16QAM	1MHz-5MHz	24.85	PASS
Band38	10	38000	12	#0	16QAM	5MHz-10MHz	21.55	PASS
Band38	10	38000	12	#0	16QAM	10MHz-15MHz	11.58	PASS
Band38	10	38000	12	#Max	16QAM	-1MHz-0MHz	31.21	PASS
Band38	10	38000	12	#Max	16QAM	-5MHz--1MHz	24.87	PASS
Band38	10	38000	12	#Max	16QAM	-10MHz--5MHz	21.29	PASS
Band38	10	38000	12	#Max	16QAM	-15MHz--10MHz	10.23	PASS
Band38	10	38000	12	#Max	16QAM	0MHz-1MHz	20.44	PASS
Band38	10	38000	12	#Max	16QAM	1MHz-5MHz	20.01	PASS
Band38	10	38000	12	#Max	16QAM	5MHz-10MHz	22.16	PASS
Band38	10	38000	12	#Max	16QAM	10MHz-15MHz	11.51	PASS
Band38	10	38000	50	#0	16QAM	-1MHz-0MHz	27.57	PASS
Band38	10	38000	50	#0	16QAM	-5MHz--1MHz	22.61	PASS
Band38	10	38000	50	#0	16QAM	-10MHz--5MHz	20.88	PASS
Band38	10	38000	50	#0	16QAM	-15MHz--10MHz	9.67	PASS
Band38	10	38000	50	#0	16QAM	0MHz-1MHz	26.86	PASS
Band38	10	38000	50	#0	16QAM	1MHz-5MHz	22.95	PASS
Band38	10	38000	50	#0	16QAM	5MHz-10MHz	21.05	PASS
Band38	10	38000	50	#0	16QAM	10MHz-15MHz	10.37	PASS

Band38	10	38200	12	#0	QPSK	-1MHz-0MHz	19.26	PASS
Band38	10	38200	12	#0	QPSK	-5MHz--1MHz	19.26	PASS
Band38	10	38200	12	#0	QPSK	-10MHz--5MHz	21.58	PASS
Band38	10	38200	12	#0	QPSK	-15MHz--10MHz	10.28	PASS
Band38	10	38200	12	#0	QPSK	0MHz-1MHz	31.48	PASS
Band38	10	38200	12	#0	QPSK	1MHz-5MHz	24.55	PASS
Band38	10	38200	12	#0	QPSK	5MHz-10MHz	20.92	PASS
Band38	10	38200	12	#0	QPSK	10MHz-15MHz	11.51	PASS
Band38	10	38200	12	#Max	QPSK	-1MHz-0MHz	30.92	PASS
Band38	10	38200	12	#Max	QPSK	-5MHz--1MHz	24.39	PASS
Band38	10	38200	12	#Max	QPSK	-10MHz--5MHz	20.99	PASS
Band38	10	38200	12	#Max	QPSK	-15MHz--10MHz	10.12	PASS
Band38	10	38200	12	#Max	QPSK	0MHz-1MHz	21.07	PASS
Band38	10	38200	12	#Max	QPSK	1MHz-5MHz	19.31	PASS
Band38	10	38200	12	#Max	QPSK	5MHz-10MHz	21.72	PASS
Band38	10	38200	12	#Max	QPSK	10MHz-15MHz	11.49	PASS
Band38	10	38200	50	#0	QPSK	-1MHz-0MHz	26.50	PASS
Band38	10	38200	50	#0	QPSK	-5MHz--1MHz	22.42	PASS
Band38	10	38200	50	#0	QPSK	-10MHz--5MHz	20.07	PASS
Band38	10	38200	50	#0	QPSK	-15MHz--10MHz	9.11	PASS
Band38	10	38200	50	#0	QPSK	0MHz-1MHz	26.04	PASS
Band38	10	38200	50	#0	QPSK	1MHz-5MHz	22.79	PASS
Band38	10	38200	50	#0	QPSK	5MHz-10MHz	20.13	PASS
Band38	10	38200	50	#0	QPSK	10MHz-15MHz	10.04	PASS
Band38	10	38200	12	#0	16QAM	-1MHz-0MHz	21.54	PASS
Band38	10	38200	12	#0	16QAM	-5MHz--1MHz	20.11	PASS
Band38	10	38200	12	#0	16QAM	-10MHz--5MHz	21.97	PASS
Band38	10	38200	12	#0	16QAM	-15MHz--10MHz	10.30	PASS
Band38	10	38200	12	#0	16QAM	0MHz-1MHz	31.17	PASS
Band38	10	38200	12	#0	16QAM	1MHz-5MHz	24.73	PASS
Band38	10	38200	12	#0	16QAM	5MHz-10MHz	21.34	PASS
Band38	10	38200	12	#0	16QAM	10MHz-15MHz	11.58	PASS
Band38	10	38200	12	#Max	16QAM	-1MHz-0MHz	31.24	PASS
Band38	10	38200	12	#Max	16QAM	-5MHz--1MHz	24.70	PASS
Band38	10	38200	12	#Max	16QAM	-10MHz--5MHz	21.26	PASS
Band38	10	38200	12	#Max	16QAM	-15MHz--10MHz	10.36	PASS
Band38	10	38200	12	#Max	16QAM	0MHz-1MHz	21.89	PASS
Band38	10	38200	12	#Max	16QAM	1MHz-5MHz	19.90	PASS
Band38	10	38200	12	#Max	16QAM	5MHz-10MHz	22.13	PASS
Band38	10	38200	12	#Max	16QAM	10MHz-15MHz	11.44	PASS
Band38	10	38200	50	#0	16QAM	-1MHz-0MHz	25.56	PASS
Band38	10	38200	50	#0	16QAM	-5MHz--1MHz	21.85	PASS
Band38	10	38200	50	#0	16QAM	-10MHz--5MHz	20.21	PASS
Band38	10	38200	50	#0	16QAM	-15MHz--10MHz	9.30	PASS

Band38	10	38200	50	#0	16QAM	0MHz-1MHz	26.90	PASS
Band38	10	38200	50	#0	16QAM	1MHz-5MHz	22.15	PASS
Band38	10	38200	50	#0	16QAM	5MHz-10MHz	20.46	PASS
Band38	10	38200	50	#0	16QAM	10MHz-15MHz	10.15	PASS
Band38	20	37850	18	#0	QPSK	-1MHz-0MHz	20.89	PASS
Band38	20	37850	18	#0	QPSK	-5MHz--1MHz	21.65	PASS
Band38	20	37850	18	#0	QPSK	-20MHz--5MHz	21.34	PASS
Band38	20	37850	18	#0	QPSK	-25MHz--20MHz	11.85	PASS
Band38	20	37850	18	#0	QPSK	0MHz-1MHz	29.21	PASS
Band38	20	37850	18	#0	QPSK	1MHz-5MHz	26.18	PASS
Band38	20	37850	18	#0	QPSK	5MHz-20MHz	20.68	PASS
Band38	20	37850	18	#0	QPSK	20MHz-25MHz	11.75	PASS
Band38	20	37850	18	#Max	QPSK	-1MHz-0MHz	29.39	PASS
Band38	20	37850	18	#Max	QPSK	-5MHz--1MHz	25.48	PASS
Band38	20	37850	18	#Max	QPSK	-20MHz--5MHz	21.50	PASS
Band38	20	37850	18	#Max	QPSK	-25MHz--20MHz	11.86	PASS
Band38	20	37850	18	#Max	QPSK	0MHz-1MHz	22.33	PASS
Band38	20	37850	18	#Max	QPSK	1MHz-5MHz	21.77	PASS
Band38	20	37850	18	#Max	QPSK	5MHz-20MHz	21.50	PASS
Band38	20	37850	18	#Max	QPSK	20MHz-25MHz	11.82	PASS
Band38	20	37850	100	#0	QPSK	-1MHz-0MHz	27.73	PASS
Band38	20	37850	100	#0	QPSK	-5MHz--1MHz	24.74	PASS
Band38	20	37850	100	#0	QPSK	-20MHz--5MHz	21.45	PASS
Band38	20	37850	100	#0	QPSK	-25MHz--20MHz	11.27	PASS
Band38	20	37850	100	#0	QPSK	0MHz-1MHz	27.93	PASS
Band38	20	37850	100	#0	QPSK	1MHz-5MHz	25.14	PASS
Band38	20	37850	100	#0	QPSK	5MHz-20MHz	21.99	PASS
Band38	20	37850	100	#0	QPSK	20MHz-25MHz	11.22	PASS
Band38	20	37850	18	#0	16QAM	-1MHz-0MHz	21.86	PASS
Band38	20	37850	18	#0	16QAM	-5MHz--1MHz	22.16	PASS
Band38	20	37850	18	#0	16QAM	-20MHz--5MHz	21.29	PASS
Band38	20	37850	18	#0	16QAM	-25MHz--20MHz	11.90	PASS
Band38	20	37850	18	#0	16QAM	0MHz-1MHz	29.97	PASS
Band38	20	37850	18	#0	16QAM	1MHz-5MHz	26.29	PASS
Band38	20	37850	18	#0	16QAM	5MHz-20MHz	21.05	PASS
Band38	20	37850	18	#0	16QAM	20MHz-25MHz	11.79	PASS
Band38	20	37850	18	#Max	16QAM	-1MHz-0MHz	29.30	PASS
Band38	20	37850	18	#Max	16QAM	-5MHz--1MHz	25.50	PASS
Band38	20	37850	18	#Max	16QAM	-20MHz--5MHz	21.64	PASS
Band38	20	37850	18	#Max	16QAM	-25MHz--20MHz	11.86	PASS
Band38	20	37850	18	#Max	16QAM	0MHz-1MHz	22.12	PASS
Band38	20	37850	18	#Max	16QAM	1MHz-5MHz	21.82	PASS
Band38	20	37850	18	#Max	16QAM	5MHz-20MHz	21.61	PASS
Band38	20	37850	18	#Max	16QAM	20MHz-25MHz	11.81	PASS



Band38	20	37850	100	#0	16QAM	-1MHz-0MHz	27.41	PASS
Band38	20	37850	100	#0	16QAM	-5MHz--1MHz	24.30	PASS
Band38	20	37850	100	#0	16QAM	-20MHz--5MHz	21.20	PASS
Band38	20	37850	100	#0	16QAM	-25MHz--20MHz	11.33	PASS
Band38	20	37850	100	#0	16QAM	0MHz-1MHz	27.36	PASS
Band38	20	37850	100	#0	16QAM	1MHz-5MHz	24.65	PASS
Band38	20	37850	100	#0	16QAM	5MHz-20MHz	21.45	PASS
Band38	20	37850	100	#0	16QAM	20MHz-25MHz	11.11	PASS
Band38	20	38000	18	#0	QPSK	-1MHz-0MHz	21.49	PASS
Band38	20	38000	18	#0	QPSK	-5MHz--1MHz	21.01	PASS
Band38	20	38000	18	#0	QPSK	-20MHz--5MHz	21.03	PASS
Band38	20	38000	18	#0	QPSK	-25MHz--20MHz	11.83	PASS
Band38	20	38000	18	#0	QPSK	0MHz-1MHz	29.41	PASS
Band38	20	38000	18	#0	QPSK	1MHz-5MHz	26.22	PASS
Band38	20	38000	18	#0	QPSK	5MHz-20MHz	21.01	PASS
Band38	20	38000	18	#0	QPSK	20MHz-25MHz	11.68	PASS
Band38	20	38000	18	#Max	QPSK	-1MHz-0MHz	29.31	PASS
Band38	20	38000	18	#Max	QPSK	-5MHz--1MHz	25.36	PASS
Band38	20	38000	18	#Max	QPSK	-20MHz--5MHz	21.34	PASS
Band38	20	38000	18	#Max	QPSK	-25MHz--20MHz	11.81	PASS
Band38	20	38000	18	#Max	QPSK	0MHz-1MHz	21.27	PASS
Band38	20	38000	18	#Max	QPSK	1MHz-5MHz	20.68	PASS
Band38	20	38000	18	#Max	QPSK	5MHz-20MHz	21.42	PASS
Band38	20	38000	18	#Max	QPSK	20MHz-25MHz	11.64	PASS
Band38	20	38000	100	#0	QPSK	-1MHz-0MHz	27.55	PASS
Band38	20	38000	100	#0	QPSK	-5MHz--1MHz	24.47	PASS
Band38	20	38000	100	#0	QPSK	-20MHz--5MHz	21.09	PASS
Band38	20	38000	100	#0	QPSK	-25MHz--20MHz	11.22	PASS
Band38	20	38000	100	#0	QPSK	0MHz-1MHz	28.10	PASS
Band38	20	38000	100	#0	QPSK	1MHz-5MHz	25.09	PASS
Band38	20	38000	100	#0	QPSK	5MHz-20MHz	21.87	PASS
Band38	20	38000	100	#0	QPSK	20MHz-25MHz	11.10	PASS
Band38	20	38000	18	#0	16QAM	-1MHz-0MHz	21.70	PASS
Band38	20	38000	18	#0	16QAM	-5MHz--1MHz	21.67	PASS
Band38	20	38000	18	#0	16QAM	-20MHz--5MHz	21.23	PASS
Band38	20	38000	18	#0	16QAM	-25MHz--20MHz	11.89	PASS
Band38	20	38000	18	#0	16QAM	0MHz-1MHz	29.76	PASS
Band38	20	38000	18	#0	16QAM	1MHz-5MHz	26.18	PASS
Band38	20	38000	18	#0	16QAM	5MHz-20MHz	21.20	PASS
Band38	20	38000	18	#0	16QAM	20MHz-25MHz	11.70	PASS
Band38	20	38000	18	#Max	16QAM	-1MHz-0MHz	28.91	PASS
Band38	20	38000	18	#Max	16QAM	-5MHz--1MHz	25.42	PASS
Band38	20	38000	18	#Max	16QAM	-20MHz--5MHz	21.49	PASS
Band38	20	38000	18	#Max	16QAM	-25MHz--20MHz	11.87	PASS

Band38	20	38000	18	#Max	16QAM	0MHz-1MHz	22.41	PASS
Band38	20	38000	18	#Max	16QAM	1MHz-5MHz	21.38	PASS
Band38	20	38000	18	#Max	16QAM	5MHz-20MHz	21.74	PASS
Band38	20	38000	18	#Max	16QAM	20MHz-25MHz	11.76	PASS
Band38	20	38000	100	#0	16QAM	-1MHz-0MHz	27.08	PASS
Band38	20	38000	100	#0	16QAM	-5MHz--1MHz	23.97	PASS
Band38	20	38000	100	#0	16QAM	-20MHz--5MHz	20.96	PASS
Band38	20	38000	100	#0	16QAM	-25MHz--20MHz	11.18	PASS
Band38	20	38000	100	#0	16QAM	0MHz-1MHz	26.99	PASS
Band38	20	38000	100	#0	16QAM	1MHz-5MHz	24.24	PASS
Band38	20	38000	100	#0	16QAM	5MHz-20MHz	21.49	PASS
Band38	20	38000	100	#0	16QAM	20MHz-25MHz	11.09	PASS
Band38	20	38150	18	#0	QPSK	-1MHz-0MHz	21.03	PASS
Band38	20	38150	18	#0	QPSK	-5MHz--1MHz	20.95	PASS
Band38	20	38150	18	#0	QPSK	-20MHz--5MHz	20.99	PASS
Band38	20	38150	18	#0	QPSK	-25MHz--20MHz	11.72	PASS
Band38	20	38150	18	#0	QPSK	0MHz-1MHz	29.88	PASS
Band38	20	38150	18	#0	QPSK	1MHz-5MHz	26.26	PASS
Band38	20	38150	18	#0	QPSK	5MHz-20MHz	20.84	PASS
Band38	20	38150	18	#0	QPSK	20MHz-25MHz	11.64	PASS
Band38	20	38150	18	#Max	QPSK	-1MHz-0MHz	29.36	PASS
Band38	20	38150	18	#Max	QPSK	-5MHz--1MHz	25.24	PASS
Band38	20	38150	18	#Max	QPSK	-20MHz--5MHz	21.13	PASS
Band38	20	38150	18	#Max	QPSK	-25MHz--20MHz	11.81	PASS
Band38	20	38150	18	#Max	QPSK	0MHz-1MHz	21.75	PASS
Band38	20	38150	18	#Max	QPSK	1MHz-5MHz	19.84	PASS
Band38	20	38150	18	#Max	QPSK	5MHz-20MHz	21.47	PASS
Band38	20	38150	18	#Max	QPSK	20MHz-25MHz	11.70	PASS
Band38	20	38150	100	#0	QPSK	-1MHz-0MHz	26.01	PASS
Band38	20	38150	100	#0	QPSK	-5MHz--1MHz	24.09	PASS
Band38	20	38150	100	#0	QPSK	-20MHz--5MHz	20.76	PASS
Band38	20	38150	100	#0	QPSK	-25MHz--20MHz	11.10	PASS
Band38	20	38150	100	#0	QPSK	0MHz-1MHz	27.50	PASS
Band38	20	38150	100	#0	QPSK	1MHz-5MHz	24.71	PASS
Band38	20	38150	100	#0	QPSK	5MHz-20MHz	21.38	PASS
Band38	20	38150	100	#0	QPSK	20MHz-25MHz	10.93	PASS
Band38	20	38150	18	#0	16QAM	-1MHz-0MHz	20.48	PASS
Band38	20	38150	18	#0	16QAM	-5MHz--1MHz	20.94	PASS
Band38	20	38150	18	#0	16QAM	-20MHz--5MHz	21.03	PASS
Band38	20	38150	18	#0	16QAM	-25MHz--20MHz	11.79	PASS
Band38	20	38150	18	#0	16QAM	0MHz-1MHz	29.67	PASS
Band38	20	38150	18	#0	16QAM	1MHz-5MHz	26.22	PASS
Band38	20	38150	18	#0	16QAM	5MHz-20MHz	21.38	PASS
Band38	20	38150	18	#0	16QAM	20MHz-25MHz	11.72	PASS

Band38	20	38150	18	#Max	16QAM	-1MHz-0MHz	29.39	PASS
Band38	20	38150	18	#Max	16QAM	-5MHz--1MHz	25.35	PASS
Band38	20	38150	18	#Max	16QAM	-20MHz--5MHz	21.25	PASS
Band38	20	38150	18	#Max	16QAM	-25MHz--20MHz	11.84	PASS
Band38	20	38150	18	#Max	16QAM	0MHz-1MHz	20.32	PASS
Band38	20	38150	18	#Max	16QAM	1MHz-5MHz	20.62	PASS
Band38	20	38150	18	#Max	16QAM	5MHz-20MHz	21.33	PASS
Band38	20	38150	18	#Max	16QAM	20MHz-25MHz	11.65	PASS
Band38	20	38150	100	#0	16QAM	-1MHz-0MHz	26.19	PASS
Band38	20	38150	100	#0	16QAM	-5MHz--1MHz	23.55	PASS
Band38	20	38150	100	#0	16QAM	-20MHz--5MHz	20.63	PASS
Band38	20	38150	100	#0	16QAM	-25MHz--20MHz	11.00	PASS
Band38	20	38150	100	#0	16QAM	0MHz-1MHz	26.85	PASS
Band38	20	38150	100	#0	16QAM	1MHz-5MHz	24.40	PASS
Band38	20	38150	100	#0	16QAM	5MHz-20MHz	21.49	PASS
Band38	20	38150	100	#0	16QAM	20MHz-25MHz	10.96	PASS
Band40	5	38675	8	#0	QPSK	-1MHz-0MHz	18.93	PASS
Band40	5	38675	8	#0	QPSK	-5MHz--1MHz	21.26	PASS
Band40	5	38675	8	#0	QPSK	-6MHz--5MHz	23.82	PASS
Band40	5	38675	8	#0	QPSK	-10MHz--6MHz	11.90	PASS
Band40	5	38675	8	#0	QPSK	0MHz-1MHz	32.57	PASS
Band40	5	38675	8	#0	QPSK	1MHz-5MHz	23.34	PASS
Band40	5	38675	8	#0	QPSK	5MHz-6MHz	23.94	PASS
Band40	5	38675	8	#0	QPSK	6MHz-10MHz	12.01	PASS
Band40	5	38675	8	#Max	QPSK	-1MHz-0MHz	33.32	PASS
Band40	5	38675	8	#Max	QPSK	-5MHz--1MHz	24.50	PASS
Band40	5	38675	8	#Max	QPSK	-6MHz--5MHz	23.96	PASS
Band40	5	38675	8	#Max	QPSK	-10MHz--6MHz	11.95	PASS
Band40	5	38675	8	#Max	QPSK	0MHz-1MHz	17.57	PASS
Band40	5	38675	8	#Max	QPSK	1MHz-5MHz	20.89	PASS
Band40	5	38675	8	#Max	QPSK	5MHz-6MHz	23.71	PASS
Band40	5	38675	8	#Max	QPSK	6MHz-10MHz	12.01	PASS
Band40	5	38675	25	#0	QPSK	-1MHz-0MHz	25.75	PASS
Band40	5	38675	25	#0	QPSK	-5MHz--1MHz	19.57	PASS
Band40	5	38675	25	#0	QPSK	-6MHz--5MHz	23.01	PASS
Band40	5	38675	25	#0	QPSK	-10MHz--6MHz	11.17	PASS
Band40	5	38675	25	#0	QPSK	0MHz-1MHz	23.75	PASS
Band40	5	38675	25	#0	QPSK	1MHz-5MHz	18.70	PASS
Band40	5	38675	25	#0	QPSK	5MHz-6MHz	22.48	PASS
Band40	5	38675	25	#0	QPSK	6MHz-10MHz	10.65	PASS
Band40	5	38675	8	#0	16QAM	-1MHz-0MHz	17.94	PASS
Band40	5	38675	8	#0	16QAM	-5MHz--1MHz	21.57	PASS
Band40	5	38675	8	#0	16QAM	-6MHz--5MHz	23.76	PASS
Band40	5	38675	8	#0	16QAM	-10MHz--6MHz	11.93	PASS

Band40	5	38675	8	#0	16QAM	0MHz-1MHz	32.60	PASS
Band40	5	38675	8	#0	16QAM	1MHz-5MHz	23.74	PASS
Band40	5	38675	8	#0	16QAM	5MHz-6MHz	23.99	PASS
Band40	5	38675	8	#0	16QAM	6MHz-10MHz	12.16	PASS
Band40	5	38675	8	#Max	16QAM	-1MHz-0MHz	33.62	PASS
Band40	5	38675	8	#Max	16QAM	-5MHz--1MHz	24.64	PASS
Band40	5	38675	8	#Max	16QAM	-6MHz--5MHz	24.05	PASS
Band40	5	38675	8	#Max	16QAM	-10MHz--6MHz	12.01	PASS
Band40	5	38675	8	#Max	16QAM	0MHz-1MHz	19.02	PASS
Band40	5	38675	8	#Max	16QAM	1MHz-5MHz	21.19	PASS
Band40	5	38675	8	#Max	16QAM	5MHz-6MHz	23.66	PASS
Band40	5	38675	8	#Max	16QAM	6MHz-10MHz	12.10	PASS
Band40	5	38675	25	#0	16QAM	-1MHz-0MHz	24.31	PASS
Band40	5	38675	25	#0	16QAM	-5MHz--1MHz	19.12	PASS
Band40	5	38675	25	#0	16QAM	-6MHz--5MHz	23.00	PASS
Band40	5	38675	25	#0	16QAM	-10MHz--6MHz	11.31	PASS
Band40	5	38675	25	#0	16QAM	0MHz-1MHz	24.58	PASS
Band40	5	38675	25	#0	16QAM	1MHz-5MHz	18.95	PASS
Band40	5	38675	25	#0	16QAM	5MHz-6MHz	22.43	PASS
Band40	5	38675	25	#0	16QAM	6MHz-10MHz	10.95	PASS
Band40	5	39150	8	#0	QPSK	-1MHz-0MHz	22.55	PASS
Band40	5	39150	8	#0	QPSK	-5MHz--1MHz	20.81	PASS
Band40	5	39150	8	#0	QPSK	-6MHz--5MHz	23.43	PASS
Band40	5	39150	8	#0	QPSK	-10MHz--6MHz	11.44	PASS
Band40	5	39150	8	#0	QPSK	0MHz-1MHz	32.90	PASS
Band40	5	39150	8	#0	QPSK	1MHz-5MHz	23.88	PASS
Band40	5	39150	8	#0	QPSK	5MHz-6MHz	23.65	PASS
Band40	5	39150	8	#0	QPSK	6MHz-10MHz	11.57	PASS
Band40	5	39150	8	#Max	QPSK	-1MHz-0MHz	32.40	PASS
Band40	5	39150	8	#Max	QPSK	-5MHz--1MHz	24.07	PASS
Band40	5	39150	8	#Max	QPSK	-6MHz--5MHz	23.51	PASS
Band40	5	39150	8	#Max	QPSK	-10MHz--6MHz	11.30	PASS
Band40	5	39150	8	#Max	QPSK	0MHz-1MHz	20.93	PASS
Band40	5	39150	8	#Max	QPSK	1MHz-5MHz	20.93	PASS
Band40	5	39150	8	#Max	QPSK	5MHz-6MHz	23.29	PASS
Band40	5	39150	8	#Max	QPSK	6MHz-10MHz	11.47	PASS
Band40	5	39150	25	#0	QPSK	-1MHz-0MHz	25.45	PASS
Band40	5	39150	25	#0	QPSK	-5MHz--1MHz	21.70	PASS
Band40	5	39150	25	#0	QPSK	-6MHz--5MHz	22.60	PASS
Band40	5	39150	25	#0	QPSK	-10MHz--6MHz	10.62	PASS
Band40	5	39150	25	#0	QPSK	0MHz-1MHz	23.51	PASS
Band40	5	39150	25	#0	QPSK	1MHz-5MHz	21.63	PASS
Band40	5	39150	25	#0	QPSK	5MHz-6MHz	22.33	PASS
Band40	5	39150	25	#0	QPSK	6MHz-10MHz	10.58	PASS

Band40	5	39150	8	#0	16QAM	-1MHz-0MHz	21.31	PASS
Band40	5	39150	8	#0	16QAM	-5MHz--1MHz	20.79	PASS
Band40	5	39150	8	#0	16QAM	-6MHz--5MHz	23.34	PASS
Band40	5	39150	8	#0	16QAM	-10MHz--6MHz	11.43	PASS
Band40	5	39150	8	#0	16QAM	0MHz-1MHz	33.27	PASS
Band40	5	39150	8	#0	16QAM	1MHz-5MHz	23.87	PASS
Band40	5	39150	8	#0	16QAM	5MHz-6MHz	23.52	PASS
Band40	5	39150	8	#0	16QAM	6MHz-10MHz	11.55	PASS
Band40	5	39150	8	#Max	16QAM	-1MHz-0MHz	32.88	PASS
Band40	5	39150	8	#Max	16QAM	-5MHz--1MHz	24.14	PASS
Band40	5	39150	8	#Max	16QAM	-6MHz--5MHz	23.51	PASS
Band40	5	39150	8	#Max	16QAM	-10MHz--6MHz	11.43	PASS
Band40	5	39150	8	#Max	16QAM	0MHz-1MHz	20.98	PASS
Band40	5	39150	8	#Max	16QAM	1MHz-5MHz	21.12	PASS
Band40	5	39150	8	#Max	16QAM	5MHz-6MHz	23.31	PASS
Band40	5	39150	8	#Max	16QAM	6MHz-10MHz	11.50	PASS
Band40	5	39150	25	#0	16QAM	-1MHz-0MHz	24.17	PASS
Band40	5	39150	25	#0	16QAM	-5MHz--1MHz	20.06	PASS
Band40	5	39150	25	#0	16QAM	-6MHz--5MHz	22.36	PASS
Band40	5	39150	25	#0	16QAM	-10MHz--6MHz	10.74	PASS
Band40	5	39150	25	#0	16QAM	0MHz-1MHz	24.99	PASS
Band40	5	39150	25	#0	16QAM	1MHz-5MHz	20.09	PASS
Band40	5	39150	25	#0	16QAM	5MHz-6MHz	22.17	PASS
Band40	5	39150	25	#0	16QAM	6MHz-10MHz	10.59	PASS
Band40	5	39625	8	#0	QPSK	-1MHz-0MHz	20.28	PASS
Band40	5	39625	8	#0	QPSK	-5MHz--1MHz	19.72	PASS
Band40	5	39625	8	#0	QPSK	-6MHz--5MHz	23.47	PASS
Band40	5	39625	8	#0	QPSK	-10MHz--6MHz	11.63	PASS
Band40	5	39625	8	#0	QPSK	0MHz-1MHz	32.01	PASS
Band40	5	39625	8	#0	QPSK	1MHz-5MHz	23.36	PASS
Band40	5	39625	8	#0	QPSK	5MHz-6MHz	23.86	PASS
Band40	5	39625	8	#0	QPSK	6MHz-10MHz	11.94	PASS
Band40	5	39625	8	#Max	QPSK	-1MHz-0MHz	32.26	PASS
Band40	5	39625	8	#Max	QPSK	-5MHz--1MHz	22.90	PASS
Band40	5	39625	8	#Max	QPSK	-6MHz--5MHz	23.83	PASS
Band40	5	39625	8	#Max	QPSK	-10MHz--6MHz	11.74	PASS
Band40	5	39625	8	#Max	QPSK	0MHz-1MHz	20.03	PASS
Band40	5	39625	8	#Max	QPSK	1MHz-5MHz	20.44	PASS
Band40	5	39625	8	#Max	QPSK	5MHz-6MHz	23.54	PASS
Band40	5	39625	8	#Max	QPSK	6MHz-10MHz	11.59	PASS
Band40	5	39625	25	#0	QPSK	-1MHz-0MHz	26.21	PASS
Band40	5	39625	25	#0	QPSK	-5MHz--1MHz	21.76	PASS
Band40	5	39625	25	#0	QPSK	-6MHz--5MHz	22.80	PASS
Band40	5	39625	25	#0	QPSK	-10MHz--6MHz	10.57	PASS

Band40	5	39625	25	#0	QPSK	0MHz-1MHz	26.66	PASS
Band40	5	39625	25	#0	QPSK	1MHz-5MHz	22.64	PASS
Band40	5	39625	25	#0	QPSK	5MHz-6MHz	22.87	PASS
Band40	5	39625	25	#0	QPSK	6MHz-10MHz	10.82	PASS
Band40	5	39625	8	#0	16QAM	-1MHz-0MHz	22.75	PASS
Band40	5	39625	8	#0	16QAM	-5MHz--1MHz	21.08	PASS
Band40	5	39625	8	#0	16QAM	-6MHz--5MHz	23.55	PASS
Band40	5	39625	8	#0	16QAM	-10MHz--6MHz	11.73	PASS
Band40	5	39625	8	#0	16QAM	0MHz-1MHz	33.43	PASS
Band40	5	39625	8	#0	16QAM	1MHz-5MHz	24.35	PASS
Band40	5	39625	8	#0	16QAM	5MHz-6MHz	23.88	PASS
Band40	5	39625	8	#0	16QAM	6MHz-10MHz	12.01	PASS
Band40	5	39625	8	#Max	16QAM	-1MHz-0MHz	32.80	PASS
Band40	5	39625	8	#Max	16QAM	-5MHz--1MHz	24.19	PASS
Band40	5	39625	8	#Max	16QAM	-6MHz--5MHz	23.77	PASS
Band40	5	39625	8	#Max	16QAM	-10MHz--6MHz	11.64	PASS
Band40	5	39625	8	#Max	16QAM	0MHz-1MHz	20.79	PASS
Band40	5	39625	8	#Max	16QAM	1MHz-5MHz	21.67	PASS
Band40	5	39625	8	#Max	16QAM	5MHz-6MHz	23.61	PASS
Band40	5	39625	8	#Max	16QAM	6MHz-10MHz	11.83	PASS
Band40	5	39625	25	#0	16QAM	-1MHz-0MHz	26.22	PASS
Band40	5	39625	25	#0	16QAM	-5MHz--1MHz	21.06	PASS
Band40	5	39625	25	#0	16QAM	-6MHz--5MHz	22.57	PASS
Band40	5	39625	25	#0	16QAM	-10MHz--6MHz	10.84	PASS
Band40	5	39625	25	#0	16QAM	0MHz-1MHz	26.06	PASS
Band40	5	39625	25	#0	16QAM	1MHz-5MHz	21.92	PASS
Band40	5	39625	25	#0	16QAM	5MHz-6MHz	22.69	PASS
Band40	5	39625	25	#0	16QAM	6MHz-10MHz	10.99	PASS
Band40	10	38700	12	#0	QPSK	-1MHz-0MHz	19.64	PASS
Band40	10	38700	12	#0	QPSK	-5MHz--1MHz	22.21	PASS
Band40	10	38700	12	#0	QPSK	-10MHz--5MHz	22.87	PASS
Band40	10	38700	12	#0	QPSK	-15MHz--10MHz	10.92	PASS
Band40	10	38700	12	#0	QPSK	0MHz-1MHz	31.28	PASS
Band40	10	38700	12	#0	QPSK	1MHz-5MHz	24.27	PASS
Band40	10	38700	12	#0	QPSK	5MHz-10MHz	20.50	PASS
Band40	10	38700	12	#0	QPSK	10MHz-15MHz	11.97	PASS
Band40	10	38700	12	#Max	QPSK	-1MHz-0MHz	32.23	PASS
Band40	10	38700	12	#Max	QPSK	-5MHz--1MHz	25.71	PASS
Band40	10	38700	12	#Max	QPSK	-10MHz--5MHz	22.33	PASS
Band40	10	38700	12	#Max	QPSK	-15MHz--10MHz	10.67	PASS
Band40	10	38700	12	#Max	QPSK	0MHz-1MHz	19.22	PASS
Band40	10	38700	12	#Max	QPSK	1MHz-5MHz	21.30	PASS
Band40	10	38700	12	#Max	QPSK	5MHz-10MHz	22.25	PASS
Band40	10	38700	12	#Max	QPSK	10MHz-15MHz	11.87	PASS



Band40	10	38700	50	#0	QPSK	-1MHz-0MHz	24.86	PASS
Band40	10	38700	50	#0	QPSK	-5MHz--1MHz	20.87	PASS
Band40	10	38700	50	#0	QPSK	-10MHz--5MHz	21.00	PASS
Band40	10	38700	50	#0	QPSK	-15MHz--10MHz	10.74	PASS
Band40	10	38700	50	#0	QPSK	0MHz-1MHz	24.13	PASS
Band40	10	38700	50	#0	QPSK	1MHz-5MHz	19.75	PASS
Band40	10	38700	50	#0	QPSK	5MHz-10MHz	19.65	PASS
Band40	10	38700	50	#0	QPSK	10MHz-15MHz	10.87	PASS
Band40	10	38700	12	#0	16QAM	-1MHz-0MHz	20.86	PASS
Band40	10	38700	12	#0	16QAM	-5MHz--1MHz	20.62	PASS
Band40	10	38700	12	#0	16QAM	-10MHz--5MHz	22.92	PASS
Band40	10	38700	12	#0	16QAM	-15MHz--10MHz	10.69	PASS
Band40	10	38700	12	#0	16QAM	0MHz-1MHz	31.64	PASS
Band40	10	38700	12	#0	16QAM	1MHz-5MHz	24.49	PASS
Band40	10	38700	12	#0	16QAM	5MHz-10MHz	20.88	PASS
Band40	10	38700	12	#0	16QAM	10MHz-15MHz	11.97	PASS
Band40	10	38700	12	#Max	16QAM	-1MHz-0MHz	32.47	PASS
Band40	10	38700	12	#Max	16QAM	-5MHz--1MHz	25.83	PASS
Band40	10	38700	12	#Max	16QAM	-10MHz--5MHz	22.38	PASS
Band40	10	38700	12	#Max	16QAM	-15MHz--10MHz	10.83	PASS
Band40	10	38700	12	#Max	16QAM	0MHz-1MHz	20.10	PASS
Band40	10	38700	12	#Max	16QAM	1MHz-5MHz	20.11	PASS
Band40	10	38700	12	#Max	16QAM	5MHz-10MHz	22.35	PASS
Band40	10	38700	12	#Max	16QAM	10MHz-15MHz	11.80	PASS
Band40	10	38700	50	#0	16QAM	-1MHz-0MHz	24.82	PASS
Band40	10	38700	50	#0	16QAM	-5MHz--1MHz	21.08	PASS
Band40	10	38700	50	#0	16QAM	-10MHz--5MHz	20.84	PASS
Band40	10	38700	50	#0	16QAM	-15MHz--10MHz	10.80	PASS
Band40	10	38700	50	#0	16QAM	0MHz-1MHz	24.82	PASS
Band40	10	38700	50	#0	16QAM	1MHz-5MHz	20.30	PASS
Band40	10	38700	50	#0	16QAM	5MHz-10MHz	19.64	PASS
Band40	10	38700	50	#0	16QAM	10MHz-15MHz	10.91	PASS
Band40	10	39150	12	#0	QPSK	-1MHz-0MHz	19.94	PASS
Band40	10	39150	12	#0	QPSK	-5MHz--1MHz	21.77	PASS
Band40	10	39150	12	#0	QPSK	-10MHz--5MHz	22.19	PASS
Band40	10	39150	12	#0	QPSK	-15MHz--10MHz	10.37	PASS
Band40	10	39150	12	#0	QPSK	0MHz-1MHz	30.75	PASS
Band40	10	39150	12	#0	QPSK	1MHz-5MHz	24.82	PASS
Band40	10	39150	12	#0	QPSK	5MHz-10MHz	21.03	PASS
Band40	10	39150	12	#0	QPSK	10MHz-15MHz	11.53	PASS
Band40	10	39150	12	#Max	QPSK	-1MHz-0MHz	31.41	PASS
Band40	10	39150	12	#Max	QPSK	-5MHz--1MHz	25.34	PASS
Band40	10	39150	12	#Max	QPSK	-10MHz--5MHz	21.91	PASS
Band40	10	39150	12	#Max	QPSK	-15MHz--10MHz	10.46	PASS

Band40	10	39150	12	#Max	QPSK	0MHz-1MHz	22.66	PASS
Band40	10	39150	12	#Max	QPSK	1MHz-5MHz	21.61	PASS
Band40	10	39150	12	#Max	QPSK	5MHz-10MHz	22.23	PASS
Band40	10	39150	12	#Max	QPSK	10MHz-15MHz	11.45	PASS
Band40	10	39150	50	#0	QPSK	-1MHz-0MHz	26.96	PASS
Band40	10	39150	50	#0	QPSK	-5MHz--1MHz	23.17	PASS
Band40	10	39150	50	#0	QPSK	-10MHz--5MHz	21.62	PASS
Band40	10	39150	50	#0	QPSK	-15MHz--10MHz	10.08	PASS
Band40	10	39150	50	#0	QPSK	0MHz-1MHz	26.40	PASS
Band40	10	39150	50	#0	QPSK	1MHz-5MHz	22.83	PASS
Band40	10	39150	50	#0	QPSK	5MHz-10MHz	21.26	PASS
Band40	10	39150	50	#0	QPSK	10MHz-15MHz	10.77	PASS
Band40	10	39150	12	#0	16QAM	-1MHz-0MHz	21.09	PASS
Band40	10	39150	12	#0	16QAM	-5MHz--1MHz	21.42	PASS
Band40	10	39150	12	#0	16QAM	-10MHz--5MHz	22.32	PASS
Band40	10	39150	12	#0	16QAM	-15MHz--10MHz	10.40	PASS
Band40	10	39150	12	#0	16QAM	0MHz-1MHz	31.63	PASS
Band40	10	39150	12	#0	16QAM	1MHz-5MHz	24.91	PASS
Band40	10	39150	12	#0	16QAM	5MHz-10MHz	21.43	PASS
Band40	10	39150	12	#0	16QAM	10MHz-15MHz	11.40	PASS
Band40	10	39150	12	#Max	16QAM	-1MHz-0MHz	31.84	PASS
Band40	10	39150	12	#Max	16QAM	-5MHz--1MHz	25.47	PASS
Band40	10	39150	12	#Max	16QAM	-10MHz--5MHz	21.83	PASS
Band40	10	39150	12	#Max	16QAM	-15MHz--10MHz	10.38	PASS
Band40	10	39150	12	#Max	16QAM	0MHz-1MHz	19.56	PASS
Band40	10	39150	12	#Max	16QAM	1MHz-5MHz	20.77	PASS
Band40	10	39150	12	#Max	16QAM	5MHz-10MHz	22.12	PASS
Band40	10	39150	12	#Max	16QAM	10MHz-15MHz	11.40	PASS
Band40	10	39150	50	#0	16QAM	-1MHz-0MHz	26.99	PASS
Band40	10	39150	50	#0	16QAM	-5MHz--1MHz	21.89	PASS
Band40	10	39150	50	#0	16QAM	-10MHz--5MHz	20.87	PASS
Band40	10	39150	50	#0	16QAM	-15MHz--10MHz	10.17	PASS
Band40	10	39150	50	#0	16QAM	0MHz-1MHz	24.88	PASS
Band40	10	39150	50	#0	16QAM	1MHz-5MHz	21.70	PASS
Band40	10	39150	50	#0	16QAM	5MHz-10MHz	20.81	PASS
Band40	10	39150	50	#0	16QAM	10MHz-15MHz	10.73	PASS
Band40	10	39600	12	#0	QPSK	-1MHz-0MHz	20.48	PASS
Band40	10	39600	12	#0	QPSK	-5MHz--1MHz	22.55	PASS
Band40	10	39600	12	#0	QPSK	-10MHz--5MHz	22.29	PASS
Band40	10	39600	12	#0	QPSK	-15MHz--10MHz	10.64	PASS
Band40	10	39600	12	#0	QPSK	0MHz-1MHz	31.66	PASS
Band40	10	39600	12	#0	QPSK	1MHz-5MHz	25.74	PASS
Band40	10	39600	12	#0	QPSK	5MHz-10MHz	22.25	PASS
Band40	10	39600	12	#0	QPSK	10MHz-15MHz	11.88	PASS

Band40	10	39600	12	#Max	QPSK	-1MHz-0MHz	31.12	PASS
Band40	10	39600	12	#Max	QPSK	-5MHz--1MHz	25.34	PASS
Band40	10	39600	12	#Max	QPSK	-10MHz--5MHz	21.88	PASS
Band40	10	39600	12	#Max	QPSK	-15MHz--10MHz	10.61	PASS
Band40	10	39600	12	#Max	QPSK	0MHz-1MHz	22.49	PASS
Band40	10	39600	12	#Max	QPSK	1MHz-5MHz	23.11	PASS
Band40	10	39600	12	#Max	QPSK	5MHz-10MHz	22.62	PASS
Band40	10	39600	12	#Max	QPSK	10MHz-15MHz	11.77	PASS
Band40	10	39600	50	#0	QPSK	-1MHz-0MHz	26.39	PASS
Band40	10	39600	50	#0	QPSK	-5MHz--1MHz	22.84	PASS
Band40	10	39600	50	#0	QPSK	-10MHz--5MHz	21.31	PASS
Band40	10	39600	50	#0	QPSK	-15MHz--10MHz	10.16	PASS
Band40	10	39600	50	#0	QPSK	0MHz-1MHz	27.05	PASS
Band40	10	39600	50	#0	QPSK	1MHz-5MHz	24.47	PASS
Band40	10	39600	50	#0	QPSK	5MHz-10MHz	22.37	PASS
Band40	10	39600	50	#0	QPSK	10MHz-15MHz	11.43	PASS
Band40	10	39600	12	#0	16QAM	-1MHz-0MHz	22.02	PASS
Band40	10	39600	12	#0	16QAM	-5MHz--1MHz	22.00	PASS
Band40	10	39600	12	#0	16QAM	-10MHz--5MHz	22.27	PASS
Band40	10	39600	12	#0	16QAM	-15MHz--10MHz	10.73	PASS
Band40	10	39600	12	#0	16QAM	0MHz-1MHz	32.26	PASS
Band40	10	39600	12	#0	16QAM	1MHz-5MHz	25.82	PASS
Band40	10	39600	12	#0	16QAM	5MHz-10MHz	22.48	PASS
Band40	10	39600	12	#0	16QAM	10MHz-15MHz	11.93	PASS
Band40	10	39600	12	#Max	16QAM	-1MHz-0MHz	31.63	PASS
Band40	10	39600	12	#Max	16QAM	-5MHz--1MHz	25.42	PASS
Band40	10	39600	12	#Max	16QAM	-10MHz--5MHz	22.01	PASS
Band40	10	39600	12	#Max	16QAM	-15MHz--10MHz	10.69	PASS
Band40	10	39600	12	#Max	16QAM	0MHz-1MHz	22.73	PASS
Band40	10	39600	12	#Max	16QAM	1MHz-5MHz	22.86	PASS
Band40	10	39600	12	#Max	16QAM	5MHz-10MHz	22.80	PASS
Band40	10	39600	12	#Max	16QAM	10MHz-15MHz	11.81	PASS
Band40	10	39600	50	#0	16QAM	-1MHz-0MHz	25.53	PASS
Band40	10	39600	50	#0	16QAM	-5MHz--1MHz	22.02	PASS
Band40	10	39600	50	#0	16QAM	-10MHz--5MHz	20.54	PASS
Band40	10	39600	50	#0	16QAM	-15MHz--10MHz	10.25	PASS
Band40	10	39600	50	#0	16QAM	0MHz-1MHz	26.99	PASS
Band40	10	39600	50	#0	16QAM	1MHz-5MHz	23.47	PASS
Band40	10	39600	50	#0	16QAM	5MHz-10MHz	21.84	PASS
Band40	10	39600	50	#0	16QAM	10MHz-15MHz	11.33	PASS
Band40	20	38750	18	#0	QPSK	-1MHz-0MHz	22.03	PASS
Band40	20	38750	18	#0	QPSK	-5MHz--1MHz	23.22	PASS
Band40	20	38750	18	#0	QPSK	-20MHz--5MHz	22.46	PASS
Band40	20	38750	18	#0	QPSK	-25MHz--20MHz	12.44	PASS

Band40	20	38750	18	#0	QPSK	0MHz-1MHz	29.30	PASS
Band40	20	38750	18	#0	QPSK	1MHz-5MHz	26.46	PASS
Band40	20	38750	18	#0	QPSK	5MHz-20MHz	19.94	PASS
Band40	20	38750	18	#0	QPSK	20MHz-25MHz	11.90	PASS
Band40	20	38750	18	#Max	QPSK	-1MHz-0MHz	29.72	PASS
Band40	20	38750	18	#Max	QPSK	-5MHz--1MHz	26.25	PASS
Band40	20	38750	18	#Max	QPSK	-20MHz--5MHz	22.22	PASS
Band40	20	38750	18	#Max	QPSK	-25MHz--20MHz	12.47	PASS
Band40	20	38750	18	#Max	QPSK	0MHz-1MHz	22.25	PASS
Band40	20	38750	18	#Max	QPSK	1MHz-5MHz	23.39	PASS
Band40	20	38750	18	#Max	QPSK	5MHz-20MHz	22.57	PASS
Band40	20	38750	18	#Max	QPSK	20MHz-25MHz	11.86	PASS
Band40	20	38750	100	#0	QPSK	-1MHz-0MHz	25.52	PASS
Band40	20	38750	100	#0	QPSK	-5MHz--1MHz	23.28	PASS
Band40	20	38750	100	#0	QPSK	-20MHz--5MHz	21.44	PASS
Band40	20	38750	100	#0	QPSK	-25MHz--20MHz	12.57	PASS
Band40	20	38750	100	#0	QPSK	0MHz-1MHz	24.60	PASS
Band40	20	38750	100	#0	QPSK	1MHz-5MHz	22.52	PASS
Band40	20	38750	100	#0	QPSK	5MHz-20MHz	20.48	PASS
Band40	20	38750	100	#0	QPSK	20MHz-25MHz	11.51	PASS
Band40	20	38750	18	#0	16QAM	-1MHz-0MHz	20.74	PASS
Band40	20	38750	18	#0	16QAM	-5MHz--1MHz	21.92	PASS
Band40	20	38750	18	#0	16QAM	-20MHz--5MHz	22.38	PASS
Band40	20	38750	18	#0	16QAM	-25MHz--20MHz	12.52	PASS
Band40	20	38750	18	#0	16QAM	0MHz-1MHz	29.66	PASS
Band40	20	38750	18	#0	16QAM	1MHz-5MHz	26.41	PASS
Band40	20	38750	18	#0	16QAM	5MHz-20MHz	20.48	PASS
Band40	20	38750	18	#0	16QAM	20MHz-25MHz	11.90	PASS
Band40	20	38750	18	#Max	16QAM	-1MHz-0MHz	30.12	PASS
Band40	20	38750	18	#Max	16QAM	-5MHz--1MHz	26.30	PASS
Band40	20	38750	18	#Max	16QAM	-20MHz--5MHz	22.33	PASS
Band40	20	38750	18	#Max	16QAM	-25MHz--20MHz	12.52	PASS
Band40	20	38750	18	#Max	16QAM	0MHz-1MHz	21.84	PASS
Band40	20	38750	18	#Max	16QAM	1MHz-5MHz	22.43	PASS
Band40	20	38750	18	#Max	16QAM	5MHz-20MHz	22.44	PASS
Band40	20	38750	18	#Max	16QAM	20MHz-25MHz	11.88	PASS
Band40	20	38750	100	#0	16QAM	-1MHz-0MHz	25.52	PASS
Band40	20	38750	100	#0	16QAM	-5MHz--1MHz	23.26	PASS
Band40	20	38750	100	#0	16QAM	-20MHz--5MHz	21.14	PASS
Band40	20	38750	100	#0	16QAM	-25MHz--20MHz	12.47	PASS
Band40	20	38750	100	#0	16QAM	0MHz-1MHz	24.85	PASS
Band40	20	38750	100	#0	16QAM	1MHz-5MHz	22.54	PASS
Band40	20	38750	100	#0	16QAM	5MHz-20MHz	20.27	PASS
Band40	20	38750	100	#0	16QAM	20MHz-25MHz	11.55	PASS

Band40	20	39150	18	#0	QPSK	-1MHz-0MHz	22.37	PASS
Band40	20	39150	18	#0	QPSK	-5MHz--1MHz	23.21	PASS
Band40	20	39150	18	#0	QPSK	-20MHz--5MHz	21.83	PASS
Band40	20	39150	18	#0	QPSK	-25MHz--20MHz	12.02	PASS
Band40	20	39150	18	#0	QPSK	0MHz-1MHz	29.53	PASS
Band40	20	39150	18	#0	QPSK	1MHz-5MHz	26.11	PASS
Band40	20	39150	18	#0	QPSK	5MHz-20MHz	20.60	PASS
Band40	20	39150	18	#0	QPSK	20MHz-25MHz	12.27	PASS
Band40	20	39150	18	#Max	QPSK	-1MHz-0MHz	29.85	PASS
Band40	20	39150	18	#Max	QPSK	-5MHz--1MHz	25.82	PASS
Band40	20	39150	18	#Max	QPSK	-20MHz--5MHz	21.66	PASS
Band40	20	39150	18	#Max	QPSK	-25MHz--20MHz	12.09	PASS
Band40	20	39150	18	#Max	QPSK	0MHz-1MHz	21.92	PASS
Band40	20	39150	18	#Max	QPSK	1MHz-5MHz	22.16	PASS
Band40	20	39150	18	#Max	QPSK	5MHz-20MHz	22.05	PASS
Band40	20	39150	18	#Max	QPSK	20MHz-25MHz	12.32	PASS
Band40	20	39150	100	#0	QPSK	-1MHz-0MHz	26.76	PASS
Band40	20	39150	100	#0	QPSK	-5MHz--1MHz	23.84	PASS
Band40	20	39150	100	#0	QPSK	-20MHz--5MHz	21.29	PASS
Band40	20	39150	100	#0	QPSK	-25MHz--20MHz	11.82	PASS
Band40	20	39150	100	#0	QPSK	0MHz-1MHz	25.82	PASS
Band40	20	39150	100	#0	QPSK	1MHz-5MHz	23.36	PASS
Band40	20	39150	100	#0	QPSK	5MHz-20MHz	21.28	PASS
Band40	20	39150	100	#0	QPSK	20MHz-25MHz	11.96	PASS
Band40	20	39150	18	#0	16QAM	-1MHz-0MHz	20.99	PASS
Band40	20	39150	18	#0	16QAM	-5MHz--1MHz	22.78	PASS
Band40	20	39150	18	#0	16QAM	-20MHz--5MHz	21.91	PASS
Band40	20	39150	18	#0	16QAM	-25MHz--20MHz	12.07	PASS
Band40	20	39150	18	#0	16QAM	0MHz-1MHz	29.54	PASS
Band40	20	39150	18	#0	16QAM	1MHz-5MHz	26.12	PASS
Band40	20	39150	18	#0	16QAM	5MHz-20MHz	21.00	PASS
Band40	20	39150	18	#0	16QAM	20MHz-25MHz	12.33	PASS
Band40	20	39150	18	#Max	16QAM	-1MHz-0MHz	29.64	PASS
Band40	20	39150	18	#Max	16QAM	-5MHz--1MHz	25.69	PASS
Band40	20	39150	18	#Max	16QAM	-20MHz--5MHz	21.79	PASS
Band40	20	39150	18	#Max	16QAM	-25MHz--20MHz	12.17	PASS
Band40	20	39150	18	#Max	16QAM	0MHz-1MHz	21.51	PASS
Band40	20	39150	18	#Max	16QAM	1MHz-5MHz	22.18	PASS
Band40	20	39150	18	#Max	16QAM	5MHz-20MHz	22.23	PASS
Band40	20	39150	18	#Max	16QAM	20MHz-25MHz	12.24	PASS
Band40	20	39150	100	#0	16QAM	-1MHz-0MHz	26.41	PASS
Band40	20	39150	100	#0	16QAM	-5MHz--1MHz	23.67	PASS
Band40	20	39150	100	#0	16QAM	-20MHz--5MHz	21.14	PASS
Band40	20	39150	100	#0	16QAM	-25MHz--20MHz	11.84	PASS

Band40	20	39150	100	#0	16QAM	0MHz-1MHz	25.77	PASS
Band40	20	39150	100	#0	16QAM	1MHz-5MHz	23.35	PASS
Band40	20	39150	100	#0	16QAM	5MHz-20MHz	20.88	PASS
Band40	20	39150	100	#0	16QAM	20MHz-25MHz	11.90	PASS
Band40	20	39550	18	#0	QPSK	-1MHz-0MHz	22.37	PASS
Band40	20	39550	18	#0	QPSK	-5MHz--1MHz	22.28	PASS
Band40	20	39550	18	#0	QPSK	-20MHz--5MHz	21.86	PASS
Band40	20	39550	18	#0	QPSK	-25MHz--20MHz	12.53	PASS
Band40	20	39550	18	#0	QPSK	0MHz-1MHz	30.13	PASS
Band40	20	39550	18	#0	QPSK	1MHz-5MHz	26.65	PASS
Band40	20	39550	18	#0	QPSK	5MHz-20MHz	22.16	PASS
Band40	20	39550	18	#0	QPSK	20MHz-25MHz	12.05	PASS
Band40	20	39550	18	#Max	QPSK	-1MHz-0MHz	29.59	PASS
Band40	20	39550	18	#Max	QPSK	-5MHz--1MHz	25.70	PASS
Band40	20	39550	18	#Max	QPSK	-20MHz--5MHz	21.67	PASS
Band40	20	39550	18	#Max	QPSK	-25MHz--20MHz	12.52	PASS
Band40	20	39550	18	#Max	QPSK	0MHz-1MHz	24.42	PASS
Band40	20	39550	18	#Max	QPSK	1MHz-5MHz	24.04	PASS
Band40	20	39550	18	#Max	QPSK	5MHz-20MHz	22.53	PASS
Band40	20	39550	18	#Max	QPSK	20MHz-25MHz	12.04	PASS
Band40	20	39550	100	#0	QPSK	-1MHz-0MHz	24.83	PASS
Band40	20	39550	100	#0	QPSK	-5MHz--1MHz	23.70	PASS
Band40	20	39550	100	#0	QPSK	-20MHz--5MHz	21.30	PASS
Band40	20	39550	100	#0	QPSK	-25MHz--20MHz	12.24	PASS
Band40	20	39550	100	#0	QPSK	0MHz-1MHz	29.01	PASS
Band40	20	39550	100	#0	QPSK	1MHz-5MHz	25.82	PASS
Band40	20	39550	100	#0	QPSK	5MHz-20MHz	22.98	PASS
Band40	20	39550	100	#0	QPSK	20MHz-25MHz	11.98	PASS
Band40	20	39550	18	#0	16QAM	-1MHz-0MHz	19.91	PASS
Band40	20	39550	18	#0	16QAM	-5MHz--1MHz	21.04	PASS
Band40	20	39550	18	#0	16QAM	-20MHz--5MHz	21.90	PASS
Band40	20	39550	18	#0	16QAM	-25MHz--20MHz	12.48	PASS
Band40	20	39550	18	#0	16QAM	0MHz-1MHz	30.08	PASS
Band40	20	39550	18	#0	16QAM	1MHz-5MHz	26.70	PASS
Band40	20	39550	18	#0	16QAM	5MHz-20MHz	22.36	PASS
Band40	20	39550	18	#0	16QAM	20MHz-25MHz	12.04	PASS
Band40	20	39550	18	#Max	16QAM	-1MHz-0MHz	28.89	PASS
Band40	20	39550	18	#Max	16QAM	-5MHz--1MHz	25.75	PASS
Band40	20	39550	18	#Max	16QAM	-20MHz--5MHz	21.64	PASS
Band40	20	39550	18	#Max	16QAM	-25MHz--20MHz	12.55	PASS
Band40	20	39550	18	#Max	16QAM	0MHz-1MHz	23.62	PASS
Band40	20	39550	18	#Max	16QAM	1MHz-5MHz	23.28	PASS
Band40	20	39550	18	#Max	16QAM	5MHz-20MHz	22.56	PASS
Band40	20	39550	18	#Max	16QAM	20MHz-25MHz	11.95	PASS



Band40	20	39550	100	#0	16QAM	-1MHz-0MHz	25.55	PASS
Band40	20	39550	100	#0	16QAM	-5MHz--1MHz	23.39	PASS
Band40	20	39550	100	#0	16QAM	-20MHz--5MHz	20.73	PASS
Band40	20	39550	100	#0	16QAM	-25MHz--20MHz	12.16	PASS
Band40	20	39550	100	#0	16QAM	0MHz-1MHz	28.41	PASS
Band40	20	39550	100	#0	16QAM	1MHz-5MHz	25.41	PASS
Band40	20	39550	100	#0	16QAM	5MHz-20MHz	22.61	PASS
Band40	20	39550	100	#0	16QAM	20MHz-25MHz	11.92	PASS
Band7	5	20775	8	#0	QPSK	-1MHz-0MHz	13.96	PASS
Band7	5	20775	8	#0	QPSK	-5MHz--1MHz	15.74	PASS
Band7	5	20775	8	#0	QPSK	-6MHz--5MHz	23.36	PASS
Band7	5	20775	8	#0	QPSK	-10MHz--6MHz	11.36	PASS
Band7	5	20775	8	#0	QPSK	0MHz-1MHz	31.07	PASS
Band7	5	20775	8	#0	QPSK	1MHz-5MHz	23.21	PASS
Band7	5	20775	8	#0	QPSK	5MHz-6MHz	23.73	PASS
Band7	5	20775	8	#0	QPSK	6MHz-10MHz	11.81	PASS
Band7	5	20775	8	#Max	QPSK	-1MHz-0MHz	31.87	PASS
Band7	5	20775	8	#Max	QPSK	-5MHz--1MHz	24.01	PASS
Band7	5	20775	8	#Max	QPSK	-6MHz--5MHz	23.66	PASS
Band7	5	20775	8	#Max	QPSK	-10MHz--6MHz	11.51	PASS
Band7	5	20775	8	#Max	QPSK	0MHz-1MHz	10.70	PASS
Band7	5	20775	8	#Max	QPSK	1MHz-5MHz	13.34	PASS
Band7	5	20775	8	#Max	QPSK	5MHz-6MHz	23.33	PASS
Band7	5	20775	8	#Max	QPSK	6MHz-10MHz	11.72	PASS
Band7	5	20775	25	#0	QPSK	-1MHz-0MHz	23.31	PASS
Band7	5	20775	25	#0	QPSK	-5MHz--1MHz	16.50	PASS
Band7	5	20775	25	#0	QPSK	-6MHz--5MHz	21.04	PASS
Band7	5	20775	25	#0	QPSK	-10MHz--6MHz	9.99	PASS
Band7	5	20775	25	#0	QPSK	0MHz-1MHz	21.54	PASS
Band7	5	20775	25	#0	QPSK	1MHz-5MHz	14.63	PASS
Band7	5	20775	25	#0	QPSK	5MHz-6MHz	19.90	PASS
Band7	5	20775	25	#0	QPSK	6MHz-10MHz	9.46	PASS
Band7	5	20775	8	#0	16QAM	-1MHz-0MHz	14.39	PASS
Band7	5	20775	8	#0	16QAM	-5MHz--1MHz	17.06	PASS
Band7	5	20775	8	#0	16QAM	-6MHz--5MHz	23.32	PASS
Band7	5	20775	8	#0	16QAM	-10MHz--6MHz	11.45	PASS
Band7	5	20775	8	#0	16QAM	0MHz-1MHz	31.73	PASS
Band7	5	20775	8	#0	16QAM	1MHz-5MHz	23.48	PASS
Band7	5	20775	8	#0	16QAM	5MHz-6MHz	23.69	PASS
Band7	5	20775	8	#0	16QAM	6MHz-10MHz	11.82	PASS
Band7	5	20775	8	#Max	16QAM	-1MHz-0MHz	32.30	PASS
Band7	5	20775	8	#Max	16QAM	-5MHz--1MHz	24.24	PASS
Band7	5	20775	8	#Max	16QAM	-6MHz--5MHz	23.57	PASS
Band7	5	20775	8	#Max	16QAM	-10MHz--6MHz	11.47	PASS

Band7	5	20775	8	#Max	16QAM	0MHz-1MHz	12.86	PASS
Band7	5	20775	8	#Max	16QAM	1MHz-5MHz	15.37	PASS
Band7	5	20775	8	#Max	16QAM	5MHz-6MHz	23.32	PASS
Band7	5	20775	8	#Max	16QAM	6MHz-10MHz	11.66	PASS
Band7	5	20775	25	#0	16QAM	-1MHz-0MHz	21.90	PASS
Band7	5	20775	25	#0	16QAM	-5MHz--1MHz	16.75	PASS
Band7	5	20775	25	#0	16QAM	-6MHz--5MHz	21.45	PASS
Band7	5	20775	25	#0	16QAM	-10MHz--6MHz	10.21	PASS
Band7	5	20775	25	#0	16QAM	0MHz-1MHz	22.00	PASS
Band7	5	20775	25	#0	16QAM	1MHz-5MHz	14.74	PASS
Band7	5	20775	25	#0	16QAM	5MHz-6MHz	20.22	PASS
Band7	5	20775	25	#0	16QAM	6MHz-10MHz	9.71	PASS
Band7	5	21100	8	#0	QPSK	-1MHz-0MHz	15.70	PASS
Band7	5	21100	8	#0	QPSK	-5MHz--1MHz	17.04	PASS
Band7	5	21100	8	#0	QPSK	-6MHz--5MHz	23.15	PASS
Band7	5	21100	8	#0	QPSK	-10MHz--6MHz	11.47	PASS
Band7	5	21100	8	#0	QPSK	0MHz-1MHz	30.99	PASS
Band7	5	21100	8	#0	QPSK	1MHz-5MHz	23.36	PASS
Band7	5	21100	8	#0	QPSK	5MHz-6MHz	23.67	PASS
Band7	5	21100	8	#0	QPSK	6MHz-10MHz	11.80	PASS
Band7	5	21100	8	#Max	QPSK	-1MHz-0MHz	30.96	PASS
Band7	5	21100	8	#Max	QPSK	-5MHz--1MHz	23.98	PASS
Band7	5	21100	8	#Max	QPSK	-6MHz--5MHz	23.62	PASS
Band7	5	21100	8	#Max	QPSK	-10MHz--6MHz	11.38	PASS
Band7	5	21100	8	#Max	QPSK	0MHz-1MHz	11.72	PASS
Band7	5	21100	8	#Max	QPSK	1MHz-5MHz	14.39	PASS
Band7	5	21100	8	#Max	QPSK	5MHz-6MHz	23.32	PASS
Band7	5	21100	8	#Max	QPSK	6MHz-10MHz	11.71	PASS
Band7	5	21100	25	#0	QPSK	-1MHz-0MHz	24.48	PASS
Band7	5	21100	25	#0	QPSK	-5MHz--1MHz	19.57	PASS
Band7	5	21100	25	#0	QPSK	-6MHz--5MHz	21.46	PASS
Band7	5	21100	25	#0	QPSK	-10MHz--6MHz	9.54	PASS
Band7	5	21100	25	#0	QPSK	0MHz-1MHz	23.43	PASS
Band7	5	21100	25	#0	QPSK	1MHz-5MHz	18.37	PASS
Band7	5	21100	25	#0	QPSK	5MHz-6MHz	20.52	PASS
Band7	5	21100	25	#0	QPSK	6MHz-10MHz	9.15	PASS
Band7	5	21100	8	#0	16QAM	-1MHz-0MHz	20.86	PASS
Band7	5	21100	8	#0	16QAM	-5MHz--1MHz	19.12	PASS
Band7	5	21100	8	#0	16QAM	-6MHz--5MHz	23.35	PASS
Band7	5	21100	8	#0	16QAM	-10MHz--6MHz	11.45	PASS
Band7	5	21100	8	#0	16QAM	0MHz-1MHz	32.02	PASS
Band7	5	21100	8	#0	16QAM	1MHz-5MHz	23.49	PASS
Band7	5	21100	8	#0	16QAM	5MHz-6MHz	23.64	PASS
Band7	5	21100	8	#0	16QAM	6MHz-10MHz	11.86	PASS

Band7	5	21100	8	#Max	16QAM	-1MHz-0MHz	32.62	PASS
Band7	5	21100	8	#Max	16QAM	-5MHz--1MHz	24.25	PASS
Band7	5	21100	8	#Max	16QAM	-6MHz--5MHz	23.51	PASS
Band7	5	21100	8	#Max	16QAM	-10MHz--6MHz	11.45	PASS
Band7	5	21100	8	#Max	16QAM	0MHz-1MHz	16.98	PASS
Band7	5	21100	8	#Max	16QAM	1MHz-5MHz	17.42	PASS
Band7	5	21100	8	#Max	16QAM	5MHz-6MHz	23.40	PASS
Band7	5	21100	8	#Max	16QAM	6MHz-10MHz	11.79	PASS
Band7	5	21100	25	#0	16QAM	-1MHz-0MHz	25.17	PASS
Band7	5	21100	25	#0	16QAM	-5MHz--1MHz	19.18	PASS
Band7	5	21100	25	#0	16QAM	-6MHz--5MHz	21.10	PASS
Band7	5	21100	25	#0	16QAM	-10MHz--6MHz	10.01	PASS
Band7	5	21100	25	#0	16QAM	0MHz-1MHz	23.99	PASS
Band7	5	21100	25	#0	16QAM	1MHz-5MHz	18.02	PASS
Band7	5	21100	25	#0	16QAM	5MHz-6MHz	20.25	PASS
Band7	5	21100	25	#0	16QAM	6MHz-10MHz	9.49	PASS
Band7	5	21425	8	#0	QPSK	-1MHz-0MHz	16.12	PASS
Band7	5	21425	8	#0	QPSK	-5MHz--1MHz	18.45	PASS
Band7	5	21425	8	#0	QPSK	-6MHz--5MHz	23.11	PASS
Band7	5	21425	8	#0	QPSK	-10MHz--6MHz	11.47	PASS
Band7	5	21425	8	#0	QPSK	0MHz-1MHz	31.67	PASS
Band7	5	21425	8	#0	QPSK	1MHz-5MHz	23.53	PASS
Band7	5	21425	8	#0	QPSK	5MHz-6MHz	23.78	PASS
Band7	5	21425	8	#0	QPSK	6MHz-10MHz	11.74	PASS
Band7	5	21425	8	#Max	QPSK	-1MHz-0MHz	31.40	PASS
Band7	5	21425	8	#Max	QPSK	-5MHz--1MHz	23.95	PASS
Band7	5	21425	8	#Max	QPSK	-6MHz--5MHz	23.65	PASS
Band7	5	21425	8	#Max	QPSK	-10MHz--6MHz	11.40	PASS
Band7	5	21425	8	#Max	QPSK	0MHz-1MHz	8.26	PASS
Band7	5	21425	8	#Max	QPSK	1MHz-5MHz	11.73	PASS
Band7	5	21425	8	#Max	QPSK	5MHz-6MHz	23.49	PASS
Band7	5	21425	8	#Max	QPSK	6MHz-10MHz	11.68	PASS
Band7	5	21425	25	#0	QPSK	-1MHz-0MHz	21.19	PASS
Band7	5	21425	25	#0	QPSK	-5MHz--1MHz	16.17	PASS
Band7	5	21425	25	#0	QPSK	-6MHz--5MHz	20.92	PASS
Band7	5	21425	25	#0	QPSK	-10MHz--6MHz	9.54	PASS
Band7	5	21425	25	#0	QPSK	0MHz-1MHz	21.84	PASS
Band7	5	21425	25	#0	QPSK	1MHz-5MHz	14.43	PASS
Band7	5	21425	25	#0	QPSK	5MHz-6MHz	20.96	PASS
Band7	5	21425	25	#0	QPSK	6MHz-10MHz	10.01	PASS
Band7	5	21425	8	#0	16QAM	-1MHz-0MHz	18.94	PASS
Band7	5	21425	8	#0	16QAM	-5MHz--1MHz	19.91	PASS
Band7	5	21425	8	#0	16QAM	-6MHz--5MHz	23.41	PASS
Band7	5	21425	8	#0	16QAM	-10MHz--6MHz	11.45	PASS

Band7	5	21425	8	#0	16QAM	0MHz-1MHz	31.98	PASS
Band7	5	21425	8	#0	16QAM	1MHz-5MHz	23.61	PASS
Band7	5	21425	8	#0	16QAM	5MHz-6MHz	23.73	PASS
Band7	5	21425	8	#0	16QAM	6MHz-10MHz	11.76	PASS
Band7	5	21425	8	#Max	16QAM	-1MHz-0MHz	32.30	PASS
Band7	5	21425	8	#Max	16QAM	-5MHz--1MHz	24.49	PASS
Band7	5	21425	8	#Max	16QAM	-6MHz--5MHz	23.64	PASS
Band7	5	21425	8	#Max	16QAM	-10MHz--6MHz	11.44	PASS
Band7	5	21425	8	#Max	16QAM	0MHz-1MHz	12.37	PASS
Band7	5	21425	8	#Max	16QAM	1MHz-5MHz	15.63	PASS
Band7	5	21425	8	#Max	16QAM	5MHz-6MHz	23.52	PASS
Band7	5	21425	8	#Max	16QAM	6MHz-10MHz	11.73	PASS
Band7	5	21425	25	#0	16QAM	-1MHz-0MHz	23.79	PASS
Band7	5	21425	25	#0	16QAM	-5MHz--1MHz	18.55	PASS
Band7	5	21425	25	#0	16QAM	-6MHz--5MHz	21.52	PASS
Band7	5	21425	25	#0	16QAM	-10MHz--6MHz	10.16	PASS
Band7	5	21425	25	#0	16QAM	0MHz-1MHz	23.25	PASS
Band7	5	21425	25	#0	16QAM	1MHz-5MHz	16.48	PASS
Band7	5	21425	25	#0	16QAM	5MHz-6MHz	21.33	PASS
Band7	5	21425	25	#0	16QAM	6MHz-10MHz	10.33	PASS
Band7	10	20800	12	#0	QPSK	-1MHz-0MHz	12.38	PASS
Band7	10	20800	12	#0	QPSK	-5MHz--1MHz	13.23	PASS
Band7	10	20800	12	#0	QPSK	-10MHz--5MHz	22.13	PASS
Band7	10	20800	12	#0	QPSK	-15MHz--10MHz	10.42	PASS
Band7	10	20800	12	#0	QPSK	0MHz-1MHz	31.17	PASS
Band7	10	20800	12	#0	QPSK	1MHz-5MHz	24.59	PASS
Band7	10	20800	12	#0	QPSK	5MHz-10MHz	21.03	PASS
Band7	10	20800	12	#0	QPSK	10MHz-15MHz	11.78	PASS
Band7	10	20800	12	#Max	QPSK	-1MHz-0MHz	31.57	PASS
Band7	10	20800	12	#Max	QPSK	-5MHz--1MHz	25.52	PASS
Band7	10	20800	12	#Max	QPSK	-10MHz--5MHz	22.21	PASS
Band7	10	20800	12	#Max	QPSK	-15MHz--10MHz	10.29	PASS
Band7	10	20800	12	#Max	QPSK	0MHz-1MHz	8.34	PASS
Band7	10	20800	12	#Max	QPSK	1MHz-5MHz	10.24	PASS
Band7	10	20800	12	#Max	QPSK	5MHz-10MHz	21.87	PASS
Band7	10	20800	12	#Max	QPSK	10MHz-15MHz	11.64	PASS
Band7	10	20800	50	#0	QPSK	-1MHz-0MHz	18.87	PASS
Band7	10	20800	50	#0	QPSK	-5MHz--1MHz	14.95	PASS
Band7	10	20800	50	#0	QPSK	-10MHz--5MHz	15.89	PASS
Band7	10	20800	50	#0	QPSK	-15MHz--10MHz	9.17	PASS
Band7	10	20800	50	#0	QPSK	0MHz-1MHz	17.82	PASS
Band7	10	20800	50	#0	QPSK	1MHz-5MHz	13.31	PASS
Band7	10	20800	50	#0	QPSK	5MHz-10MHz	13.77	PASS
Band7	10	20800	50	#0	QPSK	10MHz-15MHz	8.00	PASS

Band7	10	20800	12	#0	16QAM	-1MHz-0MHz	12.41	PASS
Band7	10	20800	12	#0	16QAM	-5MHz--1MHz	15.14	PASS
Band7	10	20800	12	#0	16QAM	-10MHz--5MHz	22.30	PASS
Band7	10	20800	12	#0	16QAM	-15MHz--10MHz	10.32	PASS
Band7	10	20800	12	#0	16QAM	0MHz-1MHz	31.56	PASS
Band7	10	20800	12	#0	16QAM	1MHz-5MHz	25.15	PASS
Band7	10	20800	12	#0	16QAM	5MHz-10MHz	21.76	PASS
Band7	10	20800	12	#0	16QAM	10MHz-15MHz	11.72	PASS
Band7	10	20800	12	#Max	16QAM	-1MHz-0MHz	32.06	PASS
Band7	10	20800	12	#Max	16QAM	-5MHz--1MHz	25.75	PASS
Band7	10	20800	12	#Max	16QAM	-10MHz--5MHz	22.25	PASS
Band7	10	20800	12	#Max	16QAM	-15MHz--10MHz	10.25	PASS
Band7	10	20800	12	#Max	16QAM	0MHz-1MHz	8.66	PASS
Band7	10	20800	12	#Max	16QAM	1MHz-5MHz	13.02	PASS
Band7	10	20800	12	#Max	16QAM	5MHz-10MHz	22.28	PASS
Band7	10	20800	12	#Max	16QAM	10MHz-15MHz	11.62	PASS
Band7	10	20800	50	#0	16QAM	-1MHz-0MHz	20.09	PASS
Band7	10	20800	50	#0	16QAM	-5MHz--1MHz	15.91	PASS
Band7	10	20800	50	#0	16QAM	-10MHz--5MHz	17.19	PASS
Band7	10	20800	50	#0	16QAM	-15MHz--10MHz	9.71	PASS
Band7	10	20800	50	#0	16QAM	0MHz-1MHz	18.61	PASS
Band7	10	20800	50	#0	16QAM	1MHz-5MHz	14.19	PASS
Band7	10	20800	50	#0	16QAM	5MHz-10MHz	15.29	PASS
Band7	10	20800	50	#0	16QAM	10MHz-15MHz	8.90	PASS
Band7	10	21100	12	#0	QPSK	-1MHz-0MHz	18.26	PASS
Band7	10	21100	12	#0	QPSK	-5MHz--1MHz	17.13	PASS
Band7	10	21100	12	#0	QPSK	-10MHz--5MHz	21.88	PASS
Band7	10	21100	12	#0	QPSK	-15MHz--10MHz	10.34	PASS
Band7	10	21100	12	#0	QPSK	0MHz-1MHz	30.93	PASS
Band7	10	21100	12	#0	QPSK	1MHz-5MHz	24.87	PASS
Band7	10	21100	12	#0	QPSK	5MHz-10MHz	21.32	PASS
Band7	10	21100	12	#0	QPSK	10MHz-15MHz	11.68	PASS
Band7	10	21100	12	#Max	QPSK	-1MHz-0MHz	30.96	PASS
Band7	10	21100	12	#Max	QPSK	-5MHz--1MHz	25.50	PASS
Band7	10	21100	12	#Max	QPSK	-10MHz--5MHz	22.22	PASS
Band7	10	21100	12	#Max	QPSK	-15MHz--10MHz	10.42	PASS
Band7	10	21100	12	#Max	QPSK	0MHz-1MHz	10.37	PASS
Band7	10	21100	12	#Max	QPSK	1MHz-5MHz	11.67	PASS
Band7	10	21100	12	#Max	QPSK	5MHz-10MHz	21.89	PASS
Band7	10	21100	12	#Max	QPSK	10MHz-15MHz	11.65	PASS
Band7	10	21100	50	#0	QPSK	-1MHz-0MHz	24.45	PASS
Band7	10	21100	50	#0	QPSK	-5MHz--1MHz	20.40	PASS
Band7	10	21100	50	#0	QPSK	-10MHz--5MHz	19.46	PASS
Band7	10	21100	50	#0	QPSK	-15MHz--10MHz	9.37	PASS

Band7	10	21100	50	#0	QPSK	0MHz-1MHz	22.98	PASS
Band7	10	21100	50	#0	QPSK	1MHz-5MHz	18.82	PASS
Band7	10	21100	50	#0	QPSK	5MHz-10MHz	17.85	PASS
Band7	10	21100	50	#0	QPSK	10MHz-15MHz	10.01	PASS
Band7	10	21100	12	#0	16QAM	-1MHz-0MHz	18.93	PASS
Band7	10	21100	12	#0	16QAM	-5MHz--1MHz	18.37	PASS
Band7	10	21100	12	#0	16QAM	-10MHz--5MHz	22.22	PASS
Band7	10	21100	12	#0	16QAM	-15MHz--10MHz	10.35	PASS
Band7	10	21100	12	#0	16QAM	0MHz-1MHz	31.70	PASS
Band7	10	21100	12	#0	16QAM	1MHz-5MHz	25.06	PASS
Band7	10	21100	12	#0	16QAM	5MHz-10MHz	21.75	PASS
Band7	10	21100	12	#0	16QAM	10MHz-15MHz	11.77	PASS
Band7	10	21100	12	#Max	16QAM	-1MHz-0MHz	32.02	PASS
Band7	10	21100	12	#Max	16QAM	-5MHz--1MHz	25.61	PASS
Band7	10	21100	12	#Max	16QAM	-10MHz--5MHz	22.30	PASS
Band7	10	21100	12	#Max	16QAM	-15MHz--10MHz	10.34	PASS
Band7	10	21100	12	#Max	16QAM	0MHz-1MHz	12.08	PASS
Band7	10	21100	12	#Max	16QAM	1MHz-5MHz	13.87	PASS
Band7	10	21100	12	#Max	16QAM	5MHz-10MHz	22.29	PASS
Band7	10	21100	12	#Max	16QAM	10MHz-15MHz	11.72	PASS
Band7	10	21100	50	#0	16QAM	-1MHz-0MHz	25.04	PASS
Band7	10	21100	50	#0	16QAM	-5MHz--1MHz	20.49	PASS
Band7	10	21100	50	#0	16QAM	-10MHz--5MHz	20.14	PASS
Band7	10	21100	50	#0	16QAM	-15MHz--10MHz	9.74	PASS
Band7	10	21100	50	#0	16QAM	0MHz-1MHz	23.67	PASS
Band7	10	21100	50	#0	16QAM	1MHz-5MHz	19.02	PASS
Band7	10	21100	50	#0	16QAM	5MHz-10MHz	18.59	PASS
Band7	10	21100	50	#0	16QAM	10MHz-15MHz	10.00	PASS
Band7	10	21400	12	#0	QPSK	-1MHz-0MHz	17.41	PASS
Band7	10	21400	12	#0	QPSK	-5MHz--1MHz	18.36	PASS
Band7	10	21400	12	#0	QPSK	-10MHz--5MHz	21.80	PASS
Band7	10	21400	12	#0	QPSK	-15MHz--10MHz	10.38	PASS
Band7	10	21400	12	#0	QPSK	0MHz-1MHz	30.33	PASS
Band7	10	21400	12	#0	QPSK	1MHz-5MHz	24.70	PASS
Band7	10	21400	12	#0	QPSK	5MHz-10MHz	21.44	PASS
Band7	10	21400	12	#0	QPSK	10MHz-15MHz	11.71	PASS
Band7	10	21400	12	#Max	QPSK	-1MHz-0MHz	31.36	PASS
Band7	10	21400	12	#Max	QPSK	-5MHz--1MHz	25.65	PASS
Band7	10	21400	12	#Max	QPSK	-10MHz--5MHz	22.37	PASS
Band7	10	21400	12	#Max	QPSK	-15MHz--10MHz	10.34	PASS
Band7	10	21400	12	#Max	QPSK	0MHz-1MHz	7.95	PASS
Band7	10	21400	12	#Max	QPSK	1MHz-5MHz	10.25	PASS
Band7	10	21400	12	#Max	QPSK	5MHz-10MHz	22.23	PASS
Band7	10	21400	12	#Max	QPSK	10MHz-15MHz	11.65	PASS



Band7	10	21400	50	#0	QPSK	-1MHz-0MHz	24.78	PASS
Band7	10	21400	50	#0	QPSK	-5MHz--1MHz	20.75	PASS
Band7	10	21400	50	#0	QPSK	-10MHz--5MHz	19.45	PASS
Band7	10	21400	50	#0	QPSK	-15MHz--10MHz	9.39	PASS
Band7	10	21400	50	#0	QPSK	0MHz-1MHz	24.87	PASS
Band7	10	21400	50	#0	QPSK	1MHz-5MHz	19.22	PASS
Band7	10	21400	50	#0	QPSK	5MHz-10MHz	18.53	PASS
Band7	10	21400	50	#0	QPSK	10MHz-15MHz	10.62	PASS
Band7	10	21400	12	#0	16QAM	-1MHz-0MHz	18.94	PASS
Band7	10	21400	12	#0	16QAM	-5MHz--1MHz	19.21	PASS
Band7	10	21400	12	#0	16QAM	-10MHz--5MHz	22.20	PASS
Band7	10	21400	12	#0	16QAM	-15MHz--10MHz	10.34	PASS
Band7	10	21400	12	#0	16QAM	0MHz-1MHz	31.27	PASS
Band7	10	21400	12	#0	16QAM	1MHz-5MHz	24.92	PASS
Band7	10	21400	12	#0	16QAM	5MHz-10MHz	21.65	PASS
Band7	10	21400	12	#0	16QAM	10MHz-15MHz	11.68	PASS
Band7	10	21400	12	#Max	16QAM	-1MHz-0MHz	32.15	PASS
Band7	10	21400	12	#Max	16QAM	-5MHz--1MHz	25.65	PASS
Band7	10	21400	12	#Max	16QAM	-10MHz--5MHz	22.53	PASS
Band7	10	21400	12	#Max	16QAM	-15MHz--10MHz	10.42	PASS
Band7	10	21400	12	#Max	16QAM	0MHz-1MHz	11.23	PASS
Band7	10	21400	12	#Max	16QAM	1MHz-5MHz	13.50	PASS
Band7	10	21400	12	#Max	16QAM	5MHz-10MHz	22.60	PASS
Band7	10	21400	12	#Max	16QAM	10MHz-15MHz	11.67	PASS
Band7	10	21400	50	#0	16QAM	-1MHz-0MHz	24.19	PASS
Band7	10	21400	50	#0	16QAM	-5MHz--1MHz	19.66	PASS
Band7	10	21400	50	#0	16QAM	-10MHz--5MHz	18.94	PASS
Band7	10	21400	50	#0	16QAM	-15MHz--10MHz	9.60	PASS
Band7	10	21400	50	#0	16QAM	0MHz-1MHz	22.17	PASS
Band7	10	21400	50	#0	16QAM	1MHz-5MHz	18.12	PASS
Band7	10	21400	50	#0	16QAM	5MHz-10MHz	18.24	PASS
Band7	10	21400	50	#0	16QAM	10MHz-15MHz	10.64	PASS
Band7	20	20850	18	#0	QPSK	-1MHz-0MHz	10.60	PASS
Band7	20	20850	18	#0	QPSK	-5MHz--1MHz	13.31	PASS
Band7	20	20850	18	#0	QPSK	-20MHz--5MHz	21.55	PASS
Band7	20	20850	18	#0	QPSK	-25MHz--20MHz	11.82	PASS
Band7	20	20850	18	#0	QPSK	0MHz-1MHz	29.76	PASS
Band7	20	20850	18	#0	QPSK	1MHz-5MHz	26.38	PASS
Band7	20	20850	18	#0	QPSK	5MHz-20MHz	20.20	PASS
Band7	20	20850	18	#0	QPSK	20MHz-25MHz	11.95	PASS
Band7	20	20850	18	#Max	QPSK	-1MHz-0MHz	29.75	PASS
Band7	20	20850	18	#Max	QPSK	-5MHz--1MHz	25.75	PASS
Band7	20	20850	18	#Max	QPSK	-20MHz--5MHz	21.71	PASS
Band7	20	20850	18	#Max	QPSK	-25MHz--20MHz	11.86	PASS

Band7	20	20850	18	#Max	QPSK	0MHz-1MHz	12.21	PASS
Band7	20	20850	18	#Max	QPSK	1MHz-5MHz	14.40	PASS
Band7	20	20850	18	#Max	QPSK	5MHz-20MHz	21.61	PASS
Band7	20	20850	18	#Max	QPSK	20MHz-25MHz	11.91	PASS
Band7	20	20850	100	#0	QPSK	-1MHz-0MHz	20.64	PASS
Band7	20	20850	100	#0	QPSK	-5MHz--1MHz	18.67	PASS
Band7	20	20850	100	#0	QPSK	-20MHz--5MHz	17.07	PASS
Band7	20	20850	100	#0	QPSK	-25MHz--20MHz	11.80	PASS
Band7	20	20850	100	#0	QPSK	0MHz-1MHz	20.51	PASS
Band7	20	20850	100	#0	QPSK	1MHz-5MHz	18.15	PASS
Band7	20	20850	100	#0	QPSK	5MHz-20MHz	16.58	PASS
Band7	20	20850	100	#0	QPSK	20MHz-25MHz	10.60	PASS
Band7	20	20850	18	#0	16QAM	-1MHz-0MHz	11.12	PASS
Band7	20	20850	18	#0	16QAM	-5MHz--1MHz	14.88	PASS
Band7	20	20850	18	#0	16QAM	-20MHz--5MHz	21.61	PASS
Band7	20	20850	18	#0	16QAM	-25MHz--20MHz	11.86	PASS
Band7	20	20850	18	#0	16QAM	0MHz-1MHz	29.50	PASS
Band7	20	20850	18	#0	16QAM	1MHz-5MHz	26.40	PASS
Band7	20	20850	18	#0	16QAM	5MHz-20MHz	21.40	PASS
Band7	20	20850	18	#0	16QAM	20MHz-25MHz	12.04	PASS
Band7	20	20850	18	#Max	16QAM	-1MHz-0MHz	29.37	PASS
Band7	20	20850	18	#Max	16QAM	-5MHz--1MHz	25.71	PASS
Band7	20	20850	18	#Max	16QAM	-20MHz--5MHz	21.90	PASS
Band7	20	20850	18	#Max	16QAM	-25MHz--20MHz	11.98	PASS
Band7	20	20850	18	#Max	16QAM	0MHz-1MHz	13.02	PASS
Band7	20	20850	18	#Max	16QAM	1MHz-5MHz	15.69	PASS
Band7	20	20850	18	#Max	16QAM	5MHz-20MHz	21.49	PASS
Band7	20	20850	18	#Max	16QAM	20MHz-25MHz	11.92	PASS
Band7	20	20850	100	#0	16QAM	-1MHz-0MHz	20.75	PASS
Band7	20	20850	100	#0	16QAM	-5MHz--1MHz	19.49	PASS
Band7	20	20850	100	#0	16QAM	-20MHz--5MHz	17.89	PASS
Band7	20	20850	100	#0	16QAM	-25MHz--20MHz	11.87	PASS
Band7	20	20850	100	#0	16QAM	0MHz-1MHz	20.56	PASS
Band7	20	20850	100	#0	16QAM	1MHz-5MHz	19.07	PASS
Band7	20	20850	100	#0	16QAM	5MHz-20MHz	17.45	PASS
Band7	20	20850	100	#0	16QAM	20MHz-25MHz	10.90	PASS
Band7	20	21100	18	#0	QPSK	-1MHz-0MHz	18.57	PASS
Band7	20	21100	18	#0	QPSK	-5MHz--1MHz	19.26	PASS
Band7	20	21100	18	#0	QPSK	-20MHz--5MHz	21.30	PASS
Band7	20	21100	18	#0	QPSK	-25MHz--20MHz	11.84	PASS
Band7	20	21100	18	#0	QPSK	0MHz-1MHz	29.64	PASS
Band7	20	21100	18	#0	QPSK	1MHz-5MHz	26.36	PASS
Band7	20	21100	18	#0	QPSK	5MHz-20MHz	21.29	PASS
Band7	20	21100	18	#0	QPSK	20MHz-25MHz	11.99	PASS

Band7	20	21100	18	#Max	QPSK	-1MHz-0MHz	29.56	PASS
Band7	20	21100	18	#Max	QPSK	-5MHz--1MHz	25.62	PASS
Band7	20	21100	18	#Max	QPSK	-20MHz--5MHz	21.66	PASS
Band7	20	21100	18	#Max	QPSK	-25MHz--20MHz	11.96	PASS
Band7	20	21100	18	#Max	QPSK	0MHz-1MHz	7.36	PASS
Band7	20	21100	18	#Max	QPSK	1MHz-5MHz	10.32	PASS
Band7	20	21100	18	#Max	QPSK	5MHz-20MHz	21.02	PASS
Band7	20	21100	18	#Max	QPSK	20MHz-25MHz	11.82	PASS
Band7	20	21100	100	#0	QPSK	-1MHz-0MHz	22.90	PASS
Band7	20	21100	100	#0	QPSK	-5MHz--1MHz	20.91	PASS
Band7	20	21100	100	#0	QPSK	-20MHz--5MHz	18.95	PASS
Band7	20	21100	100	#0	QPSK	-25MHz--20MHz	10.94	PASS
Band7	20	21100	100	#0	QPSK	0MHz-1MHz	22.06	PASS
Band7	20	21100	100	#0	QPSK	1MHz-5MHz	20.25	PASS
Band7	20	21100	100	#0	QPSK	5MHz-20MHz	18.13	PASS
Band7	20	21100	100	#0	QPSK	20MHz-25MHz	10.60	PASS
Band7	20	21100	18	#0	16QAM	-1MHz-0MHz	20.02	PASS
Band7	20	21100	18	#0	16QAM	-5MHz--1MHz	20.62	PASS
Band7	20	21100	18	#0	16QAM	-20MHz--5MHz	21.37	PASS
Band7	20	21100	18	#0	16QAM	-25MHz--20MHz	11.83	PASS
Band7	20	21100	18	#0	16QAM	0MHz-1MHz	29.53	PASS
Band7	20	21100	18	#0	16QAM	1MHz-5MHz	26.33	PASS
Band7	20	21100	18	#0	16QAM	5MHz-20MHz	21.57	PASS
Band7	20	21100	18	#0	16QAM	20MHz-25MHz	11.94	PASS
Band7	20	21100	18	#Max	16QAM	-1MHz-0MHz	29.60	PASS
Band7	20	21100	18	#Max	16QAM	-5MHz--1MHz	25.78	PASS
Band7	20	21100	18	#Max	16QAM	-20MHz--5MHz	21.83	PASS
Band7	20	21100	18	#Max	16QAM	-25MHz--20MHz	11.88	PASS
Band7	20	21100	18	#Max	16QAM	0MHz-1MHz	9.55	PASS
Band7	20	21100	18	#Max	16QAM	1MHz-5MHz	12.48	PASS
Band7	20	21100	18	#Max	16QAM	5MHz-20MHz	21.50	PASS
Band7	20	21100	18	#Max	16QAM	20MHz-25MHz	11.87	PASS
Band7	20	21100	100	#0	16QAM	-1MHz-0MHz	23.95	PASS
Band7	20	21100	100	#0	16QAM	-5MHz--1MHz	21.75	PASS
Band7	20	21100	100	#0	16QAM	-20MHz--5MHz	19.85	PASS
Band7	20	21100	100	#0	16QAM	-25MHz--20MHz	11.15	PASS
Band7	20	21100	100	#0	16QAM	0MHz-1MHz	22.65	PASS
Band7	20	21100	100	#0	16QAM	1MHz-5MHz	20.87	PASS
Band7	20	21100	100	#0	16QAM	5MHz-20MHz	18.78	PASS
Band7	20	21100	100	#0	16QAM	20MHz-25MHz	11.02	PASS
Band7	20	21350	18	#0	QPSK	-1MHz-0MHz	7.54	PASS
Band7	20	21350	18	#0	QPSK	-5MHz--1MHz	10.13	PASS
Band7	20	21350	18	#0	QPSK	-20MHz--5MHz	20.25	PASS
Band7	20	21350	18	#0	QPSK	-25MHz--20MHz	11.76	PASS

Band7	20	21350	18	#0	QPSK	0MHz-1MHz	29.17	PASS
Band7	20	21350	18	#0	QPSK	1MHz-5MHz	26.30	PASS
Band7	20	21350	18	#0	QPSK	5MHz-20MHz	21.81	PASS
Band7	20	21350	18	#0	QPSK	20MHz-25MHz	11.90	PASS
Band7	20	21350	18	#Max	QPSK	-1MHz-0MHz	29.63	PASS
Band7	20	21350	18	#Max	QPSK	-5MHz--1MHz	25.63	PASS
Band7	20	21350	18	#Max	QPSK	-20MHz--5MHz	21.72	PASS
Band7	20	21350	18	#Max	QPSK	-25MHz--20MHz	11.93	PASS
Band7	20	21350	18	#Max	QPSK	0MHz-1MHz	9.75	PASS
Band7	20	21350	18	#Max	QPSK	1MHz-5MHz	11.73	PASS
Band7	20	21350	18	#Max	QPSK	5MHz-20MHz	21.66	PASS
Band7	20	21350	18	#Max	QPSK	20MHz-25MHz	11.81	PASS
Band7	20	21350	100	#0	QPSK	-1MHz-0MHz	18.55	PASS
Band7	20	21350	100	#0	QPSK	-5MHz--1MHz	16.86	PASS
Band7	20	21350	100	#0	QPSK	-20MHz--5MHz	13.98	PASS
Band7	20	21350	100	#0	QPSK	-25MHz--20MHz	10.56	PASS
Band7	20	21350	100	#0	QPSK	0MHz-1MHz	21.07	PASS
Band7	20	21350	100	#0	QPSK	1MHz-5MHz	19.11	PASS
Band7	20	21350	100	#0	QPSK	5MHz-20MHz	18.19	PASS
Band7	20	21350	100	#0	QPSK	20MHz-25MHz	11.55	PASS
Band7	20	21350	18	#0	16QAM	-1MHz-0MHz	9.11	PASS
Band7	20	21350	18	#0	16QAM	-5MHz--1MHz	12.08	PASS
Band7	20	21350	18	#0	16QAM	-20MHz--5MHz	20.31	PASS
Band7	20	21350	18	#0	16QAM	-25MHz--20MHz	11.76	PASS
Band7	20	21350	18	#0	16QAM	0MHz-1MHz	29.23	PASS
Band7	20	21350	18	#0	16QAM	1MHz-5MHz	26.35	PASS
Band7	20	21350	18	#0	16QAM	5MHz-20MHz	22.55	PASS
Band7	20	21350	18	#0	16QAM	20MHz-25MHz	11.88	PASS
Band7	20	21350	18	#Max	16QAM	-1MHz-0MHz	29.37	PASS
Band7	20	21350	18	#Max	16QAM	-5MHz--1MHz	25.68	PASS
Band7	20	21350	18	#Max	16QAM	-20MHz--5MHz	21.80	PASS
Band7	20	21350	18	#Max	16QAM	-25MHz--20MHz	11.94	PASS
Band7	20	21350	18	#Max	16QAM	0MHz-1MHz	12.23	PASS
Band7	20	21350	18	#Max	16QAM	1MHz-5MHz	14.09	PASS
Band7	20	21350	18	#Max	16QAM	5MHz-20MHz	21.95	PASS
Band7	20	21350	18	#Max	16QAM	20MHz-25MHz	11.85	PASS
Band7	20	21350	100	#0	16QAM	-1MHz-0MHz	19.92	PASS
Band7	20	21350	100	#0	16QAM	-5MHz--1MHz	17.56	PASS
Band7	20	21350	100	#0	16QAM	-20MHz--5MHz	14.95	PASS
Band7	20	21350	100	#0	16QAM	-25MHz--20MHz	10.76	PASS
Band7	20	21350	100	#0	16QAM	0MHz-1MHz	22.22	PASS
Band7	20	21350	100	#0	16QAM	1MHz-5MHz	19.73	PASS
Band7	20	21350	100	#0	16QAM	5MHz-20MHz	18.55	PASS
Band7	20	21350	100	#0	16QAM	20MHz-25MHz	11.54	PASS

Band8	1.4	21457	5	#0	QPSK	-1MHz-0MHz	21.19	PASS
Band8	1.4	21457	5	#0	QPSK	-2.5MHz--1MHz	18.00	PASS
Band8	1.4	21457	5	#0	QPSK	-3.5MHz--2.5MHz	9.31	PASS
Band8	1.4	21457	5	#0	QPSK	0MHz-1MHz	23.17	PASS
Band8	1.4	21457	5	#0	QPSK	1MHz-2.5MHz	19.03	PASS
Band8	1.4	21457	5	#0	QPSK	2.5MHz-3.5MHz	8.94	PASS
Band8	1.4	21457	5	#Max	QPSK	-1MHz-0MHz	23.55	PASS
Band8	1.4	21457	5	#Max	QPSK	-2.5MHz--1MHz	18.93	PASS
Band8	1.4	21457	5	#Max	QPSK	-3.5MHz--2.5MHz	9.33	PASS
Band8	1.4	21457	5	#Max	QPSK	0MHz-1MHz	22.19	PASS
Band8	1.4	21457	5	#Max	QPSK	1MHz-2.5MHz	17.61	PASS
Band8	1.4	21457	5	#Max	QPSK	2.5MHz-3.5MHz	8.74	PASS
Band8	1.4	21457	6	#0	QPSK	-1MHz-0MHz	21.64	PASS
Band8	1.4	21457	6	#0	QPSK	-2.5MHz--1MHz	18.89	PASS
Band8	1.4	21457	6	#0	QPSK	-3.5MHz--2.5MHz	8.96	PASS
Band8	1.4	21457	6	#0	QPSK	0MHz-1MHz	21.99	PASS
Band8	1.4	21457	6	#0	QPSK	1MHz-2.5MHz	18.62	PASS
Band8	1.4	21457	6	#0	QPSK	2.5MHz-3.5MHz	8.34	PASS
Band8	1.4	21457	5	#0	16QAM	-1MHz-0MHz	20.86	PASS
Band8	1.4	21457	5	#0	16QAM	-2.5MHz--1MHz	18.96	PASS
Band8	1.4	21457	5	#0	16QAM	-3.5MHz--2.5MHz	9.75	PASS
Band8	1.4	21457	5	#0	16QAM	0MHz-1MHz	21.90	PASS
Band8	1.4	21457	5	#0	16QAM	1MHz-2.5MHz	19.64	PASS
Band8	1.4	21457	5	#0	16QAM	2.5MHz-3.5MHz	9.26	PASS
Band8	1.4	21457	5	#Max	16QAM	-1MHz-0MHz	22.55	PASS
Band8	1.4	21457	5	#Max	16QAM	-2.5MHz--1MHz	19.94	PASS
Band8	1.4	21457	5	#Max	16QAM	-3.5MHz--2.5MHz	9.85	PASS
Band8	1.4	21457	5	#Max	16QAM	0MHz-1MHz	21.06	PASS
Band8	1.4	21457	5	#Max	16QAM	1MHz-2.5MHz	18.59	PASS
Band8	1.4	21457	5	#Max	16QAM	2.5MHz-3.5MHz	8.99	PASS
Band8	1.4	21457	6	#0	16QAM	-1MHz-0MHz	21.27	PASS
Band8	1.4	21457	6	#0	16QAM	-2.5MHz--1MHz	19.64	PASS
Band8	1.4	21457	6	#0	16QAM	-3.5MHz--2.5MHz	9.43	PASS
Band8	1.4	21457	6	#0	16QAM	0MHz-1MHz	21.67	PASS
Band8	1.4	21457	6	#0	16QAM	1MHz-2.5MHz	18.91	PASS
Band8	1.4	21457	6	#0	16QAM	2.5MHz-3.5MHz	8.61	PASS
Band8	1.4	21625	5	#0	QPSK	-1MHz-0MHz	17.98	PASS
Band8	1.4	21625	5	#0	QPSK	-2.5MHz--1MHz	16.90	PASS
Band8	1.4	21625	5	#0	QPSK	-3.5MHz--2.5MHz	8.28	PASS
Band8	1.4	21625	5	#0	QPSK	0MHz-1MHz	18.23	PASS
Band8	1.4	21625	5	#0	QPSK	1MHz-2.5MHz	19.04	PASS
Band8	1.4	21625	5	#0	QPSK	2.5MHz-3.5MHz	8.90	PASS
Band8	1.4	21625	5	#Max	QPSK	-1MHz-0MHz	18.66	PASS
Band8	1.4	21625	5	#Max	QPSK	-2.5MHz--1MHz	18.59	PASS

Band8	1.4	21625	5	#Max	QPSK	-3.5MHz--2.5MHz	8.71	PASS
Band8	1.4	21625	5	#Max	QPSK	0MHz-1MHz	17.89	PASS
Band8	1.4	21625	5	#Max	QPSK	1MHz-2.5MHz	17.70	PASS
Band8	1.4	21625	5	#Max	QPSK	2.5MHz-3.5MHz	8.64	PASS
Band8	1.4	21625	6	#0	QPSK	-1MHz-0MHz	21.83	PASS
Band8	1.4	21625	6	#0	QPSK	-2.5MHz--1MHz	16.54	PASS
Band8	1.4	21625	6	#0	QPSK	-3.5MHz--2.5MHz	7.68	PASS
Band8	1.4	21625	6	#0	QPSK	0MHz-1MHz	21.45	PASS
Band8	1.4	21625	6	#0	QPSK	1MHz-2.5MHz	17.10	PASS
Band8	1.4	21625	6	#0	QPSK	2.5MHz-3.5MHz	8.26	PASS
Band8	1.4	21625	5	#0	16QAM	-1MHz-0MHz	17.18	PASS
Band8	1.4	21625	5	#0	16QAM	-2.5MHz--1MHz	17.47	PASS
Band8	1.4	21625	5	#0	16QAM	-3.5MHz--2.5MHz	9.18	PASS
Band8	1.4	21625	5	#0	16QAM	0MHz-1MHz	18.76	PASS
Band8	1.4	21625	5	#0	16QAM	1MHz-2.5MHz	19.41	PASS
Band8	1.4	21625	5	#0	16QAM	2.5MHz-3.5MHz	9.62	PASS
Band8	1.4	21625	5	#Max	16QAM	-1MHz-0MHz	18.46	PASS
Band8	1.4	21625	5	#Max	16QAM	-2.5MHz--1MHz	19.09	PASS
Band8	1.4	21625	5	#Max	16QAM	-3.5MHz--2.5MHz	9.42	PASS
Band8	1.4	21625	5	#Max	16QAM	0MHz-1MHz	16.98	PASS
Band8	1.4	21625	5	#Max	16QAM	1MHz-2.5MHz	18.23	PASS
Band8	1.4	21625	5	#Max	16QAM	2.5MHz-3.5MHz	9.26	PASS
Band8	1.4	21625	6	#0	16QAM	-1MHz-0MHz	22.60	PASS
Band8	1.4	21625	6	#0	16QAM	-2.5MHz--1MHz	18.38	PASS
Band8	1.4	21625	6	#0	16QAM	-3.5MHz--2.5MHz	8.90	PASS
Band8	1.4	21625	6	#0	16QAM	0MHz-1MHz	21.99	PASS
Band8	1.4	21625	6	#0	16QAM	1MHz-2.5MHz	18.39	PASS
Band8	1.4	21625	6	#0	16QAM	2.5MHz-3.5MHz	9.03	PASS
Band8	1.4	21793	5	#0	QPSK	-1MHz-0MHz	17.85	PASS
Band8	1.4	21793	5	#0	QPSK	-2.5MHz--1MHz	15.11	PASS
Band8	1.4	21793	5	#0	QPSK	-3.5MHz--2.5MHz	7.82	PASS
Band8	1.4	21793	5	#0	QPSK	0MHz-1MHz	19.88	PASS
Band8	1.4	21793	5	#0	QPSK	1MHz-2.5MHz	17.97	PASS
Band8	1.4	21793	5	#0	QPSK	2.5MHz-3.5MHz	9.10	PASS
Band8	1.4	21793	5	#Max	QPSK	-1MHz-0MHz	17.58	PASS
Band8	1.4	21793	5	#Max	QPSK	-2.5MHz--1MHz	16.58	PASS
Band8	1.4	21793	5	#Max	QPSK	-3.5MHz--2.5MHz	7.88	PASS
Band8	1.4	21793	5	#Max	QPSK	0MHz-1MHz	17.21	PASS
Band8	1.4	21793	5	#Max	QPSK	1MHz-2.5MHz	16.41	PASS
Band8	1.4	21793	5	#Max	QPSK	2.5MHz-3.5MHz	9.11	PASS
Band8	1.4	21793	6	#0	QPSK	-1MHz-0MHz	21.58	PASS
Band8	1.4	21793	6	#0	QPSK	-2.5MHz--1MHz	15.84	PASS
Band8	1.4	21793	6	#0	QPSK	-3.5MHz--2.5MHz	7.52	PASS
Band8	1.4	21793	6	#0	QPSK	0MHz-1MHz	21.64	PASS



Band8	1.4	21793	6	#0	QPSK	1MHz-2.5MHz	16.77	PASS
Band8	1.4	21793	6	#0	QPSK	2.5MHz-3.5MHz	8.92	PASS
Band8	1.4	21793	5	#0	16QAM	-1MHz-0MHz	17.80	PASS
Band8	1.4	21793	5	#0	16QAM	-2.5MHz--1MHz	17.52	PASS
Band8	1.4	21793	5	#0	16QAM	-3.5MHz--2.5MHz	8.64	PASS
Band8	1.4	21793	5	#0	16QAM	0MHz-1MHz	20.26	PASS
Band8	1.4	21793	5	#0	16QAM	1MHz-2.5MHz	19.93	PASS
Band8	1.4	21793	5	#0	16QAM	2.5MHz-3.5MHz	9.82	PASS
Band8	1.4	21793	5	#Max	16QAM	-1MHz-0MHz	19.85	PASS
Band8	1.4	21793	5	#Max	16QAM	-2.5MHz--1MHz	18.93	PASS
Band8	1.4	21793	5	#Max	16QAM	-3.5MHz--2.5MHz	8.71	PASS
Band8	1.4	21793	5	#Max	16QAM	0MHz-1MHz	19.67	PASS
Band8	1.4	21793	5	#Max	16QAM	1MHz-2.5MHz	18.24	PASS
Band8	1.4	21793	5	#Max	16QAM	2.5MHz-3.5MHz	9.77	PASS
Band8	1.4	21793	6	#0	16QAM	-1MHz-0MHz	19.73	PASS
Band8	1.4	21793	6	#0	16QAM	-2.5MHz--1MHz	16.97	PASS
Band8	1.4	21793	6	#0	16QAM	-3.5MHz--2.5MHz	8.18	PASS
Band8	1.4	21793	6	#0	16QAM	0MHz-1MHz	21.53	PASS
Band8	1.4	21793	6	#0	16QAM	1MHz-2.5MHz	17.90	PASS
Band8	1.4	21793	6	#0	16QAM	2.5MHz-3.5MHz	9.52	PASS
Band8	5	21475	8	#0	QPSK	-1MHz-0MHz	18.47	PASS
Band8	5	21475	8	#0	QPSK	-5MHz--1MHz	16.68	PASS
Band8	5	21475	8	#0	QPSK	-6MHz--5MHz	23.16	PASS
Band8	5	21475	8	#0	QPSK	-10MHz--6MHz	11.43	PASS
Band8	5	21475	8	#0	QPSK	0MHz-1MHz	30.77	PASS
Band8	5	21475	8	#0	QPSK	1MHz-5MHz	23.21	PASS
Band8	5	21475	8	#0	QPSK	5MHz-6MHz	23.48	PASS
Band8	5	21475	8	#0	QPSK	6MHz-10MHz	11.57	PASS
Band8	5	21475	8	#Max	QPSK	-1MHz-0MHz	31.04	PASS
Band8	5	21475	8	#Max	QPSK	-5MHz--1MHz	23.84	PASS
Band8	5	21475	8	#Max	QPSK	-6MHz--5MHz	23.48	PASS
Band8	5	21475	8	#Max	QPSK	-10MHz--6MHz	11.44	PASS
Band8	5	21475	8	#Max	QPSK	0MHz-1MHz	16.78	PASS
Band8	5	21475	8	#Max	QPSK	1MHz-5MHz	15.90	PASS
Band8	5	21475	8	#Max	QPSK	5MHz-6MHz	22.66	PASS
Band8	5	21475	8	#Max	QPSK	6MHz-10MHz	10.90	PASS
Band8	5	21475	25	#0	QPSK	-1MHz-0MHz	22.61	PASS
Band8	5	21475	25	#0	QPSK	-5MHz--1MHz	15.88	PASS
Band8	5	21475	25	#0	QPSK	-6MHz--5MHz	21.35	PASS
Band8	5	21475	25	#0	QPSK	-10MHz--6MHz	10.59	PASS
Band8	5	21475	25	#0	QPSK	0MHz-1MHz	21.94	PASS
Band8	5	21475	25	#0	QPSK	1MHz-5MHz	15.96	PASS
Band8	5	21475	25	#0	QPSK	5MHz-6MHz	18.82	PASS
Band8	5	21475	25	#0	QPSK	6MHz-10MHz	7.15	PASS

Band8	5	21475	8	#0	16QAM	-1MHz-0MHz	17.17	PASS
Band8	5	21475	8	#0	16QAM	-5MHz--1MHz	17.65	PASS
Band8	5	21475	8	#0	16QAM	-6MHz--5MHz	23.35	PASS
Band8	5	21475	8	#0	16QAM	-10MHz--6MHz	11.43	PASS
Band8	5	21475	8	#0	16QAM	0MHz-1MHz	31.54	PASS
Band8	5	21475	8	#0	16QAM	1MHz-5MHz	23.49	PASS
Band8	5	21475	8	#0	16QAM	5MHz-6MHz	23.58	PASS
Band8	5	21475	8	#0	16QAM	6MHz-10MHz	11.61	PASS
Band8	5	21475	8	#Max	16QAM	-1MHz-0MHz	32.46	PASS
Band8	5	21475	8	#Max	16QAM	-5MHz--1MHz	24.22	PASS
Band8	5	21475	8	#Max	16QAM	-6MHz--5MHz	23.59	PASS
Band8	5	21475	8	#Max	16QAM	-10MHz--6MHz	11.45	PASS
Band8	5	21475	8	#Max	16QAM	0MHz-1MHz	17.65	PASS
Band8	5	21475	8	#Max	16QAM	1MHz-5MHz	16.85	PASS
Band8	5	21475	8	#Max	16QAM	5MHz-6MHz	22.69	PASS
Band8	5	21475	8	#Max	16QAM	6MHz-10MHz	11.15	PASS
Band8	5	21475	25	#0	16QAM	-1MHz-0MHz	22.86	PASS
Band8	5	21475	25	#0	16QAM	-5MHz--1MHz	15.19	PASS
Band8	5	21475	25	#0	16QAM	-6MHz--5MHz	21.75	PASS
Band8	5	21475	25	#0	16QAM	-10MHz--6MHz	10.80	PASS
Band8	5	21475	25	#0	16QAM	0MHz-1MHz	21.48	PASS
Band8	5	21475	25	#0	16QAM	1MHz-5MHz	15.49	PASS
Band8	5	21475	25	#0	16QAM	5MHz-6MHz	19.19	PASS
Band8	5	21475	25	#0	16QAM	6MHz-10MHz	8.12	PASS
Band8	5	21625	8	#0	QPSK	-1MHz-0MHz	11.30	PASS
Band8	5	21625	8	#0	QPSK	-5MHz--1MHz	12.18	PASS
Band8	5	21625	8	#0	QPSK	-6MHz--5MHz	22.74	PASS
Band8	5	21625	8	#0	QPSK	-10MHz--6MHz	11.08	PASS
Band8	5	21625	8	#0	QPSK	0MHz-1MHz	31.10	PASS
Band8	5	21625	8	#0	QPSK	1MHz-5MHz	23.61	PASS
Band8	5	21625	8	#0	QPSK	5MHz-6MHz	23.47	PASS
Band8	5	21625	8	#0	QPSK	6MHz-10MHz	11.60	PASS
Band8	5	21625	8	#Max	QPSK	-1MHz-0MHz	30.57	PASS
Band8	5	21625	8	#Max	QPSK	-5MHz--1MHz	23.68	PASS
Band8	5	21625	8	#Max	QPSK	-6MHz--5MHz	23.31	PASS
Band8	5	21625	8	#Max	QPSK	-10MHz--6MHz	11.23	PASS
Band8	5	21625	8	#Max	QPSK	0MHz-1MHz	15.28	PASS
Band8	5	21625	8	#Max	QPSK	1MHz-5MHz	13.62	PASS
Band8	5	21625	8	#Max	QPSK	5MHz-6MHz	23.04	PASS
Band8	5	21625	8	#Max	QPSK	6MHz-10MHz	11.35	PASS
Band8	5	21625	25	#0	QPSK	-1MHz-0MHz	23.27	PASS
Band8	5	21625	25	#0	QPSK	-5MHz--1MHz	15.91	PASS
Band8	5	21625	25	#0	QPSK	-6MHz--5MHz	19.02	PASS
Band8	5	21625	25	#0	QPSK	-10MHz--6MHz	8.67	PASS

Band8	5	21625	25	#0	QPSK	0MHz-1MHz	22.33	PASS
Band8	5	21625	25	#0	QPSK	1MHz-5MHz	14.82	PASS
Band8	5	21625	25	#0	QPSK	5MHz-6MHz	19.08	PASS
Band8	5	21625	25	#0	QPSK	6MHz-10MHz	8.54	PASS
Band8	5	21625	8	#0	16QAM	-1MHz-0MHz	12.67	PASS
Band8	5	21625	8	#0	16QAM	-5MHz--1MHz	13.94	PASS
Band8	5	21625	8	#0	16QAM	-6MHz--5MHz	22.99	PASS
Band8	5	21625	8	#0	16QAM	-10MHz--6MHz	11.26	PASS
Band8	5	21625	8	#0	16QAM	0MHz-1MHz	31.35	PASS
Band8	5	21625	8	#0	16QAM	1MHz-5MHz	23.93	PASS
Band8	5	21625	8	#0	16QAM	5MHz-6MHz	23.58	PASS
Band8	5	21625	8	#0	16QAM	6MHz-10MHz	11.63	PASS
Band8	5	21625	8	#Max	16QAM	-1MHz-0MHz	31.47	PASS
Band8	5	21625	8	#Max	16QAM	-5MHz--1MHz	24.11	PASS
Band8	5	21625	8	#Max	16QAM	-6MHz--5MHz	23.33	PASS
Band8	5	21625	8	#Max	16QAM	-10MHz--6MHz	11.37	PASS
Band8	5	21625	8	#Max	16QAM	0MHz-1MHz	16.20	PASS
Band8	5	21625	8	#Max	16QAM	1MHz-5MHz	15.06	PASS
Band8	5	21625	8	#Max	16QAM	5MHz-6MHz	23.11	PASS
Band8	5	21625	8	#Max	16QAM	6MHz-10MHz	11.38	PASS
Band8	5	21625	25	#0	16QAM	-1MHz-0MHz	21.38	PASS
Band8	5	21625	25	#0	16QAM	-5MHz--1MHz	15.07	PASS
Band8	5	21625	25	#0	16QAM	-6MHz--5MHz	19.64	PASS
Band8	5	21625	25	#0	16QAM	-10MHz--6MHz	9.10	PASS
Band8	5	21625	25	#0	16QAM	0MHz-1MHz	21.33	PASS
Band8	5	21625	25	#0	16QAM	1MHz-5MHz	13.99	PASS
Band8	5	21625	25	#0	16QAM	5MHz-6MHz	19.32	PASS
Band8	5	21625	25	#0	16QAM	6MHz-10MHz	9.07	PASS
Band8	5	21775	8	#0	QPSK	-1MHz-0MHz	12.68	PASS
Band8	5	21775	8	#0	QPSK	-5MHz--1MHz	11.72	PASS
Band8	5	21775	8	#0	QPSK	-6MHz--5MHz	22.43	PASS
Band8	5	21775	8	#0	QPSK	-10MHz--6MHz	10.77	PASS
Band8	5	21775	8	#0	QPSK	0MHz-1MHz	31.19	PASS
Band8	5	21775	8	#0	QPSK	1MHz-5MHz	24.24	PASS
Band8	5	21775	8	#0	QPSK	5MHz-6MHz	23.64	PASS
Band8	5	21775	8	#0	QPSK	6MHz-10MHz	11.60	PASS
Band8	5	21775	8	#Max	QPSK	-1MHz-0MHz	29.30	PASS
Band8	5	21775	8	#Max	QPSK	-5MHz--1MHz	22.41	PASS
Band8	5	21775	8	#Max	QPSK	-6MHz--5MHz	23.01	PASS
Band8	5	21775	8	#Max	QPSK	-10MHz--6MHz	11.12	PASS
Band8	5	21775	8	#Max	QPSK	0MHz-1MHz	11.62	PASS
Band8	5	21775	8	#Max	QPSK	1MHz-5MHz	12.26	PASS
Band8	5	21775	8	#Max	QPSK	5MHz-6MHz	23.63	PASS
Band8	5	21775	8	#Max	QPSK	6MHz-10MHz	11.59	PASS

Band8	5	21775	25	#0	QPSK	-1MHz-0MHz	21.93	PASS
Band8	5	21775	25	#0	QPSK	-5MHz--1MHz	14.89	PASS
Band8	5	21775	25	#0	QPSK	-6MHz--5MHz	18.39	PASS
Band8	5	21775	25	#0	QPSK	-10MHz--6MHz	7.16	PASS
Band8	5	21775	25	#0	QPSK	0MHz-1MHz	23.57	PASS
Band8	5	21775	25	#0	QPSK	1MHz-5MHz	15.84	PASS
Band8	5	21775	25	#0	QPSK	5MHz-6MHz	22.50	PASS
Band8	5	21775	25	#0	QPSK	6MHz-10MHz	11.41	PASS
Band8	5	21775	8	#0	16QAM	-1MHz-0MHz	16.46	PASS
Band8	5	21775	8	#0	16QAM	-5MHz--1MHz	14.10	PASS
Band8	5	21775	8	#0	16QAM	-6MHz--5MHz	22.82	PASS
Band8	5	21775	8	#0	16QAM	-10MHz--6MHz	11.13	PASS
Band8	5	21775	8	#0	16QAM	0MHz-1MHz	33.20	PASS
Band8	5	21775	8	#0	16QAM	1MHz-5MHz	24.73	PASS
Band8	5	21775	8	#0	16QAM	5MHz-6MHz	23.73	PASS
Band8	5	21775	8	#0	16QAM	6MHz-10MHz	11.54	PASS
Band8	5	21775	8	#Max	16QAM	-1MHz-0MHz	30.64	PASS
Band8	5	21775	8	#Max	16QAM	-5MHz--1MHz	23.30	PASS
Band8	5	21775	8	#Max	16QAM	-6MHz--5MHz	23.18	PASS
Band8	5	21775	8	#Max	16QAM	-10MHz--6MHz	11.21	PASS
Band8	5	21775	8	#Max	16QAM	0MHz-1MHz	16.15	PASS
Band8	5	21775	8	#Max	16QAM	1MHz-5MHz	14.65	PASS
Band8	5	21775	8	#Max	16QAM	5MHz-6MHz	23.65	PASS
Band8	5	21775	8	#Max	16QAM	6MHz-10MHz	11.58	PASS
Band8	5	21775	25	#0	16QAM	-1MHz-0MHz	21.59	PASS
Band8	5	21775	25	#0	16QAM	-5MHz--1MHz	13.99	PASS
Band8	5	21775	25	#0	16QAM	-6MHz--5MHz	18.39	PASS
Band8	5	21775	25	#0	16QAM	-10MHz--6MHz	8.24	PASS
Band8	5	21775	25	#0	16QAM	0MHz-1MHz	21.42	PASS
Band8	5	21775	25	#0	16QAM	1MHz-5MHz	14.77	PASS
Band8	5	21775	25	#0	16QAM	5MHz-6MHz	22.51	PASS
Band8	5	21775	25	#0	16QAM	6MHz-10MHz	11.43	PASS
Band8	10	21500	12	#0	QPSK	-1MHz-0MHz	18.16	PASS
Band8	10	21500	12	#0	QPSK	-5MHz--1MHz	16.43	PASS
Band8	10	21500	12	#0	QPSK	-10MHz--5MHz	22.20	PASS
Band8	10	21500	12	#0	QPSK	-15MHz--10MHz	10.24	PASS
Band8	10	21500	12	#0	QPSK	0MHz-1MHz	30.48	PASS
Band8	10	21500	12	#0	QPSK	1MHz-5MHz	24.52	PASS
Band8	10	21500	12	#0	QPSK	5MHz-10MHz	20.97	PASS
Band8	10	21500	12	#0	QPSK	10MHz-15MHz	11.53	PASS
Band8	10	21500	12	#Max	QPSK	-1MHz-0MHz	31.27	PASS
Band8	10	21500	12	#Max	QPSK	-5MHz--1MHz	25.31	PASS
Band8	10	21500	12	#Max	QPSK	-10MHz--5MHz	23.04	PASS
Band8	10	21500	12	#Max	QPSK	-15MHz--10MHz	10.27	PASS


Band8	10	21500	12	#Max	QPSK	0MHz-1MHz	12.69	PASS
Band8	10	21500	12	#Max	QPSK	1MHz-5MHz	12.23	PASS
Band8	10	21500	12	#Max	QPSK	5MHz-10MHz	20.72	PASS
Band8	10	21500	12	#Max	QPSK	10MHz-15MHz	11.16	PASS
Band8	10	21500	50	#0	QPSK	-1MHz-0MHz	23.01	PASS
Band8	10	21500	50	#0	QPSK	-5MHz--1MHz	18.41	PASS
Band8	10	21500	50	#0	QPSK	-10MHz--5MHz	19.20	PASS
Band8	10	21500	50	#0	QPSK	-15MHz--10MHz	10.26	PASS
Band8	10	21500	50	#0	QPSK	0MHz-1MHz	21.37	PASS
Band8	10	21500	50	#0	QPSK	1MHz-5MHz	16.28	PASS
Band8	10	21500	50	#0	QPSK	5MHz-10MHz	15.19	PASS
Band8	10	21500	50	#0	QPSK	10MHz-15MHz	7.23	PASS
Band8	10	21500	12	#0	16QAM	-1MHz-0MHz	17.39	PASS
Band8	10	21500	12	#0	16QAM	-5MHz--1MHz	16.18	PASS
Band8	10	21500	12	#0	16QAM	-10MHz--5MHz	22.64	PASS
Band8	10	21500	12	#0	16QAM	-15MHz--10MHz	10.28	PASS
Band8	10	21500	12	#0	16QAM	0MHz-1MHz	30.97	PASS
Band8	10	21500	12	#0	16QAM	1MHz-5MHz	24.82	PASS
Band8	10	21500	12	#0	16QAM	5MHz-10MHz	21.39	PASS
Band8	10	21500	12	#0	16QAM	10MHz-15MHz	11.59	PASS
Band8	10	21500	12	#Max	16QAM	-1MHz-0MHz	31.73	PASS
Band8	10	21500	12	#Max	16QAM	-5MHz--1MHz	25.55	PASS
Band8	10	21500	12	#Max	16QAM	-10MHz--5MHz	23.09	PASS
Band8	10	21500	12	#Max	16QAM	-15MHz--10MHz	10.28	PASS
Band8	10	21500	12	#Max	16QAM	0MHz-1MHz	12.62	PASS
Band8	10	21500	12	#Max	16QAM	1MHz-5MHz	13.92	PASS
Band8	10	21500	12	#Max	16QAM	5MHz-10MHz	21.16	PASS
Band8	10	21500	12	#Max	16QAM	10MHz-15MHz	11.26	PASS
Band8	10	21500	50	#0	16QAM	-1MHz-0MHz	22.67	PASS
Band8	10	21500	50	#0	16QAM	-5MHz--1MHz	18.11	PASS
Band8	10	21500	50	#0	16QAM	-10MHz--5MHz	18.98	PASS
Band8	10	21500	50	#0	16QAM	-15MHz--10MHz	10.32	PASS
Band8	10	21500	50	#0	16QAM	0MHz-1MHz	21.12	PASS
Band8	10	21500	50	#0	16QAM	1MHz-5MHz	16.83	PASS
Band8	10	21500	50	#0	16QAM	5MHz-10MHz	15.55	PASS
Band8	10	21500	50	#0	16QAM	10MHz-15MHz	7.42	PASS
Band8	10	21625	12	#0	QPSK	-1MHz-0MHz	10.92	PASS
Band8	10	21625	12	#0	QPSK	-5MHz--1MHz	11.31	PASS
Band8	10	21625	12	#0	QPSK	-10MHz--5MHz	21.52	PASS
Band8	10	21625	12	#0	QPSK	-15MHz--10MHz	10.29	PASS
Band8	10	21625	12	#0	QPSK	0MHz-1MHz	30.98	PASS
Band8	10	21625	12	#0	QPSK	1MHz-5MHz	25.28	PASS
Band8	10	21625	12	#0	QPSK	5MHz-10MHz	22.02	PASS
Band8	10	21625	12	#0	QPSK	10MHz-15MHz	11.52	PASS

Band8	10	21625	12	#Max	QPSK	-1MHz-0MHz	31.04	PASS
Band8	10	21625	12	#Max	QPSK	-5MHz--1MHz	25.39	PASS
Band8	10	21625	12	#Max	QPSK	-10MHz--5MHz	22.34	PASS
Band8	10	21625	12	#Max	QPSK	-15MHz--10MHz	10.16	PASS
Band8	10	21625	12	#Max	QPSK	0MHz-1MHz	15.95	PASS
Band8	10	21625	12	#Max	QPSK	1MHz-5MHz	13.54	PASS
Band8	10	21625	12	#Max	QPSK	5MHz-10MHz	21.71	PASS
Band8	10	21625	12	#Max	QPSK	10MHz-15MHz	11.36	PASS
Band8	10	21625	50	#0	QPSK	-1MHz-0MHz	23.45	PASS
Band8	10	21625	50	#0	QPSK	-5MHz--1MHz	18.24	PASS
Band8	10	21625	50	#0	QPSK	-10MHz--5MHz	17.49	PASS
Band8	10	21625	50	#0	QPSK	-15MHz--10MHz	8.33	PASS
Band8	10	21625	50	#0	QPSK	0MHz-1MHz	21.32	PASS
Band8	10	21625	50	#0	QPSK	1MHz-5MHz	17.49	PASS
Band8	10	21625	50	#0	QPSK	5MHz-10MHz	15.00	PASS
Band8	10	21625	50	#0	QPSK	10MHz-15MHz	8.68	PASS
Band8	10	21625	12	#0	16QAM	-1MHz-0MHz	13.01	PASS
Band8	10	21625	12	#0	16QAM	-5MHz--1MHz	13.80	PASS
Band8	10	21625	12	#0	16QAM	-10MHz--5MHz	21.65	PASS
Band8	10	21625	12	#0	16QAM	-15MHz--10MHz	10.19	PASS
Band8	10	21625	12	#0	16QAM	0MHz-1MHz	31.39	PASS
Band8	10	21625	12	#0	16QAM	1MHz-5MHz	25.56	PASS
Band8	10	21625	12	#0	16QAM	5MHz-10MHz	22.34	PASS
Band8	10	21625	12	#0	16QAM	10MHz-15MHz	11.50	PASS
Band8	10	21625	12	#Max	16QAM	-1MHz-0MHz	31.46	PASS
Band8	10	21625	12	#Max	16QAM	-5MHz--1MHz	25.40	PASS
Band8	10	21625	12	#Max	16QAM	-10MHz--5MHz	22.49	PASS
Band8	10	21625	12	#Max	16QAM	-15MHz--10MHz	10.21	PASS
Band8	10	21625	12	#Max	16QAM	0MHz-1MHz	15.23	PASS
Band8	10	21625	12	#Max	16QAM	1MHz-5MHz	14.68	PASS
Band8	10	21625	12	#Max	16QAM	5MHz-10MHz	21.99	PASS
Band8	10	21625	12	#Max	16QAM	10MHz-15MHz	11.44	PASS
Band8	10	21625	50	#0	16QAM	-1MHz-0MHz	21.35	PASS
Band8	10	21625	50	#0	16QAM	-5MHz--1MHz	17.41	PASS
Band8	10	21625	50	#0	16QAM	-10MHz--5MHz	17.54	PASS
Band8	10	21625	50	#0	16QAM	-15MHz--10MHz	8.70	PASS
Band8	10	21625	50	#0	16QAM	0MHz-1MHz	21.06	PASS
Band8	10	21625	50	#0	16QAM	1MHz-5MHz	16.24	PASS
Band8	10	21625	50	#0	16QAM	5MHz-10MHz	15.25	PASS
Band8	10	21625	50	#0	16QAM	10MHz-15MHz	8.76	PASS
Band8	10	21750	12	#0	QPSK	-1MHz-0MHz	15.57	PASS
Band8	10	21750	12	#0	QPSK	-5MHz--1MHz	12.96	PASS
Band8	10	21750	12	#0	QPSK	-10MHz--5MHz	20.86	PASS
Band8	10	21750	12	#0	QPSK	-15MHz--10MHz	10.02	PASS




Band8	10	21750	12	#0	QPSK	0MHz-1MHz	31.47	PASS
Band8	10	21750	12	#0	QPSK	1MHz-5MHz	25.85	PASS
Band8	10	21750	12	#0	QPSK	5MHz-10MHz	23.51	PASS
Band8	10	21750	12	#0	QPSK	10MHz-15MHz	11.50	PASS
Band8	10	21750	12	#Max	QPSK	-1MHz-0MHz	29.74	PASS
Band8	10	21750	12	#Max	QPSK	-5MHz--1MHz	24.63	PASS
Band8	10	21750	12	#Max	QPSK	-10MHz--5MHz	21.52	PASS
Band8	10	21750	12	#Max	QPSK	-15MHz--10MHz	10.05	PASS
Band8	10	21750	12	#Max	QPSK	0MHz-1MHz	13.79	PASS
Band8	10	21750	12	#Max	QPSK	1MHz-5MHz	12.64	PASS
Band8	10	21750	12	#Max	QPSK	5MHz-10MHz	23.34	PASS
Band8	10	21750	12	#Max	QPSK	10MHz-15MHz	11.42	PASS
Band8	10	21750	50	#0	QPSK	-1MHz-0MHz	22.92	PASS
Band8	10	21750	50	#0	QPSK	-5MHz--1MHz	18.43	PASS
Band8	10	21750	50	#0	QPSK	-10MHz--5MHz	16.20	PASS
Band8	10	21750	50	#0	QPSK	-15MHz--10MHz	7.66	PASS
Band8	10	21750	50	#0	QPSK	0MHz-1MHz	24.35	PASS
Band8	10	21750	50	#0	QPSK	1MHz-5MHz	19.94	PASS
Band8	10	21750	50	#0	QPSK	5MHz-10MHz	22.00	PASS
Band8	10	21750	50	#0	QPSK	10MHz-15MHz	11.56	PASS
Band8	10	21750	12	#0	16QAM	-1MHz-0MHz	15.66	PASS
Band8	10	21750	12	#0	16QAM	-5MHz--1MHz	13.99	PASS
Band8	10	21750	12	#0	16QAM	-10MHz--5MHz	21.31	PASS
Band8	10	21750	12	#0	16QAM	-15MHz--10MHz	10.17	PASS
Band8	10	21750	12	#0	16QAM	0MHz-1MHz	31.79	PASS
Band8	10	21750	12	#0	16QAM	1MHz-5MHz	25.95	PASS
Band8	10	21750	12	#0	16QAM	5MHz-10MHz	23.41	PASS
Band8	10	21750	12	#0	16QAM	10MHz-15MHz	11.54	PASS
Band8	10	21750	12	#Max	16QAM	-1MHz-0MHz	30.64	PASS
Band8	10	21750	12	#Max	16QAM	-5MHz--1MHz	24.91	PASS
Band8	10	21750	12	#Max	16QAM	-10MHz--5MHz	21.71	PASS
Band8	10	21750	12	#Max	16QAM	-15MHz--10MHz	10.17	PASS
Band8	10	21750	12	#Max	16QAM	0MHz-1MHz	15.49	PASS
Band8	10	21750	12	#Max	16QAM	1MHz-5MHz	14.25	PASS
Band8	10	21750	12	#Max	16QAM	5MHz-10MHz	23.43	PASS
Band8	10	21750	12	#Max	16QAM	10MHz-15MHz	11.50	PASS
Band8	10	21750	50	#0	16QAM	-1MHz-0MHz	20.90	PASS
Band8	10	21750	50	#0	16QAM	-5MHz--1MHz	16.43	PASS
Band8	10	21750	50	#0	16QAM	-10MHz--5MHz	15.55	PASS
Band8	10	21750	50	#0	16QAM	-15MHz--10MHz	7.98	PASS
Band8	10	21750	50	#0	16QAM	0MHz-1MHz	22.90	PASS
Band8	10	21750	50	#0	16QAM	1MHz-5MHz	18.19	PASS
Band8	10	21750	50	#0	16QAM	5MHz-10MHz	21.68	PASS
Band8	10	21750	50	#0	16QAM	10MHz-15MHz	11.47	PASS


Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 16QAM BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#Max



Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 16QAM BW=10MHz Channel=18050 RB Size=50 Position=#0







Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 16QAM BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0



Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=25 Position=#0







Band1 16QAM BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#0



Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 16QAM BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0



Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0







Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0



Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0







Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max



Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0



Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#0







Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0



Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0



Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24425 RB Size=25 Position=#0







Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 16QAM BW=10MHz Channel=24300 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max







Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24250 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0



Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#0







Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24300 RB Size=100 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0



Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27225 RB Size=15 Position=#0







Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#Max



Band28 16QAM BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max







Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0



Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27375 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27375 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#0



Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#0







Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27375 RB Size=50 Position=#0



Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#0




Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27375 RB Size=50 Position=#0







Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#0




Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#Max



Band28 16QAM BW=20MHz Channel=27310 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#Max







Band28 QPSK BW=20MHz Channel=27375 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27375 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27440 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27440 RB Size=100 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0







Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0







Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#Max



Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max







Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0



Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0







Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0



Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0







Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0




Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#Max



Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0




Band34 QPSK BW=5MHz Channel=36225 RB Size=8 Position=#0




Band34 QPSK BW=5MHz Channel=36225 RB Size=8 Position=#Max







Band34 QPSK BW=5MHz Channel=36225 RB Size=25 Position=#0




Band34 16QAM BW=5MHz Channel=36225 RB Size=8 Position=#0




Band34 16QAM BW=5MHz Channel=36225 RB Size=8 Position=#Max




Band34 16QAM BW=5MHz Channel=36225 RB Size=25 Position=#0




Band34 QPSK BW=5MHz Channel=36275 RB Size=8 Position=#0




Band34 QPSK BW=5MHz Channel=36275 RB Size=8 Position=#Max




Band34 QPSK BW=5MHz Channel=36275 RB Size=25 Position=#0



Band34 16QAM BW=5MHz Channel=36275 RB Size=8 Position=#0




Band34 16QAM BW=5MHz Channel=36275 RB Size=8 Position=#Max




Band34 16QAM BW=5MHz Channel=36275 RB Size=25 Position=#0




Band34 QPSK BW=5MHz Channel=36325 RB Size=8 Position=#0



Band34 QPSK BW=5MHz Channel=36325 RB Size=8 Position=#Max




Band34 QPSK BW=5MHz Channel=36325 RB Size=25 Position=#0




Band34 16QAM BW=5MHz Channel=36325 RB Size=8 Position=#0







Band34 16QAM BW=5MHz Channel=36325 RB Size=8 Position=#Max




Band34 16QAM BW=5MHz Channel=36325 RB Size=25 Position=#0




Band34 QPSK BW=10MHz Channel=36250 RB Size=12 Position=#0




Band34 QPSK BW=10MHz Channel=36250 RB Size=12 Position=#Max




Band34 QPSK BW=10MHz Channel=36250 RB Size=50 Position=#0




Band34 16QAM BW=10MHz Channel=36250 RB Size=12 Position=#0




Band34 16QAM BW=10MHz Channel=36250 RB Size=12 Position=#Max




Band34 16QAM BW=10MHz Channel=36250 RB Size=50 Position=#0




Band34 QPSK BW=10MHz Channel=36275 RB Size=12 Position=#0




Band34 QPSK BW=10MHz Channel=36275 RB Size=12 Position=#Max




Band34 QPSK BW=10MHz Channel=36275 RB Size=50 Position=#0



Band34 16QAM BW=10MHz Channel=36275 RB Size=12 Position=#0




Band34 16QAM BW=10MHz Channel=36275 RB Size=12 Position=#Max




Band34 16QAM BW=10MHz Channel=36275 RB Size=50 Position=#0







Band34 QPSK BW=10MHz Channel=36300 RB Size=12 Position=#0




Band34 QPSK BW=10MHz Channel=36300 RB Size=12 Position=#Max




Band34 QPSK BW=10MHz Channel=36300 RB Size=50 Position=#0




Band34 16QAM BW=10MHz Channel=36300 RB Size=12 Position=#0




Band34 16QAM BW=10MHz Channel=36300 RB Size=12 Position=#Max




Band34 16QAM BW=10MHz Channel=36300 RB Size=50 Position=#0




Band34 QPSK BW=15MHz Channel=36275 RB Size=16 Position=#0




Band34 QPSK BW=15MHz Channel=36275 RB Size=16 Position=#Max




Band34 QPSK BW=15MHz Channel=36275 RB Size=75 Position=#0




Band34 16QAM BW=15MHz Channel=36275 RB Size=16 Position=#0




Band34 16QAM BW=15MHz Channel=36275 RB Size=16 Position=#Max



Band34 16QAM BW=15MHz Channel=36275 RB Size=75 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#Max







Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=8 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=8 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#0



Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=8 Position=#0







Band38 16QAM BW=5MHz Channel=38225 RB Size=8 Position=#Max




Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=12 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0



Band38 16QAM BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0







Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=12 Position=#Max




Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#Max




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=18 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=18 Position=#Max



Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#Max







Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=18 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=18 Position=#Max




Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=18 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0



Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 16QAM BW=5MHz Channel=38675 RB Size=8 Position=#0






Band40 16QAM BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 16QAM BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0



Band40 16QAM BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 16QAM BW=5MHz Channel=39150 RB Size=8 Position=#Max




Band40 16QAM BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0



Band40 16QAM BW=5MHz Channel=39625 RB Size=8 Position=#0



Band40 16QAM BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 16QAM BW=5MHz Channel=39625 RB Size=25 Position=#0







Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 16QAM BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 16QAM BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 16QAM BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0



Band40 16QAM BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 16QAM BW=10MHz Channel=39150 RB Size=12 Position=#Max



Band40 16QAM BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max







Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 16QAM BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 16QAM BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 16QAM BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 16QAM BW=20MHz Channel=38750 RB Size=18 Position=#0




Band40 16QAM BW=20MHz Channel=38750 RB Size=18 Position=#Max




Band40 16QAM BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 16QAM BW=20MHz Channel=39150 RB Size=18 Position=#0







Band40 16QAM BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 16QAM BW=20MHz Channel=39150 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0




Band40 16QAM BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 16QAM BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 16QAM BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0



Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0







Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0



Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#Max



Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max







Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#0







Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0



Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#Max




Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0







Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#Max



Band8 16QAM BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max







Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0



Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#0







Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0



Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#0



Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21775 RB Size=25 Position=#0







Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 16QAM BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 16QAM BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max







Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 16QAM BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.4 LTE Transmitter Spurious Emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	5	18025	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.62	-36	PASS
Band1	5	18025	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.59	-36	PASS
Band1	5	18025	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	319.25	-64.35	-36	PASS
Band1	5	18025	1	#0	QPSK	1000 MHz-1910.00 MHz	1 MHz	1910.00	-58.21	-30	PASS
Band1	5	18025	1	#0	QPSK	1935.00 MHz-3000 MHz	1 MHz	1935.89	-59.48	-30	PASS
Band1	5	18025	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3840.94	-53.56	-30	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.40	-72.37	-50	PASS
Band1	5	18025	1	#0	QPSK	1805	1	1875.65	-81.75	-50	PASS

						MHz-1880 MHz	MHz				
Band1	5	18025	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.74	-79.26	-50	PASS
Band1	5	18025	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.62	-82.04	-50	PASS
Band1	5	18025	1	#0	QPSK	791 MHz-821 MHz	1 MHz	814.43	-82.03	-50	PASS
Band1	5	18025	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.76	-79.84	-50	PASS
Band1	5	18025	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.18	-82.08	-50	PASS
Band1	5	18025	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.44	-82.17	-50	PASS
Band1	5	18025	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1472.64	-82.05	-50	PASS
Band1	5	18025	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.86	-81.23	-50	PASS
Band1	5	18025	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.60	-79.72	-50	PASS
Band1	5	18025	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.60	-80.68	-50	PASS
Band1	5	18025	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.00	-79.82	-50	PASS
Band1	5	18025	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.60	-80.39	-50	PASS
Band1	5	18025	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.87	-72.15	-50	PASS
Band1	5	18025	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.90	-82.42	-50	PASS
Band1	5	18025	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.19	-82.22	-50	PASS
Band1	5	18025	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1909.46	-53.31	-15.5	PASS

						MHz					
Band1	5	18025	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1920.00	-49.15	1.6	PASS
Band1	5	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.89	-36	PASS
Band1	5	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.23	-36	PASS
Band1	5	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	360.48	-63.99	-36	PASS
Band1	5	18300	1	#0	QPSK	1000 MHz-1937.50 MHz	1 MHz	1934.69	-48.82	-30	PASS
Band1	5	18300	1	#0	QPSK	1962.50 MHz-3000 MHz	1 MHz	1963.36	-58.80	-30	PASS
Band1	5	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.94	-53.95	-30	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2141.56	-78.09	-50	PASS
Band1	5	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.93	-81.76	-50	PASS
Band1	5	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.32	-79.29	-50	PASS
Band1	5	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.05	-82.12	-50	PASS
Band1	5	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.46	-81.94	-50	PASS
Band1	5	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.16	-79.81	-50	PASS
Band1	5	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.50	-81.95	-50	PASS
Band1	5	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.12	-82.14	-50	PASS
Band1	5	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.87	-82.10	-50	PASS
Band1	5	18300	1	#0	QPSK	2010	1	2016.21	-81.16	-50	PASS

						MHz-2025 MHz	MHz				
Band1	5	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.45	-79.76	-50	PASS
Band1	5	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2398.50	-80.59	-50	PASS
Band1	5	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-79.68	-50	PASS
Band1	5	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3609.00	-80.34	-50	PASS
Band1	5	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2141.77	-78.21	-50	PASS
Band1	5	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.26	-82.29	-50	PASS
Band1	5	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	773.79	-82.08	-50	PASS
Band1	5	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1908.32	-54.08	-15.5	PASS
Band1	5	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.56	-54.04	1.6	PASS
Band1	5	18575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.81	-36	PASS
Band1	5	18575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.32	-36	PASS
Band1	5	18575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	401.80	-64.50	-36	PASS
Band1	5	18575	1	#0	QPSK	1000 MHz-1965.00 MHz	1 MHz	1965.00	-57.19	-30	PASS
Band1	5	18575	1	#0	QPSK	1990.00 MHz-3000 MHz	1 MHz	1990.84	-58.97	-30	PASS
Band1	5	18575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12637.88	-53.82	-30	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2166.28	-74.70	-50	PASS

						MHz					
Band1	5	18575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.90	-81.69	-50	PASS
Band1	5	18575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.88	-79.25	-50	PASS
Band1	5	18575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	941.45	-82.07	-50	PASS
Band1	5	18575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	792.65	-81.93	-50	PASS
Band1	5	18575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.76	-79.82	-50	PASS
Band1	5	18575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.82	-81.93	-50	PASS
Band1	5	18575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.04	-82.10	-50	PASS
Band1	5	18575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.05	-82.04	-50	PASS
Band1	5	18575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.80	-81.10	-50	PASS
Band1	5	18575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.85	-79.59	-50	PASS
Band1	5	18575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.30	-80.59	-50	PASS
Band1	5	18575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.70	-50	PASS
Band1	5	18575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.40	-80.33	-50	PASS
Band1	5	18575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2166.07	-74.71	-50	PASS
Band1	5	18575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.62	-82.30	-50	PASS
Band1	5	18575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.43	-82.08	-50	PASS



Band1	5	18575	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1911.36	-54.04	-15.5	PASS
Band1	5	18575	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.41	-54.02	1.6	PASS
Band1	20	18100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.07	-36	PASS
Band1	20	18100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.55	-36	PASS
Band1	20	18100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	320.42	-64.92	-36	PASS
Band1	20	18100	1	#0	QPSK	1000 MHz-1895.00 MHz	1 MHz	1894.11	-61.57	-30	PASS
Band1	20	18100	1	#0	QPSK	1965.00 MHz-3000 MHz	1 MHz	2471.29	-56.26	-30	PASS
Band1	20	18100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3842.56	-52.73	-30	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2113.78	-72.51	-50	PASS
Band1	20	18100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.70	-81.62	-50	PASS
Band1	20	18100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2666.55	-79.26	-50	PASS
Band1	20	18100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.18	-82.13	-50	PASS
Band1	20	18100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.26	-81.87	-50	PASS
Band1	20	18100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.12	-79.85	-50	PASS
Band1	20	18100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.19	-81.94	-50	PASS
Band1	20	18100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.97	-82.18	-50	PASS
Band1	20	18100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1463.13	-82.12	-50	PASS

						MHz					
Band1	20	18100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.20	-81.23	-50	PASS
Band1	20	18100	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.85	-79.76	-50	PASS
Band1	20	18100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.40	-80.63	-50	PASS
Band1	20	18100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-79.83	-50	PASS
Band1	20	18100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.40	-80.42	-50	PASS
Band1	20	18100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.41	-72.35	-50	PASS
Band1	20	18100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.42	-82.26	-50	PASS
Band1	20	18100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.67	-82.14	-50	PASS
Band1	20	18100	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1911.78	-49.64	-15.5	PASS
Band1	20	18100	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1919.77	-48.74	1.6	PASS
Band1	20	18300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.70	-36	PASS
Band1	20	18300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.12	-36	PASS
Band1	20	18300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	350.39	-65.31	-36	PASS
Band1	20	18300	1	#0	QPSK	1000 MHz-1915.00 MHz	1 MHz	1910.43	-51.71	-30	PASS
Band1	20	18300	1	#0	QPSK	1985.00 MHz-3000 MHz	1 MHz	2473.05	-55.79	-30	PASS
Band1	20	18300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3882.38	-52.07	-30	PASS

Band1	20	18300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.92	-74.17	-50	PASS
Band1	20	18300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.50	-81.72	-50	PASS
Band1	20	18300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.43	-79.26	-50	PASS
Band1	20	18300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.30	-81.98	-50	PASS
Band1	20	18300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.20	-81.97	-50	PASS
Band1	20	18300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.56	-79.85	-50	PASS
Band1	20	18300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.63	-82.00	-50	PASS
Band1	20	18300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.84	-82.13	-50	PASS
Band1	20	18300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1482.01	-82.09	-50	PASS
Band1	20	18300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.61	-81.21	-50	PASS
Band1	20	18300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.90	-79.67	-50	PASS
Band1	20	18300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.20	-80.59	-50	PASS
Band1	20	18300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.60	-79.75	-50	PASS
Band1	20	18300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3602.60	-80.33	-50	PASS
Band1	20	18300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2148.25	-73.88	-50	PASS
Band1	20	18300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	752.72	-82.27	-50	PASS

Band1	20	18300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.91	-82.02	-50	PASS
Band1	20	18300	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1909.66	-53.72	-15.5	PASS
Band1	20	18300	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1915.04	-54.00	1.6	PASS
Band1	20	18500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.86	-36	PASS
Band1	20	18500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.57	-36	PASS
Band1	20	18500	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	380.36	-63.03	-36	PASS
Band1	20	18500	1	#0	QPSK	1000 MHz-1935.00 MHz	1 MHz	1930.33	-56.66	-30	PASS
Band1	20	18500	1	#0	QPSK	2005.00 MHz-3000 MHz	1 MHz	2661.70	-60.34	-30	PASS
Band1	20	18500	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3922.19	-51.89	-30	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2157.94	-72.91	-50	PASS
Band1	20	18500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.08	-81.71	-50	PASS
Band1	20	18500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2663.33	-79.19	-50	PASS
Band1	20	18500	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.25	-82.02	-50	PASS
Band1	20	18500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.41	-81.88	-50	PASS
Band1	20	18500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.08	-79.76	-50	PASS
Band1	20	18500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.89	-81.92	-50	PASS
Band1	20	18500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.76	-82.08	-50	PASS

Band1	20	18500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.77	-82.09	-50	PASS
Band1	20	18500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.22	-81.17	-50	PASS
Band1	20	18500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.45	-79.65	-50	PASS
Band1	20	18500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.60	-80.53	-50	PASS
Band1	20	18500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-79.72	-50	PASS
Band1	20	18500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.60	-80.37	-50	PASS
Band1	20	18500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2158.42	-72.83	-50	PASS
Band1	20	18500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.88	-82.27	-50	PASS
Band1	20	18500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.06	-82.04	-50	PASS
Band1	20	18500	1	#0	QPSK	1895 MHz-1915 MHz	5 MHz	1908.18	-54.02	-15.5	PASS
Band1	20	18500	1	#0	QPSK	1915 MHz-1920 MHz	5 MHz	1917.26	-53.97	1.6	PASS
Band20	5	24175	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.06	-36	PASS
Band20	5	24175	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.72	-36	PASS
Band20	5	24175	1	#0	QPSK	30 MHz-822.00 MHz	100 kHz	820.97	-70.29	-36	PASS
Band20	5	24175	1	#0	QPSK	847.00 MHz-1000 MHz	100 kHz	849.60	-65.75	-36	PASS
Band20	5	24175	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1412.50	-63.90	-30	PASS

Band20	5	24175	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5847.90	-58.57	-30	PASS
Band20	5	24175	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12686.55	-60.41	-30	PASS
Band20	5	24175	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.32	-83.96	-50	PASS
Band20	5	24175	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1865.23	-84.79	-50	PASS
Band20	5	24175	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.01	-82.44	-50	PASS
Band20	5	24175	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.18	-85.24	-50	PASS
Band20	5	24175	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.14	-75.08	-50	PASS
Band20	5	24175	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.28	-82.98	-50	PASS
Band20	5	24175	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.75	-85.27	-50	PASS
Band20	5	24175	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.62	-85.30	-50	PASS
Band20	5	24175	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.60	-84.75	-50	PASS
Band20	5	24175	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.43	-84.37	-50	PASS
Band20	5	24175	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.60	-82.89	-50	PASS
Band20	5	24175	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.40	-83.75	-50	PASS
Band20	5	24175	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-82.99	-50	PASS
Band20	5	24175	1	#0	QPSK	3600	1	3625.80	-83.44	-50	PASS

						MHz-3800 MHz	MHz				
Band20	5	24175	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.05	-84.21	-50	PASS
Band20	5	24175	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.78	-85.42	-50	PASS
Band20	5	24175	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.52	-85.26	-50	PASS
Band20	5	24175	1	#0	QPSK	758 MHz-788 MHz	1 MHz	782.15	-85.15	-50	PASS
Band20	5	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.29	-36	PASS
Band20	5	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.30	-36	PASS
Band20	5	24300	1	#0	QPSK	30 MHz-834.50 MHz	100 kHz	834.26	-67.30	-36	PASS
Band20	5	24300	1	#0	QPSK	859.50 MHz-1000 MHz	100 kHz	862.03	-67.00	-36	PASS
Band20	5	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1486.00	-63.91	-30	PASS
Band20	5	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5811.00	-58.59	-30	PASS
Band20	5	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12635.93	-60.35	-30	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.44	-84.08	-50	PASS
Band20	5	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.63	-84.76	-50	PASS
Band20	5	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.44	-82.46	-50	PASS
Band20	5	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	937.01	-85.21	-50	PASS
Band20	5	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	804.41	-73.67	-50	PASS
Band20	5	24300	1	#0	QPSK	3510	1	3588.16	-83.02	-50	PASS



						MHz-3590 MHz	MHz				
Band20	5	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.41	-85.34	-50	PASS
Band20	5	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1495.16	-85.26	-50	PASS
Band20	5	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.24	-84.78	-50	PASS
Band20	5	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.02	-84.39	-50	PASS
Band20	5	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.45	-82.83	-50	PASS
Band20	5	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.00	-83.78	-50	PASS
Band20	5	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3417.80	-82.57	-50	PASS
Band20	5	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.20	-83.46	-50	PASS
Band20	5	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2127.64	-84.18	-50	PASS
Band20	5	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.60	-85.48	-50	PASS
Band20	5	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.02	-85.10	-50	PASS
Band20	5	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	779.87	-85.25	-50	PASS
Band20	5	24425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.06	-36	PASS
Band20	5	24425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.91	-36	PASS
Band20	5	24425	1	#0	QPSK	30 MHz-847.00 MHz	100 kHz	846.43	-67.31	-36	PASS
Band20	5	24425	1	#0	QPSK	872.00 MHz-1000 kHz	100 kHz	873.41	-72.20	-36	PASS

						MHz					
Band20	5	24425	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1491.00	-63.89	-30	PASS
Band20	5	24425	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1715.10	-50.30	-30	PASS
Band20	5	24425	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12633.23	-60.30	-30	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2118.52	-84.18	-50	PASS
Band20	5	24425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1861.63	-84.81	-50	PASS
Band20	5	24425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.02	-82.46	-50	PASS
Band20	5	24425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.05	-85.26	-50	PASS
Band20	5	24425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	817.01	-76.77	-50	PASS
Band20	5	24425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.44	-83.05	-50	PASS
Band20	5	24425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.59	-85.30	-50	PASS
Band20	5	24425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.94	-85.28	-50	PASS
Band20	5	24425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.86	-84.70	-50	PASS
Band20	5	24425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.14	-84.33	-50	PASS
Band20	5	24425	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.85	-82.88	-50	PASS
Band20	5	24425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.80	-83.80	-50	PASS

Band20	5	24425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-82.89	-50	PASS
Band20	5	24425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.00	-83.52	-50	PASS
Band20	5	24425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.68	-84.19	-50	PASS
Band20	5	24425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.78	-85.50	-50	PASS
Band20	5	24425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.62	-85.27	-50	PASS
Band20	5	24425	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.74	-85.25	-50	PASS
Band20	20	24250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.19	-36	PASS
Band20	20	24250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.05	-36	PASS
Band20	20	24250	1	#0	QPSK	30 MHz-807.00 MHz	100 kHz	602.34	-70.51	-36	PASS
Band20	20	24250	1	#0	QPSK	877.00 MHz-1000 MHz	100 kHz	995.70	-72.11	-36	PASS
Band20	20	24250	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1334.50	-63.87	-30	PASS
Band20	20	24250	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	2499.00	-58.50	-30	PASS
Band20	20	24250	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12548.85	-60.39	-30	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.82	-84.15	-50	PASS
Band20	20	24250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.13	-84.84	-50	PASS
Band20	20	24250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.59	-82.38	-50	PASS
Band20	20	24250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.32	-85.29	-50	PASS

						MHz	MHz				
Band20	20	24250	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.52	-71.58	-50	PASS
Band20	20	24250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.84	-83.01	-50	PASS
Band20	20	24250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.10	-85.27	-50	PASS
Band20	20	24250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.10	-85.23	-50	PASS
Band20	20	24250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1911.54	-84.72	-50	PASS
Band20	20	24250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.04	-84.35	-50	PASS
Band20	20	24250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2609.45	-82.87	-50	PASS
Band20	20	24250	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2388.00	-83.74	-50	PASS
Band20	20	24250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-82.89	-50	PASS
Band20	20	24250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3621.60	-83.54	-50	PASS
Band20	20	24250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2121.97	-84.14	-50	PASS
Band20	20	24250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.16	-85.49	-50	PASS
Band20	20	24250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.58	-85.27	-50	PASS
Band20	20	24250	1	#0	QPSK	758 MHz-788 MHz	1 MHz	782.48	-85.21	-50	PASS
Band20	20	24300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.99	-36	PASS
Band20	20	24300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.36	-36	PASS
Band20	20	24300	1	#0	QPSK	30	100	802.93	-70.30	-36	PASS

						MHz-812.00 MHz	kHz				
Band20	20	24300	1	#0	QPSK	882.00 MHz-1000 MHz	100 kHz	999.41	-72.15	-36	PASS
Band20	20	24300	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1304.00	-63.84	-30	PASS
Band20	20	24300	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1676.40	-56.24	-30	PASS
Band20	20	24300	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12633.90	-60.46	-30	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2157.04	-84.16	-50	PASS
Band20	20	24300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.60	-84.85	-50	PASS
Band20	20	24300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.25	-82.38	-50	PASS
Band20	20	24300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.35	-85.26	-50	PASS
Band20	20	24300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	799.76	-71.48	-50	PASS
Band20	20	24300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.60	-82.96	-50	PASS
Band20	20	24300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.49	-85.21	-50	PASS
Band20	20	24300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1492.83	-85.25	-50	PASS
Band20	20	24300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.48	-84.76	-50	PASS
Band20	20	24300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.45	-84.30	-50	PASS
Band20	20	24300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.25	-82.84	-50	PASS

						MHz					
Band20	20	24300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.70	-83.72	-50	PASS
Band20	20	24300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-82.83	-50	PASS
Band20	20	24300	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.00	-83.54	-50	PASS
Band20	20	24300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.32	-84.20	-50	PASS
Band20	20	24300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.42	-85.45	-50	PASS
Band20	20	24300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	778.74	-85.27	-50	PASS
Band20	20	24300	1	#0	QPSK	758 MHz-788 MHz	1 MHz	786.89	-85.20	-50	PASS
Band20	20	24350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.88	-36	PASS
Band20	20	24350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.31	-36	PASS
Band20	20	24350	1	#0	QPSK	30 MHz-817.00 MHz	100 kHz	498.42	-70.72	-36	PASS
Band20	20	24350	1	#0	QPSK	887.00 MHz-1000 MHz	100 kHz	997.51	-72.04	-36	PASS
Band20	20	24350	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1450.00	-63.86	-30	PASS
Band20	20	24350	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5806.50	-58.54	-30	PASS
Band20	20	24350	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12642.00	-60.33	-30	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2138.14	-84.08	-50	PASS
Band20	20	24350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.80	-84.85	-50	PASS

Band20	20	24350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.83	-82.40	-50	PASS
Band20	20	24350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.91	-85.25	-50	PASS
Band20	20	24350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	803.00	-72.21	-50	PASS
Band20	20	24350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.92	-82.92	-50	PASS
Band20	20	24350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.07	-85.28	-50	PASS
Band20	20	24350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.65	-85.22	-50	PASS
Band20	20	24350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1906.52	-84.75	-50	PASS
Band20	20	24350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.01	-84.30	-50	PASS
Band20	20	24350	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.85	-80.36	-50	PASS
Band20	20	24350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.80	-83.75	-50	PASS
Band20	20	24350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-82.77	-50	PASS
Band20	20	24350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.40	-83.49	-50	PASS
Band20	20	24350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.62	-84.14	-50	PASS
Band20	20	24350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.00	-85.41	-50	PASS
Band20	20	24350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	771.39	-85.21	-50	PASS
Band20	20	24350	1	#0	QPSK	758 MHz-788 MHz	1 MHz	771.92	-85.16	-50	PASS
Band28	3	27225	1	#0	QPSK	9 kHz-150	1	0.01	-59.15	-36	PASS



						kHz	kHz				
Band28	3	27225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.48	-36	PASS
Band28	3	27225	1	#0	QPSK	30 MHz-697.00 MHz	100 kHz	696.73	-55.90	-36	PASS
Band28	3	27225	1	#0	QPSK	712.00 MHz-1000 MHz	100 kHz	716.32	-56.10	-36	PASS
Band28	3	27225	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1281.70	-63.45	-30	PASS
Band28	3	27225	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1406.22	-48.70	-30	PASS
Band28	3	27225	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12647.63	-60.63	-30	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2131.72	-71.76	-50	PASS
Band28	3	27225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1870.70	-72.37	-50	PASS
Band28	3	27225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.40	-70.13	-50	PASS
Band28	3	27225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.68	-64.24	-50	PASS
Band28	3	27225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.97	-65.95	-50	PASS
Band28	3	27225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.92	-70.64	-50	PASS
Band28	3	27225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.94	-62.92	-50	PASS
Band28	3	27225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.22	-72.80	-50	PASS
Band28	3	27225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.42	-71.96	-50	PASS
Band28	3	27225	1	#0	QPSK	2570	1	2585.60	-67.35	-50	PASS

						MHz-2620 MHz	MHz				
Band28	3	27225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-70.62	-50	PASS
Band28	3	27225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.40	-70.93	-50	PASS
Band28	3	27225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2143.12	-71.81	-50	PASS
Band28	3	27225	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.89	-66.10	-32	PASS
Band28	3	27225	1	#0	QPSK	773 MHz-803 MHz	1 MHz	797.24	-66.24	-50	PASS
Band28	3	27225	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-43.19	-25	PASS
Band28	3	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.49	-36	PASS
Band28	3	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-64.04	-36	PASS
Band28	3	27375	1	#0	QPSK	30 MHz-712.00 MHz	100 kHz	711.73	-50.20	-36	PASS
Band28	3	27375	1	#0	QPSK	727.00 MHz-1000 MHz	100 kHz	731.37	-57.64	-36	PASS
Band28	3	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1272.70	-63.34	-30	PASS
Band28	3	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1436.30	-49.17	-30	PASS
Band28	3	27375	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12657.75	-60.51	-30	PASS
Band28	3	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.62	-71.72	-50	PASS
Band28	3	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.73	-72.37	-50	PASS
Band28	3	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.26	-70.09	-50	PASS

						MHz					
Band28	3	27375	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.70	-63.02	-50	PASS
Band28	3	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.82	-66.07	-50	PASS
Band28	3	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.00	-70.58	-50	PASS
Band28	3	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.83	-63.29	-50	PASS
Band28	3	27375	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1465.86	-72.75	-50	PASS
Band28	3	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.60	-71.90	-50	PASS
Band28	3	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2620.00	-70.50	-50	PASS
Band28	3	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3424.00	-70.67	-50	PASS
Band28	3	27375	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.80	-70.90	-50	PASS
Band28	3	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.09	-71.81	-50	PASS
Band28	3	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.48	-65.87	-32	PASS
Band28	3	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	774.32	-65.46	-50	PASS
Band28	3	27375	1	#0	QPSK	470 MHz-694 MHz	8 MHz	510.10	-52.11	-25	PASS
Band28	3	27525	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.71	-36	PASS
Band28	3	27525	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.57	-36	PASS
Band28	3	27525	1	#0	QPSK	30 MHz-727.00 MHz	100 kHz	726.72	-51.65	-36	PASS
Band28	3	27525	1	#0	QPSK	742.00 MHz-1000 MHz	100 kHz	746.13	-58.70	-36	PASS

						MHz					
Band28	3	27525	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1249.90	-63.45	-30	PASS
Band28	3	27525	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1466.38	-45.31	-30	PASS
Band28	3	27525	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12657.75	-60.51	-30	PASS
Band28	3	27525	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.14	-71.76	-50	PASS
Band28	3	27525	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.83	-72.43	-50	PASS
Band28	3	27525	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2646.18	-70.16	-50	PASS
Band28	3	27525	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.17	-62.77	-50	PASS
Band28	3	27525	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.53	-66.36	-50	PASS
Band28	3	27525	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.12	-70.63	-50	PASS
Band28	3	27525	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.89	-63.81	-50	PASS
Band28	3	27525	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1464.98	-69.84	-50	PASS
Band28	3	27525	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.36	-71.97	-50	PASS
Band28	3	27525	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.45	-70.52	-50	PASS
Band28	3	27525	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.80	-70.58	-50	PASS
Band28	3	27525	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.20	-70.95	-50	PASS

Band28	3	27525	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2161.39	-71.79	-50	PASS
Band28	3	27525	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.24	-65.05	-32	PASS
Band28	3	27525	1	#0	QPSK	773 MHz-803 MHz	1 MHz	773.78	-65.70	-50	PASS
Band28	3	27525	1	#0	QPSK	470 MHz-694 MHz	8 MHz	515.02	-52.44	-25	PASS
Band28	5	27235	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.90	-36	PASS
Band28	5	27235	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.00	-36	PASS
Band28	5	27235	1	#0	QPSK	30 MHz-693.00 MHz	100 kHz	499.93	-69.43	-36	PASS
Band28	5	27235	1	#0	QPSK	718.00 MHz-1000 MHz	100 kHz	720.54	-69.54	-36	PASS
Band28	5	27235	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1270.00	-63.44	-30	PASS
Band28	5	27235	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1406.22	-49.81	-30	PASS
Band28	5	27235	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12670.13	-60.57	-30	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.32	-71.74	-50	PASS
Band28	5	27235	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.95	-72.34	-50	PASS
Band28	5	27235	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2645.55	-70.06	-50	PASS
Band28	5	27235	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.18	-64.06	-50	PASS
Band28	5	27235	1	#0	QPSK	791 MHz-821 MHz	1 MHz	816.35	-65.91	-50	PASS
Band28	5	27235	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.96	-70.60	-50	PASS

Band28	5	27235	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.92	-62.77	-50	PASS
Band28	5	27235	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1480.86	-72.74	-50	PASS
Band28	5	27235	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.69	-71.94	-50	PASS
Band28	5	27235	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.25	-70.47	-50	PASS
Band28	5	27235	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.20	-70.44	-50	PASS
Band28	5	27235	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3633.40	-70.87	-50	PASS
Band28	5	27235	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.88	-71.76	-50	PASS
Band28	5	27235	1	#0	QPSK	758 MHz-773 MHz	1 MHz	761.96	-65.99	-32	PASS
Band28	5	27235	1	#0	QPSK	773 MHz-803 MHz	1 MHz	793.31	-66.15	-50	PASS
Band28	5	27235	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-44.00	-25	PASS
Band28	5	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.16	-36	PASS
Band28	5	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.57	-36	PASS
Band28	5	27375	1	#0	QPSK	30 MHz-707.00 MHz	100 kHz	705.44	-67.70	-36	PASS
Band28	5	27375	1	#0	QPSK	732.00 MHz-1000 MHz	100 kHz	734.14	-69.96	-36	PASS
Band28	5	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1234.00	-63.29	-30	PASS
Band28	5	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1434.42	-47.75	-30	PASS
Band28	5	27375	1	#0	QPSK	6000	1	12629.63	-60.59	-30	PASS

						MHz-12.75 GHz	MHz				
Band28	5	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.88	-71.68	-50	PASS
Band28	5	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.63	-72.36	-50	PASS
Band28	5	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2662.98	-70.11	-50	PASS
Band28	5	27375	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.37	-62.81	-50	PASS
Band28	5	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	813.92	-65.96	-50	PASS
Band28	5	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3580.40	-70.72	-50	PASS
Band28	5	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.49	-63.01	-50	PASS
Band28	5	27375	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.84	-72.72	-50	PASS
Band28	5	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.48	-71.91	-50	PASS
Band28	5	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.50	-70.47	-50	PASS
Band28	5	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3402.60	-70.71	-50	PASS
Band28	5	27375	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.20	-70.95	-50	PASS
Band28	5	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.14	-71.77	-50	PASS
Band28	5	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.87	-65.52	-32	PASS
Band28	5	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	775.52	-65.40	-50	PASS
Band28	5	27375	1	#0	QPSK	470 MHz-694	8	504.94	-52.00	-25	PASS



						MHz	MHz				
Band28	5	27515	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.01	-36	PASS
Band28	5	27515	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.80	-36	PASS
Band28	5	27515	1	#0	QPSK	30 MHz-721.00 MHz	100 kHz	720.93	-68.17	-36	PASS
Band28	5	27515	1	#0	QPSK	746.00 MHz-1000 MHz	100 kHz	938.02	-70.36	-36	PASS
Band28	5	27515	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1216.90	-63.36	-30	PASS
Band28	5	27515	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1462.62	-41.56	-30	PASS
Band28	5	27515	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12619.50	-60.53	-30	PASS
Band28	5	27515	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.76	-71.75	-50	PASS
Band28	5	27515	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.65	-72.38	-50	PASS
Band28	5	27515	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.32	-70.11	-50	PASS
Band28	5	27515	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.48	-62.57	-50	PASS
Band28	5	27515	1	#0	QPSK	791 MHz-821 MHz	1 MHz	820.22	-66.19	-50	PASS
Band28	5	27515	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-70.64	-50	PASS
Band28	5	27515	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.34	-63.65	-50	PASS
Band28	5	27515	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.98	-71.80	-50	PASS
Band28	5	27515	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.43	-71.94	-50	PASS

						MHz					
Band28	5	27515	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-70.46	-50	PASS
Band28	5	27515	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-70.55	-50	PASS
Band28	5	27515	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.20	-70.90	-50	PASS
Band28	5	27515	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.85	-71.81	-50	PASS
Band28	5	27515	1	#0	QPSK	758 MHz-773 MHz	1 MHz	758.86	-64.96	-32	PASS
Band28	5	27515	1	#0	QPSK	773 MHz-803 MHz	1 MHz	787.04	-65.54	-50	PASS
Band28	5	27515	1	#0	QPSK	470 MHz-694 MHz	8 MHz	509.42	-52.30	-25	PASS
Band28	20	27310	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.82	-36	PASS
Band28	20	27310	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.36	-36	PASS
Band28	20	27310	1	#0	QPSK	30 MHz-678.00 MHz	100 kHz	494.23	-69.19	-36	PASS
Band28	20	27310	1	#0	QPSK	748.00 MHz-1000 MHz	100 kHz	892.90	-71.08	-36	PASS
Band28	20	27310	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1288.00	-63.25	-30	PASS
Band28	20	27310	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1408.10	-48.54	-30	PASS
Band28	20	27310	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12611.63	-60.63	-30	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	0.00	-999.00	-50	PASS
Band28	20	27310	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1868.38	-72.37	-50	PASS

Band28	20	27310	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2654.16	-70.12	-50	PASS
Band28	20	27310	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.74	-64.01	-50	PASS
Band28	20	27310	1	#0	QPSK	791 MHz-821 MHz	1 MHz	819.05	-65.90	-50	PASS
Band28	20	27310	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3512.88	-71.05	-50	PASS
Band28	20	27310	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.11	-62.85	-50	PASS
Band28	20	27310	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1456.62	-72.73	-50	PASS
Band28	20	27310	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.24	-71.93	-50	PASS
Band28	20	27310	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.65	-70.52	-50	PASS
Band28	20	27310	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3465.20	-70.64	-50	PASS
Band28	20	27310	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3625.60	-70.92	-50	PASS
Band28	20	27310	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2174.89	-71.86	-50	PASS
Band28	20	27310	1	#0	QPSK	758 MHz-773 MHz	1 MHz	762.34	-65.81	-32	PASS
Band28	20	27310	1	#0	QPSK	773 MHz-803 MHz	1 MHz	776.30	-65.65	-50	PASS
Band28	20	27310	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-40.32	-25	PASS
Band28	20	27375	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.31	-36	PASS
Band28	20	27375	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.08	-36	PASS
Band28	20	27375	1	#0	QPSK	30 MHz-684.50 MHz	100 kHz	496.33	-69.25	-36	PASS

Band28	20	27375	1	#0	QPSK	754.50 MHz-1000 MHz	100 kHz	919.23	-70.67	-36	PASS
Band28	20	27375	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1291.60	-63.25	-30	PASS
Band28	20	27375	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1421.26	-49.02	-30	PASS
Band28	20	27375	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12638.63	-60.54	-30	PASS
Band28	20	27375	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2114.14	-71.75	-50	PASS
Band28	20	27375	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.10	-72.42	-50	PASS
Band28	20	27375	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.80	-70.10	-50	PASS
Band28	20	27375	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.77	-63.31	-50	PASS
Band28	20	27375	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.69	-65.89	-50	PASS
Band28	20	27375	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3515.60	-71.00	-50	PASS
Band28	20	27375	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.59	-62.86	-50	PASS
Band28	20	27375	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.02	-72.75	-50	PASS
Band28	20	27375	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.01	-71.93	-50	PASS
Band28	20	27375	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.65	-70.51	-50	PASS
Band28	20	27375	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3416.80	-70.69	-50	PASS
Band28	20	27375	1	#0	QPSK	3600	1	3657.80	-71.03	-50	PASS

						MHz-3800 MHz	MHz				
Band28	20	27375	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.32	-71.72	-50	PASS
Band28	20	27375	1	#0	QPSK	758 MHz-773 MHz	1 MHz	766.36	-65.71	-32	PASS
Band28	20	27375	1	#0	QPSK	773 MHz-803 MHz	1 MHz	778.25	-65.20	-50	PASS
Band28	20	27375	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-44.61	-25	PASS
Band28	20	27440	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.76	-36	PASS
Band28	20	27440	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.29	-36	PASS
Band28	20	27440	1	#0	QPSK	30 MHz-691.00 MHz	100 kHz	502.95	-68.89	-36	PASS
Band28	20	27440	1	#0	QPSK	761.00 MHz-1000 MHz	100 kHz	917.07	-70.49	-36	PASS
Band28	20	27440	1	#0	QPSK	1000 MHz-1300 MHz	1 MHz	1283.50	-63.30	-30	PASS
Band28	20	27440	1	#0	QPSK	1300 MHz-6000 MHz	1 MHz	1434.42	-47.57	-30	PASS
Band28	20	27440	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12637.50	-60.49	-30	PASS
Band28	20	27440	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2143.84	-71.71	-50	PASS
Band28	20	27440	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1871.08	-72.39	-50	PASS
Band28	20	27440	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.97	-70.10	-50	PASS
Band28	20	27440	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.20	-63.00	-50	PASS
Band28	20	27440	1	#0	QPSK	791 MHz-821 MHz	1 MHz	815.09	-66.01	-50	PASS
Band28	20	27440	1	#0	QPSK	3510	1	3576.64	-70.71	-50	PASS

						MHz-3590 MHz	MHz				
Band28	20	27440	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.08	-63.13	-50	PASS
Band28	20	27440	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.24	-72.80	-50	PASS
Band28	20	27440	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.75	-71.95	-50	PASS
Band28	20	27440	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2605.65	-69.68	-50	PASS
Band28	20	27440	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3422.00	-70.69	-50	PASS
Band28	20	27440	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3690.00	-71.17	-50	PASS
Band28	20	27440	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2136.73	-71.75	-50	PASS
Band28	20	27440	1	#0	QPSK	758 MHz-773 MHz	1 MHz	772.73	-65.54	-32	PASS
Band28	20	27440	1	#0	QPSK	773 MHz-803 MHz	1 MHz	780.23	-65.34	-50	PASS
Band28	20	27440	1	#0	QPSK	470 MHz-694 MHz	8 MHz	694.00	-50.69	-25	PASS
Band3	1.4	19207	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.08	-36	PASS
Band3	1.4	19207	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.56	-36	PASS
Band3	1.4	19207	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	935.88	-70.92	-36	PASS
Band3	1.4	19207	1	#0	QPSK	1000 MHz-1707.20 MHz	1 MHz	1707.20	-40.89	-30	PASS
Band3	1.4	19207	1	#0	QPSK	1714.20 MHz-3000 MHz	1 MHz	1715.27	-44.16	-30	PASS
Band3	1.4	19207	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12633.81	-54.27	-30	PASS

Band3	1.4	19207	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2129.92	-81.44	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.45	-82.22	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.25	-79.75	-50	PASS
Band3	1.4	19207	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.81	-82.64	-50	PASS
Band3	1.4	19207	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.80	-82.39	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3582.96	-80.33	-50	PASS
Band3	1.4	19207	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.35	-82.48	-50	PASS
Band3	1.4	19207	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.27	-82.60	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.92	-82.55	-50	PASS
Band3	1.4	19207	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.00	-82.09	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.98	-81.68	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.20	-80.14	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.60	-81.12	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-80.11	-50	PASS
Band3	1.4	19207	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.40	-80.89	-50	PASS
Band3	1.4	19207	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2145.28	-81.49	-50	PASS



						MHz					
Band3	1.4	19207	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.24	-82.68	-50	PASS
Band3	1.4	19207	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.60	-82.62	-50	PASS
Band3	1.4	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.01	-36	PASS
Band3	1.4	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.36	-36	PASS
Band3	1.4	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	911.25	-70.65	-36	PASS
Band3	1.4	19575	1	#0	QPSK	1000 MHz-1744.00 MHz	1 MHz	1744.00	-41.24	-30	PASS
Band3	1.4	19575	1	#0	QPSK	1751.00 MHz-3000 MHz	1 MHz	1752.04	-44.73	-30	PASS
Band3	1.4	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12647.63	-54.05	-30	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.44	-81.37	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1842.58	-74.61	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.33	-79.65	-50	PASS
Band3	1.4	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.39	-82.53	-50	PASS
Band3	1.4	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.65	-82.39	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.68	-80.24	-50	PASS
Band3	1.4	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.39	-82.43	-50	PASS
Band3	1.4	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.76	-82.59	-50	PASS
Band3	1.4	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.90	-82.51	-50	PASS

Band3	1.4	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.86	-81.99	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.87	-81.64	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.90	-80.14	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.90	-81.02	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.00	-78.59	-50	PASS
Band3	1.4	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3618.60	-80.75	-50	PASS
Band3	1.4	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2124.04	-81.48	-50	PASS
Band3	1.4	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.62	-82.74	-50	PASS
Band3	1.4	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.63	-82.46	-50	PASS
Band3	1.4	19943	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.33	-36	PASS
Band3	1.4	19943	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.24	-36	PASS
Band3	1.4	19943	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	888.06	-70.97	-36	PASS
Band3	1.4	19943	1	#0	QPSK	1000 MHz-1780.80 MHz	1 MHz	1780.80	-40.80	-30	PASS
Band3	1.4	19943	1	#0	QPSK	1787.80 MHz-3000 MHz	1 MHz	1788.81	-46.84	-30	PASS
Band3	1.4	19943	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12644.38	-54.03	-30	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2158.06	-81.40	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1805	1	1879.40	-72.70	-50	PASS

						MHz-1880 MHz	MHz				
Band3	1.4	19943	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.46	-79.67	-50	PASS
Band3	1.4	19943	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.22	-82.50	-50	PASS
Band3	1.4	19943	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.16	-82.34	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.16	-80.25	-50	PASS
Band3	1.4	19943	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.62	-82.37	-50	PASS
Band3	1.4	19943	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.81	-82.51	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.40	-82.50	-50	PASS
Band3	1.4	19943	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.32	-81.98	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.39	-81.59	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.95	-80.09	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.50	-80.95	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3591.60	-80.15	-50	PASS
Band3	1.4	19943	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3630.00	-80.78	-50	PASS
Band3	1.4	19943	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.63	-81.41	-50	PASS
Band3	1.4	19943	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.32	-82.68	-50	PASS
Band3	1.4	19943	1	#0	QPSK	753 MHz-783	1	771.39	-82.50	-50	PASS

						MHz	MHz				
Band3	5	19225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.71	-36	PASS
Band3	5	19225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.01	-36	PASS
Band3	5	19225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	834.81	-70.74	-36	PASS
Band3	5	19225	1	#0	QPSK	1000 MHz-1700.00 MHz	1 MHz	1700.00	-53.01	-30	PASS
Band3	5	19225	1	#0	QPSK	1725.00 MHz-3000 MHz	1 MHz	2651.50	-51.28	-30	PASS
Band3	5	19225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12628.13	-54.14	-30	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.12	-81.47	-50	PASS
Band3	5	19225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1808.38	-82.15	-50	PASS
Band3	5	19225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.12	-79.74	-50	PASS
Band3	5	19225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	934.21	-82.50	-50	PASS
Band3	5	19225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.20	-82.44	-50	PASS
Band3	5	19225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.88	-80.28	-50	PASS
Band3	5	19225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.48	-82.45	-50	PASS
Band3	5	19225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.28	-82.59	-50	PASS
Band3	5	19225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1475.01	-82.58	-50	PASS
Band3	5	19225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.88	-80.71	-50	PASS
Band3	5	19225	1	#0	QPSK	2010	1	2011.47	-81.64	-50	PASS

						MHz-2025 MHz	MHz				
Band3	5	19225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.65	-80.20	-50	PASS
Band3	5	19225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2372.00	-81.06	-50	PASS
Band3	5	19225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.80	-80.19	-50	PASS
Band3	5	19225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.60	-80.86	-50	PASS
Band3	5	19225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2144.20	-81.45	-50	PASS
Band3	5	19225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	750.50	-82.84	-50	PASS
Band3	5	19225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.42	-82.58	-50	PASS
Band3	5	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.65	-36	PASS
Band3	5	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.52	-36	PASS
Band3	5	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	759.34	-70.59	-36	PASS
Band3	5	19575	1	#0	QPSK	1000 MHz-1735.00 MHz	1 MHz	1735.00	-52.44	-30	PASS
Band3	5	19575	1	#0	QPSK	1760.00 MHz-3000 MHz	1 MHz	2651.77	-51.31	-30	PASS
Band3	5	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12590.75	-54.09	-30	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2147.98	-81.45	-50	PASS
Band3	5	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1843.78	-73.11	-50	PASS
Band3	5	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.45	-79.67	-50	PASS

						MHz					
Band3	5	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	927.03	-82.56	-50	PASS
Band3	5	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.06	-82.46	-50	PASS
Band3	5	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.52	-80.30	-50	PASS
Band3	5	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.16	-82.40	-50	PASS
Band3	5	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.79	-82.64	-50	PASS
Band3	5	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1473.08	-82.53	-50	PASS
Band3	5	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1920.00	-80.76	-50	PASS
Band3	5	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.73	-81.67	-50	PASS
Band3	5	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.65	-80.08	-50	PASS
Band3	5	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.30	-81.04	-50	PASS
Band3	5	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-80.21	-50	PASS
Band3	5	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.60	-80.85	-50	PASS
Band3	5	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2125.84	-81.48	-50	PASS
Band3	5	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.64	-82.76	-50	PASS
Band3	5	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.82	-82.56	-50	PASS
Band3	5	19925	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.05	-36	PASS
Band3	5	19925	1	#0	QPSK	150 kHz-30	10	0.16	-60.83	-36	PASS

						MHz	kHz				
Band3	5	19925	1	#0	QPSK	30 MHz-1000	100	516.16	-70.74	-36	PASS
						MHz	kHz				
Band3	5	19925	1	#0	QPSK	1000	1	1770.00	-52.56	-30	PASS
						MHz-1770.00	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	1795.00	1	2659.59	-51.32	-30	PASS
						MHz-3000	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	3000	1	3560.63	-53.35	-30	PASS
						MHz-12.75	MHz				
						GHz					
Band3	5	19925	1	#0	QPSK	2110	1	2142.58	-81.44	-50	PASS
						MHz-2170	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	1805	1	1878.80	-71.85	-50	PASS
						MHz-1880	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	2620	1	2652.83	-79.62	-50	PASS
						MHz-2690	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	925 MHz-960	1	933.51	-82.53	-50	PASS
						MHz	MHz				
Band3	5	19925	1	#0	QPSK	791 MHz-821	1	798.17	-82.43	-50	PASS
						MHz	MHz				
Band3	5	19925	1	#0	QPSK	3510	1	3587.04	-80.28	-50	PASS
						MHz-3590	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	758 MHz-803	1	793.64	-82.35	-50	PASS
						MHz	MHz				
Band3	5	19925	1	#0	QPSK	462.5	1	466.45	-82.57	-50	PASS
						MHz-467.5	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	1452	1	1469.38	-82.48	-50	PASS
						MHz-1496	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	1900	1	1910.50	-81.96	-50	PASS
						MHz-1920	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	2010	1	2015.27	-81.61	-50	PASS
						MHz-2025	MHz				
						MHz					
Band3	5	19925	1	#0	QPSK	2570	1	2616.05	-80.09	-50	PASS
						MHz-2620	MHz				



						MHz					
Band3	5	19925	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2390.90	-81.02	-50	PASS
Band3	5	19925	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-80.22	-50	PASS
Band3	5	19925	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.60	-80.80	-50	PASS
Band3	5	19925	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.51	-81.49	-50	PASS
Band3	5	19925	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.92	-82.66	-50	PASS
Band3	5	19925	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.97	-82.55	-50	PASS
Band3	10	19250	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.11	-36	PASS
Band3	10	19250	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.60	-36	PASS
Band3	10	19250	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	925.02	-70.70	-36	PASS
Band3	10	19250	1	#0	QPSK	1000 MHz-1695.00 MHz	1 MHz	1692.92	-44.57	-30	PASS
Band3	10	19250	1	#0	QPSK	1735.00 MHz-3000 MHz	1 MHz	2654.23	-51.25	-30	PASS
Band3	10	19250	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12660.63	-54.17	-30	PASS
Band3	10	19250	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2142.40	-81.48	-50	PASS
Band3	10	19250	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1813.48	-82.09	-50	PASS
Band3	10	19250	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.52	-79.72	-50	PASS
Band3	10	19250	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.71	-82.57	-50	PASS
Band3	10	19250	1	#0	QPSK	791 MHz-821	1	801.20	-82.43	-50	PASS

						MHz	MHz				
Band3	10	19250	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.16	-80.24	-50	PASS
Band3	10	19250	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.75	-82.38	-50	PASS
Band3	10	19250	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.08	-82.61	-50	PASS
Band3	10	19250	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1493.14	-82.60	-50	PASS
Band3	10	19250	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1906.86	-81.99	-50	PASS
Band3	10	19250	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.39	-81.64	-50	PASS
Band3	10	19250	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2614.65	-80.14	-50	PASS
Band3	10	19250	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.30	-81.05	-50	PASS
Band3	10	19250	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.40	-80.20	-50	PASS
Band3	10	19250	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3630.40	-80.79	-50	PASS
Band3	10	19250	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.43	-81.46	-50	PASS
Band3	10	19250	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.64	-82.77	-50	PASS
Band3	10	19250	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.34	-82.56	-50	PASS
Band3	10	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.51	-36	PASS
Band3	10	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.76	-36	PASS
Band3	10	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	53.38	-70.68	-36	PASS
Band3	10	19575	1	#0	QPSK	1000	1	1725.32	-42.01	-30	PASS

						MHz-1727.50 MHz	MHz				
Band3	10	19575	1	#0	QPSK	1767.50 MHz-3000 MHz	1 MHz	1778.80	-50.62	-30	PASS
Band3	10	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12650.06	-54.03	-30	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.52	-81.39	-50	PASS
Band3	10	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1845.88	-72.33	-50	PASS
Band3	10	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2658.15	-79.68	-50	PASS
Band3	10	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.39	-82.46	-50	PASS
Band3	10	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.29	-82.41	-50	PASS
Band3	10	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3584.96	-80.28	-50	PASS
Band3	10	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	786.31	-82.41	-50	PASS
Band3	10	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.13	-82.58	-50	PASS
Band3	10	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1452.53	-82.52	-50	PASS
Band3	10	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.10	-82.03	-50	PASS
Band3	10	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.42	-81.41	-50	PASS
Band3	10	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.95	-80.10	-50	PASS
Band3	10	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2374.70	-81.04	-50	PASS

Band3	10	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-80.15	-50	PASS
Band3	10	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3633.20	-80.82	-50	PASS
Band3	10	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2132.86	-81.45	-50	PASS
Band3	10	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.70	-82.73	-50	PASS
Band3	10	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.89	-82.47	-50	PASS
Band3	10	19900	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.40	-36	PASS
Band3	10	19900	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.23	-36	PASS
Band3	10	19900	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	940.35	-70.76	-36	PASS
Band3	10	19900	1	#0	QPSK	1000 MHz-1760.00 MHz	1 MHz	1757.72	-41.13	-30	PASS
Band3	10	19900	1	#0	QPSK	1800.00 MHz-3000 MHz	1 MHz	2648.00	-51.23	-30	PASS
Band3	10	19900	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	3550.88	-52.24	-30	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.30	-81.35	-50	PASS
Band3	10	19900	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.35	-71.86	-50	PASS
Band3	10	19900	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2653.25	-79.57	-50	PASS
Band3	10	19900	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.25	-82.44	-50	PASS
Band3	10	19900	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.36	-82.32	-50	PASS
Band3	10	19900	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.72	-80.12	-50	PASS

Band3	10	19900	1	#0	QPSK	758 MHz-803 MHz	1 MHz	799.49	-82.34	-50	PASS
Band3	10	19900	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.11	-82.48	-50	PASS
Band3	10	19900	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1484.38	-82.43	-50	PASS
Band3	10	19900	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.56	-81.89	-50	PASS
Band3	10	19900	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.05	-81.52	-50	PASS
Band3	10	19900	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.10	-80.04	-50	PASS
Band3	10	19900	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.70	-80.92	-50	PASS
Band3	10	19900	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-80.10	-50	PASS
Band3	10	19900	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.00	-80.70	-50	PASS
Band3	10	19900	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.87	-81.40	-50	PASS
Band3	10	19900	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.80	-82.60	-50	PASS
Band3	10	19900	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.76	-82.45	-50	PASS
Band3	20	19300	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.34	-36	PASS
Band3	20	19300	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.03	-36	PASS
Band3	20	19300	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	838.69	-70.88	-36	PASS
Band3	20	19300	1	#0	QPSK	1000 MHz-1685.00 MHz	1 MHz	1675.41	-53.02	-30	PASS
Band3	20	19300	1	#0	QPSK	1755.00 MHz-3000 MHz	1 MHz	1781.98	-49.63	-30	PASS

						MHz					
Band3	20	19300	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12641.94	-54.04	-30	PASS
Band3	20	19300	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2132.38	-81.40	-50	PASS
Band3	20	19300	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1822.40	-77.37	-50	PASS
Band3	20	19300	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.22	-79.68	-50	PASS
Band3	20	19300	1	#0	QPSK	925 MHz-960 MHz	1 MHz	941.45	-82.46	-50	PASS
Band3	20	19300	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.18	-82.42	-50	PASS
Band3	20	19300	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.20	-80.20	-50	PASS
Band3	20	19300	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.14	-82.39	-50	PASS
Band3	20	19300	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.58	-82.55	-50	PASS
Band3	20	19300	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1468.90	-82.54	-50	PASS
Band3	20	19300	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.84	-81.97	-50	PASS
Band3	20	19300	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.62	-81.55	-50	PASS
Band3	20	19300	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.10	-80.08	-50	PASS
Band3	20	19300	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2377.50	-80.96	-50	PASS
Band3	20	19300	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3592.00	-80.14	-50	PASS
Band3	20	19300	1	#0	QPSK	3600	1	3606.20	-80.79	-50	PASS

						MHz-3800 MHz	MHz				
Band3	20	19300	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2152.03	-81.39	-50	PASS
Band3	20	19300	1	#0	QPSK	738 MHz-758 MHz	1 MHz	749.60	-82.72	-50	PASS
Band3	20	19300	1	#0	QPSK	753 MHz-783 MHz	1 MHz	770.55	-82.54	-50	PASS
Band3	20	19575	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.83	-36	PASS
Band3	20	19575	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.77	-36	PASS
Band3	20	19575	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	46.68	-69.92	-36	PASS
Band3	20	19575	1	#0	QPSK	1000 MHz-1712.50 MHz	1 MHz	1703.24	-37.94	-30	PASS
Band3	20	19575	1	#0	QPSK	1782.50 MHz-3000 MHz	1 MHz	2647.94	-51.25	-30	PASS
Band3	20	19575	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12685.00	-54.03	-30	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.64	-81.37	-50	PASS
Band3	20	19575	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1850.23	-70.99	-50	PASS
Band3	20	19575	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2649.68	-79.60	-50	PASS
Band3	20	19575	1	#0	QPSK	925 MHz-960 MHz	1 MHz	939.46	-82.50	-50	PASS
Band3	20	19575	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.64	-82.30	-50	PASS
Band3	20	19575	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.24	-80.29	-50	PASS
Band3	20	19575	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.24	-82.29	-50	PASS
Band3	20	19575	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.06	-82.57	-50	PASS



						MHz					
Band3	20	19575	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.74	-82.48	-50	PASS
Band3	20	19575	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.32	-81.94	-50	PASS
Band3	20	19575	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.83	-81.57	-50	PASS
Band3	20	19575	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2618.25	-80.11	-50	PASS
Band3	20	19575	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2386.70	-80.96	-50	PASS
Band3	20	19575	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.80	-80.16	-50	PASS
Band3	20	19575	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-80.72	-50	PASS
Band3	20	19575	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2140.15	-81.43	-50	PASS
Band3	20	19575	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.78	-82.74	-50	PASS
Band3	20	19575	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.74	-82.45	-50	PASS
Band3	20	19850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.46	-36	PASS
Band3	20	19850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.77	-36	PASS
Band3	20	19850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	817.06	-70.85	-36	PASS
Band3	20	19850	1	#0	QPSK	1000 MHz-1740.00 MHz	1 MHz	1730.38	-36.73	-30	PASS
Band3	20	19850	1	#0	QPSK	1810.00 MHz-3000 MHz	1 MHz	2672.75	-51.21	-30	PASS
Band3	20	19850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12620.81	-54.06	-30	PASS

Band3	20	19850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.72	-81.35	-50	PASS
Band3	20	19850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.90	-72.18	-50	PASS
Band3	20	19850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2645.13	-79.56	-50	PASS
Band3	20	19850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.42	-82.48	-50	PASS
Band3	20	19850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.90	-82.29	-50	PASS
Band3	20	19850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.80	-80.09	-50	PASS
Band3	20	19850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.64	-82.31	-50	PASS
Band3	20	19850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.85	-82.47	-50	PASS
Band3	20	19850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1466.26	-82.43	-50	PASS
Band3	20	19850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1901.96	-81.98	-50	PASS
Band3	20	19850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.48	-81.53	-50	PASS
Band3	20	19850	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.00	-80.05	-50	PASS
Band3	20	19850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2385.60	-80.92	-50	PASS
Band3	20	19850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3419.00	-76.14	-50	PASS
Band3	20	19850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.40	-80.69	-50	PASS
Band3	20	19850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.57	-81.29	-50	PASS

						MHz					
Band3	20	19850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.28	-82.59	-50	PASS
Band3	20	19850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.87	-82.48	-50	PASS
Band34	5	36225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.69	-36	PASS
Band34	5	36225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.27	-36	PASS
Band34	5	36225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	454.28	-67.04	-36	PASS
Band34	5	36225	1	#0	QPSK	1000 MHz-2000.00 MHz	1 MHz	1999.00	-45.48	-30	PASS
Band34	5	36225	1	#0	QPSK	2025.00 MHz-3000 MHz	1 MHz	2033.13	-51.29	-30	PASS
Band34	5	36225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	4020.50	-48.30	-30	PASS
Band34	5	36225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2112.70	-66.38	-50	PASS
Band34	5	36225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1817.00	-65.78	-50	PASS
Band34	5	36225	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2637.29	-66.20	-50	PASS
Band34	5	36225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.81	-71.51	-50	PASS
Band34	5	36225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.69	-71.42	-50	PASS
Band34	5	36225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-67.03	-50	PASS
Band34	5	36225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	790.00	-71.48	-50	PASS
Band34	5	36225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.85	-71.59	-50	PASS
Band34	5	36225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.35	-59.87	-50	PASS

Band34	5	36225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.86	-66.43	-50	PASS
Band34	5	36225	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.85	-66.75	-50	PASS
Band34	5	36225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2396.50	-68.84	-50	PASS
Band34	5	36225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-66.78	-50	PASS
Band34	5	36225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.80	-67.40	-50	PASS
Band34	5	36225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2113.06	-66.32	-50	PASS
Band34	5	36225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.34	-71.79	-50	PASS
Band34	5	36275	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.38	-36	PASS
Band34	5	36275	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-61.37	-36	PASS
Band34	5	36275	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	461.75	-69.03	-36	PASS
Band34	5	36275	1	#0	QPSK	1000 MHz-2005.00 MHz	1 MHz	1988.92	-52.76	-30	PASS
Band34	5	36275	1	#0	QPSK	2030.00 MHz-3000 MHz	1 MHz	2030.81	-48.34	-30	PASS
Band34	5	36275	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	4030.25	-50.21	-30	PASS
Band34	5	36275	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.92	-67.43	-50	PASS
Band34	5	36275	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1847.38	-66.23	-50	PASS
Band34	5	36275	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.08	-66.25	-50	PASS

Band34	5	36275	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.54	-71.41	-50	PASS
Band34	5	36275	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.12	-71.44	-50	PASS
Band34	5	36275	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.24	-66.95	-50	PASS
Band34	5	36275	1	#0	QPSK	758 MHz-803 MHz	1 MHz	787.07	-71.38	-50	PASS
Band34	5	36275	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.38	-71.47	-50	PASS
Band34	5	36275	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.29	-59.81	-50	PASS
Band34	5	36275	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.38	-67.55	-50	PASS
Band34	5	36275	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.80	-67.16	-50	PASS
Band34	5	36275	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.20	-68.04	-50	PASS
Band34	5	36275	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.80	-66.95	-50	PASS
Band34	5	36275	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3613.20	-67.33	-50	PASS
Band34	5	36275	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.50	-66.42	-50	PASS
Band34	5	36275	1	#0	QPSK	738 MHz-758 MHz	1 MHz	744.52	-71.74	-50	PASS
Band34	5	36325	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.07	-36	PASS
Band34	5	36325	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.19	-36	PASS
Band34	5	36325	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	469.22	-69.69	-36	PASS
Band34	5	36325	1	#0	QPSK	1000 MHz-2010.00 MHz	1 MHz	2010.00	-45.88	-30	PASS

Band34	5	36325	1	#0	QPSK	2035.00 MHz-3000 MHz	1 MHz	2039.83	-56.77	-30	PASS
Band34	5	36325	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12620.81	-53.78	-30	PASS
Band34	5	36325	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2125.30	-66.19	-50	PASS
Band34	5	36325	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1816.48	-66.04	-50	PASS
Band34	5	36325	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2643.80	-67.09	-50	PASS
Band34	5	36325	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.11	-71.56	-50	PASS
Band34	5	36325	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.20	-71.46	-50	PASS
Band34	5	36325	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.20	-67.02	-50	PASS
Band34	5	36325	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.49	-71.45	-50	PASS
Band34	5	36325	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.25	-71.61	-50	PASS
Band34	5	36325	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.41	-58.59	-50	PASS
Band34	5	36325	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1913.88	-66.94	-50	PASS
Band34	5	36325	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.75	-67.55	-50	PASS
Band34	5	36325	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2399.50	-68.21	-50	PASS
Band34	5	36325	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-66.91	-50	PASS
Band34	5	36325	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3626.40	-67.38	-50	PASS

						MHz					
Band34	5	36325	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2114.86	-66.55	-50	PASS
Band34	5	36325	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.52	-71.77	-50	PASS
Band34	15	36275	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.20	-36	PASS
Band34	15	36275	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.52	-36	PASS
Band34	15	36275	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	455.05	-69.37	-36	PASS
Band34	15	36275	1	#0	QPSK	1000 MHz-1990.00 MHz	1 MHz	1984.06	-53.24	-30	PASS
Band34	15	36275	1	#0	QPSK	2045.00 MHz-3000 MHz	1 MHz	2050.57	-60.24	-30	PASS
Band34	15	36275	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	4021.31	-47.09	-30	PASS
Band34	15	36275	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2161.18	-66.09	-50	PASS
Band34	15	36275	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1820.00	-65.22	-50	PASS
Band34	15	36275	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.92	-66.38	-50	PASS
Band34	15	36275	1	#0	QPSK	925 MHz-960 MHz	1 MHz	943.62	-71.53	-50	PASS
Band34	15	36275	1	#0	QPSK	791 MHz-821 MHz	1 MHz	791.60	-71.45	-50	PASS
Band34	15	36275	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3581.84	-66.98	-50	PASS
Band34	15	36275	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.02	-71.47	-50	PASS
Band34	15	36275	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.36	-71.56	-50	PASS
Band34	15	36275	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.54	-58.17	-50	PASS



						MHz					
Band34	15	36275	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.24	-65.83	-50	PASS
Band34	15	36275	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.45	-66.21	-50	PASS
Band34	15	36275	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2397.60	-68.00	-50	PASS
Band34	15	36275	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.60	-66.82	-50	PASS
Band34	15	36275	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3653.60	-67.41	-50	PASS
Band34	15	36275	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.38	-66.67	-50	PASS
Band34	15	36275	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.64	-71.79	-50	PASS
Band38	5	37775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.27	-36	PASS
Band38	5	37775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	9.10	-58.96	-36	PASS
Band38	5	37775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	804.93	-69.59	-36	PASS
Band38	5	37775	1	#0	QPSK	1000 MHz-2560.00 MHz	1 MHz	2560.00	-56.38	-30	PASS
Band38	5	37775	1	#0	QPSK	2585.00 MHz-3000 MHz	1 MHz	2586.73	-54.61	-30	PASS
Band38	5	37775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12658.19	-53.31	-30	PASS
Band38	5	37775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2144.68	-79.52	-50	PASS
Band38	5	37775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.90	-80.21	-50	PASS
Band38	5	37775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.12	-80.64	-50	PASS

Band38	5	37775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	809.09	-80.46	-50	PASS
Band38	5	37775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3580.00	-78.37	-50	PASS
Band38	5	37775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	784.46	-80.52	-50	PASS
Band38	5	37775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.27	-80.69	-50	PASS
Band38	5	37775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1479.28	-80.55	-50	PASS
Band38	5	37775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.26	-80.15	-50	PASS
Band38	5	37775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.78	-79.56	-50	PASS
Band38	5	37775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.20	-79.11	-50	PASS
Band38	5	37775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3406.20	-75.81	-50	PASS
Band38	5	37775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.60	-78.89	-50	PASS
Band38	5	37775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.17	-79.46	-50	PASS
Band38	5	37775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	753.46	-80.82	-50	PASS
Band38	5	37775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.46	-80.63	-50	PASS
Band38	5	37775	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2641.10	-50.42	-15.5	PASS
Band38	5	37775	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2659.85	-50.32	1.6	PASS
Band38	5	38000	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.46	-36	PASS
Band38	5	38000	1	#0	QPSK	150 kHz-30	10	0.16	-60.10	-36	PASS

Band38	5	38000	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	31.65	-56.96	-36	PASS
Band38	5	38000	1	#0	QPSK	1000 MHz-2582.50 MHz	1 MHz	2582.50	-52.45	-30	PASS
Band38	5	38000	1	#0	QPSK	2607.50 MHz-3000 MHz	1 MHz	2608.48	-54.42	-30	PASS
Band38	5	38000	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12638.69	-53.19	-30	PASS
Band38	5	38000	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.98	-79.37	-50	PASS
Band38	5	38000	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.08	-80.23	-50	PASS
Band38	5	38000	1	#0	QPSK	925 MHz-960 MHz	1 MHz	937.99	-80.62	-50	PASS
Band38	5	38000	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.70	-80.49	-50	PASS
Band38	5	38000	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3590.00	-78.29	-50	PASS
Band38	5	38000	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.73	-80.47	-50	PASS
Band38	5	38000	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.31	-80.68	-50	PASS
Band38	5	38000	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.00	-80.57	-50	PASS
Band38	5	38000	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1918.92	-80.03	-50	PASS
Band38	5	38000	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.80	-79.68	-50	PASS
Band38	5	38000	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.20	-79.10	-50	PASS
Band38	5	38000	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.40	-78.22	-50	PASS

						MHz					
Band38	5	38000	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.40	-78.87	-50	PASS
Band38	5	38000	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.08	-79.26	-50	PASS
Band38	5	38000	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.92	-80.77	-50	PASS
Band38	5	38000	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.67	-80.56	-50	PASS
Band38	5	38000	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2644.53	-50.25	-15.5	PASS
Band38	5	38000	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2647.12	-50.24	1.6	PASS
Band38	5	38225	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.74	-36	PASS
Band38	5	38225	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.40	-36	PASS
Band38	5	38225	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	54.06	-57.59	-36	PASS
Band38	5	38225	1	#0	QPSK	1000 MHz-2605.00 MHz	1 MHz	2603.40	-52.80	-30	PASS
Band38	5	38225	1	#0	QPSK	2630.00 MHz-3000 MHz	1 MHz	2632.78	-55.49	-30	PASS
Band38	5	38225	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12659.00	-53.23	-30	PASS
Band38	5	38225	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.40	-79.23	-50	PASS
Band38	5	38225	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.55	-80.23	-50	PASS
Band38	5	38225	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.09	-80.64	-50	PASS
Band38	5	38225	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.32	-80.50	-50	PASS
Band38	5	38225	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.80	-78.38	-50	PASS

						MHz					
Band38	5	38225	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.02	-80.45	-50	PASS
Band38	5	38225	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.97	-80.68	-50	PASS
Band38	5	38225	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1478.97	-80.65	-50	PASS
Band38	5	38225	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1904.92	-80.12	-50	PASS
Band38	5	38225	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.09	-79.67	-50	PASS
Band38	5	38225	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2376.50	-79.14	-50	PASS
Band38	5	38225	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3498.40	-63.77	-50	PASS
Band38	5	38225	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.20	-78.87	-50	PASS
Band38	5	38225	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.47	-79.49	-50	PASS
Band38	5	38225	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.02	-80.87	-50	PASS
Band38	5	38225	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.73	-80.62	-50	PASS
Band38	5	38225	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2640.08	-50.06	-15.5	PASS
Band38	5	38225	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2645.27	-50.05	1.6	PASS
Band38	20	37850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.80	-36	PASS
Band38	20	37850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	9.83	-58.80	-36	PASS
Band38	20	37850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	932.97	-69.86	-36	PASS
Band38	20	37850	1	#0	QPSK	1000 MHz	1 MHz	2535.73	-56.84	-30	PASS

						MHz-2545.00 MHz	MHz				
Band38	20	37850	1	#0	QPSK	2615.00 MHz-3000 MHz	1 MHz	2615.64	-59.06	-30	PASS
Band38	20	37850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12647.63	-53.31	-30	PASS
Band38	20	37850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.88	-79.45	-50	PASS
Band38	20	37850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1873.85	-80.25	-50	PASS
Band38	20	37850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.00	-80.63	-50	PASS
Band38	20	37850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	811.52	-80.45	-50	PASS
Band38	20	37850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.12	-78.36	-50	PASS
Band38	20	37850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.16	-80.53	-50	PASS
Band38	20	37850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.75	-80.66	-50	PASS
Band38	20	37850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1461.37	-80.59	-50	PASS
Band38	20	37850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.42	-80.10	-50	PASS
Band38	20	37850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2021.93	-79.73	-50	PASS
Band38	20	37850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.40	-79.00	-50	PASS
Band38	20	37850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-78.27	-50	PASS
Band38	20	37850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.80	-78.81	-50	PASS

Band38	20	37850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.89	-79.15	-50	PASS
Band38	20	37850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.28	-80.79	-50	PASS
Band38	20	37850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.02	-80.58	-50	PASS
Band38	20	37850	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2642.83	-50.40	-15.5	PASS
Band38	20	37850	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2653.15	-50.42	1.6	PASS
Band38	20	38000	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.75	-36	PASS
Band38	20	38000	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.07	-36	PASS
Band38	20	38000	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	763.42	-69.78	-36	PASS
Band38	20	38000	1	#0	QPSK	1000 MHz-2560.00 MHz	1 MHz	2550.64	-53.59	-30	PASS
Band38	20	38000	1	#0	QPSK	2630.00 MHz-3000 MHz	1 MHz	2650.04	-59.38	-30	PASS
Band38	20	38000	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12663.88	-53.32	-30	PASS
Band38	20	38000	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2123.62	-79.45	-50	PASS
Band38	20	38000	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.78	-80.21	-50	PASS
Band38	20	38000	1	#0	QPSK	925 MHz-960 MHz	1 MHz	931.23	-80.58	-50	PASS
Band38	20	38000	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.70	-80.50	-50	PASS
Band38	20	38000	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.16	-78.32	-50	PASS
Band38	20	38000	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.39	-80.50	-50	PASS
Band38	20	38000	1	#0	QPSK	462.5	1	467.49	-80.66	-50	PASS



						MHz-467.5 MHz	MHz				
Band38	20	38000	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1493.98	-80.62	-50	PASS
Band38	20	38000	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.38	-80.13	-50	PASS
Band38	20	38000	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.12	-79.68	-50	PASS
Band38	20	38000	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2381.30	-79.11	-50	PASS
Band38	20	38000	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.00	-78.30	-50	PASS
Band38	20	38000	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3601.80	-78.84	-50	PASS
Band38	20	38000	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2120.98	-79.51	-50	PASS
Band38	20	38000	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.60	-80.80	-50	PASS
Band38	20	38000	1	#0	QPSK	753 MHz-783 MHz	1 MHz	774.42	-80.65	-50	PASS
Band38	20	38000	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2642.63	-50.43	-15.5	PASS
Band38	20	38000	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2650.04	-50.34	1.6	PASS
Band38	20	38150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.46	-36	PASS
Band38	20	38150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.57	-36	PASS
Band38	20	38150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	39.80	-57.30	-36	PASS
Band38	20	38150	1	#0	QPSK	1000 MHz-2575.00 MHz	1 MHz	2565.55	-49.85	-30	PASS
Band38	20	38150	1	#0	QPSK	2645.00 MHz-3000 MHz	1 MHz	2645.89	-58.97	-30	PASS

						MHz					
Band38	20	38150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12656.56	-53.31	-30	PASS
Band38	20	38150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2144.68	-79.49	-50	PASS
Band38	20	38150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1867.40	-80.24	-50	PASS
Band38	20	38150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.01	-80.59	-50	PASS
Band38	20	38150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	795.86	-80.42	-50	PASS
Band38	20	38150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.36	-78.32	-50	PASS
Band38	20	38150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.39	-80.49	-50	PASS
Band38	20	38150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.45	-80.70	-50	PASS
Band38	20	38150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1490.76	-80.60	-50	PASS
Band38	20	38150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.98	-80.06	-50	PASS
Band38	20	38150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2019.75	-79.66	-50	PASS
Band38	20	38150	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.40	-79.13	-50	PASS
Band38	20	38150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3599.40	-78.32	-50	PASS
Band38	20	38150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3635.80	-78.87	-50	PASS
Band38	20	38150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2137.90	-79.49	-50	PASS
Band38	20	38150	1	#0	QPSK	738 MHz-758	1	748.04	-80.80	-50	PASS

						MHz	MHz				
Band38	20	38150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	777.66	-80.57	-50	PASS
Band38	20	38150	1	#0	QPSK	2620 MHz-2645 MHz	5 MHz	2636.55	-34.36	-15.5	PASS
Band38	20	38150	1	#0	QPSK	2645 MHz-2690 MHz	5 MHz	2645.27	-50.29	1.6	PASS
Band40	5	38675	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.77	-36	PASS
Band40	5	38675	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.60	-36	PASS
Band40	5	38675	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	890.78	-70.05	-36	PASS
Band40	5	38675	1	#0	QPSK	1000 MHz-2290.00 MHz	1 MHz	2290.00	-55.71	-30	PASS
Band40	5	38675	1	#0	QPSK	2315.00 MHz-3000 MHz	1 MHz	2321.28	-47.93	-30	PASS
Band40	5	38675	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12664.69	-53.51	-30	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2111.68	-67.89	-50	PASS
Band40	5	38675	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1876.55	-70.09	-50	PASS
Band40	5	38675	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2623.78	-67.59	-50	PASS
Band40	5	38675	1	#0	QPSK	925 MHz-960 MHz	1 MHz	939.11	-71.31	-50	PASS
Band40	5	38675	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.46	-71.19	-50	PASS
Band40	5	38675	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.80	-66.79	-50	PASS
Band40	5	38675	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.97	-71.22	-50	PASS
Band40	5	38675	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.61	-71.36	-50	PASS

						MHz					
Band40	5	38675	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1489.88	-70.99	-50	PASS
Band40	5	38675	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.32	-68.92	-50	PASS
Band40	5	38675	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.60	-67.50	-50	PASS
Band40	5	38675	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2576.95	-67.13	-50	PASS
Band40	5	38675	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.60	-66.71	-50	PASS
Band40	5	38675	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3622.60	-67.12	-50	PASS
Band40	5	38675	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2139.52	-67.73	-50	PASS
Band40	5	38675	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.44	-71.49	-50	PASS
Band40	5	38675	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.04	-71.34	-50	PASS
Band40	5	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.02	-36	PASS
Band40	5	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.97	-36	PASS
Band40	5	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	426.73	-69.33	-36	PASS
Band40	5	39150	1	#0	QPSK	1000 MHz-2337.50 MHz	1 MHz	2334.83	-50.16	-30	PASS
Band40	5	39150	1	#0	QPSK	2362.50 MHz-3000 MHz	1 MHz	2369.41	-49.46	-30	PASS
Band40	5	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12619.19	-53.41	-30	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.36	-56.17	-50	PASS

Band40	5	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1878.95	-69.15	-50	PASS
Band40	5	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2624.13	-65.25	-50	PASS
Band40	5	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	950.17	-71.25	-50	PASS
Band40	5	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	815.15	-71.15	-50	PASS
Band40	5	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3588.00	-66.63	-50	PASS
Band40	5	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	793.46	-71.16	-50	PASS
Band40	5	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.13	-71.26	-50	PASS
Band40	5	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1494.28	-53.57	-50	PASS
Band40	5	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1916.72	-68.33	-50	PASS
Band40	5	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.67	-68.39	-50	PASS
Band40	5	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2616.90	-64.31	-50	PASS
Band40	5	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-66.61	-50	PASS
Band40	5	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.80	-67.10	-50	PASS
Band40	5	39150	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2134.21	-58.08	-50	PASS
Band40	5	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.92	-71.46	-50	PASS
Band40	5	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.67	-71.26	-50	PASS
Band40	5	39625	1	#0	QPSK	9 kHz-150	1	0.01	-56.18	-36	PASS

						kHz	kHz				
Band40	5	39625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.52	-36	PASS
Band40	5	39625	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	913.67	-69.80	-36	PASS
Band40	5	39625	1	#0	QPSK	1000 MHz-2385.00 MHz	1 MHz	2385.00	-44.97	-30	PASS
Band40	5	39625	1	#0	QPSK	2410.00 MHz-3000 MHz	1 MHz	2415.90	-53.96	-30	PASS
Band40	5	39625	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12672.81	-53.42	-30	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2168.14	-66.53	-50	PASS
Band40	5	39625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1859.45	-70.58	-50	PASS
Band40	5	39625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2647.51	-64.87	-50	PASS
Band40	5	39625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	933.30	-71.17	-50	PASS
Band40	5	39625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	813.89	-71.11	-50	PASS
Band40	5	39625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3581.04	-66.72	-50	PASS
Band40	5	39625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.27	-71.09	-50	PASS
Band40	5	39625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.80	-71.20	-50	PASS
Band40	5	39625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1493.40	-69.94	-50	PASS
Band40	5	39625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.92	-69.63	-50	PASS
Band40	5	39625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.50	-69.24	-50	PASS

Band40	5	39625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2619.50	-66.26	-50	PASS
Band40	5	39625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3595.60	-66.47	-50	PASS
Band40	5	39625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3628.40	-67.05	-50	PASS
Band40	5	39625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2198.83	-67.35	-50	PASS
Band40	5	39625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.16	-71.41	-50	PASS
Band40	5	39625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.86	-71.17	-50	PASS
Band40	20	38750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.63	-36	PASS
Band40	20	38750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.42	-36	PASS
Band40	20	38750	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	827.24	-70.05	-36	PASS
Band40	20	38750	1	#0	QPSK	1000 MHz-2275.00 MHz	1 MHz	2257.15	-60.61	-30	PASS
Band40	20	38750	1	#0	QPSK	2345.00 MHz-3000 MHz	1 MHz	2349.37	-48.13	-30	PASS
Band40	20	38750	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12659.81	-53.39	-30	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2115.04	-67.23	-50	PASS
Band40	20	38750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.33	-69.46	-50	PASS
Band40	20	38750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2630.92	-67.40	-50	PASS
Band40	20	38750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.71	-71.20	-50	PASS
Band40	20	38750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.16	-71.17	-50	PASS



Band40	20	38750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.76	-66.67	-50	PASS
Band40	20	38750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.38	-71.16	-50	PASS
Band40	20	38750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.69	-71.27	-50	PASS
Band40	20	38750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1491.64	-70.51	-50	PASS
Band40	20	38750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.74	-69.19	-50	PASS
Band40	20	38750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2023.46	-67.77	-50	PASS
Band40	20	38750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2571.55	-66.32	-50	PASS
Band40	20	38750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.80	-66.63	-50	PASS
Band40	20	38750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3616.80	-67.14	-50	PASS
Band40	20	38750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.20	-67.60	-50	PASS
Band40	20	38750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.96	-71.47	-50	PASS
Band40	20	38750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.31	-71.21	-50	PASS
Band40	20	39150	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-54.96	-36	PASS
Band40	20	39150	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-61.20	-36	PASS
Band40	20	39150	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	950.34	-69.43	-36	PASS
Band40	20	39150	1	#0	QPSK	1000 MHz-2315.00 MHz	1 MHz	2305.80	-48.69	-30	PASS
Band40	20	39150	1	#0	QPSK	2385.00 MHz-3000 MHz	1 MHz	2657.14	-59.47	-30	PASS

						MHz					
Band40	20	39150	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	4681.88	-53.11	-30	PASS
Band40	20	39150	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2120.86	-58.24	-50	PASS
Band40	20	39150	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.70	-68.94	-50	PASS
Band40	20	39150	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2621.05	-65.52	-50	PASS
Band40	20	39150	1	#0	QPSK	925 MHz-960 MHz	1 MHz	930.36	-71.24	-50	PASS
Band40	20	39150	1	#0	QPSK	791 MHz-821 MHz	1 MHz	793.49	-71.04	-50	PASS
Band40	20	39150	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.52	-66.71	-50	PASS
Band40	20	39150	1	#0	QPSK	758 MHz-803 MHz	1 MHz	800.66	-71.17	-50	PASS
Band40	20	39150	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.68	-71.20	-50	PASS
Band40	20	39150	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1460.36	-56.21	-50	PASS
Band40	20	39150	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1914.16	-69.35	-50	PASS
Band40	20	39150	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.53	-68.37	-50	PASS
Band40	20	39150	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.10	-64.44	-50	PASS
Band40	20	39150	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-66.64	-50	PASS
Band40	20	39150	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3614.80	-67.04	-50	PASS
Band40	20	39150	1	#0	QPSK	2110	1	2120.89	-59.41	-50	PASS

						MHz-2200 MHz	MHz				
Band40	20	39150	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.38	-71.41	-50	PASS
Band40	20	39150	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.40	-71.25	-50	PASS
Band40	20	39550	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.88	-36	PASS
Band40	20	39550	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.31	-36	PASS
Band40	20	39550	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	788.93	-70.09	-36	PASS
Band40	20	39550	1	#0	QPSK	1000 MHz-2355.00 MHz	1 MHz	2345.52	-49.01	-30	PASS
Band40	20	39550	1	#0	QPSK	2425.00 MHz-3000 MHz	1 MHz	2470.04	-54.37	-30	PASS
Band40	20	39550	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12640.31	-53.43	-30	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2163.76	-67.24	-50	PASS
Band40	20	39550	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.73	-70.39	-50	PASS
Band40	20	39550	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2639.46	-64.50	-50	PASS
Band40	20	39550	1	#0	QPSK	925 MHz-960 MHz	1 MHz	947.30	-71.20	-50	PASS
Band40	20	39550	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.39	-71.09	-50	PASS
Band40	20	39550	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3582.08	-66.62	-50	PASS
Band40	20	39550	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.96	-71.12	-50	PASS
Band40	20	39550	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.15	-71.28	-50	PASS
Band40	20	39550	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1488.34	-69.77	-50	PASS

						MHz					
Band40	20	39550	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1917.08	-69.96	-50	PASS
Band40	20	39550	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2015.85	-67.94	-50	PASS
Band40	20	39550	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.35	-66.01	-50	PASS
Band40	20	39550	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.20	-66.58	-50	PASS
Band40	20	39550	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.80	-66.98	-50	PASS
Band40	20	39550	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2181.73	-67.09	-50	PASS
Band40	20	39550	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.98	-71.36	-50	PASS
Band40	20	39550	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.64	-71.15	-50	PASS
Band7	5	20775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.26	-36	PASS
Band7	5	20775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.55	-36	PASS
Band7	5	20775	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	756.14	-69.80	-36	PASS
Band7	5	20775	1	#0	QPSK	1000 MHz-2490.00 MHz	1 MHz	2490.00	-55.98	-30	PASS
Band7	5	20775	1	#0	QPSK	2515.00 MHz-3000 MHz	1 MHz	2515.40	-57.39	-30	PASS
Band7	5	20775	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12633.81	-53.22	-30	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2124.40	-79.52	-50	PASS
Band7	5	20775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.68	-80.16	-50	PASS

Band7	5	20775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2665.43	-77.67	-50	PASS
Band7	5	20775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	928.36	-80.66	-50	PASS
Band7	5	20775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	818.75	-80.49	-50	PASS
Band7	5	20775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.92	-78.28	-50	PASS
Band7	5	20775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	791.75	-80.47	-50	PASS
Band7	5	20775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.06	-80.71	-50	PASS
Band7	5	20775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1485.22	-80.62	-50	PASS
Band7	5	20775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.32	-80.04	-50	PASS
Band7	5	20775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2018.82	-79.65	-50	PASS
Band7	5	20775	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.00	-79.07	-50	PASS
Band7	5	20775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3593.80	-78.24	-50	PASS
Band7	5	20775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3600.60	-78.76	-50	PASS
Band7	5	20775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.83	-79.52	-50	PASS
Band7	5	20775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	751.68	-80.81	-50	PASS
Band7	5	20775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	776.28	-80.58	-50	PASS
Band7	5	20775	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2571.12	-51.19	1.6	PASS
Band7	5	20775	1	#0	QPSK	2575	5	2594.58	-51.08	-15.5	PASS

						MHz-2595 MHz	MHz				
Band7	5	20775	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.23	-78.17	-40	PASS
Band7	5	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.90	-36	PASS
Band7	5	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.00	-36	PASS
Band7	5	21100	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	812.79	-69.80	-36	PASS
Band7	5	21100	1	#0	QPSK	1000 MHz-2522.50 MHz	1 MHz	2522.50	-55.48	-30	PASS
Band7	5	21100	1	#0	QPSK	2547.50 MHz-3000 MHz	1 MHz	2548.25	-57.59	-30	PASS
Band7	5	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12643.56	-53.21	-30	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2126.02	-79.42	-50	PASS
Band7	5	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.38	-80.04	-50	PASS
Band7	5	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.91	-74.31	-50	PASS
Band7	5	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.25	-80.60	-50	PASS
Band7	5	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.07	-80.48	-50	PASS
Band7	5	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.80	-78.34	-50	PASS
Band7	5	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.40	-80.49	-50	PASS
Band7	5	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.23	-80.59	-50	PASS
Band7	5	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1481.70	-80.55	-50	PASS

Band7	5	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.68	-80.01	-50	PASS
Band7	5	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.51	-79.70	-50	PASS
Band7	5	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.80	-79.08	-50	PASS
Band7	5	21100	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3587.80	-78.24	-50	PASS
Band7	5	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.60	-78.80	-50	PASS
Band7	5	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2121.70	-79.56	-50	PASS
Band7	5	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	747.26	-80.78	-50	PASS
Band7	5	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.81	-80.52	-50	PASS
Band7	5	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2573.76	-51.17	1.6	PASS
Band7	5	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2590.02	-51.11	-15.5	PASS
Band7	5	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2619.25	-78.12	-40	PASS
Band7	5	21425	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.22	-36	PASS
Band7	5	21425	1	#0	QPSK	150 kHz-30 MHz	10 kHz	4.09	-57.00	-36	PASS
Band7	5	21425	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	812.79	-69.87	-36	PASS
Band7	5	21425	1	#0	QPSK	1000 MHz-2555.00 MHz	1 MHz	2555.00	-55.82	-30	PASS
Band7	5	21425	1	#0	QPSK	2580.00 MHz-3000 MHz	1 MHz	2582.80	-58.70	-30	PASS
Band7	5	21425	1	#0	QPSK	3000	1	12676.88	-53.25	-30	PASS



						MHz-12.75 GHz	MHz				
Band7	5	21425	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2128.12	-79.49	-50	PASS
Band7	5	21425	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1879.25	-80.15	-50	PASS
Band7	5	21425	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2688.46	-73.38	-50	PASS
Band7	5	21425	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.54	-80.58	-50	PASS
Band7	5	21425	1	#0	QPSK	791 MHz-821 MHz	1 MHz	797.96	-80.41	-50	PASS
Band7	5	21425	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.04	-78.32	-50	PASS
Band7	5	21425	1	#0	QPSK	758 MHz-803 MHz	1 MHz	801.56	-80.40	-50	PASS
Band7	5	21425	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.20	-80.68	-50	PASS
Band7	5	21425	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.96	-80.54	-50	PASS
Band7	5	21425	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.84	-80.03	-50	PASS
Band7	5	21425	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.67	-79.69	-50	PASS
Band7	5	21425	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2387.10	-79.07	-50	PASS
Band7	5	21425	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3413.40	-77.67	-50	PASS
Band7	5	21425	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.40	-78.71	-50	PASS
Band7	5	21425	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2135.11	-79.53	-50	PASS

Band7	5	21425	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.98	-80.77	-50	PASS
Band7	5	21425	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.80	-80.52	-50	PASS
Band7	5	21425	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.01	-50.19	1.6	PASS
Band7	5	21425	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.92	-51.08	-15.5	PASS
Band7	5	21425	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2616.88	-78.11	-40	PASS
Band7	20	20850	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.68	-36	PASS
Band7	20	20850	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.83	-36	PASS
Band7	20	20850	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	775.93	-69.46	-36	PASS
Band7	20	20850	1	#0	QPSK	1000 MHz-2475.00 MHz	1 MHz	1924.83	-57.30	-30	PASS
Band7	20	20850	1	#0	QPSK	2545.00 MHz-3000 MHz	1 MHz	2666.33	-59.07	-30	PASS
Band7	20	20850	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12672.00	-53.29	-30	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2115.52	-79.43	-50	PASS
Band7	20	20850	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1863.65	-79.98	-50	PASS
Band7	20	20850	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.57	-77.73	-50	PASS
Band7	20	20850	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.41	-80.57	-50	PASS
Band7	20	20850	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.60	-80.46	-50	PASS
Band7	20	20850	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.92	-78.31	-50	PASS

Band7	20	20850	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.72	-80.46	-50	PASS
Band7	20	20850	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.06	-80.61	-50	PASS
Band7	20	20850	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.92	-80.58	-50	PASS
Band7	20	20850	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.58	-79.76	-50	PASS
Band7	20	20850	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.48	-79.61	-50	PASS
Band7	20	20850	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.80	-79.05	-50	PASS
Band7	20	20850	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-78.24	-50	PASS
Band7	20	20850	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3623.00	-78.82	-50	PASS
Band7	20	20850	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2123.41	-79.52	-50	PASS
Band7	20	20850	1	#0	QPSK	738 MHz-758 MHz	1 MHz	748.52	-80.73	-50	PASS
Band7	20	20850	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.87	-80.53	-50	PASS
Band7	20	20850	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2572.27	-51.19	1.6	PASS
Band7	20	20850	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2594.78	-51.13	-15.5	PASS
Band7	20	20850	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.68	-78.14	-40	PASS
Band7	20	21100	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-56.02	-36	PASS
Band7	20	21100	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-59.44	-36	PASS
Band7	20	21100	1	#0	QPSK	30 MHz-1000	100	801.93	-69.77	-36	PASS

						MHz	kHz				
Band7	20	21100	1	#0	QPSK	1000 MHz-2500.00 MHz	1 MHz	2491.00	-49.82	-30	PASS
Band7	20	21100	1	#0	QPSK	2570.00 MHz-3000 MHz	1 MHz	2660.30	-59.12	-30	PASS
Band7	20	21100	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12685.81	-53.23	-30	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2122.06	-79.39	-50	PASS
Band7	20	21100	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.35	-79.63	-50	PASS
Band7	20	21100	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2657.31	-74.32	-50	PASS
Band7	20	21100	1	#0	QPSK	925 MHz-960 MHz	1 MHz	929.59	-80.61	-50	PASS
Band7	20	21100	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.34	-80.48	-50	PASS
Band7	20	21100	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.40	-78.31	-50	PASS
Band7	20	21100	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.89	-80.48	-50	PASS
Band7	20	21100	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.68	-80.61	-50	PASS
Band7	20	21100	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.91	-80.60	-50	PASS
Band7	20	21100	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.54	-72.40	-50	PASS
Band7	20	21100	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2011.92	-79.68	-50	PASS
Band7	20	21100	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2391.90	-79.05	-50	PASS
Band7	20	21100	1	#0	QPSK	3400	1	3417.60	-77.46	-50	PASS

						MHz-3600 MHz	MHz				
Band7	20	21100	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3637.20	-78.84	-50	PASS
Band7	20	21100	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2153.29	-79.52	-50	PASS
Band7	20	21100	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.36	-80.66	-50	PASS
Band7	20	21100	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.37	-80.55	-50	PASS
Band7	20	21100	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2574.99	-51.19	1.6	PASS
Band7	20	21100	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2593.84	-51.13	-15.5	PASS
Band7	20	21100	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2618.05	-78.12	-40	PASS
Band7	20	21350	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-55.71	-36	PASS
Band7	20	21350	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-60.49	-36	PASS
Band7	20	21350	1	#0	QPSK	30 MHz-1000 MHz	100 kHz	846.84	-69.97	-36	PASS
Band7	20	21350	1	#0	QPSK	1000 MHz-2525.00 MHz	1 MHz	2515.85	-41.39	-30	PASS
Band7	20	21350	1	#0	QPSK	2595.00 MHz-3000 MHz	1 MHz	2753.29	-59.15	-30	PASS
Band7	20	21350	1	#0	QPSK	3000 MHz-12.75 GHz	1 MHz	12672.00	-53.27	-30	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.88	-79.44	-50	PASS
Band7	20	21350	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.98	-80.13	-50	PASS
Band7	20	21350	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2688.04	-73.52	-50	PASS

						MHz					
Band7	20	21350	1	#0	QPSK	925 MHz-960 MHz	1 MHz	932.18	-80.53	-50	PASS
Band7	20	21350	1	#0	QPSK	791 MHz-821 MHz	1 MHz	807.71	-80.44	-50	PASS
Band7	20	21350	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.88	-78.32	-50	PASS
Band7	20	21350	1	#0	QPSK	758 MHz-803 MHz	1 MHz	788.83	-80.40	-50	PASS
Band7	20	21350	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	464.96	-80.63	-50	PASS
Band7	20	21350	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1459.35	-80.55	-50	PASS
Band7	20	21350	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1906.50	-80.08	-50	PASS
Band7	20	21350	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2012.63	-79.68	-50	PASS
Band7	20	21350	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2392.90	-79.05	-50	PASS
Band7	20	21350	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.20	-78.26	-50	PASS
Band7	20	21350	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3605.80	-78.88	-50	PASS
Band7	20	21350	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2142.22	-79.42	-50	PASS
Band7	20	21350	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.44	-80.68	-50	PASS
Band7	20	21350	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.53	-80.60	-50	PASS
Band7	20	21350	1	#0	QPSK	2570 MHz-2575 MHz	5 MHz	2570.11	-51.10	1.6	PASS
Band7	20	21350	1	#0	QPSK	2575 MHz-2595 MHz	5 MHz	2587.02	-51.13	-15.5	PASS

Band7	20	21350	1	#0	QPSK	2595 MHz-2620 MHz	1 MHz	2614.80	-78.06	-40	PASS
Band8	1.4	21457	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.40	-36	PASS
Band8	1.4	21457	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.57	-36	PASS
Band8	1.4	21457	1	#0	QPSK	30 MHz-877.20 MHz	100 kHz	877.03	-49.97	-36	PASS
Band8	1.4	21457	1	#0	QPSK	884.20 MHz-1000 MHz	100 kHz	884.32	-52.67	-36	PASS
Band8	1.4	21457	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1360.00	-63.42	-30	PASS
Band8	1.4	21457	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5809.20	-58.43	-30	PASS
Band8	1.4	21457	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12661.58	-60.24	-30	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2121.40	-83.66	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1874.68	-84.27	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2652.83	-81.90	-50	PASS
Band8	1.4	21457	1	#0	QPSK	925 MHz-960 MHz	1 MHz	925.81	-84.35	-50	PASS
Band8	1.4	21457	1	#0	QPSK	791 MHz-821 MHz	1 MHz	794.81	-84.60	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3586.16	-82.46	-50	PASS
Band8	1.4	21457	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.29	-84.58	-50	PASS
Band8	1.4	21457	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.98	-84.77	-50	PASS
Band8	1.4	21457	1	#0	QPSK	1452	1	1490.63	-84.76	-50	PASS



						MHz-1496 MHz	MHz				
Band8	1.4	21457	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1902.40	-84.22	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2020.49	-83.80	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2594.50	-82.16	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2395.40	-83.25	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3419.60	-79.43	-50	PASS
Band8	1.4	21457	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3606.20	-82.93	-50	PASS
Band8	1.4	21457	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2147.35	-83.71	-50	PASS
Band8	1.4	21457	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.36	-84.95	-50	PASS
Band8	1.4	21457	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.34	-84.71	-50	PASS
Band8	1.4	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.50	-36	PASS
Band8	1.4	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-64.11	-36	PASS
Band8	1.4	21625	1	#0	QPSK	30 MHz-894.00 MHz	100 kHz	893.83	-47.76	-36	PASS
Band8	1.4	21625	1	#0	QPSK	901.00 MHz-1000 MHz	100 kHz	901.10	-53.32	-36	PASS
Band8	1.4	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1384.00	-63.34	-30	PASS
Band8	1.4	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1794.30	-58.07	-30	PASS
Band8	1.4	21625	1	#0	QPSK	6000	1	12656.18	-60.16	-30	PASS

						MHz-12.75 GHz	MHz				
Band8	1.4	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.88	-83.64	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1877.08	-84.29	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2659.34	-81.91	-50	PASS
Band8	1.4	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	942.50	-76.34	-50	PASS
Band8	1.4	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.10	-84.60	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3578.64	-82.57	-50	PASS
Band8	1.4	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.38	-84.63	-50	PASS
Band8	1.4	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.88	-84.76	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1458.82	-84.74	-50	PASS
Band8	1.4	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1907.90	-84.26	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2017.67	-83.83	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2613.10	-70.24	-50	PASS
Band8	1.4	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2384.50	-83.27	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3596.40	-82.37	-50	PASS
Band8	1.4	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3604.60	-82.85	-50	PASS

Band8	1.4	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2126.65	-83.68	-50	PASS
Band8	1.4	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.10	-84.99	-50	PASS
Band8	1.4	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.21	-84.80	-50	PASS
Band8	1.4	21793	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.69	-36	PASS
Band8	1.4	21793	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.29	-36	PASS
Band8	1.4	21793	1	#0	QPSK	30 MHz-910.80 MHz	100 kHz	910.71	-47.24	-36	PASS
Band8	1.4	21793	1	#0	QPSK	917.80 MHz-1000 MHz	100 kHz	917.88	-54.13	-36	PASS
Band8	1.4	21793	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1320.50	-63.31	-30	PASS
Band8	1.4	21793	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1827.60	-52.89	-30	PASS
Band8	1.4	21793	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12619.73	-60.17	-30	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2139.82	-83.69	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1826.15	-81.00	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2660.18	-81.88	-50	PASS
Band8	1.4	21793	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.34	-73.33	-50	PASS
Band8	1.4	21793	1	#0	QPSK	791 MHz-821 MHz	1 MHz	812.63	-84.59	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.84	-82.38	-50	PASS
Band8	1.4	21793	1	#0	QPSK	758 MHz-803 MHz	1 MHz	798.41	-84.64	-50	PASS

Band8	1.4	21793	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.80	-84.87	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1467.71	-84.75	-50	PASS
Band8	1.4	21793	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1908.90	-84.24	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.89	-83.86	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2609.40	-65.67	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2394.60	-83.22	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.60	-82.40	-50	PASS
Band8	1.4	21793	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3608.40	-82.95	-50	PASS
Band8	1.4	21793	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2156.17	-83.65	-50	PASS
Band8	1.4	21793	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.90	-84.95	-50	PASS
Band8	1.4	21793	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.80	-84.71	-50	PASS
Band8	5	21475	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.21	-36	PASS
Band8	5	21475	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.31	-36	PASS
Band8	5	21475	1	#0	QPSK	30 MHz-870.00 MHz	100 kHz	853.28	-70.69	-36	PASS
Band8	5	21475	1	#0	QPSK	895.00 MHz-1000 MHz	100 kHz	897.52	-66.38	-36	PASS
Band8	5	21475	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1495.50	-63.40	-30	PASS

Band8	5	21475	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5852.40	-58.47	-30	PASS
Band8	5	21475	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12635.25	-60.15	-30	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.94	-83.66	-50	PASS
Band8	5	21475	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1872.35	-84.27	-50	PASS
Band8	5	21475	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2656.33	-81.95	-50	PASS
Band8	5	21475	1	#0	QPSK	925 MHz-960 MHz	1 MHz	926.16	-84.27	-50	PASS
Band8	5	21475	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.01	-84.67	-50	PASS
Band8	5	21475	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.12	-82.44	-50	PASS
Band8	5	21475	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.59	-84.61	-50	PASS
Band8	5	21475	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.71	-84.73	-50	PASS
Band8	5	21475	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1469.82	-84.76	-50	PASS
Band8	5	21475	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1915.52	-84.25	-50	PASS
Band8	5	21475	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2024.72	-83.75	-50	PASS
Band8	5	21475	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.00	-82.35	-50	PASS
Band8	5	21475	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2382.70	-83.19	-50	PASS
Band8	5	21475	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3600.00	-82.27	-50	PASS

						MHz					
Band8	5	21475	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3619.80	-82.90	-50	PASS
Band8	5	21475	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2147.17	-83.67	-50	PASS
Band8	5	21475	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.40	-84.96	-50	PASS
Band8	5	21475	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.65	-84.64	-50	PASS
Band8	5	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.04	-36	PASS
Band8	5	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.62	-36	PASS
Band8	5	21625	1	#0	QPSK	30 MHz-885.00 MHz	100 kHz	884.66	-68.49	-36	PASS
Band8	5	21625	1	#0	QPSK	910.00 MHz-1000 MHz	100 kHz	912.61	-68.54	-36	PASS
Band8	5	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1366.50	-63.34	-30	PASS
Band8	5	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1790.70	-57.67	-30	PASS
Band8	5	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12606.90	-60.28	-30	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2133.58	-83.62	-50	PASS
Band8	5	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1864.33	-84.17	-50	PASS
Band8	5	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2648.00	-81.85	-50	PASS
Band8	5	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	944.01	-72.67	-50	PASS
Band8	5	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	808.22	-84.57	-50	PASS
Band8	5	21625	1	#0	QPSK	3510	1	3578.00	-82.60	-50	PASS

						MHz-3590 MHz	MHz				
Band8	5	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	797.24	-84.61	-50	PASS
Band8	5	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	467.34	-84.83	-50	PASS
Band8	5	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1476.51	-84.75	-50	PASS
Band8	5	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1909.50	-84.20	-50	PASS
Band8	5	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.44	-83.83	-50	PASS
Band8	5	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2612.15	-67.94	-50	PASS
Band8	5	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2379.80	-83.19	-50	PASS
Band8	5	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3406.60	-82.52	-50	PASS
Band8	5	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3633.00	-82.99	-50	PASS
Band8	5	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2138.98	-83.65	-50	PASS
Band8	5	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.22	-84.95	-50	PASS
Band8	5	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	782.46	-84.69	-50	PASS
Band8	5	21775	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-57.48	-36	PASS
Band8	5	21775	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.59	-36	PASS
Band8	5	21775	1	#0	QPSK	30 MHz-900.00 MHz	100 kHz	899.57	-67.61	-36	PASS
Band8	5	21775	1	#0	QPSK	925.00 MHz-1000 kHz	100 kHz	928.90	-71.79	-36	PASS



						MHz					
Band8	5	21775	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1470.50	-63.30	-30	PASS
Band8	5	21775	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1820.40	-48.73	-30	PASS
Band8	5	21775	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12650.78	-60.15	-30	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2149.72	-83.57	-50	PASS
Band8	5	21775	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1818.95	-82.85	-50	PASS
Band8	5	21775	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2650.80	-81.87	-50	PASS
Band8	5	21775	1	#0	QPSK	925 MHz-960 MHz	1 MHz	959.09	-73.34	-50	PASS
Band8	5	21775	1	#0	QPSK	791 MHz-821 MHz	1 MHz	798.62	-84.59	-50	PASS
Band8	5	21775	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3585.84	-82.43	-50	PASS
Band8	5	21775	1	#0	QPSK	758 MHz-803 MHz	1 MHz	796.97	-84.60	-50	PASS
Band8	5	21775	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	466.58	-84.66	-50	PASS
Band8	5	21775	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1477.34	-84.73	-50	PASS
Band8	5	21775	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1903.18	-84.18	-50	PASS
Band8	5	21775	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2014.88	-83.77	-50	PASS
Band8	5	21775	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.25	-82.30	-50	PASS
Band8	5	21775	1	#0	QPSK	2300	1	2389.70	-83.23	-50	PASS

						MHz-2400 MHz	MHz				
Band8	5	21775	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3598.40	-82.37	-50	PASS
Band8	5	21775	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3611.00	-82.99	-50	PASS
Band8	5	21775	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2131.33	-83.70	-50	PASS
Band8	5	21775	1	#0	QPSK	738 MHz-758 MHz	1 MHz	757.06	-84.92	-50	PASS
Band8	5	21775	1	#0	QPSK	753 MHz-783 MHz	1 MHz	781.65	-84.70	-50	PASS
Band8	10	21500	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.25	-36	PASS
Band8	10	21500	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.17	-63.05	-36	PASS
Band8	10	21500	1	#0	QPSK	30 MHz-865.00 MHz	100 kHz	800.54	-70.98	-36	PASS
Band8	10	21500	1	#0	QPSK	905.00 MHz-1000 MHz	100 kHz	915.83	-66.21	-36	PASS
Band8	10	21500	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1457.00	-63.36	-30	PASS
Band8	10	21500	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	5828.10	-58.54	-30	PASS
Band8	10	21500	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12633.90	-60.29	-30	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2130.76	-83.62	-50	PASS
Band8	10	21500	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.20	-84.23	-50	PASS
Band8	10	21500	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2677.05	-82.05	-50	PASS
Band8	10	21500	1	#0	QPSK	925 MHz-960	1	933.79	-78.24	-50	PASS

						MHz	MHz				
Band8	10	21500	1	#0	QPSK	791 MHz-821 MHz	1 MHz	802.07	-84.55	-50	PASS
Band8	10	21500	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3589.92	-82.43	-50	PASS
Band8	10	21500	1	#0	QPSK	758 MHz-803 MHz	1 MHz	792.52	-84.60	-50	PASS
Band8	10	21500	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	465.97	-84.74	-50	PASS
Band8	10	21500	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1471.49	-84.74	-50	PASS
Band8	10	21500	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1900.52	-84.20	-50	PASS
Band8	10	21500	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2022.39	-83.75	-50	PASS
Band8	10	21500	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2617.70	-82.29	-50	PASS
Band8	10	21500	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2393.60	-83.14	-50	PASS
Band8	10	21500	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3597.60	-82.37	-50	PASS
Band8	10	21500	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3607.80	-82.98	-50	PASS
Band8	10	21500	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2146.72	-83.67	-50	PASS
Band8	10	21500	1	#0	QPSK	738 MHz-758 MHz	1 MHz	756.62	-84.95	-50	PASS
Band8	10	21500	1	#0	QPSK	753 MHz-783 MHz	1 MHz	780.48	-84.74	-50	PASS
Band8	10	21625	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-58.34	-36	PASS
Band8	10	21625	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-63.14	-36	PASS
Band8	10	21625	1	#0	QPSK	30	100	875.47	-60.52	-36	PASS


						MHz-877.50 MHz	kHz				
Band8	10	21625	1	#0	QPSK	917.50 MHz-1000 MHz	100 kHz	919.07	-71.02	-36	PASS
Band8	10	21625	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1499.50	-63.33	-30	PASS
Band8	10	21625	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1786.20	-55.40	-30	PASS
Band8	10	21625	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12611.63	-60.10	-30	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2134.36	-83.63	-50	PASS
Band8	10	21625	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1875.35	-84.22	-50	PASS
Band8	10	21625	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2655.77	-81.83	-50	PASS
Band8	10	21625	1	#0	QPSK	925 MHz-960 MHz	1 MHz	945.97	-71.39	-50	PASS
Band8	10	21625	1	#0	QPSK	791 MHz-821 MHz	1 MHz	796.67	-84.60	-50	PASS
Band8	10	21625	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3565.84	-82.70	-50	PASS
Band8	10	21625	1	#0	QPSK	758 MHz-803 MHz	1 MHz	794.59	-84.64	-50	PASS
Band8	10	21625	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	463.51	-84.80	-50	PASS
Band8	10	21625	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1455.52	-84.75	-50	PASS
Band8	10	21625	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1919.82	-84.24	-50	PASS
Band8	10	21625	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2016.72	-83.80	-50	PASS

Band8	10	21625	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2615.85	-82.35	-50	PASS
Band8	10	21625	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2375.70	-83.19	-50	PASS
Band8	10	21625	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3418.20	-80.64	-50	PASS
Band8	10	21625	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3617.80	-82.90	-50	PASS
Band8	10	21625	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2130.25	-83.64	-50	PASS
Band8	10	21625	1	#0	QPSK	738 MHz-758 MHz	1 MHz	755.04	-84.90	-50	PASS
Band8	10	21625	1	#0	QPSK	753 MHz-783 MHz	1 MHz	779.67	-84.76	-50	PASS
Band8	10	21750	1	#0	QPSK	9 kHz-150 kHz	1 kHz	0.01	-59.46	-36	PASS
Band8	10	21750	1	#0	QPSK	150 kHz-30 MHz	10 kHz	0.16	-62.94	-36	PASS
Band8	10	21750	1	#0	QPSK	30 MHz-890.00 MHz	100 kHz	887.94	-59.75	-36	PASS
Band8	10	21750	1	#0	QPSK	930.00 MHz-1000 MHz	100 kHz	931.82	-72.22	-36	PASS
Band8	10	21750	1	#0	QPSK	1000 MHz-1500 MHz	1 MHz	1321.50	-63.35	-30	PASS
Band8	10	21750	1	#0	QPSK	1500 MHz-6000 MHz	1 MHz	1811.40	-55.33	-30	PASS
Band8	10	21750	1	#0	QPSK	6000 MHz-12.75 GHz	1 MHz	12622.43	-60.26	-30	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2170 MHz	1 MHz	2127.76	-83.60	-50	PASS
Band8	10	21750	1	#0	QPSK	1805 MHz-1880 MHz	1 MHz	1806.80	-84.05	-50	PASS

Band8	10	21750	1	#0	QPSK	2620 MHz-2690 MHz	1 MHz	2651.64	-81.83	-50	PASS
Band8	10	21750	1	#0	QPSK	925 MHz-960 MHz	1 MHz	951.11	-73.05	-50	PASS
Band8	10	21750	1	#0	QPSK	791 MHz-821 MHz	1 MHz	801.74	-84.51	-50	PASS
Band8	10	21750	1	#0	QPSK	3510 MHz-3590 MHz	1 MHz	3587.76	-82.41	-50	PASS
Band8	10	21750	1	#0	QPSK	758 MHz-803 MHz	1 MHz	795.53	-84.60	-50	PASS
Band8	10	21750	1	#0	QPSK	462.5 MHz-467.5 MHz	1 MHz	462.73	-84.72	-50	PASS
Band8	10	21750	1	#0	QPSK	1452 MHz-1496 MHz	1 MHz	1487.20	-84.69	-50	PASS
Band8	10	21750	1	#0	QPSK	1900 MHz-1920 MHz	1 MHz	1910.26	-84.26	-50	PASS
Band8	10	21750	1	#0	QPSK	2010 MHz-2025 MHz	1 MHz	2013.18	-83.83	-50	PASS
Band8	10	21750	1	#0	QPSK	2570 MHz-2620 MHz	1 MHz	2610.70	-82.29	-50	PASS
Band8	10	21750	1	#0	QPSK	2300 MHz-2400 MHz	1 MHz	2383.40	-83.15	-50	PASS
Band8	10	21750	1	#0	QPSK	3400 MHz-3600 MHz	1 MHz	3415.40	-81.21	-50	PASS
Band8	10	21750	1	#0	QPSK	3600 MHz-3800 MHz	1 MHz	3612.60	-82.90	-50	PASS
Band8	10	21750	1	#0	QPSK	2110 MHz-2200 MHz	1 MHz	2133.13	-83.64	-50	PASS
Band8	10	21750	1	#0	QPSK	738 MHz-758 MHz	1 MHz	754.40	-84.87	-50	PASS
Band8	10	21750	1	#0	QPSK	753 MHz-783 MHz	1 MHz	775.20	-84.73	-50	PASS


Band1 QPSK BW=5MHz Channel=18025 RB Size=1 Position=#0

Conducted spurious emissions



Band1 QPSK BW=5MHz Channel=18300 RB Size=1 Position=#0


Conducted spurious emissions






Band1 QPSK BW=5MHz Channel=18575 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18100 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18300 RB Size=1 Position=#0

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24175 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24425 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=5MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250 RB Size=1 Position=#0

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27225 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27375 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=3MHz Channel=27525 RB Size=1 Position=#0

Conducted spurious emissions



Band28 QPSK BW=5MHz Channel=27235 RB Size=1 Position=#0


Conducted spurious emissions






Band28 QPSK BW=5MHz Channel=27375 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=5MHz Channel=27515 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27310 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27375 RB Size=1 Position=#0

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27440 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19225 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=5MHz Channel=19925 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19250 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19575 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=10MHz Channel=19900 RB Size=1 Position=#0

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300 RB Size=1 Position=#0

Conducted spurious emissions



Band3 QPSK BW=20MHz Channel=19575 RB Size=1 Position=#0


Conducted spurious emissions






Band3 QPSK BW=20MHz Channel=19850 RB Size=1 Position=#0

Conducted spurious emissions




Band34 QPSK BW=5MHz Channel=36275 RB Size=1 Position=#0

Conducted spurious emissions




Band34 QPSK BW=5MHz Channel=36225 RB Size=1 Position=#0

Conducted spurious emissions




Band34 QPSK BW=5MHz Channel=36325 RB Size=1 Position=#0

Conducted spurious emissions




Band34 QPSK BW=15MHz Channel=36275 RB Size=1 Position=#0

Conducted spurious emissions




Band38 QPSK BW=5MHz Channel=37775 RB Size=1 Position=#0

Conducted spurious emissions




Band38 QPSK BW=5MHz Channel=38000 RB Size=1 Position=#0

Conducted spurious emissions




Band38 QPSK BW=5MHz Channel=38225 RB Size=1 Position=#0

Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=37850 RB Size=1 Position=#0

Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=38000 RB Size=1 Position=#0

Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=38150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=38675 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39150 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=5MHz Channel=39625 RB Size=1 Position=#0

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750 RB Size=1 Position=#0

Conducted spurious emissions



Band40 QPSK BW=20MHz Channel=39150 RB Size=1 Position=#0


Conducted spurious emissions






Band40 QPSK BW=20MHz Channel=39550 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=20775 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21425 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=5MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850 RB Size=1 Position=#0

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21475 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21500 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=5MHz Channel=21775 RB Size=1 Position=#0

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625 RB Size=1 Position=#0

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21750 RB Size=1 Position=#0

Conducted spurious emissions





**Clause 4.2.5 LTE Transmitter minimum output power**

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Limit (dBm)	Verdict
Band1	5	18025	25	#0	QPSK	-50.84	-39	PASS
Band1	5	18300	25	#0	QPSK	-50.55	-39	PASS
Band1	5	18575	25	#0	QPSK	-50.51	-39	PASS
Band1	20	18100	100	#0	QPSK	-51.01	-39	PASS
Band1	20	18300	100	#0	QPSK	-50.33	-39	PASS
Band1	20	18500	100	#0	QPSK	-50.45	-39	PASS
Band20	5	24175	25	#0	QPSK	-49.57	-39	PASS
Band20	5	24300	25	#0	QPSK	-49.71	-39	PASS
Band20	5	24425	25	#0	QPSK	-49.97	-39	PASS
Band20	20	24250	100	#0	QPSK	-49.27	-39	PASS
Band20	20	24300	100	#0	QPSK	-49.35	-39	PASS
Band20	20	24350	100	#0	QPSK	-49.32	-39	PASS
Band28	3	27225	15	#0	QPSK	-48.38	-39	PASS
Band28	3	27375	15	#0	QPSK	-49.68	-39	PASS
Band28	3	27525	15	#0	QPSK	-49.15	-39	PASS
Band28	5	27235	25	#0	QPSK	-48.15	-39	PASS
Band28	5	27375	25	#0	QPSK	-48.98	-39	PASS
Band28	5	27515	25	#0	QPSK	-48.41	-39	PASS
Band28	20	27310	100	#0	QPSK	-48.00	-39	PASS
Band28	20	27375	100	#0	QPSK	-48.15	-39	PASS
Band28	20	27440	100	#0	QPSK	-48.16	-39	PASS
Band3	1.4	19207	6	#0	QPSK	-48.69	-39	PASS
Band3	1.4	19575	6	#0	QPSK	-48.75	-39	PASS
Band3	1.4	19943	6	#0	QPSK	-48.79	-39	PASS
Band3	5	19225	25	#0	QPSK	-48.56	-39	PASS
Band3	5	19575	25	#0	QPSK	-48.67	-39	PASS
Band3	5	19925	25	#0	QPSK	-48.45	-39	PASS
Band3	20	19300	100	#0	QPSK	-48.34	-39	PASS
Band3	20	19575	100	#0	QPSK	-48.27	-39	PASS
Band3	20	19850	100	#0	QPSK	-48.03	-39	PASS
Band34	5	36225	25	#0	QPSK	-48.82	-39	PASS
Band34	5	36275	25	#0	QPSK	-48.95	-39	PASS
Band34	5	36325	25	#0	QPSK	-48.97	-39	PASS
Band34	15	36275	75	#0	QPSK	-48.42	-39	PASS
Band38	5	37775	25	#0	QPSK	-50.63	-39	PASS
Band38	5	38000	25	#0	QPSK	-50.35	-39	PASS
Band38	5	38225	25	#0	QPSK	-50.24	-39	PASS
Band38	20	37850	100	#0	QPSK	-50.30	-39	PASS
Band38	20	38000	100	#0	QPSK	-50.03	-39	PASS
Band38	20	38150	100	#0	QPSK	-49.93	-39	PASS
Band40	5	38675	25	#0	QPSK	-50.02	-39	PASS
Band40	5	39150	25	#0	QPSK	-50.22	-39	PASS

Band40	5	39625	25	#0	QPSK	-50.33	-39	PASS
Band40	20	38750	100	#0	QPSK	-49.23	-39	PASS
Band40	20	39150	100	#0	QPSK	-50.13	-39	PASS
Band40	20	39550	100	#0	QPSK	-50.03	-39	PASS
Band7	5	20775	25	#0	QPSK	-50.64	-39	PASS
Band7	5	21100	25	#0	QPSK	-50.77	-39	PASS
Band7	5	21425	25	#0	QPSK	-50.76	-39	PASS
Band7	20	20850	100	#0	QPSK	-50.20	-39	PASS
Band7	20	21100	100	#0	QPSK	-50.22	-39	PASS
Band7	20	21350	100	#0	QPSK	-50.54	-39	PASS
Band8	1.4	21457	6	#0	QPSK	-51.26	-39	PASS
Band8	1.4	21625	6	#0	QPSK	-51.05	-39	PASS
Band8	1.4	21793	6	#0	QPSK	-51.72	-39	PASS
Band8	5	21475	25	#0	QPSK	-50.57	-39	PASS
Band8	5	21625	25	#0	QPSK	-50.29	-39	PASS
Band8	5	21775	25	#0	QPSK	-50.54	-39	PASS
Band8	10	21500	50	#0	QPSK	-50.24	-39	PASS
Band8	10	21625	50	#0	QPSK	-50.04	-39	PASS
Band8	10	21750	50	#0	QPSK	-50.18	-39	PASS

**Clause 4.2.6 LTE Receiver adjacent channel selectivity**

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2134.9975	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2145.0025	-54.5	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2134.9975	-25	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2145.0025	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2127.4975	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2152.5025	-54.5	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2127.4975	-25	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2152.5025	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	800.9975	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	811.0025	-51.5	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	800.9975	-25	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	811.0025	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	793.4975	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	818.5025	-50.5	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	793.4975	-25	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	818.5025	-25	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	771.4925	-54	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	777.5075	-54	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	771.4925	-25	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	777.5075	-25	100.00	95	PASS

Band28	5	27375	25	QPSK	Case1	769.4975	-52.3	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	779.5025	-52.3	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	769.4975	-25	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	779.5025	-25	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	761.9975	-50.8	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	787.0025	-50.8	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	761.9975	-25	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	787.0025	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1841.0975	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1843.9025	-56.2	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1841.0975	-25	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1843.9025	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1837.4975	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1847.5025	-51.5	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1837.4975	-25	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1847.5025	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1829.9975	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1855.0025	-51.5	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1829.9975	-25	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1855.0025	-25	100.00	95	PASS
Band34	5	36275	25	QPSK	Case1	2012.4975	-53.8	100.00	95	PASS
Band34	5	36275	25	QPSK	Case1	2022.5025	-53.8	97.15	95	PASS
Band34	5	36275	25	QPSK	Case2	2012.4975	-25	100.00	95	PASS
Band34	5	36275	25	QPSK	Case2	2022.5025	-25	100.00	95	PASS
Band34	15	36275	75	QPSK	Case1	2007.4875	-52	100.00	95	PASS
Band34	15	36275	75	QPSK	Case1	2027.5125	-52	100.00	95	PASS
Band34	15	36275	75	QPSK	Case2	2007.4875	-25	100.00	95	PASS
Band34	15	36275	75	QPSK	Case2	2027.5125	-25	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2589.9975	-53.8	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2600.0025	-53.8	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2589.9975	-25	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2600.0025	-25	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2582.4975	-53.8	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2607.5025	-53.8	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2582.4975	-25	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2607.5025	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2344.9975	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2355.0025	-53.8	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2344.9975	-25	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2355.0025	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2337.4975	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2362.5025	-53.8	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2337.4975	-25	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2362.5025	-25	100.00	95	PASS

Band7	5	21100	25	QPSK	Case1	2649.9975	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2660.0025	-52.5	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2649.9975	-25	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2660.0025	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2642.4975	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2667.5025	-52.5	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2642.4975	-25	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2667.5025	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	941.0975	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	943.9025	-56.7	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	941.0975	-25	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	943.9025	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	937.4975	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	947.5025	-51.5	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	937.4975	-25	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	947.5025	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	934.9925	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	950.0075	-48.5	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	934.9925	-25	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	950.0075	-25	100.00	95	PASS

**Clause 4.2.7 LTE Receiver blocking characteristics in-band**

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Case	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	Case1	2129.9875	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case1	2150.0125	-56	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2124.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2119.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2114.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2109.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2104.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2099.9925	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2155.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2160.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2165.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2170.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2175.0075	-44	100.00	95	PASS
Band1	5	18300	25	QPSK	Case2	2180.0075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2122.4875	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case1	2157.5125	-56	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2117.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2112.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2107.4925	-44	100.00	95	PASS

Band1	20	18300	100	QPSK	Case2	2102.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2097.4925	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2162.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2167.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2172.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2177.5075	-44	100.00	95	PASS
Band1	20	18300	100	QPSK	Case2	2182.5075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	795.9875	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case1	816.0125	-56	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	790.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	785.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	780.9925	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	821.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	826.0075	-44	100.00	95	PASS
Band20	5	24300	25	QPSK	Case2	831.0075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	788.4875	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case1	823.5125	-56	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	783.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	778.4925	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	828.5075	-44	100.00	95	PASS
Band20	20	24300	100	QPSK	Case2	833.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	768.4925	-56	100.00	95	PASS
Band28	3	27375	15	QPSK	Case1	780.5075	-56	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	765.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	762.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	759.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	756.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	753.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	750.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	747.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	744.4925	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	783.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	786.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	789.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	792.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	795.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	798.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	801.5075	-44	100.00	95	PASS
Band28	3	27375	15	QPSK	Case2	804.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	764.4875	-56	100.00	95	PASS
Band28	5	27375	25	QPSK	Case1	784.5125	-56	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	759.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	754.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	749.4925	-44	100.00	95	PASS

Band28	5	27375	25	QPSK	Case2	744.4925	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	789.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	794.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	799.5075	-44	100.00	95	PASS
Band28	5	27375	25	QPSK	Case2	804.5075	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	756.9875	-56	100.00	95	PASS
Band28	20	27375	100	QPSK	Case1	792.0125	-56	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	751.9925	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	746.9925	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	797.0075	-44	100.00	95	PASS
Band28	20	27375	100	QPSK	Case2	802.0075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1839.6875	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case1	1845.3125	-56	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1838.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1836.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1835.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1834.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1832.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1831.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1829.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1828.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1827.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1825.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1824.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1822.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1821.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1820.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1818.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1817.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1815.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1814.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1813.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1811.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1810.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1808.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1806.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1804.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1803.2925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1801.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1800.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1799.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1797.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1796.2925	-44	100.00	95	PASS



Band3	1.4	19575	6	QPSK	Case2	1794.8925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1793.4925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1792.0925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1790.6925	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1846.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1848.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1849.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1850.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1852.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1853.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1855.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1856.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1857.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1859.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1860.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1862.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1863.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1864.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1866.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1867.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1869.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1870.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1871.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1873.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1874.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1876.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1878.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1880.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1881.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1883.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1884.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1885.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1887.3075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1888.7075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1890.1075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1891.5075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1892.9075	-44	100.00	95	PASS
Band3	1.4	19575	6	QPSK	Case2	1894.3075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1832.4875	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case1	1852.5125	-56	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1827.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1822.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1817.4925	-44	100.00	95	PASS

Band3	5	19575	25	QPSK	Case2	1812.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1807.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1802.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1797.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1792.4925	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1857.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1862.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1867.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1872.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1877.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1882.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1887.5075	-44	100.00	95	PASS
Band3	5	19575	25	QPSK	Case2	1892.5075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1824.9875	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case1	1860.0125	-56	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1819.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1814.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1809.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1804.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1799.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1794.9925	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1865.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1870.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1875.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1880.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1885.0075	-44	100.00	95	PASS
Band3	20	19575	100	QPSK	Case2	1890.0075	-44	100.00	95	PASS
Band34	5	36275	25	QPSK	Case1	2007.4875	-56	100.00	95	PASS
Band34	5	36275	25	QPSK	Case1	2027.5125	-56	100.00	95	PASS
Band34	5	36275	25	QPSK	Case2	2002.4925	-44	100.00	95	PASS
Band34	5	36275	25	QPSK	Case2	1997.4925	-44	100.00	95	PASS
Band34	5	36275	25	QPSK	Case2	2032.5075	-44	100.00	95	PASS
Band34	5	36275	25	QPSK	Case2	2037.5075	-44	100.00	95	PASS
Band34	15	36275	75	QPSK	Case1	2002.4925	-56	100.00	95	PASS
Band34	15	36275	75	QPSK	Case1	2032.5075	-56	100.00	95	PASS
Band34	15	36275	75	QPSK	Case2	1997.4975	-44	100.00	95	PASS
Band34	15	36275	75	QPSK	Case2	2037.5025	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2584.9875	-56	100.00	95	PASS
Band38	5	38000	25	QPSK	Case1	2605.0125	-56	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2579.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2574.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2569.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2564.9925	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2559.9925	-44	100.00	95	PASS



Band38	5	38000	25	QPSK	Case2	2610.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2615.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2620.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2625.0075	-44	100.00	95	PASS
Band38	5	38000	25	QPSK	Case2	2630.0075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2577.4875	-56	100.00	95	PASS
Band38	20	38000	100	QPSK	Case1	2612.5125	-56	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2572.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2567.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2562.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2557.4925	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2617.5075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2622.5075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2627.5075	-44	100.00	95	PASS
Band38	20	38000	100	QPSK	Case2	2632.5075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2339.9875	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case1	2360.0125	-56	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2334.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2329.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2324.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2319.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2314.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2309.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2304.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2299.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2294.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2289.9925	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2365.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2370.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2375.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2380.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2385.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2390.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2395.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2400.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2405.0075	-44	100.00	95	PASS
Band40	5	39150	25	QPSK	Case2	2410.0075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2332.4875	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case1	2367.5125	-56	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2327.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2322.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2317.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2312.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2307.4925	-44	100.00	95	PASS

Band40	20	39150	100	QPSK	Case2	2302.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2297.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2292.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2287.4925	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2372.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2377.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2382.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2387.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2392.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2397.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2402.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2407.5075	-44	100.00	95	PASS
Band40	20	39150	100	QPSK	Case2	2412.5075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2644.9875	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case1	2665.0125	-56	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2639.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2634.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2629.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2624.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2619.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2614.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2609.9925	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2670.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2675.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2680.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2685.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2690.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2695.0075	-44	100.00	95	PASS
Band7	5	21100	25	QPSK	Case2	2700.0075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2637.4875	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case1	2672.5125	-56	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2632.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2627.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2622.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2617.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2612.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2607.4925	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2677.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2682.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2687.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2692.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2697.5075	-44	100.00	95	PASS
Band7	20	21100	100	QPSK	Case2	2702.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case1	939.6875	-56	100.00	95	PASS

Band8	1.4	21625	6	QPSK	Case1	945.3125	-56	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	938.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	936.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	935.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	934.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	932.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	931.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	929.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	928.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	927.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	925.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	924.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	922.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	921.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	920.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	918.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	917.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	915.8925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	914.4925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	913.0925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	911.6925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	910.2925	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	946.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	948.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	949.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	950.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	952.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	953.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	955.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	956.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	957.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	959.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	960.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	962.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	963.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	964.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	966.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	967.7075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	969.1075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	970.5075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	971.9075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	973.3075	-44	100.00	95	PASS
Band8	1.4	21625	6	QPSK	Case2	974.7075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case1	932.4875	-56	100.00	95	PASS

Band8	5	21625	25	QPSK	Case1	952.5125	-56	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	927.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	922.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	917.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	912.4925	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	957.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	962.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	967.5075	-44	100.00	95	PASS
Band8	5	21625	25	QPSK	Case2	972.5075	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	929.9975	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case1	955.0025	-56	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	924.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	919.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	914.9875	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	960.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	965.0125	-44	100.00	95	PASS
Band8	10	21625	50	QPSK	Case2	970.0125	-44	100.00	95	PASS

**Clause 4.2.7 LTE Receiver blocking characteristics narrow-band**

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2137.2925	-55	100.00	95	PASS
Band1	5	18300	25	QPSK	2142.7075	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2129.7925	-55	100.00	95	PASS
Band1	20	18300	100	QPSK	2150.2075	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	803.2925	-55	100.00	95	PASS
Band20	5	24300	25	QPSK	808.7075	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	795.7925	-55	100.00	95	PASS
Band20	20	24300	100	QPSK	816.2075	-55	100.00	95	PASS
Band28	3	27375	15	QPSK	772.7975	-55	100.00	95	PASS
Band28	3	27375	15	QPSK	776.2025	-55	100.00	95	PASS
Band28	5	27375	25	QPSK	771.7925	-55	100.00	95	PASS
Band28	5	27375	25	QPSK	777.2075	-55	100.00	95	PASS
Band28	20	27375	100	QPSK	764.2925	-55	100.00	95	PASS
Band28	20	27375	100	QPSK	784.7075	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1841.5925	-55	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1843.4075	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1839.7925	-55	100.00	95	PASS
Band3	5	19575	25	QPSK	1845.2075	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1832.2925	-55	100.00	95	PASS
Band3	20	19575	100	QPSK	1852.7075	-55	100.00	95	PASS
Band34	5	36275	25	QPSK	2014.7925	-55	100.00	95	PASS
Band34	5	36275	25	QPSK	2020.2075	-55	100.00	95	PASS
Band34	15	36275	75	QPSK	2009.7975	-55	100.00	95	PASS

Band34	15	36275	75	QPSK	2025.2025	-55	100.00	95	PASS
Band38	5	38000	25	QPSK	2592.2925	-55	100.00	95	PASS
Band38	5	38000	25	QPSK	2597.7075	-55	100.00	95	PASS
Band38	20	38000	100	QPSK	2584.7925	-55	100.00	95	PASS
Band38	20	38000	100	QPSK	2605.2075	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2347.2925	-55	100.00	95	PASS
Band40	5	39150	25	QPSK	2352.7075	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2339.7925	-55	100.00	95	PASS
Band40	20	39150	100	QPSK	2360.2075	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2652.2925	-55	100.00	95	PASS
Band7	5	21100	25	QPSK	2657.7075	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2644.7925	-55	100.00	95	PASS
Band7	20	21100	100	QPSK	2665.2075	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	941.5925	-55	100.00	95	PASS
Band8	1.4	21625	6	QPSK	943.4075	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	939.7925	-55	100.00	95	PASS
Band8	5	21625	25	QPSK	945.2075	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	937.2875	-55	100.00	95	PASS
Band8	10	21625	50	QPSK	947.7125	-55	100.00	95	PASS

**Clause 4.2.8 LTE Receiver Spurious Response**

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference Freq (MHz)	Interference Level (dBm)	Throughput (%)	Limit (%)	Verdict
------	-----------------	------------	------------	------------	-------------------------	--------------------------	----------------	-----------	---------

**Clause 4.2.9 LTE Receiver intermodulation characteristics**

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Interference 1 Freq (MHz)	Interference 1 Level (dBm)	Interference 2 Freq (MHz)	Interference 2 Level (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18300	25	QPSK	2130	-46	2120	-46	100.00	95	PASS
Band1	5	18300	25	QPSK	2150	-46	2160	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2122.5	-46	2105	-46	100.00	95	PASS
Band1	20	18300	100	QPSK	2157.5	-46	2175	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	796	-46	786	-46	100.00	95	PASS
Band20	5	24300	25	QPSK	816	-46	826	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	788.5	-46	771	-46	100.00	95	PASS
Band20	20	24300	100	QPSK	823.5	-46	841	-46	100.00	95	PASS
Band28	3	27375	15	QPSK	768.5	-46	762.5	-46	100.00	95	PASS
Band28	3	27375	15	QPSK	780.5	-46	786.5	-46	100.00	95	PASS

8											
Band2	5	27375	25	QPSK	764.5	-46	754.5	-46	100.00	95	PASS
8											
Band2	5	27375	25	QPSK	784.5	-46	794.5	-46	100.00	95	PASS
8											
Band2	20	27375	100	QPSK	757	-46	739.5	-46	100.00	95	PASS
8											
Band2	20	27375	100	QPSK	792	-46	809.5	-46	100.00	95	PASS
8											
Band3	1.4	19575	6	QPSK	1839.7	-46	1836.9	-46	100.00	95	PASS
Band3	1.4	19575	6	QPSK	1845.3	-46	1848.1	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1832.5	-46	1822.5	-46	100.00	95	PASS
Band3	5	19575	25	QPSK	1852.5	-46	1862.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1825	-46	1807.5	-46	100.00	95	PASS
Band3	20	19575	100	QPSK	1860	-46	1877.5	-46	100.00	95	PASS
Band3	5	36275	25	QPSK	2007.5	-46	1997.5	-46	100.00	95	PASS
4											
Band3	5	36275	25	QPSK	2027.5	-46	2037.5	-46	100.00	95	PASS
4											
Band3	15	36275	75	QPSK	2002.5	-46	1987.5	-46	100.00	95	PASS
4											
Band3	15	36275	75	QPSK	2032.5	-46	2047.5	-46	100.00	95	PASS
4											
Band3	5	38000	25	QPSK	2585	-46	2575	-46	100.00	95	PASS
8											
Band3	5	38000	25	QPSK	2605	-46	2615	-46	100.00	95	PASS
8											
Band3	20	38000	100	QPSK	2577.5	-46	2560	-46	100.00	95	PASS
8											
Band3	20	38000	100	QPSK	2612.5	-46	2630	-46	100.00	95	PASS
8											
Band4	5	39150	25	QPSK	2340	-46	2330	-46	100.00	95	PASS
0											
Band4	5	39150	25	QPSK	2360	-46	2370	-46	100.00	95	PASS
0											
Band4	20	39150	100	QPSK	2332.5	-46	2315	-46	100.00	95	PASS
0											
Band4	20	39150	100	QPSK	2367.5	-46	2385	-46	100.00	95	PASS
0											
Band7	5	21100	25	QPSK	2645	-46	2635	-46	100.00	95	PASS
Band7	5	21100	25	QPSK	2665	-46	2675	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2637.5	-46	2620	-46	100.00	95	PASS
Band7	20	21100	100	QPSK	2672.5	-46	2690	-46	100.00	95	PASS
Band8	1.4	21625	6	QPSK	939.7	-46	936.9	-46	100.00	95	PASS

Band8	1.4	21625	6	QPSK	945.3	-46	948.1	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	932.5	-46	922.5	-46	100.00	95	PASS
Band8	5	21625	25	QPSK	952.5	-46	962.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	930	-46	917.5	-46	100.00	95	PASS
Band8	10	21625	50	QPSK	955	-46	967.5	-46	100.00	95	PASS

**Clause 4.2.10 LTE Receiver spurious emissions**

Band	Bandwidth (MHz)	UL Channel	Modulation	Range (MHz)	RBW	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band1	20	18100	QPSK	30 MHz-1000 MHz	100 kHz	513.16	-92.41	-57	PASS
Band1	20	18100	QPSK	1000 MHz-12.75 GHz	1 MHz	2117.23	-70.88	-47	PASS
Band1	20	18300	QPSK	30 MHz-1000 MHz	100 kHz	211.68	-92.39	-57	PASS
Band1	20	18300	QPSK	1000 MHz-12.75 GHz	1 MHz	2478.54	-63.34	-47	PASS
Band1	20	18500	QPSK	30 MHz-1000 MHz	100 kHz	219.64	-92.46	-57	PASS
Band1	20	18500	QPSK	1000 MHz-12.75 GHz	1 MHz	2156.40	-70.81	-47	PASS
Band20	20	24250	QPSK	30 MHz-1000 MHz	100 kHz	802.99	-81.38	-57	PASS
Band20	20	24250	QPSK	1000 MHz-12.75 GHz	1 MHz	2468.75	-60.84	-47	PASS
Band20	20	24300	QPSK	30 MHz-1000 MHz	100 kHz	813.18	-81.99	-57	PASS
Band20	20	24300	QPSK	1000 MHz-12.75 GHz	1 MHz	2471.69	-58.29	-47	PASS
Band20	20	24350	QPSK	30 MHz-1000 MHz	100 kHz	815.02	-81.54	-57	PASS
Band20	20	24350	QPSK	1000 MHz-12.75 GHz	1 MHz	2534.35	-78.43	-47	PASS
Band28	20	27310	QPSK	30 MHz-1000 MHz	100 kHz	26017.88	-81.08	-57	PASS
Band28	20	27310	QPSK	1000 MHz-12.75 GHz	1 MHz	12659.92	-81.76	-47	PASS
Band28	20	27375	QPSK	30 MHz-1000 MHz	100 kHz	777.77	-81.79	-57	PASS
Band28	20	27375	QPSK	1000 MHz-12.75 GHz	1 MHz	12657.96	-81.86	-47	PASS
Band28	20	27440	QPSK	30 MHz-1000 MHz	100 kHz	778.84	-81.74	-57	PASS
Band28	20	27440	QPSK	1000 MHz-12.75 GHz	1 MHz	2469.73	-59.69	-47	PASS




				GHz					
Band3	20	19300	QPSK	30 MHz-1000 MHz	100 kHz	889.61	-91.36	-57	PASS
Band3	20	19300	QPSK	1000 MHz-12.75 GHz	1 MHz	5820.44	-63.11	-47	PASS
Band3	20	19575	QPSK	30 MHz-1000 MHz	100 kHz	204.79	-92.86	-57	PASS
Band3	20	19575	QPSK	1000 MHz-12.75 GHz	1 MHz	1849.92	-70.71	-47	PASS
Band3	20	19850	QPSK	30 MHz-1000 MHz	100 kHz	198.00	-92.90	-57	PASS
Band3	20	19850	QPSK	1000 MHz-12.75 GHz	1 MHz	1877.33	-70.62	-47	PASS
Band34	15	36275	QPSK	30 MHz-1000 MHz	100 kHz	214.20	-92.06	-57	PASS
Band34	15	36275	QPSK	1000 MHz-12.75 GHz	1 MHz	2466.79	-65.83	-47	PASS
Band38	20	37850	QPSK	30 MHz-1000 MHz	100 kHz	210.61	-91.29	-57	PASS
Band38	20	37850	QPSK	1000 MHz-12.75 GHz	1 MHz	5183.98	-73.90	-47	PASS
Band38	20	38000	QPSK	30 MHz-1000 MHz	100 kHz	802.12	-91.32	-57	PASS
Band38	20	38000	QPSK	1000 MHz-12.75 GHz	1 MHz	5181.04	-74.33	-47	PASS
Band38	20	38150	QPSK	30 MHz-1000 MHz	100 kHz	209.16	-91.15	-57	PASS
Band38	20	38150	QPSK	1000 MHz-12.75 GHz	1 MHz	2466.79	-65.93	-47	PASS
Band40	20	38750	QPSK	30 MHz-1000 MHz	100 kHz	487.36	-91.26	-57	PASS
Band40	20	38750	QPSK	1000 MHz-12.75 GHz	1 MHz	2467.77	-66.18	-47	PASS
Band40	20	39150	QPSK	30 MHz-1000 MHz	100 kHz	944.13	-90.94	-57	PASS
Band40	20	39150	QPSK	1000 MHz-12.75 GHz	1 MHz	2451.13	-77.04	-47	PASS
Band40	20	39550	QPSK	30 MHz-1000 MHz	100 kHz	433.91	-91.01	-57	PASS
Band40	20	39550	QPSK	1000 MHz-12.75 GHz	1 MHz	2472.67	-49.72	-47	PASS
Band7	20	20850	QPSK	30 MHz-1000 MHz	100 kHz	890.49	-74.94	-57	PASS
Band7	20	20850	QPSK	1000 MHz-12.75 GHz	1 MHz	2477.56	-68.93	-47	PASS



				GHz					
Band7	20	21100	QPSK	30 MHz-1000 MHz	100 kHz	209.16	-91.58	-57	PASS
Band7	20	21100	QPSK	1000 MHz-12.75 GHz	1 MHz	2585.27	-70.74	-47	PASS
Band7	20	21350	QPSK	30 MHz-1000 MHz	100 kHz	944.23	-91.63	-57	PASS
Band7	20	21350	QPSK	1000 MHz-12.75 GHz	1 MHz	5184.96	-74.63	-47	PASS
Band8	10	21500	QPSK	30 MHz-1000 MHz	100 kHz	926.09	-79.79	-57	PASS
Band8	10	21500	QPSK	1000 MHz-12.75 GHz	1 MHz	2478.54	-77.63	-47	PASS
Band8	10	21625	QPSK	30 MHz-1000 MHz	100 kHz	946.75	-79.78	-57	PASS
Band8	10	21625	QPSK	1000 MHz-12.75 GHz	1 MHz	5173.21	-77.79	-47	PASS
Band8	10	21750	QPSK	30 MHz-1000 MHz	100 kHz	950.72	-79.93	-57	PASS
Band8	10	21750	QPSK	1000 MHz-12.75 GHz	1 MHz	2466.79	-68.64	-47	PASS


Band1 QPSK BW=20MHz Channel=18300

**Conducted spurious emissions**




Band1 QPSK BW=20MHz Channel=18100

Conducted spurious emissions




Band1 QPSK BW=20MHz Channel=18500

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24250

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24350

Conducted spurious emissions




Band20 QPSK BW=20MHz Channel=24300

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27310

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27440

Conducted spurious emissions




Band28 QPSK BW=20MHz Channel=27375

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19575

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19300

Conducted spurious emissions




Band3 QPSK BW=20MHz Channel=19850

Conducted spurious emissions




Band34 QPSK BW=15MHz Channel=36275

Conducted spurious emissions




Band38 QPSK BW=20MHz Channel=38000

Conducted spurious emissions



Band38 QPSK BW=20MHz Channel=37850


Conducted spurious emissions






Band38 QPSK BW=20MHz Channel=38150

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=38750

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39550

Conducted spurious emissions




Band40 QPSK BW=20MHz Channel=39150

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=20850

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21350

Conducted spurious emissions




Band7 QPSK BW=20MHz Channel=21100

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21750

Conducted spurious emissions




Band8 QPSK BW=10MHz Channel=21625

Conducted spurious emissions



Band8 QPSK BW=10MHz Channel=21500

Conducted spurious emissions



**Clause 4.2.11 LTE Transmitter adjacent channel leakage power ratio**

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Type	ACLR (dBc)	Limit (dBc)	Verdict
Band1	5	18025	8	#0	QPSK	U-ACLR2-	53.70	35.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR1-	48.41	32.2	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR-	46.61	29.2	PASS
Band1	5	18025	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	QPSK	E-ACLR+	51.06	29.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR+	51.74	32.2	PASS
Band1	5	18025	8	#0	QPSK	U-ACLR2+	54.06	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2-	53.86	35.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR1-	50.96	32.2	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR-	50.28	29.2	PASS
Band1	5	18025	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	QPSK	E-ACLR+	45.07	29.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR+	47.32	32.2	PASS
Band1	5	18025	8	#Max	QPSK	U-ACLR2+	53.81	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2-	52.40	35.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR1-	46.82	32.2	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR-	46.00	29.2	PASS
Band1	5	18025	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	QPSK	E-ACLR+	46.55	29.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR+	47.39	32.2	PASS
Band1	5	18025	25	#0	QPSK	U-ACLR2+	52.54	35.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR2-	52.79	35.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR1-	48.60	32.2	PASS
Band1	5	18025	8	#0	16QAM	E-ACLR-	46.85	29.2	PASS
Band1	5	18025	8	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18025	8	#0	16QAM	E-ACLR+	50.11	29.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR+	50.78	32.2	PASS
Band1	5	18025	8	#0	16QAM	U-ACLR2+	53.04	35.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR2-	52.87	35.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR1-	50.39	32.2	PASS
Band1	5	18025	8	#Max	16QAM	E-ACLR-	49.70	29.2	PASS
Band1	5	18025	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	5	18025	8	#Max	16QAM	E-ACLR+	45.98	29.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR+	48.09	32.2	PASS
Band1	5	18025	8	#Max	16QAM	U-ACLR2+	52.90	35.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR2-	51.35	35.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR1-	47.83	32.2	PASS
Band1	5	18025	25	#0	16QAM	E-ACLR-	47.07	29.2	PASS
Band1	5	18025	25	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18025	25	#0	16QAM	E-ACLR+	47.31	29.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR+	48.08	32.2	PASS
Band1	5	18025	25	#0	16QAM	U-ACLR2+	51.59	35.2	PASS

Band1	5	18300	8	#0	QPSK	U-ACLR2-	53.53	35.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR1-	44.33	32.2	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR-	41.54	29.2	PASS
Band1	5	18300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	QPSK	E-ACLR+	50.51	29.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR+	51.21	32.2	PASS
Band1	5	18300	8	#0	QPSK	U-ACLR2+	53.85	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2-	53.67	35.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR1-	51.43	32.2	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR-	50.72	29.2	PASS
Band1	5	18300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	QPSK	E-ACLR+	41.61	29.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR+	44.53	32.2	PASS
Band1	5	18300	8	#Max	QPSK	U-ACLR2+	53.66	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2-	52.14	35.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR1-	46.02	32.2	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR-	45.18	29.2	PASS
Band1	5	18300	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	QPSK	E-ACLR+	43.76	29.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR+	44.58	32.2	PASS
Band1	5	18300	25	#0	QPSK	U-ACLR2+	52.22	35.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR2-	52.56	35.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR1-	45.80	32.2	PASS
Band1	5	18300	8	#0	16QAM	E-ACLR-	43.19	29.2	PASS
Band1	5	18300	8	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18300	8	#0	16QAM	E-ACLR+	49.70	29.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR+	50.38	32.2	PASS
Band1	5	18300	8	#0	16QAM	U-ACLR2+	52.80	35.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR2-	52.70	35.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR1-	50.68	32.2	PASS
Band1	5	18300	8	#Max	16QAM	E-ACLR-	49.97	29.2	PASS
Band1	5	18300	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	5	18300	8	#Max	16QAM	E-ACLR+	43.17	29.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR+	45.92	32.2	PASS
Band1	5	18300	8	#Max	16QAM	U-ACLR2+	52.65	35.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR2-	51.18	35.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR1-	46.83	32.2	PASS
Band1	5	18300	25	#0	16QAM	E-ACLR-	46.01	29.2	PASS
Band1	5	18300	25	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18300	25	#0	16QAM	E-ACLR+	44.57	29.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR+	45.42	32.2	PASS
Band1	5	18300	25	#0	16QAM	U-ACLR2+	51.22	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2-	54.07	35.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR1-	42.64	32.2	PASS

Band1	5	18575	8	#0	QPSK	E-ACLR-	39.55	29.2	PASS
Band1	5	18575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	QPSK	E-ACLR+	51.14	29.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR+	51.92	32.2	PASS
Band1	5	18575	8	#0	QPSK	U-ACLR2+	54.49	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2-	54.34	35.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR1-	51.84	32.2	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR-	51.11	29.2	PASS
Band1	5	18575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	QPSK	E-ACLR+	40.46	29.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR+	43.64	32.2	PASS
Band1	5	18575	8	#Max	QPSK	U-ACLR2+	54.31	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2-	52.50	35.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR1-	44.57	32.2	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR-	43.67	29.2	PASS
Band1	5	18575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	QPSK	E-ACLR+	42.32	29.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR+	43.25	32.2	PASS
Band1	5	18575	25	#0	QPSK	U-ACLR2+	52.84	35.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR2-	53.24	35.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR1-	45.42	32.2	PASS
Band1	5	18575	8	#0	16QAM	E-ACLR-	42.49	29.2	PASS
Band1	5	18575	8	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18575	8	#0	16QAM	E-ACLR+	50.50	29.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR+	51.23	32.2	PASS
Band1	5	18575	8	#0	16QAM	U-ACLR2+	53.49	35.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR2-	53.35	35.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR1-	51.23	32.2	PASS
Band1	5	18575	8	#Max	16QAM	E-ACLR-	50.53	29.2	PASS
Band1	5	18575	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	5	18575	8	#Max	16QAM	E-ACLR+	43.52	29.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR+	46.27	32.2	PASS
Band1	5	18575	8	#Max	16QAM	U-ACLR2+	53.41	35.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR2-	51.60	35.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR1-	45.40	32.2	PASS
Band1	5	18575	25	#0	16QAM	E-ACLR-	44.56	29.2	PASS
Band1	5	18575	25	#0	16QAM	EUTRA	0.00	0	PASS
Band1	5	18575	25	#0	16QAM	E-ACLR+	43.53	29.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR+	44.37	32.2	PASS
Band1	5	18575	25	#0	16QAM	U-ACLR2+	51.95	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2-	52.91	35.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR1-	47.15	32.2	PASS
Band1	10	18050	12	#0	QPSK	E-ACLR-	45.53	29.2	PASS
Band1	10	18050	12	#0	QPSK	EUTRA	0.00	0	PASS



Band1	10	18050	12	#0	QPSK	E-ACLR+	49.39	29.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR+	52.91	32.2	PASS
Band1	10	18050	12	#0	QPSK	U-ACLR2+	53.32	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2-	52.73	35.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR1-	52.16	32.2	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR-	48.68	29.2	PASS
Band1	10	18050	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	QPSK	E-ACLR+	43.13	29.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR+	44.22	32.2	PASS
Band1	10	18050	12	#Max	QPSK	U-ACLR2+	52.86	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2-	49.58	35.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR1-	44.69	32.2	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR-	42.77	29.2	PASS
Band1	10	18050	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	QPSK	E-ACLR+	44.50	29.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR+	46.82	32.2	PASS
Band1	10	18050	50	#0	QPSK	U-ACLR2+	50.13	35.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR2-	52.12	35.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR1-	47.81	32.2	PASS
Band1	10	18050	12	#0	16QAM	E-ACLR-	45.79	29.2	PASS
Band1	10	18050	12	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18050	12	#0	16QAM	E-ACLR+	48.53	29.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR+	52.09	32.2	PASS
Band1	10	18050	12	#0	16QAM	U-ACLR2+	52.44	35.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR2-	51.97	35.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR1-	51.38	32.2	PASS
Band1	10	18050	12	#Max	16QAM	E-ACLR-	47.92	29.2	PASS
Band1	10	18050	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	10	18050	12	#Max	16QAM	E-ACLR+	43.77	29.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR+	45.20	32.2	PASS
Band1	10	18050	12	#Max	16QAM	U-ACLR2+	52.13	35.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR2-	50.03	35.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR1-	45.72	32.2	PASS
Band1	10	18050	50	#0	16QAM	E-ACLR-	43.67	29.2	PASS
Band1	10	18050	50	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18050	50	#0	16QAM	E-ACLR+	44.93	29.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR+	47.28	32.2	PASS
Band1	10	18050	50	#0	16QAM	U-ACLR2+	50.50	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR2-	52.67	35.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR1-	42.73	32.2	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR-	41.79	29.2	PASS
Band1	10	18300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	QPSK	E-ACLR+	49.04	29.2	PASS
Band1	10	18300	12	#0	QPSK	U-ACLR+	52.43	32.2	PASS

Band1	10	18300	12	#0	QPSK	U-ACLR2+	53.03	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2-	52.98	35.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR1-	52.78	32.2	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR-	49.16	29.2	PASS
Band1	10	18300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	QPSK	E-ACLR+	43.25	29.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR+	44.37	32.2	PASS
Band1	10	18300	12	#Max	QPSK	U-ACLR2+	53.01	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2-	50.32	35.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR1-	46.67	32.2	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR-	44.46	29.2	PASS
Band1	10	18300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	QPSK	E-ACLR+	43.07	29.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR+	44.99	32.2	PASS
Band1	10	18300	50	#0	QPSK	U-ACLR2+	49.77	35.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR2-	51.90	35.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR1-	44.51	32.2	PASS
Band1	10	18300	12	#0	16QAM	E-ACLR-	43.16	29.2	PASS
Band1	10	18300	12	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18300	12	#0	16QAM	E-ACLR+	48.13	29.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR+	51.56	32.2	PASS
Band1	10	18300	12	#0	16QAM	U-ACLR2+	52.15	35.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR2-	52.03	35.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR1-	51.89	32.2	PASS
Band1	10	18300	12	#Max	16QAM	E-ACLR-	48.23	29.2	PASS
Band1	10	18300	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	10	18300	12	#Max	16QAM	E-ACLR+	44.16	29.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR+	45.76	32.2	PASS
Band1	10	18300	12	#Max	16QAM	U-ACLR2+	52.13	35.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR2-	50.21	35.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR1-	47.22	32.2	PASS
Band1	10	18300	50	#0	16QAM	E-ACLR-	44.81	29.2	PASS
Band1	10	18300	50	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18300	50	#0	16QAM	E-ACLR+	43.88	29.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR+	45.91	32.2	PASS
Band1	10	18300	50	#0	16QAM	U-ACLR2+	50.09	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2-	52.80	35.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR1-	41.02	32.2	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR-	40.24	29.2	PASS
Band1	10	18550	12	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	QPSK	E-ACLR+	49.66	29.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR+	52.89	32.2	PASS
Band1	10	18550	12	#0	QPSK	U-ACLR2+	53.87	35.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2-	53.48	35.2	PASS

Band1	10	18550	12	#Max	QPSK	U-ACLR1-	53.35	32.2	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR-	49.67	29.2	PASS
Band1	10	18550	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	QPSK	E-ACLR+	42.84	29.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR+	43.83	32.2	PASS
Band1	10	18550	12	#Max	QPSK	U-ACLR2+	53.70	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2-	49.25	35.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR1-	45.27	32.2	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR-	43.14	29.2	PASS
Band1	10	18550	50	#0	QPSK	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	QPSK	E-ACLR+	41.62	29.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR+	43.17	32.2	PASS
Band1	10	18550	50	#0	QPSK	U-ACLR2+	49.45	35.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR2-	52.17	35.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR1-	42.65	32.2	PASS
Band1	10	18550	12	#0	16QAM	E-ACLR-	41.61	29.2	PASS
Band1	10	18550	12	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18550	12	#0	16QAM	E-ACLR+	48.79	29.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR+	52.11	32.2	PASS
Band1	10	18550	12	#0	16QAM	U-ACLR2+	52.89	35.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR2-	52.63	35.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR1-	52.50	32.2	PASS
Band1	10	18550	12	#Max	16QAM	E-ACLR-	48.82	29.2	PASS
Band1	10	18550	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	10	18550	12	#Max	16QAM	E-ACLR+	44.01	29.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR+	45.37	32.2	PASS
Band1	10	18550	12	#Max	16QAM	U-ACLR2+	52.92	35.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR2-	49.48	35.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR1-	45.28	32.2	PASS
Band1	10	18550	50	#0	16QAM	E-ACLR-	43.22	29.2	PASS
Band1	10	18550	50	#0	16QAM	EUTRA	0.00	0	PASS
Band1	10	18550	50	#0	16QAM	E-ACLR+	42.02	29.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR+	43.55	32.2	PASS
Band1	10	18550	50	#0	16QAM	U-ACLR2+	49.75	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2-	52.09	35.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR1-	46.10	32.2	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR-	44.59	29.2	PASS
Band1	20	18100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	QPSK	E-ACLR+	46.43	29.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR+	53.37	32.2	PASS
Band1	20	18100	18	#0	QPSK	U-ACLR2+	53.13	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2-	52.51	35.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR1-	52.88	32.2	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR-	46.38	29.2	PASS

Band1	20	18100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	QPSK	E-ACLR+	40.66	29.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR+	40.00	32.2	PASS
Band1	20	18100	18	#Max	QPSK	U-ACLR2+	51.61	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2-	45.18	35.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR1-	42.37	32.2	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR-	39.13	29.2	PASS
Band1	20	18100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	QPSK	E-ACLR+	40.13	29.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR+	44.82	32.2	PASS
Band1	20	18100	100	#0	QPSK	U-ACLR2+	46.13	35.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR2-	51.16	35.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR1-	46.73	32.2	PASS
Band1	20	18100	18	#0	16QAM	E-ACLR-	44.30	29.2	PASS
Band1	20	18100	18	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18100	18	#0	16QAM	E-ACLR+	45.46	29.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR+	52.27	32.2	PASS
Band1	20	18100	18	#0	16QAM	U-ACLR2+	52.18	35.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR2-	51.54	35.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR1-	51.92	32.2	PASS
Band1	20	18100	18	#Max	16QAM	E-ACLR-	45.42	29.2	PASS
Band1	20	18100	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	20	18100	18	#Max	16QAM	E-ACLR+	41.75	29.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR+	41.84	32.2	PASS
Band1	20	18100	18	#Max	16QAM	U-ACLR2+	50.89	35.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR2-	45.96	35.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR1-	43.65	32.2	PASS
Band1	20	18100	100	#0	16QAM	E-ACLR-	40.08	29.2	PASS
Band1	20	18100	100	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18100	100	#0	16QAM	E-ACLR+	40.90	29.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR+	45.72	32.2	PASS
Band1	20	18100	100	#0	16QAM	U-ACLR2+	46.89	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2-	51.78	35.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR1-	41.75	32.2	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR-	42.12	29.2	PASS
Band1	20	18300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	QPSK	E-ACLR+	46.61	29.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR+	53.03	32.2	PASS
Band1	20	18300	18	#0	QPSK	U-ACLR2+	52.98	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2-	52.58	35.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR1-	53.06	32.2	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR-	46.30	29.2	PASS
Band1	20	18300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	QPSK	E-ACLR+	43.56	29.2	PASS

Band1	20	18300	18	#Max	QPSK	U-ACLR+	43.95	32.2	PASS
Band1	20	18300	18	#Max	QPSK	U-ACLR2+	52.42	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2-	48.43	35.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR1-	47.08	32.2	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR-	42.48	29.2	PASS
Band1	20	18300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	QPSK	E-ACLR+	41.42	29.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR+	45.64	32.2	PASS
Band1	20	18300	100	#0	QPSK	U-ACLR2+	47.38	35.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR2-	50.97	35.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR1-	43.56	32.2	PASS
Band1	20	18300	18	#0	16QAM	E-ACLR-	42.84	29.2	PASS
Band1	20	18300	18	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18300	18	#0	16QAM	E-ACLR+	45.75	29.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR+	52.11	32.2	PASS
Band1	20	18300	18	#0	16QAM	U-ACLR2+	52.08	35.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR2-	51.58	35.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR1-	52.19	32.2	PASS
Band1	20	18300	18	#Max	16QAM	E-ACLR-	45.46	29.2	PASS
Band1	20	18300	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	20	18300	18	#Max	16QAM	E-ACLR+	44.21	29.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR+	45.76	32.2	PASS
Band1	20	18300	18	#Max	16QAM	U-ACLR2+	51.71	35.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR2-	48.92	35.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR1-	48.09	32.2	PASS
Band1	20	18300	100	#0	16QAM	E-ACLR-	42.89	29.2	PASS
Band1	20	18300	100	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18300	100	#0	16QAM	E-ACLR+	42.26	29.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR+	46.99	32.2	PASS
Band1	20	18300	100	#0	16QAM	U-ACLR2+	48.30	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2-	51.24	35.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR1-	41.58	32.2	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR-	41.74	29.2	PASS
Band1	20	18500	18	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	QPSK	E-ACLR+	46.84	29.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR+	53.00	32.2	PASS
Band1	20	18500	18	#0	QPSK	U-ACLR2+	53.19	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2-	52.23	35.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR1-	52.83	32.2	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR-	46.10	29.2	PASS
Band1	20	18500	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	QPSK	E-ACLR+	43.10	29.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR+	42.79	32.2	PASS
Band1	20	18500	18	#Max	QPSK	U-ACLR2+	52.56	35.2	PASS

Band1	20	18500	100	#0	QPSK	U-ACLR2-	44.64	35.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR1-	43.14	32.2	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR-	39.03	29.2	PASS
Band1	20	18500	100	#0	QPSK	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	QPSK	E-ACLR+	39.71	29.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR+	42.99	32.2	PASS
Band1	20	18500	100	#0	QPSK	U-ACLR2+	45.76	35.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR2-	50.39	35.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR1-	42.59	32.2	PASS
Band1	20	18500	18	#0	16QAM	E-ACLR-	42.22	29.2	PASS
Band1	20	18500	18	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18500	18	#0	16QAM	E-ACLR+	45.87	29.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR+	52.13	32.2	PASS
Band1	20	18500	18	#0	16QAM	U-ACLR2+	52.13	35.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR2-	51.31	35.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR1-	51.89	32.2	PASS
Band1	20	18500	18	#Max	16QAM	E-ACLR-	45.18	29.2	PASS
Band1	20	18500	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band1	20	18500	18	#Max	16QAM	E-ACLR+	43.55	29.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR+	44.37	32.2	PASS
Band1	20	18500	18	#Max	16QAM	U-ACLR2+	51.69	35.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR2-	45.35	35.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR1-	43.96	32.2	PASS
Band1	20	18500	100	#0	16QAM	E-ACLR-	39.76	29.2	PASS
Band1	20	18500	100	#0	16QAM	EUTRA	0.00	0	PASS
Band1	20	18500	100	#0	16QAM	E-ACLR+	40.39	29.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR+	43.78	32.2	PASS
Band1	20	18500	100	#0	16QAM	U-ACLR2+	46.57	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2-	54.05	35.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR1-	48.00	32.2	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR-	46.64	29.2	PASS
Band20	5	24175	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	QPSK	E-ACLR+	50.03	29.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR+	50.77	32.2	PASS
Band20	5	24175	8	#0	QPSK	U-ACLR2+	54.17	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2-	54.32	35.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR1-	52.70	32.2	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR-	51.94	29.2	PASS
Band20	5	24175	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	QPSK	E-ACLR+	47.01	29.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR+	48.32	32.2	PASS
Band20	5	24175	8	#Max	QPSK	U-ACLR2+	54.30	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2-	53.42	35.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR1-	47.82	32.2	PASS



Band20	5	24175	25	#0	QPSK	E-ACLR-	47.09	29.2	PASS
Band20	5	24175	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	QPSK	E-ACLR+	45.39	29.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR+	46.33	32.2	PASS
Band20	5	24175	25	#0	QPSK	U-ACLR2+	51.74	35.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR2-	53.28	35.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR1-	48.14	32.2	PASS
Band20	5	24175	8	#0	16QAM	E-ACLR-	46.56	29.2	PASS
Band20	5	24175	8	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24175	8	#0	16QAM	E-ACLR+	49.64	29.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR+	50.33	32.2	PASS
Band20	5	24175	8	#0	16QAM	U-ACLR2+	53.49	35.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR2-	53.61	35.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR1-	52.34	32.2	PASS
Band20	5	24175	8	#Max	16QAM	E-ACLR-	51.64	29.2	PASS
Band20	5	24175	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	5	24175	8	#Max	16QAM	E-ACLR+	47.40	29.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR+	48.48	32.2	PASS
Band20	5	24175	8	#Max	16QAM	U-ACLR2+	53.64	35.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR2-	52.81	35.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR1-	47.72	32.2	PASS
Band20	5	24175	25	#0	16QAM	E-ACLR-	46.98	29.2	PASS
Band20	5	24175	25	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24175	25	#0	16QAM	E-ACLR+	45.60	29.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR+	46.55	32.2	PASS
Band20	5	24175	25	#0	16QAM	U-ACLR2+	51.52	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2-	53.30	35.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR1-	45.85	32.2	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR-	44.37	29.2	PASS
Band20	5	24300	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	QPSK	E-ACLR+	49.58	29.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR+	50.32	32.2	PASS
Band20	5	24300	8	#0	QPSK	U-ACLR2+	54.01	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2-	54.13	35.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR1-	52.18	32.2	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR-	51.38	29.2	PASS
Band20	5	24300	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	QPSK	E-ACLR+	42.49	29.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR+	44.59	32.2	PASS
Band20	5	24300	8	#Max	QPSK	U-ACLR2+	54.12	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2-	50.42	35.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR1-	47.01	32.2	PASS
Band20	5	24300	25	#0	QPSK	E-ACLR-	46.31	29.2	PASS
Band20	5	24300	25	#0	QPSK	EUTRA	0.00	0	PASS

Band20	5	24300	25	#0	QPSK	E-ACLR+	42.70	29.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR+	43.39	32.2	PASS
Band20	5	24300	25	#0	QPSK	U-ACLR2+	50.65	35.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR2-	52.86	35.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR1-	45.76	32.2	PASS
Band20	5	24300	8	#0	16QAM	E-ACLR-	44.16	29.2	PASS
Band20	5	24300	8	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24300	8	#0	16QAM	E-ACLR+	49.09	29.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR+	49.76	32.2	PASS
Band20	5	24300	8	#0	16QAM	U-ACLR2+	53.40	35.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR2-	53.36	35.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR1-	51.69	32.2	PASS
Band20	5	24300	8	#Max	16QAM	E-ACLR-	50.96	29.2	PASS
Band20	5	24300	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	5	24300	8	#Max	16QAM	E-ACLR+	43.09	29.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR+	45.00	32.2	PASS
Band20	5	24300	8	#Max	16QAM	U-ACLR2+	53.44	35.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR2-	50.22	35.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR1-	46.35	32.2	PASS
Band20	5	24300	25	#0	16QAM	E-ACLR-	45.63	29.2	PASS
Band20	5	24300	25	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24300	25	#0	16QAM	E-ACLR+	42.25	29.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR+	43.00	32.2	PASS
Band20	5	24300	25	#0	16QAM	U-ACLR2+	50.37	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2-	52.94	35.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR1-	44.78	32.2	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR-	43.91	29.2	PASS
Band20	5	24425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	QPSK	E-ACLR+	49.54	29.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR+	50.38	32.2	PASS
Band20	5	24425	8	#0	QPSK	U-ACLR2+	53.87	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2-	53.69	35.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR1-	50.88	32.2	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR-	50.09	29.2	PASS
Band20	5	24425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	QPSK	E-ACLR+	42.77	29.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR+	44.33	32.2	PASS
Band20	5	24425	8	#Max	QPSK	U-ACLR2+	53.78	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR2-	48.95	35.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR1-	46.10	32.2	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR-	45.47	29.2	PASS
Band20	5	24425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	QPSK	E-ACLR+	44.00	29.2	PASS
Band20	5	24425	25	#0	QPSK	U-ACLR+	44.69	32.2	PASS



Band20	5	24425	25	#0	QPSK	U-ACLR2+	51.04	35.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR2-	52.66	35.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR1-	45.12	32.2	PASS
Band20	5	24425	8	#0	16QAM	E-ACLR-	44.03	29.2	PASS
Band20	5	24425	8	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24425	8	#0	16QAM	E-ACLR+	49.49	29.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR+	50.21	32.2	PASS
Band20	5	24425	8	#0	16QAM	U-ACLR2+	53.17	35.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR2-	52.99	35.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR1-	50.80	32.2	PASS
Band20	5	24425	8	#Max	16QAM	E-ACLR-	50.11	29.2	PASS
Band20	5	24425	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	5	24425	8	#Max	16QAM	E-ACLR+	43.87	29.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR+	45.26	32.2	PASS
Band20	5	24425	8	#Max	16QAM	U-ACLR2+	53.12	35.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR2-	49.12	35.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR1-	44.88	32.2	PASS
Band20	5	24425	25	#0	16QAM	E-ACLR-	44.14	29.2	PASS
Band20	5	24425	25	#0	16QAM	EUTRA	0.00	0	PASS
Band20	5	24425	25	#0	16QAM	E-ACLR+	43.41	29.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR+	44.16	32.2	PASS
Band20	5	24425	25	#0	16QAM	U-ACLR2+	50.94	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2-	53.76	35.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR1-	47.62	32.2	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR-	46.14	29.2	PASS
Band20	10	24200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	QPSK	E-ACLR+	48.97	29.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR+	52.88	32.2	PASS
Band20	10	24200	12	#0	QPSK	U-ACLR2+	52.72	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2-	53.89	35.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR1-	53.13	32.2	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR-	49.80	29.2	PASS
Band20	10	24200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	QPSK	E-ACLR+	45.39	29.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR+	46.99	32.2	PASS
Band20	10	24200	12	#Max	QPSK	U-ACLR2+	52.44	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2-	52.23	35.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR1-	48.09	32.2	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR-	45.85	29.2	PASS
Band20	10	24200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	QPSK	E-ACLR+	46.23	29.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR+	49.50	32.2	PASS
Band20	10	24200	50	#0	QPSK	U-ACLR2+	50.53	35.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR2-	53.15	35.2	PASS

Band20	10	24200	12	#0	16QAM	U-ACLR1-	47.12	32.2	PASS
Band20	10	24200	12	#0	16QAM	E-ACLR-	45.65	29.2	PASS
Band20	10	24200	12	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24200	12	#0	16QAM	E-ACLR+	48.45	29.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR+	52.38	32.2	PASS
Band20	10	24200	12	#0	16QAM	U-ACLR2+	52.15	35.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR2-	53.17	35.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR1-	52.57	32.2	PASS
Band20	10	24200	12	#Max	16QAM	E-ACLR-	49.17	29.2	PASS
Band20	10	24200	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	10	24200	12	#Max	16QAM	E-ACLR+	45.00	29.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR+	46.63	32.2	PASS
Band20	10	24200	12	#Max	16QAM	U-ACLR2+	52.08	35.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR2-	51.81	35.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR1-	47.19	32.2	PASS
Band20	10	24200	50	#0	16QAM	E-ACLR-	45.14	29.2	PASS
Band20	10	24200	50	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24200	50	#0	16QAM	E-ACLR+	45.61	29.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR+	48.67	32.2	PASS
Band20	10	24200	50	#0	16QAM	U-ACLR2+	50.18	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2-	52.02	35.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR1-	45.42	32.2	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR-	44.02	29.2	PASS
Band20	10	24300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	QPSK	E-ACLR+	48.64	29.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR+	52.12	32.2	PASS
Band20	10	24300	12	#0	QPSK	U-ACLR2+	52.74	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2-	53.39	35.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR1-	53.27	32.2	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR-	49.62	29.2	PASS
Band20	10	24300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	QPSK	E-ACLR+	44.53	29.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR+	45.68	32.2	PASS
Band20	10	24300	12	#Max	QPSK	U-ACLR2+	53.57	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2-	49.77	35.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR1-	48.56	32.2	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR-	45.41	29.2	PASS
Band20	10	24300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	QPSK	E-ACLR+	43.42	29.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR+	45.81	32.2	PASS
Band20	10	24300	50	#0	QPSK	U-ACLR2+	48.94	35.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR2-	51.50	35.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR1-	45.39	32.2	PASS
Band20	10	24300	12	#0	16QAM	E-ACLR-	43.91	29.2	PASS

Band20	10	24300	12	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24300	12	#0	16QAM	E-ACLR+	48.22	29.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR+	51.65	32.2	PASS
Band20	10	24300	12	#0	16QAM	U-ACLR2+	52.37	35.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR2-	52.75	35.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR1-	52.65	32.2	PASS
Band20	10	24300	12	#Max	16QAM	E-ACLR-	48.98	29.2	PASS
Band20	10	24300	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	10	24300	12	#Max	16QAM	E-ACLR+	44.37	29.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR+	45.69	32.2	PASS
Band20	10	24300	12	#Max	16QAM	U-ACLR2+	53.00	35.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR2-	49.43	35.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR1-	47.33	32.2	PASS
Band20	10	24300	50	#0	16QAM	E-ACLR-	44.53	29.2	PASS
Band20	10	24300	50	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24300	50	#0	16QAM	E-ACLR+	43.23	29.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR+	45.37	32.2	PASS
Band20	10	24300	50	#0	16QAM	U-ACLR2+	49.15	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2-	52.79	35.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR1-	45.75	32.2	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR-	44.53	29.2	PASS
Band20	10	24400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	QPSK	E-ACLR+	49.72	29.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR+	53.14	32.2	PASS
Band20	10	24400	12	#0	QPSK	U-ACLR2+	53.83	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2-	52.97	35.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR1-	52.02	32.2	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR-	48.80	29.2	PASS
Band20	10	24400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	QPSK	E-ACLR+	43.84	29.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR+	44.82	32.2	PASS
Band20	10	24400	12	#Max	QPSK	U-ACLR2+	53.43	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2-	49.94	35.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR1-	47.82	32.2	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR-	45.18	29.2	PASS
Band20	10	24400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	QPSK	E-ACLR+	45.58	29.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR+	48.02	32.2	PASS
Band20	10	24400	50	#0	QPSK	U-ACLR2+	50.88	35.2	PASS
Band20	10	24400	12	#0	16QAM	U-ACLR2-	52.36	35.2	PASS
Band20	10	24400	12	#0	16QAM	U-ACLR1-	45.69	32.2	PASS
Band20	10	24400	12	#0	16QAM	E-ACLR-	44.36	29.2	PASS
Band20	10	24400	12	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24400	12	#0	16QAM	E-ACLR+	49.16	29.2	PASS

Band20	10	24400	12	#0	16QAM	U-ACLR+	52.63	32.2	PASS
Band20	10	24400	12	#0	16QAM	U-ACLR2+	53.21	35.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR2-	52.40	35.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR1-	51.58	32.2	PASS
Band20	10	24400	12	#Max	16QAM	E-ACLR-	48.28	29.2	PASS
Band20	10	24400	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	10	24400	12	#Max	16QAM	E-ACLR+	43.74	29.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR+	44.87	32.2	PASS
Band20	10	24400	12	#Max	16QAM	U-ACLR2+	52.89	35.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR2-	48.98	35.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR1-	45.73	32.2	PASS
Band20	10	24400	50	#0	16QAM	E-ACLR-	43.42	29.2	PASS
Band20	10	24400	50	#0	16QAM	EUTRA	0.00	0	PASS
Band20	10	24400	50	#0	16QAM	E-ACLR+	44.21	29.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR+	46.13	32.2	PASS
Band20	10	24400	50	#0	16QAM	U-ACLR2+	50.69	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2-	53.26	35.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR1-	47.63	32.2	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR-	45.46	29.2	PASS
Band20	20	24250	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	QPSK	E-ACLR+	46.79	29.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR+	53.96	32.2	PASS
Band20	20	24250	18	#0	QPSK	U-ACLR2+	53.69	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2-	53.58	35.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR1-	53.81	32.2	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR-	47.42	29.2	PASS
Band20	20	24250	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	QPSK	E-ACLR+	44.74	29.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR+	46.25	32.2	PASS
Band20	20	24250	18	#Max	QPSK	U-ACLR2+	53.10	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2-	52.57	35.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR1-	49.55	32.2	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR-	45.58	29.2	PASS
Band20	20	24250	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	QPSK	E-ACLR+	42.45	29.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR+	47.35	32.2	PASS
Band20	20	24250	100	#0	QPSK	U-ACLR2+	48.63	35.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR2-	52.49	35.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR1-	47.20	32.2	PASS
Band20	20	24250	18	#0	16QAM	E-ACLR-	44.97	29.2	PASS
Band20	20	24250	18	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24250	18	#0	16QAM	E-ACLR+	46.12	29.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR+	53.22	32.2	PASS
Band20	20	24250	18	#0	16QAM	U-ACLR2+	53.04	35.2	PASS

Band20	20	24250	18	#Max	16QAM	U-ACLR2-	52.85	35.2	PASS
Band20	20	24250	18	#Max	16QAM	U-ACLR1-	53.06	32.2	PASS
Band20	20	24250	18	#Max	16QAM	E-ACLR-	46.69	29.2	PASS
Band20	20	24250	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	20	24250	18	#Max	16QAM	E-ACLR+	44.32	29.2	PASS
Band20	20	24250	18	#Max	16QAM	U-ACLR+	46.07	32.2	PASS
Band20	20	24250	18	#Max	16QAM	U-ACLR2+	52.47	35.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR2-	51.94	35.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR1-	49.20	32.2	PASS
Band20	20	24250	100	#0	16QAM	E-ACLR-	45.01	29.2	PASS
Band20	20	24250	100	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24250	100	#0	16QAM	E-ACLR+	42.66	29.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR+	47.48	32.2	PASS
Band20	20	24250	100	#0	16QAM	U-ACLR2+	48.81	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2-	52.22	35.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR1-	47.38	32.2	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR-	44.76	29.2	PASS
Band20	20	24300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	QPSK	E-ACLR+	47.08	29.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR+	53.96	32.2	PASS
Band20	20	24300	18	#0	QPSK	U-ACLR2+	53.62	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2-	52.98	35.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR1-	53.17	32.2	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR-	46.94	29.2	PASS
Band20	20	24300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	QPSK	E-ACLR+	44.85	29.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR+	47.98	32.2	PASS
Band20	20	24300	18	#Max	QPSK	U-ACLR2+	52.54	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2-	50.00	35.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR1-	48.65	32.2	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR-	44.42	29.2	PASS
Band20	20	24300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	QPSK	E-ACLR+	44.52	29.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR+	49.77	32.2	PASS
Band20	20	24300	100	#0	QPSK	U-ACLR2+	50.35	35.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR2-	51.56	35.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR1-	46.67	32.2	PASS
Band20	20	24300	18	#0	16QAM	E-ACLR-	44.20	29.2	PASS
Band20	20	24300	18	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24300	18	#0	16QAM	E-ACLR+	46.49	29.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR+	53.27	32.2	PASS
Band20	20	24300	18	#0	16QAM	U-ACLR2+	53.13	35.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR2-	52.32	35.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR1-	52.56	32.2	PASS

Band20	20	24300	18	#Max	16QAM	E-ACLR-	46.30	29.2	PASS
Band20	20	24300	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band20	20	24300	18	#Max	16QAM	E-ACLR+	44.64	29.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR+	47.96	32.2	PASS
Band20	20	24300	18	#Max	16QAM	U-ACLR2+	52.11	35.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR2-	49.23	35.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR1-	47.73	32.2	PASS
Band20	20	24300	100	#0	16QAM	E-ACLR-	43.57	29.2	PASS
Band20	20	24300	100	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24300	100	#0	16QAM	E-ACLR+	43.81	29.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR+	48.82	32.2	PASS
Band20	20	24300	100	#0	16QAM	U-ACLR2+	49.75	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2-	50.99	35.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR1-	46.22	32.2	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR-	43.78	29.2	PASS
Band20	20	24350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	QPSK	E-ACLR+	47.15	29.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR+	53.57	32.2	PASS
Band20	20	24350	18	#0	QPSK	U-ACLR2+	53.81	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2-	52.45	35.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR1-	53.04	32.2	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR-	46.36	29.2	PASS
Band20	20	24350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	18	#Max	QPSK	E-ACLR+	43.45	29.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR+	44.58	32.2	PASS
Band20	20	24350	18	#Max	QPSK	U-ACLR2+	52.98	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2-	47.92	35.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR1-	48.74	32.2	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR-	42.86	29.2	PASS
Band20	20	24350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	QPSK	E-ACLR+	45.45	29.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR+	49.94	32.2	PASS
Band20	20	24350	100	#0	QPSK	U-ACLR2+	52.37	35.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR2-	50.45	35.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR1-	45.77	32.2	PASS
Band20	20	24350	18	#0	16QAM	E-ACLR-	43.44	29.2	PASS
Band20	20	24350	18	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24350	18	#0	16QAM	E-ACLR+	46.49	29.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR+	52.97	32.2	PASS
Band20	20	24350	18	#0	16QAM	U-ACLR2+	53.23	35.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR2-	51.74	35.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR1-	52.30	32.2	PASS
Band20	20	24350	18	#Max	16QAM	E-ACLR-	45.70	29.2	PASS
Band20	20	24350	18	#Max	16QAM	EUTRA	0.00	0	PASS



Band20	20	24350	18	#Max	16QAM	E-ACLR+	43.31	29.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR+	44.58	32.2	PASS
Band20	20	24350	18	#Max	16QAM	U-ACLR2+	52.40	35.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR2-	46.90	35.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR1-	47.62	32.2	PASS
Band20	20	24350	100	#0	16QAM	E-ACLR-	41.94	29.2	PASS
Band20	20	24350	100	#0	16QAM	EUTRA	0.00	0	PASS
Band20	20	24350	100	#0	16QAM	E-ACLR+	44.59	29.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR+	48.99	32.2	PASS
Band20	20	24350	100	#0	16QAM	U-ACLR2+	51.42	35.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR1-	46.98	32.2	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR-	43.09	29.2	PASS
Band28	3	27225	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	QPSK	E-ACLR+	51.38	29.2	PASS
Band28	3	27225	4	#0	QPSK	U-ACLR+	50.71	32.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR1-	51.37	32.2	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR-	51.93	29.2	PASS
Band28	3	27225	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	QPSK	E-ACLR+	44.14	29.2	PASS
Band28	3	27225	4	#Max	QPSK	U-ACLR+	47.29	32.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR1-	46.67	32.2	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR-	45.63	29.2	PASS
Band28	3	27225	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	QPSK	E-ACLR+	44.12	29.2	PASS
Band28	3	27225	15	#0	QPSK	U-ACLR+	45.09	32.2	PASS
Band28	3	27225	4	#0	16QAM	U-ACLR1-	47.72	32.2	PASS
Band28	3	27225	4	#0	16QAM	E-ACLR-	44.78	29.2	PASS
Band28	3	27225	4	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27225	4	#0	16QAM	E-ACLR+	50.13	29.2	PASS
Band28	3	27225	4	#0	16QAM	U-ACLR+	49.35	32.2	PASS
Band28	3	27225	4	#Max	16QAM	U-ACLR1-	49.99	32.2	PASS
Band28	3	27225	4	#Max	16QAM	E-ACLR-	50.82	29.2	PASS
Band28	3	27225	4	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	3	27225	4	#Max	16QAM	E-ACLR+	44.93	29.2	PASS
Band28	3	27225	4	#Max	16QAM	U-ACLR+	47.62	32.2	PASS
Band28	3	27225	15	#0	16QAM	U-ACLR1-	45.46	32.2	PASS
Band28	3	27225	15	#0	16QAM	E-ACLR-	44.44	29.2	PASS
Band28	3	27225	15	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27225	15	#0	16QAM	E-ACLR+	43.49	29.2	PASS
Band28	3	27225	15	#0	16QAM	U-ACLR+	44.30	32.2	PASS
Band28	3	27375	4	#0	QPSK	U-ACLR1-	49.03	32.2	PASS
Band28	3	27375	4	#0	QPSK	E-ACLR-	46.23	29.2	PASS
Band28	3	27375	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	4	#0	QPSK	E-ACLR+	51.62	29.2	PASS

Band28	3	27375	4	#0	QPSK	U-ACLR+	51.05	32.2	PASS
Band28	3	27375	4	#Max	QPSK	U-ACLR1-	50.93	32.2	PASS
Band28	3	27375	4	#Max	QPSK	E-ACLR-	51.60	29.2	PASS
Band28	3	27375	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	4	#Max	QPSK	E-ACLR+	46.43	29.2	PASS
Band28	3	27375	4	#Max	QPSK	U-ACLR+	49.04	32.2	PASS
Band28	3	27375	15	#0	QPSK	U-ACLR1-	45.09	32.2	PASS
Band28	3	27375	15	#0	QPSK	E-ACLR-	44.03	29.2	PASS
Band28	3	27375	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27375	15	#0	QPSK	E-ACLR+	44.15	29.2	PASS
Band28	3	27375	15	#0	QPSK	U-ACLR+	44.94	32.2	PASS
Band28	3	27375	4	#0	16QAM	U-ACLR1-	48.45	32.2	PASS
Band28	3	27375	4	#0	16QAM	E-ACLR-	44.96	29.2	PASS
Band28	3	27375	4	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27375	4	#0	16QAM	E-ACLR+	51.33	29.2	PASS
Band28	3	27375	4	#0	16QAM	U-ACLR+	50.71	32.2	PASS
Band28	3	27375	4	#Max	16QAM	U-ACLR1-	50.65	32.2	PASS
Band28	3	27375	4	#Max	16QAM	E-ACLR-	51.27	29.2	PASS
Band28	3	27375	4	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	3	27375	4	#Max	16QAM	E-ACLR+	45.47	29.2	PASS
Band28	3	27375	4	#Max	16QAM	U-ACLR+	48.45	32.2	PASS
Band28	3	27375	15	#0	16QAM	U-ACLR1-	43.93	32.2	PASS
Band28	3	27375	15	#0	16QAM	E-ACLR-	42.66	29.2	PASS
Band28	3	27375	15	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27375	15	#0	16QAM	E-ACLR+	42.88	29.2	PASS
Band28	3	27375	15	#0	16QAM	U-ACLR+	43.95	32.2	PASS
Band28	3	27525	4	#0	QPSK	U-ACLR1-	46.83	32.2	PASS
Band28	3	27525	4	#0	QPSK	E-ACLR-	43.25	29.2	PASS
Band28	3	27525	4	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27525	4	#0	QPSK	E-ACLR+	51.93	29.2	PASS
Band28	3	27525	4	#0	QPSK	U-ACLR+	51.38	32.2	PASS
Band28	3	27525	4	#Max	QPSK	U-ACLR1-	50.69	32.2	PASS
Band28	3	27525	4	#Max	QPSK	E-ACLR-	51.24	29.2	PASS
Band28	3	27525	4	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	3	27525	4	#Max	QPSK	E-ACLR+	44.66	29.2	PASS
Band28	3	27525	4	#Max	QPSK	U-ACLR+	47.83	32.2	PASS
Band28	3	27525	15	#0	QPSK	U-ACLR1-	45.40	32.2	PASS
Band28	3	27525	15	#0	QPSK	E-ACLR-	44.42	29.2	PASS
Band28	3	27525	15	#0	QPSK	EUTRA	0.00	0	PASS
Band28	3	27525	15	#0	QPSK	E-ACLR+	44.36	29.2	PASS
Band28	3	27525	15	#0	QPSK	U-ACLR+	45.44	32.2	PASS
Band28	3	27525	4	#0	16QAM	U-ACLR1-	48.13	32.2	PASS
Band28	3	27525	4	#0	16QAM	E-ACLR-	44.87	29.2	PASS
Band28	3	27525	4	#0	16QAM	EUTRA	0.00	0	PASS



Band28	3	27525	4	#0	16QAM	E-ACLR+	51.38	29.2	PASS
Band28	3	27525	4	#0	16QAM	U-ACLR+	50.77	32.2	PASS
Band28	3	27525	4	#Max	16QAM	U-ACLR1-	49.87	32.2	PASS
Band28	3	27525	4	#Max	16QAM	E-ACLR-	50.50	29.2	PASS
Band28	3	27525	4	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	3	27525	4	#Max	16QAM	E-ACLR+	45.41	29.2	PASS
Band28	3	27525	4	#Max	16QAM	U-ACLR+	48.62	32.2	PASS
Band28	3	27525	15	#0	16QAM	U-ACLR1-	43.99	32.2	PASS
Band28	3	27525	15	#0	16QAM	E-ACLR-	42.76	29.2	PASS
Band28	3	27525	15	#0	16QAM	EUTRA	0.00	0	PASS
Band28	3	27525	15	#0	16QAM	E-ACLR+	42.74	29.2	PASS
Band28	3	27525	15	#0	16QAM	U-ACLR+	44.04	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2-	53.86	35.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR1-	44.06	32.2	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR-	42.54	29.2	PASS
Band28	5	27235	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	QPSK	E-ACLR+	50.56	29.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR+	51.18	32.2	PASS
Band28	5	27235	8	#0	QPSK	U-ACLR2+	53.99	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2-	53.96	35.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR1-	52.27	32.2	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR-	51.58	29.2	PASS
Band28	5	27235	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	8	#Max	QPSK	E-ACLR+	44.65	29.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR+	46.07	32.2	PASS
Band28	5	27235	8	#Max	QPSK	U-ACLR2+	53.86	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2-	51.65	35.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR1-	45.27	32.2	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR-	44.33	29.2	PASS
Band28	5	27235	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	QPSK	E-ACLR+	42.65	29.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR+	43.45	32.2	PASS
Band28	5	27235	25	#0	QPSK	U-ACLR2+	51.11	35.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR2-	51.65	35.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR1-	47.33	32.2	PASS
Band28	5	27235	8	#0	16QAM	E-ACLR-	45.33	29.2	PASS
Band28	5	27235	8	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27235	8	#0	16QAM	E-ACLR+	49.13	29.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR+	49.79	32.2	PASS
Band28	5	27235	8	#0	16QAM	U-ACLR2+	51.85	35.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR2-	51.78	35.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR1-	50.60	32.2	PASS
Band28	5	27235	8	#Max	16QAM	E-ACLR-	49.87	29.2	PASS
Band28	5	27235	8	#Max	16QAM	EUTRA	0.00	0	PASS

Band28	5	27235	8	#Max	16QAM	E-ACLR+	44.44	29.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR+	46.70	32.2	PASS
Band28	5	27235	8	#Max	16QAM	U-ACLR2+	51.83	35.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR2-	51.01	35.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR1-	44.55	32.2	PASS
Band28	5	27235	25	#0	16QAM	E-ACLR-	43.73	29.2	PASS
Band28	5	27235	25	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27235	25	#0	16QAM	E-ACLR+	42.06	29.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR+	42.85	32.2	PASS
Band28	5	27235	25	#0	16QAM	U-ACLR2+	50.48	35.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR2-	53.87	35.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR1-	45.47	32.2	PASS
Band28	5	27375	8	#0	QPSK	E-ACLR-	43.87	29.2	PASS
Band28	5	27375	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27375	8	#0	QPSK	E-ACLR+	51.13	29.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR+	51.79	32.2	PASS
Band28	5	27375	8	#0	QPSK	U-ACLR2+	54.34	35.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR2-	54.11	35.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR1-	51.78	32.2	PASS
Band28	5	27375	8	#Max	QPSK	E-ACLR-	51.06	29.2	PASS
Band28	5	27375	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27375	8	#Max	QPSK	E-ACLR+	44.28	29.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR+	45.87	32.2	PASS
Band28	5	27375	8	#Max	QPSK	U-ACLR2+	54.07	35.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR2-	52.25	35.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR1-	44.81	32.2	PASS
Band28	5	27375	25	#0	QPSK	E-ACLR-	43.99	29.2	PASS
Band28	5	27375	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27375	25	#0	QPSK	E-ACLR+	43.62	29.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR+	44.38	32.2	PASS
Band28	5	27375	25	#0	QPSK	U-ACLR2+	52.19	35.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR2-	53.28	35.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR1-	44.83	32.2	PASS
Band28	5	27375	8	#0	16QAM	E-ACLR-	42.97	29.2	PASS
Band28	5	27375	8	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27375	8	#0	16QAM	E-ACLR+	50.43	29.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR+	51.08	32.2	PASS
Band28	5	27375	8	#0	16QAM	U-ACLR2+	53.61	35.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR2-	53.41	35.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR1-	51.21	32.2	PASS
Band28	5	27375	8	#Max	16QAM	E-ACLR-	50.52	29.2	PASS
Band28	5	27375	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	5	27375	8	#Max	16QAM	E-ACLR+	43.57	29.2	PASS
Band28	5	27375	8	#Max	16QAM	U-ACLR+	45.45	32.2	PASS

Band28	5	27375	8	#Max	16QAM	U-ACLR2+	53.40	35.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR2-	50.39	35.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR1-	43.05	32.2	PASS
Band28	5	27375	25	#0	16QAM	E-ACLR-	42.27	29.2	PASS
Band28	5	27375	25	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27375	25	#0	16QAM	E-ACLR+	41.85	29.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR+	42.68	32.2	PASS
Band28	5	27375	25	#0	16QAM	U-ACLR2+	50.45	35.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR2-	53.78	35.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR1-	43.07	32.2	PASS
Band28	5	27515	8	#0	QPSK	E-ACLR-	41.42	29.2	PASS
Band28	5	27515	8	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27515	8	#0	QPSK	E-ACLR+	51.41	29.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR+	52.14	32.2	PASS
Band28	5	27515	8	#0	QPSK	U-ACLR2+	54.25	35.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR2-	53.95	35.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR1-	51.39	32.2	PASS
Band28	5	27515	8	#Max	QPSK	E-ACLR-	50.65	29.2	PASS
Band28	5	27515	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	5	27515	8	#Max	QPSK	E-ACLR+	43.39	29.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR+	45.04	32.2	PASS
Band28	5	27515	8	#Max	QPSK	U-ACLR2+	53.99	35.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR2-	51.74	35.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR1-	44.75	32.2	PASS
Band28	5	27515	25	#0	QPSK	E-ACLR-	43.85	29.2	PASS
Band28	5	27515	25	#0	QPSK	EUTRA	0.00	0	PASS
Band28	5	27515	25	#0	QPSK	E-ACLR+	44.02	29.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR+	44.76	32.2	PASS
Band28	5	27515	25	#0	QPSK	U-ACLR2+	52.20	35.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR2-	53.21	35.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR1-	44.84	32.2	PASS
Band28	5	27515	8	#0	16QAM	E-ACLR-	43.03	29.2	PASS
Band28	5	27515	8	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27515	8	#0	16QAM	E-ACLR+	50.99	29.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR+	51.70	32.2	PASS
Band28	5	27515	8	#0	16QAM	U-ACLR2+	53.55	35.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR2-	53.25	35.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR1-	51.02	32.2	PASS
Band28	5	27515	8	#Max	16QAM	E-ACLR-	50.32	29.2	PASS
Band28	5	27515	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	5	27515	8	#Max	16QAM	E-ACLR+	44.21	29.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR+	46.20	32.2	PASS
Band28	5	27515	8	#Max	16QAM	U-ACLR2+	53.34	35.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR2-	50.23	35.2	PASS

Band28	5	27515	25	#0	16QAM	U-ACLR1-	43.59	32.2	PASS
Band28	5	27515	25	#0	16QAM	E-ACLR-	42.68	29.2	PASS
Band28	5	27515	25	#0	16QAM	EUTRA	0.00	0	PASS
Band28	5	27515	25	#0	16QAM	E-ACLR+	42.46	29.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR+	43.31	32.2	PASS
Band28	5	27515	25	#0	16QAM	U-ACLR2+	50.61	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2-	53.50	35.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR1-	43.77	32.2	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR-	42.95	29.2	PASS
Band28	10	27260	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	QPSK	E-ACLR+	49.00	29.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR+	52.58	32.2	PASS
Band28	10	27260	12	#0	QPSK	U-ACLR2+	52.99	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2-	53.90	35.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR1-	53.42	32.2	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR-	49.96	29.2	PASS
Band28	10	27260	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	QPSK	E-ACLR+	44.45	29.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR+	45.53	32.2	PASS
Band28	10	27260	12	#Max	QPSK	U-ACLR2+	53.36	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2-	51.13	35.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR1-	46.25	32.2	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR-	44.43	29.2	PASS
Band28	10	27260	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	QPSK	E-ACLR+	42.62	29.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR+	44.73	32.2	PASS
Band28	10	27260	50	#0	QPSK	U-ACLR2+	48.86	35.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR2-	51.32	35.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR1-	46.39	32.2	PASS
Band28	10	27260	12	#0	16QAM	E-ACLR-	44.59	29.2	PASS
Band28	10	27260	12	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27260	12	#0	16QAM	E-ACLR+	47.25	29.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR+	50.89	32.2	PASS
Band28	10	27260	12	#0	16QAM	U-ACLR2+	51.13	35.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR2-	51.68	35.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR1-	51.51	32.2	PASS
Band28	10	27260	12	#Max	16QAM	E-ACLR-	47.90	29.2	PASS
Band28	10	27260	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	10	27260	12	#Max	16QAM	E-ACLR+	44.61	29.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR+	46.34	32.2	PASS
Band28	10	27260	12	#Max	16QAM	U-ACLR2+	51.54	35.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR2-	50.39	35.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR1-	45.47	32.2	PASS
Band28	10	27260	50	#0	16QAM	E-ACLR-	43.67	29.2	PASS

Band28	10	27260	50	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27260	50	#0	16QAM	E-ACLR+	41.73	29.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR+	43.66	32.2	PASS
Band28	10	27260	50	#0	16QAM	U-ACLR2+	48.45	35.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR2-	53.13	35.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR1-	44.75	32.2	PASS
Band28	10	27375	12	#0	QPSK	E-ACLR-	43.76	29.2	PASS
Band28	10	27375	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27375	12	#0	QPSK	E-ACLR+	49.39	29.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR+	52.96	32.2	PASS
Band28	10	27375	12	#0	QPSK	U-ACLR2+	53.33	35.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR2-	53.52	35.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR1-	53.11	32.2	PASS
Band28	10	27375	12	#Max	QPSK	E-ACLR-	49.63	29.2	PASS
Band28	10	27375	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27375	12	#Max	QPSK	E-ACLR+	44.02	29.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR+	45.07	32.2	PASS
Band28	10	27375	12	#Max	QPSK	U-ACLR2+	53.30	35.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR2-	49.80	35.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR1-	46.47	32.2	PASS
Band28	10	27375	50	#0	QPSK	E-ACLR-	44.13	29.2	PASS
Band28	10	27375	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27375	50	#0	QPSK	E-ACLR+	42.98	29.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR+	45.50	32.2	PASS
Band28	10	27375	50	#0	QPSK	U-ACLR2+	48.37	35.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR2-	51.22	35.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR1-	46.19	32.2	PASS
Band28	10	27375	12	#0	16QAM	E-ACLR-	44.40	29.2	PASS
Band28	10	27375	12	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27375	12	#0	16QAM	E-ACLR+	47.63	29.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR+	51.28	32.2	PASS
Band28	10	27375	12	#0	16QAM	U-ACLR2+	51.49	35.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR2-	52.91	35.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR1-	52.50	32.2	PASS
Band28	10	27375	12	#Max	16QAM	E-ACLR-	49.02	29.2	PASS
Band28	10	27375	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	10	27375	12	#Max	16QAM	E-ACLR+	43.62	29.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR+	44.74	32.2	PASS
Band28	10	27375	12	#Max	16QAM	U-ACLR2+	52.78	35.2	PASS
Band28	10	27375	50	#0	16QAM	U-ACLR2-	49.02	35.2	PASS
Band28	10	27375	50	#0	16QAM	U-ACLR1-	44.14	32.2	PASS
Band28	10	27375	50	#0	16QAM	E-ACLR-	42.22	29.2	PASS
Band28	10	27375	50	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27375	50	#0	16QAM	E-ACLR+	41.40	29.2	PASS

Band28	10	27375	50	#0	16QAM	U-ACLR+	43.36	32.2	PASS
Band28	10	27375	50	#0	16QAM	U-ACLR2+	48.11	35.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR2-	52.87	35.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR1-	45.40	32.2	PASS
Band28	10	27490	12	#0	QPSK	E-ACLR-	44.20	29.2	PASS
Band28	10	27490	12	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27490	12	#0	QPSK	E-ACLR+	49.73	29.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR+	53.34	32.2	PASS
Band28	10	27490	12	#0	QPSK	U-ACLR2+	53.61	35.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR2-	53.28	35.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR1-	52.92	32.2	PASS
Band28	10	27490	12	#Max	QPSK	E-ACLR-	49.41	29.2	PASS
Band28	10	27490	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	10	27490	12	#Max	QPSK	E-ACLR+	44.58	29.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR+	45.71	32.2	PASS
Band28	10	27490	12	#Max	QPSK	U-ACLR2+	53.39	35.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR2-	50.07	35.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR1-	47.93	32.2	PASS
Band28	10	27490	50	#0	QPSK	E-ACLR-	45.17	29.2	PASS
Band28	10	27490	50	#0	QPSK	EUTRA	0.00	0	PASS
Band28	10	27490	50	#0	QPSK	E-ACLR+	44.31	29.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR+	47.06	32.2	PASS
Band28	10	27490	50	#0	QPSK	U-ACLR2+	49.44	35.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR2-	52.42	35.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR1-	45.00	32.2	PASS
Band28	10	27490	12	#0	16QAM	E-ACLR-	43.77	29.2	PASS
Band28	10	27490	12	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27490	12	#0	16QAM	E-ACLR+	49.24	29.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR+	52.84	32.2	PASS
Band28	10	27490	12	#0	16QAM	U-ACLR2+	53.10	35.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR2-	52.69	35.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR1-	52.33	32.2	PASS
Band28	10	27490	12	#Max	16QAM	E-ACLR-	48.82	29.2	PASS
Band28	10	27490	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	10	27490	12	#Max	16QAM	E-ACLR+	44.16	29.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR+	45.45	32.2	PASS
Band28	10	27490	12	#Max	16QAM	U-ACLR2+	52.85	35.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR2-	48.85	35.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR1-	44.68	32.2	PASS
Band28	10	27490	50	#0	16QAM	E-ACLR-	42.64	29.2	PASS
Band28	10	27490	50	#0	16QAM	EUTRA	0.00	0	PASS
Band28	10	27490	50	#0	16QAM	E-ACLR+	42.22	29.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR+	44.31	32.2	PASS
Band28	10	27490	50	#0	16QAM	U-ACLR2+	48.57	35.2	PASS



Band28	20	27310	18	#0	QPSK	U-ACLR2-	52.83	35.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR1-	45.42	32.2	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR-	44.04	29.2	PASS
Band28	20	27310	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	QPSK	E-ACLR+	46.52	29.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR+	53.46	32.2	PASS
Band28	20	27310	18	#0	QPSK	U-ACLR2+	53.27	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2-	53.48	35.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR1-	53.74	32.2	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR-	47.34	29.2	PASS
Band28	20	27310	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	QPSK	E-ACLR+	44.31	29.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR+	45.98	32.2	PASS
Band28	20	27310	18	#Max	QPSK	U-ACLR2+	53.02	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2-	50.49	35.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR1-	47.42	32.2	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR-	43.65	29.2	PASS
Band28	20	27310	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	QPSK	E-ACLR+	40.60	29.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR+	45.43	32.2	PASS
Band28	20	27310	100	#0	QPSK	U-ACLR2+	46.63	35.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR2-	50.64	35.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR1-	46.67	32.2	PASS
Band28	20	27310	18	#0	16QAM	E-ACLR-	43.56	29.2	PASS
Band28	20	27310	18	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27310	18	#0	16QAM	E-ACLR+	44.45	29.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR+	51.36	32.2	PASS
Band28	20	27310	18	#0	16QAM	U-ACLR2+	51.23	35.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR2-	52.81	35.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR1-	53.04	32.2	PASS
Band28	20	27310	18	#Max	16QAM	E-ACLR-	46.66	29.2	PASS
Band28	20	27310	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	20	27310	18	#Max	16QAM	E-ACLR+	43.56	29.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR+	44.81	32.2	PASS
Band28	20	27310	18	#Max	16QAM	U-ACLR2+	52.29	35.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR2-	49.64	35.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR1-	46.96	32.2	PASS
Band28	20	27310	100	#0	16QAM	E-ACLR-	42.93	29.2	PASS
Band28	20	27310	100	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27310	100	#0	16QAM	E-ACLR+	39.96	29.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR+	44.77	32.2	PASS
Band28	20	27310	100	#0	16QAM	U-ACLR2+	45.87	35.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR2-	52.39	35.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR1-	45.89	32.2	PASS

Band28	20	27375	18	#0	QPSK	E-ACLR-	44.21	29.2	PASS
Band28	20	27375	18	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27375	18	#0	QPSK	E-ACLR+	46.93	29.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR+	53.69	32.2	PASS
Band28	20	27375	18	#0	QPSK	U-ACLR2+	53.66	35.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR2-	53.32	35.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR1-	53.60	32.2	PASS
Band28	20	27375	18	#Max	QPSK	E-ACLR-	47.20	29.2	PASS
Band28	20	27375	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27375	18	#Max	QPSK	E-ACLR+	43.85	29.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR+	44.94	32.2	PASS
Band28	20	27375	18	#Max	QPSK	U-ACLR2+	53.25	35.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR2-	49.08	35.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR1-	46.62	32.2	PASS
Band28	20	27375	100	#0	QPSK	E-ACLR-	42.84	29.2	PASS
Band28	20	27375	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27375	100	#0	QPSK	E-ACLR+	41.28	29.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR+	45.49	32.2	PASS
Band28	20	27375	100	#0	QPSK	U-ACLR2+	47.73	35.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR2-	50.40	35.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR1-	47.13	32.2	PASS
Band28	20	27375	18	#0	16QAM	E-ACLR-	43.75	29.2	PASS
Band28	20	27375	18	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27375	18	#0	16QAM	E-ACLR+	44.85	29.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR+	51.65	32.2	PASS
Band28	20	27375	18	#0	16QAM	U-ACLR2+	51.60	35.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR2-	52.56	35.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR1-	52.94	32.2	PASS
Band28	20	27375	18	#Max	16QAM	E-ACLR-	46.52	29.2	PASS
Band28	20	27375	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	20	27375	18	#Max	16QAM	E-ACLR+	43.73	29.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR+	45.11	32.2	PASS
Band28	20	27375	18	#Max	16QAM	U-ACLR2+	52.64	35.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR2-	48.25	35.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR1-	46.25	32.2	PASS
Band28	20	27375	100	#0	16QAM	E-ACLR-	42.17	29.2	PASS
Band28	20	27375	100	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27375	100	#0	16QAM	E-ACLR+	40.69	29.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR+	44.96	32.2	PASS
Band28	20	27375	100	#0	16QAM	U-ACLR2+	47.00	35.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR2-	52.30	35.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR1-	45.42	32.2	PASS
Band28	20	27440	18	#0	QPSK	E-ACLR-	43.84	29.2	PASS
Band28	20	27440	18	#0	QPSK	EUTRA	0.00	0	PASS



Band28	20	27440	18	#0	QPSK	E-ACLR+	47.12	29.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR+	53.99	32.2	PASS
Band28	20	27440	18	#0	QPSK	U-ACLR2+	53.83	35.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR2-	52.99	35.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR1-	53.35	32.2	PASS
Band28	20	27440	18	#Max	QPSK	E-ACLR-	46.89	29.2	PASS
Band28	20	27440	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band28	20	27440	18	#Max	QPSK	E-ACLR+	44.05	29.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR+	45.36	32.2	PASS
Band28	20	27440	18	#Max	QPSK	U-ACLR2+	53.12	35.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR2-	49.86	35.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR1-	47.87	32.2	PASS
Band28	20	27440	100	#0	QPSK	E-ACLR-	43.56	29.2	PASS
Band28	20	27440	100	#0	QPSK	EUTRA	0.00	0	PASS
Band28	20	27440	100	#0	QPSK	E-ACLR+	43.30	29.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR+	48.47	32.2	PASS
Band28	20	27440	100	#0	QPSK	U-ACLR2+	49.70	35.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR2-	51.56	35.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR1-	44.71	32.2	PASS
Band28	20	27440	18	#0	16QAM	E-ACLR-	43.38	29.2	PASS
Band28	20	27440	18	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27440	18	#0	16QAM	E-ACLR+	46.47	29.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR+	53.27	32.2	PASS
Band28	20	27440	18	#0	16QAM	U-ACLR2+	53.16	35.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR2-	52.29	35.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR1-	52.70	32.2	PASS
Band28	20	27440	18	#Max	16QAM	E-ACLR-	46.21	29.2	PASS
Band28	20	27440	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band28	20	27440	18	#Max	16QAM	E-ACLR+	43.79	29.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR+	45.11	32.2	PASS
Band28	20	27440	18	#Max	16QAM	U-ACLR2+	52.50	35.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR2-	47.44	35.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR1-	45.58	32.2	PASS
Band28	20	27440	100	#0	16QAM	E-ACLR-	41.37	29.2	PASS
Band28	20	27440	100	#0	16QAM	EUTRA	0.00	0	PASS
Band28	20	27440	100	#0	16QAM	E-ACLR+	41.32	29.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR+	46.18	32.2	PASS
Band28	20	27440	100	#0	16QAM	U-ACLR2+	47.43	35.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR1-	45.02	32.2	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR-	41.66	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	QPSK	E-ACLR+	43.46	29.2	PASS
Band3	1.4	19207	5	#0	QPSK	U-ACLR+	47.02	32.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR1-	46.12	32.2	PASS

Band3	1.4	19207	5	#Max	QPSK	E-ACLR-	41.88	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	QPSK	E-ACLR+	39.86	29.2	PASS
Band3	1.4	19207	5	#Max	QPSK	U-ACLR+	43.99	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR1-	44.62	32.2	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR-	41.31	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	QPSK	E-ACLR+	41.57	29.2	PASS
Band3	1.4	19207	6	#0	QPSK	U-ACLR+	45.02	32.2	PASS
Band3	1.4	19207	5	#0	16QAM	U-ACLR1-	44.63	32.2	PASS
Band3	1.4	19207	5	#0	16QAM	E-ACLR-	39.60	29.2	PASS
Band3	1.4	19207	5	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#0	16QAM	E-ACLR+	41.73	29.2	PASS
Band3	1.4	19207	5	#0	16QAM	U-ACLR+	46.28	32.2	PASS
Band3	1.4	19207	5	#Max	16QAM	U-ACLR1-	46.72	32.2	PASS
Band3	1.4	19207	5	#Max	16QAM	E-ACLR-	42.52	29.2	PASS
Band3	1.4	19207	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19207	5	#Max	16QAM	E-ACLR+	39.17	29.2	PASS
Band3	1.4	19207	5	#Max	16QAM	U-ACLR+	44.01	32.2	PASS
Band3	1.4	19207	6	#0	16QAM	U-ACLR1-	44.37	32.2	PASS
Band3	1.4	19207	6	#0	16QAM	E-ACLR-	39.91	29.2	PASS
Band3	1.4	19207	6	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19207	6	#0	16QAM	E-ACLR+	39.73	29.2	PASS
Band3	1.4	19207	6	#0	16QAM	U-ACLR+	44.39	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR1-	43.75	32.2	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR-	40.11	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	QPSK	E-ACLR+	41.80	29.2	PASS
Band3	1.4	19575	5	#0	QPSK	U-ACLR+	45.85	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR1-	45.77	32.2	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR-	41.50	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	QPSK	E-ACLR+	40.18	29.2	PASS
Band3	1.4	19575	5	#Max	QPSK	U-ACLR+	43.68	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR1-	43.43	32.2	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR-	40.29	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	QPSK	E-ACLR+	40.48	29.2	PASS
Band3	1.4	19575	6	#0	QPSK	U-ACLR+	43.63	32.2	PASS
Band3	1.4	19575	5	#0	16QAM	U-ACLR1-	44.14	32.2	PASS
Band3	1.4	19575	5	#0	16QAM	E-ACLR-	39.60	29.2	PASS
Band3	1.4	19575	5	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#0	16QAM	E-ACLR+	42.02	29.2	PASS
Band3	1.4	19575	5	#0	16QAM	U-ACLR+	46.15	32.2	PASS

Band3	1.4	19575	5	#Max	16QAM	U-ACLR1-	46.30	32.2	PASS
Band3	1.4	19575	5	#Max	16QAM	E-ACLR-	41.83	29.2	PASS
Band3	1.4	19575	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19575	5	#Max	16QAM	E-ACLR+	39.84	29.2	PASS
Band3	1.4	19575	5	#Max	16QAM	U-ACLR+	43.86	32.2	PASS
Band3	1.4	19575	6	#0	16QAM	U-ACLR1-	44.92	32.2	PASS
Band3	1.4	19575	6	#0	16QAM	E-ACLR-	39.73	29.2	PASS
Band3	1.4	19575	6	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19575	6	#0	16QAM	E-ACLR+	39.88	29.2	PASS
Band3	1.4	19575	6	#0	16QAM	U-ACLR+	44.92	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR1-	40.05	32.2	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR-	36.23	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	QPSK	E-ACLR+	38.92	29.2	PASS
Band3	1.4	19943	5	#0	QPSK	U-ACLR+	44.22	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR1-	42.63	32.2	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR-	37.65	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	QPSK	E-ACLR+	37.59	29.2	PASS
Band3	1.4	19943	5	#Max	QPSK	U-ACLR+	41.69	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR1-	40.56	32.2	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR-	38.48	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	QPSK	E-ACLR+	39.68	29.2	PASS
Band3	1.4	19943	6	#0	QPSK	U-ACLR+	42.02	32.2	PASS
Band3	1.4	19943	5	#0	16QAM	U-ACLR1-	42.03	32.2	PASS
Band3	1.4	19943	5	#0	16QAM	E-ACLR-	37.96	29.2	PASS
Band3	1.4	19943	5	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#0	16QAM	E-ACLR+	40.74	29.2	PASS
Band3	1.4	19943	5	#0	16QAM	U-ACLR+	45.64	32.2	PASS
Band3	1.4	19943	5	#Max	16QAM	U-ACLR1-	44.38	32.2	PASS
Band3	1.4	19943	5	#Max	16QAM	E-ACLR-	39.31	29.2	PASS
Band3	1.4	19943	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19943	5	#Max	16QAM	E-ACLR+	38.56	29.2	PASS
Band3	1.4	19943	5	#Max	16QAM	U-ACLR+	43.13	32.2	PASS
Band3	1.4	19943	6	#0	16QAM	U-ACLR1-	44.37	32.2	PASS
Band3	1.4	19943	6	#0	16QAM	E-ACLR-	40.97	29.2	PASS
Band3	1.4	19943	6	#0	16QAM	EUTRA	0.00	0	PASS
Band3	1.4	19943	6	#0	16QAM	E-ACLR+	41.99	29.2	PASS
Band3	1.4	19943	6	#0	16QAM	U-ACLR+	45.29	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2-	53.65	35.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR1-	42.36	32.2	PASS
Band3	5	19225	8	#0	QPSK	E-ACLR-	40.49	29.2	PASS
Band3	5	19225	8	#0	QPSK	EUTRA	0.00	0	PASS

Band3	5	19225	8	#0	QPSK	E-ACLR+	50.76	29.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR+	51.38	32.2	PASS
Band3	5	19225	8	#0	QPSK	U-ACLR2+	53.78	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2-	53.77	35.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR1-	52.02	32.2	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR-	51.36	29.2	PASS
Band3	5	19225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	QPSK	E-ACLR+	40.02	29.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR+	41.76	32.2	PASS
Band3	5	19225	8	#Max	QPSK	U-ACLR2+	53.87	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2-	51.71	35.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR1-	42.18	32.2	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR-	41.37	29.2	PASS
Band3	5	19225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	QPSK	E-ACLR+	40.54	29.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR+	41.25	32.2	PASS
Band3	5	19225	25	#0	QPSK	U-ACLR2+	50.85	35.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR2-	53.00	35.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR1-	42.53	32.2	PASS
Band3	5	19225	8	#0	16QAM	E-ACLR-	40.00	29.2	PASS
Band3	5	19225	8	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19225	8	#0	16QAM	E-ACLR+	50.12	29.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR+	50.73	32.2	PASS
Band3	5	19225	8	#0	16QAM	U-ACLR2+	53.12	35.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR2-	53.07	35.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR1-	51.44	32.2	PASS
Band3	5	19225	8	#Max	16QAM	E-ACLR-	50.79	29.2	PASS
Band3	5	19225	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	5	19225	8	#Max	16QAM	E-ACLR+	39.59	29.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR+	42.08	32.2	PASS
Band3	5	19225	8	#Max	16QAM	U-ACLR2+	53.21	35.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR2-	50.37	35.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR1-	40.29	32.2	PASS
Band3	5	19225	25	#0	16QAM	E-ACLR-	39.46	29.2	PASS
Band3	5	19225	25	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19225	25	#0	16QAM	E-ACLR+	38.64	29.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR+	39.43	32.2	PASS
Band3	5	19225	25	#0	16QAM	U-ACLR2+	50.31	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR2-	54.48	35.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR1-	41.09	32.2	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR-	39.25	29.2	PASS
Band3	5	19575	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	QPSK	E-ACLR+	51.76	29.2	PASS
Band3	5	19575	8	#0	QPSK	U-ACLR+	52.45	32.2	PASS

Band3	5	19575	8	#0	QPSK	U-ACLR2+	54.71	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2-	54.52	35.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR1-	52.17	32.2	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR-	51.52	29.2	PASS
Band3	5	19575	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	QPSK	E-ACLR+	39.12	29.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR+	40.68	32.2	PASS
Band3	5	19575	8	#Max	QPSK	U-ACLR2+	54.65	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2-	51.91	35.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR1-	41.26	32.2	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR-	40.53	29.2	PASS
Band3	5	19575	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	QPSK	E-ACLR+	40.55	29.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR+	41.23	32.2	PASS
Band3	5	19575	25	#0	QPSK	U-ACLR2+	51.76	35.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR2-	53.86	35.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR1-	40.77	32.2	PASS
Band3	5	19575	8	#0	16QAM	E-ACLR-	38.53	29.2	PASS
Band3	5	19575	8	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19575	8	#0	16QAM	E-ACLR+	51.24	29.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR+	51.94	32.2	PASS
Band3	5	19575	8	#0	16QAM	U-ACLR2+	54.07	35.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR2-	53.86	35.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR1-	51.67	32.2	PASS
Band3	5	19575	8	#Max	16QAM	E-ACLR-	51.00	29.2	PASS
Band3	5	19575	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	5	19575	8	#Max	16QAM	E-ACLR+	38.70	29.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR+	40.82	32.2	PASS
Band3	5	19575	8	#Max	16QAM	U-ACLR2+	53.97	35.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR2-	51.00	35.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR1-	39.24	32.2	PASS
Band3	5	19575	25	#0	16QAM	E-ACLR-	38.41	29.2	PASS
Band3	5	19575	25	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19575	25	#0	16QAM	E-ACLR+	38.35	29.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR+	39.21	32.2	PASS
Band3	5	19575	25	#0	16QAM	U-ACLR2+	51.09	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2-	54.36	35.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR1-	37.65	32.2	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR-	35.49	29.2	PASS
Band3	5	19925	8	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	QPSK	E-ACLR+	52.27	29.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR+	53.07	32.2	PASS
Band3	5	19925	8	#0	QPSK	U-ACLR2+	54.67	35.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2-	54.14	35.2	PASS

Band3	5	19925	8	#Max	QPSK	U-ACLR1-	51.29	32.2	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR-	50.52	29.2	PASS
Band3	5	19925	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	QPSK	E-ACLR+	36.81	29.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR+	38.91	32.2	PASS
Band3	5	19925	8	#Max	QPSK	U-ACLR2+	54.37	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2-	49.77	35.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR1-	37.86	32.2	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR-	37.21	29.2	PASS
Band3	5	19925	25	#0	QPSK	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	QPSK	E-ACLR+	39.29	29.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR+	39.96	32.2	PASS
Band3	5	19925	25	#0	QPSK	U-ACLR2+	51.21	35.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR2-	53.59	35.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR1-	39.32	32.2	PASS
Band3	5	19925	8	#0	16QAM	E-ACLR-	37.33	29.2	PASS
Band3	5	19925	8	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19925	8	#0	16QAM	E-ACLR+	51.68	29.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR+	52.43	32.2	PASS
Band3	5	19925	8	#0	16QAM	U-ACLR2+	53.92	35.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR2-	53.28	35.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR1-	50.91	32.2	PASS
Band3	5	19925	8	#Max	16QAM	E-ACLR-	50.19	29.2	PASS
Band3	5	19925	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	5	19925	8	#Max	16QAM	E-ACLR+	38.79	29.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR+	40.93	32.2	PASS
Band3	5	19925	8	#Max	16QAM	U-ACLR2+	53.59	35.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR2-	50.07	35.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR1-	40.15	32.2	PASS
Band3	5	19925	25	#0	16QAM	E-ACLR-	39.37	29.2	PASS
Band3	5	19925	25	#0	16QAM	EUTRA	0.00	0	PASS
Band3	5	19925	25	#0	16QAM	E-ACLR+	41.20	29.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR+	42.05	32.2	PASS
Band3	5	19925	25	#0	16QAM	U-ACLR2+	50.76	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2-	53.16	35.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR1-	42.27	32.2	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR-	41.51	29.2	PASS
Band3	10	19250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	QPSK	E-ACLR+	48.31	29.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR+	52.35	32.2	PASS
Band3	10	19250	12	#0	QPSK	U-ACLR2+	52.01	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2-	52.62	35.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR1-	52.79	32.2	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR-	48.89	29.2	PASS



Band3	10	19250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	QPSK	E-ACLR+	40.19	29.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR+	40.81	32.2	PASS
Band3	10	19250	12	#Max	QPSK	U-ACLR2+	53.18	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2-	47.14	35.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR1-	44.40	32.2	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR-	41.85	29.2	PASS
Band3	10	19250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	QPSK	E-ACLR+	40.29	29.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR+	43.64	32.2	PASS
Band3	10	19250	50	#0	QPSK	U-ACLR2+	44.43	35.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR2-	52.41	35.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR1-	41.70	32.2	PASS
Band3	10	19250	12	#0	16QAM	E-ACLR-	40.82	29.2	PASS
Band3	10	19250	12	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19250	12	#0	16QAM	E-ACLR+	47.80	29.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR+	51.81	32.2	PASS
Band3	10	19250	12	#0	16QAM	U-ACLR2+	51.61	35.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR2-	52.08	35.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR1-	52.20	32.2	PASS
Band3	10	19250	12	#Max	16QAM	E-ACLR-	48.30	29.2	PASS
Band3	10	19250	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	10	19250	12	#Max	16QAM	E-ACLR+	39.74	29.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR+	40.41	32.2	PASS
Band3	10	19250	12	#Max	16QAM	U-ACLR2+	52.50	35.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR2-	46.95	35.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR1-	41.83	32.2	PASS
Band3	10	19250	50	#0	16QAM	E-ACLR-	39.98	29.2	PASS
Band3	10	19250	50	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19250	50	#0	16QAM	E-ACLR+	38.62	29.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR+	40.66	32.2	PASS
Band3	10	19250	50	#0	16QAM	U-ACLR2+	45.19	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2-	53.62	35.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR1-	40.61	32.2	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR-	40.04	29.2	PASS
Band3	10	19575	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	QPSK	E-ACLR+	49.64	29.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR+	53.39	32.2	PASS
Band3	10	19575	12	#0	QPSK	U-ACLR2+	53.45	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2-	53.00	35.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR1-	53.20	32.2	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR-	49.27	29.2	PASS
Band3	10	19575	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	QPSK	E-ACLR+	39.58	29.2	PASS

Band3	10	19575	12	#Max	QPSK	U-ACLR+	40.14	32.2	PASS
Band3	10	19575	12	#Max	QPSK	U-ACLR2+	53.76	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2-	45.48	35.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR1-	43.92	32.2	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR-	40.90	29.2	PASS
Band3	10	19575	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	QPSK	E-ACLR+	40.76	29.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR+	43.94	32.2	PASS
Band3	10	19575	50	#0	QPSK	U-ACLR2+	45.11	35.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR2-	53.05	35.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR1-	40.79	32.2	PASS
Band3	10	19575	12	#0	16QAM	E-ACLR-	40.10	29.2	PASS
Band3	10	19575	12	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19575	12	#0	16QAM	E-ACLR+	49.03	29.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR+	52.79	32.2	PASS
Band3	10	19575	12	#0	16QAM	U-ACLR2+	52.93	35.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR2-	52.46	35.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR1-	52.67	32.2	PASS
Band3	10	19575	12	#Max	16QAM	E-ACLR-	48.74	29.2	PASS
Band3	10	19575	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	10	19575	12	#Max	16QAM	E-ACLR+	39.77	29.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR+	40.41	32.2	PASS
Band3	10	19575	12	#Max	16QAM	U-ACLR2+	53.22	35.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR2-	45.74	35.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR1-	40.73	32.2	PASS
Band3	10	19575	50	#0	16QAM	E-ACLR-	38.80	29.2	PASS
Band3	10	19575	50	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19575	50	#0	16QAM	E-ACLR+	38.90	29.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR+	40.81	32.2	PASS
Band3	10	19575	50	#0	16QAM	U-ACLR2+	45.82	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2-	53.29	35.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR1-	41.14	32.2	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR-	40.48	29.2	PASS
Band3	10	19900	12	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	QPSK	E-ACLR+	50.19	29.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR+	53.85	32.2	PASS
Band3	10	19900	12	#0	QPSK	U-ACLR2+	54.09	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2-	52.80	35.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR1-	52.63	32.2	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR-	48.92	29.2	PASS
Band3	10	19900	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	QPSK	E-ACLR+	39.26	29.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR+	39.79	32.2	PASS
Band3	10	19900	12	#Max	QPSK	U-ACLR2+	53.65	35.2	PASS



Band3	10	19900	50	#0	QPSK	U-ACLR2-	43.29	35.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR1-	42.50	32.2	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR-	39.15	29.2	PASS
Band3	10	19900	50	#0	QPSK	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	QPSK	E-ACLR+	41.61	29.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR+	44.80	32.2	PASS
Band3	10	19900	50	#0	QPSK	U-ACLR2+	45.91	35.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR2-	52.71	35.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR1-	41.26	32.2	PASS
Band3	10	19900	12	#0	16QAM	E-ACLR-	40.50	29.2	PASS
Band3	10	19900	12	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19900	12	#0	16QAM	E-ACLR+	49.59	29.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR+	53.23	32.2	PASS
Band3	10	19900	12	#0	16QAM	U-ACLR2+	53.50	35.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR2-	52.25	35.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR1-	52.10	32.2	PASS
Band3	10	19900	12	#Max	16QAM	E-ACLR-	48.40	29.2	PASS
Band3	10	19900	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	10	19900	12	#Max	16QAM	E-ACLR+	39.91	29.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR+	40.56	32.2	PASS
Band3	10	19900	12	#Max	16QAM	U-ACLR2+	53.06	35.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR2-	45.67	35.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR1-	41.57	32.2	PASS
Band3	10	19900	50	#0	16QAM	E-ACLR-	39.43	29.2	PASS
Band3	10	19900	50	#0	16QAM	EUTRA	0.00	0	PASS
Band3	10	19900	50	#0	16QAM	E-ACLR+	41.98	29.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR+	44.28	32.2	PASS
Band3	10	19900	50	#0	16QAM	U-ACLR2+	47.80	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2-	52.41	35.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR1-	42.52	32.2	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR-	42.13	29.2	PASS
Band3	20	19300	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	QPSK	E-ACLR+	45.83	29.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR+	53.36	32.2	PASS
Band3	20	19300	18	#0	QPSK	U-ACLR2+	52.85	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2-	52.62	35.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR1-	53.25	32.2	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR-	46.27	29.2	PASS
Band3	20	19300	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	QPSK	E-ACLR+	40.86	29.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR+	40.85	32.2	PASS
Band3	20	19300	18	#Max	QPSK	U-ACLR2+	52.87	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2-	48.41	35.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR1-	45.87	32.2	PASS

Band3	20	19300	100	#0	QPSK	E-ACLR-	42.02	29.2	PASS
Band3	20	19300	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	QPSK	E-ACLR+	39.65	29.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR+	45.13	32.2	PASS
Band3	20	19300	100	#0	QPSK	U-ACLR2+	46.42	35.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR2-	51.72	35.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR1-	41.65	32.2	PASS
Band3	20	19300	18	#0	16QAM	E-ACLR-	41.52	29.2	PASS
Band3	20	19300	18	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19300	18	#0	16QAM	E-ACLR+	45.37	29.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR+	52.73	32.2	PASS
Band3	20	19300	18	#0	16QAM	U-ACLR2+	52.31	35.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR2-	51.95	35.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR1-	52.58	32.2	PASS
Band3	20	19300	18	#Max	16QAM	E-ACLR-	45.63	29.2	PASS
Band3	20	19300	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	20	19300	18	#Max	16QAM	E-ACLR+	40.56	29.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR+	40.23	32.2	PASS
Band3	20	19300	18	#Max	16QAM	U-ACLR2+	52.14	35.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR2-	46.14	35.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR1-	43.29	32.2	PASS
Band3	20	19300	100	#0	16QAM	E-ACLR-	39.88	29.2	PASS
Band3	20	19300	100	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19300	100	#0	16QAM	E-ACLR+	37.91	29.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR+	41.99	32.2	PASS
Band3	20	19300	100	#0	16QAM	U-ACLR2+	43.88	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2-	52.83	35.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR1-	40.82	32.2	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR-	40.82	29.2	PASS
Band3	20	19575	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	QPSK	E-ACLR+	46.82	29.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR+	54.17	32.2	PASS
Band3	20	19575	18	#0	QPSK	U-ACLR2+	53.96	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2-	53.11	35.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR1-	53.85	32.2	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR-	46.04	29.2	PASS
Band3	20	19575	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	QPSK	E-ACLR+	40.21	29.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR+	40.08	32.2	PASS
Band3	20	19575	18	#Max	QPSK	U-ACLR2+	53.36	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2-	47.07	35.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR1-	45.33	32.2	PASS
Band3	20	19575	100	#0	QPSK	E-ACLR-	40.43	29.2	PASS
Band3	20	19575	100	#0	QPSK	EUTRA	0.00	0	PASS

Band3	20	19575	100	#0	QPSK	E-ACLR+	40.07	29.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR+	45.34	32.2	PASS
Band3	20	19575	100	#0	QPSK	U-ACLR2+	47.10	35.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR2-	52.23	35.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR1-	40.65	32.2	PASS
Band3	20	19575	18	#0	16QAM	E-ACLR-	40.84	29.2	PASS
Band3	20	19575	18	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19575	18	#0	16QAM	E-ACLR+	46.26	29.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR+	53.51	32.2	PASS
Band3	20	19575	18	#0	16QAM	U-ACLR2+	53.35	35.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR2-	52.52	35.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR1-	53.26	32.2	PASS
Band3	20	19575	18	#Max	16QAM	E-ACLR-	45.54	29.2	PASS
Band3	20	19575	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	20	19575	18	#Max	16QAM	E-ACLR+	40.40	29.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR+	40.09	32.2	PASS
Band3	20	19575	18	#Max	16QAM	U-ACLR2+	52.89	35.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR2-	44.56	35.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR1-	42.51	32.2	PASS
Band3	20	19575	100	#0	16QAM	E-ACLR-	38.50	29.2	PASS
Band3	20	19575	100	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19575	100	#0	16QAM	E-ACLR+	38.76	29.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR+	42.68	32.2	PASS
Band3	20	19575	100	#0	16QAM	U-ACLR2+	44.94	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2-	52.55	35.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR1-	41.34	32.2	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR-	41.09	29.2	PASS
Band3	20	19850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	QPSK	E-ACLR+	47.79	29.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR+	54.27	32.2	PASS
Band3	20	19850	18	#0	QPSK	U-ACLR2+	54.36	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2-	52.71	35.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR1-	53.41	32.2	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR-	46.13	29.2	PASS
Band3	20	19850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	QPSK	E-ACLR+	40.49	29.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR+	39.89	32.2	PASS
Band3	20	19850	18	#Max	QPSK	U-ACLR2+	53.62	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR2-	45.29	35.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR1-	43.83	32.2	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR-	38.80	29.2	PASS
Band3	20	19850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	QPSK	E-ACLR+	42.90	29.2	PASS
Band3	20	19850	100	#0	QPSK	U-ACLR+	45.66	32.2	PASS

Band3	20	19850	100	#0	QPSK	U-ACLR2+	48.84	35.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR2-	51.89	35.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR1-	40.27	32.2	PASS
Band3	20	19850	18	#0	16QAM	E-ACLR-	40.51	29.2	PASS
Band3	20	19850	18	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19850	18	#0	16QAM	E-ACLR+	47.14	29.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR+	53.66	32.2	PASS
Band3	20	19850	18	#0	16QAM	U-ACLR2+	53.68	35.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR2-	51.95	35.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR1-	52.74	32.2	PASS
Band3	20	19850	18	#Max	16QAM	E-ACLR-	45.34	29.2	PASS
Band3	20	19850	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band3	20	19850	18	#Max	16QAM	E-ACLR+	40.73	29.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR+	40.31	32.2	PASS
Band3	20	19850	18	#Max	16QAM	U-ACLR2+	52.98	35.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR2-	44.36	35.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR1-	42.84	32.2	PASS
Band3	20	19850	100	#0	16QAM	E-ACLR-	38.51	29.2	PASS
Band3	20	19850	100	#0	16QAM	EUTRA	0.00	0	PASS
Band3	20	19850	100	#0	16QAM	E-ACLR+	42.02	29.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR+	45.56	32.2	PASS
Band3	20	19850	100	#0	16QAM	U-ACLR2+	48.00	35.2	PASS
Band34	5	36225	8	#0	QPSK	U-ACLR2-	55.83	35.2	PASS
Band34	5	36225	8	#0	QPSK	U-ACLR1-	42.96	32.2	PASS
Band34	5	36225	8	#0	QPSK	E-ACLR-	42.98	29.2	PASS
Band34	5	36225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band34	5	36225	8	#0	QPSK	E-ACLR+	51.18	29.2	PASS
Band34	5	36225	8	#0	QPSK	U-ACLR+	56.16	32.2	PASS
Band34	5	36225	8	#0	QPSK	U-ACLR2+	56.45	35.2	PASS
Band34	5	36225	8	#Max	QPSK	U-ACLR2-	55.68	35.2	PASS
Band34	5	36225	8	#Max	QPSK	U-ACLR1-	55.93	32.2	PASS
Band34	5	36225	8	#Max	QPSK	E-ACLR-	50.74	29.2	PASS
Band34	5	36225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	5	36225	8	#Max	QPSK	E-ACLR+	42.97	29.2	PASS
Band34	5	36225	8	#Max	QPSK	U-ACLR+	43.08	32.2	PASS
Band34	5	36225	8	#Max	QPSK	U-ACLR2+	55.61	35.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR2-	46.61	35.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR1-	43.50	32.2	PASS
Band34	5	36225	25	#0	QPSK	E-ACLR-	40.98	29.2	PASS
Band34	5	36225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band34	5	36225	25	#0	QPSK	E-ACLR+	41.45	29.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR+	44.13	32.2	PASS
Band34	5	36225	25	#0	QPSK	U-ACLR2+	46.84	35.2	PASS
Band34	5	36225	8	#0	16QAM	U-ACLR2-	55.44	35.2	PASS

Band34	5	36225	8	#0	16QAM	U-ACLR1-	43.64	32.2	PASS
Band34	5	36225	8	#0	16QAM	E-ACLR-	43.65	29.2	PASS
Band34	5	36225	8	#0	16QAM	EUTRA	0.00	0	PASS
Band34	5	36225	8	#0	16QAM	E-ACLR+	50.69	29.2	PASS
Band34	5	36225	8	#0	16QAM	U-ACLR+	55.57	32.2	PASS
Band34	5	36225	8	#0	16QAM	U-ACLR2+	56.03	35.2	PASS
Band34	5	36225	8	#Max	16QAM	U-ACLR2-	55.78	35.2	PASS
Band34	5	36225	8	#Max	16QAM	U-ACLR1-	55.37	32.2	PASS
Band34	5	36225	8	#Max	16QAM	E-ACLR-	50.52	29.2	PASS
Band34	5	36225	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band34	5	36225	8	#Max	16QAM	E-ACLR+	43.95	29.2	PASS
Band34	5	36225	8	#Max	16QAM	U-ACLR+	44.12	32.2	PASS
Band34	5	36225	8	#Max	16QAM	U-ACLR2+	55.31	35.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR2-	46.10	35.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR1-	42.73	32.2	PASS
Band34	5	36225	25	#0	16QAM	E-ACLR-	40.35	29.2	PASS
Band34	5	36225	25	#0	16QAM	EUTRA	0.00	0	PASS
Band34	5	36225	25	#0	16QAM	E-ACLR+	40.48	29.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR+	42.90	32.2	PASS
Band34	5	36225	25	#0	16QAM	U-ACLR2+	46.10	35.2	PASS
Band34	5	36275	8	#0	QPSK	U-ACLR2-	55.18	35.2	PASS
Band34	5	36275	8	#0	QPSK	U-ACLR1-	43.59	32.2	PASS
Band34	5	36275	8	#0	QPSK	E-ACLR-	43.35	29.2	PASS
Band34	5	36275	8	#0	QPSK	EUTRA	0.00	0	PASS
Band34	5	36275	8	#0	QPSK	E-ACLR+	51.41	29.2	PASS
Band34	5	36275	8	#0	QPSK	U-ACLR+	56.34	32.2	PASS
Band34	5	36275	8	#0	QPSK	U-ACLR2+	56.71	35.2	PASS
Band34	5	36275	8	#Max	QPSK	U-ACLR2-	56.24	35.2	PASS
Band34	5	36275	8	#Max	QPSK	U-ACLR1-	55.99	32.2	PASS
Band34	5	36275	8	#Max	QPSK	E-ACLR-	51.02	29.2	PASS
Band34	5	36275	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	5	36275	8	#Max	QPSK	E-ACLR+	43.80	29.2	PASS
Band34	5	36275	8	#Max	QPSK	U-ACLR+	44.12	32.2	PASS
Band34	5	36275	8	#Max	QPSK	U-ACLR2+	55.22	35.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR2-	46.70	35.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR1-	43.54	32.2	PASS
Band34	5	36275	25	#0	QPSK	E-ACLR-	41.06	29.2	PASS
Band34	5	36275	25	#0	QPSK	EUTRA	0.00	0	PASS
Band34	5	36275	25	#0	QPSK	E-ACLR+	41.65	29.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR+	44.37	32.2	PASS
Band34	5	36275	25	#0	QPSK	U-ACLR2+	47.01	35.2	PASS
Band34	5	36275	8	#0	16QAM	U-ACLR2-	55.04	35.2	PASS
Band34	5	36275	8	#0	16QAM	U-ACLR1-	43.34	32.2	PASS
Band34	5	36275	8	#0	16QAM	E-ACLR-	43.22	29.2	PASS

Band34	5	36275	8	#0	16QAM	EUTRA	0.00	0	PASS
Band34	5	36275	8	#0	16QAM	E-ACLR+	50.74	29.2	PASS
Band34	5	36275	8	#0	16QAM	U-ACLR+	55.65	32.2	PASS
Band34	5	36275	8	#0	16QAM	U-ACLR2+	56.06	35.2	PASS
Band34	5	36275	8	#Max	16QAM	U-ACLR2-	55.53	35.2	PASS
Band34	5	36275	8	#Max	16QAM	U-ACLR1-	55.36	32.2	PASS
Band34	5	36275	8	#Max	16QAM	E-ACLR-	50.38	29.2	PASS
Band34	5	36275	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band34	5	36275	8	#Max	16QAM	E-ACLR+	43.83	29.2	PASS
Band34	5	36275	8	#Max	16QAM	U-ACLR+	43.95	32.2	PASS
Band34	5	36275	8	#Max	16QAM	U-ACLR2+	54.87	35.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR2-	46.97	35.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR1-	43.85	32.2	PASS
Band34	5	36275	25	#0	16QAM	E-ACLR-	41.35	29.2	PASS
Band34	5	36275	25	#0	16QAM	EUTRA	0.00	0	PASS
Band34	5	36275	25	#0	16QAM	E-ACLR+	41.45	29.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR+	43.96	32.2	PASS
Band34	5	36275	25	#0	16QAM	U-ACLR2+	47.11	35.2	PASS
Band34	5	36325	8	#0	QPSK	U-ACLR2-	54.15	35.2	PASS
Band34	5	36325	8	#0	QPSK	U-ACLR1-	42.35	32.2	PASS
Band34	5	36325	8	#0	QPSK	E-ACLR-	42.11	29.2	PASS
Band34	5	36325	8	#0	QPSK	EUTRA	0.00	0	PASS
Band34	5	36325	8	#0	QPSK	E-ACLR+	50.81	29.2	PASS
Band34	5	36325	8	#0	QPSK	U-ACLR+	55.72	32.2	PASS
Band34	5	36325	8	#0	QPSK	U-ACLR2+	56.00	35.2	PASS
Band34	5	36325	8	#Max	QPSK	U-ACLR2-	55.60	35.2	PASS
Band34	5	36325	8	#Max	QPSK	U-ACLR1-	55.52	32.2	PASS
Band34	5	36325	8	#Max	QPSK	E-ACLR-	50.52	29.2	PASS
Band34	5	36325	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	5	36325	8	#Max	QPSK	E-ACLR+	42.22	29.2	PASS
Band34	5	36325	8	#Max	QPSK	U-ACLR+	42.45	32.2	PASS
Band34	5	36325	8	#Max	QPSK	U-ACLR2+	53.86	35.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR2-	46.51	35.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR1-	43.32	32.2	PASS
Band34	5	36325	25	#0	QPSK	E-ACLR-	40.82	29.2	PASS
Band34	5	36325	25	#0	QPSK	EUTRA	0.00	0	PASS
Band34	5	36325	25	#0	QPSK	E-ACLR+	41.31	29.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR+	44.16	32.2	PASS
Band34	5	36325	25	#0	QPSK	U-ACLR2+	46.81	35.2	PASS
Band34	5	36325	8	#0	16QAM	U-ACLR2-	55.12	35.2	PASS
Band34	5	36325	8	#0	16QAM	U-ACLR1-	43.09	32.2	PASS
Band34	5	36325	8	#0	16QAM	E-ACLR-	43.03	29.2	PASS
Band34	5	36325	8	#0	16QAM	EUTRA	0.00	0	PASS
Band34	5	36325	8	#0	16QAM	E-ACLR+	50.65	29.2	PASS



Band34	5	36325	8	#0	16QAM	U-ACLR+	55.53	32.2	PASS
Band34	5	36325	8	#0	16QAM	U-ACLR2+	55.95	35.2	PASS
Band34	5	36325	8	#Max	16QAM	U-ACLR2-	55.62	35.2	PASS
Band34	5	36325	8	#Max	16QAM	U-ACLR1-	55.40	32.2	PASS
Band34	5	36325	8	#Max	16QAM	E-ACLR-	50.42	29.2	PASS
Band34	5	36325	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band34	5	36325	8	#Max	16QAM	E-ACLR+	43.56	29.2	PASS
Band34	5	36325	8	#Max	16QAM	U-ACLR+	43.75	32.2	PASS
Band34	5	36325	8	#Max	16QAM	U-ACLR2+	54.92	35.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR2-	46.65	35.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR1-	43.74	32.2	PASS
Band34	5	36325	25	#0	16QAM	E-ACLR-	41.15	29.2	PASS
Band34	5	36325	25	#0	16QAM	EUTRA	0.00	0	PASS
Band34	5	36325	25	#0	16QAM	E-ACLR+	41.32	29.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR+	44.06	32.2	PASS
Band34	5	36325	25	#0	16QAM	U-ACLR2+	46.66	35.2	PASS
Band34	10	36250	12	#0	QPSK	U-ACLR2-	54.95	35.2	PASS
Band34	10	36250	12	#0	QPSK	U-ACLR1-	44.92	32.2	PASS
Band34	10	36250	12	#0	QPSK	E-ACLR-	44.55	29.2	PASS
Band34	10	36250	12	#0	QPSK	EUTRA	0.00	0	PASS
Band34	10	36250	12	#0	QPSK	E-ACLR+	49.57	29.2	PASS
Band34	10	36250	12	#0	QPSK	U-ACLR+	57.70	32.2	PASS
Band34	10	36250	12	#0	QPSK	U-ACLR2+	57.97	35.2	PASS
Band34	10	36250	12	#Max	QPSK	U-ACLR2-	57.86	35.2	PASS
Band34	10	36250	12	#Max	QPSK	U-ACLR1-	57.61	32.2	PASS
Band34	10	36250	12	#Max	QPSK	E-ACLR-	48.94	29.2	PASS
Band34	10	36250	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	10	36250	12	#Max	QPSK	E-ACLR+	44.59	29.2	PASS
Band34	10	36250	12	#Max	QPSK	U-ACLR+	45.18	32.2	PASS
Band34	10	36250	12	#Max	QPSK	U-ACLR2+	54.64	35.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR2-	47.83	35.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR1-	45.30	32.2	PASS
Band34	10	36250	50	#0	QPSK	E-ACLR-	40.70	29.2	PASS
Band34	10	36250	50	#0	QPSK	EUTRA	0.00	0	PASS
Band34	10	36250	50	#0	QPSK	E-ACLR+	41.90	29.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR+	46.50	32.2	PASS
Band34	10	36250	50	#0	QPSK	U-ACLR2+	48.86	35.2	PASS
Band34	10	36250	12	#0	16QAM	U-ACLR2-	53.58	35.2	PASS
Band34	10	36250	12	#0	16QAM	U-ACLR1-	44.51	32.2	PASS
Band34	10	36250	12	#0	16QAM	E-ACLR-	44.10	29.2	PASS
Band34	10	36250	12	#0	16QAM	EUTRA	0.00	0	PASS
Band34	10	36250	12	#0	16QAM	E-ACLR+	48.96	29.2	PASS
Band34	10	36250	12	#0	16QAM	U-ACLR+	57.14	32.2	PASS
Band34	10	36250	12	#0	16QAM	U-ACLR2+	57.41	35.2	PASS

Band34	10	36250	12	#Max	16QAM	U-ACLR2-	57.23	35.2	PASS
Band34	10	36250	12	#Max	16QAM	U-ACLR1-	57.07	32.2	PASS
Band34	10	36250	12	#Max	16QAM	E-ACLR-	48.44	29.2	PASS
Band34	10	36250	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band34	10	36250	12	#Max	16QAM	E-ACLR+	44.39	29.2	PASS
Band34	10	36250	12	#Max	16QAM	U-ACLR+	44.70	32.2	PASS
Band34	10	36250	12	#Max	16QAM	U-ACLR2+	54.36	35.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR2-	47.35	35.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR1-	46.12	32.2	PASS
Band34	10	36250	50	#0	16QAM	E-ACLR-	40.94	29.2	PASS
Band34	10	36250	50	#0	16QAM	EUTRA	0.00	0	PASS
Band34	10	36250	50	#0	16QAM	E-ACLR+	41.45	29.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR+	46.36	32.2	PASS
Band34	10	36250	50	#0	16QAM	U-ACLR2+	48.07	35.2	PASS
Band34	10	36275	12	#0	QPSK	U-ACLR2-	53.74	35.2	PASS
Band34	10	36275	12	#0	QPSK	U-ACLR1-	44.46	32.2	PASS
Band34	10	36275	12	#0	QPSK	E-ACLR-	43.98	29.2	PASS
Band34	10	36275	12	#0	QPSK	EUTRA	0.00	0	PASS
Band34	10	36275	12	#0	QPSK	E-ACLR+	49.56	29.2	PASS
Band34	10	36275	12	#0	QPSK	U-ACLR+	57.66	32.2	PASS
Band34	10	36275	12	#0	QPSK	U-ACLR2+	57.94	35.2	PASS
Band34	10	36275	12	#Max	QPSK	U-ACLR2-	57.60	35.2	PASS
Band34	10	36275	12	#Max	QPSK	U-ACLR1-	57.51	32.2	PASS
Band34	10	36275	12	#Max	QPSK	E-ACLR-	48.97	29.2	PASS
Band34	10	36275	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	10	36275	12	#Max	QPSK	E-ACLR+	44.53	29.2	PASS
Band34	10	36275	12	#Max	QPSK	U-ACLR+	45.28	32.2	PASS
Band34	10	36275	12	#Max	QPSK	U-ACLR2+	53.89	35.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR2-	47.82	35.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR1-	45.52	32.2	PASS
Band34	10	36275	50	#0	QPSK	E-ACLR-	40.87	29.2	PASS
Band34	10	36275	50	#0	QPSK	EUTRA	0.00	0	PASS
Band34	10	36275	50	#0	QPSK	E-ACLR+	41.92	29.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR+	46.57	32.2	PASS
Band34	10	36275	50	#0	QPSK	U-ACLR2+	48.80	35.2	PASS
Band34	10	36275	12	#0	16QAM	U-ACLR2-	53.30	35.2	PASS
Band34	10	36275	12	#0	16QAM	U-ACLR1-	44.29	32.2	PASS
Band34	10	36275	12	#0	16QAM	E-ACLR-	43.91	29.2	PASS
Band34	10	36275	12	#0	16QAM	EUTRA	0.00	0	PASS
Band34	10	36275	12	#0	16QAM	E-ACLR+	49.01	29.2	PASS
Band34	10	36275	12	#0	16QAM	U-ACLR+	57.07	32.2	PASS
Band34	10	36275	12	#0	16QAM	U-ACLR2+	57.41	35.2	PASS
Band34	10	36275	12	#Max	16QAM	U-ACLR2-	57.16	35.2	PASS
Band34	10	36275	12	#Max	16QAM	U-ACLR1-	56.94	32.2	PASS



Band34	10	36275	12	#Max	16QAM	E-ACLR-	48.38	29.2	PASS
Band34	10	36275	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band34	10	36275	12	#Max	16QAM	E-ACLR+	43.93	29.2	PASS
Band34	10	36275	12	#Max	16QAM	U-ACLR+	44.53	32.2	PASS
Band34	10	36275	12	#Max	16QAM	U-ACLR2+	52.48	35.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR2-	47.93	35.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR1-	45.75	32.2	PASS
Band34	10	36275	50	#0	16QAM	E-ACLR-	40.91	29.2	PASS
Band34	10	36275	50	#0	16QAM	EUTRA	0.00	0	PASS
Band34	10	36275	50	#0	16QAM	E-ACLR+	41.44	29.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR+	46.27	32.2	PASS
Band34	10	36275	50	#0	16QAM	U-ACLR2+	48.12	35.2	PASS
Band34	10	36300	12	#0	QPSK	U-ACLR2-	54.76	35.2	PASS
Band34	10	36300	12	#0	QPSK	U-ACLR1-	44.57	32.2	PASS
Band34	10	36300	12	#0	QPSK	E-ACLR-	44.15	29.2	PASS
Band34	10	36300	12	#0	QPSK	EUTRA	0.00	0	PASS
Band34	10	36300	12	#0	QPSK	E-ACLR+	49.57	29.2	PASS
Band34	10	36300	12	#0	QPSK	U-ACLR+	57.71	32.2	PASS
Band34	10	36300	12	#0	QPSK	U-ACLR2+	58.01	35.2	PASS
Band34	10	36300	12	#Max	QPSK	U-ACLR2-	57.75	35.2	PASS
Band34	10	36300	12	#Max	QPSK	U-ACLR1-	57.49	32.2	PASS
Band34	10	36300	12	#Max	QPSK	E-ACLR-	48.89	29.2	PASS
Band34	10	36300	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	10	36300	12	#Max	QPSK	E-ACLR+	44.69	29.2	PASS
Band34	10	36300	12	#Max	QPSK	U-ACLR+	45.13	32.2	PASS
Band34	10	36300	12	#Max	QPSK	U-ACLR2+	54.70	35.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR2-	47.97	35.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR1-	45.74	32.2	PASS
Band34	10	36300	50	#0	QPSK	E-ACLR-	40.82	29.2	PASS
Band34	10	36300	50	#0	QPSK	EUTRA	0.00	0	PASS
Band34	10	36300	50	#0	QPSK	E-ACLR+	41.88	29.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR+	46.36	32.2	PASS
Band34	10	36300	50	#0	QPSK	U-ACLR2+	48.88	35.2	PASS
Band34	10	36300	12	#0	16QAM	U-ACLR2-	54.17	35.2	PASS
Band34	10	36300	12	#0	16QAM	U-ACLR1-	44.16	32.2	PASS
Band34	10	36300	12	#0	16QAM	E-ACLR-	43.94	29.2	PASS
Band34	10	36300	12	#0	16QAM	EUTRA	0.00	0	PASS
Band34	10	36300	12	#0	16QAM	E-ACLR+	49.01	29.2	PASS
Band34	10	36300	12	#0	16QAM	U-ACLR+	57.13	32.2	PASS
Band34	10	36300	12	#0	16QAM	U-ACLR2+	57.42	35.2	PASS
Band34	10	36300	12	#Max	16QAM	U-ACLR2-	57.18	35.2	PASS
Band34	10	36300	12	#Max	16QAM	U-ACLR1-	57.04	32.2	PASS
Band34	10	36300	12	#Max	16QAM	E-ACLR-	48.40	29.2	PASS
Band34	10	36300	12	#Max	16QAM	EUTRA	0.00	0	PASS

Band34	10	36300	12	#Max	16QAM	E-ACLR+	44.23	29.2	PASS
Band34	10	36300	12	#Max	16QAM	U-ACLR+	44.74	32.2	PASS
Band34	10	36300	12	#Max	16QAM	U-ACLR2+	54.14	35.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR2-	47.27	35.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR1-	45.61	32.2	PASS
Band34	10	36300	50	#0	16QAM	E-ACLR-	40.68	29.2	PASS
Band34	10	36300	50	#0	16QAM	EUTRA	0.00	0	PASS
Band34	10	36300	50	#0	16QAM	E-ACLR+	41.41	29.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR+	46.40	32.2	PASS
Band34	10	36300	50	#0	16QAM	U-ACLR2+	48.19	35.2	PASS
Band34	15	36275	16	#0	QPSK	U-ACLR2-	52.65	35.2	PASS
Band34	15	36275	16	#0	QPSK	U-ACLR1-	44.37	32.2	PASS
Band34	15	36275	16	#0	QPSK	E-ACLR-	43.74	29.2	PASS
Band34	15	36275	16	#0	QPSK	EUTRA	0.00	0	PASS
Band34	15	36275	16	#0	QPSK	E-ACLR+	48.01	29.2	PASS
Band34	15	36275	16	#0	QPSK	U-ACLR+	58.26	32.2	PASS
Band34	15	36275	16	#0	QPSK	U-ACLR2+	58.46	35.2	PASS
Band34	15	36275	16	#Max	QPSK	U-ACLR2-	58.24	35.2	PASS
Band34	15	36275	16	#Max	QPSK	U-ACLR1-	58.14	32.2	PASS
Band34	15	36275	16	#Max	QPSK	E-ACLR-	46.96	29.2	PASS
Band34	15	36275	16	#Max	QPSK	EUTRA	0.00	0	PASS
Band34	15	36275	16	#Max	QPSK	E-ACLR+	43.87	29.2	PASS
Band34	15	36275	16	#Max	QPSK	U-ACLR+	44.94	32.2	PASS
Band34	15	36275	16	#Max	QPSK	U-ACLR2+	52.00	35.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR2-	45.84	35.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR1-	45.68	32.2	PASS
Band34	15	36275	75	#0	QPSK	E-ACLR-	39.40	29.2	PASS
Band34	15	36275	75	#0	QPSK	EUTRA	0.00	0	PASS
Band34	15	36275	75	#0	QPSK	E-ACLR+	40.89	29.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR+	47.48	32.2	PASS
Band34	15	36275	75	#0	QPSK	U-ACLR2+	47.72	35.2	PASS
Band34	15	36275	16	#0	16QAM	U-ACLR2-	53.40	35.2	PASS
Band34	15	36275	16	#0	16QAM	U-ACLR1-	44.59	32.2	PASS
Band34	15	36275	16	#0	16QAM	E-ACLR-	43.90	29.2	PASS
Band34	15	36275	16	#0	16QAM	EUTRA	0.00	0	PASS
Band34	15	36275	16	#0	16QAM	E-ACLR+	47.53	29.2	PASS
Band34	15	36275	16	#0	16QAM	U-ACLR+	57.84	32.2	PASS
Band34	15	36275	16	#0	16QAM	U-ACLR2+	57.82	35.2	PASS
Band34	15	36275	16	#Max	16QAM	U-ACLR2-	57.73	35.2	PASS
Band34	15	36275	16	#Max	16QAM	U-ACLR1-	57.61	32.2	PASS
Band34	15	36275	16	#Max	16QAM	E-ACLR-	46.74	29.2	PASS
Band34	15	36275	16	#Max	16QAM	EUTRA	0.00	0	PASS
Band34	15	36275	16	#Max	16QAM	E-ACLR+	44.30	29.2	PASS
Band34	15	36275	16	#Max	16QAM	U-ACLR+	45.27	32.2	PASS

Band34	15	36275	16	#Max	16QAM	U-ACLR2+	53.37	35.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR2-	45.07	35.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR1-	44.89	32.2	PASS
Band34	15	36275	75	#0	16QAM	E-ACLR-	38.44	29.2	PASS
Band34	15	36275	75	#0	16QAM	EUTRA	0.00	0	PASS
Band34	15	36275	75	#0	16QAM	E-ACLR+	39.05	29.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR+	45.50	32.2	PASS
Band34	15	36275	75	#0	16QAM	U-ACLR2+	45.84	35.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR2-	53.78	35.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR1-	50.48	32.2	PASS
Band38	5	37775	8	#0	QPSK	E-ACLR-	47.80	29.2	PASS
Band38	5	37775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	37775	8	#0	QPSK	E-ACLR+	50.42	29.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR+	54.87	32.2	PASS
Band38	5	37775	8	#0	QPSK	U-ACLR2+	55.80	35.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR2-	56.02	35.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR1-	54.94	32.2	PASS
Band38	5	37775	8	#Max	QPSK	E-ACLR-	50.54	29.2	PASS
Band38	5	37775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	5	37775	8	#Max	QPSK	E-ACLR+	47.73	29.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR+	50.62	32.2	PASS
Band38	5	37775	8	#Max	QPSK	U-ACLR2+	53.64	35.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR2-	54.09	35.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR1-	52.70	32.2	PASS
Band38	5	37775	25	#0	QPSK	E-ACLR-	48.30	29.2	PASS
Band38	5	37775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	37775	25	#0	QPSK	E-ACLR+	48.23	29.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR+	52.75	32.2	PASS
Band38	5	37775	25	#0	QPSK	U-ACLR2+	53.94	35.2	PASS
Band38	5	37775	8	#0	16QAM	U-ACLR2-	53.36	35.2	PASS
Band38	5	37775	8	#0	16QAM	U-ACLR1-	49.43	32.2	PASS
Band38	5	37775	8	#0	16QAM	E-ACLR-	46.97	29.2	PASS
Band38	5	37775	8	#0	16QAM	EUTRA	0.00	0	PASS
Band38	5	37775	8	#0	16QAM	E-ACLR+	49.91	29.2	PASS
Band38	5	37775	8	#0	16QAM	U-ACLR+	54.57	32.2	PASS
Band38	5	37775	8	#0	16QAM	U-ACLR2+	55.22	35.2	PASS
Band38	5	37775	8	#Max	16QAM	U-ACLR2-	55.51	35.2	PASS
Band38	5	37775	8	#Max	16QAM	U-ACLR1-	54.52	32.2	PASS
Band38	5	37775	8	#Max	16QAM	E-ACLR-	50.02	29.2	PASS
Band38	5	37775	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	5	37775	8	#Max	16QAM	E-ACLR+	46.98	29.2	PASS
Band38	5	37775	8	#Max	16QAM	U-ACLR+	49.67	32.2	PASS
Band38	5	37775	8	#Max	16QAM	U-ACLR2+	53.14	35.2	PASS
Band38	5	37775	25	#0	16QAM	U-ACLR2-	52.95	35.2	PASS

Band38	5	37775	25	#0	16QAM	U-ACLR1-	51.42	32.2	PASS
Band38	5	37775	25	#0	16QAM	E-ACLR-	47.20	29.2	PASS
Band38	5	37775	25	#0	16QAM	EUTRA	0.00	0	PASS
Band38	5	37775	25	#0	16QAM	E-ACLR+	47.15	29.2	PASS
Band38	5	37775	25	#0	16QAM	U-ACLR+	51.43	32.2	PASS
Band38	5	37775	25	#0	16QAM	U-ACLR2+	52.85	35.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR2-	53.70	35.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR1-	49.68	32.2	PASS
Band38	5	38000	8	#0	QPSK	E-ACLR-	47.31	29.2	PASS
Band38	5	38000	8	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38000	8	#0	QPSK	E-ACLR+	50.49	29.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR+	54.99	32.2	PASS
Band38	5	38000	8	#0	QPSK	U-ACLR2+	55.78	35.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR2-	55.92	35.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR1-	54.77	32.2	PASS
Band38	5	38000	8	#Max	QPSK	E-ACLR-	50.44	29.2	PASS
Band38	5	38000	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	5	38000	8	#Max	QPSK	E-ACLR+	47.33	29.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR+	49.77	32.2	PASS
Band38	5	38000	8	#Max	QPSK	U-ACLR2+	53.65	35.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR2-	54.02	35.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR1-	52.64	32.2	PASS
Band38	5	38000	25	#0	QPSK	E-ACLR-	48.19	29.2	PASS
Band38	5	38000	25	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38000	25	#0	QPSK	E-ACLR+	48.30	29.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR+	52.89	32.2	PASS
Band38	5	38000	25	#0	QPSK	U-ACLR2+	53.99	35.2	PASS
Band38	5	38000	8	#0	16QAM	U-ACLR2-	53.24	35.2	PASS
Band38	5	38000	8	#0	16QAM	U-ACLR1-	48.81	32.2	PASS
Band38	5	38000	8	#0	16QAM	E-ACLR-	46.57	29.2	PASS
Band38	5	38000	8	#0	16QAM	EUTRA	0.00	0	PASS
Band38	5	38000	8	#0	16QAM	E-ACLR+	49.99	29.2	PASS
Band38	5	38000	8	#0	16QAM	U-ACLR+	54.72	32.2	PASS
Band38	5	38000	8	#0	16QAM	U-ACLR2+	55.09	35.2	PASS
Band38	5	38000	8	#Max	16QAM	U-ACLR2-	55.25	35.2	PASS
Band38	5	38000	8	#Max	16QAM	U-ACLR1-	54.48	32.2	PASS
Band38	5	38000	8	#Max	16QAM	E-ACLR-	49.92	29.2	PASS
Band38	5	38000	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	5	38000	8	#Max	16QAM	E-ACLR+	46.73	29.2	PASS
Band38	5	38000	8	#Max	16QAM	U-ACLR+	49.04	32.2	PASS
Band38	5	38000	8	#Max	16QAM	U-ACLR2+	53.29	35.2	PASS
Band38	5	38000	25	#0	16QAM	U-ACLR2-	52.59	35.2	PASS
Band38	5	38000	25	#0	16QAM	U-ACLR1-	51.02	32.2	PASS
Band38	5	38000	25	#0	16QAM	E-ACLR-	46.88	29.2	PASS

Band38	5	38000	25	#0	16QAM	EUTRA	0.00	0	PASS
Band38	5	38000	25	#0	16QAM	E-ACLR+	46.88	29.2	PASS
Band38	5	38000	25	#0	16QAM	U-ACLR+	51.27	32.2	PASS
Band38	5	38000	25	#0	16QAM	U-ACLR2+	52.40	35.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR2-	52.82	35.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR1-	47.00	32.2	PASS
Band38	5	38225	8	#0	QPSK	E-ACLR-	45.38	29.2	PASS
Band38	5	38225	8	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38225	8	#0	QPSK	E-ACLR+	49.35	29.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR+	53.71	32.2	PASS
Band38	5	38225	8	#0	QPSK	U-ACLR2+	54.23	35.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR2-	54.44	35.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR1-	53.47	32.2	PASS
Band38	5	38225	8	#Max	QPSK	E-ACLR-	49.21	29.2	PASS
Band38	5	38225	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	5	38225	8	#Max	QPSK	E-ACLR+	45.63	29.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR+	47.36	32.2	PASS
Band38	5	38225	8	#Max	QPSK	U-ACLR2+	52.78	35.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR2-	52.78	35.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR1-	51.52	32.2	PASS
Band38	5	38225	25	#0	QPSK	E-ACLR-	47.16	29.2	PASS
Band38	5	38225	25	#0	QPSK	EUTRA	0.00	0	PASS
Band38	5	38225	25	#0	QPSK	E-ACLR+	46.91	29.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR+	51.52	32.2	PASS
Band38	5	38225	25	#0	QPSK	U-ACLR2+	52.44	35.2	PASS
Band38	5	38225	8	#0	16QAM	U-ACLR2-	52.93	35.2	PASS
Band38	5	38225	8	#0	16QAM	U-ACLR1-	48.06	32.2	PASS
Band38	5	38225	8	#0	16QAM	E-ACLR-	46.00	29.2	PASS
Band38	5	38225	8	#0	16QAM	EUTRA	0.00	0	PASS
Band38	5	38225	8	#0	16QAM	E-ACLR+	49.74	29.2	PASS
Band38	5	38225	8	#0	16QAM	U-ACLR+	54.41	32.2	PASS
Band38	5	38225	8	#0	16QAM	U-ACLR2+	54.95	35.2	PASS
Band38	5	38225	8	#Max	16QAM	U-ACLR2-	54.91	35.2	PASS
Band38	5	38225	8	#Max	16QAM	U-ACLR1-	54.24	32.2	PASS
Band38	5	38225	8	#Max	16QAM	E-ACLR-	49.67	29.2	PASS
Band38	5	38225	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	5	38225	8	#Max	16QAM	E-ACLR+	45.96	29.2	PASS
Band38	5	38225	8	#Max	16QAM	U-ACLR+	48.14	32.2	PASS
Band38	5	38225	8	#Max	16QAM	U-ACLR2+	52.64	35.2	PASS
Band38	5	38225	25	#0	16QAM	U-ACLR2-	51.93	35.2	PASS
Band38	5	38225	25	#0	16QAM	U-ACLR1-	50.32	32.2	PASS
Band38	5	38225	25	#0	16QAM	E-ACLR-	46.30	29.2	PASS
Band38	5	38225	25	#0	16QAM	EUTRA	0.00	0	PASS
Band38	5	38225	25	#0	16QAM	E-ACLR+	46.10	29.2	PASS

Band38	5	38225	25	#0	16QAM	U-ACLR+	50.26	32.2	PASS
Band38	5	38225	25	#0	16QAM	U-ACLR2+	51.59	35.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR2-	53.96	35.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR1-	51.59	32.2	PASS
Band38	10	37800	12	#0	QPSK	E-ACLR-	46.82	29.2	PASS
Band38	10	37800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	37800	12	#0	QPSK	E-ACLR+	48.75	29.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR+	57.42	32.2	PASS
Band38	10	37800	12	#0	QPSK	U-ACLR2+	57.67	35.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR2-	57.50	35.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR1-	57.33	32.2	PASS
Band38	10	37800	12	#Max	QPSK	E-ACLR-	48.85	29.2	PASS
Band38	10	37800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	10	37800	12	#Max	QPSK	E-ACLR+	46.81	29.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR+	51.54	32.2	PASS
Band38	10	37800	12	#Max	QPSK	U-ACLR2+	53.82	35.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR2-	55.42	35.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR1-	54.61	32.2	PASS
Band38	10	37800	50	#0	QPSK	E-ACLR-	47.10	29.2	PASS
Band38	10	37800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	37800	50	#0	QPSK	E-ACLR+	47.19	29.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR+	54.92	32.2	PASS
Band38	10	37800	50	#0	QPSK	U-ACLR2+	55.43	35.2	PASS
Band38	10	37800	12	#0	16QAM	U-ACLR2-	53.12	35.2	PASS
Band38	10	37800	12	#0	16QAM	U-ACLR1-	50.66	32.2	PASS
Band38	10	37800	12	#0	16QAM	E-ACLR-	46.21	29.2	PASS
Band38	10	37800	12	#0	16QAM	EUTRA	0.00	0	PASS
Band38	10	37800	12	#0	16QAM	E-ACLR+	48.15	29.2	PASS
Band38	10	37800	12	#0	16QAM	U-ACLR+	56.75	32.2	PASS
Band38	10	37800	12	#0	16QAM	U-ACLR2+	56.87	35.2	PASS
Band38	10	37800	12	#Max	16QAM	U-ACLR2-	56.91	35.2	PASS
Band38	10	37800	12	#Max	16QAM	U-ACLR1-	56.77	32.2	PASS
Band38	10	37800	12	#Max	16QAM	E-ACLR-	48.25	29.2	PASS
Band38	10	37800	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	10	37800	12	#Max	16QAM	E-ACLR+	46.20	29.2	PASS
Band38	10	37800	12	#Max	16QAM	U-ACLR+	50.51	32.2	PASS
Band38	10	37800	12	#Max	16QAM	U-ACLR2+	52.73	35.2	PASS
Band38	10	37800	50	#0	16QAM	U-ACLR2-	54.18	35.2	PASS
Band38	10	37800	50	#0	16QAM	U-ACLR1-	53.74	32.2	PASS
Band38	10	37800	50	#0	16QAM	E-ACLR-	46.21	29.2	PASS
Band38	10	37800	50	#0	16QAM	EUTRA	0.00	0	PASS
Band38	10	37800	50	#0	16QAM	E-ACLR+	46.20	29.2	PASS
Band38	10	37800	50	#0	16QAM	U-ACLR+	53.75	32.2	PASS
Band38	10	37800	50	#0	16QAM	U-ACLR2+	54.15	35.2	PASS



Band38	10	38000	12	#0	QPSK	U-ACLR2-	53.74	35.2	PASS
Band38	10	38000	12	#0	QPSK	U-ACLR1-	50.62	32.2	PASS
Band38	10	38000	12	#0	QPSK	E-ACLR-	46.44	29.2	PASS
Band38	10	38000	12	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38000	12	#0	QPSK	E-ACLR+	48.90	29.2	PASS
Band38	10	38000	12	#0	QPSK	U-ACLR+	57.54	32.2	PASS
Band38	10	38000	12	#0	QPSK	U-ACLR2+	57.80	35.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR2-	57.26	35.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR1-	57.16	32.2	PASS
Band38	10	38000	12	#Max	QPSK	E-ACLR-	48.75	29.2	PASS
Band38	10	38000	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	10	38000	12	#Max	QPSK	E-ACLR+	46.69	29.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR+	50.97	32.2	PASS
Band38	10	38000	12	#Max	QPSK	U-ACLR2+	53.74	35.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR2-	55.25	35.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR1-	54.54	32.2	PASS
Band38	10	38000	50	#0	QPSK	E-ACLR-	47.02	29.2	PASS
Band38	10	38000	50	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38000	50	#0	QPSK	E-ACLR+	47.23	29.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR+	54.96	32.2	PASS
Band38	10	38000	50	#0	QPSK	U-ACLR2+	55.40	35.2	PASS
Band38	10	38000	12	#0	16QAM	U-ACLR2-	52.81	35.2	PASS
Band38	10	38000	12	#0	16QAM	U-ACLR1-	49.78	32.2	PASS
Band38	10	38000	12	#0	16QAM	E-ACLR-	45.80	29.2	PASS
Band38	10	38000	12	#0	16QAM	EUTRA	0.00	0	PASS
Band38	10	38000	12	#0	16QAM	E-ACLR+	48.30	29.2	PASS
Band38	10	38000	12	#0	16QAM	U-ACLR+	56.78	32.2	PASS
Band38	10	38000	12	#0	16QAM	U-ACLR2+	56.90	35.2	PASS
Band38	10	38000	12	#Max	16QAM	U-ACLR2-	56.66	35.2	PASS
Band38	10	38000	12	#Max	16QAM	U-ACLR1-	56.59	32.2	PASS
Band38	10	38000	12	#Max	16QAM	E-ACLR-	48.11	29.2	PASS
Band38	10	38000	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	10	38000	12	#Max	16QAM	E-ACLR+	45.95	29.2	PASS
Band38	10	38000	12	#Max	16QAM	U-ACLR+	49.74	32.2	PASS
Band38	10	38000	12	#Max	16QAM	U-ACLR2+	52.94	35.2	PASS
Band38	10	38000	50	#0	16QAM	U-ACLR2-	53.76	35.2	PASS
Band38	10	38000	50	#0	16QAM	U-ACLR1-	53.10	32.2	PASS
Band38	10	38000	50	#0	16QAM	E-ACLR-	45.81	29.2	PASS
Band38	10	38000	50	#0	16QAM	EUTRA	0.00	0	PASS
Band38	10	38000	50	#0	16QAM	E-ACLR+	46.03	29.2	PASS
Band38	10	38000	50	#0	16QAM	U-ACLR+	53.29	32.2	PASS
Band38	10	38000	50	#0	16QAM	U-ACLR2+	53.86	35.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR2-	53.14	35.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR1-	50.00	32.2	PASS

Band38	10	38200	12	#0	QPSK	E-ACLR-	45.91	29.2	PASS
Band38	10	38200	12	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38200	12	#0	QPSK	E-ACLR+	48.76	29.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR+	57.53	32.2	PASS
Band38	10	38200	12	#0	QPSK	U-ACLR2+	57.63	35.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR2-	57.04	35.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR1-	57.02	32.2	PASS
Band38	10	38200	12	#Max	QPSK	E-ACLR-	48.38	29.2	PASS
Band38	10	38200	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	10	38200	12	#Max	QPSK	E-ACLR+	46.12	29.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR+	49.88	32.2	PASS
Band38	10	38200	12	#Max	QPSK	U-ACLR2+	53.58	35.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR2-	54.60	35.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR1-	53.62	32.2	PASS
Band38	10	38200	50	#0	QPSK	E-ACLR-	46.29	29.2	PASS
Band38	10	38200	50	#0	QPSK	EUTRA	0.00	0	PASS
Band38	10	38200	50	#0	QPSK	E-ACLR+	46.50	29.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR+	53.78	32.2	PASS
Band38	10	38200	50	#0	QPSK	U-ACLR2+	54.93	35.2	PASS
Band38	10	38200	12	#0	16QAM	U-ACLR2-	52.57	35.2	PASS
Band38	10	38200	12	#0	16QAM	U-ACLR1-	49.57	32.2	PASS
Band38	10	38200	12	#0	16QAM	E-ACLR-	45.69	29.2	PASS
Band38	10	38200	12	#0	16QAM	EUTRA	0.00	0	PASS
Band38	10	38200	12	#0	16QAM	E-ACLR+	48.18	29.2	PASS
Band38	10	38200	12	#0	16QAM	U-ACLR+	56.75	32.2	PASS
Band38	10	38200	12	#0	16QAM	U-ACLR2+	56.87	35.2	PASS
Band38	10	38200	12	#Max	16QAM	U-ACLR2-	56.42	35.2	PASS
Band38	10	38200	12	#Max	16QAM	U-ACLR1-	56.44	32.2	PASS
Band38	10	38200	12	#Max	16QAM	E-ACLR-	47.82	29.2	PASS
Band38	10	38200	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	10	38200	12	#Max	16QAM	E-ACLR+	45.70	29.2	PASS
Band38	10	38200	12	#Max	16QAM	U-ACLR+	49.54	32.2	PASS
Band38	10	38200	12	#Max	16QAM	U-ACLR2+	52.62	35.2	PASS
Band38	10	38200	50	#0	16QAM	U-ACLR2-	52.76	35.2	PASS
Band38	10	38200	50	#0	16QAM	U-ACLR1-	52.22	32.2	PASS
Band38	10	38200	50	#0	16QAM	E-ACLR-	45.05	29.2	PASS
Band38	10	38200	50	#0	16QAM	EUTRA	0.00	0	PASS
Band38	10	38200	50	#0	16QAM	E-ACLR+	45.52	29.2	PASS
Band38	10	38200	50	#0	16QAM	U-ACLR+	52.51	32.2	PASS
Band38	10	38200	50	#0	16QAM	U-ACLR2+	53.31	35.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR2-	55.19	35.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR1-	53.04	32.2	PASS
Band38	20	37850	18	#0	QPSK	E-ACLR-	45.42	29.2	PASS
Band38	20	37850	18	#0	QPSK	EUTRA	0.00	0	PASS



Band38	20	37850	18	#0	QPSK	E-ACLR+	46.13	29.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR+	58.38	32.2	PASS
Band38	20	37850	18	#0	QPSK	U-ACLR2+	58.23	35.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR2-	57.95	35.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR1-	58.21	32.2	PASS
Band38	20	37850	18	#Max	QPSK	E-ACLR-	46.38	29.2	PASS
Band38	20	37850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	20	37850	18	#Max	QPSK	E-ACLR+	45.76	29.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR+	53.25	32.2	PASS
Band38	20	37850	18	#Max	QPSK	U-ACLR2+	55.47	35.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR2-	56.29	35.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR1-	56.21	32.2	PASS
Band38	20	37850	100	#0	QPSK	E-ACLR-	45.21	29.2	PASS
Band38	20	37850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	37850	100	#0	QPSK	E-ACLR+	45.39	29.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR+	56.43	32.2	PASS
Band38	20	37850	100	#0	QPSK	U-ACLR2+	56.67	35.2	PASS
Band38	20	37850	18	#0	16QAM	U-ACLR2-	54.10	35.2	PASS
Band38	20	37850	18	#0	16QAM	U-ACLR1-	52.27	32.2	PASS
Band38	20	37850	18	#0	16QAM	E-ACLR-	44.81	29.2	PASS
Band38	20	37850	18	#0	16QAM	EUTRA	0.00	0	PASS
Band38	20	37850	18	#0	16QAM	E-ACLR+	45.59	29.2	PASS
Band38	20	37850	18	#0	16QAM	U-ACLR+	57.65	32.2	PASS
Band38	20	37850	18	#0	16QAM	U-ACLR2+	57.62	35.2	PASS
Band38	20	37850	18	#Max	16QAM	U-ACLR2-	57.29	35.2	PASS
Band38	20	37850	18	#Max	16QAM	U-ACLR1-	57.59	32.2	PASS
Band38	20	37850	18	#Max	16QAM	E-ACLR-	45.73	29.2	PASS
Band38	20	37850	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	20	37850	18	#Max	16QAM	E-ACLR+	45.04	29.2	PASS
Band38	20	37850	18	#Max	16QAM	U-ACLR+	52.11	32.2	PASS
Band38	20	37850	18	#Max	16QAM	U-ACLR2+	54.10	35.2	PASS
Band38	20	37850	100	#0	16QAM	U-ACLR2-	55.20	35.2	PASS
Band38	20	37850	100	#0	16QAM	U-ACLR1-	55.05	32.2	PASS
Band38	20	37850	100	#0	16QAM	E-ACLR-	44.27	29.2	PASS
Band38	20	37850	100	#0	16QAM	EUTRA	0.00	0	PASS
Band38	20	37850	100	#0	16QAM	E-ACLR+	44.42	29.2	PASS
Band38	20	37850	100	#0	16QAM	U-ACLR+	54.97	32.2	PASS
Band38	20	37850	100	#0	16QAM	U-ACLR2+	55.55	35.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR2-	54.85	35.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR1-	52.06	32.2	PASS
Band38	20	38000	18	#0	QPSK	E-ACLR-	45.30	29.2	PASS
Band38	20	38000	18	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38000	18	#0	QPSK	E-ACLR+	46.28	29.2	PASS
Band38	20	38000	18	#0	QPSK	U-ACLR+	58.40	32.2	PASS

Band38	20	38000	18	#0	QPSK	U-ACLR2+	58.39	35.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR2-	57.85	35.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR1-	58.17	32.2	PASS
Band38	20	38000	18	#Max	QPSK	E-ACLR-	46.16	29.2	PASS
Band38	20	38000	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	20	38000	18	#Max	QPSK	E-ACLR+	45.44	29.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR+	51.87	32.2	PASS
Band38	20	38000	18	#Max	QPSK	U-ACLR2+	54.97	35.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR2-	56.01	35.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR1-	55.76	32.2	PASS
Band38	20	38000	100	#0	QPSK	E-ACLR-	44.96	29.2	PASS
Band38	20	38000	100	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38000	100	#0	QPSK	E-ACLR+	45.33	29.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR+	56.32	32.2	PASS
Band38	20	38000	100	#0	QPSK	U-ACLR2+	56.60	35.2	PASS
Band38	20	38000	18	#0	16QAM	U-ACLR2-	53.95	35.2	PASS
Band38	20	38000	18	#0	16QAM	U-ACLR1-	51.78	32.2	PASS
Band38	20	38000	18	#0	16QAM	E-ACLR-	44.77	29.2	PASS
Band38	20	38000	18	#0	16QAM	EUTRA	0.00	0	PASS
Band38	20	38000	18	#0	16QAM	E-ACLR+	45.73	29.2	PASS
Band38	20	38000	18	#0	16QAM	U-ACLR+	57.66	32.2	PASS
Band38	20	38000	18	#0	16QAM	U-ACLR2+	57.64	35.2	PASS
Band38	20	38000	18	#Max	16QAM	U-ACLR2-	57.29	35.2	PASS
Band38	20	38000	18	#Max	16QAM	U-ACLR1-	57.43	32.2	PASS
Band38	20	38000	18	#Max	16QAM	E-ACLR-	45.57	29.2	PASS
Band38	20	38000	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	20	38000	18	#Max	16QAM	E-ACLR+	44.93	29.2	PASS
Band38	20	38000	18	#Max	16QAM	U-ACLR+	51.89	32.2	PASS
Band38	20	38000	18	#Max	16QAM	U-ACLR2+	53.96	35.2	PASS
Band38	20	38000	100	#0	16QAM	U-ACLR2-	55.05	35.2	PASS
Band38	20	38000	100	#0	16QAM	U-ACLR1-	54.70	32.2	PASS
Band38	20	38000	100	#0	16QAM	E-ACLR-	44.07	29.2	PASS
Band38	20	38000	100	#0	16QAM	EUTRA	0.00	0	PASS
Band38	20	38000	100	#0	16QAM	E-ACLR+	44.32	29.2	PASS
Band38	20	38000	100	#0	16QAM	U-ACLR+	54.80	32.2	PASS
Band38	20	38000	100	#0	16QAM	U-ACLR2+	55.30	35.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR2-	54.79	35.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR1-	52.01	32.2	PASS
Band38	20	38150	18	#0	QPSK	E-ACLR-	45.16	29.2	PASS
Band38	20	38150	18	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38150	18	#0	QPSK	E-ACLR+	46.21	29.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR+	58.36	32.2	PASS
Band38	20	38150	18	#0	QPSK	U-ACLR2+	58.37	35.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR2-	57.64	35.2	PASS

Band38	20	38150	18	#Max	QPSK	U-ACLR1-	58.02	32.2	PASS
Band38	20	38150	18	#Max	QPSK	E-ACLR-	45.98	29.2	PASS
Band38	20	38150	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band38	20	38150	18	#Max	QPSK	E-ACLR+	45.13	29.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR+	51.32	32.2	PASS
Band38	20	38150	18	#Max	QPSK	U-ACLR2+	54.16	35.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR2-	55.68	35.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR1-	55.24	32.2	PASS
Band38	20	38150	100	#0	QPSK	E-ACLR-	44.60	29.2	PASS
Band38	20	38150	100	#0	QPSK	EUTRA	0.00	0	PASS
Band38	20	38150	100	#0	QPSK	E-ACLR+	44.97	29.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR+	55.75	32.2	PASS
Band38	20	38150	100	#0	QPSK	U-ACLR2+	56.48	35.2	PASS
Band38	20	38150	18	#0	16QAM	U-ACLR2-	53.37	35.2	PASS
Band38	20	38150	18	#0	16QAM	U-ACLR1-	50.57	32.2	PASS
Band38	20	38150	18	#0	16QAM	E-ACLR-	44.43	29.2	PASS
Band38	20	38150	18	#0	16QAM	EUTRA	0.00	0	PASS
Band38	20	38150	18	#0	16QAM	E-ACLR+	45.60	29.2	PASS
Band38	20	38150	18	#0	16QAM	U-ACLR+	57.62	32.2	PASS
Band38	20	38150	18	#0	16QAM	U-ACLR2+	57.67	35.2	PASS
Band38	20	38150	18	#Max	16QAM	U-ACLR2-	57.03	35.2	PASS
Band38	20	38150	18	#Max	16QAM	U-ACLR1-	57.32	32.2	PASS
Band38	20	38150	18	#Max	16QAM	E-ACLR-	45.30	29.2	PASS
Band38	20	38150	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band38	20	38150	18	#Max	16QAM	E-ACLR+	44.58	29.2	PASS
Band38	20	38150	18	#Max	16QAM	U-ACLR+	50.41	32.2	PASS
Band38	20	38150	18	#Max	16QAM	U-ACLR2+	53.32	35.2	PASS
Band38	20	38150	100	#0	16QAM	U-ACLR2-	54.40	35.2	PASS
Band38	20	38150	100	#0	16QAM	U-ACLR1-	54.29	32.2	PASS
Band38	20	38150	100	#0	16QAM	E-ACLR-	43.66	29.2	PASS
Band38	20	38150	100	#0	16QAM	EUTRA	0.00	0	PASS
Band38	20	38150	100	#0	16QAM	E-ACLR+	44.12	29.2	PASS
Band38	20	38150	100	#0	16QAM	U-ACLR+	54.78	32.2	PASS
Band38	20	38150	100	#0	16QAM	U-ACLR2+	55.16	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2-	55.30	35.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR1-	49.05	32.2	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR-	47.58	29.2	PASS
Band40	5	38675	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	QPSK	E-ACLR+	50.49	29.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR+	55.40	32.2	PASS
Band40	5	38675	8	#0	QPSK	U-ACLR2+	55.57	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2-	56.85	35.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR1-	56.34	32.2	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR-	51.52	29.2	PASS

Band40	5	38675	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	QPSK	E-ACLR+	46.97	29.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR+	48.30	32.2	PASS
Band40	5	38675	8	#Max	QPSK	U-ACLR2+	54.93	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2-	52.08	35.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR1-	48.96	32.2	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR-	46.12	29.2	PASS
Band40	5	38675	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	QPSK	E-ACLR+	45.50	29.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR+	48.18	32.2	PASS
Band40	5	38675	25	#0	QPSK	U-ACLR2+	51.55	35.2	PASS
Band40	5	38675	8	#0	16QAM	U-ACLR2-	55.04	35.2	PASS
Band40	5	38675	8	#0	16QAM	U-ACLR1-	48.04	32.2	PASS
Band40	5	38675	8	#0	16QAM	E-ACLR-	46.86	29.2	PASS
Band40	5	38675	8	#0	16QAM	EUTRA	0.00	0	PASS
Band40	5	38675	8	#0	16QAM	E-ACLR+	49.98	29.2	PASS
Band40	5	38675	8	#0	16QAM	U-ACLR+	54.97	32.2	PASS
Band40	5	38675	8	#0	16QAM	U-ACLR2+	55.09	35.2	PASS
Band40	5	38675	8	#Max	16QAM	U-ACLR2-	56.33	35.2	PASS
Band40	5	38675	8	#Max	16QAM	U-ACLR1-	55.68	32.2	PASS
Band40	5	38675	8	#Max	16QAM	E-ACLR-	50.95	29.2	PASS
Band40	5	38675	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	5	38675	8	#Max	16QAM	E-ACLR+	46.38	29.2	PASS
Band40	5	38675	8	#Max	16QAM	U-ACLR+	47.54	32.2	PASS
Band40	5	38675	8	#Max	16QAM	U-ACLR2+	54.55	35.2	PASS
Band40	5	38675	25	#0	16QAM	U-ACLR2-	51.70	35.2	PASS
Band40	5	38675	25	#0	16QAM	U-ACLR1-	48.84	32.2	PASS
Band40	5	38675	25	#0	16QAM	E-ACLR-	45.85	29.2	PASS
Band40	5	38675	25	#0	16QAM	EUTRA	0.00	0	PASS
Band40	5	38675	25	#0	16QAM	E-ACLR+	45.32	29.2	PASS
Band40	5	38675	25	#0	16QAM	U-ACLR+	48.15	32.2	PASS
Band40	5	38675	25	#0	16QAM	U-ACLR2+	51.26	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2-	55.28	35.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR1-	50.19	32.2	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR-	48.20	29.2	PASS
Band40	5	39150	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	QPSK	E-ACLR+	51.11	29.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR+	55.97	32.2	PASS
Band40	5	39150	8	#0	QPSK	U-ACLR2+	56.37	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2-	56.87	35.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR1-	56.12	32.2	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR-	51.36	29.2	PASS
Band40	5	39150	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	QPSK	E-ACLR+	48.26	29.2	PASS

Band40	5	39150	8	#Max	QPSK	U-ACLR+	50.43	32.2	PASS
Band40	5	39150	8	#Max	QPSK	U-ACLR2+	55.14	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2-	54.54	35.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR1-	52.20	32.2	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR-	48.64	29.2	PASS
Band40	5	39150	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	QPSK	E-ACLR+	48.51	29.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR+	52.06	32.2	PASS
Band40	5	39150	25	#0	QPSK	U-ACLR2+	54.43	35.2	PASS
Band40	5	39150	8	#0	16QAM	U-ACLR2-	54.72	35.2	PASS
Band40	5	39150	8	#0	16QAM	U-ACLR1-	48.71	32.2	PASS
Band40	5	39150	8	#0	16QAM	E-ACLR-	47.09	29.2	PASS
Band40	5	39150	8	#0	16QAM	EUTRA	0.00	0	PASS
Band40	5	39150	8	#0	16QAM	E-ACLR+	50.45	29.2	PASS
Band40	5	39150	8	#0	16QAM	U-ACLR+	55.44	32.2	PASS
Band40	5	39150	8	#0	16QAM	U-ACLR2+	55.57	35.2	PASS
Band40	5	39150	8	#Max	16QAM	U-ACLR2-	56.12	35.2	PASS
Band40	5	39150	8	#Max	16QAM	U-ACLR1-	55.47	32.2	PASS
Band40	5	39150	8	#Max	16QAM	E-ACLR-	50.68	29.2	PASS
Band40	5	39150	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	5	39150	8	#Max	16QAM	E-ACLR+	47.33	29.2	PASS
Band40	5	39150	8	#Max	16QAM	U-ACLR+	49.06	32.2	PASS
Band40	5	39150	8	#Max	16QAM	U-ACLR2+	54.53	35.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR2-	52.61	35.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR1-	50.20	32.2	PASS
Band40	5	39150	25	#0	16QAM	E-ACLR-	46.78	29.2	PASS
Band40	5	39150	25	#0	16QAM	EUTRA	0.00	0	PASS
Band40	5	39150	25	#0	16QAM	E-ACLR+	46.70	29.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR+	50.09	32.2	PASS
Band40	5	39150	25	#0	16QAM	U-ACLR2+	52.48	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2-	54.30	35.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR1-	48.93	32.2	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR-	47.03	29.2	PASS
Band40	5	39625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	QPSK	E-ACLR+	50.44	29.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR+	55.07	32.2	PASS
Band40	5	39625	8	#0	QPSK	U-ACLR2+	55.49	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2-	55.27	35.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR1-	54.51	32.2	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR-	50.00	29.2	PASS
Band40	5	39625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	QPSK	E-ACLR+	47.57	29.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR+	49.65	32.2	PASS
Band40	5	39625	8	#Max	QPSK	U-ACLR2+	54.54	35.2	PASS

Band40	5	39625	25	#0	QPSK	U-ACLR2-	54.39	35.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR1-	52.00	32.2	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR-	48.36	29.2	PASS
Band40	5	39625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	QPSK	E-ACLR+	49.09	29.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR+	52.88	32.2	PASS
Band40	5	39625	25	#0	QPSK	U-ACLR2+	55.20	35.2	PASS
Band40	5	39625	8	#0	16QAM	U-ACLR2-	54.44	35.2	PASS
Band40	5	39625	8	#0	16QAM	U-ACLR1-	49.98	32.2	PASS
Band40	5	39625	8	#0	16QAM	E-ACLR-	47.64	29.2	PASS
Band40	5	39625	8	#0	16QAM	EUTRA	0.00	0	PASS
Band40	5	39625	8	#0	16QAM	E-ACLR+	50.63	29.2	PASS
Band40	5	39625	8	#0	16QAM	U-ACLR+	55.59	32.2	PASS
Band40	5	39625	8	#0	16QAM	U-ACLR2+	55.84	35.2	PASS
Band40	5	39625	8	#Max	16QAM	U-ACLR2-	55.68	35.2	PASS
Band40	5	39625	8	#Max	16QAM	U-ACLR1-	55.00	32.2	PASS
Band40	5	39625	8	#Max	16QAM	E-ACLR-	50.25	29.2	PASS
Band40	5	39625	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	5	39625	8	#Max	16QAM	E-ACLR+	48.11	29.2	PASS
Band40	5	39625	8	#Max	16QAM	U-ACLR+	50.73	32.2	PASS
Band40	5	39625	8	#Max	16QAM	U-ACLR2+	54.51	35.2	PASS
Band40	5	39625	25	#0	16QAM	U-ACLR2-	52.91	35.2	PASS
Band40	5	39625	25	#0	16QAM	U-ACLR1-	50.76	32.2	PASS
Band40	5	39625	25	#0	16QAM	E-ACLR-	47.15	29.2	PASS
Band40	5	39625	25	#0	16QAM	EUTRA	0.00	0	PASS
Band40	5	39625	25	#0	16QAM	E-ACLR+	47.81	29.2	PASS
Band40	5	39625	25	#0	16QAM	U-ACLR+	51.37	32.2	PASS
Band40	5	39625	25	#0	16QAM	U-ACLR2+	53.69	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2-	55.30	35.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR1-	51.04	32.2	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR-	47.59	29.2	PASS
Band40	10	38700	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	QPSK	E-ACLR+	48.43	29.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR+	57.46	32.2	PASS
Band40	10	38700	12	#0	QPSK	U-ACLR2+	57.51	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2-	58.38	35.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR1-	58.29	32.2	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR-	49.52	29.2	PASS
Band40	10	38700	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	QPSK	E-ACLR+	47.21	29.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR+	50.29	32.2	PASS
Band40	10	38700	12	#Max	QPSK	U-ACLR2+	54.80	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2-	53.17	35.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR1-	51.56	32.2	PASS



Band40	10	38700	50	#0	QPSK	E-ACLR-	46.01	29.2	PASS
Band40	10	38700	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	QPSK	E-ACLR+	45.01	29.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR+	50.74	32.2	PASS
Band40	10	38700	50	#0	QPSK	U-ACLR2+	52.14	35.2	PASS
Band40	10	38700	12	#0	16QAM	U-ACLR2-	54.26	35.2	PASS
Band40	10	38700	12	#0	16QAM	U-ACLR1-	48.94	32.2	PASS
Band40	10	38700	12	#0	16QAM	E-ACLR-	46.39	29.2	PASS
Band40	10	38700	12	#0	16QAM	EUTRA	0.00	0	PASS
Band40	10	38700	12	#0	16QAM	E-ACLR+	47.95	29.2	PASS
Band40	10	38700	12	#0	16QAM	U-ACLR+	56.82	32.2	PASS
Band40	10	38700	12	#0	16QAM	U-ACLR2+	56.87	35.2	PASS
Band40	10	38700	12	#Max	16QAM	U-ACLR2-	57.74	35.2	PASS
Band40	10	38700	12	#Max	16QAM	U-ACLR1-	57.62	32.2	PASS
Band40	10	38700	12	#Max	16QAM	E-ACLR-	49.09	29.2	PASS
Band40	10	38700	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	10	38700	12	#Max	16QAM	E-ACLR+	46.26	29.2	PASS
Band40	10	38700	12	#Max	16QAM	U-ACLR+	48.88	32.2	PASS
Band40	10	38700	12	#Max	16QAM	U-ACLR2+	53.95	35.2	PASS
Band40	10	38700	50	#0	16QAM	U-ACLR2-	52.24	35.2	PASS
Band40	10	38700	50	#0	16QAM	U-ACLR1-	51.36	32.2	PASS
Band40	10	38700	50	#0	16QAM	E-ACLR-	45.38	29.2	PASS
Band40	10	38700	50	#0	16QAM	EUTRA	0.00	0	PASS
Band40	10	38700	50	#0	16QAM	E-ACLR+	44.54	29.2	PASS
Band40	10	38700	50	#0	16QAM	U-ACLR+	50.63	32.2	PASS
Band40	10	38700	50	#0	16QAM	U-ACLR2+	51.69	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2-	55.40	35.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR1-	52.11	32.2	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR-	47.64	29.2	PASS
Band40	10	39150	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	QPSK	E-ACLR+	48.95	29.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR+	57.60	32.2	PASS
Band40	10	39150	12	#0	QPSK	U-ACLR2+	57.83	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2-	57.85	35.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR1-	57.69	32.2	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR-	49.29	29.2	PASS
Band40	10	39150	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	QPSK	E-ACLR+	47.74	29.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR+	52.26	32.2	PASS
Band40	10	39150	12	#Max	QPSK	U-ACLR2+	55.24	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2-	55.41	35.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR1-	54.54	32.2	PASS
Band40	10	39150	50	#0	QPSK	E-ACLR-	47.53	29.2	PASS
Band40	10	39150	50	#0	QPSK	EUTRA	0.00	0	PASS

Band40	10	39150	50	#0	QPSK	E-ACLR+	47.08	29.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR+	54.17	32.2	PASS
Band40	10	39150	50	#0	QPSK	U-ACLR2+	54.76	35.2	PASS
Band40	10	39150	12	#0	16QAM	U-ACLR2-	54.58	35.2	PASS
Band40	10	39150	12	#0	16QAM	U-ACLR1-	50.77	32.2	PASS
Band40	10	39150	12	#0	16QAM	E-ACLR-	46.83	29.2	PASS
Band40	10	39150	12	#0	16QAM	EUTRA	0.00	0	PASS
Band40	10	39150	12	#0	16QAM	E-ACLR+	48.41	29.2	PASS
Band40	10	39150	12	#0	16QAM	U-ACLR+	56.94	32.2	PASS
Band40	10	39150	12	#0	16QAM	U-ACLR2+	57.18	35.2	PASS
Band40	10	39150	12	#Max	16QAM	U-ACLR2-	57.31	35.2	PASS
Band40	10	39150	12	#Max	16QAM	U-ACLR1-	57.06	32.2	PASS
Band40	10	39150	12	#Max	16QAM	E-ACLR-	48.68	29.2	PASS
Band40	10	39150	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	10	39150	12	#Max	16QAM	E-ACLR+	46.68	29.2	PASS
Band40	10	39150	12	#Max	16QAM	U-ACLR+	50.46	32.2	PASS
Band40	10	39150	12	#Max	16QAM	U-ACLR2+	54.21	35.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR2-	53.27	35.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR1-	52.42	32.2	PASS
Band40	10	39150	50	#0	16QAM	E-ACLR-	45.86	29.2	PASS
Band40	10	39150	50	#0	16QAM	EUTRA	0.00	0	PASS
Band40	10	39150	50	#0	16QAM	E-ACLR+	45.66	29.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR+	52.18	32.2	PASS
Band40	10	39150	50	#0	16QAM	U-ACLR2+	52.99	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2-	54.96	35.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR1-	52.87	32.2	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR-	47.64	29.2	PASS
Band40	10	39600	12	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	QPSK	E-ACLR+	49.37	29.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR+	58.15	32.2	PASS
Band40	10	39600	12	#0	QPSK	U-ACLR2+	58.28	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2-	57.41	35.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR1-	57.31	32.2	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR-	48.81	29.2	PASS
Band40	10	39600	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	QPSK	E-ACLR+	48.21	29.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR+	53.53	32.2	PASS
Band40	10	39600	12	#Max	QPSK	U-ACLR2+	55.79	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR2-	54.71	35.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR1-	53.78	32.2	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR-	46.90	29.2	PASS
Band40	10	39600	50	#0	QPSK	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	QPSK	E-ACLR+	48.12	29.2	PASS
Band40	10	39600	50	#0	QPSK	U-ACLR+	55.52	32.2	PASS



Band40	10	39600	50	#0	QPSK	U-ACLR2+	56.14	35.2	PASS
Band40	10	39600	12	#0	16QAM	U-ACLR2-	54.43	35.2	PASS
Band40	10	39600	12	#0	16QAM	U-ACLR1-	51.78	32.2	PASS
Band40	10	39600	12	#0	16QAM	E-ACLR-	46.97	29.2	PASS
Band40	10	39600	12	#0	16QAM	EUTRA	0.00	0	PASS
Band40	10	39600	12	#0	16QAM	E-ACLR+	48.96	29.2	PASS
Band40	10	39600	12	#0	16QAM	U-ACLR+	57.44	32.2	PASS
Band40	10	39600	12	#0	16QAM	U-ACLR2+	57.47	35.2	PASS
Band40	10	39600	12	#Max	16QAM	U-ACLR2-	56.69	35.2	PASS
Band40	10	39600	12	#Max	16QAM	U-ACLR1-	56.80	32.2	PASS
Band40	10	39600	12	#Max	16QAM	E-ACLR-	48.30	29.2	PASS
Band40	10	39600	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	10	39600	12	#Max	16QAM	E-ACLR+	47.47	29.2	PASS
Band40	10	39600	12	#Max	16QAM	U-ACLR+	52.58	32.2	PASS
Band40	10	39600	12	#Max	16QAM	U-ACLR2+	54.93	35.2	PASS
Band40	10	39600	50	#0	16QAM	U-ACLR2-	52.95	35.2	PASS
Band40	10	39600	50	#0	16QAM	U-ACLR1-	52.43	32.2	PASS
Band40	10	39600	50	#0	16QAM	E-ACLR-	45.49	29.2	PASS
Band40	10	39600	50	#0	16QAM	EUTRA	0.00	0	PASS
Band40	10	39600	50	#0	16QAM	E-ACLR+	46.78	29.2	PASS
Band40	10	39600	50	#0	16QAM	U-ACLR+	54.02	32.2	PASS
Band40	10	39600	50	#0	16QAM	U-ACLR2+	54.41	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2-	56.43	35.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR1-	52.82	32.2	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR-	46.37	29.2	PASS
Band40	20	38750	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	QPSK	E-ACLR+	45.75	29.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR+	58.29	32.2	PASS
Band40	20	38750	18	#0	QPSK	U-ACLR2+	58.31	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2-	58.72	35.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR1-	58.83	32.2	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR-	47.32	29.2	PASS
Band40	20	38750	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	QPSK	E-ACLR+	46.46	29.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR+	53.77	32.2	PASS
Band40	20	38750	18	#Max	QPSK	U-ACLR2+	56.57	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2-	55.12	35.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR1-	54.51	32.2	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR-	45.49	29.2	PASS
Band40	20	38750	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	QPSK	E-ACLR+	44.57	29.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR+	53.28	32.2	PASS
Band40	20	38750	100	#0	QPSK	U-ACLR2+	54.58	35.2	PASS
Band40	20	38750	18	#0	16QAM	U-ACLR2-	55.39	35.2	PASS

Band40	20	38750	18	#0	16QAM	U-ACLR1-	50.91	32.2	PASS
Band40	20	38750	18	#0	16QAM	E-ACLR-	45.53	29.2	PASS
Band40	20	38750	18	#0	16QAM	EUTRA	0.00	0	PASS
Band40	20	38750	18	#0	16QAM	E-ACLR+	45.24	29.2	PASS
Band40	20	38750	18	#0	16QAM	U-ACLR+	57.65	32.2	PASS
Band40	20	38750	18	#0	16QAM	U-ACLR2+	57.62	35.2	PASS
Band40	20	38750	18	#Max	16QAM	U-ACLR2-	58.06	35.2	PASS
Band40	20	38750	18	#Max	16QAM	U-ACLR1-	58.10	32.2	PASS
Band40	20	38750	18	#Max	16QAM	E-ACLR-	46.66	29.2	PASS
Band40	20	38750	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	20	38750	18	#Max	16QAM	E-ACLR+	45.69	29.2	PASS
Band40	20	38750	18	#Max	16QAM	U-ACLR+	52.06	32.2	PASS
Band40	20	38750	18	#Max	16QAM	U-ACLR2+	55.49	35.2	PASS
Band40	20	38750	100	#0	16QAM	U-ACLR2-	54.20	35.2	PASS
Band40	20	38750	100	#0	16QAM	U-ACLR1-	53.54	32.2	PASS
Band40	20	38750	100	#0	16QAM	E-ACLR-	44.65	29.2	PASS
Band40	20	38750	100	#0	16QAM	EUTRA	0.00	0	PASS
Band40	20	38750	100	#0	16QAM	E-ACLR+	43.65	29.2	PASS
Band40	20	38750	100	#0	16QAM	U-ACLR+	52.96	32.2	PASS
Band40	20	38750	100	#0	16QAM	U-ACLR2+	53.53	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2-	55.89	35.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR1-	53.87	32.2	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR-	46.11	29.2	PASS
Band40	20	39150	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	QPSK	E-ACLR+	46.26	29.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR+	58.34	32.2	PASS
Band40	20	39150	18	#0	QPSK	U-ACLR2+	58.32	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2-	58.26	35.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR1-	58.45	32.2	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR-	46.65	29.2	PASS
Band40	20	39150	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	QPSK	E-ACLR+	46.26	29.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR+	53.35	32.2	PASS
Band40	20	39150	18	#Max	QPSK	U-ACLR2+	55.28	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2-	56.24	35.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR1-	55.78	32.2	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR-	45.81	29.2	PASS
Band40	20	39150	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	QPSK	E-ACLR+	45.48	29.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR+	54.79	32.2	PASS
Band40	20	39150	100	#0	QPSK	U-ACLR2+	55.40	35.2	PASS
Band40	20	39150	18	#0	16QAM	U-ACLR2-	55.28	35.2	PASS
Band40	20	39150	18	#0	16QAM	U-ACLR1-	52.23	32.2	PASS
Band40	20	39150	18	#0	16QAM	E-ACLR-	45.45	29.2	PASS

Band40	20	39150	18	#0	16QAM	EUTRA	0.00	0	PASS
Band40	20	39150	18	#0	16QAM	E-ACLR+	45.73	29.2	PASS
Band40	20	39150	18	#0	16QAM	U-ACLR+	57.63	32.2	PASS
Band40	20	39150	18	#0	16QAM	U-ACLR2+	57.66	35.2	PASS
Band40	20	39150	18	#Max	16QAM	U-ACLR2-	57.67	35.2	PASS
Band40	20	39150	18	#Max	16QAM	U-ACLR1-	57.78	32.2	PASS
Band40	20	39150	18	#Max	16QAM	E-ACLR-	46.09	29.2	PASS
Band40	20	39150	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	20	39150	18	#Max	16QAM	E-ACLR+	45.71	29.2	PASS
Band40	20	39150	18	#Max	16QAM	U-ACLR+	52.55	32.2	PASS
Band40	20	39150	18	#Max	16QAM	U-ACLR2+	54.87	35.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR2-	54.84	35.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR1-	54.32	32.2	PASS
Band40	20	39150	100	#0	16QAM	E-ACLR-	44.39	29.2	PASS
Band40	20	39150	100	#0	16QAM	EUTRA	0.00	0	PASS
Band40	20	39150	100	#0	16QAM	E-ACLR+	44.31	29.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR+	53.89	32.2	PASS
Band40	20	39150	100	#0	16QAM	U-ACLR2+	54.51	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2-	55.28	35.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR1-	53.44	32.2	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR-	46.05	29.2	PASS
Band40	20	39550	18	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	QPSK	E-ACLR+	47.00	29.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR+	58.96	32.2	PASS
Band40	20	39550	18	#0	QPSK	U-ACLR2+	58.96	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2-	57.89	35.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR1-	58.18	32.2	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR-	46.30	29.2	PASS
Band40	20	39550	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	QPSK	E-ACLR+	46.40	29.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR+	55.63	32.2	PASS
Band40	20	39550	18	#Max	QPSK	U-ACLR2+	56.61	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2-	55.54	35.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR1-	54.73	32.2	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR-	45.15	29.2	PASS
Band40	20	39550	100	#0	QPSK	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	QPSK	E-ACLR+	46.23	29.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR+	57.00	32.2	PASS
Band40	20	39550	100	#0	QPSK	U-ACLR2+	57.42	35.2	PASS
Band40	20	39550	18	#0	16QAM	U-ACLR2-	53.62	35.2	PASS
Band40	20	39550	18	#0	16QAM	U-ACLR1-	50.69	32.2	PASS
Band40	20	39550	18	#0	16QAM	E-ACLR-	45.16	29.2	PASS
Band40	20	39550	18	#0	16QAM	EUTRA	0.00	0	PASS
Band40	20	39550	18	#0	16QAM	E-ACLR+	46.40	29.2	PASS

Band40	20	39550	18	#0	16QAM	U-ACLR+	58.13	32.2	PASS
Band40	20	39550	18	#0	16QAM	U-ACLR2+	58.22	35.2	PASS
Band40	20	39550	18	#Max	16QAM	U-ACLR2-	57.27	35.2	PASS
Band40	20	39550	18	#Max	16QAM	U-ACLR1-	57.38	32.2	PASS
Band40	20	39550	18	#Max	16QAM	E-ACLR-	45.68	29.2	PASS
Band40	20	39550	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band40	20	39550	18	#Max	16QAM	E-ACLR+	45.61	29.2	PASS
Band40	20	39550	18	#Max	16QAM	U-ACLR+	53.15	32.2	PASS
Band40	20	39550	18	#Max	16QAM	U-ACLR2+	55.16	35.2	PASS
Band40	20	39550	100	#0	16QAM	U-ACLR2-	54.34	35.2	PASS
Band40	20	39550	100	#0	16QAM	U-ACLR1-	53.86	32.2	PASS
Band40	20	39550	100	#0	16QAM	E-ACLR-	44.09	29.2	PASS
Band40	20	39550	100	#0	16QAM	EUTRA	0.00	0	PASS
Band40	20	39550	100	#0	16QAM	E-ACLR+	45.28	29.2	PASS
Band40	20	39550	100	#0	16QAM	U-ACLR+	56.09	32.2	PASS
Band40	20	39550	100	#0	16QAM	U-ACLR2+	56.30	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2-	54.03	35.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR1-	45.20	32.2	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR-	43.32	29.2	PASS
Band7	5	20775	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	QPSK	E-ACLR+	50.63	29.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR+	51.32	32.2	PASS
Band7	5	20775	8	#0	QPSK	U-ACLR2+	54.35	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2-	54.26	35.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR1-	52.31	32.2	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR-	51.56	29.2	PASS
Band7	5	20775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	QPSK	E-ACLR+	39.98	29.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR+	42.27	32.2	PASS
Band7	5	20775	8	#Max	QPSK	U-ACLR2+	54.36	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2-	52.18	35.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR1-	43.91	32.2	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR-	43.10	29.2	PASS
Band7	5	20775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	QPSK	E-ACLR+	41.44	29.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR+	42.18	32.2	PASS
Band7	5	20775	25	#0	QPSK	U-ACLR2+	51.64	35.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR2-	53.31	35.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR1-	46.50	32.2	PASS
Band7	5	20775	8	#0	16QAM	E-ACLR-	44.62	29.2	PASS
Band7	5	20775	8	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	20775	8	#0	16QAM	E-ACLR+	50.19	29.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR+	50.86	32.2	PASS
Band7	5	20775	8	#0	16QAM	U-ACLR2+	53.65	35.2	PASS

Band7	5	20775	8	#Max	16QAM	U-ACLR2-	53.50	35.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR1-	51.77	32.2	PASS
Band7	5	20775	8	#Max	16QAM	E-ACLR-	51.04	29.2	PASS
Band7	5	20775	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	5	20775	8	#Max	16QAM	E-ACLR+	42.00	29.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR+	44.36	32.2	PASS
Band7	5	20775	8	#Max	16QAM	U-ACLR2+	53.70	35.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR2-	51.84	35.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR1-	45.09	32.2	PASS
Band7	5	20775	25	#0	16QAM	E-ACLR-	44.29	29.2	PASS
Band7	5	20775	25	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	20775	25	#0	16QAM	E-ACLR+	42.63	29.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR+	43.40	32.2	PASS
Band7	5	20775	25	#0	16QAM	U-ACLR2+	51.52	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2-	54.20	35.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR1-	47.01	32.2	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR-	45.26	29.2	PASS
Band7	5	21100	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	QPSK	E-ACLR+	50.91	29.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR+	51.58	32.2	PASS
Band7	5	21100	8	#0	QPSK	U-ACLR2+	54.58	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2-	54.41	35.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR1-	52.45	32.2	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR-	51.69	29.2	PASS
Band7	5	21100	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	QPSK	E-ACLR+	41.46	29.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR+	43.81	32.2	PASS
Band7	5	21100	8	#Max	QPSK	U-ACLR2+	54.59	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2-	52.22	35.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR1-	47.99	32.2	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR-	47.21	29.2	PASS
Band7	5	21100	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	QPSK	E-ACLR+	46.09	29.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR+	46.80	32.2	PASS
Band7	5	21100	25	#0	QPSK	U-ACLR2+	52.03	35.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR2-	53.55	35.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR1-	46.73	32.2	PASS
Band7	5	21100	8	#0	16QAM	E-ACLR-	44.97	29.2	PASS
Band7	5	21100	8	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21100	8	#0	16QAM	E-ACLR+	50.41	29.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR+	51.07	32.2	PASS
Band7	5	21100	8	#0	16QAM	U-ACLR2+	53.90	35.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR2-	53.69	35.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR1-	51.78	32.2	PASS

Band7	5	21100	8	#Max	16QAM	E-ACLR-	51.03	29.2	PASS
Band7	5	21100	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	5	21100	8	#Max	16QAM	E-ACLR+	42.20	29.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR+	44.60	32.2	PASS
Band7	5	21100	8	#Max	16QAM	U-ACLR2+	53.91	35.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR2-	51.78	35.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR1-	47.27	32.2	PASS
Band7	5	21100	25	#0	16QAM	E-ACLR-	46.47	29.2	PASS
Band7	5	21100	25	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21100	25	#0	16QAM	E-ACLR+	45.22	29.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR+	45.93	32.2	PASS
Band7	5	21100	25	#0	16QAM	U-ACLR2+	51.51	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2-	53.86	35.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR1-	45.06	32.2	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR-	42.87	29.2	PASS
Band7	5	21425	8	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	QPSK	E-ACLR+	50.84	29.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR+	51.61	32.2	PASS
Band7	5	21425	8	#0	QPSK	U-ACLR2+	54.22	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2-	54.11	35.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR1-	52.06	32.2	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR-	51.27	29.2	PASS
Band7	5	21425	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	8	#Max	QPSK	E-ACLR+	35.43	29.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR+	38.75	32.2	PASS
Band7	5	21425	8	#Max	QPSK	U-ACLR2+	54.29	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2-	51.79	35.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR1-	44.64	32.2	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR-	43.77	29.2	PASS
Band7	5	21425	25	#0	QPSK	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	QPSK	E-ACLR+	41.89	29.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR+	42.66	32.2	PASS
Band7	5	21425	25	#0	QPSK	U-ACLR2+	52.09	35.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR2-	53.17	35.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR1-	47.18	32.2	PASS
Band7	5	21425	8	#0	16QAM	E-ACLR-	45.41	29.2	PASS
Band7	5	21425	8	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21425	8	#0	16QAM	E-ACLR+	50.41	29.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR+	51.10	32.2	PASS
Band7	5	21425	8	#0	16QAM	U-ACLR2+	53.41	35.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR2-	53.34	35.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR1-	51.68	32.2	PASS
Band7	5	21425	8	#Max	16QAM	E-ACLR-	50.93	29.2	PASS
Band7	5	21425	8	#Max	16QAM	EUTRA	0.00	0	PASS



Band7	5	21425	8	#Max	16QAM	E-ACLR+	38.93	29.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR+	41.96	32.2	PASS
Band7	5	21425	8	#Max	16QAM	U-ACLR2+	53.51	35.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR2-	51.42	35.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR1-	44.80	32.2	PASS
Band7	5	21425	25	#0	16QAM	E-ACLR-	43.94	29.2	PASS
Band7	5	21425	25	#0	16QAM	EUTRA	0.00	0	PASS
Band7	5	21425	25	#0	16QAM	E-ACLR+	42.14	29.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR+	42.86	32.2	PASS
Band7	5	21425	25	#0	16QAM	U-ACLR2+	51.64	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2-	53.22	35.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR1-	42.92	32.2	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR-	42.06	29.2	PASS
Band7	10	20800	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	QPSK	E-ACLR+	49.34	29.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR+	52.97	32.2	PASS
Band7	10	20800	12	#0	QPSK	U-ACLR2+	53.26	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2-	53.51	35.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR1-	53.53	32.2	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR-	49.80	29.2	PASS
Band7	10	20800	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	QPSK	E-ACLR+	39.45	29.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR+	40.08	32.2	PASS
Band7	10	20800	12	#Max	QPSK	U-ACLR2+	53.76	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2-	47.92	35.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR1-	42.78	32.2	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR-	40.99	29.2	PASS
Band7	10	20800	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	QPSK	E-ACLR+	39.16	29.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR+	41.03	32.2	PASS
Band7	10	20800	50	#0	QPSK	U-ACLR2+	45.81	35.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR2-	52.65	35.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR1-	43.56	32.2	PASS
Band7	10	20800	12	#0	16QAM	E-ACLR-	42.51	29.2	PASS
Band7	10	20800	12	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	20800	12	#0	16QAM	E-ACLR+	48.66	29.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR+	52.29	32.2	PASS
Band7	10	20800	12	#0	16QAM	U-ACLR2+	52.60	35.2	PASS
Band7	10	20800	12	#Max	16QAM	U-ACLR2-	52.91	35.2	PASS
Band7	10	20800	12	#Max	16QAM	U-ACLR1-	52.83	32.2	PASS
Band7	10	20800	12	#Max	16QAM	E-ACLR-	49.14	29.2	PASS
Band7	10	20800	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	10	20800	12	#Max	16QAM	E-ACLR+	40.48	29.2	PASS
Band7	10	20800	12	#Max	16QAM	U-ACLR+	41.34	32.2	PASS

Band7	10	20800	12	#Max	16QAM	U-ACLR2+	53.14	35.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR2-	48.42	35.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR1-	43.22	32.2	PASS
Band7	10	20800	50	#0	16QAM	E-ACLR-	41.46	29.2	PASS
Band7	10	20800	50	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	20800	50	#0	16QAM	E-ACLR+	39.72	29.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR+	41.46	32.2	PASS
Band7	10	20800	50	#0	16QAM	U-ACLR2+	46.89	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2-	53.46	35.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR1-	46.62	32.2	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR-	45.30	29.2	PASS
Band7	10	21100	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	QPSK	E-ACLR+	49.12	29.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR+	52.93	32.2	PASS
Band7	10	21100	12	#0	QPSK	U-ACLR2+	53.00	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2-	53.63	35.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR1-	53.53	32.2	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR-	49.87	29.2	PASS
Band7	10	21100	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	QPSK	E-ACLR+	40.97	29.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR+	41.71	32.2	PASS
Band7	10	21100	12	#Max	QPSK	U-ACLR2+	53.83	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2-	50.84	35.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR1-	48.24	32.2	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR-	45.68	29.2	PASS
Band7	10	21100	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	QPSK	E-ACLR+	44.21	29.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR+	46.57	32.2	PASS
Band7	10	21100	50	#0	QPSK	U-ACLR2+	49.85	35.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR2-	52.70	35.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR1-	46.79	32.2	PASS
Band7	10	21100	12	#0	16QAM	E-ACLR-	45.21	29.2	PASS
Band7	10	21100	12	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21100	12	#0	16QAM	E-ACLR+	48.80	29.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR+	52.39	32.2	PASS
Band7	10	21100	12	#0	16QAM	U-ACLR2+	52.83	35.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR2-	52.96	35.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR1-	52.87	32.2	PASS
Band7	10	21100	12	#Max	16QAM	E-ACLR-	49.21	29.2	PASS
Band7	10	21100	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	10	21100	12	#Max	16QAM	E-ACLR+	41.54	29.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR+	42.56	32.2	PASS
Band7	10	21100	12	#Max	16QAM	U-ACLR2+	53.32	35.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR2-	50.40	35.2	PASS



Band7	10	21100	50	#0	16QAM	U-ACLR1-	47.65	32.2	PASS
Band7	10	21100	50	#0	16QAM	E-ACLR-	45.13	29.2	PASS
Band7	10	21100	50	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21100	50	#0	16QAM	E-ACLR+	43.90	29.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR+	46.19	32.2	PASS
Band7	10	21100	50	#0	16QAM	U-ACLR2+	49.57	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2-	52.83	35.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR1-	46.78	32.2	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR-	45.28	29.2	PASS
Band7	10	21400	12	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	QPSK	E-ACLR+	48.99	29.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR+	52.65	32.2	PASS
Band7	10	21400	12	#0	QPSK	U-ACLR2+	52.96	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2-	53.31	35.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR1-	53.26	32.2	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR-	49.60	29.2	PASS
Band7	10	21400	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	QPSK	E-ACLR+	39.25	29.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR+	39.90	32.2	PASS
Band7	10	21400	12	#Max	QPSK	U-ACLR2+	53.72	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2-	50.43	35.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR1-	48.05	32.2	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR-	45.35	29.2	PASS
Band7	10	21400	50	#0	QPSK	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	QPSK	E-ACLR+	44.63	29.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR+	46.95	32.2	PASS
Band7	10	21400	50	#0	QPSK	U-ACLR2+	50.44	35.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR2-	52.27	35.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR1-	46.87	32.2	PASS
Band7	10	21400	12	#0	16QAM	E-ACLR-	45.21	29.2	PASS
Band7	10	21400	12	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21400	12	#0	16QAM	E-ACLR+	48.40	29.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR+	52.03	32.2	PASS
Band7	10	21400	12	#0	16QAM	U-ACLR2+	52.41	35.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR2-	52.70	35.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR1-	52.55	32.2	PASS
Band7	10	21400	12	#Max	16QAM	E-ACLR-	48.93	29.2	PASS
Band7	10	21400	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	10	21400	12	#Max	16QAM	E-ACLR+	40.68	29.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR+	41.50	32.2	PASS
Band7	10	21400	12	#Max	16QAM	U-ACLR2+	53.11	35.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR2-	49.43	35.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR1-	46.28	32.2	PASS
Band7	10	21400	50	#0	16QAM	E-ACLR-	43.86	29.2	PASS

Band7	10	21400	50	#0	16QAM	EUTRA	0.00	0	PASS
Band7	10	21400	50	#0	16QAM	E-ACLR+	42.98	29.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR+	44.93	32.2	PASS
Band7	10	21400	50	#0	16QAM	U-ACLR2+	49.56	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2-	52.31	35.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR1-	43.18	32.2	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR-	43.07	29.2	PASS
Band7	20	20850	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	QPSK	E-ACLR+	46.68	29.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR+	53.93	32.2	PASS
Band7	20	20850	18	#0	QPSK	U-ACLR2+	53.72	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2-	53.29	35.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR1-	53.76	32.2	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR-	47.10	29.2	PASS
Band7	20	20850	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	QPSK	E-ACLR+	43.91	29.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR+	44.35	32.2	PASS
Band7	20	20850	18	#Max	QPSK	U-ACLR2+	53.12	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2-	47.57	35.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR1-	45.98	32.2	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR-	41.81	29.2	PASS
Band7	20	20850	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	QPSK	E-ACLR+	41.25	29.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR+	45.55	32.2	PASS
Band7	20	20850	100	#0	QPSK	U-ACLR2+	47.26	35.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR2-	51.77	35.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR1-	43.65	32.2	PASS
Band7	20	20850	18	#0	16QAM	E-ACLR-	43.26	29.2	PASS
Band7	20	20850	18	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	20850	18	#0	16QAM	E-ACLR+	46.03	29.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR+	53.21	32.2	PASS
Band7	20	20850	18	#0	16QAM	U-ACLR2+	53.08	35.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR2-	52.52	35.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR1-	53.06	32.2	PASS
Band7	20	20850	18	#Max	16QAM	E-ACLR-	46.41	29.2	PASS
Band7	20	20850	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	20	20850	18	#Max	16QAM	E-ACLR+	43.87	29.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR+	44.60	32.2	PASS
Band7	20	20850	18	#Max	16QAM	U-ACLR2+	52.56	35.2	PASS
Band7	20	20850	100	#0	16QAM	U-ACLR2-	47.94	35.2	PASS
Band7	20	20850	100	#0	16QAM	U-ACLR1-	46.32	32.2	PASS
Band7	20	20850	100	#0	16QAM	E-ACLR-	42.12	29.2	PASS
Band7	20	20850	100	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	20850	100	#0	16QAM	E-ACLR+	41.58	29.2	PASS

Band7	20	20850	100	#0	16QAM	U-ACLR+	45.97	32.2	PASS
Band7	20	20850	100	#0	16QAM	U-ACLR2+	47.68	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2-	52.24	35.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR1-	48.38	32.2	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR-	45.32	29.2	PASS
Band7	20	21100	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	QPSK	E-ACLR+	46.82	29.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR+	54.00	32.2	PASS
Band7	20	21100	18	#0	QPSK	U-ACLR2+	53.81	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2-	53.24	35.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR1-	53.85	32.2	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR-	47.03	29.2	PASS
Band7	20	21100	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	QPSK	E-ACLR+	41.49	29.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR+	40.31	32.2	PASS
Band7	20	21100	18	#Max	QPSK	U-ACLR2+	53.19	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2-	49.27	35.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR1-	48.35	32.2	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR-	43.26	29.2	PASS
Band7	20	21100	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	QPSK	E-ACLR+	42.75	29.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR+	47.44	32.2	PASS
Band7	20	21100	100	#0	QPSK	U-ACLR2+	48.93	35.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR2-	51.68	35.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR1-	48.43	32.2	PASS
Band7	20	21100	18	#0	16QAM	E-ACLR-	44.91	29.2	PASS
Band7	20	21100	18	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21100	18	#0	16QAM	E-ACLR+	46.23	29.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR+	53.29	32.2	PASS
Band7	20	21100	18	#0	16QAM	U-ACLR2+	53.23	35.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR2-	52.57	35.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR1-	53.09	32.2	PASS
Band7	20	21100	18	#Max	16QAM	E-ACLR-	46.43	29.2	PASS
Band7	20	21100	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	20	21100	18	#Max	16QAM	E-ACLR+	42.29	29.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR+	41.53	32.2	PASS
Band7	20	21100	18	#Max	16QAM	U-ACLR2+	52.80	35.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR2-	49.46	35.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR1-	48.43	32.2	PASS
Band7	20	21100	100	#0	16QAM	E-ACLR-	43.31	29.2	PASS
Band7	20	21100	100	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21100	100	#0	16QAM	E-ACLR+	42.79	29.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR+	47.52	32.2	PASS
Band7	20	21100	100	#0	16QAM	U-ACLR2+	49.06	35.2	PASS

Band7	20	21350	18	#0	QPSK	U-ACLR2-	51.52	35.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR1-	39.93	32.2	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR-	40.79	29.2	PASS
Band7	20	21350	18	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	QPSK	E-ACLR+	46.94	29.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR+	53.90	32.2	PASS
Band7	20	21350	18	#0	QPSK	U-ACLR2+	53.88	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2-	52.80	35.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR1-	53.40	32.2	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR-	46.64	29.2	PASS
Band7	20	21350	18	#Max	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	QPSK	E-ACLR+	42.16	29.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR+	41.48	32.2	PASS
Band7	20	21350	18	#Max	QPSK	U-ACLR2+	53.07	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2-	44.20	35.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR1-	44.19	32.2	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR-	38.71	29.2	PASS
Band7	20	21350	100	#0	QPSK	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	QPSK	E-ACLR+	42.42	29.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR+	46.54	32.2	PASS
Band7	20	21350	100	#0	QPSK	U-ACLR2+	48.77	35.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR2-	51.07	35.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR1-	40.76	32.2	PASS
Band7	20	21350	18	#0	16QAM	E-ACLR-	41.36	29.2	PASS
Band7	20	21350	18	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21350	18	#0	16QAM	E-ACLR+	46.32	29.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR+	53.23	32.2	PASS
Band7	20	21350	18	#0	16QAM	U-ACLR2+	53.23	35.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR2-	52.08	35.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR1-	52.68	32.2	PASS
Band7	20	21350	18	#Max	16QAM	E-ACLR-	45.96	29.2	PASS
Band7	20	21350	18	#Max	16QAM	EUTRA	0.00	0	PASS
Band7	20	21350	18	#Max	16QAM	E-ACLR+	43.09	29.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR+	43.27	32.2	PASS
Band7	20	21350	18	#Max	16QAM	U-ACLR2+	52.59	35.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR2-	44.41	35.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR1-	44.05	32.2	PASS
Band7	20	21350	100	#0	16QAM	E-ACLR-	38.97	29.2	PASS
Band7	20	21350	100	#0	16QAM	EUTRA	0.00	0	PASS
Band7	20	21350	100	#0	16QAM	E-ACLR+	42.37	29.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR+	46.47	32.2	PASS
Band7	20	21350	100	#0	16QAM	U-ACLR2+	48.72	35.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR1-	45.67	32.2	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR-	44.13	29.2	PASS

Band8	1.4	21457	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	QPSK	E-ACLR+	45.59	29.2	PASS
Band8	1.4	21457	5	#0	QPSK	U-ACLR+	46.53	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR1-	46.45	32.2	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR-	45.16	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	QPSK	E-ACLR+	44.25	29.2	PASS
Band8	1.4	21457	5	#Max	QPSK	U-ACLR+	45.56	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR1-	46.13	32.2	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR-	44.53	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	QPSK	E-ACLR+	44.63	29.2	PASS
Band8	1.4	21457	6	#0	QPSK	U-ACLR+	45.97	32.2	PASS
Band8	1.4	21457	5	#0	16QAM	U-ACLR1-	45.89	32.2	PASS
Band8	1.4	21457	5	#0	16QAM	E-ACLR-	43.42	29.2	PASS
Band8	1.4	21457	5	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#0	16QAM	E-ACLR+	45.36	29.2	PASS
Band8	1.4	21457	5	#0	16QAM	U-ACLR+	46.76	32.2	PASS
Band8	1.4	21457	5	#Max	16QAM	U-ACLR1-	46.85	32.2	PASS
Band8	1.4	21457	5	#Max	16QAM	E-ACLR-	45.19	29.2	PASS
Band8	1.4	21457	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21457	5	#Max	16QAM	E-ACLR+	43.58	29.2	PASS
Band8	1.4	21457	5	#Max	16QAM	U-ACLR+	45.79	32.2	PASS
Band8	1.4	21457	6	#0	16QAM	U-ACLR1-	45.39	32.2	PASS
Band8	1.4	21457	6	#0	16QAM	E-ACLR-	43.24	29.2	PASS
Band8	1.4	21457	6	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21457	6	#0	16QAM	E-ACLR+	43.09	29.2	PASS
Band8	1.4	21457	6	#0	16QAM	U-ACLR+	44.99	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR1-	43.50	32.2	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR-	40.03	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	QPSK	E-ACLR+	42.06	29.2	PASS
Band8	1.4	21625	5	#0	QPSK	U-ACLR+	45.66	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR1-	45.09	32.2	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR-	41.76	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	QPSK	E-ACLR+	39.98	29.2	PASS
Band8	1.4	21625	5	#Max	QPSK	U-ACLR+	43.86	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR1-	43.81	32.2	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR-	42.43	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	QPSK	E-ACLR+	42.47	29.2	PASS
Band8	1.4	21625	6	#0	QPSK	U-ACLR+	44.08	32.2	PASS
Band8	1.4	21625	5	#0	16QAM	U-ACLR1-	43.82	32.2	PASS

Band8	1.4	21625	5	#0	16QAM	E-ACLR-	40.09	29.2	PASS
Band8	1.4	21625	5	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#0	16QAM	E-ACLR+	42.07	29.2	PASS
Band8	1.4	21625	5	#0	16QAM	U-ACLR+	45.75	32.2	PASS
Band8	1.4	21625	5	#Max	16QAM	U-ACLR1-	45.52	32.2	PASS
Band8	1.4	21625	5	#Max	16QAM	E-ACLR-	42.33	29.2	PASS
Band8	1.4	21625	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21625	5	#Max	16QAM	E-ACLR+	40.04	29.2	PASS
Band8	1.4	21625	5	#Max	16QAM	U-ACLR+	43.94	32.2	PASS
Band8	1.4	21625	6	#0	16QAM	U-ACLR1-	44.39	32.2	PASS
Band8	1.4	21625	6	#0	16QAM	E-ACLR-	42.60	29.2	PASS
Band8	1.4	21625	6	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21625	6	#0	16QAM	E-ACLR+	42.63	29.2	PASS
Band8	1.4	21625	6	#0	16QAM	U-ACLR+	44.57	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR1-	41.71	32.2	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR-	38.86	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	QPSK	E-ACLR+	41.36	29.2	PASS
Band8	1.4	21793	5	#0	QPSK	U-ACLR+	44.75	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR1-	43.21	32.2	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR-	39.58	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	QPSK	E-ACLR+	39.28	29.2	PASS
Band8	1.4	21793	5	#Max	QPSK	U-ACLR+	42.77	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR1-	42.15	32.2	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR-	41.03	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	QPSK	E-ACLR+	42.07	29.2	PASS
Band8	1.4	21793	6	#0	QPSK	U-ACLR+	43.32	32.2	PASS
Band8	1.4	21793	5	#0	16QAM	U-ACLR1-	42.99	32.2	PASS
Band8	1.4	21793	5	#0	16QAM	E-ACLR-	39.89	29.2	PASS
Band8	1.4	21793	5	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#0	16QAM	E-ACLR+	42.57	29.2	PASS
Band8	1.4	21793	5	#0	16QAM	U-ACLR+	45.64	32.2	PASS
Band8	1.4	21793	5	#Max	16QAM	U-ACLR1-	44.60	32.2	PASS
Band8	1.4	21793	5	#Max	16QAM	E-ACLR-	41.12	29.2	PASS
Band8	1.4	21793	5	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21793	5	#Max	16QAM	E-ACLR+	40.70	29.2	PASS
Band8	1.4	21793	5	#Max	16QAM	U-ACLR+	44.05	32.2	PASS
Band8	1.4	21793	6	#0	16QAM	U-ACLR1-	42.62	32.2	PASS
Band8	1.4	21793	6	#0	16QAM	E-ACLR-	40.99	29.2	PASS
Band8	1.4	21793	6	#0	16QAM	EUTRA	0.00	0	PASS
Band8	1.4	21793	6	#0	16QAM	E-ACLR+	41.89	29.2	PASS
Band8	1.4	21793	6	#0	16QAM	U-ACLR+	43.76	32.2	PASS



Band8	5	21475	8	#0	QPSK	U-ACLR2-	53.40	35.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR1-	45.82	32.2	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR-	44.27	29.2	PASS
Band8	5	21475	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	QPSK	E-ACLR+	49.98	29.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR+	50.73	32.2	PASS
Band8	5	21475	8	#0	QPSK	U-ACLR2+	53.56	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2-	53.45	35.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR1-	51.44	32.2	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR-	50.63	29.2	PASS
Band8	5	21475	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	QPSK	E-ACLR+	43.80	29.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR+	45.09	32.2	PASS
Band8	5	21475	8	#Max	QPSK	U-ACLR2+	53.14	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2-	52.30	35.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR1-	44.18	32.2	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR-	43.27	29.2	PASS
Band8	5	21475	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	QPSK	E-ACLR+	42.72	29.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR+	43.51	32.2	PASS
Band8	5	21475	25	#0	QPSK	U-ACLR2+	49.33	35.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR2-	52.70	35.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR1-	45.48	32.2	PASS
Band8	5	21475	8	#0	16QAM	E-ACLR-	43.55	29.2	PASS
Band8	5	21475	8	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21475	8	#0	16QAM	E-ACLR+	49.69	29.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR+	50.38	32.2	PASS
Band8	5	21475	8	#0	16QAM	U-ACLR2+	52.91	35.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR2-	52.88	35.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR1-	51.21	32.2	PASS
Band8	5	21475	8	#Max	16QAM	E-ACLR-	50.45	29.2	PASS
Band8	5	21475	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	5	21475	8	#Max	16QAM	E-ACLR+	43.49	29.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR+	45.12	32.2	PASS
Band8	5	21475	8	#Max	16QAM	U-ACLR2+	52.67	35.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR2-	51.80	35.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR1-	43.08	32.2	PASS
Band8	5	21475	25	#0	16QAM	E-ACLR-	42.30	29.2	PASS
Band8	5	21475	25	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21475	25	#0	16QAM	E-ACLR+	41.82	29.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR+	42.55	32.2	PASS
Band8	5	21475	25	#0	16QAM	U-ACLR2+	49.51	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2-	53.36	35.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR1-	40.91	32.2	PASS

Band8	5	21625	8	#0	QPSK	E-ACLR-	38.87	29.2	PASS
Band8	5	21625	8	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	QPSK	E-ACLR+	50.75	29.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR+	51.47	32.2	PASS
Band8	5	21625	8	#0	QPSK	U-ACLR2+	53.85	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2-	53.50	35.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR1-	51.39	32.2	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR-	50.56	29.2	PASS
Band8	5	21625	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	QPSK	E-ACLR+	41.18	29.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR+	42.85	32.2	PASS
Band8	5	21625	8	#Max	QPSK	U-ACLR2+	53.58	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2-	50.52	35.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR1-	43.14	32.2	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR-	42.41	29.2	PASS
Band8	5	21625	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	QPSK	E-ACLR+	41.55	29.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR+	42.17	32.2	PASS
Band8	5	21625	25	#0	QPSK	U-ACLR2+	50.74	35.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR2-	52.65	35.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR1-	41.78	32.2	PASS
Band8	5	21625	8	#0	16QAM	E-ACLR-	39.65	29.2	PASS
Band8	5	21625	8	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21625	8	#0	16QAM	E-ACLR+	50.15	29.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR+	50.88	32.2	PASS
Band8	5	21625	8	#0	16QAM	U-ACLR2+	53.15	35.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR2-	52.78	35.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR1-	50.91	32.2	PASS
Band8	5	21625	8	#Max	16QAM	E-ACLR-	50.17	29.2	PASS
Band8	5	21625	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	5	21625	8	#Max	16QAM	E-ACLR+	40.87	29.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR+	42.96	32.2	PASS
Band8	5	21625	8	#Max	16QAM	U-ACLR2+	52.91	35.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR2-	50.25	35.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR1-	42.16	32.2	PASS
Band8	5	21625	25	#0	16QAM	E-ACLR-	41.35	29.2	PASS
Band8	5	21625	25	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21625	25	#0	16QAM	E-ACLR+	40.52	29.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR+	41.24	32.2	PASS
Band8	5	21625	25	#0	16QAM	U-ACLR2+	50.30	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2-	52.94	35.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR1-	40.97	32.2	PASS
Band8	5	21775	8	#0	QPSK	E-ACLR-	39.25	29.2	PASS
Band8	5	21775	8	#0	QPSK	EUTRA	0.00	0	PASS




Band8	5	21775	8	#0	QPSK	E-ACLR+	51.12	29.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR+	51.90	32.2	PASS
Band8	5	21775	8	#0	QPSK	U-ACLR2+	53.69	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2-	53.02	35.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR1-	50.09	32.2	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR-	49.30	29.2	PASS
Band8	5	21775	8	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	QPSK	E-ACLR+	39.13	29.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR+	41.06	32.2	PASS
Band8	5	21775	8	#Max	QPSK	U-ACLR2+	53.47	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2-	49.26	35.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR1-	41.84	32.2	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR-	41.16	29.2	PASS
Band8	5	21775	25	#0	QPSK	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	QPSK	E-ACLR+	42.55	29.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR+	43.19	32.2	PASS
Band8	5	21775	25	#0	QPSK	U-ACLR2+	52.71	35.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR2-	52.35	35.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR1-	42.31	32.2	PASS
Band8	5	21775	8	#0	16QAM	E-ACLR-	40.59	29.2	PASS
Band8	5	21775	8	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21775	8	#0	16QAM	E-ACLR+	50.73	29.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR+	51.45	32.2	PASS
Band8	5	21775	8	#0	16QAM	U-ACLR2+	52.93	35.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR2-	52.35	35.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR1-	50.01	32.2	PASS
Band8	5	21775	8	#Max	16QAM	E-ACLR-	49.31	29.2	PASS
Band8	5	21775	8	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	5	21775	8	#Max	16QAM	E-ACLR+	40.69	29.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR+	42.64	32.2	PASS
Band8	5	21775	8	#Max	16QAM	U-ACLR2+	52.71	35.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR2-	49.12	35.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR1-	40.82	32.2	PASS
Band8	5	21775	25	#0	16QAM	E-ACLR-	40.06	29.2	PASS
Band8	5	21775	25	#0	16QAM	EUTRA	0.00	0	PASS
Band8	5	21775	25	#0	16QAM	E-ACLR+	41.15	29.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR+	41.86	32.2	PASS
Band8	5	21775	25	#0	16QAM	U-ACLR2+	52.08	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR2-	53.06	35.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR1-	45.66	32.2	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR-	44.48	29.2	PASS
Band8	10	21500	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	QPSK	E-ACLR+	48.26	29.2	PASS
Band8	10	21500	12	#0	QPSK	U-ACLR+	51.86	32.2	PASS

Band8	10	21500	12	#0	QPSK	U-ACLR2+	52.25	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2-	53.35	35.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR1-	52.72	32.2	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR-	49.33	29.2	PASS
Band8	10	21500	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	QPSK	E-ACLR+	40.97	29.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR+	41.78	32.2	PASS
Band8	10	21500	12	#Max	QPSK	U-ACLR2+	52.10	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2-	51.56	35.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR1-	45.74	32.2	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR-	44.02	29.2	PASS
Band8	10	21500	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	QPSK	E-ACLR+	40.55	29.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR+	43.29	32.2	PASS
Band8	10	21500	50	#0	QPSK	U-ACLR2+	45.46	35.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR2-	52.41	35.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR1-	44.59	32.2	PASS
Band8	10	21500	12	#0	16QAM	E-ACLR-	43.41	29.2	PASS
Band8	10	21500	12	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21500	12	#0	16QAM	E-ACLR+	47.86	29.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR+	51.49	32.2	PASS
Band8	10	21500	12	#0	16QAM	U-ACLR2+	51.81	35.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR2-	52.67	35.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR1-	52.17	32.2	PASS
Band8	10	21500	12	#Max	16QAM	E-ACLR-	48.72	29.2	PASS
Band8	10	21500	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	10	21500	12	#Max	16QAM	E-ACLR+	41.26	29.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR+	42.24	32.2	PASS
Band8	10	21500	12	#Max	16QAM	U-ACLR2+	51.69	35.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR2-	50.80	35.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR1-	44.64	32.2	PASS
Band8	10	21500	50	#0	16QAM	E-ACLR-	42.96	29.2	PASS
Band8	10	21500	50	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21500	50	#0	16QAM	E-ACLR+	40.38	29.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR+	42.91	32.2	PASS
Band8	10	21500	50	#0	16QAM	U-ACLR2+	45.78	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2-	52.38	35.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR1-	40.87	32.2	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR-	40.15	29.2	PASS
Band8	10	21625	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	QPSK	E-ACLR+	49.01	29.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR+	52.56	32.2	PASS
Band8	10	21625	12	#0	QPSK	U-ACLR2+	52.92	35.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2-	52.89	35.2	PASS

Band8	10	21625	12	#Max	QPSK	U-ACLR1-	52.59	32.2	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR-	49.04	29.2	PASS
Band8	10	21625	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	QPSK	E-ACLR+	42.14	29.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR+	43.05	32.2	PASS
Band8	10	21625	12	#Max	QPSK	U-ACLR2+	52.69	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2-	47.64	35.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR1-	45.42	32.2	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR-	42.75	29.2	PASS
Band8	10	21625	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	QPSK	E-ACLR+	41.32	29.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR+	44.15	32.2	PASS
Band8	10	21625	50	#0	QPSK	U-ACLR2+	46.47	35.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR2-	51.78	35.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR1-	41.83	32.2	PASS
Band8	10	21625	12	#0	16QAM	E-ACLR-	40.91	29.2	PASS
Band8	10	21625	12	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21625	12	#0	16QAM	E-ACLR+	48.37	29.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR+	51.98	32.2	PASS
Band8	10	21625	12	#0	16QAM	U-ACLR2+	52.27	35.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR2-	52.19	35.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR1-	51.99	32.2	PASS
Band8	10	21625	12	#Max	16QAM	E-ACLR-	48.38	29.2	PASS
Band8	10	21625	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	10	21625	12	#Max	16QAM	E-ACLR+	42.02	29.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR+	42.96	32.2	PASS
Band8	10	21625	12	#Max	16QAM	U-ACLR2+	52.22	35.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR2-	47.30	35.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR1-	43.96	32.2	PASS
Band8	10	21625	50	#0	16QAM	E-ACLR-	41.67	29.2	PASS
Band8	10	21625	50	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21625	50	#0	16QAM	E-ACLR+	40.25	29.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR+	42.54	32.2	PASS
Band8	10	21625	50	#0	16QAM	U-ACLR2+	46.35	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2-	51.70	35.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR1-	42.65	32.2	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR-	41.71	29.2	PASS
Band8	10	21750	12	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	QPSK	E-ACLR+	49.53	29.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR+	52.89	32.2	PASS
Band8	10	21750	12	#0	QPSK	U-ACLR2+	53.60	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2-	52.10	35.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR1-	51.69	32.2	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR-	48.19	29.2	PASS

Band8	10	21750	12	#Max	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	QPSK	E-ACLR+	41.87	29.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR+	42.56	32.2	PASS
Band8	10	21750	12	#Max	QPSK	U-ACLR2+	53.46	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2-	46.26	35.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR1-	45.58	32.2	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR-	42.23	29.2	PASS
Band8	10	21750	50	#0	QPSK	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	QPSK	E-ACLR+	45.28	29.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR+	46.85	32.2	PASS
Band8	10	21750	50	#0	QPSK	U-ACLR2+	52.62	35.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR2-	51.39	35.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR1-	42.51	32.2	PASS
Band8	10	21750	12	#0	16QAM	E-ACLR-	41.51	29.2	PASS
Band8	10	21750	12	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21750	12	#0	16QAM	E-ACLR+	48.91	29.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR+	52.30	32.2	PASS
Band8	10	21750	12	#0	16QAM	U-ACLR2+	52.97	35.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR2-	51.56	35.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR1-	51.19	32.2	PASS
Band8	10	21750	12	#Max	16QAM	E-ACLR-	47.65	29.2	PASS
Band8	10	21750	12	#Max	16QAM	EUTRA	0.00	0	PASS
Band8	10	21750	12	#Max	16QAM	E-ACLR+	41.85	29.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR+	42.70	32.2	PASS
Band8	10	21750	12	#Max	16QAM	U-ACLR2+	52.86	35.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR2-	45.60	35.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR1-	42.70	32.2	PASS
Band8	10	21750	50	#0	16QAM	E-ACLR-	40.20	29.2	PASS
Band8	10	21750	50	#0	16QAM	EUTRA	0.00	0	PASS
Band8	10	21750	50	#0	16QAM	E-ACLR+	43.26	29.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR+	44.48	32.2	PASS
Band8	10	21750	50	#0	16QAM	U-ACLR2+	51.84	35.2	PASS

Band1 16QAM BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 16QAM BW=20MHz Channel=18300 RB Size=100 Position=#0



Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 16QAM BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 16QAM BW=10MHz Channel=18550 RB Size=12 Position=#0






Band1 16QAM BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#Max






Band1 16QAM BW=10MHz Channel=18050 RB Size=12 Position=#0



Band1 16QAM BW=10MHz Channel=18300 RB Size=50 Position=#0




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#Max




Band1 16QAM BW=10MHz Channel=18300 RB Size=12 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#0



Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#0



Band1 16QAM BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#Max



Band1 QPSK BW=10MHz Channel=18050 RB Size=50 Position=#0




Band1 16QAM BW=5MHz Channel=18575 RB Size=8 Position=#Max



Band1 QPSK BW=10MHz Channel=18050 RB Size=12 Position=#0




Band1 16QAM BW=5MHz Channel=18300 RB Size=25 Position=#0



Band1 16QAM BW=20MHz Channel=18500 RB Size=100 Position=#0





Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#0







Band1 16QAM BW=20MHz Channel=18300 RB Size=18 Position=#Max



Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#0




Band1 16QAM BW=5MHz Channel=18025 RB Size=8 Position=#Max



Band1 16QAM BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 16QAM BW=5MHz Channel=18025 RB Size=25 Position=#0



Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#0




Band1 QPSK BW=20MHz Channel=18300 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#Max




Band1 QPSK BW=20MHz Channel=18300 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=25 Position=#0



Band1 QPSK BW=20MHz Channel=18500 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18500 RB Size=18 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=50 Position=#0






Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#0




Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#0






Band1 QPSK BW=10MHz Channel=18300 RB Size=12 Position=#Max



Band1 QPSK BW=20MHz Channel=18100 RB Size=100 Position=#0




Band1 QPSK BW=20MHz Channel=18100 RB Size=18 Position=#0




Band1 QPSK BW=10MHz Channel=18550 RB Size=12 Position=#Max




Band1 QPSK BW=10MHz Channel=18550 RB Size=50 Position=#0




Band1 QPSK BW=5MHz Channel=18575 RB Size=25 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18575 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#Max




Band1 QPSK BW=5MHz Channel=18025 RB Size=8 Position=#0



Band1 QPSK BW=5MHz Channel=18300 RB Size=8 Position=#0




Band1 QPSK BW=5MHz Channel=18300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#0






Band20 QPSK BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24175 RB Size=25 Position=#0







Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24175 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24175 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 QPSK BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24300 RB Size=8 Position=#Max




Band20 16QAM BW=5MHz Channel=24300 RB Size=25 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 QPSK BW=5MHz Channel=24425 RB Size=8 Position=#Max



Band20 QPSK BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#0




Band20 16QAM BW=5MHz Channel=24425 RB Size=8 Position=#Max





Band20 16QAM BW=5MHz Channel=24425 RB Size=25 Position=#0




Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#0






Band20 QPSK BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 QPSK BW=10MHz Channel=24200 RB Size=50 Position=#0



Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#0



Band20 16QAM BW=10MHz Channel=24200 RB Size=12 Position=#Max




Band20 16QAM BW=10MHz Channel=24200 RB Size=50 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#0



Band20 16QAM BW=10MHz Channel=24300 RB Size=12 Position=#Max



Band20 16QAM BW=10MHz Channel=24300 RB Size=50 Position=#0



Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 QPSK BW=10MHz Channel=24400 RB Size=12 Position=#Max



Band20 QPSK BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#0




Band20 16QAM BW=10MHz Channel=24400 RB Size=12 Position=#Max







Band20 16QAM BW=10MHz Channel=24400 RB Size=50 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24250 RB Size=100 Position=#0



Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#0



Band20 16QAM BW=20MHz Channel=24250 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24250 RB Size=100 Position=#0



Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#0




Band20 QPSK BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 QPSK BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#0



Band20 16QAM BW=20MHz Channel=24300 RB Size=18 Position=#Max



Band20 16QAM BW=20MHz Channel=24300 RB Size=100 Position=#0



Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#0






Band20 QPSK BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 QPSK BW=20MHz Channel=24350 RB Size=100 Position=#0






Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#0




Band20 16QAM BW=20MHz Channel=24350 RB Size=18 Position=#Max




Band20 16QAM BW=20MHz Channel=24350 RB Size=100 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27225 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27225 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 QPSK BW=3MHz Channel=27375 RB Size=4 Position=#Max



Band28 QPSK BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27375 RB Size=4 Position=#Max






Band28 16QAM BW=3MHz Channel=27375 RB Size=15 Position=#0




Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#0







Band28 QPSK BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 QPSK BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#0




Band28 16QAM BW=3MHz Channel=27525 RB Size=4 Position=#Max




Band28 16QAM BW=3MHz Channel=27525 RB Size=15 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27235 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27235 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27235 RB Size=25 Position=#0



Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27375 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27375 RB Size=25 Position=#0






Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#0




Band28 16QAM BW=5MHz Channel=27375 RB Size=8 Position=#Max







Band28 16QAM BW=5MHz Channel=27375 RB Size=25 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#0




Band28 QPSK BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 QPSK BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#0



Band28 16QAM BW=5MHz Channel=27515 RB Size=8 Position=#Max




Band28 16QAM BW=5MHz Channel=27515 RB Size=25 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27260 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#0



Band28 16QAM BW=10MHz Channel=27260 RB Size=12 Position=#Max



Band28 16QAM BW=10MHz Channel=27260 RB Size=50 Position=#0




Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#0






Band28 QPSK BW=10MHz Channel=27375 RB Size=12 Position=#Max




Band28 QPSK BW=10MHz Channel=27375 RB Size=50 Position=#0






Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#0



Band28 16QAM BW=10MHz Channel=27375 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27375 RB Size=50 Position=#0



Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#0




Band28 QPSK BW=10MHz Channel=27490 RB Size=12 Position=#Max



Band28 QPSK BW=10MHz Channel=27490 RB Size=50 Position=#0




Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#0



Band28 16QAM BW=10MHz Channel=27490 RB Size=12 Position=#Max




Band28 16QAM BW=10MHz Channel=27490 RB Size=50 Position=#0



Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27310 RB Size=18 Position=#Max



Band28 QPSK BW=20MHz Channel=27310 RB Size=100 Position=#0



Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27310 RB Size=18 Position=#Max





Band28 16QAM BW=20MHz Channel=27310 RB Size=100 Position=#0



Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#0







Band28 QPSK BW=20MHz Channel=27375 RB Size=18 Position=#Max



Band28 QPSK BW=20MHz Channel=27375 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#0



Band28 16QAM BW=20MHz Channel=27375 RB Size=18 Position=#Max



Band28 16QAM BW=20MHz Channel=27375 RB Size=100 Position=#0




Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 QPSK BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 QPSK BW=20MHz Channel=27440 RB Size=100 Position=#0




Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#0




Band28 16QAM BW=20MHz Channel=27440 RB Size=18 Position=#Max




Band28 16QAM BW=20MHz Channel=27440 RB Size=100 Position=#0



Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19207 RB Size=6 Position=#0






Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19207 RB Size=5 Position=#Max







Band3 16QAM BW=1.4MHz Channel=19207 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#0




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=5 Position=#Max




Band3 16QAM BW=1.4MHz Channel=19575 RB Size=6 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#0




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=5 Position=#Max




Band3 QPSK BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#0



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=5 Position=#Max



Band3 16QAM BW=1.4MHz Channel=19943 RB Size=6 Position=#0




Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#0






Band3 QPSK BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19225 RB Size=25 Position=#0







Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19225 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19225 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 QPSK BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19575 RB Size=8 Position=#Max




Band3 16QAM BW=5MHz Channel=19575 RB Size=25 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 QPSK BW=5MHz Channel=19925 RB Size=8 Position=#Max



Band3 QPSK BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#0




Band3 16QAM BW=5MHz Channel=19925 RB Size=8 Position=#Max






Band3 16QAM BW=5MHz Channel=19925 RB Size=25 Position=#0




Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#0







Band3 QPSK BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19250 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19250 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 QPSK BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19575 RB Size=12 Position=#Max




Band3 16QAM BW=10MHz Channel=19575 RB Size=50 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 QPSK BW=10MHz Channel=19900 RB Size=12 Position=#Max



Band3 QPSK BW=10MHz Channel=19900 RB Size=50 Position=#0



Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#0




Band3 16QAM BW=10MHz Channel=19900 RB Size=12 Position=#Max







Band3 16QAM BW=10MHz Channel=19900 RB Size=50 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19300 RB Size=100 Position=#0




Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#0



Band3 16QAM BW=20MHz Channel=19300 RB Size=18 Position=#Max



Band3 16QAM BW=20MHz Channel=19300 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#0




Band3 QPSK BW=20MHz Channel=19575 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#0



Band3 16QAM BW=20MHz Channel=19575 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19575 RB Size=100 Position=#0



Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#0






Band3 QPSK BW=20MHz Channel=19850 RB Size=18 Position=#Max



Band3 QPSK BW=20MHz Channel=19850 RB Size=100 Position=#0







Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#0



Band3 16QAM BW=20MHz Channel=19850 RB Size=18 Position=#Max




Band3 16QAM BW=20MHz Channel=19850 RB Size=100 Position=#0




Band34 QPSK BW=5MHz Channel=36225 RB Size=8 Position=#0




Band34 QPSK BW=5MHz Channel=36225 RB Size=8 Position=#Max




Band34 QPSK BW=5MHz Channel=36225 RB Size=25 Position=#0




Band34 16QAM BW=5MHz Channel=36225 RB Size=8 Position=#0




Band34 16QAM BW=5MHz Channel=36225 RB Size=8 Position=#Max




Band34 16QAM BW=5MHz Channel=36225 RB Size=25 Position=#0




Band34 QPSK BW=5MHz Channel=36275 RB Size=8 Position=#0




Band34 QPSK BW=5MHz Channel=36275 RB Size=8 Position=#Max



Band34 QPSK BW=5MHz Channel=36275 RB Size=25 Position=#0




Band34 16QAM BW=5MHz Channel=36275 RB Size=8 Position=#0




Band34 16QAM BW=5MHz Channel=36275 RB Size=8 Position=#Max






Band34 16QAM BW=5MHz Channel=36275 RB Size=25 Position=#0




Band34 QPSK BW=5MHz Channel=36325 RB Size=8 Position=#0







Band34 QPSK BW=5MHz Channel=36325 RB Size=8 Position=#Max




Band34 QPSK BW=5MHz Channel=36325 RB Size=25 Position=#0




Band34 16QAM BW=5MHz Channel=36325 RB Size=8 Position=#0




Band34 16QAM BW=5MHz Channel=36325 RB Size=8 Position=#Max




Band34 16QAM BW=5MHz Channel=36325 RB Size=25 Position=#0




Band34 QPSK BW=10MHz Channel=36250 RB Size=12 Position=#0




Band34 QPSK BW=10MHz Channel=36250 RB Size=12 Position=#Max




Band34 QPSK BW=10MHz Channel=36250 RB Size=50 Position=#0




Band34 16QAM BW=10MHz Channel=36250 RB Size=12 Position=#0




Band34 16QAM BW=10MHz Channel=36250 RB Size=12 Position=#Max




Band34 16QAM BW=10MHz Channel=36250 RB Size=50 Position=#0



Band34 QPSK BW=10MHz Channel=36275 RB Size=12 Position=#0




Band34 QPSK BW=10MHz Channel=36275 RB Size=12 Position=#Max




Band34 QPSK BW=10MHz Channel=36275 RB Size=50 Position=#0






Band34 16QAM BW=10MHz Channel=36275 RB Size=12 Position=#0




Band34 16QAM BW=10MHz Channel=36275 RB Size=12 Position=#Max






Band34 16QAM BW=10MHz Channel=36275 RB Size=50 Position=#0




Band34 QPSK BW=10MHz Channel=36300 RB Size=12 Position=#0




Band34 QPSK BW=10MHz Channel=36300 RB Size=12 Position=#Max



Band34 QPSK BW=10MHz Channel=36300 RB Size=50 Position=#0



Band34 16QAM BW=10MHz Channel=36300 RB Size=12 Position=#0



Band34 16QAM BW=10MHz Channel=36300 RB Size=12 Position=#Max




Band34 16QAM BW=10MHz Channel=36300 RB Size=50 Position=#0




Band34 QPSK BW=15MHz Channel=36275 RB Size=16 Position=#0




Band34 QPSK BW=15MHz Channel=36275 RB Size=16 Position=#Max



Band34 QPSK BW=15MHz Channel=36275 RB Size=75 Position=#0




Band34 16QAM BW=15MHz Channel=36275 RB Size=16 Position=#0



Band34 16QAM BW=15MHz Channel=36275 RB Size=16 Position=#Max




Band34 16QAM BW=15MHz Channel=36275 RB Size=75 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#0






Band38 QPSK BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0







Band38 16QAM BW=5MHz Channel=37775 RB Size=8 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=8 Position=#Max




Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=8 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=8 Position=#Max




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=8 Position=#Max



Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=8 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=8 Position=#Max






Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#0







Band38 QPSK BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=12 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=12 Position=#Max




Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=12 Position=#0



Band38 16QAM BW=10MHz Channel=38000 RB Size=12 Position=#Max



Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0



Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 QPSK BW=10MHz Channel=38200 RB Size=12 Position=#Max




Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0






Band38 16QAM BW=10MHz Channel=38200 RB Size=12 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=12 Position=#Max





Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0



Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=18 Position=#Max



Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=18 Position=#0



Band38 16QAM BW=20MHz Channel=37850 RB Size=18 Position=#Max



Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=18 Position=#Max



Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=18 Position=#0



Band38 16QAM BW=20MHz Channel=38000 RB Size=18 Position=#Max



Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0



Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#0





Band38 QPSK BW=20MHz Channel=38150 RB Size=18 Position=#Max



Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0






Band38 16QAM BW=20MHz Channel=38150 RB Size=18 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=18 Position=#Max




Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 16QAM BW=5MHz Channel=38675 RB Size=8 Position=#0




Band40 16QAM BW=5MHz Channel=38675 RB Size=8 Position=#Max




Band40 16QAM BW=5MHz Channel=38675 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 QPSK BW=5MHz Channel=39150 RB Size=8 Position=#Max



Band40 QPSK BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 16QAM BW=5MHz Channel=39150 RB Size=8 Position=#0




Band40 16QAM BW=5MHz Channel=39150 RB Size=8 Position=#Max






Band40 16QAM BW=5MHz Channel=39150 RB Size=25 Position=#0




Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#0







Band40 QPSK BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 QPSK BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 16QAM BW=5MHz Channel=39625 RB Size=8 Position=#0



Band40 16QAM BW=5MHz Channel=39625 RB Size=8 Position=#Max




Band40 16QAM BW=5MHz Channel=39625 RB Size=25 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=38700 RB Size=50 Position=#0




Band40 16QAM BW=10MHz Channel=38700 RB Size=12 Position=#0




Band40 16QAM BW=10MHz Channel=38700 RB Size=12 Position=#Max




Band40 16QAM BW=10MHz Channel=38700 RB Size=50 Position=#0



Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39150 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39150 RB Size=50 Position=#0






Band40 16QAM BW=10MHz Channel=39150 RB Size=12 Position=#0




Band40 16QAM BW=10MHz Channel=39150 RB Size=12 Position=#Max






Band40 16QAM BW=10MHz Channel=39150 RB Size=50 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#0




Band40 QPSK BW=10MHz Channel=39600 RB Size=12 Position=#Max




Band40 QPSK BW=10MHz Channel=39600 RB Size=50 Position=#0




Band40 16QAM BW=10MHz Channel=39600 RB Size=12 Position=#0



Band40 16QAM BW=10MHz Channel=39600 RB Size=12 Position=#Max



Band40 16QAM BW=10MHz Channel=39600 RB Size=50 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 QPSK BW=20MHz Channel=38750 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=38750 RB Size=100 Position=#0



Band40 16QAM BW=20MHz Channel=38750 RB Size=18 Position=#0



Band40 16QAM BW=20MHz Channel=38750 RB Size=18 Position=#Max



Band40 16QAM BW=20MHz Channel=38750 RB Size=100 Position=#0




Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#0






Band40 QPSK BW=20MHz Channel=39150 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=39150 RB Size=100 Position=#0





Band40 16QAM BW=20MHz Channel=39150 RB Size=18 Position=#0



Band40 16QAM BW=20MHz Channel=39150 RB Size=18 Position=#Max




Band40 16QAM BW=20MHz Channel=39150 RB Size=100 Position=#0



Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 QPSK BW=20MHz Channel=39550 RB Size=18 Position=#Max



Band40 QPSK BW=20MHz Channel=39550 RB Size=100 Position=#0



Band40 16QAM BW=20MHz Channel=39550 RB Size=18 Position=#0




Band40 16QAM BW=20MHz Channel=39550 RB Size=18 Position=#Max




Band40 16QAM BW=20MHz Channel=39550 RB Size=100 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=20775 RB Size=8 Position=#Max



Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=20775 RB Size=8 Position=#Max






Band7 16QAM BW=5MHz Channel=20775 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#0







Band7 QPSK BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#0




Band7 16QAM BW=5MHz Channel=21100 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=21100 RB Size=25 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#0




Band7 QPSK BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#0



Band7 16QAM BW=5MHz Channel=21425 RB Size=8 Position=#Max




Band7 16QAM BW=5MHz Channel=21425 RB Size=25 Position=#0



Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=20800 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0






Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=20800 RB Size=12 Position=#Max





Band7 16QAM BW=10MHz Channel=20800 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#0




Band7 16QAM BW=10MHz Channel=21100 RB Size=12 Position=#Max




Band7 16QAM BW=10MHz Channel=21100 RB Size=50 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#0




Band7 QPSK BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#0



Band7 16QAM BW=10MHz Channel=21400 RB Size=12 Position=#Max



Band7 16QAM BW=10MHz Channel=21400 RB Size=50 Position=#0




Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#0






Band7 QPSK BW=20MHz Channel=20850 RB Size=18 Position=#Max




Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0





Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#0



Band7 16QAM BW=20MHz Channel=20850 RB Size=18 Position=#Max



Band7 16QAM BW=20MHz Channel=20850 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21100 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#0



Band7 16QAM BW=20MHz Channel=21100 RB Size=18 Position=#Max



Band7 16QAM BW=20MHz Channel=21100 RB Size=100 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 QPSK BW=20MHz Channel=21350 RB Size=18 Position=#Max



Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0



Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#0




Band7 16QAM BW=20MHz Channel=21350 RB Size=18 Position=#Max






Band7 16QAM BW=20MHz Channel=21350 RB Size=100 Position=#0




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#0







Band8 QPSK BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21457 RB Size=6 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21625 RB Size=6 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=5 Position=#Max




Band8 16QAM BW=1.4MHz Channel=21625 RB Size=6 Position=#0



Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=5 Position=#Max




Band8 QPSK BW=1.4MHz Channel=21793 RB Size=6 Position=#0






Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#0




Band8 16QAM BW=1.4MHz Channel=21793 RB Size=5 Position=#Max







Band8 16QAM BW=1.4MHz Channel=21793 RB Size=6 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#0




Band8 16QAM BW=5MHz Channel=21475 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21475 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#0




Band8 QPSK BW=5MHz Channel=21625 RB Size=8 Position=#Max



Band8 QPSK BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#0



Band8 16QAM BW=5MHz Channel=21625 RB Size=8 Position=#Max



Band8 16QAM BW=5MHz Channel=21625 RB Size=25 Position=#0




Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#0






Band8 QPSK BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 QPSK BW=5MHz Channel=21775 RB Size=25 Position=#0







Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#0



Band8 16QAM BW=5MHz Channel=21775 RB Size=8 Position=#Max




Band8 16QAM BW=5MHz Channel=21775 RB Size=25 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 QPSK BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#0



Band8 16QAM BW=10MHz Channel=21500 RB Size=12 Position=#Max




Band8 16QAM BW=10MHz Channel=21500 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 QPSK BW=10MHz Channel=21625 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21625 RB Size=50 Position=#0



Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#0




Band8 16QAM BW=10MHz Channel=21625 RB Size=12 Position=#Max





Band8 16QAM BW=10MHz Channel=21625 RB Size=50 Position=#0




Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#0







Band8 QPSK BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 QPSK BW=10MHz Channel=21750 RB Size=50 Position=#0




Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#0



Band8 16QAM BW=10MHz Channel=21750 RB Size=12 Position=#Max



Band8 16QAM BW=10MHz Channel=21750 RB Size=50 Position=#0



Clause 4.2.12 LTE Receiver Reference Sensitivity Level

Band	Bandwidth (MHz)	UL Channel	UL RB Size	Modulation	Ref Sensitivity (dBm)	Throughput (%)	Limit (%)	Verdict
Band1	5	18025	25	QPSK	-100	100.00	95	PASS
Band1	5	18300	25	QPSK	-100	100.00	95	PASS
Band1	5	18575	25	QPSK	-100	100.00	95	PASS
Band1	20	18100	100	QPSK	-94	100.00	95	PASS
Band1	20	18300	100	QPSK	-94	100.00	95	PASS
Band1	20	18500	100	QPSK	-94	100.00	95	PASS
Band20	5	24175	25	QPSK	-97	100.00	95	PASS
Band20	5	24300	25	QPSK	-97	100.00	95	PASS
Band20	5	24425	25	QPSK	-97	100.00	95	PASS
Band20	20	24250	100	QPSK	-90	100.00	95	PASS
Band20	20	24300	100	QPSK	-90	100.00	95	PASS
Band20	20	24350	100	QPSK	-90	100.00	95	PASS
Band28	3	27225	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27375	15	QPSK	-99.5	100.00	95	PASS
Band28	3	27525	15	QPSK	-99.5	100.00	95	PASS
Band28	5	27235	25	QPSK	-97.8	99.55	95	PASS
Band28	5	27375	25	QPSK	-97.8	99.10	95	PASS
Band28	5	27515	25	QPSK	-97.8	100.00	95	PASS
Band28	20	27310	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27375	100	QPSK	-90.3	100.00	95	PASS
Band28	20	27440	100	QPSK	-90.3	100.00	95	PASS
Band3	1.4	19207	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19575	6	QPSK	-101.7	100.00	95	PASS
Band3	1.4	19943	6	QPSK	-101.7	100.00	95	PASS
Band3	5	19225	25	QPSK	-97	100.00	95	PASS
Band3	5	19575	25	QPSK	-97	100.00	95	PASS
Band3	5	19925	25	QPSK	-97	100.00	95	PASS
Band3	20	19300	100	QPSK	-91	100.00	95	PASS
Band3	20	19575	100	QPSK	-91	100.00	95	PASS
Band3	20	19850	100	QPSK	-91	98.33	95	PASS
Band34	5	36225	25	QPSK	-99.3	100.00	95	PASS
Band34	5	36275	25	QPSK	-99.3	100.00	95	PASS
Band34	5	36325	25	QPSK	-99.3	100.00	95	PASS
Band34	15	36275	75	QPSK	-94.5	100.00	95	PASS
Band38	5	37775	25	QPSK	-99.3	100.00	95	PASS
Band38	5	38000	25	QPSK	-99.3	100.00	95	PASS
Band38	5	38225	25	QPSK	-99.3	100.00	95	PASS
Band38	20	37850	100	QPSK	-93.3	100.00	95	PASS
Band38	20	38000	100	QPSK	-93.3	100.00	95	PASS
Band38	20	38150	100	QPSK	-93.3	100.00	95	PASS
Band40	5	38675	25	QPSK	-99.3	100.00	95	PASS
Band40	5	39150	25	QPSK	-99.3	100.00	95	PASS

Band40	5	39625	25	QPSK	-99.3	100.00	95	PASS
Band40	20	38750	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39150	100	QPSK	-93.3	100.00	95	PASS
Band40	20	39550	100	QPSK	-93.3	100.00	95	PASS
Band7	5	20775	25	QPSK	-98	100.00	95	PASS
Band7	5	21100	25	QPSK	-98	100.00	95	PASS
Band7	5	21425	25	QPSK	-98	100.00	95	PASS
Band7	20	20850	100	QPSK	-92	100.00	95	PASS
Band7	20	21100	100	QPSK	-92	100.00	95	PASS
Band7	20	21350	100	QPSK	-92	100.00	95	PASS
Band8	1.4	21457	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21625	6	QPSK	-102.2	100.00	95	PASS
Band8	1.4	21793	6	QPSK	-102.2	100.00	95	PASS
Band8	5	21475	25	QPSK	-97	100.00	95	PASS
Band8	5	21625	25	QPSK	-97	100.00	95	PASS
Band8	5	21775	25	QPSK	-97	100.00	95	PASS
Band8	10	21500	50	QPSK	-94	100.00	95	PASS
Band8	10	21625	50	QPSK	-94	100.00	95	PASS
Band8	10	21750	50	QPSK	-94	100.00	95	PASS