

Applicant: DOKE COMMUNICATION (HK) LIMITED

Applicant address: RM 1902 EASEY COMM BLDG 253-261 HENNESSY ROAD WANCHAI HK CHINA

The following samples were submitted and identified on behalf of the clients as

Sample Name: Wireless Earphone
Model: AirBuds 10
Sample Quantity: 1 black Bluetooth headset +1 white Bluetooth headset
Trademark: Blackview
Manufacturer: Shenzhen DOKE Electronic Co.,Ltd
Manufacturer Address: 801, Building3, 7th Industrial Zone, Yulv Community, Yutang Road, Guangming District, Shenzhen, China.
CPST Internal Reference No.: C230213071
Sample Received Date: Feb 13, 2023
Test Period: Feb 13, 2023 to Feb 28, 2023
Test Method: Please refer to next page(s).
Test Result: Please refer to next page(s).



Signed on and on behalf of
Euronex (Dongguan) Consumer Products Testing Service Co., Ltd

WRITTEN BY :

REVIEWED BY:

APPROVED BY:

Fair Lu

Lu Jian Fei, Fair
Report writer

Sunshine Liu

Liu Xiao Fang, Sunshine
Report Reviewer

Will Pan

Pan Jian Ding, Will
Technical Supervisor

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



CPST

Test Report

No. C230213071001-1

Date: Feb 28, 2023

Page 2 of 21

CONCLUSION :

<u>TESTED SAMPLES</u>	<u>TEST ITEM</u>	<u>RESULT</u>
Wireless Earphone	1.RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863	
	— Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs Content	PASS
	—Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate(DIBP) Content	PASS

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.






2. Test Item Description And Photo List

Sample No.	Description	Photograph
001	White plastic with gray plating	
002	White plastic	
003	Silvery metal	
004	Red glue	
005	Silvery magnet	
006	Silvery metal with black plating (screw)	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
007	Silvery metal (Type-C socket)	
008	Grey plastic	
009	Golden metal	
010	Black foam	
011	Golden metal	





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
012	Silvery metal (spring)	
013	Golden metal	
014	Gray body with black printing	
015	Black PCB	
016	Silvery solder	
017	White plastic	
018	Silvery metal	
019	White plastic	
020	Silvery metal	





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
021	Black foam	
022	Green PCB	
023	Silvery solder	
024	Golden metal	
025	Transparent plastic	
026	Coppery metal	
027	Grey textile	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
028	Silvery metal with black plating	
029	Silvery metal	
030	Colored metal	
031	Silvery magnet	
032	Black soft plastic (wire jacket)	
033	Red soft plastic (wire jacket)	
034	Silvery metal (wire core)	
035	Black soft plastic	
036	Golden metal	





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
037	Silvery body	
038	Silvery body (crystal)	
039	White/blue body	
040	Green PCB	
041	Silvery solder	
042	Black soft plastic	
043	Translucent soft plastic	
044	White plastic	
045	Black textile	





Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
046	White plastic	
047	Silvery metal foil	
048	Silvery metal	
049	White plastic	
050	White soft plastic	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
051	Black plastic with silvery plating	
052	Black plastic	
053	Black plastic	
054	White plastic	
055	Silvery metal with black plating	
056	Black plastic	
057	Black plastic	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
058	Black plastic	
059	Black soft plastic	
060	White soft plastic	
061	Silvery metal (USB socket)	
062	Translucent plastic	
063	White plastic	
064	Golden metal	
065	Silvery solder	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Description	Photograph
066	White soft plastic (cable jacket)	
067	Red soft plastic (wire jacket)	
068	Black soft plastic (wire jacket)	
069	Coppery metal	
070	White fibre	
071	White soft plastic	
072	Silvery metal (Type-C plug)	
073	Grey plastic	
074	Silvery metal	
075	Silvery metal with golden plating	
076	Blue PCB	
077	Silvery solder	
078	Black body	

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

3. Test Results

3.1 Screening test for the specified hazardous substances of RoHS for the selected materials of the submitted sample:

- Heavy Metal (Cadmium, Chromium, Mercury, Lead) Content Test
- Bromine Content Test

According to IEC 62321-3-1:2013, and Quantification analyzed with Energy Dispersive X-ray Fluorescence Spectrometers.

Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 001	BL	BL	BL	BL	BL
Sample 002	BL	BL	BL	BL	BL
Sample 003	BL	BL	BL	Inconclusive [^]	N.A.
Sample 004	BL	BL	BL	BL	BL
Sample 005	BL	BL	BL	BL	BL
Sample 006	BL	BL	BL	BL	N.A.
Sample 007	BL	BL	BL	Inconclusive [^]	N.A.
Sample 008	BL	BL	BL	BL	BL
Sample 009	BL	BL	BL	BL	N.A.
Sample 010	BL	BL	BL	BL	BL
Sample 011	BL	OL [^]	BL	BL	N.A.
Sample 012	BL	BL	BL	Inconclusive [^]	N.A.
Sample 013	BL	BL	BL	BL	N.A.
Sample 014	BL	BL	BL	BL	BL
Sample 015	BL	BL	BL	BL	Inconclusive [^]
Sample 016	BL	BL	BL	BL	N.A.
Sample 017	BL	BL	BL	BL	BL
Sample 018	BL	BL	BL	Inconclusive [^]	N.A.
Sample 019	BL	BL	BL	BL	BL
Sample 020	BL	BL	BL	Inconclusive [^]	N.A.
Sample 021	BL	BL	BL	BL	Inconclusive [^]
Sample 022	BL	BL	BL	BL	BL
Sample 023	BL	BL	BL	BL	N.A.
Sample 024	BL	BL	BL	BL	N.A.
Sample 025	BL	BL	BL	BL	BL
Sample 026	BL	BL	BL	BL	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 027	BL	BL	BL	BL	BL
Sample 028	BL	BL	BL	BL	N.A.
Sample 029	BL	BL	BL	BL	N.A.
Sample 030	BL	BL	BL	BL	N.A.
Sample 031	BL	BL	BL	BL	BL
Sample 032	BL	BL	BL	BL	BL
Sample 033	BL	BL	BL	BL	BL
Sample 034	BL	BL	BL	BL	N.A.
Sample 035	BL	BL	BL	BL	BL
Sample 036	BL	BL	BL	BL	N.A.
Sample 037	BL	BL	BL	BL	BL
Sample 038	BL	BL	BL	BL	BL
Sample 039	BL	OL [^]	BL	BL	BL
Sample 040	BL	BL	BL	BL	Inconclusive [^]
Sample 041	BL	BL [*]	BL	BL	N.A.
Sample 042	BL	BL	BL	BL	BL
Sample 043	BL	BL	BL	BL	BL
Sample 044	BL	BL	BL	BL	BL
Sample 045	BL	BL	BL	BL	BL
Sample 046	BL	BL	BL	BL	BL
Sample 047	BL	BL	BL	BL	N.A.
Sample 048	BL	BL	BL	Inconclusive [^]	N.A.
Sample 049	BL	BL	BL	BL	BL
Sample 050	BL	BL	BL	BL	BL
Sample 051	BL	BL	BL	BL	BL
Sample 052	BL	BL	BL	BL	BL
Sample 053	BL	BL	BL	BL	BL
Sample 054	BL	BL	BL	BL	BL
Sample 055	BL	BL	BL	Inconclusive [^]	N.A.
Sample 056	BL	BL	BL	BL	BL
Sample 057	BL	BL	BL	BL	BL
Sample 058	BL	BL	BL	BL	BL
Sample 059	BL	BL	BL	BL	BL
Sample 060	BL	BL	BL	BL	BL
Sample 061	BL	BL	BL	BL	N.A.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.



Sample No.	Total Cadmium	Total Lead	Total Mercury	Total Chromium	Total Bromine
Sample 062	BL	BL	BL	BL	BL
Sample 063	BL	BL	BL	BL	BL
Sample 064	BL	BL	BL	BL	N.A.
Sample 065	BL	BL	BL	BL	N.A.
Sample 066	BL	BL	BL	BL	BL
Sample 067	BL	BL	BL	BL	BL
Sample 068	BL	BL	BL	BL	BL
Sample 069	BL	BL	BL	BL	N.A.
Sample 070	BL	BL	BL	BL	BL
Sample 071	BL	BL	BL	BL	BL
Sample 072	BL	BL	BL	Inconclusive^	N.A.
Sample 073	BL	BL	BL	BL	BL
Sample 074	BL	BL	BL	Inconclusive^	N.A.
Sample 075	BL	BL	BL	BL	N.A.
Sample 076	BL	BL	BL	BL	BL
Sample 077	BL	BL	BL	BL	N.A.
Sample 078	BL	BL	BL	BL	BL

Note:

1. All Concentrations express in "mg/kg" (milligram per kilogram), mg/kg ~ ppm
2. "OL" denotes "over limit"
3. "BL" denotes "below limit"
4. "N.A." denotes "Not Applicable"
5. "Inconclusive" denotes result is intermediate between "OL" and "BL"
6. "^"denotes the screening result was inconclusive(X) or over limit (OL), thus further confirmation test was conducted, results are listed in 3.2 and 3.3.
7. "*"=The sample of test item was resubmitted by the customer on Feb 27, 2023.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

XRF screening limits for different materials:

Materials	Concentration (mg/kg)				
	Cd	Cr	Pb	Hg	Br
Metal	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	N.A.
Polymers	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (300-3\sigma) < X$
Composite material	$BL \leq (50-3\sigma) < X < (150+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$	$BL \leq (250-3\sigma) < X$

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

3.2 Test for Heavy Metals

– Lead, Cadmium, Hexavalent Chromium and Mercury Tests according to IEC 62321-4:2013+A1:2017 & IEC 62321-5:2013 & IEC 62321-7-1:2015 & IEC 62321-7-2:2017, Analysis was conducted by ICP-OES, UV-VIS.

Element	Total Cadmium [mg/kg]	Total Lead [mg/kg]	Total Mercury [mg/kg]	Hexavalent Chromium [$\mu\text{g}/\text{cm}^2$]	Hexavalent Chromium [mg/kg]
Detection Limit	5	5	5	0.10	5
Limit	100	1000	1000	0.10	1000
Sample 003	/	/	/	N.D.	/
Sample 007	/	/	/	N.D.	/
Sample 011	/	28261Φ	/	/	/
Sample 012	/	/	/	N.D.	/
Sample 018	/	/	/	N.D.	/
Sample 020	/	/	/	N.D.	/
Sample 039	/	13085Φ	/	/	/
Sample 048	/	/	/	N.D.	/
Sample 055	/	/	/	N.D.	/
Sample 072	/	/	/	N.D.	/
Sample 074	/	/	/	N.D.	/

Note:

- All Concentrations express in "mg/kg"(milligram per kilogram), mg/kg ~ ppm.
- "N.D." = "Not Detected".
- Boiling-water-extraction:
 - Negative = Absence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is less than 0.10 μg with 1cm² sample surface area.
 - Positive = Presence of Cr(VI) coating / surface layer: the detected concentration in boiling-water-extraction solution is greater than 0.13 μg with 1cm² sample surface area.
 - Inconclusive = the detected concentration in boiling-water-extraction solution is greater than 0.10 μg and less than 0.13 μg with 1cm² sample surface area.
- Positive = result be regarded as not comply with RoHS requirement
Negative = result be regarded as comply with RoHS requirement
- "-" = Not regulated
- "Φ" = sample 039 is electrical and electronic components containing lead in a glass or ceramic other than dielectric ceramic in capacitors, The lead content which is exempted from the requirement of directive 2011/65/EU(RoHS)Annex III 7(c)- I
"Φ" = the sample 011 is copper alloy. The lead content which is under 4% is exempted from the requirement of directive 2011/65/EU(RoHS)Annex III 6(c).

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

3.3 Test for Flame retardants

– Test method: According to IEC 62321-6:2015, extracted by toluene and analyzed by Gas Chromatography and Mass Spectrometry (GC-MS). [Reporting Limit: 5mg/kg]

Test Item	Result [mg/kg]			RoHS Requirement [mg/kg]
	Sample 015	Sample 021	Sample 040	
PBBs	Monobromobiphenyl	< 5	< 5	Sum of PBBs < 1000
	Dibromobiphenyl	< 5	< 5	
	Tribromobiphenyl	< 5	< 5	
	Tetrabromobiphenyl	< 5	< 5	
	Pentabromobiphenyl	< 5	< 5	
	Hexabromobiphenyl	< 5	< 5	
	Heptabromobiphenyl	< 5	< 5	
	Octabromobiphenyl	< 5	< 5	
	Nonabromobiphenyl	< 5	< 5	
	Decabromobiphenyl	< 5	< 5	
	Sum of PBBs	< 5	< 5	
PBDEs	Monobromodiphenyl Ether	< 5	< 5	Sum of PBDEs < 1000
	Dibromodiphenyl Ether	< 5	< 5	
	Tribromodiphenyl Ether	< 5	< 5	
	Tetrabromodiphenyl Ether	< 5	< 5	
	Pentabromodiphenyl Ether	< 5	< 5	
	Hexabromodiphenyl Ether	< 5	< 5	
	Heptabromodiphenyl Ether	< 5	< 5	
	Octabromodiphenyl Ether	< 5	< 5	
	Nonabromodiphenyl Ether	< 5	< 5	
	Decabromodiphenyl Ether	< 5	< 5	
	Sum of PBDEs	< 5	< 5	

Note:

1. All Concentrations express in “mg/kg” (milligram per kilogram), mg/kg ~ ppm.
2. “<” denotes less than

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

3.4 Di-(2-ethylhexyl) phthalate(DEHP), Benzylbutyl phthalate(BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP) Content—RoHS Directive 2011/65/EU Annex II amending Directive (EU)2015/863

Test method: According to IEC 62321-8:2017; Analysis was conducted by GC-MS&LC-MS.

Element	Di-(2-ethylhexyl) phthalate (DEHP) [mg/kg]	Benzylbutyl phthalate (BBP) [mg/kg]	Dibutyl phthalate (DBP) [mg/kg]	Diisobutyl phthalate(DIBP) [mg/kg]
Detection Limit	50	50	50	50
Limit	1000	1000	1000	1000
Sample 001	N.D.	N.D.	N.D.	N.D.
Sample 002	N.D.	N.D.	N.D.	N.D.
Sample 004	N.D.	N.D.	N.D.	N.D.
Sample 005	N.D.	N.D.	N.D.	N.D.
Sample 008	N.D.	N.D.	N.D.	N.D.
Sample 010	N.D.	N.D.	N.D.	N.D.
Sample 014	N.D.	N.D.	N.D.	N.D.
Sample 015	N.D.	N.D.	N.D.	N.D.
Sample 017	N.D.	N.D.	N.D.	N.D.
Sample 019	N.D.	N.D.	N.D.	N.D.
Sample 021	N.D.	N.D.	N.D.	N.D.
Sample 022	N.D.	N.D.	N.D.	N.D.
Sample 025	N.D.	N.D.	N.D.	N.D.
Sample 027	N.D.	N.D.	N.D.	N.D.
Sample 031	N.D.	N.D.	N.D.	N.D.
Sample 032	N.D.	N.D.	N.D.	N.D.
Sample 033	N.D.	N.D.	N.D.	N.D.
Sample 035	N.D.	N.D.	N.D.	N.D.
Sample 037	N.D.	N.D.	N.D.	N.D.
Sample 038	N.D.	N.D.	N.D.	N.D.
Sample 039	N.D.	N.D.	N.D.	N.D.
Sample 040	N.D.	N.D.	N.D.	N.D.
Sample 042	N.D.	N.D.	N.D.	N.D.
Sample 043	N.D.	N.D.	N.D.	N.D.
Sample 044	N.D.	N.D.	N.D.	N.D.
Sample 045	N.D.	N.D.	N.D.	N.D.
Sample 046	N.D.	N.D.	N.D.	N.D.
Sample 049	N.D.	N.D.	N.D.	N.D.
Sample 050	N.D.	N.D.	N.D.	N.D.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Element	Di-(2-ethylhexyl) phthalate (DEHP) [mg/kg]	Benzylbutyl phthalate (BBP) [mg/kg]	Dibutyl phthalate (DBP) [mg/kg]	Diisobutyl phthalate(DIBP) [mg/kg]
Detection Limit	50	50	50	50
Limit	1000	1000	1000	1000
Sample 051	N.D.	N.D.	N.D.	N.D.
Sample 052	N.D.	N.D.	N.D.	N.D.
Sample 053	N.D.	N.D.	N.D.	N.D.
Sample 054	N.D.	N.D.	N.D.	N.D.
Sample 056	N.D.	N.D.	N.D.	N.D.
Sample 057	N.D.	N.D.	N.D.	N.D.
Sample 058	N.D.	N.D.	N.D.	N.D.
Sample 059	N.D.	N.D.	N.D.	N.D.
Sample 060	N.D.	N.D.	N.D.	N.D.
Sample 062	N.D.	N.D.	N.D.	N.D.
Sample 063	N.D.	N.D.	N.D.	N.D.
Sample 066	N.D.	N.D.	N.D.	N.D.
Sample 067	N.D.	N.D.	N.D.	N.D.
Sample 068	N.D.	N.D.	N.D.	N.D.
Sample 070	N.D.	N.D.	N.D.	N.D.
Sample 071	N.D.	N.D.	N.D.	N.D.
Sample 073	N.D.	N.D.	N.D.	N.D.
Sample 076	N.D.	N.D.	N.D.	N.D.
Sample 078	N.D.	N.D.	N.D.	N.D.

Note:

1. All Concentrations express in "mg/kg"(milligram per kilogram), mg/kg ~ ppm.
2. "N.D." = "Not Detected".

Remark: As specified by applicant, to test content in the selected materials of the submitted samples. The test results are only responsible for the submitted sample. The test report is only for customer research, teaching, internal quality control, product development and other purposes, for reference only.

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.

Photo of the Submitted Sample



*** End of Report ***

Note: This Test report shall be invalid if it is not stamped with the special seal for testing. Only responsible for the tested samples, invalid if rewritten, added and deleted. This test report cannot be reproduced, except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this report is unlawful and offenders may be prosecuted to the fullest extent of the law. Any demurral to the content of test report, please propose in 15 days after the report's sending out, it will not be accepted after this date.