

**Clause 4.2.26 Frequency error and Modulation accuracy in EGPRS Configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.9	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.11	0	9	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.58	0	30	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.56	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.63	0	9	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.77	0	30	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.89	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.05	0	9	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.47	0	30	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.4	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.51	0	9	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.76	0	30	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.79	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.1	0	9	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.49	0	30	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.43	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.49	0	9	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.69	0	30	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.8	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.06	0	9	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.48	0	30	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.56	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.64	0	9	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.83	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.78	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.5	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.53	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.62	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.7	0	30	PASS

Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.81	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	4.09	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.55	0	30	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.45	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.58	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.81	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-2.86	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	3.96	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	12.56	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-2.43	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.63	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	1.8	0	30	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.78	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.3	0	9	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.22	0	30	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-1.07	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.52	0	9	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.04	0	30	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.77	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.33	0	9	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.17	0	30	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-0.95	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.57	0	9	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.08	0	30	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.82	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.41	0	9	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.14	0	30	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-1.05	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.57	0	9	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.07	0	30	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.68	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.37	0	9	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.2	0	30	PASS

LVL	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-1.03	-89.76	89.76	PASS
LVL	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.63	0	9	PASS
LVL	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.07	0	30	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.77	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.33	0	9	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.22	0	30	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-1.01	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.6	0	9	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.98	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.71	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.29	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.22	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-1.08	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.58	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.95	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-3.71	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	2.26	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	7.14	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-0.97	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.56	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	2.1	0	30	PASS

#### Clause 4.2.27 Frequency error under multipath inEGPRS Configuration

Condition	Band	Type	Channel	Frequency (MHz)	Gamma	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-9.55	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	-6.06	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	-3.23	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	-10.14	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	-9.25	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	-9.71	-174.74	174.74	PASS

HVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	-11.24	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-2.17	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	-9.1	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	-4.49	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	-14.78	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	-17.06	-524.74	524.74	PASS
HVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	-0.17	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	4.39	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-0.11	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	0.87	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.2	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-9.25	-434.74	434.74	PASS
HVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	-15.96	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-16.85	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-9.44	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-16.58	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-22.18	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-17.74	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-10.36	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-3.2	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-10.08	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-12.44	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-15.22	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-9.39	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-4.54	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-2.06	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-8.18	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-12.31	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-14.89	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-14.48	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-3.47	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-8.27	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-13.48	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-9.67	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-6.09	-174.74	174.74	PASS

		@Sens1							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-3.26	-174.74	174.74	PASS
		@Sens2							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-10.15	-174.74	174.74	PASS
		@Sens3							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-9.36	-174.74	174.74	PASS
		@Sens4							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-9.79	-174.74	174.74	PASS
		@Sens5							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-11.25	-524.74	524.74	PASS
		@Connect							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-2.01	-524.74	524.74	PASS
		@Sens1							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-8.99	-524.74	524.74	PASS
		@Sens2							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-4.57	-524.74	524.74	PASS
		@Sens3							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-14.92	-524.74	524.74	PASS
		@Sens4							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-17.05	-524.74	524.74	PASS
		@Sens5							
HVLT	EGPRS1800	TU50	698	1747.4	5;5;5;5	-0.02	-434.74	434.74	PASS
		@Connect							
HVLT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	4.36	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-0.21	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	0.83	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.35	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-9.15	-434.74	434.74	PASS
HVLT	EGPRS1800	TU3	698	1747.4	5;5;5;5	-15.97	-174.74	174.74	PASS
		@Connect							
HVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-16.92	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-9.48	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-16.55	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-22.03	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-17.79	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-10.32	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-3.19	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-10	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-12.59	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-15.21	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-9.29	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-4.56	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-1.94	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-8.1	-174.74	174.74	PASS

HVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-12.36	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-14.73	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-14.59	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-3.44	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-8.17	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-13.64	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-9.54	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	-6.05	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	-3.2	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	-10.16	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	-9.27	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	-9.6	-174.74	174.74	PASS
LVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	-11.14	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-2.2	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	-9.08	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	-4.4	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	-14.91	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	-17.1	-524.74	524.74	PASS
LVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	-0.15	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	4.37	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-0.22	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	0.99	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.25	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-9.33	-434.74	434.74	PASS
LVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	-16.14	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-16.85	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-9.47	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-16.47	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-22.1	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-17.71	-174.74	174.74	PASS

LVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-10.26	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-3.26	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-10.05	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-12.63	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-15.16	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-9.23	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-4.61	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-2.02	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-8.21	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-12.3	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-14.82	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-14.58	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-3.6	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-8.34	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-13.56	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-9.62	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	-6.07	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	-3.31	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	-10.22	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	-9.29	-174.74	174.74	PASS
LVLТ	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	-9.63	-174.74	174.74	PASS
LVLТ	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	-11.15	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-2.2	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	-9.07	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	-4.43	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	-14.83	-524.74	524.74	PASS
LVLТ	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	-17.04	-524.74	524.74	PASS
LVLТ	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	-0.07	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	4.54	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-0.3	-434.74	434.74	PASS
LVLТ	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	0.91	-434.74	434.74	PASS

LVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-1.19	-434.74	434.74	PASS
LVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-9.29	-434.74	434.74	PASS
LVLT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	-16.1	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-16.8	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-9.37	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-16.45	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-22.13	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-17.85	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-10.38	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-3.28	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-10.15	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-12.57	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-15.23	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-9.28	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-4.57	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-1.89	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-8.1	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-12.47	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-14.91	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-14.41	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-3.59	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-8.18	-174.74	174.74	PASS
LVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-13.59	-174.74	174.74	PASS
HVHT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-2.79	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-9.46	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-12.95	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.14	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-9.13	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-9.58	-389.76	389.76	PASS
HVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-2.86	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-6.49	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-9.89	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-12.09	-269.76	269.76	PASS



HVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-10.92	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-9.81	-269.76	269.76	PASS
HVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-7.53	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-10.72	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.21	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-11.02	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-15.23	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-10.49	-249.76	249.76	PASS
HVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-6.73	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	0.19	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-0.74	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-1.6	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-5.69	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-10.46	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-17.79	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-19.52	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-15.34	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-11.33	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-14.48	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-12.82	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.23	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-1.98	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-5.46	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.84	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-4.89	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-9.11	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-11.67	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-5.69	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-5.97	-319.76	319.76	PASS
HVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-2.75	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-9.6	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-12.86	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.16	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-9.16	-389.76	389.76	PASS
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	-9.71	-389.76	389.76	PASS

		@Sens5							
HVLT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-2.93	-269.76	269.76	PASS
HVLT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-6.53	-269.76	269.76	PASS
HVLT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-9.86	-269.76	269.76	PASS
HVLT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-12.23	-269.76	269.76	PASS
HVLT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-10.9	-269.76	269.76	PASS
HVLT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-9.79	-269.76	269.76	PASS
HVLT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-7.42	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-10.62	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.14	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-11.07	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-15.19	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-10.51	-249.76	249.76	PASS
HVLT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-6.77	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	0.27	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-0.83	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-1.61	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-5.86	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-10.37	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-17.82	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-19.56	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-15.26	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-11.39	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-14.46	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-12.83	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.32	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-2.05	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-5.53	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.84	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-4.92	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-9.01	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-11.64	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-5.57	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-6.08	-319.76	319.76	PASS
LVHT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-2.81	-389.76	389.76	PASS

LVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-9.56	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-12.89	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.17	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-9.09	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-9.67	-389.76	389.76	PASS
LVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-2.92	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-6.49	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-9.76	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-12.14	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-10.8	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-9.84	-269.76	269.76	PASS
LVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-7.51	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-10.73	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.2	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-11.16	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-15.17	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-10.55	-249.76	249.76	PASS
LVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-6.75	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	0.22	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-0.7	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-1.52	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-5.79	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-10.37	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-17.9	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-19.61	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-15.2	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-11.41	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-14.5	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-12.91	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.39	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-2.04	-319.76	319.76	PASS

LVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-5.53	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.74	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-4.82	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-8.99	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-11.66	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-5.68	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-6.12	-319.76	319.76	PASS
LVL	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-2.71	-389.76	389.76	PASS
LVL	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-9.58	-389.76	389.76	PASS
LVL	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-12.78	-389.76	389.76	PASS
LVL	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-11.14	-389.76	389.76	PASS
LVL	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-9.03	-389.76	389.76	PASS
LVL	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-9.69	-389.76	389.76	PASS
LVL	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-3	-269.76	269.76	PASS
LVL	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-6.52	-269.76	269.76	PASS
LVL	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-9.76	-269.76	269.76	PASS
LVL	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-12.12	-269.76	269.76	PASS
LVL	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-10.82	-269.76	269.76	PASS
LVL	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-9.67	-269.76	269.76	PASS
LVL	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-7.41	-249.76	249.76	PASS
LVL	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-10.77	-249.76	249.76	PASS
LVL	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.2	-249.76	249.76	PASS
LVL	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-11.03	-249.76	249.76	PASS
LVL	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-15.14	-249.76	249.76	PASS
LVL	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-10.58	-249.76	249.76	PASS
LVL	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-6.91	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @1	38	897.6	6;6;6;6	0.28	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-0.76	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-1.63	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-5.77	-319.76	319.76	PASS

LVL	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-10.28	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-17.83	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-19.67	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-15.32	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-11.35	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-14.34	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-12.82	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-12.32	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-1.91	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-5.53	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.81	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-4.78	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-9.12	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-11.54	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-5.65	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-6.05	-319.76	319.76	PASS

#### Clause 4.2.28 EGPRS Transmitter output power

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.81	22	29	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.16	21	27	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.59	19	25	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	20.36	17	23	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.57	15	21	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	16.36	13	19	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.2	10	18	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	12.69	8	16	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.57	6	14	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.38	4	12	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.7	2	10	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	4.6	-1	9	PASS
HVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.18	0	0	PASS

HVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.55	-3	7	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.67	-5	5	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	26.31	22	29	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	25.02	21	27	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.77	19	25	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.91	17	23	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.22	15	21	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.04	13	19	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.81	10	18	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	13.03	8	16	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	11.1	6	14	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6.84	2	10	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	4.85	-1	9	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	3.12	-3	7	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.91	-5	5	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.17	22	29	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.32	21	27	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.8	19	25	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	20.79	17	23	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.21	15	21	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.15	13	19	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.08	10	18	PASS

HVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	12.84	8	16	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.24	6	14	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	8.81	4	12	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	6.96	2	10	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.82	-1	9	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.81	-3	7	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.63	-5	5	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.73	22	29	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.14	21	27	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.52	19	25	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	20.45	17	23	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.51	15	21	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	16.49	13	19	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.14	10	18	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	12.62	8	16	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.62	6	14	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.35	4	12	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.82	2	10	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	4.57	-1	9	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.53	-3	7	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.6	-5	5	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	26.37	22	29	PASS

HVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.84	21	27	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.85	19	25	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.96	17	23	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.31	15	21	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.07	13	19	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.79	10	18	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.9	8	16	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	11.09	6	14	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6.79	2	10	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	4.83	-1	9	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	3.05	-3	7	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.79	-5	5	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.12	22	29	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.32	21	27	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.71	19	25	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	20.7	17	23	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.2	15	21	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.14	13	19	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.04	10	18	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	12.85	8	16	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.07	6	14	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.01	0	0	PASS



HVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	8.85	4	12	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	6.81	2	10	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.89	-1	9	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.85	-3	7	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.81	-5	5	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.77	22	29	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.1	21	27	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.62	19	25	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	20.44	17	23	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.52	15	21	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	16.36	13	19	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.23	10	18	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	12.61	8	16	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.57	6	14	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.31	4	12	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.72	2	10	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	4.51	-1	9	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.53	-3	7	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.55	-5	5	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	26.29	22	29	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.89	21	27	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.72	19	25	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.06	0	0	PASS

LVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	21.02	17	23	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.22	15	21	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.01	13	19	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.88	10	18	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.98	8	16	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	11.08	6	14	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6.76	2	10	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	4.82	-1	9	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	3.13	-3	7	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.72	-5	5	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.08	22	29	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.29	21	27	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.73	19	25	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	20.65	17	23	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.16	15	21	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.09	13	19	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.06	10	18	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	12.79	8	16	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.1	6	14	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	8.87	4	12	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	6.85	2	10	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.81	-1	9	PASS

LVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.83	-3	7	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.79	-5	5	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	25.69	22	29	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.13	21	27	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	22.57	19	25	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	20.33	17	23	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.49	15	21	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	16.34	13	19	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	14.26	10	18	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	12.7	8	16	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	10.59	6	14	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	8.4	4	12	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	6.84	2	10	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	4.6	-1	9	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	2.54	-3	7	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	0.58	-5	5	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	26.3	22	29	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	24.92	21	27	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	22.77	19	25	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.9	17	23	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.23	15	21	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	16.97	13	19	PASS

LVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	14.92	10	18	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	12.95	8	16	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	11.15	6	14	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	6.86	2	10	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	4.79	-1	9	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	3.19	-3	7	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	0.88	-5	5	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	26.17	22	29	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.29	21	27	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	22.81	19	25	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	20.8	17	23	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.14	15	21	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.21	13	19	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.22	10	18	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	12.95	8	16	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.23	6	14	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	8.93	4	12	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	6.94	2	10	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	4.92	-1	9	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	2.75	-3	7	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	0.73	-5	5	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.18	0	0	PASS

HVHT	EGPRS900	975	880.2	6;6;6;6	slot1	26.8	24	30	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	slot1	25.48	22	28	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	slot1	23.26	20	26	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	slot1	21.71	18	24	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	slot1	19.49	16	22	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	slot1	17.34	14	20	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	slot1	14.89	12	18	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	slot1	13.51	10	16	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	slot1	11.27	6	16	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.9	4	14	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	slot1	7.22	2	12	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	slot1	5.29	0	10	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	slot1	26.78	24	30	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.32	22	28	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	slot1	23.06	20	26	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	slot1	21.01	18	24	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	slot1	19.28	16	22	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	slot1	17.36	14	20	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.58	12	18	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.41	10	16	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.32	6	16	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	slot1	8.97	4	14	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.18	0	0	PASS

HVHT	EGPRS900	38	897.6	16;16;16;16	slot1	7.28	2	12	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	slot1	5.24	0	10	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	slot1	26.98	24	30	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	slot1	25.66	22	28	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	slot1	23.2	20	26	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	slot1	21.6	18	24	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19.51	16	22	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.67	14	20	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.25	12	18	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	slot1	13.73	10	16	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	slot1	11.76	6	16	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	slot1	9.88	4	14	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	slot1	7.48	2	12	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	slot1	5.24	0	10	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	slot1	26.84	24	30	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	slot1	25.48	22	28	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	slot1	23.35	20	26	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	slot1	21.65	18	24	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	slot1	19.47	16	22	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	slot1	17.4	14	20	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	slot1	14.92	12	18	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	slot1	13.55	10	16	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.16	0	0	PASS

HVLT	EGPRS900	975	880.2	14;14;14;14	slot1	11.22	6	16	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	slot1	9.03	4	14	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	slot1	7.21	2	12	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	slot1	5.21	0	10	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	slot1	26.75	24	30	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.2	22	28	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	slot1	23.05	20	26	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	slot1	20.91	18	24	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	slot1	19.4	16	22	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	slot1	17.33	14	20	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.53	12	18	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.42	10	16	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	slot1	11.2	6	16	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	slot1	9.03	4	14	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	slot1	7.15	2	12	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	slot1	5.19	0	10	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	slot1	27.06	24	30	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	slot1	25.57	22	28	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	slot1	23.28	20	26	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	slot1	21.58	18	24	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	slot1	19.54	16	22	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	slot1	17.76	14	20	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.19	0	0	PASS

HVLT	EGPRS900	124	914.8	12;12;12;12	slot1	15.41	12	18	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	slot1	13.72	10	16	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	slot1	11.74	6	16	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	slot1	9.97	4	14	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	slot1	7.47	2	12	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	slot1	5.24	0	10	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	slot1	26.86	24	30	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	slot1	25.36	22	28	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	slot1	23.3	20	26	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	slot1	21.71	18	24	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	slot1	19.44	16	22	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	slot1	17.51	14	20	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	slot1	14.99	12	18	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	slot1	13.51	10	16	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	slot1	11.14	6	16	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	slot1	9.05	4	14	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	slot1	7.23	2	12	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	slot1	5.23	0	10	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	slot1	26.76	24	30	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.19	22	28	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	slot1	22.93	20	26	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	slot1	20.89	18	24	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.12	0	0	PASS



LVHT	EGPRS900	38	897.6	10;10;10;10	slot1	19.31	16	22	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	slot1	17.26	14	20	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.47	12	18	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.37	10	16	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.35	6	16	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	slot1	9.08	4	14	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	slot1	7.28	2	12	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	slot1	5.33	0	10	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	slot1	27.12	24	30	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	slot1	25.75	22	28	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	slot1	23.24	20	26	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	slot1	21.64	18	24	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19.57	16	22	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.71	14	20	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.35	12	18	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	slot1	13.71	10	16	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	slot1	11.65	6	16	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	slot1	9.81	4	14	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	slot1	7.49	2	12	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	slot1	5.18	0	10	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	slot1	26.85	24	30	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	slot1	25.4	22	28	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS

LVLT	EGPRS900	975	880.2	8;8;8;8	slot1	23.2	20	26	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	slot1	21.63	18	24	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	slot1	19.41	16	22	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	slot1	17.51	14	20	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	slot1	14.93	12	18	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	slot1	13.51	10	16	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	slot1	11.28	6	16	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.99	4	14	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	slot1	7.19	2	12	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	slot1	5.22	0	10	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	slot1	26.63	24	30	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.25	22	28	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	slot1	22.89	20	26	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	slot1	20.99	18	24	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	slot1	19.4	16	22	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	slot1	17.35	14	20	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.44	12	18	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.33	10	16	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	slot1	11.26	6	16	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	slot1	9.01	4	14	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	slot1	7.24	2	12	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	slot1	5.23	0	10	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.06	0	0	PASS

LVL	EGPRS900	124	914.8	6;6;6;6	slot1	27.09	24	30	PASS
LVL	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.14	0	0	PASS
LVL	EGPRS900	124	914.8	7;7;7;7	slot1	25.64	22	28	PASS
LVL	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVL	EGPRS900	124	914.8	8;8;8;8	slot1	23.24	20	26	PASS
LVL	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVL	EGPRS900	124	914.8	9;9;9;9	slot1	21.55	18	24	PASS
LVL	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.06	0	0	PASS
LVL	EGPRS900	124	914.8	10;10;10;10	slot1	19.57	16	22	PASS
LVL	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVL	EGPRS900	124	914.8	11;11;11;11	slot1	17.75	14	20	PASS
LVL	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
LVL	EGPRS900	124	914.8	12;12;12;12	slot1	15.23	12	18	PASS
LVL	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.03	0	0	PASS
LVL	EGPRS900	124	914.8	13;13;13;13	slot1	13.69	10	16	PASS
LVL	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVL	EGPRS900	124	914.8	14;14;14;14	slot1	11.71	6	16	PASS
LVL	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.08	0	0	PASS
LVL	EGPRS900	124	914.8	15;15;15;15	slot1	9.94	4	14	PASS
LVL	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVL	EGPRS900	124	914.8	16;16;16;16	slot1	7.48	2	12	PASS
LVL	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVL	EGPRS900	124	914.8	17;17;17;17	slot1	5.29	0	10	PASS

#### Clause 4.2.29 Modulation Spectrum in EGPRS configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-77.31	-60	-60.28	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-75.83	-60	-58.65	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-74.3	-60	-57.15	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-73.72	-60	-56.63	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-73.08	-60	-55.95	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-71.19	-60	-54.04	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-68.71	-60	-51.55	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-64.44	-60	-47.33	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-44.25	-33	-27.27	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-35.36	-30	-18.26	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.83	0.5	9.3	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.47	0.5	9.58	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-35.66	-30	-18.62	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-44.33	-33	-27.24	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-64.65	-60	-47.53	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-69.63	-60	-52.62	-55	PASS

HVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-70.73	-60	-53.63	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-73.13	-60	-56.03	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-74.62	-60	-57.52	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-75	-60	-57.83	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-76.14	-60	-59.1	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-77.41	-60	-60.37	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-75.34	-60	-83.18	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.26	-60	-81.07	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.43	-60	-81.03	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-72.55	-60	-80.23	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.88	-60	-79.69	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-69.99	-60	-77.85	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-67.68	-60	-75.51	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-64.95	-60	-72.86	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.72	-33	-49.61	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-39.06	-30	-46.77	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-7.22	0.5	-15.14	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-7.71	0.5	-15.41	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.62	-30	-46.3	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.15	-33	-49.83	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-65.86	-60	-73.57	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.08	-60	-75.88	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-69.85	-60	-77.75	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.85	-60	-79.64	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.5	-60	-80.14	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-74.35	-60	-82.09	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.22	-60	-82.15	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-76.21	-60	-84	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-76.86	-60	-59.5	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.72	-60	-59.47	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.88	-60	-57.46	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.33	-60	-57.13	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.55	-60	-55.33	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.6	-60	-53.2	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-68.48	-60	-51.32	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-63.92	-60	-46.59	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-43.5	-33	-26.2	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-33.99	-30	-16.68	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.26	0.5	10.13	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.3	0.5	10.07	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-34.54	-30	-17.22	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-44.4	-33	-27.05	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-63.02	-60	-45.54	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.65	-60	-51.26	-55	PASS

HVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.19	-60	-52.94	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.23	-60	-55.02	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-73.63	-60	-56.27	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.16	-60	-56.98	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-76.92	-60	-59.62	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.97	-60	-59.65	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.76	-60	-82.85	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.64	-60	-81.69	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-73.09	-60	-80.04	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-72.88	-60	-79.95	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-70.62	-60	-77.77	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.04	-60	-78.18	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.79	-60	-76	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-65.18	-60	-72.18	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.93	-33	-49.86	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.62	-30	-46.67	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.13	0.5	-15.18	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.33	0.5	-16.23	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.35	-30	-46.4	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.43	-33	-50.65	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.33	-60	-72.44	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.63	-60	-75.69	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-71.03	-60	-78	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-72.34	-60	-79.4	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.3	-60	-80.29	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-74.53	-60	-81.66	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-74.79	-60	-81.86	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.43	-60	-82.55	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-78.71	-60	-61.14	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.28	-60	-57.72	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-75.45	-60	-57.84	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-74.85	-60	-57.25	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-72.22	-60	-54.63	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-71.57	-60	-54.15	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-69.85	-60	-52.28	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-64.69	-60	-47.26	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-43.96	-33	-26.43	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-35.37	-30	-17.68	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-12.6	0.5	5.02	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-5.64	0.5	11.82	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.65	-30	-19.1	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-44.31	-33	-26.74	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-63.95	-60	-46.44	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-69.72	-60	-52.21	-55	PASS

HVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-71.23	-60	-53.51	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-73.83	-60	-56.18	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-75.63	-60	-58.12	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-76.54	-60	-58.94	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-75.17	-60	-57.62	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-77.12	-60	-59.57	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-74.55	-60	-81.9	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-73.58	-60	-80.82	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.88	-60	-81.09	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.23	-60	-79.56	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.93	-60	-79.16	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.89	-60	-77.17	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-67.74	-60	-75.02	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-65.01	-60	-72.27	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-42.67	-33	-49.97	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-38.71	-30	-46.05	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.98	0.5	-16.17	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.19	0.5	-15.56	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-39.15	-30	-46.45	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-42.63	-33	-49.94	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-65.06	-60	-72.32	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-67.69	-60	-74.93	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.27	-60	-76.65	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-71.18	-60	-78.36	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-73.41	-60	-80.76	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.54	-60	-80.75	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-74.81	-60	-82.22	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.24	-60	-82.59	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-77.41	-60	-60.11	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-75.71	-60	-58.58	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-74.26	-60	-57.16	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-73.8	-60	-56.57	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-73.08	-60	-55.98	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-71.18	-60	-54.03	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-68.67	-60	-51.53	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-64.43	-60	-47.32	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-44.33	-33	-27.21	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-35.3	-30	-18.21	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.83	0.5	9.32	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.41	0.5	9.61	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-35.74	-30	-18.57	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-44.41	-33	-27.2	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-64.58	-60	-47.49	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-69.69	-60	-52.46	-55	PASS

HVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-70.73	-60	-53.57	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-73.09	-60	-56.03	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-74.61	-60	-57.47	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-75.09	-60	-57.87	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-76.1	-60	-58.93	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-77.52	-60	-60.3	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-75.38	-60	-83.16	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.27	-60	-81.13	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.29	-60	-81.02	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-72.43	-60	-80.2	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.83	-60	-79.7	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-69.92	-60	-77.78	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-67.77	-60	-75.41	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-65	-60	-72.86	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.84	-33	-49.53	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-39.07	-30	-46.8	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-7.19	0.5	-15.08	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-7.71	0.5	-15.43	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.64	-30	-46.28	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.15	-33	-49.96	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-65.91	-60	-73.67	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.06	-60	-75.85	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-69.92	-60	-77.75	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.78	-60	-79.54	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.44	-60	-80.17	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-74.25	-60	-82.04	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.3	-60	-82.03	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-76.11	-60	-83.99	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-76.68	-60	-59.53	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.64	-60	-59.36	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.77	-60	-57.55	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.45	-60	-57.16	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.57	-60	-55.2	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.56	-60	-53.3	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-68.66	-60	-51.31	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-63.96	-60	-46.47	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-43.49	-33	-26.14	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-33.91	-30	-16.53	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.28	0.5	9.96	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.16	0.5	10.19	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-34.71	-30	-17.37	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-44.26	-33	-26.95	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-62.85	-60	-45.61	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.6	-60	-51.36	-55	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.24	-60	-52.95	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.24	-60	-55.01	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-73.69	-60	-56.18	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.21	-60	-56.94	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-76.9	-60	-59.57	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.92	-60	-59.65	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.8	-60	-82.88	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.57	-60	-81.64	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-73.08	-60	-80.05	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.03	-60	-80.08	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-70.78	-60	-77.82	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.01	-60	-78.03	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.96	-60	-75.84	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-65.09	-60	-72.12	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.96	-33	-49.88	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.63	-30	-46.62	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.24	0.5	-15.25	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.17	0.5	-16.2	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.34	-30	-46.24	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.44	-33	-50.54	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.23	-60	-72.4	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.5	-60	-75.57	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-71.05	-60	-78.06	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-72.38	-60	-79.33	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.33	-60	-80.41	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-74.64	-60	-81.67	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-74.91	-60	-81.88	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.56	-60	-82.56	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-78.76	-60	-61.1	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.3	-60	-57.75	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-75.44	-60	-57.94	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-74.79	-60	-57.41	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-72.16	-60	-54.62	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-71.65	-60	-54.13	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-69.83	-60	-52.24	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-64.86	-60	-47.2	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-43.97	-33	-26.5	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-35.4	-30	-17.68	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-12.57	0.5	4.94	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-5.67	0.5	11.9	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.64	-30	-19.08	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-44.23	-33	-26.65	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-63.86	-60	-46.43	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-69.75	-60	-52.1	-55	PASS



HVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-71.16	-60	-53.55	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-73.76	-60	-56.2	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-75.65	-60	-58.1	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-76.63	-60	-58.95	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-75.2	-60	-57.54	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-77.26	-60	-59.59	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-74.72	-60	-81.97	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-73.52	-60	-80.68	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.83	-60	-81.06	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.24	-60	-79.41	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.92	-60	-79.3	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.72	-60	-77.13	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-67.86	-60	-75.12	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-65.05	-60	-72.27	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-42.65	-33	-49.79	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-38.76	-30	-45.99	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.94	0.5	-16.16	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.23	0.5	-15.51	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-39.19	-30	-46.39	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-42.56	-33	-49.96	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-65.04	-60	-72.34	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-67.67	-60	-74.98	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.22	-60	-76.66	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-71.12	-60	-78.48	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-73.45	-60	-80.61	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.5	-60	-80.9	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-74.8	-60	-82.2	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.15	-60	-82.58	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-77.37	-60	-60.13	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-75.79	-60	-58.67	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-74.2	-60	-57.13	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-73.7	-60	-56.69	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-73.17	-60	-55.88	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-71.08	-60	-54.03	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-68.6	-60	-51.48	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-64.48	-60	-47.41	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-44.29	-33	-27.15	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-35.44	-30	-18.16	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.82	0.5	9.26	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.47	0.5	9.63	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-35.77	-30	-18.59	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-44.36	-33	-27.3	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-64.68	-60	-47.46	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-69.72	-60	-52.63	-55	PASS

LVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-70.7	-60	-53.61	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-73.02	-60	-55.94	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-74.63	-60	-57.42	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-75.02	-60	-57.87	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-76.14	-60	-58.92	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-77.52	-60	-60.32	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-75.39	-60	-83.22	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.34	-60	-81.1	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.44	-60	-81.03	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-72.47	-60	-80.2	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-71.91	-60	-79.73	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-70.03	-60	-77.67	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-67.72	-60	-75.52	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-65.05	-60	-72.78	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.86	-33	-49.53	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-38.89	-30	-46.73	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-7.26	0.5	-15.01	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-7.73	0.5	-15.52	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.66	-30	-46.42	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.23	-33	-49.96	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-65.91	-60	-73.62	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.17	-60	-75.85	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-69.98	-60	-77.79	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.74	-60	-79.51	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.38	-60	-80.15	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-74.2	-60	-82.12	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.22	-60	-82.06	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-76.2	-60	-83.93	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-76.81	-60	-59.37	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.8	-60	-59.46	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.88	-60	-57.36	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.42	-60	-57.01	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.54	-60	-55.28	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.51	-60	-53.19	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-68.51	-60	-51.29	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-63.91	-60	-46.48	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-43.42	-33	-26.19	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-33.91	-30	-16.66	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.21	0.5	10.06	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.2	0.5	10.07	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-34.66	-30	-17.25	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-44.23	-33	-26.99	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-62.89	-60	-45.54	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.61	-60	-51.4	-55	PASS

LVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.28	-60	-52.82	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.2	-60	-54.99	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-73.68	-60	-56.35	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.3	-60	-56.93	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-76.87	-60	-59.63	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.94	-60	-59.63	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.89	-60	-82.76	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.49	-60	-81.61	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-73.11	-60	-80.2	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-72.98	-60	-79.96	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-70.81	-60	-77.78	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.03	-60	-78.05	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.96	-60	-75.88	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-65.05	-60	-72.14	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-43	-33	-50.02	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.63	-30	-46.67	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.12	0.5	-15.16	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.22	0.5	-16.37	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.36	-30	-46.41	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.47	-33	-50.5	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.38	-60	-72.41	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.65	-60	-75.63	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-70.94	-60	-78.12	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-72.41	-60	-79.4	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.29	-60	-80.41	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-74.65	-60	-81.57	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-74.89	-60	-82	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.57	-60	-82.43	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-78.81	-60	-61.24	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.29	-60	-57.7	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-75.46	-60	-57.81	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-74.94	-60	-57.25	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-72.23	-60	-54.6	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-71.56	-60	-54.11	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-69.86	-60	-52.18	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-64.8	-60	-47.26	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-44.09	-33	-26.49	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-35.33	-30	-17.71	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-12.58	0.5	4.98	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-5.81	0.5	11.77	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.66	-30	-19.17	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-44.29	-33	-26.69	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-63.98	-60	-46.33	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-69.62	-60	-52.05	-55	PASS

LVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-71.07	-60	-53.52	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-73.67	-60	-56.28	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-75.63	-60	-58.18	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-76.57	-60	-59.03	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-75.25	-60	-57.65	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-77.25	-60	-59.7	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-74.67	-60	-82.01	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-73.56	-60	-80.7	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.88	-60	-81.01	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.22	-60	-79.4	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-71.91	-60	-79.28	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.79	-60	-77.02	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-67.87	-60	-75.18	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-64.97	-60	-72.41	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-42.65	-33	-49.91	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-38.68	-30	-45.96	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.86	0.5	-16.11	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.31	0.5	-15.57	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-39.21	-30	-46.46	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-42.63	-33	-49.81	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-65.09	-60	-72.19	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-67.64	-60	-74.88	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.38	-60	-76.49	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-71.1	-60	-78.46	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-73.5	-60	-80.66	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.48	-60	-80.86	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-74.92	-60	-82.08	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.3	-60	-82.51	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-77.38	-60	-60.26	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-75.84	-60	-58.67	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-74.35	-60	-57.12	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-73.68	-60	-56.57	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-73.03	-60	-55.95	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-71.18	-60	-53.95	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-68.62	-60	-51.58	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-64.56	-60	-47.44	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-44.29	-33	-27.25	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-35.37	-30	-18.23	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-7.87	0.5	9.36	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-7.5	0.5	9.6	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-35.66	-30	-18.49	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-44.41	-33	-27.17	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-64.63	-60	-47.55	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-69.73	-60	-52.57	-55	PASS

LVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-70.76	-60	-53.61	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-73.07	-60	-55.88	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-74.61	-60	-57.49	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-75.08	-60	-57.91	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-76.17	-60	-59.03	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-77.48	-60	-60.25	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-75.36	-60	-83.24	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-73.42	-60	-81.11	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-73.31	-60	-81.2	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-72.47	-60	-80.31	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-72.01	-60	-79.69	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-69.98	-60	-77.78	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-67.63	-60	-75.53	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-64.97	-60	-72.84	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.8	-33	-49.64	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-39.02	-30	-46.69	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-7.32	0.5	-14.98	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-7.8	0.5	-15.54	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-38.5	-30	-46.36	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-42.07	-33	-49.89	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-65.76	-60	-73.71	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.21	-60	-75.99	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-69.93	-60	-77.69	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-71.81	-60	-79.59	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-72.41	-60	-80.19	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-74.2	-60	-82.1	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-74.32	-60	-82.16	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-76.23	-60	-84.03	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-76.86	-60	-59.52	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-76.63	-60	-59.44	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-74.83	-60	-57.36	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-74.33	-60	-57.12	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-72.72	-60	-55.27	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-70.58	-60	-53.18	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-68.66	-60	-51.15	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-63.87	-60	-46.61	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-43.55	-33	-26.25	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-33.97	-30	-16.68	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-7.32	0.5	10.05	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-7.15	0.5	10.07	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-34.6	-30	-17.3	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-44.27	-33	-26.88	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-63.01	-60	-45.69	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-68.68	-60	-51.36	-55	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-70.22	-60	-52.79	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-72.37	-60	-54.89	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-73.58	-60	-56.22	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-74.28	-60	-56.98	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-77.06	-60	-59.55	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-76.91	-60	-59.59	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-75.72	-60	-82.83	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-74.61	-60	-81.57	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-72.99	-60	-80.06	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.03	-60	-79.99	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-70.65	-60	-77.79	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.01	-60	-78.1	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.96	-60	-75.91	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-65.09	-60	-72.05	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-42.96	-33	-50.03	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-39.63	-30	-46.7	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-8.24	0.5	-15.27	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-9.28	0.5	-16.35	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-39.25	-30	-46.28	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-43.5	-33	-50.56	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.27	-60	-72.42	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.49	-60	-75.63	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-70.97	-60	-78.11	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-72.38	-60	-79.47	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-73.41	-60	-80.28	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-74.46	-60	-81.62	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-74.79	-60	-81.84	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-75.49	-60	-82.57	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-78.79	-60	-61.15	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-75.19	-60	-57.57	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-75.49	-60	-57.89	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-74.83	-60	-57.22	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-72.15	-60	-54.54	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-71.6	-60	-54.03	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-69.88	-60	-52.32	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-64.68	-60	-47.27	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-44.12	-33	-26.48	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-35.28	-30	-17.74	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-12.55	0.5	4.99	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-5.62	0.5	11.76	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.71	-30	-19.13	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-44.27	-33	-26.78	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-63.98	-60	-46.28	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-69.75	-60	-52.13	-55	PASS

LVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-71.06	-60	-53.64	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-73.68	-60	-56.26	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-75.8	-60	-58.13	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-76.6	-60	-59.03	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-75.17	-60	-57.52	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-77.12	-60	-59.6	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-74.63	-60	-81.87	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-73.41	-60	-80.68	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-73.87	-60	-81.01	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-72.24	-60	-79.5	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-72.01	-60	-79.17	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-69.75	-60	-77.01	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-67.76	-60	-75.06	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-64.99	-60	-72.27	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-42.55	-33	-49.91	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-38.65	-30	-45.93	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.86	0.5	-16.27	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.24	0.5	-15.66	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-39.15	-30	-46.36	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-42.68	-33	-49.88	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-65.05	-60	-72.33	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-67.75	-60	-74.98	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-69.31	-60	-76.61	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-71.16	-60	-78.46	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-73.42	-60	-80.66	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-73.58	-60	-80.86	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-74.85	-60	-82.11	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-75.29	-60	-82.6	-55	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.79	-60	-58.25	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.54	-60	-58.82	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.93	-60	-56.3	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.6	-60	-56	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-73.15	-60	-54.6	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-800	-71.37	-60	-52.76	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-69.93	-60	-51.47	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-64.55	-60	-45.88	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-250	-41.77	-33	-23.15	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-200	-35.81	-30	-17.2	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-100	-7.79	0.5	10.76	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	100	-7.2	0.5	11.51	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	200	-36.13	-30	-17.5	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	250	-41.54	-33	-22.89	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-64.45	-60	-45.99	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-70.09	-60	-51.54	-51	PASS

HVHT	EGPRS900	975	880.2	6;6;6;6	800	-71.2	-60	-52.62	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1000	-73.37	-60	-54.7	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-75.37	-60	-56.85	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1400	-75.76	-60	-57.33	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1600	-75.89	-60	-57.28	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-78.48	-60	-59.92	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-77	-60	-80	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.74	-60	-78.65	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.31	-60	-77.3	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-73.55	-60	-76.52	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.88	-60	-75.07	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-800	-71.32	-60	-74.19	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-68.4	-60	-71.46	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-67.38	-60	-70.29	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-250	-42.07	-33	-45.2	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-200	-38.67	-30	-41.71	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.94	0.5	-11.94	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	100	-8.69	0.5	-11.76	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	200	-39.15	-30	-42.24	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	250	-42.77	-33	-45.73	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-66.08	-60	-69.19	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-69.03	-60	-71.88	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	800	-70.45	-60	-73.36	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1000	-73.09	-60	-76.17	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-73.8	-60	-76.92	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1400	-75.07	-60	-77.95	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1600	-75.35	-60	-78.51	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-76.47	-60	-79.42	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-77.83	-60	-59.09	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-77.56	-60	-58.85	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-76.67	-60	-57.95	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.45	-60	-56.78	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.08	-60	-54.5	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-800	-71.91	-60	-53.29	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-70.41	-60	-51.63	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-64.66	-60	-46.03	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-250	-42.48	-33	-23.81	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-200	-36.58	-30	-17.86	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.92	0.5	10.66	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	100	-8.36	0.5	10.33	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	200	-36.86	-30	-18.08	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	250	-41.61	-33	-22.92	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-64.71	-60	-46.05	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-71.15	-60	-52.39	-51	PASS



HVHT	EGPRS900	38	897.6	6;6;6;6	800	-71.86	-60	-53.26	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1000	-73.56	-60	-54.84	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-75.39	-60	-56.61	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1400	-75.85	-60	-57.08	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1600	-76.43	-60	-57.77	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-77.95	-60	-59.24	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-76.2	-60	-79.34	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.69	-60	-78.95	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-74.27	-60	-77.42	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.35	-60	-76.5	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.65	-60	-75.86	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-800	-70.89	-60	-74.05	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-68.14	-60	-71.34	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-67.07	-60	-70.24	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-250	-42.51	-33	-45.77	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-200	-39.04	-30	-42.27	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-100	-7.33	0.5	-10.54	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	100	-7.99	0.5	-11.09	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	200	-38.89	-30	-42.11	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	250	-41.98	-33	-45.16	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-66.22	-60	-69.4	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-68.85	-60	-71.96	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	800	-70.71	-60	-73.95	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1000	-72.67	-60	-75.98	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-74.14	-60	-77.22	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1400	-74.34	-60	-77.53	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1600	-75.49	-60	-78.62	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-76.98	-60	-80.18	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.46	-60	-59.1	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-76.52	-60	-58.21	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-75.18	-60	-56.69	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.01	-60	-56.61	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.95	-60	-55.51	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-800	-71.71	-60	-53.46	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-70.3	-60	-51.9	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-64.75	-60	-46.46	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-250	-42.76	-33	-24.35	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-200	-36.08	-30	-17.56	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-100	-7.69	0.5	10.82	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	100	-7.13	0.5	11.37	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	200	-36.42	-30	-18	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	250	-43.02	-33	-24.57	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-65.13	-60	-46.81	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-70.35	-60	-51.85	-51	PASS

HVHT	EGPRS900	124	914.8	6;6;6;6	800	-72.07	-60	-53.52	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1000	-73.01	-60	-54.65	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-75.59	-60	-57.25	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1400	-76.64	-60	-58.25	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1600	-76.76	-60	-58.45	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-76.85	-60	-58.4	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-77.58	-60	-79.7	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-76.51	-60	-78.75	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.62	-60	-77.78	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.86	-60	-76.16	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.39	-60	-74.61	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-800	-72.6	-60	-74.83	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-70.65	-60	-72.81	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-67.8	-60	-69.86	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-250	-42.75	-33	-44.94	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-200	-39.76	-30	-42.07	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-100	-8.55	0.5	-10.82	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	100	-8.91	0.5	-10.99	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	200	-39.53	-30	-41.9	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	250	-44.88	-33	-47.05	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-66.65	-60	-68.89	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-69.16	-60	-71.44	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	800	-71.19	-60	-73.33	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1000	-74.08	-60	-76.39	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-74.94	-60	-77.15	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1400	-75.58	-60	-77.91	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1600	-77.64	-60	-79.98	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-77.98	-60	-80.19	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.8	-60	-58.2	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.4	-60	-58.93	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.95	-60	-56.27	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.52	-60	-55.96	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-73.22	-60	-54.55	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-800	-71.29	-60	-52.79	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-70.07	-60	-51.36	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-64.57	-60	-45.9	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-250	-41.86	-33	-23.22	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-200	-35.74	-30	-17.22	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-100	-7.82	0.5	10.83	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	100	-7.15	0.5	11.39	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	200	-36.06	-30	-17.49	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	250	-41.54	-33	-22.92	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-64.52	-60	-45.85	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-70.14	-60	-51.48	-51	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	800	-71.25	-60	-52.55	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1000	-73.42	-60	-54.84	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-75.41	-60	-56.75	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1400	-75.85	-60	-57.17	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1600	-75.87	-60	-57.26	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-78.45	-60	-59.98	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-76.86	-60	-79.91	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.65	-60	-78.59	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.42	-60	-77.43	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-73.5	-60	-76.47	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-72	-60	-75.01	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-800	-71.33	-60	-74.28	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-68.4	-60	-71.39	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-67.36	-60	-70.32	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-250	-42.23	-33	-45.09	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-200	-38.75	-30	-41.73	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.84	0.5	-11.92	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	100	-8.68	0.5	-11.78	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	200	-39.19	-30	-42.31	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	250	-42.75	-33	-45.72	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-66.06	-60	-69.08	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-68.86	-60	-71.93	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	800	-70.4	-60	-73.45	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1000	-73.15	-60	-76.18	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-73.87	-60	-76.79	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1400	-74.99	-60	-77.89	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1600	-75.45	-60	-78.42	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-76.48	-60	-79.33	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-77.74	-60	-59.06	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-77.5	-60	-58.95	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-76.59	-60	-58.01	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.33	-60	-56.68	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.18	-60	-54.46	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-800	-71.87	-60	-53.18	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-70.33	-60	-51.72	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-64.77	-60	-46.06	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-250	-42.63	-33	-23.97	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.54	-30	-17.89	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-100	-8.03	0.5	10.69	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	100	-8.3	0.5	10.42	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	200	-36.73	-30	-18.04	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	250	-41.76	-33	-23.01	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-64.68	-60	-45.99	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-71.26	-60	-52.58	-51	PASS

HVLT	EGPRS900	38	897.6	6;6;6;6	800	-72.02	-60	-53.34	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1000	-73.46	-60	-54.91	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-75.32	-60	-56.69	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1400	-75.72	-60	-56.99	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1600	-76.43	-60	-57.7	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-77.9	-60	-59.22	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-76.13	-60	-79.32	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.59	-60	-78.94	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-74.24	-60	-77.5	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.34	-60	-76.64	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.6	-60	-75.85	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-800	-70.89	-60	-74	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-68.17	-60	-71.37	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-67.11	-60	-70.19	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-250	-42.43	-33	-45.76	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-200	-39.17	-30	-42.23	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-100	-7.38	0.5	-10.51	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	100	-7.91	0.5	-11.12	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	200	-38.89	-30	-41.94	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	250	-41.88	-33	-45.24	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-66.31	-60	-69.45	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-68.87	-60	-71.93	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	800	-70.74	-60	-73.9	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1000	-72.84	-60	-75.87	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-74	-60	-77.39	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1400	-74.27	-60	-77.62	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1600	-75.44	-60	-78.59	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-77.02	-60	-80.16	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.53	-60	-59.24	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-76.56	-60	-58.11	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-75.01	-60	-56.6	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-75.01	-60	-56.43	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.96	-60	-55.49	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-800	-71.85	-60	-53.42	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-70.36	-60	-51.96	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-64.74	-60	-46.4	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-250	-42.74	-33	-24.26	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-200	-35.93	-30	-17.66	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-100	-7.65	0.5	10.78	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	100	-7.06	0.5	11.29	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	200	-36.28	-30	-17.95	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	250	-42.92	-33	-24.52	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-65.19	-60	-46.65	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-70.36	-60	-51.93	-51	PASS

HVLT	EGPRS900	124	914.8	6;6;6;6	800	-71.99	-60	-53.65	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1000	-72.97	-60	-54.7	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-75.58	-60	-57.26	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1400	-76.68	-60	-58.22	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1600	-76.8	-60	-58.46	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-76.8	-60	-58.44	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-77.6	-60	-79.72	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-76.54	-60	-78.74	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.59	-60	-77.78	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.77	-60	-76	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.32	-60	-74.56	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-800	-72.63	-60	-74.86	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-70.67	-60	-72.77	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-67.63	-60	-69.95	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-250	-42.77	-33	-44.99	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-200	-39.72	-30	-42.04	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-100	-8.53	0.5	-10.68	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	100	-8.75	0.5	-11.11	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	200	-39.64	-30	-41.85	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	250	-44.82	-33	-47.21	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-66.72	-60	-68.97	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-69.21	-60	-71.58	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	800	-71.08	-60	-73.43	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1000	-74.13	-60	-76.44	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-74.87	-60	-77.25	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1400	-75.56	-60	-77.77	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1600	-77.77	-60	-79.96	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-77.94	-60	-80.17	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.84	-60	-58.36	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.38	-60	-58.93	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.85	-60	-56.33	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.62	-60	-56.04	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-73.13	-60	-54.5	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-800	-71.34	-60	-52.64	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-70.04	-60	-51.4	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-64.57	-60	-45.99	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-250	-41.79	-33	-23.28	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-200	-35.8	-30	-17.21	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-100	-7.68	0.5	10.9	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	100	-7.19	0.5	11.41	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	200	-36.09	-30	-17.64	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	250	-41.47	-33	-23	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-64.5	-60	-45.92	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-70.01	-60	-51.55	-51	PASS

LVHT	EGPRS900	975	880.2	6;6;6;6	800	-71.21	-60	-52.62	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1000	-73.34	-60	-54.69	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-75.32	-60	-56.72	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1400	-75.88	-60	-57.15	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1600	-75.78	-60	-57.19	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-78.42	-60	-59.82	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-76.91	-60	-80.01	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.66	-60	-78.62	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.43	-60	-77.36	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-73.49	-60	-76.52	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.95	-60	-74.97	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-800	-71.26	-60	-74.19	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-68.31	-60	-71.4	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-67.32	-60	-70.28	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-250	-42.16	-33	-45.11	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-200	-38.66	-30	-41.76	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.93	0.5	-11.9	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	100	-8.77	0.5	-11.67	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	200	-39.31	-30	-42.26	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	250	-42.73	-33	-45.68	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-66.08	-60	-69.16	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-68.95	-60	-71.86	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	800	-70.37	-60	-73.45	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1000	-73.07	-60	-76.11	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-73.81	-60	-76.88	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1400	-75.06	-60	-77.94	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1600	-75.34	-60	-78.43	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-76.4	-60	-79.32	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-77.69	-60	-59.07	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-77.44	-60	-58.86	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-76.59	-60	-57.89	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.37	-60	-56.76	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.19	-60	-54.39	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-800	-71.83	-60	-53.24	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-70.34	-60	-51.63	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-64.68	-60	-45.92	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-250	-42.58	-33	-23.8	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-200	-36.57	-30	-17.96	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-100	-7.91	0.5	10.7	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	100	-8.44	0.5	10.31	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	200	-36.81	-30	-18.08	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	250	-41.78	-33	-23.05	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-64.63	-60	-46.06	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-71.21	-60	-52.45	-51	PASS

LVHT	EGPRS900	38	897.6	6;6;6;6	800	-71.89	-60	-53.24	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1000	-73.61	-60	-54.82	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-75.33	-60	-56.56	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1400	-75.68	-60	-57.14	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1600	-76.28	-60	-57.7	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-77.82	-60	-59.26	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-76.18	-60	-79.38	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.71	-60	-78.77	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-74.22	-60	-77.51	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.44	-60	-76.49	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.59	-60	-75.9	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-800	-70.8	-60	-74.16	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-68.25	-60	-71.4	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-67.13	-60	-70.16	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-250	-42.49	-33	-45.76	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-200	-39.1	-30	-42.38	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-100	-7.35	0.5	-10.59	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	100	-7.91	0.5	-11.03	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	200	-38.85	-30	-41.94	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	250	-41.93	-33	-45.11	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-66.18	-60	-69.52	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-68.89	-60	-72.01	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	800	-70.61	-60	-73.8	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1000	-72.71	-60	-75.89	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-74.12	-60	-77.37	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1400	-74.33	-60	-77.56	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1600	-75.41	-60	-78.7	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-76.9	-60	-80.17	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.52	-60	-59.24	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-76.6	-60	-58.1	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-75.06	-60	-56.6	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-74.9	-60	-56.47	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.82	-60	-55.46	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-800	-71.71	-60	-53.38	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-70.42	-60	-51.97	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-64.81	-60	-46.37	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-250	-42.7	-33	-24.29	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-200	-36.11	-30	-17.57	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-100	-7.68	0.5	10.75	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	100	-7.14	0.5	11.32	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	200	-36.43	-30	-17.95	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	250	-42.96	-33	-24.59	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-65.13	-60	-46.65	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-70.35	-60	-52	-51	PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	800	-71.99	-60	-53.64	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1000	-73.09	-60	-54.66	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-75.55	-60	-57.11	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1400	-76.7	-60	-58.1	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1600	-76.78	-60	-58.44	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-76.82	-60	-58.54	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-77.43	-60	-79.82	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-76.5	-60	-78.85	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.51	-60	-77.87	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.75	-60	-76.14	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.44	-60	-74.73	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-800	-72.61	-60	-74.83	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-70.58	-60	-72.83	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-67.67	-60	-70	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-250	-42.73	-33	-45.01	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-200	-39.83	-30	-42.11	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-100	-8.51	0.5	-10.68	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	100	-8.92	0.5	-10.98	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	200	-39.53	-30	-41.95	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	250	-44.82	-33	-47.12	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-66.73	-60	-69.07	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-69.15	-60	-71.43	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	800	-71.09	-60	-73.41	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1000	-74.07	-60	-76.29	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-74.91	-60	-77.18	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1400	-75.51	-60	-77.82	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1600	-77.59	-60	-80	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-77.89	-60	-80.2	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-76.91	-60	-58.3	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-77.46	-60	-58.86	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-74.82	-60	-56.41	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-74.53	-60	-56.04	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-73.08	-60	-54.47	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-800	-71.36	-60	-52.75	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-70.03	-60	-51.46	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-64.48	-60	-45.83	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-250	-41.7	-33	-23.18	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-200	-35.76	-30	-17.24	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-100	-7.78	0.5	10.77	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	100	-7.21	0.5	11.42	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	200	-36.18	-30	-17.48	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	250	-41.57	-33	-23.03	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-64.56	-60	-45.91	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-70.12	-60	-51.52	-51	PASS



LVLT	EGPRS900	975	880.2	6;6;6;6	800	-71.09	-60	-52.5	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1000	-73.39	-60	-54.66	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-75.31	-60	-56.72	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1400	-75.82	-60	-57.3	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1600	-75.79	-60	-57.26	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-78.53	-60	-59.99	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-76.82	-60	-80.01	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-75.67	-60	-78.65	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-74.45	-60	-77.49	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-73.47	-60	-76.48	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-71.91	-60	-74.88	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-800	-71.32	-60	-74.33	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-68.43	-60	-71.29	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-67.36	-60	-70.2	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-250	-42.15	-33	-45.2	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-200	-38.8	-30	-41.73	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.78	0.5	-11.76	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	100	-8.79	0.5	-11.79	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	200	-39.32	-30	-42.21	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	250	-42.78	-33	-45.78	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-66.24	-60	-69.18	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-68.97	-60	-71.89	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	800	-70.38	-60	-73.49	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1000	-73.15	-60	-76.21	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-73.85	-60	-76.76	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1400	-75.06	-60	-78.06	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1600	-75.34	-60	-78.39	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-76.41	-60	-79.3	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-77.7	-60	-58.98	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-77.48	-60	-58.95	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-76.55	-60	-57.91	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-75.34	-60	-56.69	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-73.12	-60	-54.34	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-800	-71.94	-60	-53.3	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-70.31	-60	-51.72	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-64.69	-60	-46	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-250	-42.47	-33	-23.87	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.57	-30	-17.9	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-100	-7.99	0.5	10.67	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	100	-8.36	0.5	10.42	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	200	-36.83	-30	-18.01	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	250	-41.66	-33	-22.96	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-64.71	-60	-45.88	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-71.17	-60	-52.55	-51	PASS

LVLT	EGPRS900	38	897.6	6;6;6;6	800	-71.93	-60	-53.28	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1000	-73.51	-60	-54.92	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-75.23	-60	-56.52	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1400	-75.83	-60	-57.08	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1600	-76.33	-60	-57.6	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-77.92	-60	-59.13	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-76.11	-60	-79.39	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-75.64	-60	-78.91	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-74.28	-60	-77.44	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-73.47	-60	-76.63	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-72.74	-60	-75.77	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-800	-70.9	-60	-74.13	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-68.23	-60	-71.36	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-67.01	-60	-70.18	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-250	-42.43	-33	-45.62	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-200	-39.14	-30	-42.28	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-100	-7.34	0.5	-10.6	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	100	-7.93	0.5	-11.17	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	200	-38.84	-30	-42.05	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	250	-41.9	-33	-45.24	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-66.3	-60	-69.39	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-68.79	-60	-71.99	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	800	-70.74	-60	-73.85	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1000	-72.66	-60	-75.89	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-74.13	-60	-77.31	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1400	-74.38	-60	-77.51	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1600	-75.4	-60	-78.72	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-76.86	-60	-80.15	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-77.46	-60	-59.16	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-76.52	-60	-58.04	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-75.14	-60	-56.72	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-74.9	-60	-56.46	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-73.89	-60	-55.46	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-800	-71.8	-60	-53.3	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-70.42	-60	-51.97	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-64.76	-60	-46.32	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-250	-42.66	-33	-24.39	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-200	-35.93	-30	-17.66	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-100	-7.65	0.5	10.84	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	100	-7.19	0.5	11.39	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	200	-36.24	-30	-17.83	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	250	-42.98	-33	-24.59	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-65.13	-60	-46.74	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-70.26	-60	-51.97	-51	PASS

LVLT	EGPRS900	124	914.8	6;6;6;6	800	-72.05	-60	-53.49	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1000	-73.08	-60	-54.73	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-75.54	-60	-57.14	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1400	-76.56	-60	-58.1	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1600	-76.86	-60	-58.34	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-76.94	-60	-58.48	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-77.6	-60	-79.85	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-76.5	-60	-78.86	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-75.49	-60	-77.76	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-73.93	-60	-76.04	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-72.44	-60	-74.6	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-800	-72.61	-60	-74.86	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-70.66	-60	-72.83	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-67.8	-60	-70	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-250	-42.62	-33	-45	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-200	-39.81	-30	-42.08	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-100	-8.59	0.5	-10.79	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	100	-8.78	0.5	-11.14	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	200	-39.54	-30	-41.84	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	250	-44.99	-33	-47.05	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-66.76	-60	-68.88	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-69.15	-60	-71.5	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	800	-71.08	-60	-73.32	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1000	-74.03	-60	-76.27	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-74.98	-60	-77.19	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1400	-75.53	-60	-77.74	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1600	-77.69	-60	-79.82	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-77.85	-60	-80.19	-51	PASS

#### Clause 4.2.29 Switching Spectrum in EGPRS configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	25.78		PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.05	-31.2	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-45.24	-28.2	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-40.14	-26	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-35.94	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-36.25	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-38.91	-26	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-47.15	-28.2	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.63	-31.2	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.92		PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.45	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.04	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-65.01	-26	PASS

HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-61.21	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-61.25	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.15	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.77	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.7	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.15		PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-50.24	-30.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-47.08	-27.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-39.92	-25.87	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-36.53	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-34.41	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-39.69	-25.87	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-45.34	-27.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-48.2	-30.74	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.87		PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.93	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.93	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.36	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-62.69	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.93	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.64	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-68.6	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-70.41	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.07		PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-48.46	-30.84	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-45.98	-27.84	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-40.38	-25.92	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-36.18	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-37.62	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-40.95	-25.92	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-45.16	-27.84	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.76	-30.84	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.96		PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.3	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.14	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-63.99	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.83	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-59.93	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-64.2	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-68.95	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.02	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	25.71		PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.21	-31.2	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-45.28	-28.2	PASS

HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-39.96	-26	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-35.85	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-36.29	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-39.08	-26	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-47.05	-28.2	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.77	-31.2	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.93		PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.52	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.22	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-65.05	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-61.11	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-61.26	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.02	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.79	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.64	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.2		PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-50.23	-30.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-47.05	-27.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-39.92	-25.87	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-36.63	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-34.38	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-39.66	-25.87	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-45.4	-27.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-48.17	-30.74	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.89		PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.98	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-68.09	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.33	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-62.77	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.96	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.76	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-68.57	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-70.5	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.01		PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-48.5	-30.84	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-46.01	-27.84	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-40.36	-25.92	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-36.18	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-37.48	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-40.83	-25.92	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-45.31	-27.84	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.84	-30.84	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	1.12		PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.25	-36	PASS

HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.26	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-64.11	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.95	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-59.84	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-64.14	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-68.81	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.09	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	25.72		PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.18	-31.2	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-45.28	-28.2	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-40.12	-26	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-35.88	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-36.36	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-39.01	-26	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-47.09	-28.2	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.62	-31.2	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.8		PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.38	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.14	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-65.18	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-61.16	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-61.23	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.09	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.87	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.81	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.25		PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-50.15	-30.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-47.07	-27.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-39.96	-25.87	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-36.55	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-34.36	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-39.71	-25.87	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-45.4	-27.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-48.28	-30.74	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.86		PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.88	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.95	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.2	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-62.65	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.84	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.79	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-68.61	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-70.4	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.15		PASS

LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-48.44	-30.84	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-46.02	-27.84	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-40.33	-25.92	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-36.14	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-37.49	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-40.97	-25.92	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-45.27	-27.84	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.86	-30.84	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.94		PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.27	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.18	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-64.09	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.88	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-59.93	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-64.14	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-68.86	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.05	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	25.73		PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-48.03	-31.2	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-45.2	-28.2	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-40.11	-26	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-36.03	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-36.27	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-38.95	-26	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-47.16	-28.2	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-48.59	-31.2	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	0.85		PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-72.47	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-69.19	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-65.07	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-61.2	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-61.17	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-64.07	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-69.89	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-71.8	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	26.24		PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-50.23	-30.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-47.09	-27.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-39.97	-25.87	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-36.6	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-34.32	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-39.67	-25.87	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-45.28	-27.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-48.26	-30.74	PASS

LVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	0.96		PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.9	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-67.99	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-64.29	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-62.82	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-59.96	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-63.63	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-68.48	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-70.46	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	26.05		PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-48.49	-30.84	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-46.06	-27.84	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-40.41	-25.92	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-36.19	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-37.48	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-40.86	-25.92	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-45.34	-27.84	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-48.76	-30.84	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	0.98		PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.24	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-69.13	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-64.09	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-59.84	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-59.89	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-64.14	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-68.95	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-72.13	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	26.98		PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-47.88	-29.94	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.19	-26.94	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-40.85	-25.97	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-34.11	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-33.27	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-37.56	-25.97	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-45.97	-26.94	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-48.88	-29.94	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	5.17		PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.15	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.13	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-61.31	-26	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-59.85	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-58.78	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-60.66	-26	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-65.77	-32	PASS



HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-67.09	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	26.87		PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-46.45	-30.08	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.88	-27.08	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-42.03	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-35.1	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-35.66	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-40.11	-26	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-44.49	-27.08	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-48.17	-30.08	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	5.17		PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-65.59	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-67.61	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-61.34	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-58.75	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-58.79	-23	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-61.27	-26	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-66.94	-32	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.59	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	27.06		PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.19	-29.89	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.31	-26.89	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-40.96	-25.94	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-34.11	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-34.06	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-41.84	-25.94	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-46.53	-26.89	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-47.86	-29.89	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	5.4		PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.96	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-65.89	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-61.15	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-58.33	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-58.4	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-60.93	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-66.68	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-69.17	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	27.03		PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-47.91	-29.94	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.22	-26.94	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-40.98	-25.97	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-34.14	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-33.44	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-37.62	-25.97	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-46.05	-26.94	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-48.88	-29.94	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	5.14		PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-67.99	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.21	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-61.42	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-59.78	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-58.87	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-60.58	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-65.64	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-67.22	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	26.9		PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-46.53	-30.08	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.8	-27.08	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-42.04	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-35.07	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-35.66	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-40.14	-26	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-44.6	-27.08	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-48.23	-30.08	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Ref Power	5.3		PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-65.61	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-67.64	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-61.23	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-58.89	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-58.84	-23	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-61.21	-26	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-66.86	-32	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.63	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	27.07		PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.37	-29.89	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.39	-26.89	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-41.02	-25.94	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-34.02	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-34.03	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-41.85	-25.94	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-46.56	-26.89	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-47.89	-29.89	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	5.38		PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.84	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-65.85	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-61.23	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-58.41	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-58.44	-23	PASS

HVLT	EGPRS900	124	914.8	17;17;17;17	600	-61.01	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-66.71	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-69.21	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	26.98		PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-48.01	-29.94	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-46.28	-26.94	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-40.91	-25.97	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-34.06	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-33.34	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-37.51	-25.97	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-46	-26.94	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-49	-29.94	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	5.16		PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.05	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-66.23	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-61.42	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-59.95	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-58.81	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-60.75	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-65.67	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-67.22	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	26.84		PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-46.49	-30.08	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.83	-27.08	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-42.07	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-35.13	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-35.78	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-40.23	-26	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-44.55	-27.08	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-48.28	-30.08	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Ref Power	5.29		PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-65.55	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-67.72	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-61.37	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-58.86	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-58.94	-23	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-61.28	-26	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-66.94	-32	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-69.66	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	26.96		PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.27	-29.89	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.42	-26.89	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-40.99	-25.94	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-34.07	-23	PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	400	-34.05	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-41.91	-25.94	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-46.43	-26.89	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-47.99	-29.89	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	5.39		PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.93	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-65.82	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-61.22	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-58.32	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-58.44	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-61	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-66.63	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-69.17	-36	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	Ref Power	26.96		PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	-1800	-47.94	-29.94	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	-1200	-46.3	-26.94	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	-600	-40.87	-25.97	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	-400	-34.15	-23	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	400	-33.38	-23	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	600	-37.49	-25.97	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	1200	-46.03	-26.94	PASS
LVLТ	EGPRS900	975	880.2	6;6;6;6	1800	-48.91	-29.94	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	Ref Power	5.15		PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	-1800	-68.09	-36	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	-1200	-66.27	-32	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	-600	-61.31	-26	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	-400	-59.82	-23	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	400	-58.74	-23	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	600	-60.62	-26	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	1200	-65.62	-32	PASS
LVLТ	EGPRS900	975	880.2	17;17;17;17	1800	-67.14	-36	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	Ref Power	26.75		PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	-1800	-46.48	-30.08	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	-1200	-44.82	-27.08	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	-600	-41.99	-26	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	-400	-35.21	-23	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	400	-35.68	-23	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	600	-40.27	-26	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	1200	-44.53	-27.08	PASS
LVLТ	EGPRS900	38	897.6	6;6;6;6	1800	-48.22	-30.08	PASS
LVLТ	EGPRS900	38	897.6	17;17;17;17	Ref Power	5.27		PASS
LVLТ	EGPRS900	38	897.6	17;17;17;17	-1800	-65.46	-36	PASS
LVLТ	EGPRS900	38	897.6	17;17;17;17	-1200	-67.66	-32	PASS
LVLТ	EGPRS900	38	897.6	17;17;17;17	-600	-61.32	-26	PASS

LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-58.89	-23	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-58.79	-23	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-61.21	-26	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-66.87	-32	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-69.62	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	26.93		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-46.22	-29.89	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.29	-26.89	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-40.92	-25.94	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-34.03	-23	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-34.02	-23	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-41.96	-25.94	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-46.39	-26.89	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-47.99	-29.89	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	5.3		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.87	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-65.76	-32	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-61.31	-26	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-58.36	-23	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-58.44	-23	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-60.98	-26	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-66.75	-32	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-69.15	-36	PASS

#### Clause 4.2.4 Frequency error and phase error in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-22.56	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.32	0	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.09	0	20	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-15.05	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.39	0	5	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.33	0	20	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-22.58	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.33	0	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error	2.13	0	20	PASS

					(Degree)				
HVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-15.05	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.28	0	5	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.16	0	20	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-22.51	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.35	0	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.14	0	20	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-15.1	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.33	0	5	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.21	0	20	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-22.6	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.3	0	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.07	0	20	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-15.1	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.3	0	5	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.14	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-22.57	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.44	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.03	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-15	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.3	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.16	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Frequency Error	-22.67	-174.74	174.74	PASS

					(Hz)				
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.33	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.03	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-15.09	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.38	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.31	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	-22.67	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.29	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.03	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-14.94	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.36	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	1.15	0	20	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.52	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.19	0	5	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.9	0	20	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.16	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.34	0	5	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	0.86	0	20	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.63	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.16	0	5	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.96	0	20	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.21	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error	0.23	0	5	PASS

					(Degree)				
HVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	0.92	0	20	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.62	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.17	0	5	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	1.07	0	20	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.2	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.17	0	5	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	1.02	0	20	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.6	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.22	0	5	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	1.05	0	20	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.17	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.29	0	5	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	0.83	0	20	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.64	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.22	0	5	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	1	0	20	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.13	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.18	0	5	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	0.86	0	20	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.69	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.28	0	5	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Peak Phase Error	1.01	0	20	PASS



					(Degree)				
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.2	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.32	0	5	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	0.91	0	20	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	-2.66	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.16	0	5	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.93	0	20	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	-5.26	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.19	0	5	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	0.86	0	20	PASS

#### Clause 4.2.10 Transmitter output power in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.22	28	32	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.07	25	31	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.15	23	29	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.12	21	27	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	23.05	19	25	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	21.07	17	23	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19.04	15	21	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.79	13	19	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.9	11	17	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.89	8	16	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.63	6	14	PASS

HVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.47	4	12	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.38	2	10	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.59	-3	7	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	0.6	-5	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.22	28	32	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.01	25	31	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.98	23	29	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.86	21	27	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.96	19	25	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.8	17	23	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.8	15	21	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.72	13	19	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.75	11	17	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.83	8	16	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.66	6	14	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.66	4	12	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.45	2	10	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.53	0	8	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.88	-3	7	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	0.89	-5	5	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.15	28	32	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.2	0	0	PASS

HVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	28.94	25	31	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.86	23	29	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.96	21	27	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.92	19	25	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.76	17	23	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.69	15	21	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.8	13	19	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.96	11	17	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.99	8	16	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.33	6	14	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.3	4	12	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.33	2	10	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.5	0	8	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	4.14	-3	7	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.43	-5	5	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.25	28	32	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.06	25	31	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.04	23	29	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.14	21	27	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.98	19	25	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	21	17	23	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	18.94	15	21	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.2	0	0	PASS

HVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.79	13	19	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.82	11	17	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.85	8	16	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.67	6	14	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.58	4	12	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.32	2	10	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.59	-3	7	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	0.61	-5	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.28	28	32	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.04	25	31	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.87	23	29	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.95	21	27	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.99	19	25	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.95	17	23	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.81	15	21	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.76	13	19	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.7	11	17	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.76	8	16	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.64	6	14	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.69	4	12	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.42	2	10	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.46	0	8	PASS

HVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.9	-3	7	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	0.92	-5	5	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.26	28	32	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.01	25	31	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.94	23	29	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.87	21	27	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.96	19	25	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.89	17	23	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.78	15	21	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.91	13	19	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.87	11	17	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.96	8	16	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.31	6	14	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.39	4	12	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.33	2	10	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.46	0	8	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	4.17	-3	7	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.5	-5	5	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.25	28	32	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.11	25	31	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.15	23	29	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.12	21	27	PASS

LVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	23.11	19	25	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.93	17	23	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19.11	15	21	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.94	13	19	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.89	11	17	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.74	8	16	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.7	6	14	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.55	4	12	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.31	2	10	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.53	-3	7	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	0.52	-5	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.15	28	32	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	28.98	25	31	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	26.98	23	29	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.99	21	27	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.89	19	25	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.88	17	23	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.8	15	21	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.83	13	19	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.76	11	17	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.73	8	16	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.14	0	0	PASS

LVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.66	6	14	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.55	4	12	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.46	2	10	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.57	0	8	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.83	-3	7	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	0.95	-5	5	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.28	28	32	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.06	25	31	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	26.97	23	29	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.91	21	27	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.98	19	25	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.88	17	23	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.88	15	21	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.88	13	19	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.99	11	17	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	13.05	8	16	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.32	6	14	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.36	4	12	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.17	2	10	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.47	0	8	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	4.08	-3	7	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.34	-5	5	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.04	0	0	PASS

LVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	30.19	28	32	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.02	25	31	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.1	23	29	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.06	21	27	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	22.96	19	25	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	20.98	17	23	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19	15	21	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	16.9	13	19	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	14.8	11	17	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	12.78	8	16	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	10.61	6	14	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	8.5	4	12	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	6.37	2	10	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	2.55	-3	7	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	0.57	-5	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	30.21	28	32	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.01	25	31	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	27	23	29	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	24.85	21	27	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	22.87	19	25	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	20.81	17	23	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	18.83	15	21	PASS



LVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	16.7	13	19	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	14.8	11	17	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	12.69	8	16	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	10.74	6	14	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	8.57	4	12	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	6.5	2	10	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	4.49	0	8	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	2.9	-3	7	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	0.87	-5	5	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	30.28	28	32	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.06	25	31	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	27.03	23	29	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	24.84	21	27	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	22.84	19	25	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.74	17	23	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	18.86	15	21	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	16.8	13	19	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	14.97	11	17	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	12.88	8	16	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.23	6	14	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.31	4	12	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	7.21	2	10	PASS

LVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	5.63	0	8	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	4.14	-3	7	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	2.43	-5	5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.49	31	35	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.15	28	34	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.08	26	32	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	26.96	24	30	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	24.99	22	28	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.96	20	26	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	21.1	18	24	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	18.95	16	22	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	17.03	14	20	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.99	12	18	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.93	10	16	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.82	6	16	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.74	4	14	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.49	2	12	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.57	0	10	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.68	31	35	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	31.2	28	34	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	29.28	26	32	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	27.09	24	30	PASS

HVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.23	22	28	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	23.19	20	26	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	21.17	18	24	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	19.24	16	22	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	17.09	14	20	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	15.04	12	18	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	13.12	10	16	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.82	6	16	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.95	4	14	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.4	2	12	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.42	0	10	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.68	31	35	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	31.18	28	34	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	29.3	26	32	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	27.23	24	30	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	25.36	22	28	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	23.2	20	26	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	21.33	18	24	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	19.26	16	22	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	17.13	14	20	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	15.16	12	18	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	13.18	10	16	PASS

HVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	11.04	6	16	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.72	2	12	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.78	0	10	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.57	31	35	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.14	28	34	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.04	26	32	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	27.05	24	30	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	25	22	28	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	23.08	20	26	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	21.07	18	24	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	19.02	16	22	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	17.02	14	20	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.93	12	18	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.99	10	16	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.79	6	16	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.84	4	14	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.33	2	12	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.57	0	10	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.68	31	35	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	31.13	28	34	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	29.13	26	32	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.14	0	0	PASS

HVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	27.1	24	30	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.22	22	28	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	23.13	20	26	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	21.23	18	24	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	19.17	16	22	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	17.1	14	20	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	15.07	12	18	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	13.04	10	16	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.91	6	16	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.76	4	14	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.43	2	12	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.55	0	10	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.7	31	35	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	31.31	28	34	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	29.19	26	32	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	27.16	24	30	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	25.37	22	28	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	23.33	20	26	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	21.19	18	24	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	19.26	16	22	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	17.27	14	20	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	15.1	12	18	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.08	0	0	PASS

HVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	13.26	10	16	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.94	6	16	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.59	2	12	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.75	0	10	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.5	31	35	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.09	28	34	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.14	26	32	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	27.05	24	30	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	25	22	28	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	22.92	20	26	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	21.14	18	24	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	19.01	16	22	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	17.03	14	20	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	14.97	12	18	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.99	10	16	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.91	6	16	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.84	4	14	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.45	2	12	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.55	0	10	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.68	31	35	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	31.18	28	34	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	29.29	26	32	PASS

LVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	27.22	24	30	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.25	22	28	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	23.25	20	26	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	21.2	18	24	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	19.15	16	22	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	17.16	14	20	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	15.14	12	18	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	13.17	10	16	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.86	6	16	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.88	4	14	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.42	2	12	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.59	0	10	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.87	31	35	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	31.33	28	34	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	29.18	26	32	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	27.17	24	30	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	25.3	22	28	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	23.34	20	26	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	21.14	18	24	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	19.28	16	22	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	17.15	14	20	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	15.15	12	18	PASS

LVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	13.24	10	16	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	11.04	6	16	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.58	2	12	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.84	0	10	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	32.67	31	35	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	31.15	28	34	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	29.02	26	32	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	27.04	24	30	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	25.03	22	28	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	23.05	20	26	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	21.11	18	24	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	19.02	16	22	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	17.1	14	20	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	15	12	18	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	12.97	10	16	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	10.76	6	16	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	8.78	4	14	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	6.32	2	12	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	4.6	0	10	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	32.77	31	35	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	31.14	28	34	PASS
LVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.11	0	0	PASS



LVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	29.24	26	32	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	27.2	24	30	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	25.12	22	28	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	23.09	20	26	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	21.18	18	24	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	19.16	16	22	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	17.13	14	20	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	15.03	12	18	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	13.08	10	16	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	10.83	6	16	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	8.82	4	14	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	6.42	2	12	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	4.52	0	10	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	32.68	31	35	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	31.18	28	34	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	29.16	26	32	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	27.32	24	30	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	25.19	22	28	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	23.2	20	26	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	21.28	18	24	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	19.21	16	22	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	17.32	14	20	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.11	0	0	PASS

LVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	15.16	12	18	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	13.17	10	16	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	10.9	6	16	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	6.56	2	12	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	4.73	0	10	PASS

#### Clause 4.2.11 Modulation Spectrum in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-81.16	-60	-58.72	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-79.74	-60	-57.31	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.83	-60	-57.49	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.56	-60	-56.02	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.02	-60	-54.5	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-74.38	-60	-51.98	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.13	-60	-50.79	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.62	-60	-45.17	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.46	-33	-18.91	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-36.76	-30	-14.44	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.71	0.5	12.68	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	100	-8.55	0.5	13.78	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	200	-36.41	-30	-14.07	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.08	-33	-18.67	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-67.02	-60	-44.66	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-73.03	-60	-50.72	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	800	-75.32	-60	-52.88	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-76.46	-60	-54.22	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.44	-60	-56.02	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.33	-60	-56.87	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-80	-60	-57.64	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-80.74	-60	-58.33	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-77.86	-60	-84.95	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-76.08	-60	-83.36	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-75.38	-60	-82.54	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.87	-60	-81.14	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.89	-60	-80.18	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.91	-60	-78.18	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.52	-60	-75.93	-55	PASS

HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.15	-60	-72.32	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.61	-33	-47.94	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.73	-30	-44.03	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.74	0.5	-16.05	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.64	0.5	-15.9	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.78	-30	-44.05	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	250	-40.98	-33	-48.33	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-64.65	-60	-71.81	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-68.14	-60	-75.38	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	800	-69.97	-60	-77.27	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-72.64	-60	-79.85	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-74	-60	-81.35	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-74.43	-60	-81.83	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.22	-60	-83.68	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.82	-60	-84.05	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-80.48	-60	-57.97	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-80.8	-60	-58.14	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-79.36	-60	-56.78	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.45	-60	-56.03	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.09	-60	-54.51	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.76	-60	-53.21	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.12	-60	-50.62	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-68.05	-60	-45.41	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-41.7	-33	-19.27	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.15	-30	-14.48	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-9.76	0.5	12.85	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	100	-8.46	0.5	14.02	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.85	-30	-14.37	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	250	-41.34	-33	-18.68	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-67.27	-60	-44.63	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-72.54	-60	-49.91	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	800	-75.32	-60	-52.81	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.25	-60	-54.64	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.17	-60	-55.59	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.47	-60	-56.88	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-79.38	-60	-56.9	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-80.15	-60	-57.59	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-77.57	-60	-84.71	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-75.89	-60	-83.18	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-75.01	-60	-82.09	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-73.6	-60	-80.63	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.89	-60	-79.21	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.06	-60	-77.23	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-69.23	-60	-76.28	-55	PASS

HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-65.73	-60	-72.93	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.97	-33	-48.17	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.21	-30	-43.4	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.55	0.5	-15.6	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	100	-9.26	0.5	-16.32	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	200	-35.71	-30	-42.87	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	250	-41.59	-33	-48.72	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-65.13	-60	-72.31	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-68.62	-60	-75.8	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	800	-70.32	-60	-77.41	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-72.27	-60	-79.5	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-73.34	-60	-80.39	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.1	-60	-82.26	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.25	-60	-83.43	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.16	-60	-84.23	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.61	-60	-58.05	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.81	-60	-57.38	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.51	-60	-57.09	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.38	-60	-55.97	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.41	-60	-54.06	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-75.84	-60	-53.41	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.52	-60	-50.06	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.98	-60	-45.55	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.19	-33	-18.66	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.78	-30	-14.42	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.13	0.5	13.39	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	100	-8.77	0.5	13.79	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36.35	-30	-13.81	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.85	-33	-19.37	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-67.47	-60	-44.93	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-72.54	-60	-50.02	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	800	-75.58	-60	-53.06	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-76.87	-60	-54.4	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-78.16	-60	-55.62	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.93	-60	-56.43	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.61	-60	-57.28	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.14	-60	-57.54	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-78.06	-60	-83.35	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-77.25	-60	-82.76	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-76.13	-60	-81.5	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-74.97	-60	-80.39	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-73.52	-60	-78.79	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-71.5	-60	-76.79	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-69.77	-60	-75.14	-55	PASS

HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-65.68	-60	-71.11	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.63	-33	-47.09	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.89	-30	-42.25	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.61	0.5	-14.04	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	100	-9.25	0.5	-14.59	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	200	-37.11	-30	-42.55	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	250	-41.47	-33	-46.92	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-66.18	-60	-71.68	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-68.85	-60	-74.29	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	800	-70.91	-60	-76.28	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-73.38	-60	-78.84	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-75.59	-60	-80.97	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-75.79	-60	-81.03	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-77.64	-60	-83.06	-55	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-79.12	-60	-84.56	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-81.11	-60	-58.72	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-79.8	-60	-57.4	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.9	-60	-57.41	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.54	-60	-56.09	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.06	-60	-54.56	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-74.41	-60	-51.94	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.17	-60	-50.7	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.66	-60	-45.09	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.32	-33	-18.91	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-36.81	-30	-14.29	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.57	0.5	12.75	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	100	-8.58	0.5	13.74	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	200	-36.41	-30	-13.94	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	250	-41.1	-33	-18.71	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-67.05	-60	-44.68	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-72.96	-60	-50.71	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	800	-75.3	-60	-52.76	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-76.49	-60	-54.21	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.59	-60	-56.1	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.41	-60	-57.01	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-80.09	-60	-57.64	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-80.7	-60	-58.2	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-77.78	-60	-84.94	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-76.16	-60	-83.45	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-75.28	-60	-82.62	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.94	-60	-81.23	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.95	-60	-80.11	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.96	-60	-78.2	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.69	-60	-75.96	-55	PASS

HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.04	-60	-72.32	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.71	-33	-47.89	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.56	-30	-43.86	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.68	0.5	-16.1	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.63	0.5	-15.86	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.65	-30	-43.9	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	250	-40.94	-33	-48.31	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-64.57	-60	-71.92	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-68.1	-60	-75.45	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	800	-69.94	-60	-77.23	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-72.56	-60	-79.86	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-73.98	-60	-81.28	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-74.58	-60	-81.79	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.37	-60	-83.51	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.74	-60	-84.1	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-80.51	-60	-57.99	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-80.83	-60	-58.06	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-79.36	-60	-56.87	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.49	-60	-55.98	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.07	-60	-54.45	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.9	-60	-53.29	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.13	-60	-50.55	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-68.08	-60	-45.45	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-41.81	-33	-19.16	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.12	-30	-14.44	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-9.72	0.5	12.86	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	100	-8.51	0.5	14.01	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.96	-30	-14.46	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	250	-41.35	-33	-18.65	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-67.26	-60	-44.69	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-72.42	-60	-49.81	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	800	-75.45	-60	-52.75	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.18	-60	-54.69	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-77.99	-60	-55.43	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.45	-60	-56.91	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-79.44	-60	-56.92	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-80.24	-60	-57.63	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-77.59	-60	-84.75	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-75.89	-60	-83.03	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-75.11	-60	-82.19	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-73.65	-60	-80.69	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.95	-60	-79.17	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.14	-60	-77.27	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-69.19	-60	-76.31	-55	PASS

HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-65.75	-60	-72.83	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.05	-33	-48.24	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.16	-30	-43.31	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.41	0.5	-15.64	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	100	-9.21	0.5	-16.38	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	200	-35.72	-30	-42.86	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	250	-41.62	-33	-48.79	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-65.24	-60	-72.26	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-68.71	-60	-75.75	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	800	-70.21	-60	-77.43	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-72.26	-60	-79.36	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-73.43	-60	-80.56	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.17	-60	-82.36	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.27	-60	-83.46	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.2	-60	-84.19	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.66	-60	-58.14	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.89	-60	-57.37	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.54	-60	-56.96	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.53	-60	-55.95	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.47	-60	-54.05	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-75.83	-60	-53.39	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.61	-60	-49.99	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-68.03	-60	-45.47	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.05	-33	-18.64	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.93	-30	-14.33	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.19	0.5	13.26	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	100	-8.72	0.5	13.64	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36.19	-30	-13.76	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.87	-33	-19.48	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-67.48	-60	-44.99	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-72.62	-60	-50.05	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	800	-75.58	-60	-53.05	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-76.89	-60	-54.51	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-78.07	-60	-55.66	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.97	-60	-56.46	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.61	-60	-57.2	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.03	-60	-57.65	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-77.9	-60	-83.35	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-77.22	-60	-82.71	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-76.25	-60	-81.46	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-75	-60	-80.44	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-73.59	-60	-78.92	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-71.4	-60	-76.91	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-69.72	-60	-75.08	-55	PASS

HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-65.63	-60	-70.99	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.68	-33	-46.93	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-37.06	-30	-42.26	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.72	0.5	-13.99	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	100	-9.24	0.5	-14.5	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	200	-37.03	-30	-42.48	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	250	-41.48	-33	-46.94	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-66.31	-60	-71.59	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-68.96	-60	-74.24	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	800	-70.95	-60	-76.32	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-73.5	-60	-78.87	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-75.57	-60	-81.04	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-75.79	-60	-81.07	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-77.67	-60	-83.09	-55	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-79.08	-60	-84.42	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-81.21	-60	-58.79	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-79.85	-60	-57.28	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.85	-60	-57.55	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.57	-60	-56.03	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-76.98	-60	-54.51	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-74.34	-60	-51.97	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.11	-60	-50.7	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.62	-60	-45.16	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.46	-33	-18.94	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-36.71	-30	-14.45	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.72	0.5	12.81	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	100	-8.62	0.5	13.89	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	200	-36.41	-30	-13.96	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.22	-33	-18.74	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-67.11	-60	-44.68	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-73.08	-60	-50.7	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	800	-75.23	-60	-52.78	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-76.61	-60	-54.12	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.53	-60	-56.13	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.37	-60	-56.9	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-80.11	-60	-57.7	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-80.78	-60	-58.25	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-77.72	-60	-85.02	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-76.17	-60	-83.38	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-75.31	-60	-82.59	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.92	-60	-81.23	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.82	-60	-80.14	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.85	-60	-78.16	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.52	-60	-75.95	-55	PASS



LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.12	-60	-72.45	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.72	-33	-47.88	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.64	-30	-43.98	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.71	0.5	-16.03	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.53	0.5	-15.78	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.74	-30	-43.95	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	250	-41.08	-33	-48.21	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-64.65	-60	-71.94	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-68.24	-60	-75.54	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	800	-70	-60	-77.22	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-72.67	-60	-79.98	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-74	-60	-81.27	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-74.58	-60	-81.68	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.39	-60	-83.64	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.87	-60	-84	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-80.44	-60	-57.95	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-80.7	-60	-58.22	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-79.51	-60	-56.89	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.56	-60	-56	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.04	-60	-54.4	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.92	-60	-53.3	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.11	-60	-50.63	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-68.12	-60	-45.44	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-41.85	-33	-19.23	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.04	-30	-14.49	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-9.82	0.5	12.87	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	100	-8.6	0.5	13.97	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.84	-30	-14.41	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	250	-41.27	-33	-18.67	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-67.26	-60	-44.69	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-72.52	-60	-49.91	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	800	-75.45	-60	-52.76	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.37	-60	-54.61	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.17	-60	-55.42	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.41	-60	-56.97	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-79.39	-60	-56.83	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-80.16	-60	-57.53	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-77.56	-60	-84.65	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-76.04	-60	-83.17	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-75.06	-60	-82.21	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-73.51	-60	-80.64	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.97	-60	-79.05	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.15	-60	-77.21	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-69.26	-60	-76.34	-55	PASS

LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-65.82	-60	-72.83	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-40.95	-33	-48.09	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.19	-30	-43.28	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.46	0.5	-15.56	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	100	-9.23	0.5	-16.36	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	200	-35.81	-30	-42.97	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	250	-41.63	-33	-48.84	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-65.16	-60	-72.32	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-68.61	-60	-75.73	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	800	-70.28	-60	-77.41	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-72.33	-60	-79.55	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-73.44	-60	-80.53	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.25	-60	-82.33	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.21	-60	-83.41	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.09	-60	-84.31	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.66	-60	-58.19	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.74	-60	-57.32	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.45	-60	-57.12	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.49	-60	-56.06	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.56	-60	-53.99	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-75.88	-60	-53.43	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.5	-60	-49.97	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.88	-60	-45.5	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.07	-33	-18.65	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.96	-30	-14.48	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.18	0.5	13.43	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	100	-8.79	0.5	13.75	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36.35	-30	-13.85	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.85	-33	-19.4	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-67.44	-60	-45.04	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-72.46	-60	-50.15	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	800	-75.42	-60	-52.94	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-77.06	-60	-54.55	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-78.12	-60	-55.71	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.91	-60	-56.42	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.71	-60	-57.18	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.12	-60	-57.57	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-78.02	-60	-83.39	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1600	-77.31	-60	-82.75	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1400	-76.18	-60	-81.5	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-74.96	-60	-80.37	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1000	-73.51	-60	-78.85	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-800	-71.53	-60	-76.88	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-69.69	-60	-75.24	-55	PASS

LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-65.62	-60	-71.01	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.66	-33	-46.96	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-200	-37	-30	-42.29	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.62	0.5	-13.94	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	100	-9.23	0.5	-14.49	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	200	-37.03	-30	-42.5	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	250	-41.45	-33	-46.9	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-66.18	-60	-71.67	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-68.82	-60	-74.25	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	800	-70.89	-60	-76.26	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1000	-73.46	-60	-78.8	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-75.56	-60	-80.97	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1400	-75.78	-60	-81	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1600	-77.57	-60	-83.01	-55	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-79.06	-60	-84.54	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-81.11	-60	-58.85	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-79.84	-60	-57.36	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.98	-60	-57.43	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.41	-60	-56.04	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.02	-60	-54.68	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-74.35	-60	-51.93	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.05	-60	-50.78	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.5	-60	-45.25	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.44	-33	-18.96	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-36.72	-30	-14.35	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.71	0.5	12.71	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	100	-8.59	0.5	13.71	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	200	-36.37	-30	-13.99	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	250	-41.22	-33	-18.77	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-67.03	-60	-44.63	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-72.98	-60	-50.71	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	800	-75.34	-60	-52.81	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-76.61	-60	-54.13	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.46	-60	-56.07	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.25	-60	-56.87	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-79.95	-60	-57.59	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-80.76	-60	-58.24	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-77.8	-60	-84.96	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-76.13	-60	-83.3	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-75.2	-60	-82.61	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.77	-60	-81.18	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.89	-60	-80.08	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.95	-60	-78.16	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.61	-60	-75.96	-55	PASS

LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.05	-60	-72.36	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-40.6	-33	-47.89	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.73	-30	-43.87	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.77	0.5	-16.03	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.57	0.5	-15.89	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.62	-30	-44.02	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	250	-41.03	-33	-48.25	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-64.58	-60	-71.98	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-68.11	-60	-75.43	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	800	-69.92	-60	-77.2	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-72.58	-60	-79.8	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-74.06	-60	-81.36	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-74.51	-60	-81.78	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.29	-60	-83.58	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.8	-60	-84.18	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-80.57	-60	-57.95	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-80.83	-60	-58.14	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-79.32	-60	-56.87	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.45	-60	-56.03	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.05	-60	-54.5	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.84	-60	-53.17	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.21	-60	-50.68	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-67.95	-60	-45.46	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-41.71	-33	-19.24	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.06	-30	-14.52	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-9.88	0.5	12.85	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	100	-8.48	0.5	14.06	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.94	-30	-14.32	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	250	-41.31	-33	-18.67	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-67.34	-60	-44.67	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-72.51	-60	-49.84	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	800	-75.32	-60	-52.81	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.36	-60	-54.69	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.12	-60	-55.45	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.44	-60	-56.92	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-79.54	-60	-56.88	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-80.24	-60	-57.56	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-77.61	-60	-84.69	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-75.95	-60	-83.19	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-75.11	-60	-82.12	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-73.55	-60	-80.72	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.89	-60	-79.16	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.07	-60	-77.31	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-69.18	-60	-76.35	-55	PASS

LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-65.84	-60	-72.93	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.09	-33	-48.18	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.13	-30	-43.31	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.56	0.5	-15.56	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	100	-9.22	0.5	-16.2	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	200	-35.86	-30	-42.92	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	250	-41.69	-33	-48.86	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-65.14	-60	-72.38	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-68.69	-60	-75.74	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	800	-70.22	-60	-77.47	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-72.39	-60	-79.41	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-73.44	-60	-80.56	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.19	-60	-82.31	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.35	-60	-83.32	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.09	-60	-84.27	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.6	-60	-58.08	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.71	-60	-57.25	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.47	-60	-57.05	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.51	-60	-55.92	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.47	-60	-54.05	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-75.8	-60	-53.28	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.54	-60	-50.04	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.84	-60	-45.4	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.11	-33	-18.67	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.86	-30	-14.34	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-9.2	0.5	13.33	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	100	-8.75	0.5	13.7	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36.31	-30	-13.81	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.96	-33	-19.52	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-67.4	-60	-45	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-72.55	-60	-50.15	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	800	-75.42	-60	-52.98	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-76.96	-60	-54.52	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-78.11	-60	-55.65	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.91	-60	-56.47	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.56	-60	-57.21	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.03	-60	-57.66	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-77.97	-60	-83.39	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1600	-77.33	-60	-82.67	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1400	-76.24	-60	-81.54	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-74.9	-60	-80.28	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1000	-73.52	-60	-78.8	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-800	-71.47	-60	-76.92	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-69.82	-60	-75.15	-55	PASS

LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-65.6	-60	-71.07	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-250	-41.68	-33	-47.07	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-200	-36.91	-30	-42.44	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-100	-8.58	0.5	-14.06	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	100	-9.09	0.5	-14.5	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	200	-37.2	-30	-42.48	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	250	-41.56	-33	-47	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-66.2	-60	-71.71	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-68.82	-60	-74.24	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	800	-70.89	-60	-76.33	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1000	-73.37	-60	-78.75	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-75.7	-60	-80.96	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1400	-75.63	-60	-81.11	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1600	-77.59	-60	-82.98	-55	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-79.05	-60	-84.58	-55	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-80.75	-60	-56.09	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1600	-81.7	-60	-57.03	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1400	-80.79	-60	-56.07	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-79.64	-60	-54.97	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1000	-78.7	-60	-54.06	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-800	-76.82	-60	-52.19	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-74.83	-60	-50.23	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-70.23	-60	-45.56	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-250	-42.07	-33	-17.24	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-200	-36.23	-30	-11.39	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-100	-8.23	0.5	16.35	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	100	-8.96	0.5	15.74	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	200	-36.96	-30	-12.35	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	250	-40.94	-33	-16.25	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-70.03	-60	-45.41	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-74.8	-60	-50.26	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	800	-76.8	-60	-52.23	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1000	-77.8	-60	-53.09	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-79.41	-60	-54.76	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1400	-80.2	-60	-55.54	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1600	-81.14	-60	-56.45	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-82.07	-60	-57.45	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-76.75	-60	-80.44	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1600	-75.77	-60	-79.6	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1400	-75.57	-60	-79.36	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-73.44	-60	-77.2	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1000	-72.3	-60	-75.96	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-800	-69.98	-60	-73.74	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-68.97	-60	-72.7	-51	PASS

HVHT	GPRS900	975	880.2	17;17;17;17	-400	-65.64	-60	-69.48	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-250	-42.26	-33	-46.13	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-200	-36.27	-30	-40.15	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-100	-8.95	0.5	-12.73	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	100	-8.64	0.5	-12.31	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	200	-37.1	-30	-40.77	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	250	-40.9	-33	-44.77	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-65.72	-60	-69.5	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-68.05	-60	-71.67	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	800	-69.46	-60	-73.23	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1000	-72.22	-60	-75.9	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-73.8	-60	-77.72	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1400	-74.41	-60	-78.3	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1600	-76.37	-60	-80.31	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-76.28	-60	-80.11	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-82.35	-60	-57.05	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1600	-81.7	-60	-56.35	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1400	-81.47	-60	-56.24	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-80.07	-60	-54.8	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1000	-79.99	-60	-54.58	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-800	-77.52	-60	-52.26	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-75.44	-60	-50.13	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-70.46	-60	-45.2	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-250	-41.66	-33	-16.33	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-200	-36.55	-30	-11.4	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-100	-10.07	0.5	15.13	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	100	-8.55	0.5	16.67	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	200	-37.64	-30	-12.33	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	250	-41.35	-33	-16.18	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-70.24	-60	-45.02	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-75.6	-60	-50.31	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	800	-77.34	-60	-52.19	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1000	-80.26	-60	-55	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-79.65	-60	-54.43	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1400	-81.04	-60	-55.92	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1600	-81.99	-60	-56.7	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-82.41	-60	-57.25	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-77.04	-60	-80.77	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1600	-76.29	-60	-79.9	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1400	-75.31	-60	-79.14	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-74.14	-60	-77.97	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1000	-71.86	-60	-75.53	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-800	-70.14	-60	-73.83	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-68.4	-60	-72.02	-51	PASS

HVHT	GPRS900	38	897.6	17;17;17;17	-400	-65.98	-60	-69.74	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-250	-40.45	-33	-44.28	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-200	-37.07	-30	-40.81	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.39	0.5	-12.07	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	100	-9.7	0.5	-13.46	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	200	-37.22	-30	-41.03	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	250	-40.42	-33	-44.14	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-66.09	-60	-69.85	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-67.87	-60	-71.72	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	800	-69.84	-60	-73.65	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1000	-71.67	-60	-75.3	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-73.09	-60	-76.74	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1400	-75.3	-60	-79.08	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1600	-76.4	-60	-80.04	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-78.11	-60	-82.01	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-81.11	-60	-55.77	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1600	-83.16	-60	-57.96	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1400	-81.54	-60	-56.35	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-80.86	-60	-55.7	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1000	-79.07	-60	-53.79	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-800	-78.47	-60	-53.33	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-76.07	-60	-50.93	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-70.64	-60	-45.38	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-250	-41.23	-33	-15.87	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.54	-30	-12.43	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-100	-8.89	0.5	16.33	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	100	-9.71	0.5	15.41	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	200	-37.13	-30	-11.99	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	250	-41.21	-33	-15.88	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-70.48	-60	-45.24	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-75.26	-60	-49.96	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	800	-79.22	-60	-53.92	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1000	-79.48	-60	-54.09	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-80.08	-60	-54.93	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.53	-60	-55.33	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1600	-83.15	-60	-57.99	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.67	-60	-55.4	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-76.8	-60	-80.5	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1600	-75.75	-60	-79.26	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1400	-75.08	-60	-78.75	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-73.07	-60	-76.55	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1000	-72.36	-60	-75.81	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-800	-71.58	-60	-75.1	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-69.05	-60	-72.52	-51	PASS



HVHT	GPRS900	124	914.8	17;17;17;17	-400	-66.03	-60	-69.75	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-250	-41.29	-33	-44.67	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.01	-30	-40.72	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-100	-8.93	0.5	-12.44	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	100	-9.17	0.5	-12.74	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	200	-36.92	-30	-40.63	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	250	-41.06	-33	-44.56	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-65.41	-60	-69.01	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-68.59	-60	-72.09	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	800	-70.75	-60	-74.24	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1000	-72.65	-60	-76.17	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-72.65	-60	-76.27	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1400	-74.71	-60	-78.39	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1600	-77.32	-60	-80.8	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-76.94	-60	-80.56	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-80.62	-60	-56.03	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1600	-81.69	-60	-57.02	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1400	-80.73	-60	-55.98	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-79.53	-60	-54.85	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1000	-78.74	-60	-54.11	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-800	-76.95	-60	-52.18	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-74.91	-60	-50.24	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-70.2	-60	-45.66	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-250	-42.02	-33	-17.31	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-200	-36.18	-30	-11.43	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-100	-8.24	0.5	16.4	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	100	-8.84	0.5	15.72	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	200	-37.09	-30	-12.26	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	250	-40.94	-33	-16.39	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-70.07	-60	-45.4	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-74.9	-60	-50.27	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	800	-76.8	-60	-52.1	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1000	-77.8	-60	-53.24	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-79.49	-60	-54.83	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1400	-80.1	-60	-55.51	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1600	-81.26	-60	-56.55	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-82.06	-60	-57.35	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-76.64	-60	-80.41	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1600	-75.84	-60	-79.6	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1400	-75.55	-60	-79.4	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-73.29	-60	-77.19	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1000	-72.13	-60	-76.03	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-800	-69.93	-60	-73.87	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-69.03	-60	-72.87	-51	PASS

HVLT	GPRS900	975	880.2	17;17;17;17	-400	-65.7	-60	-69.51	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-250	-42.38	-33	-46.08	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-200	-36.31	-30	-40.19	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-100	-8.89	0.5	-12.84	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	100	-8.63	0.5	-12.31	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	200	-36.91	-30	-40.8	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	250	-40.92	-33	-44.84	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-65.68	-60	-69.48	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-67.97	-60	-71.78	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	800	-69.42	-60	-73.2	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1000	-72.14	-60	-76.06	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-73.84	-60	-77.71	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1400	-74.37	-60	-78.3	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1600	-76.5	-60	-80.22	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-76.46	-60	-80.24	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-82.47	-60	-57.12	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1600	-81.58	-60	-56.47	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1400	-81.49	-60	-56.31	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-80.12	-60	-54.77	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1000	-79.84	-60	-54.72	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-800	-77.47	-60	-52.23	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-75.41	-60	-50.2	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-70.46	-60	-45.15	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-250	-41.68	-33	-16.3	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-200	-36.58	-30	-11.24	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-100	-10.02	0.5	15.09	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	100	-8.53	0.5	16.79	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	200	-37.69	-30	-12.42	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	250	-41.34	-33	-16.12	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-70.23	-60	-45.05	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-75.51	-60	-50.34	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	800	-77.48	-60	-52.24	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1000	-80.15	-60	-54.94	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-79.6	-60	-54.33	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1400	-81.1	-60	-55.81	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1600	-81.92	-60	-56.65	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-82.46	-60	-57.26	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-77.06	-60	-80.92	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1600	-76.28	-60	-80.07	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1400	-75.3	-60	-79.15	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-74.32	-60	-77.93	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1000	-71.95	-60	-75.67	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-800	-70.13	-60	-73.71	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-68.3	-60	-72.02	-51	PASS

HVLT	GPRS900	38	897.6	17;17;17;17	-400	-66.05	-60	-69.86	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-250	-40.53	-33	-44.2	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-200	-37.24	-30	-40.83	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.42	0.5	-12.2	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	100	-9.73	0.5	-13.38	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	200	-37.2	-30	-41.09	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	250	-40.42	-33	-44.26	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-66.2	-60	-69.78	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-67.98	-60	-71.71	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	800	-69.83	-60	-73.61	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1000	-71.53	-60	-75.4	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-73.19	-60	-76.76	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1400	-75.24	-60	-79.06	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1600	-76.46	-60	-80.19	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-78.26	-60	-82.01	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-80.98	-60	-55.78	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1600	-83.2	-60	-57.9	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1400	-81.57	-60	-56.29	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-80.87	-60	-55.72	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1000	-79.04	-60	-53.82	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-800	-78.45	-60	-53.23	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-75.98	-60	-50.8	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-70.63	-60	-45.31	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-250	-41.23	-33	-15.93	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.59	-30	-12.39	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-100	-8.91	0.5	16.33	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	100	-9.8	0.5	15.47	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	200	-37.07	-30	-11.96	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	250	-41.23	-33	-15.94	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-70.46	-60	-45.24	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-75.22	-60	-50.04	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	800	-79.19	-60	-53.95	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1000	-79.33	-60	-54.26	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-80.09	-60	-54.99	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.61	-60	-55.31	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1600	-83.27	-60	-58.09	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.68	-60	-55.56	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-76.78	-60	-80.46	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1600	-75.74	-60	-79.28	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1400	-75.11	-60	-78.75	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-73.05	-60	-76.54	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1000	-72.27	-60	-75.8	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-800	-71.56	-60	-74.97	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-68.97	-60	-72.63	-51	PASS

HVLT	GPRS900	124	914.8	17;17;17;17	-400	-66.03	-60	-69.62	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-250	-41.21	-33	-44.82	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-200	-37.05	-30	-40.7	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-100	-9	0.5	-12.54	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	100	-9.1	0.5	-12.61	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	200	-36.95	-30	-40.65	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	250	-41.19	-33	-44.7	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-65.39	-60	-68.87	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-68.43	-60	-72.02	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	800	-70.73	-60	-74.37	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1000	-72.61	-60	-76.14	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-72.82	-60	-76.27	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1400	-74.74	-60	-78.36	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1600	-77.35	-60	-80.97	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-76.92	-60	-80.55	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-80.63	-60	-56.09	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1600	-81.62	-60	-56.94	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1400	-80.71	-60	-56.07	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-79.62	-60	-54.86	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1000	-78.65	-60	-54	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-800	-76.86	-60	-52.18	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-74.92	-60	-50.2	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-70.24	-60	-45.56	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-250	-42.06	-33	-17.36	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-200	-36.19	-30	-11.51	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-100	-8.4	0.5	16.31	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	100	-8.86	0.5	15.69	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	200	-36.99	-30	-12.35	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	250	-40.92	-33	-16.37	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-70.01	-60	-45.43	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-74.89	-60	-50.21	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	800	-76.82	-60	-52.15	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1000	-77.88	-60	-53.12	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-79.48	-60	-54.75	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1400	-80.06	-60	-55.47	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1600	-81.22	-60	-56.43	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-82.03	-60	-57.43	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-76.75	-60	-80.44	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1600	-75.75	-60	-79.57	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1400	-75.53	-60	-79.39	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-73.34	-60	-77.25	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1000	-72.19	-60	-75.94	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-800	-69.98	-60	-73.78	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-69.06	-60	-72.77	-51	PASS

LVHT	GPRS900	975	880.2	17;17;17;17	-400	-65.72	-60	-69.6	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-250	-42.28	-33	-46	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-200	-36.38	-30	-40.08	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-100	-9	0.5	-12.81	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	100	-8.61	0.5	-12.28	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	200	-36.99	-30	-40.76	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	250	-41.03	-33	-44.77	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-65.78	-60	-69.53	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-67.89	-60	-71.86	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	800	-69.35	-60	-73.15	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1000	-72.26	-60	-75.93	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-73.82	-60	-77.73	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1400	-74.37	-60	-78.25	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1600	-76.49	-60	-80.35	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-76.34	-60	-80.14	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-82.47	-60	-57.09	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1600	-81.63	-60	-56.36	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1400	-81.58	-60	-56.18	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-79.98	-60	-54.81	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1000	-79.85	-60	-54.61	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-800	-77.44	-60	-52.17	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-75.46	-60	-50.13	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-70.55	-60	-45.17	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-250	-41.55	-33	-16.42	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-200	-36.54	-30	-11.25	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-100	-10.02	0.5	15.12	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	100	-8.51	0.5	16.71	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	200	-37.67	-30	-12.37	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	250	-41.44	-33	-16.2	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-70.35	-60	-44.98	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-75.61	-60	-50.33	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	800	-77.37	-60	-52.13	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1000	-80.12	-60	-54.84	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-79.7	-60	-54.36	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1400	-81.14	-60	-55.85	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1600	-81.91	-60	-56.72	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-82.53	-60	-57.1	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-77.23	-60	-80.9	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1600	-76.31	-60	-79.92	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1400	-75.43	-60	-79.12	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-74.19	-60	-78	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1000	-71.91	-60	-75.54	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-800	-70.02	-60	-73.73	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-68.48	-60	-72.2	-51	PASS

LVHT	GPRS900	38	897.6	17;17;17;17	-400	-66.15	-60	-69.8	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-250	-40.49	-33	-44.18	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-200	-37.17	-30	-40.91	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.4	0.5	-12.18	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	100	-9.79	0.5	-13.34	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	200	-37.37	-30	-41.08	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	250	-40.55	-33	-44.31	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-66.08	-60	-69.91	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-68.01	-60	-71.65	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	800	-69.94	-60	-73.55	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1000	-71.64	-60	-75.41	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-73.12	-60	-76.82	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1400	-75.39	-60	-79.02	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1600	-76.32	-60	-80.22	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-78.28	-60	-81.82	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-80.97	-60	-55.73	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1600	-83.12	-60	-58.03	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1400	-81.49	-60	-56.39	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-80.94	-60	-55.73	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1000	-79.18	-60	-53.82	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-800	-78.5	-60	-53.22	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-76.1	-60	-50.87	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-70.52	-60	-45.45	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-250	-41.27	-33	-15.95	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.57	-30	-12.42	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-100	-8.96	0.5	16.17	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	100	-9.72	0.5	15.43	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	200	-37.13	-30	-11.86	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	250	-41.04	-33	-15.85	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-70.48	-60	-45.21	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-75.23	-60	-50	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	800	-79.15	-60	-54	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1000	-79.31	-60	-54.28	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-80.16	-60	-54.99	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.54	-60	-55.29	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1600	-83.32	-60	-57.91	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.69	-60	-55.46	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-76.87	-60	-80.37	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1600	-75.62	-60	-79.34	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1400	-75.08	-60	-78.77	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-72.96	-60	-76.58	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1000	-72.32	-60	-75.79	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-800	-71.53	-60	-75.01	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-69	-60	-72.51	-51	PASS

LVHT	GPRS900	124	914.8	17;17;17;17	-400	-66.1	-60	-69.64	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-250	-41.29	-33	-44.79	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.04	-30	-40.66	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-100	-8.98	0.5	-12.44	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	100	-9.13	0.5	-12.69	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	200	-37.04	-30	-40.52	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	250	-41.06	-33	-44.75	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-65.47	-60	-68.88	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-68.61	-60	-72.04	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	800	-70.68	-60	-74.38	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1000	-72.56	-60	-76.09	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-72.84	-60	-76.22	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1400	-74.87	-60	-78.36	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1600	-77.41	-60	-80.95	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-77.02	-60	-80.51	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-80.73	-60	-56.06	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1600	-81.61	-60	-57.06	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1400	-80.73	-60	-55.96	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-79.59	-60	-54.94	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1000	-78.65	-60	-53.96	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-800	-76.82	-60	-52.32	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-74.96	-60	-50.26	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-70.22	-60	-45.6	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-250	-41.97	-33	-17.33	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-200	-36.15	-30	-11.54	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-100	-8.32	0.5	16.42	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	100	-8.9	0.5	15.75	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	200	-37.03	-30	-12.32	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	250	-40.98	-33	-16.29	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-70.01	-60	-45.35	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-74.75	-60	-50.26	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	800	-76.81	-60	-52.09	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1000	-77.83	-60	-53.11	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-79.36	-60	-54.69	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1400	-80.09	-60	-55.55	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1600	-81.13	-60	-56.53	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-82.03	-60	-57.43	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-76.63	-60	-80.53	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1600	-75.85	-60	-79.5	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1400	-75.44	-60	-79.32	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-73.47	-60	-77.1	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1000	-72.23	-60	-76.11	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-800	-70.05	-60	-73.8	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-69	-60	-72.81	-51	PASS

LVLT	GPRS900	975	880.2	17;17;17;17	-400	-65.8	-60	-69.45	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-250	-42.31	-33	-46.05	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-200	-36.26	-30	-40.16	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-100	-8.9	0.5	-12.73	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	100	-8.56	0.5	-12.38	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	200	-37.1	-30	-40.75	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	250	-40.98	-33	-44.74	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-65.71	-60	-69.61	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-68	-60	-71.67	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	800	-69.43	-60	-73.18	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1000	-72.12	-60	-76.07	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-73.89	-60	-77.66	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1400	-74.38	-60	-78.32	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1600	-76.47	-60	-80.36	-51	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-76.34	-60	-80.16	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-82.34	-60	-57.23	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1600	-81.69	-60	-56.39	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1400	-81.44	-60	-56.17	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-80.03	-60	-54.88	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1000	-79.88	-60	-54.73	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-800	-77.55	-60	-52.14	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-75.4	-60	-50.13	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-70.36	-60	-45.09	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-250	-41.53	-33	-16.39	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-200	-36.65	-30	-11.42	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-100	-10.08	0.5	15.06	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	100	-8.64	0.5	16.8	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	200	-37.66	-30	-12.51	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	250	-41.42	-33	-16.1	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-70.18	-60	-44.98	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-75.51	-60	-50.21	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	800	-77.48	-60	-52.06	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1000	-80.14	-60	-54.82	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-79.64	-60	-54.48	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1400	-81.04	-60	-55.79	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1600	-81.95	-60	-56.76	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-82.51	-60	-57.27	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-77.16	-60	-80.79	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1600	-76.3	-60	-79.99	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1400	-75.35	-60	-79.02	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-74.29	-60	-78.01	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1000	-71.81	-60	-75.58	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-800	-69.99	-60	-73.75	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-68.29	-60	-72.15	-51	PASS



LVLT	GPRS900	38	897.6	17;17;17;17	-400	-66	-60	-69.73	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-250	-40.5	-33	-44.12	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-200	-37.21	-30	-40.94	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.42	0.5	-12.2	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	100	-9.64	0.5	-13.35	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	200	-37.34	-30	-40.91	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	250	-40.53	-33	-44.17	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-66.15	-60	-69.88	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-67.93	-60	-71.66	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	800	-69.81	-60	-73.71	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1000	-71.61	-60	-75.3	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-73.06	-60	-76.93	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1400	-75.37	-60	-79.14	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1600	-76.42	-60	-80.11	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-78.26	-60	-81.9	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-81.13	-60	-55.73	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1600	-83.1	-60	-58.01	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1400	-81.56	-60	-56.37	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-80.87	-60	-55.62	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1000	-78.99	-60	-53.96	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-800	-78.45	-60	-53.32	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-76.15	-60	-50.85	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-70.61	-60	-45.34	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-250	-41.2	-33	-15.99	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.52	-30	-12.35	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-100	-9.07	0.5	16.21	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	100	-9.67	0.5	15.59	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	200	-37.12	-30	-12.02	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	250	-41.22	-33	-15.95	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-70.45	-60	-45.32	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-75.16	-60	-49.93	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	800	-79.2	-60	-53.97	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1000	-79.36	-60	-54.25	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-80.02	-60	-54.98	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.53	-60	-55.38	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1600	-83.16	-60	-57.94	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.68	-60	-55.39	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-76.89	-60	-80.44	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1600	-75.66	-60	-79.31	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1400	-75.09	-60	-78.65	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-72.96	-60	-76.64	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1000	-72.25	-60	-75.84	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-800	-71.5	-60	-75.01	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-69.05	-60	-72.64	-51	PASS

LVLT	GPRS900	124	914.8	17;17;17;17	-400	-66.1	-60	-69.74	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-250	-41.29	-33	-44.82	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-200	-37.16	-30	-40.56	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-100	-9	0.5	-12.46	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	100	-8.99	0.5	-12.57	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	200	-36.97	-30	-40.64	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	250	-41.09	-33	-44.69	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-65.32	-60	-68.94	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-68.5	-60	-72.12	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	800	-70.66	-60	-74.2	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1000	-72.59	-60	-76.21	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-72.76	-60	-76.24	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1400	-74.76	-60	-78.25	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1600	-77.32	-60	-80.82	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-77.02	-60	-80.52	-51	PASS

#### Clause 4.2.11 Switching Spectrum in GPRS multi slot configuration

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.2		PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-41.34	-27.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-38.29	-24.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.23	-24.33	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-35.27	-22.33	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-32.27	-22.33	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-30.34	-24.33	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-35.48	-24.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.82	-27.66	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.99		PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-56.85	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-53.06	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-47.98	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-43.78	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-40.23	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-46.82	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-52.74	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-56.82	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.53		PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-42.82	-27.33	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-38.71	-24.33	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-31.46	-24.16	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-34.44	-22.16	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-32.32	-22.16	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-31.24	-24.16	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-36.43	-24.33	PASS

HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.73	-27.33	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.29		PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-59.59	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-55.65	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-50.47	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-47.15	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-41.83	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-49.98	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-55.5	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.7	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.69		PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-45.12	-27.21	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.55	-24.21	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-33.84	-24.11	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-33.93	-22.11	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-31.35	-22.11	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-33.55	-24.11	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.71	-24.21	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-43.03	-27.21	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-2.91		PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-64.23	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-59.99	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-55.06	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-52.32	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-45.01	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-54.11	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-60.41	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-64.8	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.25		PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-41.33	-27.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-38.26	-24.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.21	-24.33	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-35.28	-22.33	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-32.3	-22.33	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-30.28	-24.33	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-35.41	-24.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.79	-27.66	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	1		PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-56.84	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-53.22	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-47.9	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-43.68	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-40.27	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-46.77	-26	PASS

HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-52.75	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-56.79	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.61		PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-42.98	-27.33	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-38.9	-24.33	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-31.34	-24.16	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-34.46	-22.16	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-32.47	-22.16	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-31.22	-24.16	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-36.51	-24.33	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.79	-27.33	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.23		PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-59.67	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-55.55	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-50.45	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-47.17	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-41.78	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-50.02	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-55.62	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.73	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.74		PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-45.04	-27.21	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.59	-24.21	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-33.84	-24.11	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-34.01	-22.11	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-31.33	-22.11	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-33.55	-24.11	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.66	-24.21	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-42.99	-27.21	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-2.98		PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-64.07	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-59.98	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-55.11	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-52.46	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-45.03	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-54.19	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-60.52	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-64.73	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.31		PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-41.39	-27.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-38.44	-24.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.26	-24.33	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-35.26	-22.33	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-32.27	-22.33	PASS

LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-30.38	-24.33	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-35.52	-24.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.81	-27.66	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.94		PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-56.85	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-53.06	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-47.87	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-43.73	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-40.34	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-46.87	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-52.78	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-56.75	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.61		PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-42.87	-27.33	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-38.74	-24.33	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-31.49	-24.16	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-34.55	-22.16	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-32.48	-22.16	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-31.26	-24.16	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-36.46	-24.33	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.82	-27.33	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.4		PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-59.6	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-55.58	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-50.51	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-47.01	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-41.9	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-49.9	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-55.44	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.65	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.64		PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-45.1	-27.21	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.62	-24.21	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-33.87	-24.11	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-33.91	-22.11	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-31.3	-22.11	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-33.49	-24.11	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.8	-24.21	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-43.01	-27.21	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-2.94		PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-64.16	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-60.06	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-55	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-52.49	-23	PASS

LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-44.89	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-54.23	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-60.42	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-64.81	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	29.16		PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-41.41	-27.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-38.33	-24.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-31.24	-24.33	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-35.38	-22.33	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-32.3	-22.33	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-30.36	-24.33	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-35.46	-24.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-41.93	-27.66	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	0.99		PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-56.97	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-53.09	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-47.88	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-43.78	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-40.32	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-46.82	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-52.74	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-56.73	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	29.52		PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-43	-27.33	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-38.85	-24.33	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-31.38	-24.16	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-34.59	-22.16	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-32.31	-22.16	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-31.26	-24.16	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-36.42	-24.33	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-41.76	-27.33	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	-0.27		PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-59.52	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-55.64	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-50.46	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-47.1	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-41.97	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-49.85	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-55.62	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-59.73	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	29.73		PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-45.1	-27.21	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-39.61	-24.21	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-33.87	-24.11	PASS

LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-33.99	-22.11	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-31.46	-22.11	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-33.49	-24.11	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.83	-24.21	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-43.01	-27.21	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	-2.99		PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-64.1	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-60.03	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-55.13	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-52.37	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-44.89	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-54.13	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-60.59	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-64.81	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.62		PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-40.53	-24.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-33.8	-21.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-29.32	-21.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-28.94	-19.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-28.84	-19.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-33.16	-21.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-33.14	-21.21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-36.6	-24.21	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.04		PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-61.15	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-58.43	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-54.46	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-48.83	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-47.64	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-52	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-55.84	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-60.03	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.88		PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-40.83	-24.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-33.66	-21.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-29.35	-21.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-28.79	-19.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-29.15	-19.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-32.74	-21.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-33.14	-21.08	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-37.17	-24.08	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.11		PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-61.93	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-57.85	-32	PASS

HVHT	GPRS900	38	897.6	17;17;17;17	-600	-55.67	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-48.83	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-47.77	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-52.41	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-55.87	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-60.31	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.93		PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-40.14	-24.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-34.85	-21.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-30.17	-21.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-30.6	-19.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-29.28	-19.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-31.49	-21.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-32.44	-21.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-37.26	-24.03	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.53		PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-64.21	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-60.4	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-57.1	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-48.51	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-46.9	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-54.64	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-60.6	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-62.26	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.62		PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-40.63	-24.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-33.68	-21.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-29.36	-21.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-29.06	-19.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-28.91	-19.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-33.09	-21.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-33.07	-21.21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-36.58	-24.21	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.07		PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-61.23	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-58.31	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-54.38	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-48.94	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-47.75	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-51.88	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-55.86	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-59.96	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.91		PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-40.76	-24.08	PASS



HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-33.72	-21.08	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-29.36	-21.08	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-28.85	-19.08	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-29.22	-19.08	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-32.8	-21.08	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-33.12	-21.08	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-37.29	-24.08	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.1		PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-61.93	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-57.86	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-55.67	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-48.81	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-47.77	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-52.43	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-55.76	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-60.28	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.78		PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-40.12	-24.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-34.88	-21.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-30.11	-21.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-30.64	-19.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-29.22	-19.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-31.54	-21.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-32.43	-21.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-37.32	-24.03	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.54		PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-64.13	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-60.39	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-56.96	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-48.58	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-47.04	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-54.7	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-60.57	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-62.32	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.71		PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-40.52	-24.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-33.82	-21.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-29.31	-21.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-28.96	-19.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-28.82	-19.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-33.17	-21.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-33.03	-21.21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-36.53	-24.21	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.07		PASS

LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-61.3	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-58.33	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-54.39	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-48.93	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-47.65	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-51.92	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-55.94	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-59.94	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.82		PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-40.89	-24.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-33.75	-21.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-29.37	-21.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-28.66	-19.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-29.33	-19.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-32.83	-21.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-33.15	-21.08	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-37.28	-24.08	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.15		PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-61.92	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-57.84	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-55.58	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-48.81	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-47.68	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-52.32	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-55.83	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-60.3	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.77		PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-40.27	-24.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-34.7	-21.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-30.07	-21.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-30.51	-19.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-29.24	-19.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-31.5	-21.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-32.37	-21.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-37.18	-24.03	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	4.49		PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-64.24	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-60.57	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-57.11	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-48.55	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-47.03	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-54.63	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-60.56	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-62.2	-36	PASS

LVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	32.66		PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-40.49	-24.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-33.69	-21.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-29.35	-21.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-29.03	-19.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-28.91	-19.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-33.14	-21.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-33.03	-21.21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-36.56	-24.21	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	4.14		PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-61.24	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-58.46	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-54.55	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-48.95	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-47.66	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-51.9	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-55.85	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-60.1	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	32.74		PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-40.91	-24.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-33.68	-21.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-29.32	-21.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-28.69	-19.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-29.24	-19.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-32.77	-21.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-33.1	-21.08	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-37.28	-24.08	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	4.15		PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-61.97	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-57.87	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-55.65	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-48.72	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-47.8	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-52.3	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-55.75	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-60.46	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	32.86		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-40.19	-24.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-34.77	-21.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-30.02	-21.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-30.5	-19.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-29.36	-19.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-31.44	-21.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-32.29	-21.03	PASS

LVLТ	GPRS900	124	914.8	3;3;3;3	1800	-37.25	-24.03	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	Ref Power	4.38		PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	-1800	-64.2	-36	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	-1200	-60.42	-32	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	-600	-57.13	-26	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	-400	-48.62	-23	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	400	-46.95	-23	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	600	-54.71	-26	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	1200	-60.57	-32	PASS
LVLТ	GPRS900	124	914.8	17;17;17;17	1800	-62.23	-36	PASS

#### Clause 4.2.1 Transmitter-Frequency error and phase error

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.73	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.39	0	5	PASS
HVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.11	0	20	PASS
HVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.12	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.3	0	5	PASS
HVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.11	0	20	PASS
HVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.82	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.44	0	5	PASS
HVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.21	0	20	PASS
HVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.15	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.28	0	5	PASS
HVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.09	0	20	PASS
LVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.72	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.42	0	5	PASS
LVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.25	0	20	PASS
LVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.15	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.24	0	5	PASS
LVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.12	0	20	PASS

LVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.78	-174.74	174.74	PASS
LVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.41	0	5	PASS
LVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.16	0	20	PASS
LVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.25	-174.74	174.74	PASS
LVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.39	0	5	PASS
LVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.16	0	20	PASS
Vibration-X	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.75	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.45	0	5	PASS
Vibration-X	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.17	0	20	PASS
Vibration-X	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.09	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.26	0	5	PASS
Vibration-X	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.09	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.77	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.41	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.12	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.1	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.29	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.08	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	0	Frequency Error (Hz)	-3.64	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.28	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.24	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	15	Frequency Error (Hz)	-9.09	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.27	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	1.1	0	20	PASS
HVHT	GSM900	38	897.6	5	Frequency Error (Hz)	-3.14	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.24	0	5	PASS
HVHT	GSM900	38	897.6	5	Peak Phase Error	0.97	0	20	PASS

					(Degree)				
HVHT	GSM900	38	897.6	19	Frequency Error (Hz)	-0.05	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.19	0	5	PASS
HVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.86	0	20	PASS
HVLT	GSM900	38	897.6	5	Frequency Error (Hz)	-3.18	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.21	0	5	PASS
HVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.91	0	20	PASS
HVLT	GSM900	38	897.6	19	Frequency Error (Hz)	0.03	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.28	0	5	PASS
HVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.96	0	20	PASS
LVHT	GSM900	38	897.6	5	Frequency Error (Hz)	-3.02	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.22	0	5	PASS
LVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	1.02	0	20	PASS
LVHT	GSM900	38	897.6	19	Frequency Error (Hz)	0.04	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.25	0	5	PASS
LVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.91	0	20	PASS
LVLT	GSM900	38	897.6	5	Frequency Error (Hz)	-3.12	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.19	0	5	PASS
LVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.98	0	20	PASS
LVLT	GSM900	38	897.6	19	Frequency Error (Hz)	-0.1	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.2	0	5	PASS
LVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.98	0	20	PASS
Vibration-X	GSM900	38	897.6	5	Frequency Error (Hz)	-3.14	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.14	0	5	PASS
Vibration-X	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.96	0	20	PASS
Vibration-X	GSM900	38	897.6	19	Frequency Error (Hz)	-0.08	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.27	0	5	PASS

Vibration-X	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.82	0	20	PASS
Vibration-Y	GSM900	38	897.6	5	Frequency Error (Hz)	-3.08	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.23	0	5	PASS
Vibration-Y	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.93	0	20	PASS
Vibration-Y	GSM900	38	897.6	19	Frequency Error (Hz)	0	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.19	0	5	PASS
Vibration-Y	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.8	0	20	PASS
Vibration-Z	GSM900	38	897.6	5	Frequency Error (Hz)	-3.08	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.15	0	5	PASS
Vibration-Z	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.95	0	20	PASS
Vibration-Z	GSM900	38	897.6	19	Frequency Error (Hz)	-0.06	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.13	0	5	PASS
Vibration-Z	GSM900	38	897.6	19	Peak Phase Error (Degree)	0.92	0	20	PASS

#### Clause 4.2.2 Transmitter-Frequency error under multi path

Condition	Band	Type	Channel	Frequency (MHz)	PCL	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	GSM1800	RA130 @RACH	698	1747.4	0	-0.38	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens1	698	1747.4	0	-2.33	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-12.95	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-5.04	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens4	698	1747.4	0	-2.86	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-7.62	-574.74	574.74	PASS
HVHT	GSM1800	HT100 @RACH	698	1747.4	0	-9.3	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens1	698	1747.4	0	-4.1	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens2	698	1747.4	0	-4.7	-524.74	524.74	PASS

HVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-6.85	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-4.66	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens5	698	1747.4	0	-21.41	-524.74	524.74	PASS
HVHT	GSM1800	TU50 @RACH	698	1747.4	0	-28.01	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-28.87	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-28.12	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-11.74	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens4	698	1747.4	0	-22.12	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-21.28	-434.74	434.74	PASS
HVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-20.46	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @1	698	1747.4	0	-25.2	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @2	698	1747.4	0	-21.22	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @3	698	1747.4	0	-24.78	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @4	698	1747.4	0	-25.91	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @5	698	1747.4	0	-24.28	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @6	698	1747.4	0	-19.26	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @7	698	1747.4	0	-30.05	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @8	698	1747.4	0	-28.44	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @9	698	1747.4	0	-21.01	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @10	698	1747.4	0	-27.18	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @11	698	1747.4	0	-17.03	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @12	698	1747.4	0	-24.52	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @13	698	1747.4	0	-19.36	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @14	698	1747.4	0	-21.64	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @15	698	1747.4	0	-19.43	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @16	698	1747.4	0	-19.27	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @17	698	1747.4	0	-22.01	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @18	698	1747.4	0	-24.95	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @19	698	1747.4	0	-24.39	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @20	698	1747.4	0	-21.7	-494.74	494.74	PASS
HVLT	GSM1800	RA130 @RACH	698	1747.4	0	-0.33	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens1	698	1747.4	0	-2.18	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens2	698	1747.4	0	-12.92	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens3	698	1747.4	0	-5.16	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens4	698	1747.4	0	-2.89	-574.74	574.74	PASS



HVLT	GSM1800	RA130 @Sens5	698	1747.4	0	-7.54	-574.74	574.74	PASS
HVLT	GSM1800	HT100 @RACH	698	1747.4	0	-9.26	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens1	698	1747.4	0	-4.14	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens2	698	1747.4	0	-4.69	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens3	698	1747.4	0	-6.94	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens4	698	1747.4	0	-4.58	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens5	698	1747.4	0	-21.33	-524.74	524.74	PASS
HVLT	GSM1800	TU50 @RACH	698	1747.4	0	-27.92	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens1	698	1747.4	0	-29	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens2	698	1747.4	0	-27.96	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens3	698	1747.4	0	-11.8	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens4	698	1747.4	0	-22.14	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens5	698	1747.4	0	-21.4	-434.74	434.74	PASS
HVLT	GSM1800	TU1_5 @RACH	698	1747.4	0	-20.61	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @1	698	1747.4	0	-25.18	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @2	698	1747.4	0	-21.21	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @3	698	1747.4	0	-24.79	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @4	698	1747.4	0	-26.01	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @5	698	1747.4	0	-24.27	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @6	698	1747.4	0	-19.26	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @7	698	1747.4	0	-30.07	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @8	698	1747.4	0	-28.58	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @9	698	1747.4	0	-20.88	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @10	698	1747.4	0	-27.23	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @11	698	1747.4	0	-17.04	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @12	698	1747.4	0	-24.41	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @13	698	1747.4	0	-19.51	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @14	698	1747.4	0	-21.73	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @15	698	1747.4	0	-19.4	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @16	698	1747.4	0	-19.31	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @17	698	1747.4	0	-21.94	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @18	698	1747.4	0	-25.03	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @19	698	1747.4	0	-24.48	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @20	698	1747.4	0	-21.71	-494.74	494.74	PASS
LVHT	GSM1800	RA130 @RACH	698	1747.4	0	-0.36	-574.74	574.74	PASS

LVHT	GSM1800	RA130 @Sens1	698	1747.4	0	-2.32	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-13.04	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-5.09	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens4	698	1747.4	0	-2.96	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-7.55	-574.74	574.74	PASS
LVHT	GSM1800	HT100 @RACH	698	1747.4	0	-9.28	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens1	698	1747.4	0	-4.07	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens2	698	1747.4	0	-4.56	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-7	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-4.66	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens5	698	1747.4	0	-21.36	-524.74	524.74	PASS
LVHT	GSM1800	TU50 @RACH	698	1747.4	0	-28.02	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-28.96	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-28.13	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-11.8	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens4	698	1747.4	0	-22.16	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-21.3	-434.74	434.74	PASS
LVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-20.6	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @1	698	1747.4	0	-25.16	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @2	698	1747.4	0	-21.25	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @3	698	1747.4	0	-24.8	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @4	698	1747.4	0	-26.04	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @5	698	1747.4	0	-24.44	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @6	698	1747.4	0	-19.21	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @7	698	1747.4	0	-30.16	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @8	698	1747.4	0	-28.39	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @9	698	1747.4	0	-21	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @10	698	1747.4	0	-27.16	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @11	698	1747.4	0	-17.12	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @12	698	1747.4	0	-24.45	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @13	698	1747.4	0	-19.46	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @14	698	1747.4	0	-21.7	-494.74	494.74	PASS

LVHT	GSM1800	TU1_5 @15	698	1747.4	0	-19.46	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @16	698	1747.4	0	-19.25	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @17	698	1747.4	0	-22.02	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @18	698	1747.4	0	-24.87	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @19	698	1747.4	0	-24.41	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @20	698	1747.4	0	-21.64	-494.74	494.74	PASS
LVL	GSM1800	RA130 @RACH	698	1747.4	0	-0.44	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens1	698	1747.4	0	-2.23	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens2	698	1747.4	0	-13	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens3	698	1747.4	0	-5.12	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens4	698	1747.4	0	-2.9	-574.74	574.74	PASS
LVL	GSM1800	RA130 @Sens5	698	1747.4	0	-7.54	-574.74	574.74	PASS
LVL	GSM1800	HT100 @RACH	698	1747.4	0	-9.4	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens1	698	1747.4	0	-4.24	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens2	698	1747.4	0	-4.71	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens3	698	1747.4	0	-6.83	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens4	698	1747.4	0	-4.62	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens5	698	1747.4	0	-21.34	-524.74	524.74	PASS
LVL	GSM1800	TU50 @RACH	698	1747.4	0	-27.88	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens1	698	1747.4	0	-28.97	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens2	698	1747.4	0	-27.98	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens3	698	1747.4	0	-11.66	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens4	698	1747.4	0	-22.14	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens5	698	1747.4	0	-21.27	-434.74	434.74	PASS
LVL	GSM1800	TU1_5 @RACH	698	1747.4	0	-20.58	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @1	698	1747.4	0	-25.18	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @2	698	1747.4	0	-21.21	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @3	698	1747.4	0	-24.86	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @4	698	1747.4	0	-26.04	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @5	698	1747.4	0	-24.41	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @6	698	1747.4	0	-19.27	-494.74	494.74	PASS

LVL	GSM1800	TU1_5 @7	698	1747.4	0	-30.06	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @8	698	1747.4	0	-28.57	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @9	698	1747.4	0	-20.89	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @10	698	1747.4	0	-27.17	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @11	698	1747.4	0	-17.12	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @12	698	1747.4	0	-24.4	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @13	698	1747.4	0	-19.41	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @14	698	1747.4	0	-21.75	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @15	698	1747.4	0	-19.38	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @16	698	1747.4	0	-19.19	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @17	698	1747.4	0	-22.03	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @18	698	1747.4	0	-24.99	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @19	698	1747.4	0	-24.43	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @20	698	1747.4	0	-21.75	-494.74	494.74	PASS
HVHT	GSM900	RA250 @RACH	38	897.6	5	4.79	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens1	38	897.6	5	3.91	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens2	38	897.6	5	1.9	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens3	38	897.6	5	-1.59	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens4	38	897.6	5	-2.85	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens5	38	897.6	5	6.82	-389.76	389.76	PASS
HVHT	GSM900	HT100 @RACH	38	897.6	5	-5.49	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens1	38	897.6	5	0.45	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens2	38	897.6	5	-6.78	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens3	38	897.6	5	-8.95	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens4	38	897.6	5	-12.13	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens5	38	897.6	5	-12.46	-269.76	269.76	PASS
HVHT	GSM900	TU50 @RACH	38	897.6	5	-17.1	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens1	38	897.6	5	-17.29	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens2	38	897.6	5	-11.48	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens3	38	897.6	5	-10.17	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens4	38	897.6	5	-14.41	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens5	38	897.6	5	-11.28	-249.76	249.76	PASS

HVHT	GSM900	TU3 @RACH	38	897.6	5	-17.09	-319.76	319.76	PASS
HVHT	GSM900	TU3 @1	38	897.6	5	-12.06	-319.76	319.76	PASS
HVHT	GSM900	TU3 @2	38	897.6	5	-12.02	-319.76	319.76	PASS
HVHT	GSM900	TU3 @3	38	897.6	5	-12	-319.76	319.76	PASS
HVHT	GSM900	TU3 @4	38	897.6	5	-16.21	-319.76	319.76	PASS
HVHT	GSM900	TU3 @5	38	897.6	5	-13.78	-319.76	319.76	PASS
HVHT	GSM900	TU3 @6	38	897.6	5	-11.99	-319.76	319.76	PASS
HVHT	GSM900	TU3 @7	38	897.6	5	-14.6	-319.76	319.76	PASS
HVHT	GSM900	TU3 @8	38	897.6	5	-12.86	-319.76	319.76	PASS
HVHT	GSM900	TU3 @9	38	897.6	5	-13.23	-319.76	319.76	PASS
HVHT	GSM900	TU3 @10	38	897.6	5	-11.35	-319.76	319.76	PASS
HVHT	GSM900	TU3 @11	38	897.6	5	-12.42	-319.76	319.76	PASS
HVHT	GSM900	TU3 @12	38	897.6	5	-9.64	-319.76	319.76	PASS
HVHT	GSM900	TU3 @13	38	897.6	5	-8.32	-319.76	319.76	PASS
HVHT	GSM900	TU3 @14	38	897.6	5	-13.12	-319.76	319.76	PASS
HVHT	GSM900	TU3 @15	38	897.6	5	-11.73	-319.76	319.76	PASS
HVHT	GSM900	TU3 @16	38	897.6	5	-13.85	-319.76	319.76	PASS
HVHT	GSM900	TU3 @17	38	897.6	5	-12.51	-319.76	319.76	PASS
HVHT	GSM900	TU3 @18	38	897.6	5	-16.89	-319.76	319.76	PASS
HVHT	GSM900	TU3 @19	38	897.6	5	-15.15	-319.76	319.76	PASS
HVHT	GSM900	TU3 @20	38	897.6	5	-19.34	-319.76	319.76	PASS
HVLT	GSM900	RA250 @RACH	38	897.6	5	4.77	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens1	38	897.6	5	3.96	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens2	38	897.6	5	1.8	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens3	38	897.6	5	-1.56	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens4	38	897.6	5	-2.86	-389.76	389.76	PASS
HVLT	GSM900	RA250 @Sens5	38	897.6	5	6.95	-389.76	389.76	PASS
HVLT	GSM900	HT100 @RACH	38	897.6	5	-5.47	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens1	38	897.6	5	0.54	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens2	38	897.6	5	-6.77	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens3	38	897.6	5	-8.89	-269.76	269.76	PASS
HVLT	GSM900	HT100 @Sens4	38	897.6	5	-12.15	-269.76	269.76	PASS
HVLT	GSM900	HT100	38	897.6	5	-12.44	-269.76	269.76	PASS

		@Sens5							
HVLT	GSM900	TU50 @RACH	38	897.6	5	-17.1	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens1	38	897.6	5	-17.24	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens2	38	897.6	5	-11.62	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens3	38	897.6	5	-10.21	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens4	38	897.6	5	-14.42	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens5	38	897.6	5	-11.26	-249.76	249.76	PASS
HVLT	GSM900	TU3 @RACH	38	897.6	5	-16.97	-319.76	319.76	PASS
HVLT	GSM900	TU3 @1	38	897.6	5	-12.14	-319.76	319.76	PASS
HVLT	GSM900	TU3 @2	38	897.6	5	-11.95	-319.76	319.76	PASS
HVLT	GSM900	TU3 @3	38	897.6	5	-12.02	-319.76	319.76	PASS
HVLT	GSM900	TU3 @4	38	897.6	5	-16.19	-319.76	319.76	PASS
HVLT	GSM900	TU3 @5	38	897.6	5	-13.62	-319.76	319.76	PASS
HVLT	GSM900	TU3 @6	38	897.6	5	-12.05	-319.76	319.76	PASS
HVLT	GSM900	TU3 @7	38	897.6	5	-14.64	-319.76	319.76	PASS
HVLT	GSM900	TU3 @8	38	897.6	5	-12.78	-319.76	319.76	PASS
HVLT	GSM900	TU3 @9	38	897.6	5	-13.29	-319.76	319.76	PASS
HVLT	GSM900	TU3 @10	38	897.6	5	-11.33	-319.76	319.76	PASS
HVLT	GSM900	TU3 @11	38	897.6	5	-12.52	-319.76	319.76	PASS
HVLT	GSM900	TU3 @12	38	897.6	5	-9.67	-319.76	319.76	PASS
HVLT	GSM900	TU3 @13	38	897.6	5	-8.31	-319.76	319.76	PASS
HVLT	GSM900	TU3 @14	38	897.6	5	-13.06	-319.76	319.76	PASS
HVLT	GSM900	TU3 @15	38	897.6	5	-11.8	-319.76	319.76	PASS
HVLT	GSM900	TU3 @16	38	897.6	5	-13.77	-319.76	319.76	PASS
HVLT	GSM900	TU3 @17	38	897.6	5	-12.55	-319.76	319.76	PASS
HVLT	GSM900	TU3 @18	38	897.6	5	-16.87	-319.76	319.76	PASS
HVLT	GSM900	TU3 @19	38	897.6	5	-15.05	-319.76	319.76	PASS
HVLT	GSM900	TU3 @20	38	897.6	5	-19.42	-319.76	319.76	PASS
LVHT	GSM900	RA250 @RACH	38	897.6	5	4.7	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens1	38	897.6	5	3.89	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens2	38	897.6	5	1.8	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens3	38	897.6	5	-1.47	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens4	38	897.6	5	-3.01	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens5	38	897.6	5	6.89	-389.76	389.76	PASS
LVHT	GSM900	HT100 @RACH	38	897.6	5	-5.5	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens1	38	897.6	5	0.54	-269.76	269.76	PASS

LVHT	GSM900	HT100 @Sens2	38	897.6	5	-6.82	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens3	38	897.6	5	-8.97	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens4	38	897.6	5	-12.11	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens5	38	897.6	5	-12.42	-269.76	269.76	PASS
LVHT	GSM900	TU50 @RACH	38	897.6	5	-17.27	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens1	38	897.6	5	-17.25	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens2	38	897.6	5	-11.63	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens3	38	897.6	5	-10.21	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens4	38	897.6	5	-14.46	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens5	38	897.6	5	-11.19	-249.76	249.76	PASS
LVHT	GSM900	TU3 @RACH	38	897.6	5	-17.11	-319.76	319.76	PASS
LVHT	GSM900	TU3 @1	38	897.6	5	-12.14	-319.76	319.76	PASS
LVHT	GSM900	TU3 @2	38	897.6	5	-12.02	-319.76	319.76	PASS
LVHT	GSM900	TU3 @3	38	897.6	5	-11.89	-319.76	319.76	PASS
LVHT	GSM900	TU3 @4	38	897.6	5	-16.07	-319.76	319.76	PASS
LVHT	GSM900	TU3 @5	38	897.6	5	-13.74	-319.76	319.76	PASS
LVHT	GSM900	TU3 @6	38	897.6	5	-12.08	-319.76	319.76	PASS
LVHT	GSM900	TU3 @7	38	897.6	5	-14.67	-319.76	319.76	PASS
LVHT	GSM900	TU3 @8	38	897.6	5	-12.81	-319.76	319.76	PASS
LVHT	GSM900	TU3 @9	38	897.6	5	-13.35	-319.76	319.76	PASS
LVHT	GSM900	TU3 @10	38	897.6	5	-11.48	-319.76	319.76	PASS
LVHT	GSM900	TU3 @11	38	897.6	5	-12.51	-319.76	319.76	PASS
LVHT	GSM900	TU3 @12	38	897.6	5	-9.7	-319.76	319.76	PASS
LVHT	GSM900	TU3 @13	38	897.6	5	-8.35	-319.76	319.76	PASS
LVHT	GSM900	TU3 @14	38	897.6	5	-13.17	-319.76	319.76	PASS
LVHT	GSM900	TU3 @15	38	897.6	5	-11.79	-319.76	319.76	PASS
LVHT	GSM900	TU3 @16	38	897.6	5	-13.89	-319.76	319.76	PASS
LVHT	GSM900	TU3 @17	38	897.6	5	-12.53	-319.76	319.76	PASS
LVHT	GSM900	TU3 @18	38	897.6	5	-16.88	-319.76	319.76	PASS
LVHT	GSM900	TU3 @19	38	897.6	5	-15.15	-319.76	319.76	PASS
LVHT	GSM900	TU3 @20	38	897.6	5	-19.29	-319.76	319.76	PASS
LVLT	GSM900	RA250 @RACH	38	897.6	5	4.85	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens1	38	897.6	5	3.93	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens2	38	897.6	5	1.99	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens3	38	897.6	5	-1.47	-389.76	389.76	PASS
LVLT	GSM900	RA250	38	897.6	5	-2.98	-389.76	389.76	PASS

		@Sens4							
LVL	GSM900	RA250	38	897.6	5	6.82	-389.76	389.76	PASS
		@Sens5							
LVL	GSM900	HT100	38	897.6	5	-5.47	-269.76	269.76	PASS
		@RACH							
LVL	GSM900	HT100	38	897.6	5	0.38	-269.76	269.76	PASS
		@Sens1							
LVL	GSM900	HT100	38	897.6	5	-6.81	-269.76	269.76	PASS
		@Sens2							
LVL	GSM900	HT100	38	897.6	5	-8.89	-269.76	269.76	PASS
		@Sens3							
LVL	GSM900	HT100	38	897.6	5	-11.96	-269.76	269.76	PASS
		@Sens4							
LVL	GSM900	HT100	38	897.6	5	-12.43	-269.76	269.76	PASS
		@Sens5							
LVL	GSM900	TU50 @RACH	38	897.6	5	-17.25	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens1	38	897.6	5	-17.26	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens2	38	897.6	5	-11.61	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens3	38	897.6	5	-10.13	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens4	38	897.6	5	-14.31	-249.76	249.76	PASS
LVL	GSM900	TU50 @Sens5	38	897.6	5	-11.3	-249.76	249.76	PASS
LVL	GSM900	TU3 @RACH	38	897.6	5	-17.09	-319.76	319.76	PASS
LVL	GSM900	TU3 @1	38	897.6	5	-12.18	-319.76	319.76	PASS
LVL	GSM900	TU3 @2	38	897.6	5	-12.03	-319.76	319.76	PASS
LVL	GSM900	TU3 @3	38	897.6	5	-11.9	-319.76	319.76	PASS
LVL	GSM900	TU3 @4	38	897.6	5	-16.1	-319.76	319.76	PASS
LVL	GSM900	TU3 @5	38	897.6	5	-13.62	-319.76	319.76	PASS
LVL	GSM900	TU3 @6	38	897.6	5	-12.07	-319.76	319.76	PASS
LVL	GSM900	TU3 @7	38	897.6	5	-14.76	-319.76	319.76	PASS
LVL	GSM900	TU3 @8	38	897.6	5	-12.82	-319.76	319.76	PASS
LVL	GSM900	TU3 @9	38	897.6	5	-13.23	-319.76	319.76	PASS
LVL	GSM900	TU3 @10	38	897.6	5	-11.32	-319.76	319.76	PASS
LVL	GSM900	TU3 @11	38	897.6	5	-12.47	-319.76	319.76	PASS
LVL	GSM900	TU3 @12	38	897.6	5	-9.79	-319.76	319.76	PASS
LVL	GSM900	TU3 @13	38	897.6	5	-8.36	-319.76	319.76	PASS
LVL	GSM900	TU3 @14	38	897.6	5	-13.12	-319.76	319.76	PASS
LVL	GSM900	TU3 @15	38	897.6	5	-11.81	-319.76	319.76	PASS
LVL	GSM900	TU3 @16	38	897.6	5	-13.71	-319.76	319.76	PASS
LVL	GSM900	TU3 @17	38	897.6	5	-12.47	-319.76	319.76	PASS
LVL	GSM900	TU3 @18	38	897.6	5	-16.77	-319.76	319.76	PASS
LVL	GSM900	TU3 @19	38	897.6	5	-15.09	-319.76	319.76	PASS
LVL	GSM900	TU3 @20	38	897.6	5	-19.41	-319.76	319.76	PASS

#### Clause 4.2.5 Transmitter output power and burst timing



Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	512	1710.2	0	Power	30.15	28	32	PASS
HVHT	GSM1800	512	1710.2	0	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	1	Power	28.98	25	31	PASS
HVHT	GSM1800	512	1710.2	1	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	512	1710.2	2	Power	27.05	23	29	PASS
HVHT	GSM1800	512	1710.2	2	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	3	Power	25.02	21	27	PASS
HVHT	GSM1800	512	1710.2	3	PvT(%)	-0.16	0	0	PASS
HVHT	GSM1800	512	1710.2	4	Power	22.86	19	25	PASS
HVHT	GSM1800	512	1710.2	4	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	512	1710.2	5	Power	20.93	17	23	PASS
HVHT	GSM1800	512	1710.2	5	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	512	1710.2	6	Power	18.9	15	21	PASS
HVHT	GSM1800	512	1710.2	6	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	512	1710.2	7	Power	16.76	13	19	PASS
HVHT	GSM1800	512	1710.2	7	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	512	1710.2	8	Power	14.68	11	17	PASS
HVHT	GSM1800	512	1710.2	8	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	512	1710.2	9	Power	12.7	8	16	PASS
HVHT	GSM1800	512	1710.2	9	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	512	1710.2	10	Power	10.53	6	14	PASS
HVHT	GSM1800	512	1710.2	10	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	512	1710.2	11	Power	8.36	4	12	PASS
HVHT	GSM1800	512	1710.2	11	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	512	1710.2	12	Power	6.21	2	10	PASS
HVHT	GSM1800	512	1710.2	12	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	512	1710.2	13	Power	4.22	0	8	PASS
HVHT	GSM1800	512	1710.2	13	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	512	1710.2	14	Power	2.44	-3	7	PASS
HVHT	GSM1800	512	1710.2	14	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	15	Power	0.5	-5	5	PASS
HVHT	GSM1800	512	1710.2	15	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	698	1747.4	0	Power	30.23	28	32	PASS
HVHT	GSM1800	698	1747.4	0	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	698	1747.4	1	Power	28.89	25	31	PASS
HVHT	GSM1800	698	1747.4	1	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	698	1747.4	2	Power	26.96	23	29	PASS
HVHT	GSM1800	698	1747.4	2	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	698	1747.4	3	Power	24.91	21	27	PASS
HVHT	GSM1800	698	1747.4	3	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	698	1747.4	4	Power	22.9	19	25	PASS
HVHT	GSM1800	698	1747.4	4	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	698	1747.4	5	Power	20.78	17	23	PASS

HVHT	GSM1800	698	1747.4	5	PvT(%)	-0.08	0	0	PASS
HVHT	GSM1800	698	1747.4	6	Power	18.87	15	21	PASS
HVHT	GSM1800	698	1747.4	6	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	698	1747.4	7	Power	16.7	13	19	PASS
HVHT	GSM1800	698	1747.4	7	PvT(%)	-0.08	0	0	PASS
HVHT	GSM1800	698	1747.4	8	Power	14.69	11	17	PASS
HVHT	GSM1800	698	1747.4	8	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	698	1747.4	9	Power	12.59	8	16	PASS
HVHT	GSM1800	698	1747.4	9	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	698	1747.4	10	Power	10.7	6	14	PASS
HVHT	GSM1800	698	1747.4	10	PvT(%)	-0.15	0	0	PASS
HVHT	GSM1800	698	1747.4	11	Power	8.44	4	12	PASS
HVHT	GSM1800	698	1747.4	11	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	698	1747.4	12	Power	6.31	2	10	PASS
HVHT	GSM1800	698	1747.4	12	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	698	1747.4	13	Power	4.39	0	8	PASS
HVHT	GSM1800	698	1747.4	13	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	698	1747.4	14	Power	2.76	-3	7	PASS
HVHT	GSM1800	698	1747.4	14	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	698	1747.4	15	Power	0.91	-5	5	PASS
HVHT	GSM1800	698	1747.4	15	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	885	1784.8	0	Power	30.13	28	32	PASS
HVHT	GSM1800	885	1784.8	0	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	885	1784.8	1	Power	28.92	25	31	PASS
HVHT	GSM1800	885	1784.8	1	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	885	1784.8	2	Power	26.86	23	29	PASS
HVHT	GSM1800	885	1784.8	2	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	885	1784.8	3	Power	24.91	21	27	PASS
HVHT	GSM1800	885	1784.8	3	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	885	1784.8	4	Power	22.86	19	25	PASS
HVHT	GSM1800	885	1784.8	4	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	885	1784.8	5	Power	20.86	17	23	PASS
HVHT	GSM1800	885	1784.8	5	PvT(%)	-0.08	0	0	PASS
HVHT	GSM1800	885	1784.8	6	Power	18.66	15	21	PASS
HVHT	GSM1800	885	1784.8	6	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	885	1784.8	7	Power	16.9	13	19	PASS
HVHT	GSM1800	885	1784.8	7	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	885	1784.8	8	Power	14.74	11	17	PASS
HVHT	GSM1800	885	1784.8	8	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	885	1784.8	9	Power	12.87	8	16	PASS
HVHT	GSM1800	885	1784.8	9	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	885	1784.8	10	Power	11.19	6	14	PASS
HVHT	GSM1800	885	1784.8	10	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	885	1784.8	11	Power	9.13	4	12	PASS

HVHT	GSM1800	885	1784.8	11	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	885	1784.8	12	Power	7.1	2	10	PASS
HVHT	GSM1800	885	1784.8	12	PvT(%)	-0.16	0	0	PASS
HVHT	GSM1800	885	1784.8	13	Power	5.43	0	8	PASS
HVHT	GSM1800	885	1784.8	13	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	885	1784.8	14	Power	4	-3	7	PASS
HVHT	GSM1800	885	1784.8	14	PvT(%)	-0.06	0	0	PASS
HVHT	GSM1800	885	1784.8	15	Power	2.31	-5	5	PASS
HVHT	GSM1800	885	1784.8	15	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	512	1710.2	0	Power	30.25	28	32	PASS
HVLT	GSM1800	512	1710.2	0	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	512	1710.2	1	Power	29.11	25	31	PASS
HVLT	GSM1800	512	1710.2	1	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	512	1710.2	2	Power	27.05	23	29	PASS
HVLT	GSM1800	512	1710.2	2	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	512	1710.2	3	Power	24.88	21	27	PASS
HVLT	GSM1800	512	1710.2	3	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	512	1710.2	4	Power	23	19	25	PASS
HVLT	GSM1800	512	1710.2	4	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	5	Power	20.95	17	23	PASS
HVLT	GSM1800	512	1710.2	5	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	512	1710.2	6	Power	19.03	15	21	PASS
HVLT	GSM1800	512	1710.2	6	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	512	1710.2	7	Power	16.83	13	19	PASS
HVLT	GSM1800	512	1710.2	7	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	512	1710.2	8	Power	14.7	11	17	PASS
HVLT	GSM1800	512	1710.2	8	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	9	Power	12.79	8	16	PASS
HVLT	GSM1800	512	1710.2	9	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	512	1710.2	10	Power	10.48	6	14	PASS
HVLT	GSM1800	512	1710.2	10	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	512	1710.2	11	Power	8.44	4	12	PASS
HVLT	GSM1800	512	1710.2	11	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	512	1710.2	12	Power	6.08	2	10	PASS
HVLT	GSM1800	512	1710.2	12	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	13	Power	4.16	0	8	PASS
HVLT	GSM1800	512	1710.2	13	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	512	1710.2	14	Power	2.54	-3	7	PASS
HVLT	GSM1800	512	1710.2	14	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	512	1710.2	15	Power	0.33	-5	5	PASS
HVLT	GSM1800	512	1710.2	15	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	698	1747.4	0	Power	30.1	28	32	PASS
HVLT	GSM1800	698	1747.4	0	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	1	Power	28.9	25	31	PASS

HVLT	GSM1800	698	1747.4	1	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	698	1747.4	2	Power	26.9	23	29	PASS
HVLT	GSM1800	698	1747.4	2	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	3	Power	24.9	21	27	PASS
HVLT	GSM1800	698	1747.4	3	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	698	1747.4	4	Power	22.9	19	25	PASS
HVLT	GSM1800	698	1747.4	4	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	698	1747.4	5	Power	20.73	17	23	PASS
HVLT	GSM1800	698	1747.4	5	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	698	1747.4	6	Power	18.8	15	21	PASS
HVLT	GSM1800	698	1747.4	6	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	698	1747.4	7	Power	16.71	13	19	PASS
HVLT	GSM1800	698	1747.4	7	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	698	1747.4	8	Power	14.79	11	17	PASS
HVLT	GSM1800	698	1747.4	8	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	9	Power	12.59	8	16	PASS
HVLT	GSM1800	698	1747.4	9	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	698	1747.4	10	Power	10.72	6	14	PASS
HVLT	GSM1800	698	1747.4	10	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	11	Power	8.42	4	12	PASS
HVLT	GSM1800	698	1747.4	11	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	698	1747.4	12	Power	6.35	2	10	PASS
HVLT	GSM1800	698	1747.4	12	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	13	Power	4.35	0	8	PASS
HVLT	GSM1800	698	1747.4	13	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	698	1747.4	14	Power	2.75	-3	7	PASS
HVLT	GSM1800	698	1747.4	14	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	698	1747.4	15	Power	0.91	-5	5	PASS
HVLT	GSM1800	698	1747.4	15	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1800	885	1784.8	0	Power	30.18	28	32	PASS
HVLT	GSM1800	885	1784.8	0	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	885	1784.8	1	Power	28.94	25	31	PASS
HVLT	GSM1800	885	1784.8	1	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	885	1784.8	2	Power	26.81	23	29	PASS
HVLT	GSM1800	885	1784.8	2	PvT(%)	-0.05	0	0	PASS
HVLT	GSM1800	885	1784.8	3	Power	24.76	21	27	PASS
HVLT	GSM1800	885	1784.8	3	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	885	1784.8	4	Power	22.74	19	25	PASS
HVLT	GSM1800	885	1784.8	4	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	885	1784.8	5	Power	20.67	17	23	PASS
HVLT	GSM1800	885	1784.8	5	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	885	1784.8	6	Power	18.76	15	21	PASS
HVLT	GSM1800	885	1784.8	6	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	7	Power	16.72	13	19	PASS

HVLT	GSM1800	885	1784.8	7	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	8	Power	14.86	11	17	PASS
HVLT	GSM1800	885	1784.8	8	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	885	1784.8	9	Power	12.95	8	16	PASS
HVLT	GSM1800	885	1784.8	9	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	885	1784.8	10	Power	11.19	6	14	PASS
HVLT	GSM1800	885	1784.8	10	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	885	1784.8	11	Power	9.22	4	12	PASS
HVLT	GSM1800	885	1784.8	11	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	885	1784.8	12	Power	7.08	2	10	PASS
HVLT	GSM1800	885	1784.8	12	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	885	1784.8	13	Power	5.46	0	8	PASS
HVLT	GSM1800	885	1784.8	13	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	885	1784.8	14	Power	3.95	-3	7	PASS
HVLT	GSM1800	885	1784.8	14	PvT(%)	-0.16	0	0	PASS
HVLT	GSM1800	885	1784.8	15	Power	2.38	-5	5	PASS
HVLT	GSM1800	885	1784.8	15	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	512	1710.2	0	Power	30.15	28	32	PASS
LVHT	GSM1800	512	1710.2	0	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	1	Power	28.94	25	31	PASS
LVHT	GSM1800	512	1710.2	1	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	512	1710.2	2	Power	26.99	23	29	PASS
LVHT	GSM1800	512	1710.2	2	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	512	1710.2	3	Power	24.97	21	27	PASS
LVHT	GSM1800	512	1710.2	3	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	512	1710.2	4	Power	22.94	19	25	PASS
LVHT	GSM1800	512	1710.2	4	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	512	1710.2	5	Power	20.88	17	23	PASS
LVHT	GSM1800	512	1710.2	5	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	6	Power	19.03	15	21	PASS
LVHT	GSM1800	512	1710.2	6	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	512	1710.2	7	Power	16.72	13	19	PASS
LVHT	GSM1800	512	1710.2	7	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	512	1710.2	8	Power	14.77	11	17	PASS
LVHT	GSM1800	512	1710.2	8	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	512	1710.2	9	Power	12.73	8	16	PASS
LVHT	GSM1800	512	1710.2	9	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	10	Power	10.63	6	14	PASS
LVHT	GSM1800	512	1710.2	10	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	11	Power	8.34	4	12	PASS
LVHT	GSM1800	512	1710.2	11	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	512	1710.2	12	Power	6.13	2	10	PASS
LVHT	GSM1800	512	1710.2	12	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	512	1710.2	13	Power	4.23	0	8	PASS

LVHT	GSM1800	512	1710.2	13	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	512	1710.2	14	Power	2.39	-3	7	PASS
LVHT	GSM1800	512	1710.2	14	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	15	Power	0.33	-5	5	PASS
LVHT	GSM1800	512	1710.2	15	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	698	1747.4	0	Power	30.26	28	32	PASS
LVHT	GSM1800	698	1747.4	0	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	698	1747.4	1	Power	28.94	25	31	PASS
LVHT	GSM1800	698	1747.4	1	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	698	1747.4	2	Power	26.86	23	29	PASS
LVHT	GSM1800	698	1747.4	2	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	3	Power	24.89	21	27	PASS
LVHT	GSM1800	698	1747.4	3	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	4	Power	22.82	19	25	PASS
LVHT	GSM1800	698	1747.4	4	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	698	1747.4	5	Power	20.79	17	23	PASS
LVHT	GSM1800	698	1747.4	5	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	6	Power	18.75	15	21	PASS
LVHT	GSM1800	698	1747.4	6	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	698	1747.4	7	Power	16.78	13	19	PASS
LVHT	GSM1800	698	1747.4	7	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	698	1747.4	8	Power	14.66	11	17	PASS
LVHT	GSM1800	698	1747.4	8	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	698	1747.4	9	Power	12.69	8	16	PASS
LVHT	GSM1800	698	1747.4	9	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	10	Power	10.68	6	14	PASS
LVHT	GSM1800	698	1747.4	10	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	698	1747.4	11	Power	8.48	4	12	PASS
LVHT	GSM1800	698	1747.4	11	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	698	1747.4	12	Power	6.41	2	10	PASS
LVHT	GSM1800	698	1747.4	12	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	13	Power	4.39	0	8	PASS
LVHT	GSM1800	698	1747.4	13	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	14	Power	2.81	-3	7	PASS
LVHT	GSM1800	698	1747.4	14	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	698	1747.4	15	Power	0.85	-5	5	PASS
LVHT	GSM1800	698	1747.4	15	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	0	Power	30.28	28	32	PASS
LVHT	GSM1800	885	1784.8	0	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	885	1784.8	1	Power	29	25	31	PASS
LVHT	GSM1800	885	1784.8	1	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	885	1784.8	2	Power	26.97	23	29	PASS
LVHT	GSM1800	885	1784.8	2	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	885	1784.8	3	Power	24.78	21	27	PASS

LVHT	GSM1800	885	1784.8	3	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	885	1784.8	4	Power	22.76	19	25	PASS
LVHT	GSM1800	885	1784.8	4	PvT(%)	-0.19	0	0	PASS
LVHT	GSM1800	885	1784.8	5	Power	20.75	17	23	PASS
LVHT	GSM1800	885	1784.8	5	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	885	1784.8	6	Power	18.74	15	21	PASS
LVHT	GSM1800	885	1784.8	6	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	885	1784.8	7	Power	16.85	13	19	PASS
LVHT	GSM1800	885	1784.8	7	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	885	1784.8	8	Power	14.85	11	17	PASS
LVHT	GSM1800	885	1784.8	8	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	885	1784.8	9	Power	12.79	8	16	PASS
LVHT	GSM1800	885	1784.8	9	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	885	1784.8	10	Power	11.07	6	14	PASS
LVHT	GSM1800	885	1784.8	10	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	885	1784.8	11	Power	9.27	4	12	PASS
LVHT	GSM1800	885	1784.8	11	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	885	1784.8	12	Power	7.08	2	10	PASS
LVHT	GSM1800	885	1784.8	12	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	13	Power	5.53	0	8	PASS
LVHT	GSM1800	885	1784.8	13	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	14	Power	3.95	-3	7	PASS
LVHT	GSM1800	885	1784.8	14	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	885	1784.8	15	Power	2.19	-5	5	PASS
LVHT	GSM1800	885	1784.8	15	PvT(%)	-0.17	0	0	PASS
LVLТ	GSM1800	512	1710.2	0	Power	30.23	28	32	PASS
LVLТ	GSM1800	512	1710.2	0	PvT(%)	-0.18	0	0	PASS
LVLТ	GSM1800	512	1710.2	1	Power	29.11	25	31	PASS
LVLТ	GSM1800	512	1710.2	1	PvT(%)	-0.05	0	0	PASS
LVLТ	GSM1800	512	1710.2	2	Power	26.95	23	29	PASS
LVLТ	GSM1800	512	1710.2	2	PvT(%)	-0.18	0	0	PASS
LVLТ	GSM1800	512	1710.2	3	Power	24.94	21	27	PASS
LVLТ	GSM1800	512	1710.2	3	PvT(%)	-0.12	0	0	PASS
LVLТ	GSM1800	512	1710.2	4	Power	22.89	19	25	PASS
LVLТ	GSM1800	512	1710.2	4	PvT(%)	-0.12	0	0	PASS
LVLТ	GSM1800	512	1710.2	5	Power	20.9	17	23	PASS
LVLТ	GSM1800	512	1710.2	5	PvT(%)	-0.2	0	0	PASS
LVLТ	GSM1800	512	1710.2	6	Power	18.86	15	21	PASS
LVLТ	GSM1800	512	1710.2	6	PvT(%)	-0.15	0	0	PASS
LVLТ	GSM1800	512	1710.2	7	Power	16.81	13	19	PASS
LVLТ	GSM1800	512	1710.2	7	PvT(%)	-0.17	0	0	PASS
LVLТ	GSM1800	512	1710.2	8	Power	14.67	11	17	PASS
LVLТ	GSM1800	512	1710.2	8	PvT(%)	-0.13	0	0	PASS
LVLТ	GSM1800	512	1710.2	9	Power	12.76	8	16	PASS

LVLT	GSM1800	512	1710.2	9	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	512	1710.2	10	Power	10.52	6	14	PASS
LVLT	GSM1800	512	1710.2	10	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	512	1710.2	11	Power	8.34	4	12	PASS
LVLT	GSM1800	512	1710.2	11	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	512	1710.2	12	Power	6.14	2	10	PASS
LVLT	GSM1800	512	1710.2	12	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	512	1710.2	13	Power	4.2	0	8	PASS
LVLT	GSM1800	512	1710.2	13	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	512	1710.2	14	Power	2.49	-3	7	PASS
LVLT	GSM1800	512	1710.2	14	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	512	1710.2	15	Power	0.45	-5	5	PASS
LVLT	GSM1800	512	1710.2	15	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	698	1747.4	0	Power	30.2	28	32	PASS
LVLT	GSM1800	698	1747.4	0	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	698	1747.4	1	Power	28.87	25	31	PASS
LVLT	GSM1800	698	1747.4	1	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	2	Power	26.85	23	29	PASS
LVLT	GSM1800	698	1747.4	2	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	698	1747.4	3	Power	24.94	21	27	PASS
LVLT	GSM1800	698	1747.4	3	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	4	Power	22.8	19	25	PASS
LVLT	GSM1800	698	1747.4	4	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	5	Power	20.8	17	23	PASS
LVLT	GSM1800	698	1747.4	5	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	698	1747.4	6	Power	18.77	15	21	PASS
LVLT	GSM1800	698	1747.4	6	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	7	Power	16.6	13	19	PASS
LVLT	GSM1800	698	1747.4	7	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	698	1747.4	8	Power	14.62	11	17	PASS
LVLT	GSM1800	698	1747.4	8	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	698	1747.4	9	Power	12.66	8	16	PASS
LVLT	GSM1800	698	1747.4	9	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	698	1747.4	10	Power	10.7	6	14	PASS
LVLT	GSM1800	698	1747.4	10	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	11	Power	8.42	4	12	PASS
LVLT	GSM1800	698	1747.4	11	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	698	1747.4	12	Power	6.39	2	10	PASS
LVLT	GSM1800	698	1747.4	12	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	698	1747.4	13	Power	4.36	0	8	PASS
LVLT	GSM1800	698	1747.4	13	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	698	1747.4	14	Power	2.83	-3	7	PASS
LVLT	GSM1800	698	1747.4	14	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	698	1747.4	15	Power	0.9	-5	5	PASS



LVLT	GSM1800	698	1747.4	15	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	885	1784.8	0	Power	30.24	28	32	PASS
LVLT	GSM1800	885	1784.8	0	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1800	885	1784.8	1	Power	28.93	25	31	PASS
LVLT	GSM1800	885	1784.8	1	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	885	1784.8	2	Power	26.83	23	29	PASS
LVLT	GSM1800	885	1784.8	2	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1800	885	1784.8	3	Power	24.94	21	27	PASS
LVLT	GSM1800	885	1784.8	3	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	4	Power	22.88	19	25	PASS
LVLT	GSM1800	885	1784.8	4	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	885	1784.8	5	Power	20.83	17	23	PASS
LVLT	GSM1800	885	1784.8	5	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	6	Power	18.63	15	21	PASS
LVLT	GSM1800	885	1784.8	6	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	7	Power	16.79	13	19	PASS
LVLT	GSM1800	885	1784.8	7	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	8	Power	14.85	11	17	PASS
LVLT	GSM1800	885	1784.8	8	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	9	Power	12.82	8	16	PASS
LVLT	GSM1800	885	1784.8	9	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	10	Power	11.21	6	14	PASS
LVLT	GSM1800	885	1784.8	10	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	885	1784.8	11	Power	9.15	4	12	PASS
LVLT	GSM1800	885	1784.8	11	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	885	1784.8	12	Power	7.09	2	10	PASS
LVLT	GSM1800	885	1784.8	12	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	13	Power	5.46	0	8	PASS
LVLT	GSM1800	885	1784.8	13	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	885	1784.8	14	Power	4.02	-3	7	PASS
LVLT	GSM1800	885	1784.8	14	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	885	1784.8	15	Power	2.21	-5	5	PASS
LVLT	GSM1800	885	1784.8	15	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	975	880.2	5	Power	32.42	31	35	PASS
HVHT	GSM900	975	880.2	5	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	975	880.2	6	Power	31.05	28	34	PASS
HVHT	GSM900	975	880.2	6	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	7	Power	28.96	26	32	PASS
HVHT	GSM900	975	880.2	7	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	975	880.2	8	Power	26.86	24	30	PASS
HVHT	GSM900	975	880.2	8	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	9	Power	24.96	22	28	PASS
HVHT	GSM900	975	880.2	9	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	975	880.2	10	Power	22.96	20	26	PASS

HVHT	GSM900	975	880.2	10	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	975	880.2	11	Power	21.02	18	24	PASS
HVHT	GSM900	975	880.2	11	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	975	880.2	12	Power	18.89	16	22	PASS
HVHT	GSM900	975	880.2	12	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	975	880.2	13	Power	16.86	14	20	PASS
HVHT	GSM900	975	880.2	13	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	975	880.2	14	Power	14.78	12	18	PASS
HVHT	GSM900	975	880.2	14	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	975	880.2	15	Power	12.78	10	16	PASS
HVHT	GSM900	975	880.2	15	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	975	880.2	16	Power	10.68	6	16	PASS
HVHT	GSM900	975	880.2	16	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	975	880.2	17	Power	8.51	4	14	PASS
HVHT	GSM900	975	880.2	17	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	18	Power	6	2	12	PASS
HVHT	GSM900	975	880.2	18	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	975	880.2	19	Power	4.11	0	10	PASS
HVHT	GSM900	975	880.2	19	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	38	897.6	5	Power	32.61	31	35	PASS
HVHT	GSM900	38	897.6	5	PvT(%)	-0.12	0	0	PASS
HVHT	GSM900	38	897.6	6	Power	31.06	28	34	PASS
HVHT	GSM900	38	897.6	6	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	38	897.6	7	Power	29.14	26	32	PASS
HVHT	GSM900	38	897.6	7	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	38	897.6	8	Power	27.12	24	30	PASS
HVHT	GSM900	38	897.6	8	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	38	897.6	9	Power	25.1	22	28	PASS
HVHT	GSM900	38	897.6	9	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	38	897.6	10	Power	23.13	20	26	PASS
HVHT	GSM900	38	897.6	10	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	38	897.6	11	Power	21.17	18	24	PASS
HVHT	GSM900	38	897.6	11	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	12	Power	19.04	16	22	PASS
HVHT	GSM900	38	897.6	12	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	38	897.6	13	Power	17.08	14	20	PASS
HVHT	GSM900	38	897.6	13	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	14	Power	15.04	12	18	PASS
HVHT	GSM900	38	897.6	14	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	38	897.6	15	Power	12.91	10	16	PASS
HVHT	GSM900	38	897.6	15	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	16	Power	10.63	6	16	PASS
HVHT	GSM900	38	897.6	16	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	38	897.6	17	Power	8.66	4	14	PASS

HVHT	GSM900	38	897.6	17	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	38	897.6	18	Power	6.09	2	12	PASS
HVHT	GSM900	38	897.6	18	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	38	897.6	19	Power	4.09	0	10	PASS
HVHT	GSM900	38	897.6	19	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	124	914.8	5	Power	32.7	31	35	PASS
HVHT	GSM900	124	914.8	5	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	6	Power	31.27	28	34	PASS
HVHT	GSM900	124	914.8	6	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	7	Power	29.22	26	32	PASS
HVHT	GSM900	124	914.8	7	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	124	914.8	8	Power	27.12	24	30	PASS
HVHT	GSM900	124	914.8	8	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	124	914.8	9	Power	25.28	22	28	PASS
HVHT	GSM900	124	914.8	9	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	124	914.8	10	Power	23.15	20	26	PASS
HVHT	GSM900	124	914.8	10	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	124	914.8	11	Power	21.19	18	24	PASS
HVHT	GSM900	124	914.8	11	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	12	Power	19.12	16	22	PASS
HVHT	GSM900	124	914.8	12	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	124	914.8	13	Power	17.14	14	20	PASS
HVHT	GSM900	124	914.8	13	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	14	Power	15.13	12	18	PASS
HVHT	GSM900	124	914.8	14	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	124	914.8	15	Power	12.98	10	16	PASS
HVHT	GSM900	124	914.8	15	PvT(%)	-0.08	0	0	PASS
HVHT	GSM900	124	914.8	16	Power	10.75	6	16	PASS
HVHT	GSM900	124	914.8	16	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	17	Power	8.89	4	14	PASS
HVHT	GSM900	124	914.8	17	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	18	Power	6.28	2	12	PASS
HVHT	GSM900	124	914.8	18	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	124	914.8	19	Power	4.43	0	10	PASS
HVHT	GSM900	124	914.8	19	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	975	880.2	5	Power	32.61	31	35	PASS
HVLT	GSM900	975	880.2	5	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	6	Power	30.94	28	34	PASS
HVLT	GSM900	975	880.2	6	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	975	880.2	7	Power	29.06	26	32	PASS
HVLT	GSM900	975	880.2	7	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	975	880.2	8	Power	26.87	24	30	PASS
HVLT	GSM900	975	880.2	8	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	975	880.2	9	Power	24.97	22	28	PASS

HVLT	GSM900	975	880.2	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	975	880.2	10	Power	23.02	20	26	PASS
HVLT	GSM900	975	880.2	10	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	975	880.2	11	Power	20.89	18	24	PASS
HVLT	GSM900	975	880.2	11	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	975	880.2	12	Power	18.94	16	22	PASS
HVLT	GSM900	975	880.2	12	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	975	880.2	13	Power	16.98	14	20	PASS
HVLT	GSM900	975	880.2	13	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	975	880.2	14	Power	14.77	12	18	PASS
HVLT	GSM900	975	880.2	14	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	975	880.2	15	Power	12.79	10	16	PASS
HVLT	GSM900	975	880.2	15	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	975	880.2	16	Power	10.68	6	16	PASS
HVLT	GSM900	975	880.2	16	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	975	880.2	17	Power	8.48	4	14	PASS
HVLT	GSM900	975	880.2	17	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	975	880.2	18	Power	6.04	2	12	PASS
HVLT	GSM900	975	880.2	18	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	975	880.2	19	Power	4.17	0	10	PASS
HVLT	GSM900	975	880.2	19	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	38	897.6	5	Power	32.76	31	35	PASS
HVLT	GSM900	38	897.6	5	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	38	897.6	6	Power	31.12	28	34	PASS
HVLT	GSM900	38	897.6	6	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	38	897.6	7	Power	29.15	26	32	PASS
HVLT	GSM900	38	897.6	7	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	38	897.6	8	Power	27.14	24	30	PASS
HVLT	GSM900	38	897.6	8	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	38	897.6	9	Power	25.15	22	28	PASS
HVLT	GSM900	38	897.6	9	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	38	897.6	10	Power	23.16	20	26	PASS
HVLT	GSM900	38	897.6	10	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	38	897.6	11	Power	21.02	18	24	PASS
HVLT	GSM900	38	897.6	11	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	38	897.6	12	Power	19.13	16	22	PASS
HVLT	GSM900	38	897.6	12	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	38	897.6	13	Power	17.11	14	20	PASS
HVLT	GSM900	38	897.6	13	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	38	897.6	14	Power	15.06	12	18	PASS
HVLT	GSM900	38	897.6	14	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	38	897.6	15	Power	12.87	10	16	PASS
HVLT	GSM900	38	897.6	15	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	38	897.6	16	Power	10.6	6	16	PASS

HVLT	GSM900	38	897.6	16	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	38	897.6	17	Power	8.64	4	14	PASS
HVLT	GSM900	38	897.6	17	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	38	897.6	18	Power	6.21	2	12	PASS
HVLT	GSM900	38	897.6	18	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	38	897.6	19	Power	4.17	0	10	PASS
HVLT	GSM900	38	897.6	19	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	124	914.8	5	Power	32.87	31	35	PASS
HVLT	GSM900	124	914.8	5	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	124	914.8	6	Power	31.21	28	34	PASS
HVLT	GSM900	124	914.8	6	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	124	914.8	7	Power	29.25	26	32	PASS
HVLT	GSM900	124	914.8	7	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	124	914.8	8	Power	27.25	24	30	PASS
HVLT	GSM900	124	914.8	8	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	124	914.8	9	Power	25.17	22	28	PASS
HVLT	GSM900	124	914.8	9	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	10	Power	23.26	20	26	PASS
HVLT	GSM900	124	914.8	10	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	124	914.8	11	Power	21.21	18	24	PASS
HVLT	GSM900	124	914.8	11	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	124	914.8	12	Power	19.07	16	22	PASS
HVLT	GSM900	124	914.8	12	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	124	914.8	13	Power	17.09	14	20	PASS
HVLT	GSM900	124	914.8	13	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	14	Power	15.04	12	18	PASS
HVLT	GSM900	124	914.8	14	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	124	914.8	15	Power	13.15	10	16	PASS
HVLT	GSM900	124	914.8	15	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	124	914.8	16	Power	10.94	6	16	PASS
HVLT	GSM900	124	914.8	16	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	124	914.8	17	Power	8.9	4	14	PASS
HVLT	GSM900	124	914.8	17	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	124	914.8	18	Power	6.41	2	12	PASS
HVLT	GSM900	124	914.8	18	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	124	914.8	19	Power	4.36	0	10	PASS
HVLT	GSM900	124	914.8	19	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	975	880.2	5	Power	32.55	31	35	PASS
LVHT	GSM900	975	880.2	5	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	6	Power	30.93	28	34	PASS
LVHT	GSM900	975	880.2	6	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	975	880.2	7	Power	29.06	26	32	PASS
LVHT	GSM900	975	880.2	7	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	975	880.2	8	Power	27.03	24	30	PASS

LVHT	GSM900	975	880.2	8	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	975	880.2	9	Power	24.85	22	28	PASS
LVHT	GSM900	975	880.2	9	PvT(%)	-0.17	0	0	PASS
LVHT	GSM900	975	880.2	10	Power	22.95	20	26	PASS
LVHT	GSM900	975	880.2	10	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	11	Power	20.92	18	24	PASS
LVHT	GSM900	975	880.2	11	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	12	Power	18.97	16	22	PASS
LVHT	GSM900	975	880.2	12	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	975	880.2	13	Power	16.94	14	20	PASS
LVHT	GSM900	975	880.2	13	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	975	880.2	14	Power	14.96	12	18	PASS
LVHT	GSM900	975	880.2	14	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	975	880.2	15	Power	12.92	10	16	PASS
LVHT	GSM900	975	880.2	15	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	975	880.2	16	Power	10.59	6	16	PASS
LVHT	GSM900	975	880.2	16	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	975	880.2	17	Power	8.54	4	14	PASS
LVHT	GSM900	975	880.2	17	PvT(%)	-0.15	0	0	PASS
LVHT	GSM900	975	880.2	18	Power	5.95	2	12	PASS
LVHT	GSM900	975	880.2	18	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	975	880.2	19	Power	4.1	0	10	PASS
LVHT	GSM900	975	880.2	19	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	5	Power	32.62	31	35	PASS
LVHT	GSM900	38	897.6	5	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	38	897.6	6	Power	31.17	28	34	PASS
LVHT	GSM900	38	897.6	6	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	38	897.6	7	Power	29.15	26	32	PASS
LVHT	GSM900	38	897.6	7	PvT(%)	-0.17	0	0	PASS
LVHT	GSM900	38	897.6	8	Power	27.2	24	30	PASS
LVHT	GSM900	38	897.6	8	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	9	Power	25.06	22	28	PASS
LVHT	GSM900	38	897.6	9	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	10	Power	23.01	20	26	PASS
LVHT	GSM900	38	897.6	10	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	38	897.6	11	Power	21.17	18	24	PASS
LVHT	GSM900	38	897.6	11	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	12	Power	19.03	16	22	PASS
LVHT	GSM900	38	897.6	12	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	38	897.6	13	Power	17.14	14	20	PASS
LVHT	GSM900	38	897.6	13	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	38	897.6	14	Power	14.96	12	18	PASS
LVHT	GSM900	38	897.6	14	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	38	897.6	15	Power	12.91	10	16	PASS

LVHT	GSM900	38	897.6	15	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	38	897.6	16	Power	10.63	6	16	PASS
LVHT	GSM900	38	897.6	16	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	38	897.6	17	Power	8.66	4	14	PASS
LVHT	GSM900	38	897.6	17	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	38	897.6	18	Power	6.07	2	12	PASS
LVHT	GSM900	38	897.6	18	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	38	897.6	19	Power	4.12	0	10	PASS
LVHT	GSM900	38	897.6	19	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	5	Power	32.8	31	35	PASS
LVHT	GSM900	124	914.8	5	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	124	914.8	6	Power	31.09	28	34	PASS
LVHT	GSM900	124	914.8	6	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	124	914.8	7	Power	29.1	26	32	PASS
LVHT	GSM900	124	914.8	7	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	124	914.8	8	Power	27.11	24	30	PASS
LVHT	GSM900	124	914.8	8	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	124	914.8	9	Power	25.28	22	28	PASS
LVHT	GSM900	124	914.8	9	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	124	914.8	10	Power	23.28	20	26	PASS
LVHT	GSM900	124	914.8	10	PvT(%)	-0.02	0	0	PASS
LVHT	GSM900	124	914.8	11	Power	21.08	18	24	PASS
LVHT	GSM900	124	914.8	11	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	124	914.8	12	Power	19.18	16	22	PASS
LVHT	GSM900	124	914.8	12	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	124	914.8	13	Power	17.08	14	20	PASS
LVHT	GSM900	124	914.8	13	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	14	Power	14.99	12	18	PASS
LVHT	GSM900	124	914.8	14	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	124	914.8	15	Power	13.05	10	16	PASS
LVHT	GSM900	124	914.8	15	PvT(%)	-0.02	0	0	PASS
LVHT	GSM900	124	914.8	16	Power	10.75	6	16	PASS
LVHT	GSM900	124	914.8	16	PvT(%)	-0.15	0	0	PASS
LVHT	GSM900	124	914.8	17	Power	8.79	4	14	PASS
LVHT	GSM900	124	914.8	17	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	124	914.8	18	Power	6.38	2	12	PASS
LVHT	GSM900	124	914.8	18	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	124	914.8	19	Power	4.34	0	10	PASS
LVHT	GSM900	124	914.8	19	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	975	880.2	5	Power	32.57	31	35	PASS
LVLT	GSM900	975	880.2	5	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	975	880.2	6	Power	30.9	28	34	PASS
LVLT	GSM900	975	880.2	6	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	975	880.2	7	Power	28.97	26	32	PASS

LVLT	GSM900	975	880.2	7	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	975	880.2	8	Power	26.99	24	30	PASS
LVLT	GSM900	975	880.2	8	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	975	880.2	9	Power	24.98	22	28	PASS
LVLT	GSM900	975	880.2	9	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	975	880.2	10	Power	23.03	20	26	PASS
LVLT	GSM900	975	880.2	10	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	975	880.2	11	Power	21.03	18	24	PASS
LVLT	GSM900	975	880.2	11	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	975	880.2	12	Power	18.85	16	22	PASS
LVLT	GSM900	975	880.2	12	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	975	880.2	13	Power	16.86	14	20	PASS
LVLT	GSM900	975	880.2	13	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	975	880.2	14	Power	14.85	12	18	PASS
LVLT	GSM900	975	880.2	14	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	975	880.2	15	Power	12.92	10	16	PASS
LVLT	GSM900	975	880.2	15	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	975	880.2	16	Power	10.64	6	16	PASS
LVLT	GSM900	975	880.2	16	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	975	880.2	17	Power	8.53	4	14	PASS
LVLT	GSM900	975	880.2	17	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	975	880.2	18	Power	5.98	2	12	PASS
LVLT	GSM900	975	880.2	18	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	975	880.2	19	Power	4.08	0	10	PASS
LVLT	GSM900	975	880.2	19	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	38	897.6	5	Power	32.66	31	35	PASS
LVLT	GSM900	38	897.6	5	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	38	897.6	6	Power	31.06	28	34	PASS
LVLT	GSM900	38	897.6	6	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	38	897.6	7	Power	29.13	26	32	PASS
LVLT	GSM900	38	897.6	7	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	38	897.6	8	Power	27.03	24	30	PASS
LVLT	GSM900	38	897.6	8	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	38	897.6	9	Power	25.17	22	28	PASS
LVLT	GSM900	38	897.6	9	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	38	897.6	10	Power	23.04	20	26	PASS
LVLT	GSM900	38	897.6	10	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	38	897.6	11	Power	21.06	18	24	PASS
LVLT	GSM900	38	897.6	11	PvT(%)	-0.04	0	0	PASS
LVLT	GSM900	38	897.6	12	Power	19.18	16	22	PASS
LVLT	GSM900	38	897.6	12	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	38	897.6	13	Power	17.14	14	20	PASS
LVLT	GSM900	38	897.6	13	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	38	897.6	14	Power	15.03	12	18	PASS



LVLT	GSM900	38	897.6	14	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	38	897.6	15	Power	13.03	10	16	PASS
LVLT	GSM900	38	897.6	15	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	38	897.6	16	Power	10.71	6	16	PASS
LVLT	GSM900	38	897.6	16	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	38	897.6	17	Power	8.63	4	14	PASS
LVLT	GSM900	38	897.6	17	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	38	897.6	18	Power	6.04	2	12	PASS
LVLT	GSM900	38	897.6	18	PvT(%)	-0.13	0	0	PASS
LVLT	GSM900	38	897.6	19	Power	4.21	0	10	PASS
LVLT	GSM900	38	897.6	19	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	124	914.8	5	Power	32.79	31	35	PASS
LVLT	GSM900	124	914.8	5	PvT(%)	-0.09	0	0	PASS
LVLT	GSM900	124	914.8	6	Power	31.13	28	34	PASS
LVLT	GSM900	124	914.8	6	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	124	914.8	7	Power	29.24	26	32	PASS
LVLT	GSM900	124	914.8	7	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	8	Power	27.13	24	30	PASS
LVLT	GSM900	124	914.8	8	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	124	914.8	9	Power	25.22	22	28	PASS
LVLT	GSM900	124	914.8	9	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	124	914.8	10	Power	23.28	20	26	PASS
LVLT	GSM900	124	914.8	10	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	11	Power	21.15	18	24	PASS
LVLT	GSM900	124	914.8	11	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	124	914.8	12	Power	19.05	16	22	PASS
LVLT	GSM900	124	914.8	12	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	124	914.8	13	Power	17.18	14	20	PASS
LVLT	GSM900	124	914.8	13	PvT(%)	-0.01	0	0	PASS
LVLT	GSM900	124	914.8	14	Power	15.15	12	18	PASS
LVLT	GSM900	124	914.8	14	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	124	914.8	15	Power	13.08	10	16	PASS
LVLT	GSM900	124	914.8	15	PvT(%)	-0.16	0	0	PASS
LVLT	GSM900	124	914.8	16	Power	10.85	6	16	PASS
LVLT	GSM900	124	914.8	16	PvT(%)	-0.02	0	0	PASS
LVLT	GSM900	124	914.8	17	Power	8.72	4	14	PASS
LVLT	GSM900	124	914.8	17	PvT(%)	-0.2	0	0	PASS
LVLT	GSM900	124	914.8	18	Power	6.35	2	12	PASS
LVLT	GSM900	124	914.8	18	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	19	Power	4.39	0	10	PASS
LVLT	GSM900	124	914.8	19	PvT(%)	-0.07	0	0	PASS

#### Clause 4.2.6 Transmitter-Modulation Spectrum

Condition	Band	Channel	Frequency	PCL	Offset	Relative	Relative	Absolute	Absolute	Verdict
-----------	------	---------	-----------	-----	--------	----------	----------	----------	----------	---------

			(MHz)		(kHz)	Result (dB)	Limit (dB)	Result (dBm)	Limit (dBm)	
HVHT	GSM1800	512	1710.2	0	-1800	-80.4	-60	-58.04	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1600	-80.19	-60	-57.96	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1400	-79.1	-60	-56.94	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-77.85	-60	-55.76	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1000	-76.55	-60	-54.11	-55	PASS
HVHT	GSM1800	512	1710.2	0	-800	-75.13	-60	-52.87	-55	PASS
HVHT	GSM1800	512	1710.2	0	-600	-73.16	-60	-50.89	-55	PASS
HVHT	GSM1800	512	1710.2	0	-400	-67.61	-60	-45.44	-36	PASS
HVHT	GSM1800	512	1710.2	0	-250	-40.95	-33	-18.7	-36	PASS
HVHT	GSM1800	512	1710.2	0	-200	-36.75	-30	-14.46	-36	PASS
HVHT	GSM1800	512	1710.2	0	-100	-9.26	0.5	12.98	-36	PASS
HVHT	GSM1800	512	1710.2	0	100	-8.25	0.5	14.14	-36	PASS
HVHT	GSM1800	512	1710.2	0	200	-36.79	-30	-14.6	-36	PASS
HVHT	GSM1800	512	1710.2	0	250	-40.71	-33	-18.54	-36	PASS
HVHT	GSM1800	512	1710.2	0	400	-67.54	-60	-45.37	-36	PASS
HVHT	GSM1800	512	1710.2	0	600	-72.69	-60	-50.51	-55	PASS
HVHT	GSM1800	512	1710.2	0	800	-75.66	-60	-53.45	-55	PASS
HVHT	GSM1800	512	1710.2	0	1000	-77.01	-60	-54.75	-55	PASS
HVHT	GSM1800	512	1710.2	0	1200	-79.14	-60	-56.87	-55	PASS
HVHT	GSM1800	512	1710.2	0	1400	-78.91	-60	-56.56	-55	PASS
HVHT	GSM1800	512	1710.2	0	1600	-80.02	-60	-57.69	-55	PASS
HVHT	GSM1800	512	1710.2	0	1800	-80.14	-60	-57.91	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1800	-75.97	-60	-83.92	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1600	-76.35	-60	-84.27	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1400	-74.28	-60	-82.13	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-73.52	-60	-81.37	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1000	-70.56	-60	-78.61	-55	PASS
HVHT	GSM1800	512	1710.2	15	-800	-69.59	-60	-77.49	-55	PASS
HVHT	GSM1800	512	1710.2	15	-600	-67.18	-60	-75.13	-55	PASS
HVHT	GSM1800	512	1710.2	15	-400	-64.43	-60	-72.21	-36	PASS
HVHT	GSM1800	512	1710.2	15	-250	-41.72	-33	-49.6	-36	PASS
HVHT	GSM1800	512	1710.2	15	-200	-36.12	-30	-43.95	-36	PASS
HVHT	GSM1800	512	1710.2	15	-100	-7.41	0.5	-15.19	-36	PASS
HVHT	GSM1800	512	1710.2	15	100	-8.45	0.5	-16.49	-36	PASS
HVHT	GSM1800	512	1710.2	15	200	-36.17	-30	-44.11	-36	PASS
HVHT	GSM1800	512	1710.2	15	250	-41.42	-33	-49.39	-36	PASS
HVHT	GSM1800	512	1710.2	15	400	-64.29	-60	-72.2	-36	PASS
HVHT	GSM1800	512	1710.2	15	600	-66.85	-60	-74.7	-55	PASS
HVHT	GSM1800	512	1710.2	15	800	-69.74	-60	-77.66	-55	PASS
HVHT	GSM1800	512	1710.2	15	1000	-71.19	-60	-79.07	-55	PASS
HVHT	GSM1800	512	1710.2	15	1200	-73.16	-60	-81.12	-55	PASS
HVHT	GSM1800	512	1710.2	15	1400	-74.98	-60	-82.82	-55	PASS

HVHT	GSM1800	512	1710.2	15	1600	-75.33	-60	-83.24	-55	PASS
HVHT	GSM1800	512	1710.2	15	1800	-76.34	-60	-84.3	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1800	-81.55	-60	-58.83	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1600	-79.48	-60	-56.87	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1400	-79.46	-60	-56.76	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-78.56	-60	-55.89	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1000	-76.58	-60	-53.95	-55	PASS
HVHT	GSM1800	698	1747.4	0	-800	-75.67	-60	-53.03	-55	PASS
HVHT	GSM1800	698	1747.4	0	-600	-72.98	-60	-50.38	-55	PASS
HVHT	GSM1800	698	1747.4	0	-400	-67.98	-60	-45.44	-36	PASS
HVHT	GSM1800	698	1747.4	0	-250	-42.23	-33	-19.56	-36	PASS
HVHT	GSM1800	698	1747.4	0	-200	-36.35	-30	-13.67	-36	PASS
HVHT	GSM1800	698	1747.4	0	-100	-9.4	0.5	13.3	-36	PASS
HVHT	GSM1800	698	1747.4	0	100	-8.73	0.5	13.86	-36	PASS
HVHT	GSM1800	698	1747.4	0	200	-37.17	-30	-14.37	-36	PASS
HVHT	GSM1800	698	1747.4	0	250	-40.89	-33	-18.27	-36	PASS
HVHT	GSM1800	698	1747.4	0	400	-68.41	-60	-45.76	-36	PASS
HVHT	GSM1800	698	1747.4	0	600	-73.02	-60	-50.46	-55	PASS
HVHT	GSM1800	698	1747.4	0	800	-74.99	-60	-52.31	-55	PASS
HVHT	GSM1800	698	1747.4	0	1000	-77.05	-60	-54.56	-55	PASS
HVHT	GSM1800	698	1747.4	0	1200	-78.73	-60	-56.08	-55	PASS
HVHT	GSM1800	698	1747.4	0	1400	-79.38	-60	-56.59	-55	PASS
HVHT	GSM1800	698	1747.4	0	1600	-80.11	-60	-57.34	-55	PASS
HVHT	GSM1800	698	1747.4	0	1800	-81.23	-60	-58.48	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1800	-77.14	-60	-84.3	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1600	-76.56	-60	-83.74	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1400	-75.2	-60	-82.18	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-73.38	-60	-80.63	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1000	-72.62	-60	-79.73	-55	PASS
HVHT	GSM1800	698	1747.4	15	-800	-70.2	-60	-77.36	-55	PASS
HVHT	GSM1800	698	1747.4	15	-600	-68.54	-60	-75.76	-55	PASS
HVHT	GSM1800	698	1747.4	15	-400	-64.91	-60	-71.98	-36	PASS
HVHT	GSM1800	698	1747.4	15	-250	-42.03	-33	-49.23	-36	PASS
HVHT	GSM1800	698	1747.4	15	-200	-36.62	-30	-43.78	-36	PASS
HVHT	GSM1800	698	1747.4	15	-100	-8.99	0.5	-16.2	-36	PASS
HVHT	GSM1800	698	1747.4	15	100	-8.21	0.5	-15.42	-36	PASS
HVHT	GSM1800	698	1747.4	15	200	-37.02	-30	-44.14	-36	PASS
HVHT	GSM1800	698	1747.4	15	250	-41.64	-33	-48.9	-36	PASS
HVHT	GSM1800	698	1747.4	15	400	-64.71	-60	-71.95	-36	PASS
HVHT	GSM1800	698	1747.4	15	600	-68.05	-60	-75.24	-55	PASS
HVHT	GSM1800	698	1747.4	15	800	-70.55	-60	-77.7	-55	PASS
HVHT	GSM1800	698	1747.4	15	1000	-72.3	-60	-79.44	-55	PASS
HVHT	GSM1800	698	1747.4	15	1200	-74.16	-60	-81.24	-55	PASS
HVHT	GSM1800	698	1747.4	15	1400	-74.69	-60	-81.82	-55	PASS

HVHT	GSM1800	698	1747.4	15	1600	-76.46	-60	-83.57	-55	PASS
HVHT	GSM1800	698	1747.4	15	1800	-76.54	-60	-83.65	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1800	-81.03	-60	-58.65	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1600	-80.1	-60	-57.6	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1400	-79.7	-60	-57.15	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-78.7	-60	-56.04	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1000	-77.12	-60	-54.49	-55	PASS
HVHT	GSM1800	885	1784.8	0	-800	-75.39	-60	-52.86	-55	PASS
HVHT	GSM1800	885	1784.8	0	-600	-72.75	-60	-50.09	-55	PASS
HVHT	GSM1800	885	1784.8	0	-400	-67.86	-60	-45.45	-36	PASS
HVHT	GSM1800	885	1784.8	0	-250	-40.99	-33	-18.34	-36	PASS
HVHT	GSM1800	885	1784.8	0	-200	-37.05	-30	-14.48	-36	PASS
HVHT	GSM1800	885	1784.8	0	-100	-9.42	0.5	13.21	-36	PASS
HVHT	GSM1800	885	1784.8	0	100	-8.07	0.5	14.44	-36	PASS
HVHT	GSM1800	885	1784.8	0	200	-36.67	-30	-14.14	-36	PASS
HVHT	GSM1800	885	1784.8	0	250	-41.41	-33	-18.89	-36	PASS
HVHT	GSM1800	885	1784.8	0	400	-66.94	-60	-44.37	-36	PASS
HVHT	GSM1800	885	1784.8	0	600	-72.32	-60	-49.77	-55	PASS
HVHT	GSM1800	885	1784.8	0	800	-75.21	-60	-52.77	-55	PASS
HVHT	GSM1800	885	1784.8	0	1000	-76.93	-60	-54.36	-55	PASS
HVHT	GSM1800	885	1784.8	0	1200	-78.44	-60	-55.91	-55	PASS
HVHT	GSM1800	885	1784.8	0	1400	-79.36	-60	-56.73	-55	PASS
HVHT	GSM1800	885	1784.8	0	1600	-79.87	-60	-57.51	-55	PASS
HVHT	GSM1800	885	1784.8	0	1800	-80.4	-60	-58	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1800	-77.43	-60	-83.74	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1600	-77.37	-60	-83.72	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1400	-75.2	-60	-81.51	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-73.8	-60	-80.23	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1000	-72.39	-60	-78.79	-55	PASS
HVHT	GSM1800	885	1784.8	15	-800	-70.68	-60	-77.14	-55	PASS
HVHT	GSM1800	885	1784.8	15	-600	-68.8	-60	-75.04	-55	PASS
HVHT	GSM1800	885	1784.8	15	-400	-64.55	-60	-70.87	-36	PASS
HVHT	GSM1800	885	1784.8	15	-250	-40.81	-33	-47.03	-36	PASS
HVHT	GSM1800	885	1784.8	15	-200	-36.54	-30	-42.84	-36	PASS
HVHT	GSM1800	885	1784.8	15	-100	-7.92	0.5	-14.23	-36	PASS
HVHT	GSM1800	885	1784.8	15	100	-8.35	0.5	-14.55	-36	PASS
HVHT	GSM1800	885	1784.8	15	200	-36.43	-30	-42.76	-36	PASS
HVHT	GSM1800	885	1784.8	15	250	-41.54	-33	-47.9	-36	PASS
HVHT	GSM1800	885	1784.8	15	400	-64.81	-60	-71.03	-36	PASS
HVHT	GSM1800	885	1784.8	15	600	-68.27	-60	-74.56	-55	PASS
HVHT	GSM1800	885	1784.8	15	800	-70.52	-60	-76.71	-55	PASS
HVHT	GSM1800	885	1784.8	15	1000	-72.47	-60	-78.68	-55	PASS
HVHT	GSM1800	885	1784.8	15	1200	-74.42	-60	-80.72	-55	PASS
HVHT	GSM1800	885	1784.8	15	1400	-74.93	-60	-81.4	-55	PASS

HVHT	GSM1800	885	1784.8	15	1600	-76.31	-60	-82.57	-55	PASS
HVHT	GSM1800	885	1784.8	15	1800	-77.11	-60	-83.37	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1800	-80.31	-60	-58.07	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1600	-80.05	-60	-57.8	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1400	-79.17	-60	-56.92	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-77.98	-60	-55.64	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1000	-76.53	-60	-54.15	-55	PASS
HVLT	GSM1800	512	1710.2	0	-800	-75.12	-60	-52.75	-55	PASS
HVLT	GSM1800	512	1710.2	0	-600	-73.1	-60	-50.87	-55	PASS
HVLT	GSM1800	512	1710.2	0	-400	-67.54	-60	-45.36	-36	PASS
HVLT	GSM1800	512	1710.2	0	-250	-40.84	-33	-18.67	-36	PASS
HVLT	GSM1800	512	1710.2	0	-200	-36.76	-30	-14.46	-36	PASS
HVLT	GSM1800	512	1710.2	0	-100	-9.24	0.5	12.9	-36	PASS
HVLT	GSM1800	512	1710.2	0	100	-8.24	0.5	13.98	-36	PASS
HVLT	GSM1800	512	1710.2	0	200	-36.94	-30	-14.64	-36	PASS
HVLT	GSM1800	512	1710.2	0	250	-40.71	-33	-18.39	-36	PASS
HVLT	GSM1800	512	1710.2	0	400	-67.59	-60	-45.44	-36	PASS
HVLT	GSM1800	512	1710.2	0	600	-72.75	-60	-50.52	-55	PASS
HVLT	GSM1800	512	1710.2	0	800	-75.74	-60	-53.5	-55	PASS
HVLT	GSM1800	512	1710.2	0	1000	-77.14	-60	-54.77	-55	PASS
HVLT	GSM1800	512	1710.2	0	1200	-79.13	-60	-56.88	-55	PASS
HVLT	GSM1800	512	1710.2	0	1400	-78.86	-60	-56.56	-55	PASS
HVLT	GSM1800	512	1710.2	0	1600	-80.08	-60	-57.8	-55	PASS
HVLT	GSM1800	512	1710.2	0	1800	-80.12	-60	-57.78	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1800	-76.04	-60	-83.93	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1600	-76.43	-60	-84.32	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1400	-74.29	-60	-82.17	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-73.46	-60	-81.46	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1000	-70.67	-60	-78.61	-55	PASS
HVLT	GSM1800	512	1710.2	15	-800	-69.55	-60	-77.53	-55	PASS
HVLT	GSM1800	512	1710.2	15	-600	-67.22	-60	-75.03	-55	PASS
HVLT	GSM1800	512	1710.2	15	-400	-64.32	-60	-72.25	-36	PASS
HVLT	GSM1800	512	1710.2	15	-250	-41.7	-33	-49.68	-36	PASS
HVLT	GSM1800	512	1710.2	15	-200	-36.16	-30	-44.07	-36	PASS
HVLT	GSM1800	512	1710.2	15	-100	-7.38	0.5	-15.18	-36	PASS
HVLT	GSM1800	512	1710.2	15	100	-8.45	0.5	-16.38	-36	PASS
HVLT	GSM1800	512	1710.2	15	200	-36.23	-30	-44.21	-36	PASS
HVLT	GSM1800	512	1710.2	15	250	-41.55	-33	-49.48	-36	PASS
HVLT	GSM1800	512	1710.2	15	400	-64.32	-60	-72.21	-36	PASS
HVLT	GSM1800	512	1710.2	15	600	-66.79	-60	-74.77	-55	PASS
HVLT	GSM1800	512	1710.2	15	800	-69.63	-60	-77.58	-55	PASS
HVLT	GSM1800	512	1710.2	15	1000	-71.07	-60	-79	-55	PASS
HVLT	GSM1800	512	1710.2	15	1200	-73.32	-60	-81.07	-55	PASS
HVLT	GSM1800	512	1710.2	15	1400	-74.82	-60	-82.83	-55	PASS

HVLT	GSM1800	512	1710.2	15	1600	-75.26	-60	-83.21	-55	PASS
HVLT	GSM1800	512	1710.2	15	1800	-76.43	-60	-84.19	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1800	-81.64	-60	-58.92	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1600	-79.47	-60	-56.76	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1400	-79.38	-60	-56.87	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-78.57	-60	-55.86	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1000	-76.66	-60	-54.02	-55	PASS
HVLT	GSM1800	698	1747.4	0	-800	-75.77	-60	-53.11	-55	PASS
HVLT	GSM1800	698	1747.4	0	-600	-72.99	-60	-50.37	-55	PASS
HVLT	GSM1800	698	1747.4	0	-400	-67.97	-60	-45.35	-36	PASS
HVLT	GSM1800	698	1747.4	0	-250	-42.35	-33	-19.61	-36	PASS
HVLT	GSM1800	698	1747.4	0	-200	-36.21	-30	-13.58	-36	PASS
HVLT	GSM1800	698	1747.4	0	-100	-9.46	0.5	13.21	-36	PASS
HVLT	GSM1800	698	1747.4	0	100	-8.67	0.5	13.95	-36	PASS
HVLT	GSM1800	698	1747.4	0	200	-37.18	-30	-14.54	-36	PASS
HVLT	GSM1800	698	1747.4	0	250	-40.96	-33	-18.3	-36	PASS
HVLT	GSM1800	698	1747.4	0	400	-68.44	-60	-45.79	-36	PASS
HVLT	GSM1800	698	1747.4	0	600	-73	-60	-50.46	-55	PASS
HVLT	GSM1800	698	1747.4	0	800	-74.9	-60	-52.43	-55	PASS
HVLT	GSM1800	698	1747.4	0	1000	-77.05	-60	-54.53	-55	PASS
HVLT	GSM1800	698	1747.4	0	1200	-78.65	-60	-56.12	-55	PASS
HVLT	GSM1800	698	1747.4	0	1400	-79.35	-60	-56.7	-55	PASS
HVLT	GSM1800	698	1747.4	0	1600	-80.11	-60	-57.5	-55	PASS
HVLT	GSM1800	698	1747.4	0	1800	-81.22	-60	-58.5	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1800	-77.17	-60	-84.3	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1600	-76.67	-60	-83.72	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1400	-75.16	-60	-82.32	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-73.47	-60	-80.5	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1000	-72.53	-60	-79.72	-55	PASS
HVLT	GSM1800	698	1747.4	15	-800	-70.22	-60	-77.36	-55	PASS
HVLT	GSM1800	698	1747.4	15	-600	-68.48	-60	-75.63	-55	PASS
HVLT	GSM1800	698	1747.4	15	-400	-64.8	-60	-71.92	-36	PASS
HVLT	GSM1800	698	1747.4	15	-250	-42.08	-33	-49.21	-36	PASS
HVLT	GSM1800	698	1747.4	15	-200	-36.75	-30	-43.84	-36	PASS
HVLT	GSM1800	698	1747.4	15	-100	-9.08	0.5	-16.29	-36	PASS
HVLT	GSM1800	698	1747.4	15	100	-8.19	0.5	-15.32	-36	PASS
HVLT	GSM1800	698	1747.4	15	200	-37.01	-30	-44.17	-36	PASS
HVLT	GSM1800	698	1747.4	15	250	-41.62	-33	-48.79	-36	PASS
HVLT	GSM1800	698	1747.4	15	400	-64.79	-60	-71.91	-36	PASS
HVLT	GSM1800	698	1747.4	15	600	-68.15	-60	-75.34	-55	PASS
HVLT	GSM1800	698	1747.4	15	800	-70.65	-60	-77.82	-55	PASS
HVLT	GSM1800	698	1747.4	15	1000	-72.38	-60	-79.45	-55	PASS
HVLT	GSM1800	698	1747.4	15	1200	-74.02	-60	-81.13	-55	PASS
HVLT	GSM1800	698	1747.4	15	1400	-74.77	-60	-81.92	-55	PASS

HVLT	GSM1800	698	1747.4	15	1600	-76.4	-60	-83.47	-55	PASS
HVLT	GSM1800	698	1747.4	15	1800	-76.43	-60	-83.58	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1800	-81.13	-60	-58.64	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1600	-80.12	-60	-57.64	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1400	-79.66	-60	-57.17	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-78.55	-60	-56.06	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1000	-76.95	-60	-54.43	-55	PASS
HVLT	GSM1800	885	1784.8	0	-800	-75.52	-60	-53.01	-55	PASS
HVLT	GSM1800	885	1784.8	0	-600	-72.57	-60	-50.11	-55	PASS
HVLT	GSM1800	885	1784.8	0	-400	-68.04	-60	-45.38	-36	PASS
HVLT	GSM1800	885	1784.8	0	-250	-40.94	-33	-18.35	-36	PASS
HVLT	GSM1800	885	1784.8	0	-200	-37.05	-30	-14.63	-36	PASS
HVLT	GSM1800	885	1784.8	0	-100	-9.3	0.5	13.09	-36	PASS
HVLT	GSM1800	885	1784.8	0	100	-8.17	0.5	14.42	-36	PASS
HVLT	GSM1800	885	1784.8	0	200	-36.67	-30	-14.22	-36	PASS
HVLT	GSM1800	885	1784.8	0	250	-41.3	-33	-18.85	-36	PASS
HVLT	GSM1800	885	1784.8	0	400	-67.04	-60	-44.4	-36	PASS
HVLT	GSM1800	885	1784.8	0	600	-72.43	-60	-49.76	-55	PASS
HVLT	GSM1800	885	1784.8	0	800	-75.21	-60	-52.63	-55	PASS
HVLT	GSM1800	885	1784.8	0	1000	-76.92	-60	-54.36	-55	PASS
HVLT	GSM1800	885	1784.8	0	1200	-78.25	-60	-55.84	-55	PASS
HVLT	GSM1800	885	1784.8	0	1400	-79.29	-60	-56.8	-55	PASS
HVLT	GSM1800	885	1784.8	0	1600	-79.97	-60	-57.39	-55	PASS
HVLT	GSM1800	885	1784.8	0	1800	-80.47	-60	-57.96	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1800	-77.43	-60	-83.87	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1600	-77.36	-60	-83.77	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1400	-75.11	-60	-81.46	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-73.95	-60	-80.16	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1000	-72.3	-60	-78.73	-55	PASS
HVLT	GSM1800	885	1784.8	15	-800	-70.72	-60	-77.11	-55	PASS
HVLT	GSM1800	885	1784.8	15	-600	-68.89	-60	-75.04	-55	PASS
HVLT	GSM1800	885	1784.8	15	-400	-64.4	-60	-70.74	-36	PASS
HVLT	GSM1800	885	1784.8	15	-250	-40.75	-33	-47.13	-36	PASS
HVLT	GSM1800	885	1784.8	15	-200	-36.46	-30	-42.84	-36	PASS
HVLT	GSM1800	885	1784.8	15	-100	-7.75	0.5	-14.17	-36	PASS
HVLT	GSM1800	885	1784.8	15	100	-8.29	0.5	-14.52	-36	PASS
HVLT	GSM1800	885	1784.8	15	200	-36.45	-30	-42.74	-36	PASS
HVLT	GSM1800	885	1784.8	15	250	-41.46	-33	-47.72	-36	PASS
HVLT	GSM1800	885	1784.8	15	400	-64.69	-60	-71.16	-36	PASS
HVLT	GSM1800	885	1784.8	15	600	-68.12	-60	-74.55	-55	PASS
HVLT	GSM1800	885	1784.8	15	800	-70.37	-60	-76.86	-55	PASS
HVLT	GSM1800	885	1784.8	15	1000	-72.29	-60	-78.74	-55	PASS
HVLT	GSM1800	885	1784.8	15	1200	-74.51	-60	-80.76	-55	PASS
HVLT	GSM1800	885	1784.8	15	1400	-74.98	-60	-81.35	-55	PASS

HVLT	GSM1800	885	1784.8	15	1600	-76.2	-60	-82.55	-55	PASS
HVLT	GSM1800	885	1784.8	15	1800	-76.99	-60	-83.43	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1800	-80.3	-60	-58.05	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1600	-80.23	-60	-57.94	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1400	-79.11	-60	-56.85	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-77.98	-60	-55.7	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1000	-76.53	-60	-54.28	-55	PASS
LVHT	GSM1800	512	1710.2	0	-800	-75.03	-60	-52.83	-55	PASS
LVHT	GSM1800	512	1710.2	0	-600	-73.26	-60	-51.02	-55	PASS
LVHT	GSM1800	512	1710.2	0	-400	-67.56	-60	-45.39	-36	PASS
LVHT	GSM1800	512	1710.2	0	-250	-40.83	-33	-18.62	-36	PASS
LVHT	GSM1800	512	1710.2	0	-200	-36.71	-30	-14.45	-36	PASS
LVHT	GSM1800	512	1710.2	0	-100	-9.33	0.5	12.94	-36	PASS
LVHT	GSM1800	512	1710.2	0	100	-8.28	0.5	13.97	-36	PASS
LVHT	GSM1800	512	1710.2	0	200	-36.91	-30	-14.57	-36	PASS
LVHT	GSM1800	512	1710.2	0	250	-40.71	-33	-18.5	-36	PASS
LVHT	GSM1800	512	1710.2	0	400	-67.57	-60	-45.26	-36	PASS
LVHT	GSM1800	512	1710.2	0	600	-72.81	-60	-50.53	-55	PASS
LVHT	GSM1800	512	1710.2	0	800	-75.61	-60	-53.5	-55	PASS
LVHT	GSM1800	512	1710.2	0	1000	-77.03	-60	-54.86	-55	PASS
LVHT	GSM1800	512	1710.2	0	1200	-79.07	-60	-56.97	-55	PASS
LVHT	GSM1800	512	1710.2	0	1400	-78.97	-60	-56.73	-55	PASS
LVHT	GSM1800	512	1710.2	0	1600	-79.94	-60	-57.74	-55	PASS
LVHT	GSM1800	512	1710.2	0	1800	-80.02	-60	-57.87	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1800	-75.95	-60	-83.98	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1600	-76.46	-60	-84.39	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1400	-74.29	-60	-82.09	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-73.55	-60	-81.44	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1000	-70.55	-60	-78.62	-55	PASS
LVHT	GSM1800	512	1710.2	15	-800	-69.55	-60	-77.56	-55	PASS
LVHT	GSM1800	512	1710.2	15	-600	-67.15	-60	-75.01	-55	PASS
LVHT	GSM1800	512	1710.2	15	-400	-64.29	-60	-72.26	-36	PASS
LVHT	GSM1800	512	1710.2	15	-250	-41.83	-33	-49.58	-36	PASS
LVHT	GSM1800	512	1710.2	15	-200	-36.03	-30	-44.04	-36	PASS
LVHT	GSM1800	512	1710.2	15	-100	-7.26	0.5	-15.27	-36	PASS
LVHT	GSM1800	512	1710.2	15	100	-8.46	0.5	-16.55	-36	PASS
LVHT	GSM1800	512	1710.2	15	200	-36.29	-30	-44.14	-36	PASS
LVHT	GSM1800	512	1710.2	15	250	-41.45	-33	-49.37	-36	PASS
LVHT	GSM1800	512	1710.2	15	400	-64.35	-60	-72.19	-36	PASS
LVHT	GSM1800	512	1710.2	15	600	-66.92	-60	-74.72	-55	PASS
LVHT	GSM1800	512	1710.2	15	800	-69.69	-60	-77.53	-55	PASS
LVHT	GSM1800	512	1710.2	15	1000	-71.17	-60	-79.12	-55	PASS
LVHT	GSM1800	512	1710.2	15	1200	-73.22	-60	-81.2	-55	PASS
LVHT	GSM1800	512	1710.2	15	1400	-74.94	-60	-82.9	-55	PASS



LVHT	GSM1800	512	1710.2	15	1600	-75.2	-60	-83.08	-55	PASS
LVHT	GSM1800	512	1710.2	15	1800	-76.37	-60	-84.25	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1800	-81.63	-60	-58.98	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1600	-79.43	-60	-56.71	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1400	-79.5	-60	-56.78	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-78.62	-60	-55.83	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1000	-76.52	-60	-53.94	-55	PASS
LVHT	GSM1800	698	1747.4	0	-800	-75.78	-60	-53.13	-55	PASS
LVHT	GSM1800	698	1747.4	0	-600	-73.04	-60	-50.44	-55	PASS
LVHT	GSM1800	698	1747.4	0	-400	-67.98	-60	-45.41	-36	PASS
LVHT	GSM1800	698	1747.4	0	-250	-42.17	-33	-19.61	-36	PASS
LVHT	GSM1800	698	1747.4	0	-200	-36.16	-30	-13.68	-36	PASS
LVHT	GSM1800	698	1747.4	0	-100	-9.34	0.5	13.16	-36	PASS
LVHT	GSM1800	698	1747.4	0	100	-8.64	0.5	13.97	-36	PASS
LVHT	GSM1800	698	1747.4	0	200	-37.07	-30	-14.38	-36	PASS
LVHT	GSM1800	698	1747.4	0	250	-41.07	-33	-18.3	-36	PASS
LVHT	GSM1800	698	1747.4	0	400	-68.43	-60	-45.79	-36	PASS
LVHT	GSM1800	698	1747.4	0	600	-73.04	-60	-50.47	-55	PASS
LVHT	GSM1800	698	1747.4	0	800	-75.05	-60	-52.38	-55	PASS
LVHT	GSM1800	698	1747.4	0	1000	-77.02	-60	-54.54	-55	PASS
LVHT	GSM1800	698	1747.4	0	1200	-78.81	-60	-56.06	-55	PASS
LVHT	GSM1800	698	1747.4	0	1400	-79.33	-60	-56.62	-55	PASS
LVHT	GSM1800	698	1747.4	0	1600	-80.04	-60	-57.46	-55	PASS
LVHT	GSM1800	698	1747.4	0	1800	-81.11	-60	-58.64	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1800	-77.1	-60	-84.37	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1600	-76.55	-60	-83.74	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1400	-75.08	-60	-82.17	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-73.53	-60	-80.64	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1000	-72.45	-60	-79.75	-55	PASS
LVHT	GSM1800	698	1747.4	15	-800	-70.21	-60	-77.31	-55	PASS
LVHT	GSM1800	698	1747.4	15	-600	-68.58	-60	-75.61	-55	PASS
LVHT	GSM1800	698	1747.4	15	-400	-64.86	-60	-72	-36	PASS
LVHT	GSM1800	698	1747.4	15	-250	-42.08	-33	-49.25	-36	PASS
LVHT	GSM1800	698	1747.4	15	-200	-36.74	-30	-43.89	-36	PASS
LVHT	GSM1800	698	1747.4	15	-100	-9.17	0.5	-16.3	-36	PASS
LVHT	GSM1800	698	1747.4	15	100	-8.26	0.5	-15.41	-36	PASS
LVHT	GSM1800	698	1747.4	15	200	-37.11	-30	-44.17	-36	PASS
LVHT	GSM1800	698	1747.4	15	250	-41.73	-33	-48.87	-36	PASS
LVHT	GSM1800	698	1747.4	15	400	-64.82	-60	-71.93	-36	PASS
LVHT	GSM1800	698	1747.4	15	600	-68.13	-60	-75.26	-55	PASS
LVHT	GSM1800	698	1747.4	15	800	-70.6	-60	-77.65	-55	PASS
LVHT	GSM1800	698	1747.4	15	1000	-72.42	-60	-79.47	-55	PASS
LVHT	GSM1800	698	1747.4	15	1200	-74.18	-60	-81.22	-55	PASS
LVHT	GSM1800	698	1747.4	15	1400	-74.84	-60	-81.85	-55	PASS

LVHT	GSM1800	698	1747.4	15	1600	-76.35	-60	-83.57	-55	PASS
LVHT	GSM1800	698	1747.4	15	1800	-76.52	-60	-83.49	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1800	-81.09	-60	-58.66	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1600	-80.03	-60	-57.63	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1400	-79.73	-60	-57.27	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-78.68	-60	-56.14	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1000	-77.11	-60	-54.46	-55	PASS
LVHT	GSM1800	885	1784.8	0	-800	-75.38	-60	-52.93	-55	PASS
LVHT	GSM1800	885	1784.8	0	-600	-72.57	-60	-50.09	-55	PASS
LVHT	GSM1800	885	1784.8	0	-400	-67.97	-60	-45.51	-36	PASS
LVHT	GSM1800	885	1784.8	0	-250	-40.89	-33	-18.32	-36	PASS
LVHT	GSM1800	885	1784.8	0	-200	-37.16	-30	-14.53	-36	PASS
LVHT	GSM1800	885	1784.8	0	-100	-9.36	0.5	13.23	-36	PASS
LVHT	GSM1800	885	1784.8	0	100	-8.16	0.5	14.36	-36	PASS
LVHT	GSM1800	885	1784.8	0	200	-36.6	-30	-14.07	-36	PASS
LVHT	GSM1800	885	1784.8	0	250	-41.41	-33	-18.77	-36	PASS
LVHT	GSM1800	885	1784.8	0	400	-67.02	-60	-44.45	-36	PASS
LVHT	GSM1800	885	1784.8	0	600	-72.34	-60	-49.74	-55	PASS
LVHT	GSM1800	885	1784.8	0	800	-75.14	-60	-52.79	-55	PASS
LVHT	GSM1800	885	1784.8	0	1000	-76.86	-60	-54.24	-55	PASS
LVHT	GSM1800	885	1784.8	0	1200	-78.33	-60	-55.76	-55	PASS
LVHT	GSM1800	885	1784.8	0	1400	-79.29	-60	-56.72	-55	PASS
LVHT	GSM1800	885	1784.8	0	1600	-79.87	-60	-57.48	-55	PASS
LVHT	GSM1800	885	1784.8	0	1800	-80.42	-60	-57.88	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1800	-77.39	-60	-83.8	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1600	-77.38	-60	-83.74	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1400	-75.26	-60	-81.6	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-73.94	-60	-80.14	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1000	-72.29	-60	-78.71	-55	PASS
LVHT	GSM1800	885	1784.8	15	-800	-70.77	-60	-77.02	-55	PASS
LVHT	GSM1800	885	1784.8	15	-600	-68.72	-60	-75.08	-55	PASS
LVHT	GSM1800	885	1784.8	15	-400	-64.45	-60	-70.77	-36	PASS
LVHT	GSM1800	885	1784.8	15	-250	-40.73	-33	-47.14	-36	PASS
LVHT	GSM1800	885	1784.8	15	-200	-36.57	-30	-42.76	-36	PASS
LVHT	GSM1800	885	1784.8	15	-100	-7.87	0.5	-14.05	-36	PASS
LVHT	GSM1800	885	1784.8	15	100	-8.29	0.5	-14.55	-36	PASS
LVHT	GSM1800	885	1784.8	15	200	-36.5	-30	-42.78	-36	PASS
LVHT	GSM1800	885	1784.8	15	250	-41.51	-33	-47.74	-36	PASS
LVHT	GSM1800	885	1784.8	15	400	-64.86	-60	-71.16	-36	PASS
LVHT	GSM1800	885	1784.8	15	600	-68.12	-60	-74.52	-55	PASS
LVHT	GSM1800	885	1784.8	15	800	-70.48	-60	-76.73	-55	PASS
LVHT	GSM1800	885	1784.8	15	1000	-72.39	-60	-78.75	-55	PASS
LVHT	GSM1800	885	1784.8	15	1200	-74.54	-60	-80.7	-55	PASS
LVHT	GSM1800	885	1784.8	15	1400	-74.94	-60	-81.38	-55	PASS

LVHT	GSM1800	885	1784.8	15	1600	-76.26	-60	-82.47	-55	PASS
LVHT	GSM1800	885	1784.8	15	1800	-76.99	-60	-83.37	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1800	-80.3	-60	-58.04	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1600	-80.16	-60	-57.97	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1400	-79.02	-60	-56.8	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-77.95	-60	-55.62	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1000	-76.52	-60	-54.18	-55	PASS
LVLT	GSM1800	512	1710.2	0	-800	-75.14	-60	-52.91	-55	PASS
LVLT	GSM1800	512	1710.2	0	-600	-73.22	-60	-50.9	-55	PASS
LVLT	GSM1800	512	1710.2	0	-400	-67.57	-60	-45.34	-36	PASS
LVLT	GSM1800	512	1710.2	0	-250	-40.88	-33	-18.7	-36	PASS
LVLT	GSM1800	512	1710.2	0	-200	-36.74	-30	-14.56	-36	PASS
LVLT	GSM1800	512	1710.2	0	-100	-9.3	0.5	13	-36	PASS
LVLT	GSM1800	512	1710.2	0	100	-8.16	0.5	13.98	-36	PASS
LVLT	GSM1800	512	1710.2	0	200	-36.82	-30	-14.53	-36	PASS
LVLT	GSM1800	512	1710.2	0	250	-40.67	-33	-18.55	-36	PASS
LVLT	GSM1800	512	1710.2	0	400	-67.61	-60	-45.39	-36	PASS
LVLT	GSM1800	512	1710.2	0	600	-72.81	-60	-50.42	-55	PASS
LVLT	GSM1800	512	1710.2	0	800	-75.56	-60	-53.49	-55	PASS
LVLT	GSM1800	512	1710.2	0	1000	-76.98	-60	-54.83	-55	PASS
LVLT	GSM1800	512	1710.2	0	1200	-79.17	-60	-56.82	-55	PASS
LVLT	GSM1800	512	1710.2	0	1400	-78.89	-60	-56.66	-55	PASS
LVLT	GSM1800	512	1710.2	0	1600	-79.95	-60	-57.68	-55	PASS
LVLT	GSM1800	512	1710.2	0	1800	-80.13	-60	-57.9	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1800	-75.97	-60	-83.86	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1600	-76.47	-60	-84.3	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1400	-74.21	-60	-82.08	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-73.56	-60	-81.43	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1000	-70.71	-60	-78.57	-55	PASS
LVLT	GSM1800	512	1710.2	15	-800	-69.63	-60	-77.62	-55	PASS
LVLT	GSM1800	512	1710.2	15	-600	-67.27	-60	-75.14	-55	PASS
LVLT	GSM1800	512	1710.2	15	-400	-64.4	-60	-72.2	-36	PASS
LVLT	GSM1800	512	1710.2	15	-250	-41.83	-33	-49.69	-36	PASS
LVLT	GSM1800	512	1710.2	15	-200	-36.12	-30	-43.91	-36	PASS
LVLT	GSM1800	512	1710.2	15	-100	-7.35	0.5	-15.3	-36	PASS
LVLT	GSM1800	512	1710.2	15	100	-8.59	0.5	-16.51	-36	PASS
LVLT	GSM1800	512	1710.2	15	200	-36.21	-30	-44.18	-36	PASS
LVLT	GSM1800	512	1710.2	15	250	-41.5	-33	-49.38	-36	PASS
LVLT	GSM1800	512	1710.2	15	400	-64.32	-60	-72.29	-36	PASS
LVLT	GSM1800	512	1710.2	15	600	-66.83	-60	-74.74	-55	PASS
LVLT	GSM1800	512	1710.2	15	800	-69.73	-60	-77.59	-55	PASS
LVLT	GSM1800	512	1710.2	15	1000	-71.15	-60	-78.96	-55	PASS
LVLT	GSM1800	512	1710.2	15	1200	-73.18	-60	-81.25	-55	PASS
LVLT	GSM1800	512	1710.2	15	1400	-74.86	-60	-82.74	-55	PASS

LVLT	GSM1800	512	1710.2	15	1600	-75.31	-60	-83.1	-55	PASS
LVLT	GSM1800	512	1710.2	15	1800	-76.29	-60	-84.24	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1800	-81.55	-60	-58.88	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1600	-79.48	-60	-56.88	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1400	-79.43	-60	-56.75	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-78.55	-60	-55.92	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1000	-76.58	-60	-53.98	-55	PASS
LVLT	GSM1800	698	1747.4	0	-800	-75.71	-60	-53.11	-55	PASS
LVLT	GSM1800	698	1747.4	0	-600	-72.98	-60	-50.28	-55	PASS
LVLT	GSM1800	698	1747.4	0	-400	-67.97	-60	-45.3	-36	PASS
LVLT	GSM1800	698	1747.4	0	-250	-42.3	-33	-19.61	-36	PASS
LVLT	GSM1800	698	1747.4	0	-200	-36.18	-30	-13.53	-36	PASS
LVLT	GSM1800	698	1747.4	0	-100	-9.38	0.5	13.11	-36	PASS
LVLT	GSM1800	698	1747.4	0	100	-8.66	0.5	13.91	-36	PASS
LVLT	GSM1800	698	1747.4	0	200	-37.02	-30	-14.45	-36	PASS
LVLT	GSM1800	698	1747.4	0	250	-41.06	-33	-18.25	-36	PASS
LVLT	GSM1800	698	1747.4	0	400	-68.42	-60	-45.83	-36	PASS
LVLT	GSM1800	698	1747.4	0	600	-72.99	-60	-50.34	-55	PASS
LVLT	GSM1800	698	1747.4	0	800	-74.95	-60	-52.31	-55	PASS
LVLT	GSM1800	698	1747.4	0	1000	-77.06	-60	-54.55	-55	PASS
LVLT	GSM1800	698	1747.4	0	1200	-78.81	-60	-56.15	-55	PASS
LVLT	GSM1800	698	1747.4	0	1400	-79.4	-60	-56.63	-55	PASS
LVLT	GSM1800	698	1747.4	0	1600	-80.01	-60	-57.48	-55	PASS
LVLT	GSM1800	698	1747.4	0	1800	-81.27	-60	-58.63	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1800	-77.23	-60	-84.37	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1600	-76.65	-60	-83.66	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1400	-75.14	-60	-82.21	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-73.43	-60	-80.56	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1000	-72.45	-60	-79.62	-55	PASS
LVLT	GSM1800	698	1747.4	15	-800	-70.16	-60	-77.37	-55	PASS
LVLT	GSM1800	698	1747.4	15	-600	-68.45	-60	-75.6	-55	PASS
LVLT	GSM1800	698	1747.4	15	-400	-64.87	-60	-72.06	-36	PASS
LVLT	GSM1800	698	1747.4	15	-250	-42.05	-33	-49.24	-36	PASS
LVLT	GSM1800	698	1747.4	15	-200	-36.64	-30	-43.72	-36	PASS
LVLT	GSM1800	698	1747.4	15	-100	-9.05	0.5	-16.16	-36	PASS
LVLT	GSM1800	698	1747.4	15	100	-8.14	0.5	-15.42	-36	PASS
LVLT	GSM1800	698	1747.4	15	200	-37.1	-30	-44.15	-36	PASS
LVLT	GSM1800	698	1747.4	15	250	-41.62	-33	-48.71	-36	PASS
LVLT	GSM1800	698	1747.4	15	400	-64.75	-60	-71.95	-36	PASS
LVLT	GSM1800	698	1747.4	15	600	-68.21	-60	-75.29	-55	PASS
LVLT	GSM1800	698	1747.4	15	800	-70.5	-60	-77.68	-55	PASS
LVLT	GSM1800	698	1747.4	15	1000	-72.35	-60	-79.42	-55	PASS
LVLT	GSM1800	698	1747.4	15	1200	-74.15	-60	-81.29	-55	PASS
LVLT	GSM1800	698	1747.4	15	1400	-74.73	-60	-81.81	-55	PASS

LVLT	GSM1800	698	1747.4	15	1600	-76.28	-60	-83.41	-55	PASS
LVLT	GSM1800	698	1747.4	15	1800	-76.39	-60	-83.52	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1800	-81.07	-60	-58.64	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1600	-80.17	-60	-57.63	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1400	-79.81	-60	-57.28	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-78.71	-60	-56.13	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1000	-77.04	-60	-54.6	-55	PASS
LVLT	GSM1800	885	1784.8	0	-800	-75.48	-60	-53	-55	PASS
LVLT	GSM1800	885	1784.8	0	-600	-72.69	-60	-50.18	-55	PASS
LVLT	GSM1800	885	1784.8	0	-400	-67.89	-60	-45.39	-36	PASS
LVLT	GSM1800	885	1784.8	0	-250	-40.84	-33	-18.39	-36	PASS
LVLT	GSM1800	885	1784.8	0	-200	-37.15	-30	-14.51	-36	PASS
LVLT	GSM1800	885	1784.8	0	-100	-9.35	0.5	13.11	-36	PASS
LVLT	GSM1800	885	1784.8	0	100	-8.13	0.5	14.31	-36	PASS
LVLT	GSM1800	885	1784.8	0	200	-36.66	-30	-14.12	-36	PASS
LVLT	GSM1800	885	1784.8	0	250	-41.31	-33	-18.86	-36	PASS
LVLT	GSM1800	885	1784.8	0	400	-66.91	-60	-44.39	-36	PASS
LVLT	GSM1800	885	1784.8	0	600	-72.43	-60	-49.79	-55	PASS
LVLT	GSM1800	885	1784.8	0	800	-75.32	-60	-52.63	-55	PASS
LVLT	GSM1800	885	1784.8	0	1000	-76.88	-60	-54.24	-55	PASS
LVLT	GSM1800	885	1784.8	0	1200	-78.37	-60	-55.85	-55	PASS
LVLT	GSM1800	885	1784.8	0	1400	-79.25	-60	-56.84	-55	PASS
LVLT	GSM1800	885	1784.8	0	1600	-80.05	-60	-57.38	-55	PASS
LVLT	GSM1800	885	1784.8	0	1800	-80.33	-60	-57.83	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1800	-77.52	-60	-83.86	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1600	-77.41	-60	-83.62	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1400	-75.22	-60	-81.42	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-73.95	-60	-80.2	-55	PASS
LVLT	GSM1800	885	1784.8	15	-1000	-72.34	-60	-78.6	-55	PASS
LVLT	GSM1800	885	1784.8	15	-800	-70.82	-60	-77.07	-55	PASS
LVLT	GSM1800	885	1784.8	15	-600	-68.74	-60	-75.18	-55	PASS
LVLT	GSM1800	885	1784.8	15	-400	-64.39	-60	-70.79	-36	PASS
LVLT	GSM1800	885	1784.8	15	-250	-40.85	-33	-47.07	-36	PASS
LVLT	GSM1800	885	1784.8	15	-200	-36.46	-30	-42.74	-36	PASS
LVLT	GSM1800	885	1784.8	15	-100	-7.92	0.5	-14.1	-36	PASS
LVLT	GSM1800	885	1784.8	15	100	-8.38	0.5	-14.63	-36	PASS
LVLT	GSM1800	885	1784.8	15	200	-36.56	-30	-42.7	-36	PASS
LVLT	GSM1800	885	1784.8	15	250	-41.54	-33	-47.8	-36	PASS
LVLT	GSM1800	885	1784.8	15	400	-64.77	-60	-71.02	-36	PASS
LVLT	GSM1800	885	1784.8	15	600	-68.11	-60	-74.41	-55	PASS
LVLT	GSM1800	885	1784.8	15	800	-70.5	-60	-76.74	-55	PASS
LVLT	GSM1800	885	1784.8	15	1000	-72.31	-60	-78.75	-55	PASS
LVLT	GSM1800	885	1784.8	15	1200	-74.57	-60	-80.71	-55	PASS
LVLT	GSM1800	885	1784.8	15	1400	-75.08	-60	-81.25	-55	PASS

LVLT	GSM1800	885	1784.8	15	1600	-76.19	-60	-82.5	-55	PASS
LVLT	GSM1800	885	1784.8	15	1800	-76.98	-60	-83.46	-55	PASS
HVHT	GSM900	975	880.2	5	-1800	-81.69	-60	-56.95	-51	PASS
HVHT	GSM900	975	880.2	5	-1600	-81.71	-60	-57.16	-51	PASS
HVHT	GSM900	975	880.2	5	-1400	-80.9	-60	-56.31	-51	PASS
HVHT	GSM900	975	880.2	5	-1200	-79.14	-60	-54.5	-51	PASS
HVHT	GSM900	975	880.2	5	-1000	-79.25	-60	-54.67	-51	PASS
HVHT	GSM900	975	880.2	5	-800	-77.47	-60	-53.01	-51	PASS
HVHT	GSM900	975	880.2	5	-600	-74.46	-60	-50	-51	PASS
HVHT	GSM900	975	880.2	5	-400	-69.53	-60	-45.1	-36	PASS
HVHT	GSM900	975	880.2	5	-250	-42.52	-33	-17.87	-36	PASS
HVHT	GSM900	975	880.2	5	-200	-36.28	-30	-11.7	-36	PASS
HVHT	GSM900	975	880.2	5	-100	-8.5	0.5	16.03	-36	PASS
HVHT	GSM900	975	880.2	5	100	-8.57	0.5	15.95	-36	PASS
HVHT	GSM900	975	880.2	5	200	-36.53	-30	-11.87	-36	PASS
HVHT	GSM900	975	880.2	5	250	-41.32	-33	-16.7	-36	PASS
HVHT	GSM900	975	880.2	5	400	-70.13	-60	-45.59	-36	PASS
HVHT	GSM900	975	880.2	5	600	-74.46	-60	-49.83	-51	PASS
HVHT	GSM900	975	880.2	5	800	-77.22	-60	-52.5	-51	PASS
HVHT	GSM900	975	880.2	5	1000	-78.81	-60	-54.27	-51	PASS
HVHT	GSM900	975	880.2	5	1200	-79.85	-60	-55.26	-51	PASS
HVHT	GSM900	975	880.2	5	1400	-79.71	-60	-55.01	-51	PASS
HVHT	GSM900	975	880.2	5	1600	-80.89	-60	-56.33	-51	PASS
HVHT	GSM900	975	880.2	5	1800	-81.4	-60	-56.88	-51	PASS
HVHT	GSM900	975	880.2	19	-1800	-76.63	-60	-80.59	-51	PASS
HVHT	GSM900	975	880.2	19	-1600	-75.49	-60	-79.28	-51	PASS
HVHT	GSM900	975	880.2	19	-1400	-75.27	-60	-79.17	-51	PASS
HVHT	GSM900	975	880.2	19	-1200	-73.7	-60	-77.47	-51	PASS
HVHT	GSM900	975	880.2	19	-1000	-73.39	-60	-77.17	-51	PASS
HVHT	GSM900	975	880.2	19	-800	-69.85	-60	-73.63	-51	PASS
HVHT	GSM900	975	880.2	19	-600	-67.75	-60	-71.55	-51	PASS
HVHT	GSM900	975	880.2	19	-400	-65.7	-60	-69.55	-36	PASS
HVHT	GSM900	975	880.2	19	-250	-41.27	-33	-45.08	-36	PASS
HVHT	GSM900	975	880.2	19	-200	-36.57	-30	-40.39	-36	PASS
HVHT	GSM900	975	880.2	19	-100	-9.22	0.5	-13.2	-36	PASS
HVHT	GSM900	975	880.2	19	100	-8.97	0.5	-12.61	-36	PASS
HVHT	GSM900	975	880.2	19	200	-36.53	-30	-40.36	-36	PASS
HVHT	GSM900	975	880.2	19	250	-41.56	-33	-45.35	-36	PASS
HVHT	GSM900	975	880.2	19	400	-66.33	-60	-70.14	-36	PASS
HVHT	GSM900	975	880.2	19	600	-67.9	-60	-71.86	-51	PASS
HVHT	GSM900	975	880.2	19	800	-69.99	-60	-73.72	-51	PASS
HVHT	GSM900	975	880.2	19	1000	-72.19	-60	-76.05	-51	PASS
HVHT	GSM900	975	880.2	19	1200	-73.48	-60	-77.26	-51	PASS
HVHT	GSM900	975	880.2	19	1400	-74.69	-60	-78.55	-51	PASS

HVHT	GSM900	975	880.2	19	1600	-76.13	-60	-79.87	-51	PASS
HVHT	GSM900	975	880.2	19	1800	-76.78	-60	-80.53	-51	PASS
HVHT	GSM900	38	897.6	5	-1800	-82.05	-60	-56.76	-51	PASS
HVHT	GSM900	38	897.6	5	-1600	-82.19	-60	-56.98	-51	PASS
HVHT	GSM900	38	897.6	5	-1400	-80.7	-60	-55.55	-51	PASS
HVHT	GSM900	38	897.6	5	-1200	-80.27	-60	-54.87	-51	PASS
HVHT	GSM900	38	897.6	5	-1000	-79.62	-60	-54.52	-51	PASS
HVHT	GSM900	38	897.6	5	-800	-78.07	-60	-52.79	-51	PASS
HVHT	GSM900	38	897.6	5	-600	-75.11	-60	-49.8	-51	PASS
HVHT	GSM900	38	897.6	5	-400	-70.88	-60	-45.65	-36	PASS
HVHT	GSM900	38	897.6	5	-250	-41.44	-33	-16.02	-36	PASS
HVHT	GSM900	38	897.6	5	-200	-37.6	-30	-12.21	-36	PASS
HVHT	GSM900	38	897.6	5	-100	-9.41	0.5	15.76	-36	PASS
HVHT	GSM900	38	897.6	5	100	-8.66	0.5	16.63	-36	PASS
HVHT	GSM900	38	897.6	5	200	-37.23	-30	-12.03	-36	PASS
HVHT	GSM900	38	897.6	5	250	-41.59	-33	-16.44	-36	PASS
HVHT	GSM900	38	897.6	5	400	-71.01	-60	-45.76	-36	PASS
HVHT	GSM900	38	897.6	5	600	-75.18	-60	-49.96	-51	PASS
HVHT	GSM900	38	897.6	5	800	-77.8	-60	-52.46	-51	PASS
HVHT	GSM900	38	897.6	5	1000	-79.59	-60	-54.39	-51	PASS
HVHT	GSM900	38	897.6	5	1200	-79.98	-60	-54.63	-51	PASS
HVHT	GSM900	38	897.6	5	1400	-80.31	-60	-55.13	-51	PASS
HVHT	GSM900	38	897.6	5	1600	-81.88	-60	-56.53	-51	PASS
HVHT	GSM900	38	897.6	5	1800	-81.59	-60	-56.31	-51	PASS
HVHT	GSM900	38	897.6	19	-1800	-75.51	-60	-79.15	-51	PASS
HVHT	GSM900	38	897.6	19	-1600	-76.62	-60	-80.33	-51	PASS
HVHT	GSM900	38	897.6	19	-1400	-74.89	-60	-78.71	-51	PASS
HVHT	GSM900	38	897.6	19	-1200	-72.86	-60	-76.6	-51	PASS
HVHT	GSM900	38	897.6	19	-1000	-72.87	-60	-76.61	-51	PASS
HVHT	GSM900	38	897.6	19	-800	-70.92	-60	-74.58	-51	PASS
HVHT	GSM900	38	897.6	19	-600	-68.75	-60	-72.25	-51	PASS
HVHT	GSM900	38	897.6	19	-400	-66.37	-60	-69.92	-36	PASS
HVHT	GSM900	38	897.6	19	-250	-41.77	-33	-45.38	-36	PASS
HVHT	GSM900	38	897.6	19	-200	-37.41	-30	-41.1	-36	PASS
HVHT	GSM900	38	897.6	19	-100	-8.75	0.5	-12.51	-36	PASS
HVHT	GSM900	38	897.6	19	100	-9.29	0.5	-12.94	-36	PASS
HVHT	GSM900	38	897.6	19	200	-36.68	-30	-40.46	-36	PASS
HVHT	GSM900	38	897.6	19	250	-42.67	-33	-46.38	-36	PASS
HVHT	GSM900	38	897.6	19	400	-66.66	-60	-70.41	-36	PASS
HVHT	GSM900	38	897.6	19	600	-68.16	-60	-71.92	-51	PASS
HVHT	GSM900	38	897.6	19	800	-70.5	-60	-74.24	-51	PASS
HVHT	GSM900	38	897.6	19	1000	-72.77	-60	-76.37	-51	PASS
HVHT	GSM900	38	897.6	19	1200	-72.75	-60	-76.28	-51	PASS
HVHT	GSM900	38	897.6	19	1400	-75.07	-60	-78.67	-51	PASS

HVHT	GSM900	38	897.6	19	1600	-76.23	-60	-80	-51	PASS
HVHT	GSM900	38	897.6	19	1800	-76.62	-60	-80.29	-51	PASS
HVHT	GSM900	124	914.8	5	-1800	-80.73	-60	-56.1	-51	PASS
HVHT	GSM900	124	914.8	5	-1600	-81.79	-60	-57.19	-51	PASS
HVHT	GSM900	124	914.8	5	-1400	-81.43	-60	-56.81	-51	PASS
HVHT	GSM900	124	914.8	5	-1200	-79.65	-60	-55.07	-51	PASS
HVHT	GSM900	124	914.8	5	-1000	-79.56	-60	-54.91	-51	PASS
HVHT	GSM900	124	914.8	5	-800	-77.33	-60	-52.81	-51	PASS
HVHT	GSM900	124	914.8	5	-600	-75.93	-60	-51.3	-51	PASS
HVHT	GSM900	124	914.8	5	-400	-70.38	-60	-45.69	-36	PASS
HVHT	GSM900	124	914.8	5	-250	-41.62	-33	-17.09	-36	PASS
HVHT	GSM900	124	914.8	5	-200	-36.77	-30	-12.06	-36	PASS
HVHT	GSM900	124	914.8	5	-100	-8.93	0.5	15.62	-36	PASS
HVHT	GSM900	124	914.8	5	100	-8.14	0.5	16.57	-36	PASS
HVHT	GSM900	124	914.8	5	200	-36.79	-30	-12.26	-36	PASS
HVHT	GSM900	124	914.8	5	250	-40.71	-33	-16.11	-36	PASS
HVHT	GSM900	124	914.8	5	400	-70.93	-60	-46.23	-36	PASS
HVHT	GSM900	124	914.8	5	600	-75.53	-60	-50.87	-51	PASS
HVHT	GSM900	124	914.8	5	800	-77.14	-60	-52.49	-51	PASS
HVHT	GSM900	124	914.8	5	1000	-79.56	-60	-54.95	-51	PASS
HVHT	GSM900	124	914.8	5	1200	-79.72	-60	-55.09	-51	PASS
HVHT	GSM900	124	914.8	5	1400	-79.95	-60	-55.32	-51	PASS
HVHT	GSM900	124	914.8	5	1600	-82.06	-60	-57.33	-51	PASS
HVHT	GSM900	124	914.8	5	1800	-80.66	-60	-56.21	-51	PASS
HVHT	GSM900	124	914.8	19	-1800	-76.17	-60	-79.29	-51	PASS
HVHT	GSM900	124	914.8	19	-1600	-77.16	-60	-80.13	-51	PASS
HVHT	GSM900	124	914.8	19	-1400	-75.64	-60	-78.85	-51	PASS
HVHT	GSM900	124	914.8	19	-1200	-73.98	-60	-77.03	-51	PASS
HVHT	GSM900	124	914.8	19	-1000	-73.4	-60	-76.41	-51	PASS
HVHT	GSM900	124	914.8	19	-800	-71.27	-60	-74.41	-51	PASS
HVHT	GSM900	124	914.8	19	-600	-69.05	-60	-72.1	-51	PASS
HVHT	GSM900	124	914.8	19	-400	-66.23	-60	-69.29	-36	PASS
HVHT	GSM900	124	914.8	19	-250	-41.72	-33	-44.76	-36	PASS
HVHT	GSM900	124	914.8	19	-200	-37.39	-30	-40.4	-36	PASS
HVHT	GSM900	124	914.8	19	-100	-9.66	0.5	-12.69	-36	PASS
HVHT	GSM900	124	914.8	19	100	-8.81	0.5	-11.87	-36	PASS
HVHT	GSM900	124	914.8	19	200	-38.38	-30	-41.44	-36	PASS
HVHT	GSM900	124	914.8	19	250	-40.63	-33	-43.6	-36	PASS
HVHT	GSM900	124	914.8	19	400	-66.45	-60	-69.56	-36	PASS
HVHT	GSM900	124	914.8	19	600	-68.84	-60	-71.92	-51	PASS
HVHT	GSM900	124	914.8	19	800	-70.86	-60	-73.97	-51	PASS
HVHT	GSM900	124	914.8	19	1000	-73.37	-60	-76.33	-51	PASS
HVHT	GSM900	124	914.8	19	1200	-73.51	-60	-76.56	-51	PASS
HVHT	GSM900	124	914.8	19	1400	-75.58	-60	-78.69	-51	PASS



HVHT	GSM900	124	914.8	19	1600	-76.65	-60	-79.77	-51	PASS
HVHT	GSM900	124	914.8	19	1800	-77.45	-60	-80.52	-51	PASS
HVLT	GSM900	975	880.2	5	-1800	-81.61	-60	-57.01	-51	PASS
HVLT	GSM900	975	880.2	5	-1600	-81.81	-60	-57.22	-51	PASS
HVLT	GSM900	975	880.2	5	-1400	-81.04	-60	-56.46	-51	PASS
HVLT	GSM900	975	880.2	5	-1200	-79.07	-60	-54.4	-51	PASS
HVLT	GSM900	975	880.2	5	-1000	-79.14	-60	-54.6	-51	PASS
HVLT	GSM900	975	880.2	5	-800	-77.53	-60	-52.93	-51	PASS
HVLT	GSM900	975	880.2	5	-600	-74.61	-60	-49.93	-51	PASS
HVLT	GSM900	975	880.2	5	-400	-69.68	-60	-45.04	-36	PASS
HVLT	GSM900	975	880.2	5	-250	-42.45	-33	-17.94	-36	PASS
HVLT	GSM900	975	880.2	5	-200	-36.37	-30	-11.68	-36	PASS
HVLT	GSM900	975	880.2	5	-100	-8.47	0.5	16.06	-36	PASS
HVLT	GSM900	975	880.2	5	100	-8.65	0.5	15.94	-36	PASS
HVLT	GSM900	975	880.2	5	200	-36.6	-30	-11.83	-36	PASS
HVLT	GSM900	975	880.2	5	250	-41.17	-33	-16.64	-36	PASS
HVLT	GSM900	975	880.2	5	400	-70.23	-60	-45.66	-36	PASS
HVLT	GSM900	975	880.2	5	600	-74.34	-60	-49.87	-51	PASS
HVLT	GSM900	975	880.2	5	800	-77.14	-60	-52.62	-51	PASS
HVLT	GSM900	975	880.2	5	1000	-78.7	-60	-54.16	-51	PASS
HVLT	GSM900	975	880.2	5	1200	-79.73	-60	-55.11	-51	PASS
HVLT	GSM900	975	880.2	5	1400	-79.72	-60	-55.16	-51	PASS
HVLT	GSM900	975	880.2	5	1600	-80.99	-60	-56.26	-51	PASS
HVLT	GSM900	975	880.2	5	1800	-81.49	-60	-56.8	-51	PASS
HVLT	GSM900	975	880.2	19	-1800	-76.75	-60	-80.45	-51	PASS
HVLT	GSM900	975	880.2	19	-1600	-75.52	-60	-79.32	-51	PASS
HVLT	GSM900	975	880.2	19	-1400	-75.37	-60	-79.09	-51	PASS
HVLT	GSM900	975	880.2	19	-1200	-73.63	-60	-77.55	-51	PASS
HVLT	GSM900	975	880.2	19	-1000	-73.37	-60	-77.21	-51	PASS
HVLT	GSM900	975	880.2	19	-800	-69.78	-60	-73.78	-51	PASS
HVLT	GSM900	975	880.2	19	-600	-67.73	-60	-71.64	-51	PASS
HVLT	GSM900	975	880.2	19	-400	-65.69	-60	-69.53	-36	PASS
HVLT	GSM900	975	880.2	19	-250	-41.36	-33	-45.06	-36	PASS
HVLT	GSM900	975	880.2	19	-200	-36.57	-30	-40.41	-36	PASS
HVLT	GSM900	975	880.2	19	-100	-9.27	0.5	-13.21	-36	PASS
HVLT	GSM900	975	880.2	19	100	-8.78	0.5	-12.64	-36	PASS
HVLT	GSM900	975	880.2	19	200	-36.57	-30	-40.42	-36	PASS
HVLT	GSM900	975	880.2	19	250	-41.42	-33	-45.42	-36	PASS
HVLT	GSM900	975	880.2	19	400	-66.39	-60	-70.07	-36	PASS
HVLT	GSM900	975	880.2	19	600	-67.99	-60	-71.7	-51	PASS
HVLT	GSM900	975	880.2	19	800	-69.88	-60	-73.88	-51	PASS
HVLT	GSM900	975	880.2	19	1000	-72.08	-60	-76.05	-51	PASS
HVLT	GSM900	975	880.2	19	1200	-73.41	-60	-77.28	-51	PASS
HVLT	GSM900	975	880.2	19	1400	-74.73	-60	-78.54	-51	PASS

HVLT	GSM900	975	880.2	19	1600	-76.08	-60	-79.87	-51	PASS
HVLT	GSM900	975	880.2	19	1800	-76.64	-60	-80.62	-51	PASS
HVLT	GSM900	38	897.6	5	-1800	-82.05	-60	-56.7	-51	PASS
HVLT	GSM900	38	897.6	5	-1600	-82.3	-60	-56.97	-51	PASS
HVLT	GSM900	38	897.6	5	-1400	-80.76	-60	-55.58	-51	PASS
HVLT	GSM900	38	897.6	5	-1200	-80.13	-60	-54.98	-51	PASS
HVLT	GSM900	38	897.6	5	-1000	-79.76	-60	-54.39	-51	PASS
HVLT	GSM900	38	897.6	5	-800	-78.14	-60	-52.9	-51	PASS
HVLT	GSM900	38	897.6	5	-600	-74.96	-60	-49.8	-51	PASS
HVLT	GSM900	38	897.6	5	-400	-70.89	-60	-45.69	-36	PASS
HVLT	GSM900	38	897.6	5	-250	-41.31	-33	-16.08	-36	PASS
HVLT	GSM900	38	897.6	5	-200	-37.63	-30	-12.26	-36	PASS
HVLT	GSM900	38	897.6	5	-100	-9.56	0.5	15.68	-36	PASS
HVLT	GSM900	38	897.6	5	100	-8.72	0.5	16.61	-36	PASS
HVLT	GSM900	38	897.6	5	200	-37.23	-30	-12.01	-36	PASS
HVLT	GSM900	38	897.6	5	250	-41.65	-33	-16.32	-36	PASS
HVLT	GSM900	38	897.6	5	400	-70.95	-60	-45.77	-36	PASS
HVLT	GSM900	38	897.6	5	600	-75.25	-60	-50.01	-51	PASS
HVLT	GSM900	38	897.6	5	800	-77.75	-60	-52.39	-51	PASS
HVLT	GSM900	38	897.6	5	1000	-79.63	-60	-54.28	-51	PASS
HVLT	GSM900	38	897.6	5	1200	-79.94	-60	-54.7	-51	PASS
HVLT	GSM900	38	897.6	5	1400	-80.32	-60	-55.16	-51	PASS
HVLT	GSM900	38	897.6	5	1600	-81.96	-60	-56.7	-51	PASS
HVLT	GSM900	38	897.6	5	1800	-81.49	-60	-56.32	-51	PASS
HVLT	GSM900	38	897.6	19	-1800	-75.4	-60	-79.14	-51	PASS
HVLT	GSM900	38	897.6	19	-1600	-76.77	-60	-80.45	-51	PASS
HVLT	GSM900	38	897.6	19	-1400	-74.9	-60	-78.71	-51	PASS
HVLT	GSM900	38	897.6	19	-1200	-72.79	-60	-76.49	-51	PASS
HVLT	GSM900	38	897.6	19	-1000	-72.84	-60	-76.62	-51	PASS
HVLT	GSM900	38	897.6	19	-800	-70.85	-60	-74.69	-51	PASS
HVLT	GSM900	38	897.6	19	-600	-68.64	-60	-72.34	-51	PASS
HVLT	GSM900	38	897.6	19	-400	-66.36	-60	-69.99	-36	PASS
HVLT	GSM900	38	897.6	19	-250	-41.74	-33	-45.35	-36	PASS
HVLT	GSM900	38	897.6	19	-200	-37.39	-30	-41.22	-36	PASS
HVLT	GSM900	38	897.6	19	-100	-8.75	0.5	-12.54	-36	PASS
HVLT	GSM900	38	897.6	19	100	-9.25	0.5	-13.07	-36	PASS
HVLT	GSM900	38	897.6	19	200	-36.65	-30	-40.38	-36	PASS
HVLT	GSM900	38	897.6	19	250	-42.55	-33	-46.37	-36	PASS
HVLT	GSM900	38	897.6	19	400	-66.71	-60	-70.41	-36	PASS
HVLT	GSM900	38	897.6	19	600	-68.13	-60	-71.9	-51	PASS
HVLT	GSM900	38	897.6	19	800	-70.48	-60	-74.09	-51	PASS
HVLT	GSM900	38	897.6	19	1000	-72.71	-60	-76.38	-51	PASS
HVLT	GSM900	38	897.6	19	1200	-72.59	-60	-76.42	-51	PASS
HVLT	GSM900	38	897.6	19	1400	-75.15	-60	-78.8	-51	PASS

HVLT	GSM900	38	897.6	19	1600	-76.32	-60	-79.97	-51	PASS
HVLT	GSM900	38	897.6	19	1800	-76.7	-60	-80.43	-51	PASS
HVLT	GSM900	124	914.8	5	-1800	-80.72	-60	-56.22	-51	PASS
HVLT	GSM900	124	914.8	5	-1600	-81.8	-60	-57.06	-51	PASS
HVLT	GSM900	124	914.8	5	-1400	-81.51	-60	-56.95	-51	PASS
HVLT	GSM900	124	914.8	5	-1200	-79.71	-60	-55.17	-51	PASS
HVLT	GSM900	124	914.8	5	-1000	-79.55	-60	-54.88	-51	PASS
HVLT	GSM900	124	914.8	5	-800	-77.34	-60	-52.68	-51	PASS
HVLT	GSM900	124	914.8	5	-600	-75.95	-60	-51.33	-51	PASS
HVLT	GSM900	124	914.8	5	-400	-70.33	-60	-45.77	-36	PASS
HVLT	GSM900	124	914.8	5	-250	-41.74	-33	-17.02	-36	PASS
HVLT	GSM900	124	914.8	5	-200	-36.61	-30	-12.03	-36	PASS
HVLT	GSM900	124	914.8	5	-100	-8.97	0.5	15.67	-36	PASS
HVLT	GSM900	124	914.8	5	100	-8.07	0.5	16.54	-36	PASS
HVLT	GSM900	124	914.8	5	200	-36.75	-30	-12.24	-36	PASS
HVLT	GSM900	124	914.8	5	250	-40.75	-33	-16.15	-36	PASS
HVLT	GSM900	124	914.8	5	400	-70.83	-60	-46.28	-36	PASS
HVLT	GSM900	124	914.8	5	600	-75.57	-60	-50.89	-51	PASS
HVLT	GSM900	124	914.8	5	800	-77.08	-60	-52.51	-51	PASS
HVLT	GSM900	124	914.8	5	1000	-79.69	-60	-55	-51	PASS
HVLT	GSM900	124	914.8	5	1200	-79.83	-60	-55.1	-51	PASS
HVLT	GSM900	124	914.8	5	1400	-79.86	-60	-55.23	-51	PASS
HVLT	GSM900	124	914.8	5	1600	-82	-60	-57.4	-51	PASS
HVLT	GSM900	124	914.8	5	1800	-80.65	-60	-56.21	-51	PASS
HVLT	GSM900	124	914.8	19	-1800	-76.21	-60	-79.16	-51	PASS
HVLT	GSM900	124	914.8	19	-1600	-77.15	-60	-80.13	-51	PASS
HVLT	GSM900	124	914.8	19	-1400	-75.63	-60	-78.84	-51	PASS
HVLT	GSM900	124	914.8	19	-1200	-73.98	-60	-76.98	-51	PASS
HVLT	GSM900	124	914.8	19	-1000	-73.34	-60	-76.31	-51	PASS
HVLT	GSM900	124	914.8	19	-800	-71.36	-60	-74.45	-51	PASS
HVLT	GSM900	124	914.8	19	-600	-69.04	-60	-72.08	-51	PASS
HVLT	GSM900	124	914.8	19	-400	-66.34	-60	-69.19	-36	PASS
HVLT	GSM900	124	914.8	19	-250	-41.61	-33	-44.78	-36	PASS
HVLT	GSM900	124	914.8	19	-200	-37.4	-30	-40.34	-36	PASS
HVLT	GSM900	124	914.8	19	-100	-9.6	0.5	-12.67	-36	PASS
HVLT	GSM900	124	914.8	19	100	-8.73	0.5	-11.88	-36	PASS
HVLT	GSM900	124	914.8	19	200	-38.28	-30	-41.35	-36	PASS
HVLT	GSM900	124	914.8	19	250	-40.6	-33	-43.71	-36	PASS
HVLT	GSM900	124	914.8	19	400	-66.47	-60	-69.49	-36	PASS
HVLT	GSM900	124	914.8	19	600	-68.87	-60	-71.89	-51	PASS
HVLT	GSM900	124	914.8	19	800	-70.82	-60	-73.9	-51	PASS
HVLT	GSM900	124	914.8	19	1000	-73.35	-60	-76.42	-51	PASS
HVLT	GSM900	124	914.8	19	1200	-73.5	-60	-76.6	-51	PASS
HVLT	GSM900	124	914.8	19	1400	-75.63	-60	-78.59	-51	PASS

HVLT	GSM900	124	914.8	19	1600	-76.7	-60	-79.65	-51	PASS
HVLT	GSM900	124	914.8	19	1800	-77.54	-60	-80.56	-51	PASS
LVHT	GSM900	975	880.2	5	-1800	-81.57	-60	-57.11	-51	PASS
LVHT	GSM900	975	880.2	5	-1600	-81.84	-60	-57.26	-51	PASS
LVHT	GSM900	975	880.2	5	-1400	-80.9	-60	-56.42	-51	PASS
LVHT	GSM900	975	880.2	5	-1200	-78.98	-60	-54.51	-51	PASS
LVHT	GSM900	975	880.2	5	-1000	-79.3	-60	-54.69	-51	PASS
LVHT	GSM900	975	880.2	5	-800	-77.6	-60	-52.97	-51	PASS
LVHT	GSM900	975	880.2	5	-600	-74.54	-60	-49.91	-51	PASS
LVHT	GSM900	975	880.2	5	-400	-69.56	-60	-45.11	-36	PASS
LVHT	GSM900	975	880.2	5	-250	-42.61	-33	-17.84	-36	PASS
LVHT	GSM900	975	880.2	5	-200	-36.23	-30	-11.62	-36	PASS
LVHT	GSM900	975	880.2	5	-100	-8.51	0.5	16.11	-36	PASS
LVHT	GSM900	975	880.2	5	100	-8.65	0.5	16.12	-36	PASS
LVHT	GSM900	975	880.2	5	200	-36.5	-30	-11.99	-36	PASS
LVHT	GSM900	975	880.2	5	250	-41.24	-33	-16.7	-36	PASS
LVHT	GSM900	975	880.2	5	400	-70.26	-60	-45.51	-36	PASS
LVHT	GSM900	975	880.2	5	600	-74.5	-60	-49.89	-51	PASS
LVHT	GSM900	975	880.2	5	800	-77.2	-60	-52.64	-51	PASS
LVHT	GSM900	975	880.2	5	1000	-78.81	-60	-54.09	-51	PASS
LVHT	GSM900	975	880.2	5	1200	-79.68	-60	-55.18	-51	PASS
LVHT	GSM900	975	880.2	5	1400	-79.67	-60	-55.07	-51	PASS
LVHT	GSM900	975	880.2	5	1600	-80.88	-60	-56.39	-51	PASS
LVHT	GSM900	975	880.2	5	1800	-81.43	-60	-56.9	-51	PASS
LVHT	GSM900	975	880.2	19	-1800	-76.74	-60	-80.54	-51	PASS
LVHT	GSM900	975	880.2	19	-1600	-75.5	-60	-79.38	-51	PASS
LVHT	GSM900	975	880.2	19	-1400	-75.18	-60	-79.14	-51	PASS
LVHT	GSM900	975	880.2	19	-1200	-73.57	-60	-77.57	-51	PASS
LVHT	GSM900	975	880.2	19	-1000	-73.27	-60	-77.25	-51	PASS
LVHT	GSM900	975	880.2	19	-800	-69.91	-60	-73.78	-51	PASS
LVHT	GSM900	975	880.2	19	-600	-67.83	-60	-71.64	-51	PASS
LVHT	GSM900	975	880.2	19	-400	-65.63	-60	-69.42	-36	PASS
LVHT	GSM900	975	880.2	19	-250	-41.25	-33	-45.12	-36	PASS
LVHT	GSM900	975	880.2	19	-200	-36.66	-30	-40.53	-36	PASS
LVHT	GSM900	975	880.2	19	-100	-9.39	0.5	-13.06	-36	PASS
LVHT	GSM900	975	880.2	19	100	-8.96	0.5	-12.76	-36	PASS
LVHT	GSM900	975	880.2	19	200	-36.64	-30	-40.37	-36	PASS
LVHT	GSM900	975	880.2	19	250	-41.54	-33	-45.31	-36	PASS
LVHT	GSM900	975	880.2	19	400	-66.34	-60	-70.22	-36	PASS
LVHT	GSM900	975	880.2	19	600	-68.04	-60	-71.82	-51	PASS
LVHT	GSM900	975	880.2	19	800	-69.88	-60	-73.78	-51	PASS
LVHT	GSM900	975	880.2	19	1000	-72.12	-60	-76.06	-51	PASS
LVHT	GSM900	975	880.2	19	1200	-73.39	-60	-77.29	-51	PASS
LVHT	GSM900	975	880.2	19	1400	-74.78	-60	-78.51	-51	PASS

LVHT	GSM900	975	880.2	19	1600	-76.18	-60	-79.82	-51	PASS
LVHT	GSM900	975	880.2	19	1800	-76.77	-60	-80.63	-51	PASS
LVHT	GSM900	38	897.6	5	-1800	-81.94	-60	-56.8	-51	PASS
LVHT	GSM900	38	897.6	5	-1600	-82.13	-60	-56.92	-51	PASS
LVHT	GSM900	38	897.6	5	-1400	-80.69	-60	-55.45	-51	PASS
LVHT	GSM900	38	897.6	5	-1200	-80.14	-60	-55.01	-51	PASS
LVHT	GSM900	38	897.6	5	-1000	-79.79	-60	-54.42	-51	PASS
LVHT	GSM900	38	897.6	5	-800	-78.12	-60	-52.83	-51	PASS
LVHT	GSM900	38	897.6	5	-600	-75.08	-60	-49.87	-51	PASS
LVHT	GSM900	38	897.6	5	-400	-70.88	-60	-45.75	-36	PASS
LVHT	GSM900	38	897.6	5	-250	-41.43	-33	-16.13	-36	PASS
LVHT	GSM900	38	897.6	5	-200	-37.5	-30	-12.2	-36	PASS
LVHT	GSM900	38	897.6	5	-100	-9.56	0.5	15.67	-36	PASS
LVHT	GSM900	38	897.6	5	100	-8.73	0.5	16.61	-36	PASS
LVHT	GSM900	38	897.6	5	200	-37.19	-30	-11.95	-36	PASS
LVHT	GSM900	38	897.6	5	250	-41.56	-33	-16.4	-36	PASS
LVHT	GSM900	38	897.6	5	400	-70.97	-60	-45.69	-36	PASS
LVHT	GSM900	38	897.6	5	600	-75.27	-60	-49.99	-51	PASS
LVHT	GSM900	38	897.6	5	800	-77.68	-60	-52.56	-51	PASS
LVHT	GSM900	38	897.6	5	1000	-79.65	-60	-54.46	-51	PASS
LVHT	GSM900	38	897.6	5	1200	-79.85	-60	-54.66	-51	PASS
LVHT	GSM900	38	897.6	5	1400	-80.28	-60	-55.05	-51	PASS
LVHT	GSM900	38	897.6	5	1600	-81.9	-60	-56.52	-51	PASS
LVHT	GSM900	38	897.6	5	1800	-81.57	-60	-56.3	-51	PASS
LVHT	GSM900	38	897.6	19	-1800	-75.52	-60	-79.24	-51	PASS
LVHT	GSM900	38	897.6	19	-1600	-76.66	-60	-80.36	-51	PASS
LVHT	GSM900	38	897.6	19	-1400	-74.92	-60	-78.69	-51	PASS
LVHT	GSM900	38	897.6	19	-1200	-72.83	-60	-76.54	-51	PASS
LVHT	GSM900	38	897.6	19	-1000	-72.92	-60	-76.61	-51	PASS
LVHT	GSM900	38	897.6	19	-800	-70.86	-60	-74.57	-51	PASS
LVHT	GSM900	38	897.6	19	-600	-68.72	-60	-72.37	-51	PASS
LVHT	GSM900	38	897.6	19	-400	-66.36	-60	-69.99	-36	PASS
LVHT	GSM900	38	897.6	19	-250	-41.69	-33	-45.49	-36	PASS
LVHT	GSM900	38	897.6	19	-200	-37.4	-30	-41.14	-36	PASS
LVHT	GSM900	38	897.6	19	-100	-8.76	0.5	-12.54	-36	PASS
LVHT	GSM900	38	897.6	19	100	-9.26	0.5	-13.02	-36	PASS
LVHT	GSM900	38	897.6	19	200	-36.69	-30	-40.38	-36	PASS
LVHT	GSM900	38	897.6	19	250	-42.71	-33	-46.33	-36	PASS
LVHT	GSM900	38	897.6	19	400	-66.6	-60	-70.4	-36	PASS
LVHT	GSM900	38	897.6	19	600	-68.14	-60	-71.89	-51	PASS
LVHT	GSM900	38	897.6	19	800	-70.41	-60	-74.13	-51	PASS
LVHT	GSM900	38	897.6	19	1000	-72.79	-60	-76.43	-51	PASS
LVHT	GSM900	38	897.6	19	1200	-72.63	-60	-76.41	-51	PASS
LVHT	GSM900	38	897.6	19	1400	-75	-60	-78.84	-51	PASS

LVHT	GSM900	38	897.6	19	1600	-76.19	-60	-79.94	-51	PASS
LVHT	GSM900	38	897.6	19	1800	-76.6	-60	-80.36	-51	PASS
LVHT	GSM900	124	914.8	5	-1800	-80.88	-60	-56.16	-51	PASS
LVHT	GSM900	124	914.8	5	-1600	-81.69	-60	-57.14	-51	PASS
LVHT	GSM900	124	914.8	5	-1400	-81.48	-60	-56.91	-51	PASS
LVHT	GSM900	124	914.8	5	-1200	-79.64	-60	-55.17	-51	PASS
LVHT	GSM900	124	914.8	5	-1000	-79.56	-60	-54.85	-51	PASS
LVHT	GSM900	124	914.8	5	-800	-77.31	-60	-52.8	-51	PASS
LVHT	GSM900	124	914.8	5	-600	-75.85	-60	-51.27	-51	PASS
LVHT	GSM900	124	914.8	5	-400	-70.21	-60	-45.59	-36	PASS
LVHT	GSM900	124	914.8	5	-250	-41.77	-33	-17.11	-36	PASS
LVHT	GSM900	124	914.8	5	-200	-36.77	-30	-12.12	-36	PASS
LVHT	GSM900	124	914.8	5	-100	-8.95	0.5	15.64	-36	PASS
LVHT	GSM900	124	914.8	5	100	-8.02	0.5	16.49	-36	PASS
LVHT	GSM900	124	914.8	5	200	-36.89	-30	-12.18	-36	PASS
LVHT	GSM900	124	914.8	5	250	-40.71	-33	-16.11	-36	PASS
LVHT	GSM900	124	914.8	5	400	-70.91	-60	-46.25	-36	PASS
LVHT	GSM900	124	914.8	5	600	-75.42	-60	-50.93	-51	PASS
LVHT	GSM900	124	914.8	5	800	-77.18	-60	-52.58	-51	PASS
LVHT	GSM900	124	914.8	5	1000	-79.68	-60	-55.1	-51	PASS
LVHT	GSM900	124	914.8	5	1200	-79.74	-60	-55.18	-51	PASS
LVHT	GSM900	124	914.8	5	1400	-79.84	-60	-55.36	-51	PASS
LVHT	GSM900	124	914.8	5	1600	-82.06	-60	-57.41	-51	PASS
LVHT	GSM900	124	914.8	5	1800	-80.82	-60	-56.18	-51	PASS
LVHT	GSM900	124	914.8	19	-1800	-76.27	-60	-79.13	-51	PASS
LVHT	GSM900	124	914.8	19	-1600	-77.11	-60	-80.23	-51	PASS
LVHT	GSM900	124	914.8	19	-1400	-75.74	-60	-78.67	-51	PASS
LVHT	GSM900	124	914.8	19	-1200	-74	-60	-76.97	-51	PASS
LVHT	GSM900	124	914.8	19	-1000	-73.35	-60	-76.32	-51	PASS
LVHT	GSM900	124	914.8	19	-800	-71.32	-60	-74.39	-51	PASS
LVHT	GSM900	124	914.8	19	-600	-69.03	-60	-72.13	-51	PASS
LVHT	GSM900	124	914.8	19	-400	-66.28	-60	-69.23	-36	PASS
LVHT	GSM900	124	914.8	19	-250	-41.62	-33	-44.74	-36	PASS
LVHT	GSM900	124	914.8	19	-200	-37.32	-30	-40.38	-36	PASS
LVHT	GSM900	124	914.8	19	-100	-9.51	0.5	-12.61	-36	PASS
LVHT	GSM900	124	914.8	19	100	-8.75	0.5	-11.9	-36	PASS
LVHT	GSM900	124	914.8	19	200	-38.43	-30	-41.32	-36	PASS
LVHT	GSM900	124	914.8	19	250	-40.71	-33	-43.66	-36	PASS
LVHT	GSM900	124	914.8	19	400	-66.57	-60	-69.52	-36	PASS
LVHT	GSM900	124	914.8	19	600	-68.7	-60	-71.87	-51	PASS
LVHT	GSM900	124	914.8	19	800	-70.87	-60	-73.88	-51	PASS
LVHT	GSM900	124	914.8	19	1000	-73.34	-60	-76.4	-51	PASS
LVHT	GSM900	124	914.8	19	1200	-73.48	-60	-76.66	-51	PASS
LVHT	GSM900	124	914.8	19	1400	-75.68	-60	-78.64	-51	PASS

LVHT	GSM900	124	914.8	19	1600	-76.65	-60	-79.72	-51	PASS
LVHT	GSM900	124	914.8	19	1800	-77.36	-60	-80.46	-51	PASS
LVLT	GSM900	975	880.2	5	-1800	-81.69	-60	-57.02	-51	PASS
LVLT	GSM900	975	880.2	5	-1600	-81.85	-60	-57.14	-51	PASS
LVLT	GSM900	975	880.2	5	-1400	-80.96	-60	-56.44	-51	PASS
LVLT	GSM900	975	880.2	5	-1200	-79.01	-60	-54.49	-51	PASS
LVLT	GSM900	975	880.2	5	-1000	-79.11	-60	-54.72	-51	PASS
LVLT	GSM900	975	880.2	5	-800	-77.49	-60	-52.86	-51	PASS
LVLT	GSM900	975	880.2	5	-600	-74.44	-60	-49.86	-51	PASS
LVLT	GSM900	975	880.2	5	-400	-69.71	-60	-45.06	-36	PASS
LVLT	GSM900	975	880.2	5	-250	-42.43	-33	-17.88	-36	PASS
LVLT	GSM900	975	880.2	5	-200	-36.19	-30	-11.74	-36	PASS
LVLT	GSM900	975	880.2	5	-100	-8.59	0.5	16.17	-36	PASS
LVLT	GSM900	975	880.2	5	100	-8.62	0.5	16.08	-36	PASS
LVLT	GSM900	975	880.2	5	200	-36.47	-30	-11.93	-36	PASS
LVLT	GSM900	975	880.2	5	250	-41.29	-33	-16.65	-36	PASS
LVLT	GSM900	975	880.2	5	400	-70.19	-60	-45.63	-36	PASS
LVLT	GSM900	975	880.2	5	600	-74.34	-60	-49.88	-51	PASS
LVLT	GSM900	975	880.2	5	800	-77.24	-60	-52.47	-51	PASS
LVLT	GSM900	975	880.2	5	1000	-78.73	-60	-54.16	-51	PASS
LVLT	GSM900	975	880.2	5	1200	-79.68	-60	-55.27	-51	PASS
LVLT	GSM900	975	880.2	5	1400	-79.63	-60	-55.18	-51	PASS
LVLT	GSM900	975	880.2	5	1600	-80.89	-60	-56.44	-51	PASS
LVLT	GSM900	975	880.2	5	1800	-81.51	-60	-56.83	-51	PASS
LVLT	GSM900	975	880.2	19	-1800	-76.63	-60	-80.59	-51	PASS
LVLT	GSM900	975	880.2	19	-1600	-75.42	-60	-79.37	-51	PASS
LVLT	GSM900	975	880.2	19	-1400	-75.3	-60	-79.09	-51	PASS
LVLT	GSM900	975	880.2	19	-1200	-73.67	-60	-77.48	-51	PASS
LVLT	GSM900	975	880.2	19	-1000	-73.27	-60	-77.22	-51	PASS
LVLT	GSM900	975	880.2	19	-800	-69.83	-60	-73.76	-51	PASS
LVLT	GSM900	975	880.2	19	-600	-67.76	-60	-71.62	-51	PASS
LVLT	GSM900	975	880.2	19	-400	-65.73	-60	-69.55	-36	PASS
LVLT	GSM900	975	880.2	19	-250	-41.23	-33	-45.2	-36	PASS
LVLT	GSM900	975	880.2	19	-200	-36.71	-30	-40.42	-36	PASS
LVLT	GSM900	975	880.2	19	-100	-9.39	0.5	-13.16	-36	PASS
LVLT	GSM900	975	880.2	19	100	-8.81	0.5	-12.63	-36	PASS
LVLT	GSM900	975	880.2	19	200	-36.66	-30	-40.46	-36	PASS
LVLT	GSM900	975	880.2	19	250	-41.5	-33	-45.25	-36	PASS
LVLT	GSM900	975	880.2	19	400	-66.22	-60	-70.08	-36	PASS
LVLT	GSM900	975	880.2	19	600	-67.95	-60	-71.84	-51	PASS
LVLT	GSM900	975	880.2	19	800	-69.95	-60	-73.82	-51	PASS
LVLT	GSM900	975	880.2	19	1000	-72.06	-60	-75.99	-51	PASS
LVLT	GSM900	975	880.2	19	1200	-73.41	-60	-77.34	-51	PASS
LVLT	GSM900	975	880.2	19	1400	-74.81	-60	-78.5	-51	PASS

LVLT	GSM900	975	880.2	19	1600	-76	-60	-79.94	-51	PASS
LVLT	GSM900	975	880.2	19	1800	-76.76	-60	-80.51	-51	PASS
LVLT	GSM900	38	897.6	5	-1800	-82.04	-60	-56.74	-51	PASS
LVLT	GSM900	38	897.6	5	-1600	-82.26	-60	-56.93	-51	PASS
LVLT	GSM900	38	897.6	5	-1400	-80.67	-60	-55.48	-51	PASS
LVLT	GSM900	38	897.6	5	-1200	-80.28	-60	-54.94	-51	PASS
LVLT	GSM900	38	897.6	5	-1000	-79.6	-60	-54.4	-51	PASS
LVLT	GSM900	38	897.6	5	-800	-78.05	-60	-52.83	-51	PASS
LVLT	GSM900	38	897.6	5	-600	-75.07	-60	-49.72	-51	PASS
LVLT	GSM900	38	897.6	5	-400	-70.85	-60	-45.58	-36	PASS
LVLT	GSM900	38	897.6	5	-250	-41.43	-33	-16.09	-36	PASS
LVLT	GSM900	38	897.6	5	-200	-37.53	-30	-12.34	-36	PASS
LVLT	GSM900	38	897.6	5	-100	-9.42	0.5	15.76	-36	PASS
LVLT	GSM900	38	897.6	5	100	-8.64	0.5	16.71	-36	PASS
LVLT	GSM900	38	897.6	5	200	-37.23	-30	-11.91	-36	PASS
LVLT	GSM900	38	897.6	5	250	-41.67	-33	-16.32	-36	PASS
LVLT	GSM900	38	897.6	5	400	-71.02	-60	-45.75	-36	PASS
LVLT	GSM900	38	897.6	5	600	-75.13	-60	-49.87	-51	PASS
LVLT	GSM900	38	897.6	5	800	-77.79	-60	-52.52	-51	PASS
LVLT	GSM900	38	897.6	5	1000	-79.62	-60	-54.33	-51	PASS
LVLT	GSM900	38	897.6	5	1200	-80.01	-60	-54.61	-51	PASS
LVLT	GSM900	38	897.6	5	1400	-80.24	-60	-55.1	-51	PASS
LVLT	GSM900	38	897.6	5	1600	-81.82	-60	-56.7	-51	PASS
LVLT	GSM900	38	897.6	5	1800	-81.58	-60	-56.18	-51	PASS
LVLT	GSM900	38	897.6	19	-1800	-75.43	-60	-79.19	-51	PASS
LVLT	GSM900	38	897.6	19	-1600	-76.8	-60	-80.33	-51	PASS
LVLT	GSM900	38	897.6	19	-1400	-75	-60	-78.7	-51	PASS
LVLT	GSM900	38	897.6	19	-1200	-72.82	-60	-76.6	-51	PASS
LVLT	GSM900	38	897.6	19	-1000	-72.8	-60	-76.65	-51	PASS
LVLT	GSM900	38	897.6	19	-800	-70.89	-60	-74.57	-51	PASS
LVLT	GSM900	38	897.6	19	-600	-68.56	-60	-72.4	-51	PASS
LVLT	GSM900	38	897.6	19	-400	-66.32	-60	-70.01	-36	PASS
LVLT	GSM900	38	897.6	19	-250	-41.82	-33	-45.5	-36	PASS
LVLT	GSM900	38	897.6	19	-200	-37.48	-30	-41.09	-36	PASS
LVLT	GSM900	38	897.6	19	-100	-8.68	0.5	-12.39	-36	PASS
LVLT	GSM900	38	897.6	19	100	-9.34	0.5	-13.05	-36	PASS
LVLT	GSM900	38	897.6	19	200	-36.77	-30	-40.49	-36	PASS
LVLT	GSM900	38	897.6	19	250	-42.57	-33	-46.38	-36	PASS
LVLT	GSM900	38	897.6	19	400	-66.6	-60	-70.38	-36	PASS
LVLT	GSM900	38	897.6	19	600	-68.16	-60	-71.76	-51	PASS
LVLT	GSM900	38	897.6	19	800	-70.51	-60	-74.16	-51	PASS
LVLT	GSM900	38	897.6	19	1000	-72.78	-60	-76.33	-51	PASS
LVLT	GSM900	38	897.6	19	1200	-72.65	-60	-76.35	-51	PASS
LVLT	GSM900	38	897.6	19	1400	-75.05	-60	-78.69	-51	PASS



LVLT	GSM900	38	897.6	19	1600	-76.26	-60	-79.95	-51	PASS
LVLT	GSM900	38	897.6	19	1800	-76.59	-60	-80.44	-51	PASS
LVLT	GSM900	124	914.8	5	-1800	-80.82	-60	-56.14	-51	PASS
LVLT	GSM900	124	914.8	5	-1600	-81.73	-60	-57.07	-51	PASS
LVLT	GSM900	124	914.8	5	-1400	-81.46	-60	-56.85	-51	PASS
LVLT	GSM900	124	914.8	5	-1200	-79.76	-60	-55.09	-51	PASS
LVLT	GSM900	124	914.8	5	-1000	-79.46	-60	-54.9	-51	PASS
LVLT	GSM900	124	914.8	5	-800	-77.27	-60	-52.65	-51	PASS
LVLT	GSM900	124	914.8	5	-600	-75.91	-60	-51.18	-51	PASS
LVLT	GSM900	124	914.8	5	-400	-70.29	-60	-45.77	-36	PASS
LVLT	GSM900	124	914.8	5	-250	-41.71	-33	-17.05	-36	PASS
LVLT	GSM900	124	914.8	5	-200	-36.64	-30	-12.03	-36	PASS
LVLT	GSM900	124	914.8	5	-100	-8.97	0.5	15.69	-36	PASS
LVLT	GSM900	124	914.8	5	100	-8.12	0.5	16.49	-36	PASS
LVLT	GSM900	124	914.8	5	200	-36.94	-30	-12.25	-36	PASS
LVLT	GSM900	124	914.8	5	250	-40.7	-33	-16.09	-36	PASS
LVLT	GSM900	124	914.8	5	400	-70.88	-60	-46.28	-36	PASS
LVLT	GSM900	124	914.8	5	600	-75.5	-60	-50.85	-51	PASS
LVLT	GSM900	124	914.8	5	800	-77.05	-60	-52.59	-51	PASS
LVLT	GSM900	124	914.8	5	1000	-79.57	-60	-55	-51	PASS
LVLT	GSM900	124	914.8	5	1200	-79.81	-60	-55.11	-51	PASS
LVLT	GSM900	124	914.8	5	1400	-79.92	-60	-55.22	-51	PASS
LVLT	GSM900	124	914.8	5	1600	-82.12	-60	-57.32	-51	PASS
LVLT	GSM900	124	914.8	5	1800	-80.79	-60	-56.03	-51	PASS
LVLT	GSM900	124	914.8	19	-1800	-76.15	-60	-79.26	-51	PASS
LVLT	GSM900	124	914.8	19	-1600	-77.14	-60	-80.14	-51	PASS
LVLT	GSM900	124	914.8	19	-1400	-75.8	-60	-78.74	-51	PASS
LVLT	GSM900	124	914.8	19	-1200	-73.91	-60	-76.9	-51	PASS
LVLT	GSM900	124	914.8	19	-1000	-73.29	-60	-76.41	-51	PASS
LVLT	GSM900	124	914.8	19	-800	-71.37	-60	-74.37	-51	PASS
LVLT	GSM900	124	914.8	19	-600	-69.11	-60	-72.16	-51	PASS
LVLT	GSM900	124	914.8	19	-400	-66.16	-60	-69.34	-36	PASS
LVLT	GSM900	124	914.8	19	-250	-41.76	-33	-44.69	-36	PASS
LVLT	GSM900	124	914.8	19	-200	-37.26	-30	-40.46	-36	PASS
LVLT	GSM900	124	914.8	19	-100	-9.48	0.5	-12.65	-36	PASS
LVLT	GSM900	124	914.8	19	100	-8.74	0.5	-11.96	-36	PASS
LVLT	GSM900	124	914.8	19	200	-38.46	-30	-41.31	-36	PASS
LVLT	GSM900	124	914.8	19	250	-40.62	-33	-43.67	-36	PASS
LVLT	GSM900	124	914.8	19	400	-66.44	-60	-69.52	-36	PASS
LVLT	GSM900	124	914.8	19	600	-68.75	-60	-71.78	-51	PASS
LVLT	GSM900	124	914.8	19	800	-70.86	-60	-73.93	-51	PASS
LVLT	GSM900	124	914.8	19	1000	-73.27	-60	-76.32	-51	PASS
LVLT	GSM900	124	914.8	19	1200	-73.52	-60	-76.55	-51	PASS
LVLT	GSM900	124	914.8	19	1400	-75.6	-60	-78.54	-51	PASS

LVLT	GSM900	124	914.8	19	1600	-76.77	-60	-79.67	-51	PASS
LVLT	GSM900	124	914.8	19	1800	-77.54	-60	-80.43	-51	PASS

#### Clause 4.2.6 Transmitter-Switching Spectrum

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	Ref Power	29.3		PASS
HVHT	GSM1800	512	1710.2	0	-1800	-41.33	-27.68	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-38.17	-24.68	PASS
HVHT	GSM1800	512	1710.2	0	-600	-30.84	-24.34	PASS
HVHT	GSM1800	512	1710.2	0	-400	-34.66	-22.34	PASS
HVHT	GSM1800	512	1710.2	0	400	-31.79	-22.34	PASS
HVHT	GSM1800	512	1710.2	0	600	-30.61	-24.34	PASS
HVHT	GSM1800	512	1710.2	0	1200	-35.99	-24.68	PASS
HVHT	GSM1800	512	1710.2	0	1800	-41.3	-27.68	PASS
HVHT	GSM1800	512	1710.2	15	Ref Power	1.02		PASS
HVHT	GSM1800	512	1710.2	15	-1800	-57.14	-36	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-53	-32	PASS
HVHT	GSM1800	512	1710.2	15	-600	-48.07	-26	PASS
HVHT	GSM1800	512	1710.2	15	-400	-43.87	-23	PASS
HVHT	GSM1800	512	1710.2	15	400	-40.2	-23	PASS
HVHT	GSM1800	512	1710.2	15	600	-46.82	-26	PASS
HVHT	GSM1800	512	1710.2	15	1200	-52.76	-32	PASS
HVHT	GSM1800	512	1710.2	15	1800	-56.84	-36	PASS
HVHT	GSM1800	698	1747.4	0	Ref Power	29.51		PASS
HVHT	GSM1800	698	1747.4	0	-1800	-41.92	-27.34	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-38.51	-24.34	PASS
HVHT	GSM1800	698	1747.4	0	-600	-31.82	-24.17	PASS
HVHT	GSM1800	698	1747.4	0	-400	-33.68	-22.17	PASS
HVHT	GSM1800	698	1747.4	0	400	-29.9	-22.17	PASS
HVHT	GSM1800	698	1747.4	0	600	-32.13	-24.17	PASS
HVHT	GSM1800	698	1747.4	0	1200	-36.41	-24.34	PASS
HVHT	GSM1800	698	1747.4	0	1800	-41.73	-27.34	PASS
HVHT	GSM1800	698	1747.4	15	Ref Power	-0.3		PASS
HVHT	GSM1800	698	1747.4	15	-1800	-59.66	-36	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-55.72	-32	PASS
HVHT	GSM1800	698	1747.4	15	-600	-51.01	-26	PASS
HVHT	GSM1800	698	1747.4	15	-400	-47.28	-23	PASS
HVHT	GSM1800	698	1747.4	15	400	-41.89	-23	PASS
HVHT	GSM1800	698	1747.4	15	600	-49.62	-26	PASS
HVHT	GSM1800	698	1747.4	15	1200	-55.43	-32	PASS
HVHT	GSM1800	698	1747.4	15	1800	-59.64	-36	PASS
HVHT	GSM1800	885	1784.8	0	Ref Power	29.59		PASS
HVHT	GSM1800	885	1784.8	0	-1800	-44.05	-27.23	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-39.97	-24.23	PASS

HVHT	GSM1800	885	1784.8	0	-600	-34.42	-24.11	PASS
HVHT	GSM1800	885	1784.8	0	-400	-33.18	-22.11	PASS
HVHT	GSM1800	885	1784.8	0	400	-31.03	-22.11	PASS
HVHT	GSM1800	885	1784.8	0	600	-33.24	-24.11	PASS
HVHT	GSM1800	885	1784.8	0	1200	-38.19	-24.23	PASS
HVHT	GSM1800	885	1784.8	0	1800	-43.45	-27.23	PASS
HVHT	GSM1800	885	1784.8	15	Ref Power	-2.91		PASS
HVHT	GSM1800	885	1784.8	15	-1800	-63.85	-36	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-60.39	-32	PASS
HVHT	GSM1800	885	1784.8	15	-600	-55.13	-26	PASS
HVHT	GSM1800	885	1784.8	15	-400	-52.32	-23	PASS
HVHT	GSM1800	885	1784.8	15	400	-45	-23	PASS
HVHT	GSM1800	885	1784.8	15	600	-53.62	-26	PASS
HVHT	GSM1800	885	1784.8	15	1200	-59.61	-32	PASS
HVHT	GSM1800	885	1784.8	15	1800	-63.86	-36	PASS
HVLT	GSM1800	512	1710.2	0	Ref Power	29.17		PASS
HVLT	GSM1800	512	1710.2	0	-1800	-41.28	-27.68	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-38.25	-24.68	PASS
HVLT	GSM1800	512	1710.2	0	-600	-30.73	-24.34	PASS
HVLT	GSM1800	512	1710.2	0	-400	-34.72	-22.34	PASS
HVLT	GSM1800	512	1710.2	0	400	-31.82	-22.34	PASS
HVLT	GSM1800	512	1710.2	0	600	-30.61	-24.34	PASS
HVLT	GSM1800	512	1710.2	0	1200	-35.97	-24.68	PASS
HVLT	GSM1800	512	1710.2	0	1800	-41.38	-27.68	PASS
HVLT	GSM1800	512	1710.2	15	Ref Power	1.13		PASS
HVLT	GSM1800	512	1710.2	15	-1800	-57.25	-36	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-53.04	-32	PASS
HVLT	GSM1800	512	1710.2	15	-600	-48.05	-26	PASS
HVLT	GSM1800	512	1710.2	15	-400	-43.88	-23	PASS
HVLT	GSM1800	512	1710.2	15	400	-40.28	-23	PASS
HVLT	GSM1800	512	1710.2	15	600	-46.92	-26	PASS
HVLT	GSM1800	512	1710.2	15	1200	-52.88	-32	PASS
HVLT	GSM1800	512	1710.2	15	1800	-56.81	-36	PASS
HVLT	GSM1800	698	1747.4	0	Ref Power	29.51		PASS
HVLT	GSM1800	698	1747.4	0	-1800	-41.87	-27.34	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-38.45	-24.34	PASS
HVLT	GSM1800	698	1747.4	0	-600	-31.87	-24.17	PASS
HVLT	GSM1800	698	1747.4	0	-400	-33.74	-22.17	PASS
HVLT	GSM1800	698	1747.4	0	400	-29.92	-22.17	PASS
HVLT	GSM1800	698	1747.4	0	600	-32.12	-24.17	PASS
HVLT	GSM1800	698	1747.4	0	1200	-36.46	-24.34	PASS
HVLT	GSM1800	698	1747.4	0	1800	-41.75	-27.34	PASS
HVLT	GSM1800	698	1747.4	15	Ref Power	-0.36		PASS
HVLT	GSM1800	698	1747.4	15	-1800	-59.62	-36	PASS

HVLT	GSM1800	698	1747.4	15	-1200	-55.76	-32	PASS
HVLT	GSM1800	698	1747.4	15	-600	-51.03	-26	PASS
HVLT	GSM1800	698	1747.4	15	-400	-47.29	-23	PASS
HVLT	GSM1800	698	1747.4	15	400	-41.93	-23	PASS
HVLT	GSM1800	698	1747.4	15	600	-49.69	-26	PASS
HVLT	GSM1800	698	1747.4	15	1200	-55.37	-32	PASS
HVLT	GSM1800	698	1747.4	15	1800	-59.63	-36	PASS
HVLT	GSM1800	885	1784.8	0	Ref Power	29.71		PASS
HVLT	GSM1800	885	1784.8	0	-1800	-43.95	-27.23	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-39.96	-24.23	PASS
HVLT	GSM1800	885	1784.8	0	-600	-34.28	-24.11	PASS
HVLT	GSM1800	885	1784.8	0	-400	-33.19	-22.11	PASS
HVLT	GSM1800	885	1784.8	0	400	-31.07	-22.11	PASS
HVLT	GSM1800	885	1784.8	0	600	-33.2	-24.11	PASS
HVLT	GSM1800	885	1784.8	0	1200	-38.25	-24.23	PASS
HVLT	GSM1800	885	1784.8	0	1800	-43.43	-27.23	PASS
HVLT	GSM1800	885	1784.8	15	Ref Power	-2.83		PASS
HVLT	GSM1800	885	1784.8	15	-1800	-63.9	-36	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-60.35	-32	PASS
HVLT	GSM1800	885	1784.8	15	-600	-55.11	-26	PASS
HVLT	GSM1800	885	1784.8	15	-400	-52.44	-23	PASS
HVLT	GSM1800	885	1784.8	15	400	-44.9	-23	PASS
HVLT	GSM1800	885	1784.8	15	600	-53.66	-26	PASS
HVLT	GSM1800	885	1784.8	15	1200	-59.55	-32	PASS
HVLT	GSM1800	885	1784.8	15	1800	-63.83	-36	PASS
LVHT	GSM1800	512	1710.2	0	Ref Power	29.23		PASS
LVHT	GSM1800	512	1710.2	0	-1800	-41.26	-27.68	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-38.08	-24.68	PASS
LVHT	GSM1800	512	1710.2	0	-600	-30.87	-24.34	PASS
LVHT	GSM1800	512	1710.2	0	-400	-34.72	-22.34	PASS
LVHT	GSM1800	512	1710.2	0	400	-31.93	-22.34	PASS
LVHT	GSM1800	512	1710.2	0	600	-30.56	-24.34	PASS
LVHT	GSM1800	512	1710.2	0	1200	-35.9	-24.68	PASS
LVHT	GSM1800	512	1710.2	0	1800	-41.3	-27.68	PASS
LVHT	GSM1800	512	1710.2	15	Ref Power	1.07		PASS
LVHT	GSM1800	512	1710.2	15	-1800	-57.26	-36	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-53.01	-32	PASS
LVHT	GSM1800	512	1710.2	15	-600	-47.92	-26	PASS
LVHT	GSM1800	512	1710.2	15	-400	-43.88	-23	PASS
LVHT	GSM1800	512	1710.2	15	400	-40.33	-23	PASS
LVHT	GSM1800	512	1710.2	15	600	-46.82	-26	PASS
LVHT	GSM1800	512	1710.2	15	1200	-52.9	-32	PASS
LVHT	GSM1800	512	1710.2	15	1800	-56.89	-36	PASS
LVHT	GSM1800	698	1747.4	0	Ref Power	29.56		PASS

LVHT	GSM1800	698	1747.4	0	-1800	-41.82	-27.34	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-38.52	-24.34	PASS
LVHT	GSM1800	698	1747.4	0	-600	-31.87	-24.17	PASS
LVHT	GSM1800	698	1747.4	0	-400	-33.65	-22.17	PASS
LVHT	GSM1800	698	1747.4	0	400	-30.07	-22.17	PASS
LVHT	GSM1800	698	1747.4	0	600	-32	-24.17	PASS
LVHT	GSM1800	698	1747.4	0	1200	-36.43	-24.34	PASS
LVHT	GSM1800	698	1747.4	0	1800	-41.67	-27.34	PASS
LVHT	GSM1800	698	1747.4	15	Ref Power	-0.34		PASS
LVHT	GSM1800	698	1747.4	15	-1800	-59.68	-36	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-55.79	-32	PASS
LVHT	GSM1800	698	1747.4	15	-600	-50.98	-26	PASS
LVHT	GSM1800	698	1747.4	15	-400	-47.26	-23	PASS
LVHT	GSM1800	698	1747.4	15	400	-41.91	-23	PASS
LVHT	GSM1800	698	1747.4	15	600	-49.75	-26	PASS
LVHT	GSM1800	698	1747.4	15	1200	-55.5	-32	PASS
LVHT	GSM1800	698	1747.4	15	1800	-59.58	-36	PASS
LVHT	GSM1800	885	1784.8	0	Ref Power	29.72		PASS
LVHT	GSM1800	885	1784.8	0	-1800	-44.01	-27.23	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-39.85	-24.23	PASS
LVHT	GSM1800	885	1784.8	0	-600	-34.28	-24.11	PASS
LVHT	GSM1800	885	1784.8	0	-400	-33.21	-22.11	PASS
LVHT	GSM1800	885	1784.8	0	400	-31.1	-22.11	PASS
LVHT	GSM1800	885	1784.8	0	600	-33.34	-24.11	PASS
LVHT	GSM1800	885	1784.8	0	1200	-38.13	-24.23	PASS
LVHT	GSM1800	885	1784.8	0	1800	-43.38	-27.23	PASS
LVHT	GSM1800	885	1784.8	15	Ref Power	-2.86		PASS
LVHT	GSM1800	885	1784.8	15	-1800	-63.86	-36	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-60.4	-32	PASS
LVHT	GSM1800	885	1784.8	15	-600	-55.12	-26	PASS
LVHT	GSM1800	885	1784.8	15	-400	-52.45	-23	PASS
LVHT	GSM1800	885	1784.8	15	400	-44.91	-23	PASS
LVHT	GSM1800	885	1784.8	15	600	-53.59	-26	PASS
LVHT	GSM1800	885	1784.8	15	1200	-59.47	-32	PASS
LVHT	GSM1800	885	1784.8	15	1800	-63.75	-36	PASS
LVLT	GSM1800	512	1710.2	0	Ref Power	29.19		PASS
LVLT	GSM1800	512	1710.2	0	-1800	-41.21	-27.68	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-38.11	-24.68	PASS
LVLT	GSM1800	512	1710.2	0	-600	-30.88	-24.34	PASS
LVLT	GSM1800	512	1710.2	0	-400	-34.62	-22.34	PASS
LVLT	GSM1800	512	1710.2	0	400	-31.92	-22.34	PASS
LVLT	GSM1800	512	1710.2	0	600	-30.65	-24.34	PASS
LVLT	GSM1800	512	1710.2	0	1200	-36.08	-24.68	PASS
LVLT	GSM1800	512	1710.2	0	1800	-41.33	-27.68	PASS

LVLT	GSM1800	512	1710.2	15	Ref Power	1.02		PASS
LVLT	GSM1800	512	1710.2	15	-1800	-57.27	-36	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-52.95	-32	PASS
LVLT	GSM1800	512	1710.2	15	-600	-48.01	-26	PASS
LVLT	GSM1800	512	1710.2	15	-400	-43.88	-23	PASS
LVLT	GSM1800	512	1710.2	15	400	-40.24	-23	PASS
LVLT	GSM1800	512	1710.2	15	600	-46.84	-26	PASS
LVLT	GSM1800	512	1710.2	15	1200	-52.87	-32	PASS
LVLT	GSM1800	512	1710.2	15	1800	-56.77	-36	PASS
LVLT	GSM1800	698	1747.4	0	Ref Power	29.63		PASS
LVLT	GSM1800	698	1747.4	0	-1800	-41.85	-27.34	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-38.59	-24.34	PASS
LVLT	GSM1800	698	1747.4	0	-600	-31.72	-24.17	PASS
LVLT	GSM1800	698	1747.4	0	-400	-33.56	-22.17	PASS
LVLT	GSM1800	698	1747.4	0	400	-29.95	-22.17	PASS
LVLT	GSM1800	698	1747.4	0	600	-32	-24.17	PASS
LVLT	GSM1800	698	1747.4	0	1200	-36.41	-24.34	PASS
LVLT	GSM1800	698	1747.4	0	1800	-41.71	-27.34	PASS
LVLT	GSM1800	698	1747.4	15	Ref Power	-0.3		PASS
LVLT	GSM1800	698	1747.4	15	-1800	-59.74	-36	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-55.76	-32	PASS
LVLT	GSM1800	698	1747.4	15	-600	-51.03	-26	PASS
LVLT	GSM1800	698	1747.4	15	-400	-47.31	-23	PASS
LVLT	GSM1800	698	1747.4	15	400	-41.78	-23	PASS
LVLT	GSM1800	698	1747.4	15	600	-49.63	-26	PASS
LVLT	GSM1800	698	1747.4	15	1200	-55.44	-32	PASS
LVLT	GSM1800	698	1747.4	15	1800	-59.6	-36	PASS
LVLT	GSM1800	885	1784.8	0	Ref Power	29.72		PASS
LVLT	GSM1800	885	1784.8	0	-1800	-44.1	-27.23	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-39.97	-24.23	PASS
LVLT	GSM1800	885	1784.8	0	-600	-34.46	-24.11	PASS
LVLT	GSM1800	885	1784.8	0	-400	-33.16	-22.11	PASS
LVLT	GSM1800	885	1784.8	0	400	-30.97	-22.11	PASS
LVLT	GSM1800	885	1784.8	0	600	-33.29	-24.11	PASS
LVLT	GSM1800	885	1784.8	0	1200	-38.1	-24.23	PASS
LVLT	GSM1800	885	1784.8	0	1800	-43.38	-27.23	PASS
LVLT	GSM1800	885	1784.8	15	Ref Power	-2.88		PASS
LVLT	GSM1800	885	1784.8	15	-1800	-63.92	-36	PASS
LVLT	GSM1800	885	1784.8	15	-1200	-60.46	-32	PASS
LVLT	GSM1800	885	1784.8	15	-600	-55.23	-26	PASS
LVLT	GSM1800	885	1784.8	15	-400	-52.28	-23	PASS
LVLT	GSM1800	885	1784.8	15	400	-44.92	-23	PASS
LVLT	GSM1800	885	1784.8	15	600	-53.67	-26	PASS
LVLT	GSM1800	885	1784.8	15	1200	-59.54	-32	PASS

LVLT	GSM1800	885	1784.8	15	1800	-63.75	-36	PASS
HVHT	GSM900	975	880.2	5	Ref Power	32.64		PASS
HVHT	GSM900	975	880.2	5	-1800	-40.56	-24.23	PASS
HVHT	GSM900	975	880.2	5	-1200	-34.2	-21.23	PASS
HVHT	GSM900	975	880.2	5	-600	-29.06	-21.23	PASS
HVHT	GSM900	975	880.2	5	-400	-28.27	-19.23	PASS
HVHT	GSM900	975	880.2	5	400	-29.1	-19.23	PASS
HVHT	GSM900	975	880.2	5	600	-32.56	-21.23	PASS
HVHT	GSM900	975	880.2	5	1200	-34.03	-21.23	PASS
HVHT	GSM900	975	880.2	5	1800	-37.67	-24.23	PASS
HVHT	GSM900	975	880.2	19	Ref Power	3.94		PASS
HVHT	GSM900	975	880.2	19	-1800	-63.53	-36	PASS
HVHT	GSM900	975	880.2	19	-1200	-60.19	-32	PASS
HVHT	GSM900	975	880.2	19	-600	-55.57	-26	PASS
HVHT	GSM900	975	880.2	19	-400	-48.36	-23	PASS
HVHT	GSM900	975	880.2	19	400	-48.39	-23	PASS
HVHT	GSM900	975	880.2	19	600	-52.9	-26	PASS
HVHT	GSM900	975	880.2	19	1200	-56.77	-32	PASS
HVHT	GSM900	975	880.2	19	1800	-60.73	-36	PASS
HVHT	GSM900	38	897.6	5	Ref Power	32.81		PASS
HVHT	GSM900	38	897.6	5	-1800	-40.93	-24.09	PASS
HVHT	GSM900	38	897.6	5	-1200	-33.83	-21.09	PASS
HVHT	GSM900	38	897.6	5	-600	-29.8	-21.09	PASS
HVHT	GSM900	38	897.6	5	-400	-28.63	-19.09	PASS
HVHT	GSM900	38	897.6	5	400	-29.62	-19.09	PASS
HVHT	GSM900	38	897.6	5	600	-32.87	-21.09	PASS
HVHT	GSM900	38	897.6	5	1200	-33.72	-21.09	PASS
HVHT	GSM900	38	897.6	5	1800	-37.32	-24.09	PASS
HVHT	GSM900	38	897.6	19	Ref Power	3.89		PASS
HVHT	GSM900	38	897.6	19	-1800	-63.83	-36	PASS
HVHT	GSM900	38	897.6	19	-1200	-61.07	-32	PASS
HVHT	GSM900	38	897.6	19	-600	-56.45	-26	PASS
HVHT	GSM900	38	897.6	19	-400	-48.97	-23	PASS
HVHT	GSM900	38	897.6	19	400	-48.77	-23	PASS
HVHT	GSM900	38	897.6	19	600	-53.4	-26	PASS
HVHT	GSM900	38	897.6	19	1200	-57.69	-32	PASS
HVHT	GSM900	38	897.6	19	1800	-61.56	-36	PASS
HVHT	GSM900	124	914.8	5	Ref Power	32.9		PASS
HVHT	GSM900	124	914.8	5	-1800	-39.95	-24.02	PASS
HVHT	GSM900	124	914.8	5	-1200	-35	-21.02	PASS
HVHT	GSM900	124	914.8	5	-600	-30.78	-21.02	PASS
HVHT	GSM900	124	914.8	5	-400	-29.53	-19.02	PASS
HVHT	GSM900	124	914.8	5	400	-29.65	-19.02	PASS
HVHT	GSM900	124	914.8	5	600	-31.82	-21.02	PASS

HVHT	GSM900	124	914.8	5	1200	-33.08	-21.02	PASS
HVHT	GSM900	124	914.8	5	1800	-37.44	-24.02	PASS
HVHT	GSM900	124	914.8	19	Ref Power	4.25		PASS
HVHT	GSM900	124	914.8	19	-1800	-64.99	-36	PASS
HVHT	GSM900	124	914.8	19	-1200	-60.33	-32	PASS
HVHT	GSM900	124	914.8	19	-600	-58.55	-26	PASS
HVHT	GSM900	124	914.8	19	-400	-48.42	-23	PASS
HVHT	GSM900	124	914.8	19	400	-47.86	-23	PASS
HVHT	GSM900	124	914.8	19	600	-55.24	-26	PASS
HVHT	GSM900	124	914.8	19	1200	-61.18	-32	PASS
HVHT	GSM900	124	914.8	19	1800	-63.59	-36	PASS
HVLT	GSM900	975	880.2	5	Ref Power	32.76		PASS
HVLT	GSM900	975	880.2	5	-1800	-40.54	-24.23	PASS
HVLT	GSM900	975	880.2	5	-1200	-34.25	-21.23	PASS
HVLT	GSM900	975	880.2	5	-600	-29.05	-21.23	PASS
HVLT	GSM900	975	880.2	5	-400	-28.24	-19.23	PASS
HVLT	GSM900	975	880.2	5	400	-29.17	-19.23	PASS
HVLT	GSM900	975	880.2	5	600	-32.6	-21.23	PASS
HVLT	GSM900	975	880.2	5	1200	-34.1	-21.23	PASS
HVLT	GSM900	975	880.2	5	1800	-37.7	-24.23	PASS
HVLT	GSM900	975	880.2	19	Ref Power	3.94		PASS
HVLT	GSM900	975	880.2	19	-1800	-63.61	-36	PASS
HVLT	GSM900	975	880.2	19	-1200	-60.11	-32	PASS
HVLT	GSM900	975	880.2	19	-600	-55.58	-26	PASS
HVLT	GSM900	975	880.2	19	-400	-48.44	-23	PASS
HVLT	GSM900	975	880.2	19	400	-48.47	-23	PASS
HVLT	GSM900	975	880.2	19	600	-52.87	-26	PASS
HVLT	GSM900	975	880.2	19	1200	-56.8	-32	PASS
HVLT	GSM900	975	880.2	19	1800	-60.59	-36	PASS
HVLT	GSM900	38	897.6	5	Ref Power	32.9		PASS
HVLT	GSM900	38	897.6	5	-1800	-40.79	-24.09	PASS
HVLT	GSM900	38	897.6	5	-1200	-33.84	-21.09	PASS
HVLT	GSM900	38	897.6	5	-600	-29.72	-21.09	PASS
HVLT	GSM900	38	897.6	5	-400	-28.64	-19.09	PASS
HVLT	GSM900	38	897.6	5	400	-29.69	-19.09	PASS
HVLT	GSM900	38	897.6	5	600	-32.92	-21.09	PASS
HVLT	GSM900	38	897.6	5	1200	-33.8	-21.09	PASS
HVLT	GSM900	38	897.6	5	1800	-37.26	-24.09	PASS
HVLT	GSM900	38	897.6	19	Ref Power	3.89		PASS
HVLT	GSM900	38	897.6	19	-1800	-63.87	-36	PASS
HVLT	GSM900	38	897.6	19	-1200	-60.95	-32	PASS
HVLT	GSM900	38	897.6	19	-600	-56.56	-26	PASS
HVLT	GSM900	38	897.6	19	-400	-49.03	-23	PASS
HVLT	GSM900	38	897.6	19	400	-48.75	-23	PASS



HVLT	GSM900	38	897.6	19	600	-53.26	-26	PASS
HVLT	GSM900	38	897.6	19	1200	-57.68	-32	PASS
HVLT	GSM900	38	897.6	19	1800	-61.72	-36	PASS
HVLT	GSM900	124	914.8	5	Ref Power	32.89		PASS
HVLT	GSM900	124	914.8	5	-1800	-39.96	-24.02	PASS
HVLT	GSM900	124	914.8	5	-1200	-35.07	-21.02	PASS
HVLT	GSM900	124	914.8	5	-600	-30.7	-21.02	PASS
HVLT	GSM900	124	914.8	5	-400	-29.67	-19.02	PASS
HVLT	GSM900	124	914.8	5	400	-29.71	-19.02	PASS
HVLT	GSM900	124	914.8	5	600	-31.75	-21.02	PASS
HVLT	GSM900	124	914.8	5	1200	-33.2	-21.02	PASS
HVLT	GSM900	124	914.8	5	1800	-37.4	-24.02	PASS
HVLT	GSM900	124	914.8	19	Ref Power	4.26		PASS
HVLT	GSM900	124	914.8	19	-1800	-64.95	-36	PASS
HVLT	GSM900	124	914.8	19	-1200	-60.31	-32	PASS
HVLT	GSM900	124	914.8	19	-600	-58.61	-26	PASS
HVLT	GSM900	124	914.8	19	-400	-48.43	-23	PASS
HVLT	GSM900	124	914.8	19	400	-47.82	-23	PASS
HVLT	GSM900	124	914.8	19	600	-55.26	-26	PASS
HVLT	GSM900	124	914.8	19	1200	-61.16	-32	PASS
HVLT	GSM900	124	914.8	19	1800	-63.49	-36	PASS
LVHT	GSM900	975	880.2	5	Ref Power	32.64		PASS
LVHT	GSM900	975	880.2	5	-1800	-40.5	-24.23	PASS
LVHT	GSM900	975	880.2	5	-1200	-34.21	-21.23	PASS
LVHT	GSM900	975	880.2	5	-600	-29.08	-21.23	PASS
LVHT	GSM900	975	880.2	5	-400	-28.11	-19.23	PASS
LVHT	GSM900	975	880.2	5	400	-29.17	-19.23	PASS
LVHT	GSM900	975	880.2	5	600	-32.68	-21.23	PASS
LVHT	GSM900	975	880.2	5	1200	-34.01	-21.23	PASS
LVHT	GSM900	975	880.2	5	1800	-37.68	-24.23	PASS
LVHT	GSM900	975	880.2	19	Ref Power	3.91		PASS
LVHT	GSM900	975	880.2	19	-1800	-63.47	-36	PASS
LVHT	GSM900	975	880.2	19	-1200	-60.14	-32	PASS
LVHT	GSM900	975	880.2	19	-600	-55.52	-26	PASS
LVHT	GSM900	975	880.2	19	-400	-48.45	-23	PASS
LVHT	GSM900	975	880.2	19	400	-48.51	-23	PASS
LVHT	GSM900	975	880.2	19	600	-52.9	-26	PASS
LVHT	GSM900	975	880.2	19	1200	-56.89	-32	PASS
LVHT	GSM900	975	880.2	19	1800	-60.69	-36	PASS
LVHT	GSM900	38	897.6	5	Ref Power	32.87		PASS
LVHT	GSM900	38	897.6	5	-1800	-40.92	-24.09	PASS
LVHT	GSM900	38	897.6	5	-1200	-33.92	-21.09	PASS
LVHT	GSM900	38	897.6	5	-600	-29.66	-21.09	PASS
LVHT	GSM900	38	897.6	5	-400	-28.55	-19.09	PASS

LVHT	GSM900	38	897.6	5	400	-29.65	-19.09	PASS
LVHT	GSM900	38	897.6	5	600	-32.97	-21.09	PASS
LVHT	GSM900	38	897.6	5	1200	-33.79	-21.09	PASS
LVHT	GSM900	38	897.6	5	1800	-37.21	-24.09	PASS
LVHT	GSM900	38	897.6	19	Ref Power	3.88		PASS
LVHT	GSM900	38	897.6	19	-1800	-63.94	-36	PASS
LVHT	GSM900	38	897.6	19	-1200	-60.93	-32	PASS
LVHT	GSM900	38	897.6	19	-600	-56.51	-26	PASS
LVHT	GSM900	38	897.6	19	-400	-48.96	-23	PASS
LVHT	GSM900	38	897.6	19	400	-48.77	-23	PASS
LVHT	GSM900	38	897.6	19	600	-53.32	-26	PASS
LVHT	GSM900	38	897.6	19	1200	-57.62	-32	PASS
LVHT	GSM900	38	897.6	19	1800	-61.58	-36	PASS
LVHT	GSM900	124	914.8	5	Ref Power	32.88		PASS
LVHT	GSM900	124	914.8	5	-1800	-40	-24.02	PASS
LVHT	GSM900	124	914.8	5	-1200	-35.07	-21.02	PASS
LVHT	GSM900	124	914.8	5	-600	-30.67	-21.02	PASS
LVHT	GSM900	124	914.8	5	-400	-29.59	-19.02	PASS
LVHT	GSM900	124	914.8	5	400	-29.67	-19.02	PASS
LVHT	GSM900	124	914.8	5	600	-31.67	-21.02	PASS
LVHT	GSM900	124	914.8	5	1200	-33.04	-21.02	PASS
LVHT	GSM900	124	914.8	5	1800	-37.52	-24.02	PASS
LVHT	GSM900	124	914.8	19	Ref Power	4.28		PASS
LVHT	GSM900	124	914.8	19	-1800	-64.81	-36	PASS
LVHT	GSM900	124	914.8	19	-1200	-60.26	-32	PASS
LVHT	GSM900	124	914.8	19	-600	-58.59	-26	PASS
LVHT	GSM900	124	914.8	19	-400	-48.42	-23	PASS
LVHT	GSM900	124	914.8	19	400	-47.9	-23	PASS
LVHT	GSM900	124	914.8	19	600	-55.34	-26	PASS
LVHT	GSM900	124	914.8	19	1200	-61.12	-32	PASS
LVHT	GSM900	124	914.8	19	1800	-63.46	-36	PASS
LVLT	GSM900	975	880.2	5	Ref Power	32.71		PASS
LVLT	GSM900	975	880.2	5	-1800	-40.59	-24.23	PASS
LVLT	GSM900	975	880.2	5	-1200	-34.3	-21.23	PASS
LVLT	GSM900	975	880.2	5	-600	-29.15	-21.23	PASS
LVLT	GSM900	975	880.2	5	-400	-28.22	-19.23	PASS
LVLT	GSM900	975	880.2	5	400	-29.07	-19.23	PASS
LVLT	GSM900	975	880.2	5	600	-32.68	-21.23	PASS
LVLT	GSM900	975	880.2	5	1200	-34.13	-21.23	PASS
LVLT	GSM900	975	880.2	5	1800	-37.64	-24.23	PASS
LVLT	GSM900	975	880.2	19	Ref Power	3.92		PASS
LVLT	GSM900	975	880.2	19	-1800	-63.62	-36	PASS
LVLT	GSM900	975	880.2	19	-1200	-60.11	-32	PASS
LVLT	GSM900	975	880.2	19	-600	-55.59	-26	PASS

LVLT	GSM900	975	880.2	19	-400	-48.51	-23	PASS
LVLT	GSM900	975	880.2	19	400	-48.49	-23	PASS
LVLT	GSM900	975	880.2	19	600	-52.85	-26	PASS
LVLT	GSM900	975	880.2	19	1200	-56.85	-32	PASS
LVLT	GSM900	975	880.2	19	1800	-60.69	-36	PASS
LVLT	GSM900	38	897.6	5	Ref Power	32.74		PASS
LVLT	GSM900	38	897.6	5	-1800	-40.88	-24.09	PASS
LVLT	GSM900	38	897.6	5	-1200	-33.75	-21.09	PASS
LVLT	GSM900	38	897.6	5	-600	-29.63	-21.09	PASS
LVLT	GSM900	38	897.6	5	-400	-28.48	-19.09	PASS
LVLT	GSM900	38	897.6	5	400	-29.71	-19.09	PASS
LVLT	GSM900	38	897.6	5	600	-32.97	-21.09	PASS
LVLT	GSM900	38	897.6	5	1200	-33.71	-21.09	PASS
LVLT	GSM900	38	897.6	5	1800	-37.23	-24.09	PASS
LVLT	GSM900	38	897.6	19	Ref Power	3.98		PASS
LVLT	GSM900	38	897.6	19	-1800	-63.89	-36	PASS
LVLT	GSM900	38	897.6	19	-1200	-61.06	-32	PASS
LVLT	GSM900	38	897.6	19	-600	-56.44	-26	PASS
LVLT	GSM900	38	897.6	19	-400	-48.88	-23	PASS
LVLT	GSM900	38	897.6	19	400	-48.79	-23	PASS
LVLT	GSM900	38	897.6	19	600	-53.38	-26	PASS
LVLT	GSM900	38	897.6	19	1200	-57.63	-32	PASS
LVLT	GSM900	38	897.6	19	1800	-61.74	-36	PASS
LVLT	GSM900	124	914.8	5	Ref Power	32.82		PASS
LVLT	GSM900	124	914.8	5	-1800	-40.06	-24.02	PASS
LVLT	GSM900	124	914.8	5	-1200	-35.04	-21.02	PASS
LVLT	GSM900	124	914.8	5	-600	-30.67	-21.02	PASS
LVLT	GSM900	124	914.8	5	-400	-29.66	-19.02	PASS
LVLT	GSM900	124	914.8	5	400	-29.76	-19.02	PASS
LVLT	GSM900	124	914.8	5	600	-31.74	-21.02	PASS
LVLT	GSM900	124	914.8	5	1200	-33.22	-21.02	PASS
LVLT	GSM900	124	914.8	5	1800	-37.52	-24.02	PASS
LVLT	GSM900	124	914.8	19	Ref Power	4.28		PASS
LVLT	GSM900	124	914.8	19	-1800	-64.98	-36	PASS
LVLT	GSM900	124	914.8	19	-1200	-60.27	-32	PASS
LVLT	GSM900	124	914.8	19	-600	-58.61	-26	PASS
LVLT	GSM900	124	914.8	19	-400	-48.38	-23	PASS
LVLT	GSM900	124	914.8	19	400	-47.88	-23	PASS
LVLT	GSM900	124	914.8	19	600	-55.34	-26	PASS
LVLT	GSM900	124	914.8	19	1200	-61.22	-32	PASS
LVLT	GSM900	124	914.8	19	1800	-63.62	-36	PASS