

Clause 4.2.26 Frequency error and Modulation accuracy in EGPRS Configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Type | Result | Low Limit | high Limit | Verdict |
|-------------|-----------|---------|-----------------|-------------|----------------------|--------|-----------|------------|---------|
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.73 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.64 | 0 | 9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.45 | 0 | 30 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.72 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.86 | 0 | 9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.25 | 0 | 30 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.7 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.57 | 0 | 9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.3 | 0 | 30 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.67 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.86 | 0 | 9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.31 | 0 | 30 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.68 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.54 | 0 | 9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.43 | 0 | 30 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.63 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.74 | 0 | 9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.27 | 0 | 30 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.64 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.62 | 0 | 9 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.34 | 0 | 30 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.68 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.87 | 0 | 9 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.14 | 0 | 30 | PASS |
| Vibration-X | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.74 | -174.74 | 174.74 | PASS |
| Vibration-X | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.6 | 0 | 9 | PASS |
| Vibration-X | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.37 | 0 | 30 | PASS |
| Vibration-X | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.57 | -174.74 | 174.74 | PASS |
| Vibration-X | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.7 | 0 | 9 | PASS |
| Vibration-X | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.28 | 0 | 30 | PASS |

| | | | | | | | | | |
|-------------|-----------|-----|--------|-------------|----------------------|-------|---------|--------|------|
| Vibration-Y | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.81 | -174.74 | 174.74 | PASS |
| Vibration-Y | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.64 | 0 | 9 | PASS |
| Vibration-Y | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.29 | 0 | 30 | PASS |
| Vibration-Y | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.75 | -174.74 | 174.74 | PASS |
| Vibration-Y | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.79 | 0 | 9 | PASS |
| Vibration-Y | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.32 | 0 | 30 | PASS |
| Vibration-Z | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Frequency Error (Hz) | -4.64 | -174.74 | 174.74 | PASS |
| Vibration-Z | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | RMS EVM (%) | 1.53 | 0 | 9 | PASS |
| Vibration-Z | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Peak EVM (%) | 4.42 | 0 | 30 | PASS |
| Vibration-Z | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -5.64 | -174.74 | 174.74 | PASS |
| Vibration-Z | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS EVM (%) | 0.8 | 0 | 9 | PASS |
| Vibration-Z | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak EVM (%) | 2.21 | 0 | 30 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.17 | -89.76 | 89.76 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.55 | 0 | 9 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.68 | 0 | 30 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.15 | -89.76 | 89.76 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.69 | 0 | 9 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 1.91 | 0 | 30 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.08 | -89.76 | 89.76 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.53 | 0 | 9 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.79 | 0 | 30 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.29 | -89.76 | 89.76 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.77 | 0 | 9 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 1.87 | 0 | 30 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.24 | -89.76 | 89.76 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.45 | 0 | 9 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.72 | 0 | 30 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.3 | -89.76 | 89.76 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.69 | 0 | 9 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 1.98 | 0 | 30 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.24 | -89.76 | 89.76 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.4 | 0 | 9 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.73 | 0 | 30 | PASS |

| | | | | | | | | | |
|-------------|----------|----|-------|-------------|----------------------|-------|--------|-------|------|
| LVL | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.2 | -89.76 | 89.76 | PASS |
| LVL | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.75 | 0 | 9 | PASS |
| LVL | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 1.95 | 0 | 30 | PASS |
| Vibration-X | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.17 | -89.76 | 89.76 | PASS |
| Vibration-X | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.51 | 0 | 9 | PASS |
| Vibration-X | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.62 | 0 | 30 | PASS |
| Vibration-X | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.17 | -89.76 | 89.76 | PASS |
| Vibration-X | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.68 | 0 | 9 | PASS |
| Vibration-X | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 1.93 | 0 | 30 | PASS |
| Vibration-Y | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.26 | -89.76 | 89.76 | PASS |
| Vibration-Y | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.56 | 0 | 9 | PASS |
| Vibration-Y | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.67 | 0 | 30 | PASS |
| Vibration-Y | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.23 | -89.76 | 89.76 | PASS |
| Vibration-Y | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.78 | 0 | 9 | PASS |
| Vibration-Y | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 2 | 0 | 30 | PASS |
| Vibration-Z | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Frequency Error (Hz) | -5.09 | -89.76 | 89.76 | PASS |
| Vibration-Z | EGPRS900 | 38 | 897.6 | 6;6;6;6 | RMS EVM (%) | 2.4 | 0 | 9 | PASS |
| Vibration-Z | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Peak EVM (%) | 7.79 | 0 | 30 | PASS |
| Vibration-Z | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 6.13 | -89.76 | 89.76 | PASS |
| Vibration-Z | EGPRS900 | 38 | 897.6 | 17;17;17;17 | RMS EVM (%) | 0.74 | 0 | 9 | PASS |
| Vibration-Z | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Peak EVM (%) | 2 | 0 | 30 | PASS |

Clause 4.2.27 Frequency error under multipath inEGPRS Configuration

| Condition | Band | Type | Channel | Frequency (MHz) | Gamma | Result (Hz) | Low Limit (Hz) | high Limit (Hz) | Verdict |
|-----------|-----------|----------------|---------|-----------------|---------|-------------|----------------|-----------------|---------|
| HVHT | EGPRS1800 | RA250 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.72 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | RA250 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -0.69 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | RA250 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -3.03 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | RA250 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -9.12 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | RA250 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -0.74 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | RA250 @Sens5 | 698 | 1747.4 | 5;5;5;5 | -4.05 | -174.74 | 174.74 | PASS |

| | | | | | | | | | |
|------|-----------|-------------------|-----|--------|---------|--------|---------|--------|------|
| HVHT | EGPRS1800 | HT100 @Connect | 698 | 1747.4 | 5;5;5;5 | -8.7 | -524.74 | 524.74 | PASS |
| HVHT | EGPRS1800 | HT100 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -6.98 | -524.74 | 524.74 | PASS |
| HVHT | EGPRS1800 | HT100 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -5.85 | -524.74 | 524.74 | PASS |
| HVHT | EGPRS1800 | HT100 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -14.99 | -524.74 | 524.74 | PASS |
| HVHT | EGPRS1800 | HT100 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -10.77 | -524.74 | 524.74 | PASS |
| HVHT | EGPRS1800 | HT100 @Sens5 | 698 | 1747.4 | 5;5;5;5 | -6.13 | -524.74 | 524.74 | PASS |
| HVHT | EGPRS1800 | TU50 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.95 | -434.74 | 434.74 | PASS |
| HVHT | EGPRS1800 | TU50 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -16.6 | -434.74 | 434.74 | PASS |
| HVHT | EGPRS1800 | TU50 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -13.51 | -434.74 | 434.74 | PASS |
| HVHT | EGPRS1800 | TU50 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -10.91 | -434.74 | 434.74 | PASS |
| HVHT | EGPRS1800 | TU50 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -3.05 | -434.74 | 434.74 | PASS |
| HVHT | EGPRS1800 | TU50 @Sens5 | 698 | 1747.4 | 5;5;5;5 | 10.74 | -434.74 | 434.74 | PASS |
| HVHT | EGPRS1800 | TU3 @Connect | 698 | 1747.4 | 5;5;5;5 | 7.81 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @1 | 698 | 1747.4 | 5;5;5;5 | 3.71 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @2 | 698 | 1747.4 | 5;5;5;5 | -3.59 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @3 | 698 | 1747.4 | 5;5;5;5 | -1.3 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @4 | 698 | 1747.4 | 5;5;5;5 | -4.31 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @5 | 698 | 1747.4 | 5;5;5;5 | -8.13 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @6 | 698 | 1747.4 | 5;5;5;5 | -3.93 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @7 | 698 | 1747.4 | 5;5;5;5 | -3.07 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @8 | 698 | 1747.4 | 5;5;5;5 | -10.9 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @9 | 698 | 1747.4 | 5;5;5;5 | -7.93 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @10 | 698 | 1747.4 | 5;5;5;5 | -5.28 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @11 | 698 | 1747.4 | 5;5;5;5 | -9.57 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @12 | 698 | 1747.4 | 5;5;5;5 | -10.87 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @13 | 698 | 1747.4 | 5;5;5;5 | -14.73 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @14 | 698 | 1747.4 | 5;5;5;5 | -8.13 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @15 | 698 | 1747.4 | 5;5;5;5 | -12.05 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @16 | 698 | 1747.4 | 5;5;5;5 | -19.4 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @17 | 698 | 1747.4 | 5;5;5;5 | -9.87 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @18 | 698 | 1747.4 | 5;5;5;5 | -14.39 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @19 | 698 | 1747.4 | 5;5;5;5 | -6.92 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS1800 | TU3 @20 | 698 | 1747.4 | 5;5;5;5 | -9.11 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | RA250 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.78 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | RA250 | 698 | 1747.4 | 5;5;5;5 | -0.77 | -174.74 | 174.74 | PASS |

| | | | | | | | | | |
|------|-----------|-------------|-----|--------|---------|--------|---------|--------|------|
| | | @Sens1 | | | | | | | |
| HVLT | EGPRS1800 | RA250 | 698 | 1747.4 | 5;5;5;5 | -3.07 | -174.74 | 174.74 | PASS |
| | | @Sens2 | | | | | | | |
| HVLT | EGPRS1800 | RA250 | 698 | 1747.4 | 5;5;5;5 | -9.09 | -174.74 | 174.74 | PASS |
| | | @Sens3 | | | | | | | |
| HVLT | EGPRS1800 | RA250 | 698 | 1747.4 | 5;5;5;5 | -0.83 | -174.74 | 174.74 | PASS |
| | | @Sens4 | | | | | | | |
| HVLT | EGPRS1800 | RA250 | 698 | 1747.4 | 5;5;5;5 | -4.18 | -174.74 | 174.74 | PASS |
| | | @Sens5 | | | | | | | |
| HVLT | EGPRS1800 | HT100 | 698 | 1747.4 | 5;5;5;5 | -8.64 | -524.74 | 524.74 | PASS |
| | | @Connect | | | | | | | |
| HVLT | EGPRS1800 | HT100 | 698 | 1747.4 | 5;5;5;5 | -6.96 | -524.74 | 524.74 | PASS |
| | | @Sens1 | | | | | | | |
| HVLT | EGPRS1800 | HT100 | 698 | 1747.4 | 5;5;5;5 | -5.66 | -524.74 | 524.74 | PASS |
| | | @Sens2 | | | | | | | |
| HVLT | EGPRS1800 | HT100 | 698 | 1747.4 | 5;5;5;5 | -15.01 | -524.74 | 524.74 | PASS |
| | | @Sens3 | | | | | | | |
| HVLT | EGPRS1800 | HT100 | 698 | 1747.4 | 5;5;5;5 | -10.78 | -524.74 | 524.74 | PASS |
| | | @Sens4 | | | | | | | |
| HVLT | EGPRS1800 | HT100 | 698 | 1747.4 | 5;5;5;5 | -6.15 | -524.74 | 524.74 | PASS |
| | | @Sens5 | | | | | | | |
| HVLT | EGPRS1800 | TU50 | 698 | 1747.4 | 5;5;5;5 | -7.82 | -434.74 | 434.74 | PASS |
| | | @Connect | | | | | | | |
| HVLT | EGPRS1800 | TU50 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -16.65 | -434.74 | 434.74 | PASS |
| HVLT | EGPRS1800 | TU50 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -13.42 | -434.74 | 434.74 | PASS |
| HVLT | EGPRS1800 | TU50 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -10.87 | -434.74 | 434.74 | PASS |
| HVLT | EGPRS1800 | TU50 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -3.19 | -434.74 | 434.74 | PASS |
| HVLT | EGPRS1800 | TU50 @Sens5 | 698 | 1747.4 | 5;5;5;5 | 10.63 | -434.74 | 434.74 | PASS |
| HVLT | EGPRS1800 | TU3 | 698 | 1747.4 | 5;5;5;5 | 7.74 | -174.74 | 174.74 | PASS |
| | | @Connect | | | | | | | |
| HVLT | EGPRS1800 | TU3 @1 | 698 | 1747.4 | 5;5;5;5 | 3.71 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @2 | 698 | 1747.4 | 5;5;5;5 | -3.62 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @3 | 698 | 1747.4 | 5;5;5;5 | -1.21 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @4 | 698 | 1747.4 | 5;5;5;5 | -4.39 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @5 | 698 | 1747.4 | 5;5;5;5 | -8.05 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @6 | 698 | 1747.4 | 5;5;5;5 | -3.94 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @7 | 698 | 1747.4 | 5;5;5;5 | -3.05 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @8 | 698 | 1747.4 | 5;5;5;5 | -10.82 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @9 | 698 | 1747.4 | 5;5;5;5 | -7.9 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @10 | 698 | 1747.4 | 5;5;5;5 | -5.37 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @11 | 698 | 1747.4 | 5;5;5;5 | -9.62 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @12 | 698 | 1747.4 | 5;5;5;5 | -10.75 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @13 | 698 | 1747.4 | 5;5;5;5 | -14.67 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @14 | 698 | 1747.4 | 5;5;5;5 | -8 | -174.74 | 174.74 | PASS |

| | | | | | | | | | |
|------|-----------|-------------------|-----|--------|---------|--------|---------|--------|------|
| HVLT | EGPRS1800 | TU3 @15 | 698 | 1747.4 | 5;5;5;5 | -12.02 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @16 | 698 | 1747.4 | 5;5;5;5 | -19.45 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @17 | 698 | 1747.4 | 5;5;5;5 | -9.93 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @18 | 698 | 1747.4 | 5;5;5;5 | -14.38 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @19 | 698 | 1747.4 | 5;5;5;5 | -6.87 | -174.74 | 174.74 | PASS |
| HVLT | EGPRS1800 | TU3 @20 | 698 | 1747.4 | 5;5;5;5 | -9.2 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | RA250 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.84 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | RA250 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -0.66 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | RA250 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -3.04 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | RA250 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -9.09 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | RA250 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -0.88 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | RA250 @Sens5 | 698 | 1747.4 | 5;5;5;5 | -4.03 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | HT100 @Connect | 698 | 1747.4 | 5;5;5;5 | -8.69 | -524.74 | 524.74 | PASS |
| LVHT | EGPRS1800 | HT100 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -6.92 | -524.74 | 524.74 | PASS |
| LVHT | EGPRS1800 | HT100 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -5.75 | -524.74 | 524.74 | PASS |
| LVHT | EGPRS1800 | HT100 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -14.99 | -524.74 | 524.74 | PASS |
| LVHT | EGPRS1800 | HT100 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -10.74 | -524.74 | 524.74 | PASS |
| LVHT | EGPRS1800 | HT100 @Sens5 | 698 | 1747.4 | 5;5;5;5 | -6.05 | -524.74 | 524.74 | PASS |
| LVHT | EGPRS1800 | TU50 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.79 | -434.74 | 434.74 | PASS |
| LVHT | EGPRS1800 | TU50 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -16.59 | -434.74 | 434.74 | PASS |
| LVHT | EGPRS1800 | TU50 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -13.55 | -434.74 | 434.74 | PASS |
| LVHT | EGPRS1800 | TU50 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -10.93 | -434.74 | 434.74 | PASS |
| LVHT | EGPRS1800 | TU50 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -3.05 | -434.74 | 434.74 | PASS |
| LVHT | EGPRS1800 | TU50 @Sens5 | 698 | 1747.4 | 5;5;5;5 | 10.69 | -434.74 | 434.74 | PASS |
| LVHT | EGPRS1800 | TU3 @Connect | 698 | 1747.4 | 5;5;5;5 | 7.84 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @1 | 698 | 1747.4 | 5;5;5;5 | 3.77 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @2 | 698 | 1747.4 | 5;5;5;5 | -3.66 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @3 | 698 | 1747.4 | 5;5;5;5 | -1.34 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @4 | 698 | 1747.4 | 5;5;5;5 | -4.36 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @5 | 698 | 1747.4 | 5;5;5;5 | -7.95 | -174.74 | 174.74 | PASS |

| | | | | | | | | | |
|------|-----------|-------------------|-----|--------|---------|--------|---------|--------|------|
| LVHT | EGPRS1800 | TU3 @6 | 698 | 1747.4 | 5;5;5;5 | -3.94 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @7 | 698 | 1747.4 | 5;5;5;5 | -3.07 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @8 | 698 | 1747.4 | 5;5;5;5 | -10.96 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @9 | 698 | 1747.4 | 5;5;5;5 | -7.86 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @10 | 698 | 1747.4 | 5;5;5;5 | -5.2 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @11 | 698 | 1747.4 | 5;5;5;5 | -9.51 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @12 | 698 | 1747.4 | 5;5;5;5 | -10.76 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @13 | 698 | 1747.4 | 5;5;5;5 | -14.7 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @14 | 698 | 1747.4 | 5;5;5;5 | -8.13 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @15 | 698 | 1747.4 | 5;5;5;5 | -11.9 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @16 | 698 | 1747.4 | 5;5;5;5 | -19.34 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @17 | 698 | 1747.4 | 5;5;5;5 | -9.97 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @18 | 698 | 1747.4 | 5;5;5;5 | -14.31 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @19 | 698 | 1747.4 | 5;5;5;5 | -6.87 | -174.74 | 174.74 | PASS |
| LVHT | EGPRS1800 | TU3 @20 | 698 | 1747.4 | 5;5;5;5 | -9.16 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | RA250 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.7 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | RA250 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -0.61 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | RA250 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -3.06 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | RA250 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -8.96 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | RA250 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -0.71 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | RA250 @Sens5 | 698 | 1747.4 | 5;5;5;5 | -4.02 | -174.74 | 174.74 | PASS |
| LVLТ | EGPRS1800 | HT100 @Connect | 698 | 1747.4 | 5;5;5;5 | -8.53 | -524.74 | 524.74 | PASS |
| LVLТ | EGPRS1800 | HT100 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -6.9 | -524.74 | 524.74 | PASS |
| LVLТ | EGPRS1800 | HT100 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -5.8 | -524.74 | 524.74 | PASS |
| LVLТ | EGPRS1800 | HT100 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -14.97 | -524.74 | 524.74 | PASS |
| LVLТ | EGPRS1800 | HT100 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -10.64 | -524.74 | 524.74 | PASS |
| LVLТ | EGPRS1800 | HT100 @Sens5 | 698 | 1747.4 | 5;5;5;5 | -6.15 | -524.74 | 524.74 | PASS |
| LVLТ | EGPRS1800 | TU50 @Connect | 698 | 1747.4 | 5;5;5;5 | -7.91 | -434.74 | 434.74 | PASS |
| LVLТ | EGPRS1800 | TU50 @Sens1 | 698 | 1747.4 | 5;5;5;5 | -16.56 | -434.74 | 434.74 | PASS |
| LVLТ | EGPRS1800 | TU50 @Sens2 | 698 | 1747.4 | 5;5;5;5 | -13.55 | -434.74 | 434.74 | PASS |
| LVLТ | EGPRS1800 | TU50 @Sens3 | 698 | 1747.4 | 5;5;5;5 | -10.91 | -434.74 | 434.74 | PASS |

| | | | | | | | | | |
|------|-----------|----------------|-----|--------|---------|--------|---------|--------|------|
| LVLT | EGPRS1800 | TU50 @Sens4 | 698 | 1747.4 | 5;5;5;5 | -3.05 | -434.74 | 434.74 | PASS |
| LVLT | EGPRS1800 | TU50 @Sens5 | 698 | 1747.4 | 5;5;5;5 | 10.61 | -434.74 | 434.74 | PASS |
| LVLT | EGPRS1800 | TU3 @Connect | 698 | 1747.4 | 5;5;5;5 | 7.89 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @1 | 698 | 1747.4 | 5;5;5;5 | 3.65 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @2 | 698 | 1747.4 | 5;5;5;5 | -3.56 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @3 | 698 | 1747.4 | 5;5;5;5 | -1.34 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @4 | 698 | 1747.4 | 5;5;5;5 | -4.38 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @5 | 698 | 1747.4 | 5;5;5;5 | -8.06 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @6 | 698 | 1747.4 | 5;5;5;5 | -4.06 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @7 | 698 | 1747.4 | 5;5;5;5 | -3.07 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @8 | 698 | 1747.4 | 5;5;5;5 | -10.83 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @9 | 698 | 1747.4 | 5;5;5;5 | -7.93 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @10 | 698 | 1747.4 | 5;5;5;5 | -5.29 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @11 | 698 | 1747.4 | 5;5;5;5 | -9.56 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @12 | 698 | 1747.4 | 5;5;5;5 | -10.91 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @13 | 698 | 1747.4 | 5;5;5;5 | -14.66 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @14 | 698 | 1747.4 | 5;5;5;5 | -8.07 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @15 | 698 | 1747.4 | 5;5;5;5 | -11.98 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @16 | 698 | 1747.4 | 5;5;5;5 | -19.42 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @17 | 698 | 1747.4 | 5;5;5;5 | -9.97 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @18 | 698 | 1747.4 | 5;5;5;5 | -14.46 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @19 | 698 | 1747.4 | 5;5;5;5 | -6.93 | -174.74 | 174.74 | PASS |
| LVLT | EGPRS1800 | TU3 @20 | 698 | 1747.4 | 5;5;5;5 | -9.16 | -174.74 | 174.74 | PASS |
| HVHT | EGPRS900 | RA250 @Connect | 38 | 897.6 | 6;6;6;6 | -5.75 | -389.76 | 389.76 | PASS |
| HVHT | EGPRS900 | RA250 @Sens1 | 38 | 897.6 | 6;6;6;6 | -5.36 | -389.76 | 389.76 | PASS |
| HVHT | EGPRS900 | RA250 @Sens2 | 38 | 897.6 | 6;6;6;6 | -7.4 | -389.76 | 389.76 | PASS |
| HVHT | EGPRS900 | RA250 @Sens3 | 38 | 897.6 | 6;6;6;6 | -6.36 | -389.76 | 389.76 | PASS |
| HVHT | EGPRS900 | RA250 @Sens4 | 38 | 897.6 | 6;6;6;6 | -10.25 | -389.76 | 389.76 | PASS |
| HVHT | EGPRS900 | RA250 @Sens5 | 38 | 897.6 | 6;6;6;6 | -7.25 | -389.76 | 389.76 | PASS |
| HVHT | EGPRS900 | HT100 @Connect | 38 | 897.6 | 6;6;6;6 | -7.33 | -269.76 | 269.76 | PASS |
| HVHT | EGPRS900 | HT100 @Sens1 | 38 | 897.6 | 6;6;6;6 | -6.5 | -269.76 | 269.76 | PASS |
| HVHT | EGPRS900 | HT100 @Sens2 | 38 | 897.6 | 6;6;6;6 | -0.79 | -269.76 | 269.76 | PASS |
| HVHT | EGPRS900 | HT100 @Sens3 | 38 | 897.6 | 6;6;6;6 | -12.63 | -269.76 | 269.76 | PASS |

| | | | | | | | | | |
|------|----------|-------------------|----|-------|---------|--------|---------|--------|------|
| HVHT | EGPRS900 | HT100 @Sens4 | 38 | 897.6 | 6;6;6;6 | -11.96 | -269.76 | 269.76 | PASS |
| HVHT | EGPRS900 | HT100 @Sens5 | 38 | 897.6 | 6;6;6;6 | -18.53 | -269.76 | 269.76 | PASS |
| HVHT | EGPRS900 | TU50 @Connect | 38 | 897.6 | 6;6;6;6 | -15.53 | -249.76 | 249.76 | PASS |
| HVHT | EGPRS900 | TU50 @Sens1 | 38 | 897.6 | 6;6;6;6 | -23.51 | -249.76 | 249.76 | PASS |
| HVHT | EGPRS900 | TU50 @Sens2 | 38 | 897.6 | 6;6;6;6 | -12.95 | -249.76 | 249.76 | PASS |
| HVHT | EGPRS900 | TU50 @Sens3 | 38 | 897.6 | 6;6;6;6 | -14.56 | -249.76 | 249.76 | PASS |
| HVHT | EGPRS900 | TU50 @Sens4 | 38 | 897.6 | 6;6;6;6 | -15.72 | -249.76 | 249.76 | PASS |
| HVHT | EGPRS900 | TU50 @Sens5 | 38 | 897.6 | 6;6;6;6 | -14.39 | -249.76 | 249.76 | PASS |
| HVHT | EGPRS900 | TU3 @Connect | 38 | 897.6 | 6;6;6;6 | -14.01 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @1 | 38 | 897.6 | 6;6;6;6 | -17.71 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @2 | 38 | 897.6 | 6;6;6;6 | -15.86 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @3 | 38 | 897.6 | 6;6;6;6 | -19.81 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @4 | 38 | 897.6 | 6;6;6;6 | -18.44 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @5 | 38 | 897.6 | 6;6;6;6 | -15.7 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @6 | 38 | 897.6 | 6;6;6;6 | -16.67 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @7 | 38 | 897.6 | 6;6;6;6 | -19.81 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @8 | 38 | 897.6 | 6;6;6;6 | -15.47 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @9 | 38 | 897.6 | 6;6;6;6 | -17.24 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @10 | 38 | 897.6 | 6;6;6;6 | -16.22 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @11 | 38 | 897.6 | 6;6;6;6 | -16.93 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @12 | 38 | 897.6 | 6;6;6;6 | -17.5 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @13 | 38 | 897.6 | 6;6;6;6 | -13.46 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @14 | 38 | 897.6 | 6;6;6;6 | -13.65 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @15 | 38 | 897.6 | 6;6;6;6 | -17.15 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @16 | 38 | 897.6 | 6;6;6;6 | -15.3 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @17 | 38 | 897.6 | 6;6;6;6 | -17.34 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @18 | 38 | 897.6 | 6;6;6;6 | -17.75 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @19 | 38 | 897.6 | 6;6;6;6 | -20.83 | -319.76 | 319.76 | PASS |
| HVHT | EGPRS900 | TU3 @20 | 38 | 897.6 | 6;6;6;6 | -16.57 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | RA250 @Connect | 38 | 897.6 | 6;6;6;6 | -5.88 | -389.76 | 389.76 | PASS |
| HVLT | EGPRS900 | RA250 @Sens1 | 38 | 897.6 | 6;6;6;6 | -5.33 | -389.76 | 389.76 | PASS |
| HVLT | EGPRS900 | RA250 @Sens2 | 38 | 897.6 | 6;6;6;6 | -7.43 | -389.76 | 389.76 | PASS |
| HVLT | EGPRS900 | RA250 @Sens3 | 38 | 897.6 | 6;6;6;6 | -6.45 | -389.76 | 389.76 | PASS |
| HVLT | EGPRS900 | RA250 @Sens4 | 38 | 897.6 | 6;6;6;6 | -10.21 | -389.76 | 389.76 | PASS |
| HVLT | EGPRS900 | RA250 | 38 | 897.6 | 6;6;6;6 | -7.2 | -389.76 | 389.76 | PASS |

| | | | | | | | | | |
|------|----------|-------------------|----|-------|---------|--------|---------|--------|------|
| | | @Sens5 | | | | | | | |
| HVLT | EGPRS900 | HT100 @Connect | 38 | 897.6 | 6;6;6;6 | -7.3 | -269.76 | 269.76 | PASS |
| HVLT | EGPRS900 | HT100 @Sens1 | 38 | 897.6 | 6;6;6;6 | -6.52 | -269.76 | 269.76 | PASS |
| HVLT | EGPRS900 | HT100 @Sens2 | 38 | 897.6 | 6;6;6;6 | -0.68 | -269.76 | 269.76 | PASS |
| HVLT | EGPRS900 | HT100 @Sens3 | 38 | 897.6 | 6;6;6;6 | -12.68 | -269.76 | 269.76 | PASS |
| HVLT | EGPRS900 | HT100 @Sens4 | 38 | 897.6 | 6;6;6;6 | -12.08 | -269.76 | 269.76 | PASS |
| HVLT | EGPRS900 | HT100 @Sens5 | 38 | 897.6 | 6;6;6;6 | -18.6 | -269.76 | 269.76 | PASS |
| HVLT | EGPRS900 | TU50 @Connect | 38 | 897.6 | 6;6;6;6 | -15.39 | -249.76 | 249.76 | PASS |
| HVLT | EGPRS900 | TU50 @Sens1 | 38 | 897.6 | 6;6;6;6 | -23.58 | -249.76 | 249.76 | PASS |
| HVLT | EGPRS900 | TU50 @Sens2 | 38 | 897.6 | 6;6;6;6 | -13.01 | -249.76 | 249.76 | PASS |
| HVLT | EGPRS900 | TU50 @Sens3 | 38 | 897.6 | 6;6;6;6 | -14.48 | -249.76 | 249.76 | PASS |
| HVLT | EGPRS900 | TU50 @Sens4 | 38 | 897.6 | 6;6;6;6 | -15.69 | -249.76 | 249.76 | PASS |
| HVLT | EGPRS900 | TU50 @Sens5 | 38 | 897.6 | 6;6;6;6 | -14.37 | -249.76 | 249.76 | PASS |
| HVLT | EGPRS900 | TU3 @Connect | 38 | 897.6 | 6;6;6;6 | -14.15 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @1 | 38 | 897.6 | 6;6;6;6 | -17.86 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @2 | 38 | 897.6 | 6;6;6;6 | -15.95 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @3 | 38 | 897.6 | 6;6;6;6 | -19.75 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @4 | 38 | 897.6 | 6;6;6;6 | -18.49 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @5 | 38 | 897.6 | 6;6;6;6 | -15.71 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @6 | 38 | 897.6 | 6;6;6;6 | -16.76 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @7 | 38 | 897.6 | 6;6;6;6 | -19.96 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @8 | 38 | 897.6 | 6;6;6;6 | -15.48 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @9 | 38 | 897.6 | 6;6;6;6 | -17.32 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @10 | 38 | 897.6 | 6;6;6;6 | -16.21 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @11 | 38 | 897.6 | 6;6;6;6 | -16.79 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @12 | 38 | 897.6 | 6;6;6;6 | -17.42 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @13 | 38 | 897.6 | 6;6;6;6 | -13.59 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @14 | 38 | 897.6 | 6;6;6;6 | -13.73 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @15 | 38 | 897.6 | 6;6;6;6 | -17.29 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @16 | 38 | 897.6 | 6;6;6;6 | -15.37 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @17 | 38 | 897.6 | 6;6;6;6 | -17.25 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @18 | 38 | 897.6 | 6;6;6;6 | -17.58 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @19 | 38 | 897.6 | 6;6;6;6 | -20.73 | -319.76 | 319.76 | PASS |
| HVLT | EGPRS900 | TU3 @20 | 38 | 897.6 | 6;6;6;6 | -16.54 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | RA250 @Connect | 38 | 897.6 | 6;6;6;6 | -5.84 | -389.76 | 389.76 | PASS |

| | | | | | | | | | |
|------|----------|-------------------|----|-------|---------|--------|---------|--------|------|
| LVHT | EGPRS900 | RA250 @Sens1 | 38 | 897.6 | 6;6;6;6 | -5.43 | -389.76 | 389.76 | PASS |
| LVHT | EGPRS900 | RA250 @Sens2 | 38 | 897.6 | 6;6;6;6 | -7.32 | -389.76 | 389.76 | PASS |
| LVHT | EGPRS900 | RA250 @Sens3 | 38 | 897.6 | 6;6;6;6 | -6.43 | -389.76 | 389.76 | PASS |
| LVHT | EGPRS900 | RA250 @Sens4 | 38 | 897.6 | 6;6;6;6 | -10.33 | -389.76 | 389.76 | PASS |
| LVHT | EGPRS900 | RA250 @Sens5 | 38 | 897.6 | 6;6;6;6 | -7.17 | -389.76 | 389.76 | PASS |
| LVHT | EGPRS900 | HT100 @Connect | 38 | 897.6 | 6;6;6;6 | -7.26 | -269.76 | 269.76 | PASS |
| LVHT | EGPRS900 | HT100 @Sens1 | 38 | 897.6 | 6;6;6;6 | -6.58 | -269.76 | 269.76 | PASS |
| LVHT | EGPRS900 | HT100 @Sens2 | 38 | 897.6 | 6;6;6;6 | -0.8 | -269.76 | 269.76 | PASS |
| LVHT | EGPRS900 | HT100 @Sens3 | 38 | 897.6 | 6;6;6;6 | -12.61 | -269.76 | 269.76 | PASS |
| LVHT | EGPRS900 | HT100 @Sens4 | 38 | 897.6 | 6;6;6;6 | -12 | -269.76 | 269.76 | PASS |
| LVHT | EGPRS900 | HT100 @Sens5 | 38 | 897.6 | 6;6;6;6 | -18.47 | -269.76 | 269.76 | PASS |
| LVHT | EGPRS900 | TU50 @Connect | 38 | 897.6 | 6;6;6;6 | -15.38 | -249.76 | 249.76 | PASS |
| LVHT | EGPRS900 | TU50 @Sens1 | 38 | 897.6 | 6;6;6;6 | -23.44 | -249.76 | 249.76 | PASS |
| LVHT | EGPRS900 | TU50 @Sens2 | 38 | 897.6 | 6;6;6;6 | -12.95 | -249.76 | 249.76 | PASS |
| LVHT | EGPRS900 | TU50 @Sens3 | 38 | 897.6 | 6;6;6;6 | -14.45 | -249.76 | 249.76 | PASS |
| LVHT | EGPRS900 | TU50 @Sens4 | 38 | 897.6 | 6;6;6;6 | -15.76 | -249.76 | 249.76 | PASS |
| LVHT | EGPRS900 | TU50 @Sens5 | 38 | 897.6 | 6;6;6;6 | -14.39 | -249.76 | 249.76 | PASS |
| LVHT | EGPRS900 | TU3 @Connect | 38 | 897.6 | 6;6;6;6 | -14.15 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @1 | 38 | 897.6 | 6;6;6;6 | -17.73 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @2 | 38 | 897.6 | 6;6;6;6 | -15.81 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @3 | 38 | 897.6 | 6;6;6;6 | -19.74 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @4 | 38 | 897.6 | 6;6;6;6 | -18.41 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @5 | 38 | 897.6 | 6;6;6;6 | -15.66 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @6 | 38 | 897.6 | 6;6;6;6 | -16.8 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @7 | 38 | 897.6 | 6;6;6;6 | -19.79 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @8 | 38 | 897.6 | 6;6;6;6 | -15.51 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @9 | 38 | 897.6 | 6;6;6;6 | -17.23 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @10 | 38 | 897.6 | 6;6;6;6 | -16.26 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @11 | 38 | 897.6 | 6;6;6;6 | -16.82 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @12 | 38 | 897.6 | 6;6;6;6 | -17.39 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @13 | 38 | 897.6 | 6;6;6;6 | -13.5 | -319.76 | 319.76 | PASS |

| | | | | | | | | | |
|------|----------|----------------|----|-------|---------|--------|---------|--------|------|
| LVHT | EGPRS900 | TU3 @14 | 38 | 897.6 | 6;6;6;6 | -13.71 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @15 | 38 | 897.6 | 6;6;6;6 | -17.29 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @16 | 38 | 897.6 | 6;6;6;6 | -15.18 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @17 | 38 | 897.6 | 6;6;6;6 | -17.27 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @18 | 38 | 897.6 | 6;6;6;6 | -17.63 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @19 | 38 | 897.6 | 6;6;6;6 | -20.72 | -319.76 | 319.76 | PASS |
| LVHT | EGPRS900 | TU3 @20 | 38 | 897.6 | 6;6;6;6 | -16.62 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | RA250 @Connect | 38 | 897.6 | 6;6;6;6 | -5.89 | -389.76 | 389.76 | PASS |
| LVL | EGPRS900 | RA250 @Sens1 | 38 | 897.6 | 6;6;6;6 | -5.45 | -389.76 | 389.76 | PASS |
| LVL | EGPRS900 | RA250 @Sens2 | 38 | 897.6 | 6;6;6;6 | -7.43 | -389.76 | 389.76 | PASS |
| LVL | EGPRS900 | RA250 @Sens3 | 38 | 897.6 | 6;6;6;6 | -6.43 | -389.76 | 389.76 | PASS |
| LVL | EGPRS900 | RA250 @Sens4 | 38 | 897.6 | 6;6;6;6 | -10.27 | -389.76 | 389.76 | PASS |
| LVL | EGPRS900 | RA250 @Sens5 | 38 | 897.6 | 6;6;6;6 | -7.17 | -389.76 | 389.76 | PASS |
| LVL | EGPRS900 | HT100 @Connect | 38 | 897.6 | 6;6;6;6 | -7.28 | -269.76 | 269.76 | PASS |
| LVL | EGPRS900 | HT100 @Sens1 | 38 | 897.6 | 6;6;6;6 | -6.59 | -269.76 | 269.76 | PASS |
| LVL | EGPRS900 | HT100 @Sens2 | 38 | 897.6 | 6;6;6;6 | -0.68 | -269.76 | 269.76 | PASS |
| LVL | EGPRS900 | HT100 @Sens3 | 38 | 897.6 | 6;6;6;6 | -12.66 | -269.76 | 269.76 | PASS |
| LVL | EGPRS900 | HT100 @Sens4 | 38 | 897.6 | 6;6;6;6 | -11.98 | -269.76 | 269.76 | PASS |
| LVL | EGPRS900 | HT100 @Sens5 | 38 | 897.6 | 6;6;6;6 | -18.56 | -269.76 | 269.76 | PASS |
| LVL | EGPRS900 | TU50 @Connect | 38 | 897.6 | 6;6;6;6 | -15.53 | -249.76 | 249.76 | PASS |
| LVL | EGPRS900 | TU50 @Sens1 | 38 | 897.6 | 6;6;6;6 | -23.42 | -249.76 | 249.76 | PASS |
| LVL | EGPRS900 | TU50 @Sens2 | 38 | 897.6 | 6;6;6;6 | -13.01 | -249.76 | 249.76 | PASS |
| LVL | EGPRS900 | TU50 @Sens3 | 38 | 897.6 | 6;6;6;6 | -14.43 | -249.76 | 249.76 | PASS |
| LVL | EGPRS900 | TU50 @Sens4 | 38 | 897.6 | 6;6;6;6 | -15.68 | -249.76 | 249.76 | PASS |
| LVL | EGPRS900 | TU50 @Sens5 | 38 | 897.6 | 6;6;6;6 | -14.37 | -249.76 | 249.76 | PASS |
| LVL | EGPRS900 | TU3 @Connect | 38 | 897.6 | 6;6;6;6 | -14.12 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @1 | 38 | 897.6 | 6;6;6;6 | -17.86 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @2 | 38 | 897.6 | 6;6;6;6 | -15.94 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @3 | 38 | 897.6 | 6;6;6;6 | -19.92 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @4 | 38 | 897.6 | 6;6;6;6 | -18.42 | -319.76 | 319.76 | PASS |

| | | | | | | | | | |
|-----|----------|---------|----|-------|---------|--------|---------|--------|------|
| LVL | EGPRS900 | TU3 @5 | 38 | 897.6 | 6;6;6;6 | -15.57 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @6 | 38 | 897.6 | 6;6;6;6 | -16.72 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @7 | 38 | 897.6 | 6;6;6;6 | -19.88 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @8 | 38 | 897.6 | 6;6;6;6 | -15.52 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @9 | 38 | 897.6 | 6;6;6;6 | -17.33 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @10 | 38 | 897.6 | 6;6;6;6 | -16.12 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @11 | 38 | 897.6 | 6;6;6;6 | -16.86 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @12 | 38 | 897.6 | 6;6;6;6 | -17.41 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @13 | 38 | 897.6 | 6;6;6;6 | -13.46 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @14 | 38 | 897.6 | 6;6;6;6 | -13.69 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @15 | 38 | 897.6 | 6;6;6;6 | -17.19 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @16 | 38 | 897.6 | 6;6;6;6 | -15.33 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @17 | 38 | 897.6 | 6;6;6;6 | -17.35 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @18 | 38 | 897.6 | 6;6;6;6 | -17.69 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @19 | 38 | 897.6 | 6;6;6;6 | -20.66 | -319.76 | 319.76 | PASS |
| LVL | EGPRS900 | TU3 @20 | 38 | 897.6 | 6;6;6;6 | -16.59 | -319.76 | 319.76 | PASS |

Clause 4.2.28 EGPRS Transmitter output power

| Condition | Band | Channel | Frequency (MHz) | Gamma | Slot | Result | Low Limit | high Limit | Verdict |
|-----------|-----------|---------|-----------------|-------------|--------|--------|-----------|------------|---------|
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | slot1 | 27.38 | 22 | 29 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | slot1 | 25.32 | 21 | 27 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | slot1 | 23.3 | 19 | 25 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | slot1 | 21.28 | 17 | 23 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | slot1 | 19.45 | 15 | 21 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | slot1 | 17.21 | 13 | 19 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | slot1 | 15.28 | 10 | 18 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | slot1 | 13.3 | 8 | 16 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | slot1 | 11.27 | 6 | 14 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | slot1 | 9.12 | 4 | 12 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | slot1 | 7.09 | 2 | 10 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | slot1 | 5.12 | -1 | 9 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.02 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| HVHT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | slot1 | 3.41 | -3 | 7 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | slot1 | 1.76 | -5 | 5 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | slot1 | 27.65 | 22 | 29 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | slot1 | 25.69 | 21 | 27 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | slot1 | 23.54 | 19 | 25 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | slot1 | 21.64 | 17 | 23 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | slot1 | 19.57 | 15 | 21 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | slot1 | 17.7 | 13 | 19 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | slot1 | 15.78 | 10 | 18 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | slot1 | 13.72 | 8 | 16 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | slot1 | 11.62 | 6 | 14 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | slot1 | 9.75 | 4 | 12 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | slot1 | 7.66 | 2 | 10 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | slot1 | 5.75 | -1 | 9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | slot1 | 4.14 | -3 | 7 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | slot1 | 2.55 | -5 | 5 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | slot1 | 27.69 | 22 | 29 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | slot1 | 25.6 | 21 | 27 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | slot1 | 23.51 | 19 | 25 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | slot1 | 21.57 | 17 | 23 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | slot1 | 19.45 | 15 | 21 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | slot1 | 17.32 | 13 | 19 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.11 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| HVHT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | slot1 | 15.47 | 10 | 18 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | slot1 | 13.41 | 8 | 16 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | slot1 | 11.28 | 6 | 14 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | slot1 | 9.34 | 4 | 12 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | slot1 | 7.2 | 2 | 10 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | slot1 | 5.37 | -1 | 9 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | slot1 | 3.75 | -3 | 7 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | slot1 | 2.06 | -5 | 5 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | slot1 | 27.36 | 22 | 29 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | slot1 | 25.41 | 21 | 27 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | slot1 | 23.37 | 19 | 25 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | slot1 | 21.29 | 17 | 23 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | slot1 | 19.41 | 15 | 21 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | slot1 | 17.34 | 13 | 19 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | slot1 | 15.3 | 10 | 18 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | slot1 | 13.35 | 8 | 16 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | slot1 | 11.18 | 6 | 14 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | slot1 | 9.18 | 4 | 12 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | slot1 | 7.12 | 2 | 10 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | slot1 | 5.1 | -1 | 9 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | slot1 | 3.51 | -3 | 7 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | slot1 | 1.93 | -5 | 5 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.14 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | slot1 | 27.69 | 22 | 29 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | slot1 | 25.56 | 21 | 27 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | slot1 | 23.65 | 19 | 25 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | slot1 | 21.66 | 17 | 23 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | slot1 | 19.59 | 15 | 21 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | slot1 | 17.67 | 13 | 19 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | slot1 | 15.64 | 10 | 18 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | slot1 | 13.79 | 8 | 16 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | slot1 | 11.7 | 6 | 14 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | slot1 | 9.64 | 4 | 12 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | slot1 | 7.76 | 2 | 10 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | slot1 | 5.74 | -1 | 9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | slot1 | 4.1 | -3 | 7 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | slot1 | 2.56 | -5 | 5 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | slot1 | 27.69 | 22 | 29 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | slot1 | 25.48 | 21 | 27 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | slot1 | 23.48 | 19 | 25 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | slot1 | 21.62 | 17 | 23 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | slot1 | 19.43 | 15 | 21 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | slot1 | 17.39 | 13 | 19 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | slot1 | 15.47 | 10 | 18 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | slot1 | 13.44 | 8 | 16 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.12 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| HVLT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | slot1 | 11.29 | 6 | 14 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | slot1 | 9.2 | 4 | 12 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | slot1 | 7.11 | 2 | 10 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | slot1 | 5.37 | -1 | 9 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | slot1 | 3.76 | -3 | 7 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | slot1 | 2.03 | -5 | 5 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | slot1 | 27.42 | 22 | 29 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | slot1 | 25.43 | 21 | 27 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | slot1 | 23.33 | 19 | 25 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | slot1 | 21.34 | 17 | 23 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | slot1 | 19.41 | 15 | 21 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | slot1 | 17.23 | 13 | 19 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | slot1 | 15.4 | 10 | 18 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | slot1 | 13.24 | 8 | 16 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | slot1 | 11.31 | 6 | 14 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | slot1 | 9.22 | 4 | 12 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | slot1 | 7.16 | 2 | 10 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | slot1 | 5.12 | -1 | 9 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | slot1 | 3.5 | -3 | 7 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | slot1 | 1.91 | -5 | 5 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | slot1 | 27.59 | 22 | 29 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | slot1 | 25.68 | 21 | 27 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.12 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| LVHT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | slot1 | 23.62 | 19 | 25 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | slot1 | 21.6 | 17 | 23 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | slot1 | 19.63 | 15 | 21 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | slot1 | 17.63 | 13 | 19 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | slot1 | 15.7 | 10 | 18 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | slot1 | 13.61 | 8 | 16 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | slot1 | 11.66 | 6 | 14 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | slot1 | 9.64 | 4 | 12 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | slot1 | 7.75 | 2 | 10 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | slot1 | 5.76 | -1 | 9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | slot1 | 4.18 | -3 | 7 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | slot1 | 2.56 | -5 | 5 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | slot1 | 27.7 | 22 | 29 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | slot1 | 25.61 | 21 | 27 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | slot1 | 23.58 | 19 | 25 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | slot1 | 21.53 | 17 | 23 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | slot1 | 19.46 | 15 | 21 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | slot1 | 17.37 | 13 | 19 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | slot1 | 15.38 | 10 | 18 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | slot1 | 13.45 | 8 | 16 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | slot1 | 11.45 | 6 | 14 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | slot1 | 9.28 | 4 | 12 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.12 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| LVHT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | slot1 | 7.14 | 2 | 10 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | slot1 | 5.28 | -1 | 9 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | slot1 | 3.6 | -3 | 7 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | slot1 | 2.01 | -5 | 5 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | slot1 | 27.45 | 22 | 29 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 6;6;6;6 | slot1 | 25.44 | 21 | 27 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 7;7;7;7 | slot1 | 23.41 | 19 | 25 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 8;8;8;8 | slot1 | 21.4 | 17 | 23 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 9;9;9;9 | slot1 | 19.35 | 15 | 21 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 10;10;10;10 | slot1 | 17.23 | 13 | 19 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 11;11;11;11 | slot1 | 15.44 | 10 | 18 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 12;12;12;12 | slot1 | 13.28 | 8 | 16 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 13;13;13;13 | slot1 | 11.3 | 6 | 14 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 14;14;14;14 | slot1 | 9.09 | 4 | 12 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 15;15;15;15 | slot1 | 7.05 | 2 | 10 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 16;16;16;16 | slot1 | 5.17 | -1 | 9 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 17;17;17;17 | slot1 | 3.41 | -3 | 7 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | slot1 | 1.81 | -5 | 5 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | slot1 | 27.59 | 22 | 29 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 6;6;6;6 | slot1 | 25.56 | 21 | 27 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 7;7;7;7 | slot1 | 23.56 | 19 | 25 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 8;8;8;8 | slot1 | 21.68 | 17 | 23 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.13 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| LVLT | EGPRS1800 | 698 | 1747.4 | 9;9;9;9 | slot1 | 19.64 | 15 | 21 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 10;10;10;10 | slot1 | 17.56 | 13 | 19 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 11;11;11;11 | slot1 | 15.73 | 10 | 18 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 12;12;12;12 | slot1 | 13.65 | 8 | 16 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 13;13;13;13 | slot1 | 11.77 | 6 | 14 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 14;14;14;14 | slot1 | 9.68 | 4 | 12 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 15;15;15;15 | slot1 | 7.8 | 2 | 10 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 16;16;16;16 | slot1 | 5.64 | -1 | 9 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 17;17;17;17 | slot1 | 4.11 | -3 | 7 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | slot1 | 2.52 | -5 | 5 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | slot1 | 27.77 | 22 | 29 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 6;6;6;6 | slot1 | 25.57 | 21 | 27 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 7;7;7;7 | slot1 | 23.49 | 19 | 25 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 8;8;8;8 | slot1 | 21.62 | 17 | 23 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 9;9;9;9 | slot1 | 19.52 | 15 | 21 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 10;10;10;10 | slot1 | 17.39 | 13 | 19 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 11;11;11;11 | slot1 | 15.5 | 10 | 18 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 12;12;12;12 | slot1 | 13.59 | 8 | 16 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 13;13;13;13 | slot1 | 11.28 | 6 | 14 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 14;14;14;14 | slot1 | 9.31 | 4 | 12 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 15;15;15;15 | slot1 | 7.15 | 2 | 10 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 16;16;16;16 | slot1 | 5.38 | -1 | 9 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.09 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|-----------|-----|--------|-------------|--------|-------|----|----|------|
| LVLT | EGPRS1800 | 885 | 1784.8 | 17;17;17;17 | slot1 | 3.66 | -3 | 7 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | slot1 | 1.93 | -5 | 5 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | slot1 | 28.44 | 24 | 30 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | slot1 | 26.59 | 22 | 28 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | slot1 | 24.25 | 20 | 26 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | slot1 | 21.8 | 18 | 24 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | slot1 | 20.43 | 16 | 22 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | slot1 | 18.35 | 14 | 20 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | slot1 | 15.97 | 12 | 18 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | slot1 | 14.39 | 10 | 16 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | slot1 | 12.27 | 6 | 16 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | slot1 | 10.48 | 4 | 14 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | slot1 | 8.31 | 2 | 12 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | slot1 | 6.26 | 0 | 10 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | slot1 | 28.81 | 24 | 30 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | slot1 | 26.94 | 22 | 28 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | slot1 | 24.59 | 20 | 26 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | slot1 | 22.76 | 18 | 24 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | slot1 | 19.77 | 16 | 22 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | slot1 | 18.67 | 14 | 20 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | slot1 | 16.34 | 12 | 18 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | slot1 | 14.7 | 10 | 16 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.13 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|----------|-----|-------|-------------|--------|-------|----|----|------|
| HVHT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | slot1 | 12.27 | 6 | 16 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | slot1 | 10.24 | 4 | 14 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | slot1 | 8.93 | 2 | 12 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | slot1 | 6.4 | 0 | 10 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | slot1 | 28.45 | 24 | 30 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 7;7;7;7 | slot1 | 25.27 | 22 | 28 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 8;8;8;8 | slot1 | 24.99 | 20 | 26 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 9;9;9;9 | slot1 | 22.69 | 18 | 24 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 10;10;10;10 | slot1 | 20.55 | 16 | 22 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 11;11;11;11 | slot1 | 18.6 | 14 | 20 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 12;12;12;12 | slot1 | 16.43 | 12 | 18 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 13;13;13;13 | slot1 | 14.85 | 10 | 16 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 14;14;14;14 | slot1 | 12.59 | 6 | 16 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 15;15;15;15 | slot1 | 10.76 | 4 | 14 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 16;16;16;16 | slot1 | 8.31 | 2 | 12 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | slot1 | 6.54 | 0 | 10 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | slot1 | 28.58 | 24 | 30 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | slot1 | 26.4 | 22 | 28 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | slot1 | 24.23 | 20 | 26 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | slot1 | 21.98 | 18 | 24 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | slot1 | 20.53 | 16 | 22 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | slot1 | 18.38 | 14 | 20 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.12 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|----------|-----|-------|-------------|--------|-------|----|----|------|
| HVLT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | slot1 | 15.91 | 12 | 18 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | slot1 | 14.24 | 10 | 16 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | slot1 | 12.42 | 6 | 16 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | slot1 | 10.54 | 4 | 14 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | slot1 | 8.34 | 2 | 12 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | slot1 | 6.18 | 0 | 10 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | slot1 | 28.87 | 24 | 30 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | slot1 | 26.9 | 22 | 28 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | slot1 | 24.5 | 20 | 26 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | slot1 | 22.6 | 18 | 24 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | slot1 | 19.85 | 16 | 22 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | slot1 | 18.55 | 14 | 20 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | slot1 | 16.41 | 12 | 18 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | slot1 | 14.87 | 10 | 16 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | slot1 | 12.28 | 6 | 16 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | slot1 | 10.25 | 4 | 14 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | slot1 | 8.92 | 2 | 12 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | slot1 | 6.39 | 0 | 10 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | slot1 | 28.62 | 24 | 30 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 7;7;7;7 | slot1 | 25.16 | 22 | 28 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 8;8;8;8 | slot1 | 24.94 | 20 | 26 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 9;9;9;9 | slot1 | 22.7 | 18 | 24 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.07 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|----------|-----|-------|-------------|--------|-------|----|----|------|
| HVLT | EGPRS900 | 124 | 914.8 | 10;10;10;10 | slot1 | 20.51 | 16 | 22 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 11;11;11;11 | slot1 | 18.58 | 14 | 20 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 12;12;12;12 | slot1 | 16.4 | 12 | 18 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 13;13;13;13 | slot1 | 14.82 | 10 | 16 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 14;14;14;14 | slot1 | 12.66 | 6 | 16 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 15;15;15;15 | slot1 | 10.74 | 4 | 14 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 16;16;16;16 | slot1 | 8.3 | 2 | 12 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | slot1 | 6.44 | 0 | 10 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | slot1 | 28.58 | 24 | 30 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | slot1 | 26.46 | 22 | 28 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | slot1 | 24.16 | 20 | 26 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | slot1 | 21.95 | 18 | 24 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | slot1 | 20.47 | 16 | 22 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | slot1 | 18.36 | 14 | 20 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | slot1 | 15.97 | 12 | 18 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | slot1 | 14.21 | 10 | 16 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | slot1 | 12.34 | 6 | 16 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | slot1 | 10.52 | 4 | 14 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | slot1 | 8.25 | 2 | 12 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | slot1 | 6.14 | 0 | 10 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | slot1 | 28.92 | 24 | 30 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | slot1 | 26.92 | 22 | 28 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.04 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|----------|-----|-------|-------------|--------|-------|----|----|------|
| LVHT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | slot1 | 24.52 | 20 | 26 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | slot1 | 22.69 | 18 | 24 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | slot1 | 19.71 | 16 | 22 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | slot1 | 18.57 | 14 | 20 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | slot1 | 16.46 | 12 | 18 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | slot1 | 14.89 | 10 | 16 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | slot1 | 12.33 | 6 | 16 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | slot1 | 10.32 | 4 | 14 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | slot1 | 8.82 | 2 | 12 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | slot1 | 6.49 | 0 | 10 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | slot1 | 28.54 | 24 | 30 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 7;7;7;7 | slot1 | 25.22 | 22 | 28 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 8;8;8;8 | slot1 | 25.06 | 20 | 26 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 9;9;9;9 | slot1 | 22.75 | 18 | 24 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 10;10;10;10 | slot1 | 20.42 | 16 | 22 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 11;11;11;11 | slot1 | 18.64 | 14 | 20 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 12;12;12;12 | slot1 | 16.4 | 12 | 18 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 13;13;13;13 | slot1 | 14.82 | 10 | 16 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 14;14;14;14 | slot1 | 12.74 | 6 | 16 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 15;15;15;15 | slot1 | 10.8 | 4 | 14 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 16;16;16;16 | slot1 | 8.37 | 2 | 12 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | slot1 | 6.5 | 0 | 10 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.04 | 0 | 0 | PASS |

| | | | | | | | | | |
|------|----------|-----|-------|-------------|--------|-------|----|----|------|
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | slot1 | 28.44 | 24 | 30 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 7;7;7;7 | slot1 | 26.51 | 22 | 28 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 8;8;8;8 | slot1 | 24.3 | 20 | 26 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 9;9;9;9 | slot1 | 21.88 | 18 | 24 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 10;10;10;10 | slot1 | 20.45 | 16 | 22 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 11;11;11;11 | slot1 | 18.47 | 14 | 20 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 12;12;12;12 | slot1 | 15.86 | 12 | 18 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 13;13;13;13 | slot1 | 14.23 | 10 | 16 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 14;14;14;14 | slot1 | 12.29 | 6 | 16 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 15;15;15;15 | slot1 | 10.56 | 4 | 14 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 16;16;16;16 | slot1 | 8.28 | 2 | 12 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | slot1 | 6.2 | 0 | 10 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | slot1 | 28.81 | 24 | 30 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 7;7;7;7 | slot1 | 26.98 | 22 | 28 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 8;8;8;8 | slot1 | 24.43 | 20 | 26 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 9;9;9;9 | slot1 | 22.6 | 18 | 24 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 10;10;10;10 | slot1 | 19.72 | 16 | 22 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 11;11;11;11 | slot1 | 18.69 | 14 | 20 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 12;12;12;12 | slot1 | 16.34 | 12 | 18 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 13;13;13;13 | slot1 | 14.75 | 10 | 16 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 14;14;14;14 | slot1 | 12.28 | 6 | 16 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 15;15;15;15 | slot1 | 10.29 | 4 | 14 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.13 | 0 | 0 | PASS |

| | | | | | | | | | |
|-----|----------|-----|-------|-------------|--------|-------|----|----|------|
| LVL | EGPRS900 | 38 | 897.6 | 16;16;16;16 | slot1 | 8.87 | 2 | 12 | PASS |
| LVL | EGPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVL | EGPRS900 | 38 | 897.6 | 17;17;17;17 | slot1 | 6.48 | 0 | 10 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 6;6;6;6 | slot1 | 28.61 | 24 | 30 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 7;7;7;7 | slot1 | 25.18 | 22 | 28 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 8;8;8;8 | slot1 | 24.89 | 20 | 26 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 9;9;9;9 | slot1 | 22.74 | 18 | 24 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 10;10;10;10 | slot1 | 20.55 | 16 | 22 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 11;11;11;11 | slot1 | 18.52 | 14 | 20 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 12;12;12;12 | slot1 | 16.41 | 12 | 18 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 13;13;13;13 | slot1 | 14.9 | 10 | 16 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 14;14;14;14 | slot1 | 12.75 | 6 | 16 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 15;15;15;15 | slot1 | 10.65 | 4 | 14 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 16;16;16;16 | slot1 | 8.36 | 2 | 12 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVL | EGPRS900 | 124 | 914.8 | 17;17;17;17 | slot1 | 6.44 | 0 | 10 | PASS |

Clause 4.2.29 Modulation Spectrum in EGPRS configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Offset (kHz) | Relative Result (dB) | Relative Limit (dB) | Absolute Result (dBm) | Absolute Limit (dBm) | Verdict |
|-----------|-----------|---------|-----------------|---------|--------------|----------------------|---------------------|-----------------------|----------------------|---------|
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -77.9 | -60 | -57.74 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1600 | -77.03 | -60 | -56.81 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1400 | -76.15 | -60 | -55.84 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -74.61 | -60 | -54.31 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1000 | -74.4 | -60 | -54.13 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -800 | -72.84 | -60 | -52.69 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -70.94 | -60 | -50.77 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -66.49 | -60 | -46.33 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -250 | -45.32 | -33 | -25.14 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -200 | -38.47 | -30 | -18.27 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -100 | -8.22 | 0.5 | 11.97 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 100 | -8.31 | 0.5 | 11.94 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 200 | -38.65 | -30 | -18.32 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 250 | -45.1 | -33 | -24.9 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -66.5 | -60 | -46.3 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -69.81 | -60 | -49.69 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 800 | -72.25 | -60 | -51.92 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1000 | -74.14 | -60 | -53.99 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -74.65 | -60 | -54.58 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1400 | -75.9 | -60 | -55.81 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1600 | -76.96 | -60 | -56.75 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -77.23 | -60 | -57.08 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.92 | -60 | -80.95 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -74.89 | -60 | -80.87 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.33 | -60 | -79.42 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -73.79 | -60 | -79.76 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -72.23 | -60 | -78.27 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -71.1 | -60 | -77.15 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -69.82 | -60 | -75.83 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -66.13 | -60 | -72.1 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -42.57 | -33 | -48.67 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -39.01 | -30 | -45.15 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -8.27 | 0.5 | -14.33 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -8.76 | 0.5 | -14.67 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -38.72 | -30 | -44.73 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -42.68 | -33 | -48.81 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -67.09 | -60 | -72.98 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -70.19 | -60 | -76.1 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.09 | -60 | -77.21 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -72.49 | -60 | -78.61 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -73.4 | -60 | -79.42 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -73.65 | -60 | -79.65 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -75.32 | -60 | -81.19 | -55 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -74.91 | -60 | -81 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -77.45 | -60 | -57.2 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1600 | -77.45 | -60 | -57.34 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1400 | -75.56 | -60 | -55.24 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -75.26 | -60 | -55.1 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1000 | -74.3 | -60 | -54.17 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -800 | -72.11 | -60 | -52.07 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -70.86 | -60 | -50.52 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -66.74 | -60 | -46.51 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -250 | -44.51 | -33 | -24.39 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -200 | -38.6 | -30 | -18.41 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -100 | -9.17 | 0.5 | 11.09 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 100 | -8.71 | 0.5 | 11.48 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 200 | -38.93 | -30 | -18.74 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 250 | -43.97 | -33 | -23.9 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -66.57 | -60 | -46.45 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -71.06 | -60 | -50.78 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 800 | -72.45 | -60 | -52.15 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1000 | -74.19 | -60 | -53.88 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -74.74 | -60 | -54.6 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1400 | -75.55 | -60 | -55.27 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1600 | -76.3 | -60 | -56.14 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -77.6 | -60 | -57.36 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.51 | -60 | -81.24 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -74.86 | -60 | -80.67 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -73.87 | -60 | -79.48 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -73.41 | -60 | -79.1 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.85 | -60 | -78.59 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -70.97 | -60 | -76.82 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.75 | -60 | -75.45 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -66.53 | -60 | -72.11 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.92 | -33 | -47.71 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -38.61 | -30 | -44.42 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.88 | 0.5 | -14.61 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -8.19 | 0.5 | -14.03 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -39.04 | -30 | -44.79 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -42.42 | -33 | -48.2 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.11 | -60 | -71.87 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -69.69 | -60 | -75.52 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -72.2 | -60 | -77.98 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -73 | -60 | -78.61 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -73.57 | -60 | -79.31 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -73.89 | -60 | -79.83 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -75.13 | -60 | -80.84 | -55 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -75.65 | -60 | -81.28 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -78.62 | -60 | -57.91 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1600 | -76.77 | -60 | -56.19 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1400 | -75.29 | -60 | -54.66 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -74.24 | -60 | -53.64 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1000 | -73.26 | -60 | -52.49 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -800 | -71.97 | -60 | -51.32 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -70.22 | -60 | -49.55 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -66.17 | -60 | -45.43 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -250 | -45.29 | -33 | -24.5 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -200 | -39 | -30 | -18.24 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -100 | -9.42 | 0.5 | 11.17 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 100 | -9.25 | 0.5 | 11.47 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 200 | -39.34 | -30 | -18.69 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 250 | -44.96 | -33 | -24.37 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -67.56 | -60 | -46.92 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -70.19 | -60 | -49.37 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 800 | -71.26 | -60 | -50.46 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1000 | -73.14 | -60 | -52.36 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -74.4 | -60 | -53.81 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1400 | -74.93 | -60 | -54.26 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1600 | -76.49 | -60 | -55.89 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -77.98 | -60 | -57.22 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -74.94 | -60 | -81.18 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -73.76 | -60 | -79.94 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -73.46 | -60 | -79.81 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.15 | -60 | -79.51 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.3 | -60 | -78.45 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.79 | -60 | -77.94 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -69.01 | -60 | -75.22 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.89 | -60 | -72.3 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -42.08 | -33 | -48.3 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -38.6 | -30 | -44.85 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -8.28 | 0.5 | -14.44 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -7.7 | 0.5 | -13.91 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.64 | -30 | -44.8 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -41.65 | -33 | -47.73 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.81 | -60 | -71.97 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -68.65 | -60 | -74.88 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -70.9 | -60 | -77.32 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -72.06 | -60 | -78.22 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -72.51 | -60 | -78.89 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -73.85 | -60 | -80.15 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -74.28 | -60 | -80.46 | -55 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -74.91 | -60 | -81.19 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -77.86 | -60 | -57.59 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1600 | -77.05 | -60 | -56.89 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1400 | -76.09 | -60 | -55.92 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -74.67 | -60 | -54.42 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1000 | -74.22 | -60 | -54.03 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -800 | -72.84 | -60 | -52.56 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -70.86 | -60 | -50.74 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -66.53 | -60 | -46.3 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -250 | -45.3 | -33 | -25.03 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -200 | -38.33 | -30 | -18.19 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -100 | -8.16 | 0.5 | 11.99 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 100 | -8.33 | 0.5 | 11.9 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 200 | -38.66 | -30 | -18.36 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 250 | -45.03 | -33 | -24.8 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -66.61 | -60 | -46.28 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -69.98 | -60 | -49.59 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 800 | -72.26 | -60 | -51.97 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1000 | -74.21 | -60 | -53.99 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -74.75 | -60 | -54.48 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1400 | -75.94 | -60 | -55.73 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1600 | -76.97 | -60 | -56.73 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -77.33 | -60 | -57.07 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.96 | -60 | -80.86 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -74.82 | -60 | -80.87 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.44 | -60 | -79.5 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -73.71 | -60 | -79.77 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -72.26 | -60 | -78.28 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -71.01 | -60 | -77.14 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -69.86 | -60 | -75.81 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -66 | -60 | -71.99 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -42.52 | -33 | -48.63 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -39.01 | -30 | -45.19 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -8.2 | 0.5 | -14.23 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -8.63 | 0.5 | -14.75 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -38.62 | -30 | -44.78 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -42.75 | -33 | -48.69 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -66.94 | -60 | -73.11 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -70.11 | -60 | -76.27 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.18 | -60 | -77.24 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -72.49 | -60 | -78.51 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -73.32 | -60 | -79.34 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -73.64 | -60 | -79.68 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -75.17 | -60 | -81.34 | -55 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -74.97 | -60 | -80.99 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -77.38 | -60 | -57.29 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1600 | -77.6 | -60 | -57.27 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1400 | -75.39 | -60 | -55.19 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -75.24 | -60 | -55.14 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1000 | -74.29 | -60 | -54.23 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -800 | -72.16 | -60 | -52.02 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -70.7 | -60 | -50.58 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -66.65 | -60 | -46.58 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -250 | -44.52 | -33 | -24.44 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -200 | -38.57 | -30 | -18.51 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -100 | -9.07 | 0.5 | 11.14 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 100 | -8.62 | 0.5 | 11.48 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 200 | -38.91 | -30 | -18.72 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 250 | -44.14 | -33 | -23.92 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -66.74 | -60 | -46.42 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -71.05 | -60 | -50.75 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 800 | -72.48 | -60 | -52.23 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1000 | -74.13 | -60 | -53.9 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -74.83 | -60 | -54.54 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1400 | -75.4 | -60 | -55.16 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1600 | -76.46 | -60 | -56.21 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -77.59 | -60 | -57.38 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.49 | -60 | -81.29 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -74.92 | -60 | -80.73 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -73.89 | -60 | -79.6 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -73.43 | -60 | -79.1 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.84 | -60 | -78.55 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -71.06 | -60 | -76.8 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.73 | -60 | -75.41 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -66.47 | -60 | -72.16 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.91 | -33 | -47.67 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -38.69 | -30 | -44.44 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.95 | 0.5 | -14.69 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -8.31 | 0.5 | -14 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -38.95 | -30 | -44.67 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -42.39 | -33 | -48.26 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.11 | -60 | -71.75 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -69.83 | -60 | -75.54 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -72.16 | -60 | -77.86 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -72.82 | -60 | -78.75 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -73.5 | -60 | -79.22 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -74.08 | -60 | -79.67 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -75.08 | -60 | -80.82 | -55 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -75.64 | -60 | -81.34 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -78.61 | -60 | -57.88 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1600 | -76.81 | -60 | -56.13 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1400 | -75.28 | -60 | -54.65 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -74.35 | -60 | -53.64 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1000 | -73.26 | -60 | -52.46 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -800 | -72.13 | -60 | -51.43 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -70.15 | -60 | -49.63 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -66.12 | -60 | -45.56 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -250 | -45.25 | -33 | -24.66 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -200 | -39 | -30 | -18.34 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -100 | -9.44 | 0.5 | 11.3 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 100 | -9.26 | 0.5 | 11.37 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 200 | -39.27 | -30 | -18.7 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 250 | -45.09 | -33 | -24.45 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -67.52 | -60 | -46.95 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -70.06 | -60 | -49.45 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 800 | -71.14 | -60 | -50.51 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1000 | -73.12 | -60 | -52.5 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -74.45 | -60 | -53.85 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1400 | -74.8 | -60 | -54.28 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1600 | -76.47 | -60 | -55.84 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -78 | -60 | -57.22 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -74.87 | -60 | -81.1 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -73.77 | -60 | -79.98 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -73.42 | -60 | -79.67 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.24 | -60 | -79.49 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.29 | -60 | -78.54 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.84 | -60 | -78.05 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -68.96 | -60 | -75.36 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.89 | -60 | -72.29 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -41.93 | -33 | -48.34 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -38.63 | -30 | -44.82 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -8.18 | 0.5 | -14.51 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -7.72 | 0.5 | -13.99 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.54 | -30 | -44.81 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -41.54 | -33 | -47.84 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.9 | -60 | -72.15 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -68.58 | -60 | -74.76 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -70.96 | -60 | -77.33 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -72.04 | -60 | -78.23 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -72.52 | -60 | -78.78 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -73.96 | -60 | -80.05 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -74.22 | -60 | -80.55 | -55 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -75.01 | -60 | -81.18 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -77.98 | -60 | -57.63 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1600 | -77.1 | -60 | -56.87 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1400 | -76.14 | -60 | -55.91 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -74.6 | -60 | -54.37 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1000 | -74.32 | -60 | -54.1 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -800 | -72.8 | -60 | -52.58 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -70.86 | -60 | -50.73 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -66.52 | -60 | -46.28 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -250 | -45.33 | -33 | -25.14 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -200 | -38.47 | -30 | -18.26 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -100 | -8.19 | 0.5 | 12.03 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 100 | -8.34 | 0.5 | 11.89 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 200 | -38.55 | -30 | -18.31 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 250 | -45.08 | -33 | -24.83 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -66.51 | -60 | -46.27 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -69.82 | -60 | -49.76 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 800 | -72.23 | -60 | -51.87 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1000 | -74.27 | -60 | -53.98 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -74.79 | -60 | -54.53 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1400 | -76.06 | -60 | -55.78 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1600 | -77.01 | -60 | -56.71 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -77.38 | -60 | -57.15 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.84 | -60 | -80.87 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -74.82 | -60 | -80.83 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.45 | -60 | -79.48 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -73.79 | -60 | -79.91 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -72.17 | -60 | -78.24 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -71.11 | -60 | -77.1 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -69.89 | -60 | -75.86 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -66.09 | -60 | -72.1 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -42.66 | -33 | -48.54 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -39.06 | -30 | -45.11 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -8.24 | 0.5 | -14.22 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -8.68 | 0.5 | -14.64 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -38.74 | -30 | -44.77 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -42.69 | -33 | -48.68 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -66.92 | -60 | -73.01 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -70.14 | -60 | -76.12 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.08 | -60 | -77.17 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -72.41 | -60 | -78.58 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -73.46 | -60 | -79.44 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -73.66 | -60 | -79.6 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -75.28 | -60 | -81.24 | -55 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -75.03 | -60 | -81 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -77.39 | -60 | -57.19 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1600 | -77.57 | -60 | -57.25 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1400 | -75.54 | -60 | -55.21 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -75.34 | -60 | -55.07 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1000 | -74.41 | -60 | -54.15 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -800 | -72.2 | -60 | -51.91 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -70.86 | -60 | -50.49 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -66.68 | -60 | -46.4 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -250 | -44.56 | -33 | -24.32 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -200 | -38.72 | -30 | -18.53 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -100 | -9.19 | 0.5 | 11.09 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 100 | -8.67 | 0.5 | 11.58 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 200 | -38.83 | -30 | -18.73 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 250 | -44.1 | -33 | -23.77 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -66.62 | -60 | -46.55 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -71.06 | -60 | -50.7 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 800 | -72.41 | -60 | -52.08 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1000 | -74.21 | -60 | -53.91 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -74.86 | -60 | -54.5 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1400 | -75.44 | -60 | -55.33 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1600 | -76.45 | -60 | -56.11 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -77.51 | -60 | -57.36 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.38 | -60 | -81.13 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -75.03 | -60 | -80.77 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -73.75 | -60 | -79.61 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -73.32 | -60 | -79.13 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.78 | -60 | -78.59 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -70.94 | -60 | -76.76 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.78 | -60 | -75.48 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -66.54 | -60 | -72.3 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.97 | -33 | -47.72 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -38.54 | -30 | -44.43 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.87 | 0.5 | -14.58 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -8.26 | 0.5 | -14.11 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -38.98 | -30 | -44.69 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -42.38 | -33 | -48.15 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.14 | -60 | -71.93 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -69.66 | -60 | -75.56 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -72.09 | -60 | -77.93 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -72.83 | -60 | -78.63 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -73.59 | -60 | -79.34 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -74.08 | -60 | -79.75 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -75.13 | -60 | -80.81 | -55 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -75.64 | -60 | -81.44 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -78.57 | -60 | -57.8 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1600 | -76.77 | -60 | -56.09 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1400 | -75.18 | -60 | -54.56 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -74.26 | -60 | -53.57 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1000 | -73.11 | -60 | -52.59 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -800 | -71.99 | -60 | -51.42 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -70.23 | -60 | -49.64 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -66.14 | -60 | -45.4 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -250 | -45.26 | -33 | -24.65 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -200 | -38.99 | -30 | -18.31 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -100 | -9.45 | 0.5 | 11.24 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 100 | -9.3 | 0.5 | 11.39 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 200 | -39.33 | -30 | -18.68 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 250 | -44.94 | -33 | -24.39 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -67.58 | -60 | -46.92 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -70.21 | -60 | -49.38 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 800 | -71.23 | -60 | -50.56 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1000 | -73.08 | -60 | -52.4 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -74.51 | -60 | -53.88 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1400 | -74.8 | -60 | -54.2 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1600 | -76.54 | -60 | -55.93 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -77.98 | -60 | -57.21 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -74.87 | -60 | -81.11 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -73.77 | -60 | -79.87 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -73.51 | -60 | -79.83 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.31 | -60 | -79.55 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.28 | -60 | -78.38 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.73 | -60 | -77.95 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -69.05 | -60 | -75.34 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.99 | -60 | -72.2 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -42 | -33 | -48.3 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -38.71 | -30 | -44.9 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -8.37 | 0.5 | -14.45 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -7.62 | 0.5 | -14.02 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.59 | -30 | -44.73 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -41.52 | -33 | -47.82 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.9 | -60 | -72.01 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -68.67 | -60 | -74.87 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -71.04 | -60 | -77.18 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -72.02 | -60 | -78.28 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -72.69 | -60 | -78.74 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -73.82 | -60 | -80.15 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -74.33 | -60 | -80.63 | -55 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -74.95 | -60 | -81.24 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -77.98 | -60 | -57.75 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1600 | -76.95 | -60 | -56.8 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1400 | -76.14 | -60 | -55.96 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -74.64 | -60 | -54.31 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1000 | -74.22 | -60 | -54.12 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -800 | -72.95 | -60 | -52.71 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -70.86 | -60 | -50.65 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -66.58 | -60 | -46.3 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -250 | -45.35 | -33 | -25.05 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -200 | -38.43 | -30 | -18.22 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -100 | -8.3 | 0.5 | 11.96 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 100 | -8.28 | 0.5 | 11.95 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 200 | -38.6 | -30 | -18.5 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 250 | -45.11 | -33 | -24.79 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -66.61 | -60 | -46.35 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -69.93 | -60 | -49.59 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 800 | -72.26 | -60 | -51.97 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1000 | -74.21 | -60 | -54.06 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -74.75 | -60 | -54.5 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1400 | -75.94 | -60 | -55.84 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1600 | -77.02 | -60 | -56.84 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -77.36 | -60 | -57.06 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.8 | -60 | -80.87 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -74.8 | -60 | -80.91 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.48 | -60 | -79.42 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -73.78 | -60 | -79.78 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -72.21 | -60 | -78.18 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -71.02 | -60 | -77.02 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -69.87 | -60 | -75.77 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -65.96 | -60 | -72.1 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -42.68 | -33 | -48.61 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -39.1 | -30 | -45.12 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -8.35 | 0.5 | -14.34 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -8.78 | 0.5 | -14.74 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -38.72 | -30 | -44.76 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -42.76 | -33 | -48.73 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -66.95 | -60 | -73.11 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -70.09 | -60 | -76.1 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.18 | -60 | -77.2 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -72.39 | -60 | -78.44 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -73.48 | -60 | -79.39 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -73.59 | -60 | -79.56 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -75.17 | -60 | -81.28 | -55 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -75.02 | -60 | -81.1 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -77.38 | -60 | -57.2 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1600 | -77.46 | -60 | -57.3 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1400 | -75.45 | -60 | -55.28 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -75.39 | -60 | -55.01 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1000 | -74.31 | -60 | -54.12 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -800 | -72.2 | -60 | -51.95 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -70.77 | -60 | -50.56 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -66.78 | -60 | -46.43 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -250 | -44.64 | -33 | -24.47 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -200 | -38.76 | -30 | -18.47 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -100 | -9.19 | 0.5 | 11.17 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 100 | -8.7 | 0.5 | 11.43 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 200 | -38.77 | -30 | -18.75 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 250 | -44.09 | -33 | -23.83 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -66.57 | -60 | -46.42 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -70.98 | -60 | -50.77 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 800 | -72.34 | -60 | -52.27 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1000 | -74.13 | -60 | -53.89 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -74.75 | -60 | -54.51 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1400 | -75.38 | -60 | -55.29 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1600 | -76.31 | -60 | -56.12 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -77.6 | -60 | -57.29 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.4 | -60 | -81.26 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -74.98 | -60 | -80.71 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -73.81 | -60 | -79.5 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -73.4 | -60 | -79.08 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.78 | -60 | -78.64 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -71.05 | -60 | -76.82 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.75 | -60 | -75.42 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -66.45 | -60 | -72.19 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -42.05 | -33 | -47.7 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -38.72 | -30 | -44.45 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.91 | 0.5 | -14.71 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -8.17 | 0.5 | -14.02 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -38.93 | -30 | -44.81 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -42.52 | -33 | -48.22 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.16 | -60 | -71.81 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -69.74 | -60 | -75.55 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -72.13 | -60 | -77.84 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -72.95 | -60 | -78.63 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -73.46 | -60 | -79.19 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -74.08 | -60 | -79.8 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -75.12 | -60 | -80.78 | -55 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -75.51 | -60 | -81.32 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -78.46 | -60 | -57.86 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1600 | -76.77 | -60 | -56.24 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1400 | -75.27 | -60 | -54.61 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -74.34 | -60 | -53.65 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1000 | -73.13 | -60 | -52.45 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -800 | -72.07 | -60 | -51.32 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -70.26 | -60 | -49.48 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -66.13 | -60 | -45.54 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -250 | -45.22 | -33 | -24.66 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -200 | -38.92 | -30 | -18.23 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -100 | -9.41 | 0.5 | 11.32 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 100 | -9.31 | 0.5 | 11.32 | -36 | PASS |

| | | | | | | | | | | |
|------|-----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 200 | -39.35 | -30 | -18.59 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 250 | -44.96 | -33 | -24.42 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -67.56 | -60 | -46.86 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -70.04 | -60 | -49.46 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 800 | -71.3 | -60 | -50.6 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1000 | -73.09 | -60 | -52.5 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -74.42 | -60 | -53.87 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1400 | -74.97 | -60 | -54.16 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1600 | -76.54 | -60 | -55.94 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -77.94 | -60 | -57.19 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -74.9 | -60 | -81.14 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -73.75 | -60 | -79.89 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -73.58 | -60 | -79.69 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.2 | -60 | -79.53 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.12 | -60 | -78.52 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.84 | -60 | -77.92 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -69.09 | -60 | -75.28 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.92 | -60 | -72.18 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -42.02 | -33 | -48.15 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -38.61 | -30 | -44.98 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -8.19 | 0.5 | -14.45 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -7.65 | 0.5 | -14.01 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.63 | -30 | -44.82 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -41.54 | -33 | -47.8 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.93 | -60 | -71.98 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -68.59 | -60 | -74.83 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -71 | -60 | -77.22 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -72.06 | -60 | -78.27 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -72.63 | -60 | -78.93 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -73.97 | -60 | -80.07 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -74.38 | -60 | -80.49 | -55 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -74.98 | -60 | -81.16 | -55 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -78.08 | -60 | -57.99 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1600 | -77.97 | -60 | -57.82 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1400 | -76.35 | -60 | -56.21 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -75.69 | -60 | -55.54 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1000 | -74.74 | -60 | -54.67 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -800 | -73.86 | -60 | -53.87 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -71.04 | -60 | -50.95 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -62.92 | -60 | -42.8 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -250 | -41.69 | -33 | -21.55 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -200 | -36.05 | -30 | -15.96 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -100 | -7.96 | 0.5 | 12.18 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 100 | -8.21 | 0.5 | 12.01 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 200 | -36.57 | -30 | -16.27 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 250 | -42.23 | -33 | -22.03 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -63.42 | -60 | -43.38 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -70.51 | -60 | -50.43 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 800 | -73.48 | -60 | -53.19 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1000 | -74.54 | -60 | -54.32 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -74.94 | -60 | -54.79 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1400 | -76.56 | -60 | -56.41 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1600 | -77.61 | -60 | -57.58 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -79.78 | -60 | -59.51 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -76.25 | -60 | -78.11 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -75.02 | -60 | -76.84 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -74.01 | -60 | -75.89 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -73.61 | -60 | -75.35 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -71.96 | -60 | -73.86 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -71.5 | -60 | -73.17 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -70.02 | -60 | -71.86 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.53 | -60 | -69.37 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -42.67 | -33 | -44.42 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -39.15 | -30 | -41.11 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -7.26 | 0.5 | -9.11 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -8.41 | 0.5 | -10.31 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -39.05 | -30 | -40.88 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.92 | -33 | -43.91 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -68.45 | -60 | -70.17 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -69.85 | -60 | -71.71 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -71.33 | -60 | -73.18 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -72.18 | -60 | -73.9 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -73.38 | -60 | -75.09 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -74.33 | -60 | -76.15 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -74.67 | -60 | -76.55 | -51 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -76.13 | -60 | -78.09 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -80.14 | -60 | -60.56 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1600 | -77.16 | -60 | -57.45 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1400 | -75.47 | -60 | -55.84 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -72.87 | -60 | -53.23 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1000 | -75.32 | -60 | -55.54 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -800 | -72.58 | -60 | -52.75 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -71.51 | -60 | -51.84 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -62.35 | -60 | -42.72 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -250 | -41.92 | -33 | -22.27 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -200 | -37.37 | -30 | -17.66 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -100 | -5.23 | 0.5 | 14.51 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 100 | -9.49 | 0.5 | 10.25 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 200 | -35.33 | -30 | -15.82 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 250 | -43.55 | -33 | -23.88 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -63.88 | -60 | -44.16 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -69.52 | -60 | -49.9 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 800 | -73.68 | -60 | -54.02 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1000 | -71.58 | -60 | -51.87 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -74.07 | -60 | -54.44 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1400 | -79.46 | -60 | -59.63 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1600 | -76.85 | -60 | -57.21 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -77.63 | -60 | -58.01 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -77.1 | -60 | -78.94 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -76.43 | -60 | -78.17 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -75.51 | -60 | -77.35 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.51 | -60 | -77.23 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.39 | -60 | -76.26 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -73.16 | -60 | -75.1 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -71.8 | -60 | -73.66 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -69.25 | -60 | -71.02 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -43.11 | -33 | -44.8 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -39.06 | -30 | -40.89 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -7.6 | 0.5 | -9.56 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -8.15 | 0.5 | -10.06 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -38.4 | -30 | -40.36 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -42.79 | -33 | -44.79 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -68.69 | -60 | -70.45 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.52 | -60 | -73.51 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -73.04 | -60 | -74.89 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.46 | -60 | -76.25 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -74.15 | -60 | -75.99 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -75.5 | -60 | -77.41 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -75.77 | -60 | -77.56 | -51 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -77.1 | -60 | -78.97 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -77.87 | -60 | -57.35 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1600 | -78.75 | -60 | -58.33 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1400 | -77.75 | -60 | -57.42 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -75.43 | -60 | -54.97 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1000 | -75.12 | -60 | -54.78 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -800 | -73.51 | -60 | -53.01 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -72.05 | -60 | -51.54 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -65.08 | -60 | -44.53 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -250 | -42.18 | -33 | -21.75 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -200 | -37.23 | -30 | -16.73 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -100 | -8.29 | 0.5 | 12.17 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 100 | -8.51 | 0.5 | 11.91 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 200 | -37.65 | -30 | -17.08 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 250 | -42.83 | -33 | -22.39 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -65.92 | -60 | -45.38 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -71.71 | -60 | -51.18 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 800 | -73.11 | -60 | -52.68 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1000 | -75.17 | -60 | -54.79 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -75.71 | -60 | -55.25 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1400 | -76.89 | -60 | -56.51 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1600 | -77.7 | -60 | -57.41 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -78.37 | -60 | -57.9 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -76.27 | -60 | -77.74 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -76.77 | -60 | -77.96 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.04 | -60 | -77.31 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -75.06 | -60 | -76.36 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -74.21 | -60 | -75.41 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -74.02 | -60 | -75.24 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -72.74 | -60 | -73.98 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -69.99 | -60 | -71.27 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -43.27 | -33 | -44.7 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -39.62 | -30 | -41.1 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -8.94 | 0.5 | -10.34 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.71 | 0.5 | -10.22 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -39.78 | -30 | -41.14 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -43.24 | -33 | -44.56 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -70.11 | -60 | -71.47 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -72.69 | -60 | -74.14 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -73.49 | -60 | -74.88 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -74.17 | -60 | -75.52 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -74.55 | -60 | -76 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -76.17 | -60 | -77.62 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.75 | -60 | -77.93 | -51 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.48 | -60 | -78.86 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -78.06 | -60 | -58.05 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1600 | -78.11 | -60 | -57.92 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1400 | -76.31 | -60 | -56.26 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -75.61 | -60 | -55.49 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1000 | -74.64 | -60 | -54.54 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -800 | -73.94 | -60 | -53.87 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -71.01 | -60 | -50.9 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -62.87 | -60 | -42.74 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -250 | -41.84 | -33 | -21.63 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -200 | -36.13 | -30 | -15.9 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -100 | -7.9 | 0.5 | 12.22 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 100 | -8.13 | 0.5 | 12.06 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 200 | -36.57 | -30 | -16.33 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 250 | -42.32 | -33 | -22.07 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -63.39 | -60 | -43.24 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -70.41 | -60 | -50.37 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 800 | -73.43 | -60 | -53.25 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1000 | -74.45 | -60 | -54.45 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -75.01 | -60 | -54.78 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1400 | -76.58 | -60 | -56.33 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1600 | -77.58 | -60 | -57.61 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -79.75 | -60 | -59.48 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -76.27 | -60 | -78.07 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -75.06 | -60 | -76.95 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -73.98 | -60 | -75.77 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -73.65 | -60 | -75.41 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -72.02 | -60 | -73.81 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -71.52 | -60 | -73.2 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -69.96 | -60 | -71.85 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.64 | -60 | -69.46 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -42.63 | -33 | -44.5 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -39.32 | -30 | -40.96 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -7.23 | 0.5 | -9.05 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -8.47 | 0.5 | -10.23 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -38.89 | -30 | -40.71 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.98 | -33 | -43.87 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -68.51 | -60 | -70.33 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -69.82 | -60 | -71.62 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -71.32 | -60 | -73.14 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -72.11 | -60 | -73.94 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -73.21 | -60 | -75.07 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -74.4 | -60 | -76.04 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -74.69 | -60 | -76.6 | -51 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -76.21 | -60 | -78.08 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -80.17 | -60 | -60.44 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1600 | -77.14 | -60 | -57.52 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1400 | -75.55 | -60 | -55.96 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -72.84 | -60 | -53.12 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1000 | -75.37 | -60 | -55.67 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -800 | -72.59 | -60 | -52.83 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -71.42 | -60 | -51.77 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -62.42 | -60 | -42.67 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -250 | -41.94 | -33 | -22.14 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -200 | -37.37 | -30 | -17.57 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -100 | -5.21 | 0.5 | 14.39 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 100 | -9.54 | 0.5 | 10.27 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 200 | -35.4 | -30 | -15.69 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 250 | -43.62 | -33 | -23.86 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -63.89 | -60 | -44.25 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -69.55 | -60 | -49.81 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 800 | -73.74 | -60 | -54.08 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1000 | -71.66 | -60 | -51.84 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -74.11 | -60 | -54.43 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1400 | -79.34 | -60 | -59.77 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1600 | -76.85 | -60 | -57.28 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -77.68 | -60 | -58.06 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -77.06 | -60 | -78.98 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -76.36 | -60 | -78.28 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -75.62 | -60 | -77.47 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.39 | -60 | -77.17 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.44 | -60 | -76.23 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -73.17 | -60 | -75.02 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -71.84 | -60 | -73.67 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -69.25 | -60 | -71.04 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -42.96 | -33 | -44.78 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -39.14 | -30 | -41.06 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -7.7 | 0.5 | -9.45 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -8.18 | 0.5 | -10.11 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -38.44 | -30 | -40.27 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -42.9 | -33 | -44.81 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -68.69 | -60 | -70.52 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.64 | -60 | -73.42 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -73.11 | -60 | -74.88 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.48 | -60 | -76.29 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -74.29 | -60 | -75.95 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -75.58 | -60 | -77.3 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -75.77 | -60 | -77.65 | -51 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -77.17 | -60 | -79.05 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -77.72 | -60 | -57.3 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1600 | -78.87 | -60 | -58.36 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1400 | -77.74 | -60 | -57.28 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -75.51 | -60 | -54.98 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1000 | -75.12 | -60 | -54.65 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -800 | -73.46 | -60 | -53.07 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -72.06 | -60 | -51.62 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -64.94 | -60 | -44.52 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -250 | -42.19 | -33 | -21.8 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -200 | -37.17 | -30 | -16.71 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -100 | -8.35 | 0.5 | 12.27 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 100 | -8.56 | 0.5 | 12.06 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 200 | -37.63 | -30 | -17.25 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 250 | -42.71 | -33 | -22.28 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -65.83 | -60 | -45.37 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -71.67 | -60 | -51.19 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 800 | -73.13 | -60 | -52.62 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1000 | -75.17 | -60 | -54.69 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -75.69 | -60 | -55.13 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1400 | -76.92 | -60 | -56.44 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1600 | -77.88 | -60 | -57.31 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -78.48 | -60 | -57.9 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -76.3 | -60 | -77.7 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -76.8 | -60 | -78.01 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -75.95 | -60 | -77.39 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -74.94 | -60 | -76.32 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -74.15 | -60 | -75.5 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -74.05 | -60 | -75.39 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -72.64 | -60 | -74.06 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -70.04 | -60 | -71.29 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -43.25 | -33 | -44.69 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -39.72 | -30 | -40.91 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -9.04 | 0.5 | -10.29 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.75 | 0.5 | -10.09 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -39.66 | -30 | -41.11 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -43.25 | -33 | -44.69 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -70.12 | -60 | -71.48 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -72.69 | -60 | -74.09 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -73.47 | -60 | -74.93 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -74.19 | -60 | -75.55 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -74.7 | -60 | -76.03 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -76.16 | -60 | -77.64 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.66 | -60 | -77.94 | -51 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.54 | -60 | -78.79 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -78.18 | -60 | -57.86 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1600 | -77.97 | -60 | -57.97 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1400 | -76.43 | -60 | -56.27 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -75.74 | -60 | -55.56 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1000 | -74.68 | -60 | -54.64 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -800 | -73.87 | -60 | -53.77 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -71.07 | -60 | -50.89 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -63.02 | -60 | -42.8 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -250 | -41.72 | -33 | -21.66 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -200 | -36.03 | -30 | -15.86 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -100 | -7.97 | 0.5 | 12.22 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 100 | -8.21 | 0.5 | 12.05 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 200 | -36.51 | -30 | -16.35 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 250 | -42.32 | -33 | -22.19 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -63.4 | -60 | -43.33 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -70.39 | -60 | -50.3 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 800 | -73.39 | -60 | -53.27 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1000 | -74.56 | -60 | -54.41 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -75.08 | -60 | -54.89 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1400 | -76.63 | -60 | -56.34 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1600 | -77.74 | -60 | -57.63 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -79.69 | -60 | -59.56 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -76.19 | -60 | -78.15 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -75.03 | -60 | -76.91 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -74 | -60 | -75.83 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -73.66 | -60 | -75.3 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -72.03 | -60 | -73.84 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -71.51 | -60 | -73.31 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -69.89 | -60 | -71.69 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.54 | -60 | -69.37 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -42.64 | -33 | -44.51 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -39.19 | -30 | -41.11 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -7.35 | 0.5 | -9.04 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -8.41 | 0.5 | -10.27 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -38.97 | -30 | -40.69 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.98 | -33 | -43.84 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -68.49 | -60 | -70.23 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -69.83 | -60 | -71.68 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -71.38 | -60 | -73.13 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -72.2 | -60 | -74 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -73.25 | -60 | -75.11 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -74.3 | -60 | -76.19 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -74.78 | -60 | -76.49 | -51 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -76.14 | -60 | -78.01 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -80.2 | -60 | -60.43 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1600 | -77.17 | -60 | -57.55 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1400 | -75.55 | -60 | -55.91 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -72.84 | -60 | -53.06 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1000 | -75.33 | -60 | -55.65 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -800 | -72.55 | -60 | -52.76 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -71.56 | -60 | -51.89 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -62.5 | -60 | -42.7 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -250 | -42 | -33 | -22.18 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -200 | -37.28 | -30 | -17.67 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -100 | -5.23 | 0.5 | 14.46 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 100 | -9.39 | 0.5 | 10.14 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 200 | -35.34 | -30 | -15.73 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 250 | -43.68 | -33 | -23.83 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -63.8 | -60 | -44.17 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -69.41 | -60 | -49.85 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 800 | -73.8 | -60 | -54.09 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1000 | -71.67 | -60 | -51.92 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -74.06 | -60 | -54.4 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1400 | -79.3 | -60 | -59.6 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1600 | -76.95 | -60 | -57.15 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -77.78 | -60 | -57.94 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -77.09 | -60 | -78.95 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -76.49 | -60 | -78.19 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -75.58 | -60 | -77.34 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.47 | -60 | -77.23 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.43 | -60 | -76.25 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -73.27 | -60 | -74.92 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -71.78 | -60 | -73.77 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -69.34 | -60 | -71.2 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -43.05 | -33 | -44.82 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -39.17 | -30 | -40.89 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -7.63 | 0.5 | -9.38 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -8.24 | 0.5 | -10.03 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -38.36 | -30 | -40.27 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -42.97 | -33 | -44.7 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -68.56 | -60 | -70.39 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.64 | -60 | -73.38 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -73.14 | -60 | -74.85 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.39 | -60 | -76.25 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -74.21 | -60 | -76.09 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -75.58 | -60 | -77.35 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -75.81 | -60 | -77.66 | -51 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -77.21 | -60 | -78.9 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -77.83 | -60 | -57.42 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1600 | -78.81 | -60 | -58.42 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1400 | -77.82 | -60 | -57.28 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -75.45 | -60 | -55.04 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1000 | -75.15 | -60 | -54.72 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -800 | -73.41 | -60 | -52.98 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -71.98 | -60 | -51.62 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -64.94 | -60 | -44.68 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -250 | -42.18 | -33 | -21.79 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -200 | -37.15 | -30 | -16.82 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -100 | -8.36 | 0.5 | 12.12 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 100 | -8.43 | 0.5 | 12.08 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 200 | -37.63 | -30 | -17.17 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 250 | -42.76 | -33 | -22.43 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -65.86 | -60 | -45.36 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -71.67 | -60 | -51.31 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 800 | -73.02 | -60 | -52.64 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1000 | -75.19 | -60 | -54.68 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -75.56 | -60 | -55.15 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1400 | -76.94 | -60 | -56.52 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1600 | -77.82 | -60 | -57.25 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -78.4 | -60 | -57.86 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -76.32 | -60 | -77.69 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -76.65 | -60 | -78.14 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.08 | -60 | -77.44 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -74.99 | -60 | -76.37 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -74.18 | -60 | -75.42 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -73.88 | -60 | -75.34 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -72.7 | -60 | -74.02 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -69.9 | -60 | -71.25 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -43.41 | -33 | -44.68 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -39.76 | -30 | -40.96 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -8.92 | 0.5 | -10.32 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.78 | 0.5 | -10.19 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -39.84 | -30 | -41.11 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -43.34 | -33 | -44.66 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -70.1 | -60 | -71.37 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -72.67 | -60 | -74.16 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -73.51 | -60 | -74.84 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -74.14 | -60 | -75.55 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -74.56 | -60 | -75.94 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -76.17 | -60 | -77.63 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.6 | -60 | -78.08 | -51 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.43 | -60 | -78.75 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -78.18 | -60 | -57.95 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1600 | -78.09 | -60 | -57.83 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1400 | -76.31 | -60 | -56.32 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -75.76 | -60 | -55.49 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1000 | -74.73 | -60 | -54.64 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -800 | -73.95 | -60 | -53.76 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -70.95 | -60 | -50.86 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -63.03 | -60 | -42.9 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -250 | -41.8 | -33 | -21.71 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -200 | -36.07 | -30 | -16.01 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -100 | -7.96 | 0.5 | 12.13 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 100 | -8.07 | 0.5 | 12.02 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 200 | -36.39 | -30 | -16.37 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 250 | -42.18 | -33 | -22.1 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -63.51 | -60 | -43.38 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -70.57 | -60 | -50.3 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 800 | -73.34 | -60 | -53.31 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1000 | -74.45 | -60 | -54.4 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -74.98 | -60 | -54.9 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1400 | -76.58 | -60 | -56.47 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1600 | -77.62 | -60 | -57.52 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -79.73 | -60 | -59.49 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -76.25 | -60 | -78.01 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -75.12 | -60 | -76.83 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -74.1 | -60 | -75.86 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -73.56 | -60 | -75.47 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -72.02 | -60 | -73.84 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -71.33 | -60 | -73.23 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -69.93 | -60 | -71.78 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.53 | -60 | -69.42 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -42.63 | -33 | -44.42 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -39.2 | -30 | -41.1 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -7.37 | 0.5 | -9.13 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -8.44 | 0.5 | -10.31 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -39.04 | -30 | -40.72 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.97 | -33 | -43.91 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -68.39 | -60 | -70.34 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -69.9 | -60 | -71.78 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -71.43 | -60 | -73.07 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -72.17 | -60 | -74.02 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -73.38 | -60 | -75.05 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -74.31 | -60 | -76.06 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -74.72 | -60 | -76.5 | -51 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -76.14 | -60 | -77.96 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -80.23 | -60 | -60.61 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1600 | -77.13 | -60 | -57.56 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1400 | -75.58 | -60 | -55.8 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -72.78 | -60 | -53.23 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1000 | -75.2 | -60 | -55.7 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -800 | -72.45 | -60 | -52.73 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -71.58 | -60 | -51.74 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -62.35 | -60 | -42.78 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -250 | -41.85 | -33 | -22.22 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -200 | -37.34 | -30 | -17.56 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -100 | -5.16 | 0.5 | 14.55 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 100 | -9.45 | 0.5 | 10.24 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 200 | -35.47 | -30 | -15.69 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 250 | -43.61 | -33 | -23.88 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -63.9 | -60 | -44.1 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -69.46 | -60 | -49.85 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 800 | -73.7 | -60 | -54.17 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1000 | -71.69 | -60 | -52.01 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -74.14 | -60 | -54.39 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1400 | -79.34 | -60 | -59.61 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1600 | -76.92 | -60 | -57.25 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -77.81 | -60 | -57.94 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -77.12 | -60 | -78.95 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -76.48 | -60 | -78.28 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -75.66 | -60 | -77.48 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.5 | -60 | -77.33 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.37 | -60 | -76.16 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -73.09 | -60 | -75.03 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -71.9 | -60 | -73.62 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -69.22 | -60 | -71.06 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -43.02 | -33 | -44.9 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -39.05 | -30 | -41.03 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -7.63 | 0.5 | -9.48 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -8.32 | 0.5 | -10.17 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -38.39 | -30 | -40.22 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -42.97 | -33 | -44.76 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -68.56 | -60 | -70.44 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.55 | -60 | -73.4 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -73.02 | -60 | -74.92 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.46 | -60 | -76.18 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -74.18 | -60 | -76.14 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -75.55 | -60 | -77.3 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -75.71 | -60 | -77.61 | -51 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -77.07 | -60 | -79.08 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -77.89 | -60 | -57.32 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1600 | -78.79 | -60 | -58.45 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1400 | -77.72 | -60 | -57.25 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -75.5 | -60 | -54.93 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1000 | -75.18 | -60 | -54.62 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -800 | -73.42 | -60 | -52.91 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -72.1 | -60 | -51.67 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -64.99 | -60 | -44.62 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -250 | -42.33 | -33 | -21.77 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -200 | -37.25 | -30 | -16.72 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -100 | -8.36 | 0.5 | 12.12 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 100 | -8.46 | 0.5 | 12.03 | -36 | PASS |

| | | | | | | | | | | |
|------|----------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 200 | -37.6 | -30 | -17.12 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 250 | -42.85 | -33 | -22.35 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -65.77 | -60 | -45.29 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -71.7 | -60 | -51.35 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 800 | -73.06 | -60 | -52.73 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1000 | -75.06 | -60 | -54.61 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -75.73 | -60 | -55.12 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1400 | -76.89 | -60 | -56.34 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1600 | -77.82 | -60 | -57.27 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -78.4 | -60 | -58.04 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -76.38 | -60 | -77.64 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -76.66 | -60 | -78.06 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.08 | -60 | -77.47 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -75 | -60 | -76.29 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -74.23 | -60 | -75.59 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -74.06 | -60 | -75.21 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -72.77 | -60 | -73.95 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -69.95 | -60 | -71.4 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -43.29 | -33 | -44.61 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -39.74 | -30 | -41.06 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -8.98 | 0.5 | -10.28 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.86 | 0.5 | -10.21 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -39.81 | -30 | -41.04 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -43.3 | -33 | -44.64 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -70.12 | -60 | -71.46 | -36 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -72.76 | -60 | -74.14 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -73.5 | -60 | -74.89 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -74.13 | -60 | -75.58 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -74.71 | -60 | -75.91 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -76.29 | -60 | -77.51 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.72 | -60 | -78 | -51 | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.43 | -60 | -78.82 | -51 | PASS |

Clause 4.2.29 Switching Spectrum in EGPRS configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Offset (kHz) | Result (dBm) | Limit (dBm) | Verdict |
|-----------|-----------|---------|-----------------|---------|--------------|--------------|-------------|---------|
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | Ref Power | 28.01 | | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -46.45 | -28.82 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -44.45 | -25.82 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -39.04 | -24.91 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -34.84 | -22.91 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -35.66 | -22.91 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -39.05 | -24.91 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -44.15 | -25.82 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -46.28 | -28.82 | PASS |

| | | | | | | | | |
|------|-----------|-----|--------|-------------|-----------|--------|--------|------|
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 1.76 | | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -71.14 | -36 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -69.12 | -32 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -63.82 | -26 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -61.46 | -23 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -61.94 | -23 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -64.95 | -26 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -66.73 | -32 | PASS |
| HVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -71.68 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Ref Power | 28.05 | | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -45.45 | -28.8 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -41.37 | -25.8 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -41.02 | -24.9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -36.04 | -22.9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -34.78 | -22.9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -39.35 | -24.9 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -43.54 | -25.8 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -46.61 | -28.8 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 1.85 | | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -69.94 | -36 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -68.3 | -32 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -62.84 | -26 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -60.98 | -23 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -60.06 | -23 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -65.01 | -26 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -68.51 | -32 | PASS |
| HVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -70.08 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | Ref Power | 28.15 | | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -47.91 | -28.72 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -43.16 | -25.72 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -37.29 | -24.86 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -35.47 | -22.86 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -33.66 | -22.86 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -38.29 | -24.86 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -41.78 | -25.72 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -45.52 | -28.72 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.27 | | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -70.39 | -36 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -69.19 | -32 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -65.31 | -26 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -60.82 | -23 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -60.2 | -23 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -63.93 | -26 | PASS |
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -66.78 | -32 | PASS |

| | | | | | | | | |
|------|-----------|-----|--------|-------------|-----------|--------|--------|------|
| HVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -68.09 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | Ref Power | 28.1 | | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -46.35 | -28.82 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -44.44 | -25.82 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -39.06 | -24.91 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -34.92 | -22.91 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -35.69 | -22.91 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -39.04 | -24.91 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -44.26 | -25.82 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -46.2 | -28.82 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 1.83 | | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -71.08 | -36 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -69.24 | -32 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -63.75 | -26 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -61.48 | -23 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -61.85 | -23 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -64.92 | -26 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -66.87 | -32 | PASS |
| HVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -71.72 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Ref Power | 28.17 | | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -45.37 | -28.8 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -41.46 | -25.8 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -41.09 | -24.9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -35.85 | -22.9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -34.72 | -22.9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -39.43 | -24.9 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -43.64 | -25.8 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -46.62 | -28.8 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 1.98 | | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -69.99 | -36 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -68.23 | -32 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -63 | -26 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -61.01 | -23 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -60.03 | -23 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -64.91 | -26 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -68.58 | -32 | PASS |
| HVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -69.97 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | Ref Power | 28.12 | | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -47.95 | -28.72 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -43 | -25.72 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -37.19 | -24.86 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -35.63 | -22.86 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -33.74 | -22.86 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -38.26 | -24.86 | PASS |

| | | | | | | | | |
|------|-----------|-----|--------|-------------|-----------|--------|--------|------|
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -41.62 | -25.72 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -45.51 | -28.72 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.29 | | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -70.34 | -36 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -69.2 | -32 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -65.35 | -26 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -60.8 | -23 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -60.22 | -23 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -63.8 | -26 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -66.84 | -32 | PASS |
| HVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -67.97 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | Ref Power | 28.03 | | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -46.4 | -28.82 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -44.43 | -25.82 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -38.92 | -24.91 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -34.81 | -22.91 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -35.7 | -22.91 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -39.15 | -24.91 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -44.25 | -25.82 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -46.21 | -28.82 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 1.71 | | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -71.17 | -36 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -69.16 | -32 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -63.75 | -26 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -61.58 | -23 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -61.85 | -23 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -65.11 | -26 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -66.82 | -32 | PASS |
| LVHT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -71.74 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Ref Power | 28.09 | | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -45.45 | -28.8 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -41.42 | -25.8 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -41.06 | -24.9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -35.91 | -22.9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -34.7 | -22.9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -39.41 | -24.9 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -43.69 | -25.8 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -46.64 | -28.8 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 1.98 | | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -70.07 | -36 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -68.31 | -32 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -62.99 | -26 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -60.98 | -23 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -60.21 | -23 | PASS |

| | | | | | | | | |
|------|-----------|-----|--------|-------------|-----------|--------|--------|------|
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -65.08 | -26 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -68.56 | -32 | PASS |
| LVHT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -70 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | Ref Power | 28.26 | | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -48.07 | -28.72 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -43.13 | -25.72 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -37.14 | -24.86 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -35.61 | -22.86 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -33.62 | -22.86 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -38.23 | -24.86 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -41.74 | -25.72 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -45.41 | -28.72 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.21 | | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -70.38 | -36 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -69.15 | -32 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -65.3 | -26 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -60.75 | -23 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -60.33 | -23 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -63.95 | -26 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -66.84 | -32 | PASS |
| LVHT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -68.06 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | Ref Power | 28.08 | | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1800 | -46.35 | -28.82 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -1200 | -44.48 | -25.82 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -600 | -38.9 | -24.91 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | -400 | -34.88 | -22.91 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 400 | -35.76 | -22.91 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 600 | -39.15 | -24.91 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1200 | -44.21 | -25.82 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 5;5;5;5 | 1800 | -46.28 | -28.82 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 1.78 | | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -71.24 | -36 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -69.19 | -32 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -63.7 | -26 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -61.46 | -23 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -61.88 | -23 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -65.04 | -26 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -66.85 | -32 | PASS |
| LVLT | EGPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -71.57 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | Ref Power | 28.11 | | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1800 | -45.48 | -28.8 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -1200 | -41.38 | -25.8 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -600 | -41.17 | -24.9 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | -400 | -35.87 | -22.9 | PASS |

| | | | | | | | | |
|------|-----------|-----|--------|-------------|-----------|--------|--------|------|
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 400 | -34.68 | -22.9 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 600 | -39.5 | -24.9 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1200 | -43.55 | -25.8 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 5;5;5;5 | 1800 | -46.79 | -28.8 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 1.97 | | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -70.01 | -36 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -68.25 | -32 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -62.83 | -26 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -60.93 | -23 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -60.05 | -23 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -64.94 | -26 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -68.65 | -32 | PASS |
| LVLT | EGPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -70.05 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | Ref Power | 28.08 | | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1800 | -48.08 | -28.72 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -1200 | -43.09 | -25.72 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -600 | -37.24 | -24.86 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | -400 | -35.49 | -22.86 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 400 | -33.61 | -22.86 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 600 | -38.27 | -24.86 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1200 | -41.73 | -25.72 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 5;5;5;5 | 1800 | -45.41 | -28.72 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.37 | | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -70.42 | -36 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -69.3 | -32 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -65.24 | -26 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -60.81 | -23 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -60.29 | -23 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -63.82 | -26 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -66.81 | -32 | PASS |
| LVLT | EGPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -67.92 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | Ref Power | 28.27 | | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -46.76 | -28.57 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -44.37 | -25.57 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -39.61 | -25.29 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -27.91 | -23 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -27.04 | -23 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -38.9 | -25.29 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -44.5 | -25.57 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -44.8 | -28.57 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.56 | | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -66.64 | -36 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -62.52 | -32 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -59.89 | -26 | PASS |

| | | | | | | | | |
|------|----------|-----|-------|-------------|-----------|--------|--------|------|
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -58.05 | -23 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -59.07 | -23 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -61.31 | -26 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -63.54 | -32 | PASS |
| HVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -67.02 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Ref Power | 28.67 | | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -46.41 | -28.23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -44.15 | -25.23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -36.46 | -25.11 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -29.01 | -23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -26.57 | -23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -40.03 | -25.11 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -44.36 | -25.23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -47.28 | -28.23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.47 | | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.45 | -36 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -65.1 | -32 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -61.39 | -26 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -60.22 | -23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -59.64 | -23 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -63.01 | -26 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -64.05 | -32 | PASS |
| HVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -66.78 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | Ref Power | 28.47 | | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -46.97 | -28.41 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -44.98 | -25.41 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -38.93 | -25.21 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -28.7 | -23 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -29.81 | -23 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -39.97 | -25.21 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -44.05 | -25.41 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -47.13 | -28.41 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 6.54 | | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.35 | -36 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -66.11 | -32 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -63.05 | -26 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -59.48 | -23 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -60.75 | -23 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -63.8 | -26 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -64.47 | -32 | PASS |
| HVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -67.52 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | Ref Power | 28.37 | | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -46.68 | -28.57 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -44.42 | -25.57 | PASS |

| | | | | | | | | |
|------|----------|-----|-------|-------------|-----------|--------|--------|------|
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -39.66 | -25.29 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -27.88 | -23 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -27 | -23 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -38.94 | -25.29 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -44.35 | -25.57 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -44.77 | -28.57 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.49 | | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -66.76 | -36 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -62.62 | -32 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -59.94 | -26 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -58.05 | -23 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -59.18 | -23 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -61.4 | -26 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -63.5 | -32 | PASS |
| HVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -67.01 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Ref Power | 28.67 | | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -46.49 | -28.23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -44.01 | -25.23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -36.36 | -25.11 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -29.16 | -23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -26.58 | -23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -40.02 | -25.11 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -44.3 | -25.23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -47.21 | -28.23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.59 | | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.47 | -36 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -65.02 | -32 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -61.38 | -26 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -60.3 | -23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -59.7 | -23 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -63.04 | -26 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -64.11 | -32 | PASS |
| HVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -66.65 | -36 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | Ref Power | 28.55 | | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -47.04 | -28.41 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -44.99 | -25.41 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -38.8 | -25.21 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -28.77 | -23 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -29.66 | -23 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -39.89 | -25.21 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -44.2 | -25.41 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -47.04 | -28.41 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 6.58 | | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.36 | -36 | PASS |

| | | | | | | | | |
|------|----------|-----|-------|-------------|-----------|--------|--------|------|
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -66.28 | -32 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -62.98 | -26 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -59.54 | -23 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -60.74 | -23 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -63.74 | -26 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -64.38 | -32 | PASS |
| HVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -67.59 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | Ref Power | 28.29 | | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -46.75 | -28.57 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -44.31 | -25.57 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -39.62 | -25.29 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -27.74 | -23 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -26.96 | -23 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -38.76 | -25.29 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -44.39 | -25.57 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -44.77 | -28.57 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.57 | | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -66.67 | -36 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -62.58 | -32 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -59.9 | -26 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -57.96 | -23 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -59.23 | -23 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -61.27 | -26 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -63.47 | -32 | PASS |
| LVHT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -67.04 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Ref Power | 28.69 | | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -46.45 | -28.23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -44 | -25.23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -36.32 | -25.11 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -29.18 | -23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -26.43 | -23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -40.01 | -25.11 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -44.4 | -25.23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -47.14 | -28.23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.42 | | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.34 | -36 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -65.16 | -32 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -61.39 | -26 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -60.31 | -23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -59.61 | -23 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -63.01 | -26 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -64.1 | -32 | PASS |
| LVHT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -66.62 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | Ref Power | 28.43 | | PASS |

| | | | | | | | | |
|------|----------|-----|-------|-------------|-----------|--------|--------|------|
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -47.01 | -28.41 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -45.01 | -25.41 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -38.9 | -25.21 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -28.67 | -23 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -29.75 | -23 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -39.9 | -25.21 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -44.02 | -25.41 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -47.09 | -28.41 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 6.52 | | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.53 | -36 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -66.12 | -32 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -62.92 | -26 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -59.49 | -23 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -60.68 | -23 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -63.86 | -26 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -64.33 | -32 | PASS |
| LVHT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -67.66 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | Ref Power | 28.25 | | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1800 | -46.67 | -28.57 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -1200 | -44.29 | -25.57 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -600 | -39.72 | -25.29 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | -400 | -27.78 | -23 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 400 | -26.96 | -23 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 600 | -38.89 | -25.29 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1200 | -44.43 | -25.57 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 6;6;6;6 | 1800 | -44.84 | -28.57 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.52 | | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -66.78 | -36 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -62.61 | -32 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -60.08 | -26 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -58.05 | -23 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -59.12 | -23 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -61.37 | -26 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -63.57 | -32 | PASS |
| LVLT | EGPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -67.09 | -36 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | Ref Power | 28.6 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1800 | -46.37 | -28.23 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -1200 | -44.17 | -25.23 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -600 | -36.28 | -25.11 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | -400 | -29.2 | -23 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 400 | -26.44 | -23 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 600 | -40.05 | -25.11 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1200 | -44.48 | -25.23 | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 6;6;6;6 | 1800 | -47.11 | -28.23 | PASS |

| | | | | | | | | | |
|------|----------|-----|-------|-------------|-----------|--------|--------|--|------|
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.53 | | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.38 | -36 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -65.11 | -32 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -61.32 | -26 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -60.25 | -23 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -59.67 | -23 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -63.08 | -26 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -64.14 | -32 | | PASS |
| LVLT | EGPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -66.63 | -36 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | Ref Power | 28.5 | | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1800 | -47.09 | -28.41 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -1200 | -44.88 | -25.41 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -600 | -38.82 | -25.21 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | -400 | -28.8 | -23 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 400 | -29.76 | -23 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 600 | -39.85 | -25.21 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1200 | -44.19 | -25.41 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 6;6;6;6 | 1800 | -47.11 | -28.41 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 6.59 | | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.47 | -36 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -66.12 | -32 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -62.94 | -26 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -59.59 | -23 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -60.82 | -23 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -63.79 | -26 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -64.37 | -32 | | PASS |
| LVLT | EGPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -67.56 | -36 | | PASS |

Clause 4.2.4 Frequency error and phase error in GPRS multi slot configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Type | Result | Low Limit | high Limit | Verdict |
|-----------|----------|---------|-----------------|-------------|---------------------------|--------|-----------|------------|---------|
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error (Hz) | -4.94 | -174.74 | 174.74 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.59 | 0 | 5 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.21 | 0 | 20 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.59 | -174.74 | 174.74 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error (Degree) | 0.42 | 0 | 5 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.43 | 0 | 20 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error | -5.01 | -174.74 | 174.74 | PASS |

| | | | | | | | | | |
|-------------|----------|-----|--------|-------------|------------------------------|-------|---------|--------|------|
| | | | | | (Hz) | | | | |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.42 | 0 | 5 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.15 | 0 | 20 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.56 | -174.74 | 174.74 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error (Degree) | 0.43 | 0 | 5 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.34 | 0 | 20 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error (Hz) | -5.01 | -174.74 | 174.74 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.43 | 0 | 5 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.15 | 0 | 20 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.48 | -174.74 | 174.74 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error (Degree) | 0.28 | 0 | 5 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.45 | 0 | 20 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error (Hz) | -4.99 | -174.74 | 174.74 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.45 | 0 | 5 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.14 | 0 | 20 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.52 | -174.74 | 174.74 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error (Degree) | 0.27 | 0 | 5 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.46 | 0 | 20 | PASS |
| Vibration-X | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error (Hz) | -4.96 | -174.74 | 174.74 | PASS |
| Vibration-X | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.49 | 0 | 5 | PASS |
| Vibration-X | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.2 | 0 | 20 | PASS |
| Vibration-X | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.59 | -174.74 | 174.74 | PASS |
| Vibration-X | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error | 0.44 | 0 | 5 | PASS |

| | | | | | | | | | |
|-------------|----------|-----|--------|-------------|------------------------------|-------|---------|--------|------|
| | | | | | (Degree) | | | | |
| Vibration-X | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.47 | 0 | 20 | PASS |
| Vibration-Y | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error (Hz) | -4.98 | -174.74 | 174.74 | PASS |
| Vibration-Y | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.5 | 0 | 5 | PASS |
| Vibration-Y | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.06 | 0 | 20 | PASS |
| Vibration-Y | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.5 | -174.74 | 174.74 | PASS |
| Vibration-Y | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error (Degree) | 0.46 | 0 | 5 | PASS |
| Vibration-Y | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.37 | 0 | 20 | PASS |
| Vibration-Z | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Frequency Error (Hz) | -4.84 | -174.74 | 174.74 | PASS |
| Vibration-Z | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | RMS Phase Error (Degree) | 0.41 | 0 | 5 | PASS |
| Vibration-Z | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Peak Phase Error (Degree) | 2.16 | 0 | 20 | PASS |
| Vibration-Z | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Frequency Error (Hz) | -2.56 | -174.74 | 174.74 | PASS |
| Vibration-Z | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | RMS Phase Error (Degree) | 0.31 | 0 | 5 | PASS |
| Vibration-Z | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Peak Phase Error (Degree) | 1.38 | 0 | 20 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error (Hz) | 7.13 | -89.76 | 89.76 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.29 | 0 | 5 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error (Degree) | 0.87 | 0 | 20 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.84 | -89.76 | 89.76 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.25 | 0 | 5 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 0.95 | 0 | 20 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error (Hz) | 7.31 | -89.76 | 89.76 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.32 | 0 | 5 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error | 0.91 | 0 | 20 | PASS |

| | | | | | | | | | |
|-------------|---------|----|-------|-------------|------------------------------|------|--------|-------|------|
| | | | | | (Degree) | | | | |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.87 | -89.76 | 89.76 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.18 | 0 | 5 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 0.96 | 0 | 20 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error (Hz) | 7.17 | -89.76 | 89.76 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.25 | 0 | 5 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error (Degree) | 0.88 | 0 | 20 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.86 | -89.76 | 89.76 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.26 | 0 | 5 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 1 | 0 | 20 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error (Hz) | 7.31 | -89.76 | 89.76 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.19 | 0 | 5 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error (Degree) | 0.99 | 0 | 20 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.83 | -89.76 | 89.76 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.24 | 0 | 5 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 1.01 | 0 | 20 | PASS |
| Vibration-X | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error (Hz) | 7.26 | -89.76 | 89.76 | PASS |
| Vibration-X | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.2 | 0 | 5 | PASS |
| Vibration-X | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error (Degree) | 0.85 | 0 | 20 | PASS |
| Vibration-X | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.75 | -89.76 | 89.76 | PASS |
| Vibration-X | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.23 | 0 | 5 | PASS |
| Vibration-X | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 1 | 0 | 20 | PASS |
| Vibration-Y | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error | 7.24 | -89.76 | 89.76 | PASS |

| | | | | | (Hz) | | | | |
|-------------|---------|----|-------|-------------|------------------------------|------|--------|-------|------|
| Vibration-Y | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.14 | 0 | 5 | PASS |
| Vibration-Y | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error (Degree) | 0.97 | 0 | 20 | PASS |
| Vibration-Y | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.8 | -89.76 | 89.76 | PASS |
| Vibration-Y | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.19 | 0 | 5 | PASS |
| Vibration-Y | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 0.92 | 0 | 20 | PASS |
| Vibration-Z | GPRS900 | 38 | 897.6 | 3;3;3;3 | Frequency Error (Hz) | 7.29 | -89.76 | 89.76 | PASS |
| Vibration-Z | GPRS900 | 38 | 897.6 | 3;3;3;3 | RMS Phase Error (Degree) | 0.25 | 0 | 5 | PASS |
| Vibration-Z | GPRS900 | 38 | 897.6 | 3;3;3;3 | Peak Phase Error (Degree) | 1.01 | 0 | 20 | PASS |
| Vibration-Z | GPRS900 | 38 | 897.6 | 17;17;17;17 | Frequency Error (Hz) | 5.88 | -89.76 | 89.76 | PASS |
| Vibration-Z | GPRS900 | 38 | 897.6 | 17;17;17;17 | RMS Phase Error (Degree) | 0.32 | 0 | 5 | PASS |
| Vibration-Z | GPRS900 | 38 | 897.6 | 17;17;17;17 | Peak Phase Error (Degree) | 0.89 | 0 | 20 | PASS |

Clause 4.2.10 Transmitter output power in GPRS multi slot configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Slot | Result | Low Limit | high Limit | Verdict |
|-----------|----------|---------|-----------------|-------------|-------------|--------|-----------|------------|---------|
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Power slot1 | 31.09 | 28 | 32 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | Power slot1 | 29.6 | 25 | 31 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | Power slot1 | 27.6 | 23 | 29 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | Power slot1 | 25.45 | 21 | 27 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | Power slot1 | 23.42 | 19 | 25 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | Power slot1 | 21.49 | 17 | 23 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | Power slot1 | 19.48 | 15 | 21 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | Power slot1 | 17.38 | 13 | 19 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | Power slot1 | 15.52 | 11 | 17 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| HVHT | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | Power slot1 | 13.43 | 8 | 16 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | Power slot1 | 11.33 | 6 | 14 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | Power slot1 | 9.17 | 4 | 12 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | Power slot1 | 7.19 | 2 | 10 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | Power slot1 | 5.27 | 0 | 8 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | Power slot1 | 3.61 | -3 | 7 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Power slot1 | 1.84 | -5 | 5 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Power slot1 | 31.26 | 28 | 32 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | Power slot1 | 29.81 | 25 | 31 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | Power slot1 | 27.83 | 23 | 29 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | Power slot1 | 25.83 | 21 | 27 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | Power slot1 | 23.74 | 19 | 25 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | Power slot1 | 21.76 | 17 | 23 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | Power slot1 | 19.77 | 15 | 21 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | Power slot1 | 17.76 | 13 | 19 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | Power slot1 | 15.78 | 11 | 17 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | Power slot1 | 13.76 | 8 | 16 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | Power slot1 | 11.87 | 6 | 14 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | Power slot1 | 9.7 | 4 | 12 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | Power slot1 | 7.82 | 2 | 10 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | Power slot1 | 5.94 | 0 | 8 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | Power slot1 | 4.37 | -3 | 7 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Power slot1 | 2.78 | -5 | 5 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Power slot1 | 31.33 | 28 | 32 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | Power slot1 | 29.81 | 25 | 31 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | Power slot1 | 27.88 | 23 | 29 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | Power slot1 | 25.74 | 21 | 27 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | Power slot1 | 23.74 | 19 | 25 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | Power slot1 | 21.75 | 17 | 23 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | Power slot1 | 19.63 | 15 | 21 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | Power slot1 | 17.55 | 13 | 19 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | Power slot1 | 15.55 | 11 | 17 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | Power slot1 | 13.72 | 8 | 16 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | Power slot1 | 11.5 | 6 | 14 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | Power slot1 | 9.46 | 4 | 12 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | Power slot1 | 7.27 | 2 | 10 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | Power slot1 | 5.5 | 0 | 8 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | Power slot1 | 3.8 | -3 | 7 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Power slot1 | 2.24 | -5 | 5 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Power slot1 | 31.04 | 28 | 32 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | Power slot1 | 29.49 | 25 | 31 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | Power slot1 | 27.62 | 23 | 29 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | Power slot1 | 25.54 | 21 | 27 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | Power slot1 | 23.56 | 19 | 25 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| HVLT | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | Power slot1 | 21.49 | 17 | 23 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | Power slot1 | 19.57 | 15 | 21 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | Power slot1 | 17.32 | 13 | 19 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | Power slot1 | 15.43 | 11 | 17 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | Power slot1 | 13.51 | 8 | 16 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | Power slot1 | 11.23 | 6 | 14 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | Power slot1 | 9.25 | 4 | 12 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | Power slot1 | 7.22 | 2 | 10 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | Power slot1 | 5.22 | 0 | 8 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | Power slot1 | 3.49 | -3 | 7 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Power slot1 | 2 | -5 | 5 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Power slot1 | 31.25 | 28 | 32 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | Power slot1 | 29.75 | 25 | 31 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | Power slot1 | 27.72 | 23 | 29 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | Power slot1 | 25.71 | 21 | 27 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | Power slot1 | 23.75 | 19 | 25 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | Power slot1 | 21.75 | 17 | 23 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | Power slot1 | 19.69 | 15 | 21 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | Power slot1 | 17.86 | 13 | 19 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | Power slot1 | 15.85 | 11 | 17 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | Power slot1 | 13.77 | 8 | 16 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | Power slot1 | 11.77 | 6 | 14 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| HVLT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | Power slot1 | 9.86 | 4 | 12 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | Power slot1 | 7.86 | 2 | 10 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | Power slot1 | 5.87 | 0 | 8 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | Power slot1 | 4.27 | -3 | 7 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Power slot1 | 2.8 | -5 | 5 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Power slot1 | 31.4 | 28 | 32 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | Power slot1 | 29.87 | 25 | 31 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | Power slot1 | 27.87 | 23 | 29 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | Power slot1 | 25.74 | 21 | 27 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | Power slot1 | 23.8 | 19 | 25 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | Power slot1 | 21.78 | 17 | 23 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | Power slot1 | 19.67 | 15 | 21 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | Power slot1 | 17.59 | 13 | 19 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | Power slot1 | 15.52 | 11 | 17 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | Power slot1 | 13.59 | 8 | 16 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | Power slot1 | 11.47 | 6 | 14 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | Power slot1 | 9.48 | 4 | 12 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | Power slot1 | 7.4 | 2 | 10 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | Power slot1 | 5.48 | 0 | 8 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | Power slot1 | 3.93 | -3 | 7 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Power slot1 | 2.23 | -5 | 5 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Power slot1 | 31.14 | 28 | 32 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| LVHT | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | Power slot1 | 29.53 | 25 | 31 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | Power slot1 | 27.47 | 23 | 29 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | Power slot1 | 25.43 | 21 | 27 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | Power slot1 | 23.57 | 19 | 25 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | Power slot1 | 21.52 | 17 | 23 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | Power slot1 | 19.4 | 15 | 21 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | Power slot1 | 17.44 | 13 | 19 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | Power slot1 | 15.4 | 11 | 17 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | Power slot1 | 13.52 | 8 | 16 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | Power slot1 | 11.21 | 6 | 14 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | Power slot1 | 9.21 | 4 | 12 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | Power slot1 | 7.18 | 2 | 10 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | Power slot1 | 5.17 | 0 | 8 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | Power slot1 | 3.64 | -3 | 7 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Power slot1 | 2.03 | -5 | 5 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Power slot1 | 31.26 | 28 | 32 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | Power slot1 | 29.85 | 25 | 31 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | Power slot1 | 27.76 | 23 | 29 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | Power slot1 | 25.73 | 21 | 27 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | Power slot1 | 23.83 | 19 | 25 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | Power slot1 | 21.83 | 17 | 23 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | Power slot1 | 19.79 | 15 | 21 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| LVHT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | Power slot1 | 17.71 | 13 | 19 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | Power slot1 | 15.81 | 11 | 17 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | Power slot1 | 13.74 | 8 | 16 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | Power slot1 | 11.75 | 6 | 14 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | Power slot1 | 9.87 | 4 | 12 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | Power slot1 | 7.94 | 2 | 10 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | Power slot1 | 5.92 | 0 | 8 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | Power slot1 | 4.21 | -3 | 7 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Power slot1 | 2.75 | -5 | 5 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Power slot1 | 31.3 | 28 | 32 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | Power slot1 | 29.92 | 25 | 31 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | Power slot1 | 27.83 | 23 | 29 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | Power slot1 | 25.83 | 21 | 27 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | Power slot1 | 23.7 | 19 | 25 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | Power slot1 | 21.73 | 17 | 23 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | Power slot1 | 19.62 | 15 | 21 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | Power slot1 | 17.61 | 13 | 19 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | Power slot1 | 15.48 | 11 | 17 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | Power slot1 | 13.71 | 8 | 16 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | Power slot1 | 11.55 | 6 | 14 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | Power slot1 | 9.39 | 4 | 12 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | Power slot1 | 7.43 | 2 | 10 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| LVHT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | Power slot1 | 5.46 | 0 | 8 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | Power slot1 | 3.92 | -3 | 7 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Power slot1 | 2.18 | -5 | 5 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Power slot1 | 30.98 | 28 | 32 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 4;4;4;4 | Power slot1 | 29.5 | 25 | 31 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 5;5;5;5 | Power slot1 | 27.55 | 23 | 29 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 6;6;6;6 | Power slot1 | 25.59 | 21 | 27 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 7;7;7;7 | Power slot1 | 23.38 | 19 | 25 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 8;8;8;8 | Power slot1 | 21.44 | 17 | 23 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 9;9;9;9 | Power slot1 | 19.42 | 15 | 21 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 10;10;10;10 | Power slot1 | 17.47 | 13 | 19 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 11;11;11;11 | Power slot1 | 15.45 | 11 | 17 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 12;12;12;12 | Power slot1 | 13.42 | 8 | 16 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 13;13;13;13 | Power slot1 | 11.24 | 6 | 14 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 14;14;14;14 | Power slot1 | 9.15 | 4 | 12 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 15;15;15;15 | Power slot1 | 7.19 | 2 | 10 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 16;16;16;16 | Power slot1 | 5.18 | 0 | 8 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 17;17;17;17 | Power slot1 | 3.56 | -3 | 7 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Power slot1 | 1.84 | -5 | 5 | PASS |
| LVLТ | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Power slot1 | 31.4 | 28 | 32 | PASS |
| LVLТ | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 698 | 1747.4 | 4;4;4;4 | Power slot1 | 29.74 | 25 | 31 | PASS |
| LVLТ | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLТ | GPRS1800 | 698 | 1747.4 | 5;5;5;5 | Power slot1 | 27.73 | 23 | 29 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| LVLT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 6;6;6;6 | Power slot1 | 25.89 | 21 | 27 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 7;7;7;7 | Power slot1 | 23.79 | 19 | 25 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 8;8;8;8 | Power slot1 | 21.76 | 17 | 23 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 9;9;9;9 | Power slot1 | 19.69 | 15 | 21 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 10;10;10;10 | Power slot1 | 17.84 | 13 | 19 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 11;11;11;11 | Power slot1 | 15.81 | 11 | 17 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 12;12;12;12 | Power slot1 | 13.93 | 8 | 16 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 13;13;13;13 | Power slot1 | 11.86 | 6 | 14 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 14;14;14;14 | Power slot1 | 9.73 | 4 | 12 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 15;15;15;15 | Power slot1 | 7.93 | 2 | 10 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 16;16;16;16 | Power slot1 | 5.9 | 0 | 8 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 17;17;17;17 | Power slot1 | 4.2 | -3 | 7 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Power slot1 | 2.67 | -5 | 5 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Power slot1 | 31.33 | 28 | 32 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 4;4;4;4 | Power slot1 | 29.81 | 25 | 31 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 5;5;5;5 | Power slot1 | 27.78 | 23 | 29 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 6;6;6;6 | Power slot1 | 25.83 | 21 | 27 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 7;7;7;7 | Power slot1 | 23.77 | 19 | 25 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 8;8;8;8 | Power slot1 | 21.76 | 17 | 23 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 9;9;9;9 | Power slot1 | 19.71 | 15 | 21 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 10;10;10;10 | Power slot1 | 17.66 | 13 | 19 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 11;11;11;11 | Power slot1 | 15.65 | 11 | 17 | PASS |

| | | | | | | | | | |
|------|----------|-----|--------|-------------|-------------|-------|----|----|------|
| LVLT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 12;12;12;12 | Power slot1 | 13.7 | 8 | 16 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 13;13;13;13 | Power slot1 | 11.48 | 6 | 14 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 14;14;14;14 | Power slot1 | 9.51 | 4 | 12 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 15;15;15;15 | Power slot1 | 7.34 | 2 | 10 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 16;16;16;16 | Power slot1 | 5.41 | 0 | 8 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 17;17;17;17 | Power slot1 | 3.93 | -3 | 7 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Power slot1 | 2.23 | -5 | 5 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Power slot1 | 32.92 | 31 | 35 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 4;4;4;4 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 4;4;4;4 | Power slot1 | 31.09 | 28 | 34 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 5;5;5;5 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 5;5;5;5 | Power slot1 | 29.42 | 26 | 32 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 6;6;6;6 | Power slot1 | 27.48 | 24 | 30 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 7;7;7;7 | Power slot1 | 25.64 | 22 | 28 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 8;8;8;8 | Power slot1 | 23.67 | 20 | 26 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 9;9;9;9 | Power slot1 | 21.56 | 18 | 24 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 10;10;10;10 | Power slot1 | 19.41 | 16 | 22 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 11;11;11;11 | Power slot1 | 17.23 | 14 | 20 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 12;12;12;12 | Power slot1 | 15.16 | 12 | 18 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 13;13;13;13 | Power slot1 | 13.15 | 10 | 16 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 14;14;14;14 | Power slot1 | 11.04 | 6 | 16 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 15;15;15;15 | Power slot1 | 9.06 | 4 | 14 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 16;16;16;16 | Power slot1 | 7.15 | 2 | 12 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Power slot1 | 5.19 | 0 | 10 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Power slot1 | 33.32 | 31 | 35 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 4;4;4;4 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 4;4;4;4 | Power slot1 | 31.68 | 28 | 34 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 5;5;5;5 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 5;5;5;5 | Power slot1 | 30.27 | 26 | 32 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 6;6;6;6 | Power slot1 | 28.38 | 24 | 30 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 7;7;7;7 | Power slot1 | 26.59 | 22 | 28 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 8;8;8;8 | Power slot1 | 24.45 | 20 | 26 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 9;9;9;9 | Power slot1 | 22.4 | 18 | 24 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 10;10;10;10 | Power slot1 | 20.41 | 16 | 22 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 11;11;11;11 | Power slot1 | 18.2 | 14 | 20 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 12;12;12;12 | Power slot1 | 16.07 | 12 | 18 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 13;13;13;13 | Power slot1 | 13.99 | 10 | 16 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 14;14;14;14 | Power slot1 | 12.12 | 6 | 16 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 15;15;15;15 | Power slot1 | 10.05 | 4 | 14 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 16;16;16;16 | Power slot1 | 7.98 | 2 | 12 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Power slot1 | 6.22 | 0 | 10 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Power slot1 | 33.15 | 31 | 35 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 4;4;4;4 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 4;4;4;4 | Power slot1 | 31.85 | 28 | 34 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 5;5;5;5 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 5;5;5;5 | Power slot1 | 30.45 | 26 | 32 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 6;6;6;6 | Power slot1 | 28.8 | 24 | 30 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 7;7;7;7 | Power slot1 | 26.95 | 22 | 28 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 8;8;8;8 | Power slot1 | 24.91 | 20 | 26 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 9;9;9;9 | Power slot1 | 22.79 | 18 | 24 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| HVHT | GPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 10;10;10;10 | Power slot1 | 20.76 | 16 | 22 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 11;11;11;11 | Power slot1 | 18.52 | 14 | 20 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 12;12;12;12 | Power slot1 | 16.33 | 12 | 18 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 13;13;13;13 | Power slot1 | 14.18 | 10 | 16 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 14;14;14;14 | Power slot1 | 12.34 | 6 | 16 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 15;15;15;15 | Power slot1 | 10.3 | 4 | 14 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 16;16;16;16 | Power slot1 | 8.32 | 2 | 12 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Power slot1 | 6.48 | 0 | 10 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Power slot1 | 32.96 | 31 | 35 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 4;4;4;4 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 4;4;4;4 | Power slot1 | 31.14 | 28 | 34 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 5;5;5;5 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 5;5;5;5 | Power slot1 | 29.35 | 26 | 32 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 6;6;6;6 | Power slot1 | 27.64 | 24 | 30 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 7;7;7;7 | Power slot1 | 25.68 | 22 | 28 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 8;8;8;8 | Power slot1 | 23.64 | 20 | 26 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 9;9;9;9 | Power slot1 | 21.57 | 18 | 24 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 10;10;10;10 | Power slot1 | 19.49 | 16 | 22 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 11;11;11;11 | Power slot1 | 17.33 | 14 | 20 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 12;12;12;12 | Power slot1 | 15.22 | 12 | 18 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 13;13;13;13 | Power slot1 | 13.04 | 10 | 16 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 14;14;14;14 | Power slot1 | 11.16 | 6 | 16 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 15;15;15;15 | Power slot1 | 9.21 | 4 | 14 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 16;16;16;16 | Power slot1 | 7.18 | 2 | 12 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Power slot1 | 5.32 | 0 | 10 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Power slot1 | 33.3 | 31 | 35 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 4;4;4;4 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 4;4;4;4 | Power slot1 | 31.68 | 28 | 34 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 5;5;5;5 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 5;5;5;5 | Power slot1 | 30.29 | 26 | 32 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 6;6;6;6 | Power slot1 | 28.45 | 24 | 30 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 7;7;7;7 | Power slot1 | 26.69 | 22 | 28 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 8;8;8;8 | Power slot1 | 24.44 | 20 | 26 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 9;9;9;9 | Power slot1 | 22.44 | 18 | 24 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 10;10;10;10 | Power slot1 | 20.44 | 16 | 22 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 11;11;11;11 | Power slot1 | 18.21 | 14 | 20 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 12;12;12;12 | Power slot1 | 16.08 | 12 | 18 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 13;13;13;13 | Power slot1 | 13.89 | 10 | 16 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 14;14;14;14 | Power slot1 | 11.98 | 6 | 16 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 15;15;15;15 | Power slot1 | 9.99 | 4 | 14 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 16;16;16;16 | Power slot1 | 8.06 | 2 | 12 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Power slot1 | 6.21 | 0 | 10 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Power slot1 | 33.15 | 31 | 35 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 4;4;4;4 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 4;4;4;4 | Power slot1 | 31.95 | 28 | 34 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 5;5;5;5 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 5;5;5;5 | Power slot1 | 30.6 | 26 | 32 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 6;6;6;6 | Power slot1 | 28.74 | 24 | 30 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 7;7;7;7 | Power slot1 | 26.94 | 22 | 28 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 8;8;8;8 | Power slot1 | 24.84 | 20 | 26 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| HVLT | GPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 9;9;9;9 | Power slot1 | 22.68 | 18 | 24 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 10;10;10;10 | Power slot1 | 20.78 | 16 | 22 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 11;11;11;11 | Power slot1 | 18.45 | 14 | 20 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 12;12;12;12 | Power slot1 | 16.37 | 12 | 18 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 13;13;13;13 | Power slot1 | 14.3 | 10 | 16 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 14;14;14;14 | Power slot1 | 12.37 | 6 | 16 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 15;15;15;15 | Power slot1 | 10.26 | 4 | 14 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 16;16;16;16 | Power slot1 | 8.39 | 2 | 12 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Power slot1 | 6.46 | 0 | 10 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Power slot1 | 32.89 | 31 | 35 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 4;4;4;4 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 4;4;4;4 | Power slot1 | 31.11 | 28 | 34 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 5;5;5;5 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 5;5;5;5 | Power slot1 | 29.33 | 26 | 32 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 6;6;6;6 | Power slot1 | 27.57 | 24 | 30 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 7;7;7;7 | Power slot1 | 25.74 | 22 | 28 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 8;8;8;8 | Power slot1 | 23.76 | 20 | 26 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 9;9;9;9 | Power slot1 | 21.55 | 18 | 24 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 10;10;10;10 | Power slot1 | 19.43 | 16 | 22 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 11;11;11;11 | Power slot1 | 17.36 | 14 | 20 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 12;12;12;12 | Power slot1 | 15.15 | 12 | 18 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 13;13;13;13 | Power slot1 | 13.06 | 10 | 16 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 14;14;14;14 | Power slot1 | 11.13 | 6 | 16 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 15;15;15;15 | Power slot1 | 9.05 | 4 | 14 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| LVHT | GPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 16;16;16;16 | Power slot1 | 7.18 | 2 | 12 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Power slot1 | 5.33 | 0 | 10 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Power slot1 | 33.43 | 31 | 35 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 4;4;4;4 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 4;4;4;4 | Power slot1 | 31.73 | 28 | 34 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 5;5;5;5 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 5;5;5;5 | Power slot1 | 30.26 | 26 | 32 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 6;6;6;6 | Power slot1 | 28.32 | 24 | 30 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 7;7;7;7 | Power slot1 | 26.53 | 22 | 28 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 8;8;8;8 | Power slot1 | 24.5 | 20 | 26 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 9;9;9;9 | Power slot1 | 22.41 | 18 | 24 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 10;10;10;10 | Power slot1 | 20.39 | 16 | 22 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 11;11;11;11 | Power slot1 | 18.15 | 14 | 20 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 12;12;12;12 | Power slot1 | 16.16 | 12 | 18 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 13;13;13;13 | Power slot1 | 14.01 | 10 | 16 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 14;14;14;14 | Power slot1 | 12.02 | 6 | 16 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 15;15;15;15 | Power slot1 | 10.15 | 4 | 14 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 16;16;16;16 | Power slot1 | 8.1 | 2 | 12 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Power slot1 | 6.08 | 0 | 10 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Power slot1 | 33.1 | 31 | 35 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 4;4;4;4 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 4;4;4;4 | Power slot1 | 31.87 | 28 | 34 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 5;5;5;5 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 5;5;5;5 | Power slot1 | 30.46 | 26 | 32 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 6;6;6;6 | Power slot1 | 28.8 | 24 | 30 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 7;7;7;7 | Power slot1 | 26.91 | 22 | 28 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| LVHT | GPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 8;8;8;8 | Power slot1 | 24.9 | 20 | 26 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 9;9;9;9 | Power slot1 | 22.72 | 18 | 24 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 10;10;10;10 | Power slot1 | 20.64 | 16 | 22 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 11;11;11;11 | Power slot1 | 18.48 | 14 | 20 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 12;12;12;12 | Power slot1 | 16.31 | 12 | 18 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 13;13;13;13 | Power slot1 | 14.25 | 10 | 16 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 14;14;14;14 | Power slot1 | 12.38 | 6 | 16 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 15;15;15;15 | Power slot1 | 10.27 | 4 | 14 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 16;16;16;16 | Power slot1 | 8.24 | 2 | 12 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Power slot1 | 6.47 | 0 | 10 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Power slot1 | 32.92 | 31 | 35 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 4;4;4;4 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 4;4;4;4 | Power slot1 | 31.15 | 28 | 34 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 5;5;5;5 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 5;5;5;5 | Power slot1 | 29.48 | 26 | 32 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 6;6;6;6 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 6;6;6;6 | Power slot1 | 27.59 | 24 | 30 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 7;7;7;7 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 7;7;7;7 | Power slot1 | 25.65 | 22 | 28 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 8;8;8;8 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 8;8;8;8 | Power slot1 | 23.58 | 20 | 26 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 9;9;9;9 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 9;9;9;9 | Power slot1 | 21.58 | 18 | 24 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 10;10;10;10 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 10;10;10;10 | Power slot1 | 19.5 | 16 | 22 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 11;11;11;11 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 11;11;11;11 | Power slot1 | 17.35 | 14 | 20 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 12;12;12;12 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 12;12;12;12 | Power slot1 | 15.14 | 12 | 18 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 13;13;13;13 | Power slot1 | 13.09 | 10 | 16 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 14;14;14;14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 14;14;14;14 | Power slot1 | 11.11 | 6 | 16 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| LVLT | GPRS900 | 975 | 880.2 | 15;15;15;15 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 15;15;15;15 | Power slot1 | 9.08 | 4 | 14 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 16;16;16;16 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 16;16;16;16 | Power slot1 | 7.02 | 2 | 12 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Power slot1 | 5.19 | 0 | 10 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Power slot1 | 33.43 | 31 | 35 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 4;4;4;4 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 4;4;4;4 | Power slot1 | 31.86 | 28 | 34 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 5;5;5;5 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 5;5;5;5 | Power slot1 | 30.26 | 26 | 32 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 6;6;6;6 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 6;6;6;6 | Power slot1 | 28.37 | 24 | 30 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 7;7;7;7 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 7;7;7;7 | Power slot1 | 26.63 | 22 | 28 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 8;8;8;8 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 8;8;8;8 | Power slot1 | 24.56 | 20 | 26 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 9;9;9;9 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 9;9;9;9 | Power slot1 | 22.41 | 18 | 24 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 10;10;10;10 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 10;10;10;10 | Power slot1 | 20.31 | 16 | 22 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 11;11;11;11 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 11;11;11;11 | Power slot1 | 18.16 | 14 | 20 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 12;12;12;12 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 12;12;12;12 | Power slot1 | 15.98 | 12 | 18 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 13;13;13;13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 13;13;13;13 | Power slot1 | 13.98 | 10 | 16 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 14;14;14;14 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 14;14;14;14 | Power slot1 | 12.1 | 6 | 16 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 15;15;15;15 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 15;15;15;15 | Power slot1 | 10.05 | 4 | 14 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 16;16;16;16 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 16;16;16;16 | Power slot1 | 8.14 | 2 | 12 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Power slot1 | 6.05 | 0 | 10 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Power slot1 | 33.11 | 31 | 35 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 4;4;4;4 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 4;4;4;4 | Power slot1 | 31.98 | 28 | 34 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 5;5;5;5 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 5;5;5;5 | Power slot1 | 30.53 | 26 | 32 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 6;6;6;6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 6;6;6;6 | Power slot1 | 28.65 | 24 | 30 | PASS |

| | | | | | | | | | |
|------|---------|-----|-------|-------------|-------------|-------|----|----|------|
| LVLT | GPRS900 | 124 | 914.8 | 7;7;7;7 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 7;7;7;7 | Power slot1 | 27.06 | 22 | 28 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 8;8;8;8 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 8;8;8;8 | Power slot1 | 24.99 | 20 | 26 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 9;9;9;9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 9;9;9;9 | Power slot1 | 22.74 | 18 | 24 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 10;10;10;10 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 10;10;10;10 | Power slot1 | 20.68 | 16 | 22 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 11;11;11;11 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 11;11;11;11 | Power slot1 | 18.48 | 14 | 20 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 12;12;12;12 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 12;12;12;12 | Power slot1 | 16.39 | 12 | 18 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 13;13;13;13 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 13;13;13;13 | Power slot1 | 14.2 | 10 | 16 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 14;14;14;14 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 14;14;14;14 | Power slot1 | 12.28 | 6 | 16 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 15;15;15;15 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 15;15;15;15 | Power slot1 | 10.33 | 4 | 14 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 16;16;16;16 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 16;16;16;16 | Power slot1 | 8.25 | 2 | 12 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Power slot1 | 6.31 | 0 | 10 | PASS |

Clause 4.2.11 Modulation Spectrum in GPRS multi slot configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Offset (kHz) | Relative Result (dB) | Relative Limit (dB) | Absolute Result (dBm) | Absolute Limit (dBm) | Verdict |
|-----------|----------|---------|-----------------|---------|--------------|----------------------|---------------------|-----------------------|----------------------|---------|
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -79.44 | -60 | -56.54 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1600 | -79.88 | -60 | -57.07 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1400 | -79.24 | -60 | -56.52 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -78.18 | -60 | -55.37 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1000 | -76.83 | -60 | -53.83 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -800 | -74.68 | -60 | -51.75 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -72.46 | -60 | -49.49 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -68.05 | -60 | -45.15 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -250 | -41.28 | -33 | -18.44 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -200 | -36.11 | -30 | -13.33 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -100 | -8.66 | 0.5 | 14.34 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 100 | -8.63 | 0.5 | 14.24 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 200 | -37.05 | -30 | -14.04 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 250 | -40.1 | -33 | -17.32 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -67.99 | -60 | -45.05 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -72.23 | -60 | -49.57 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 800 | -74.7 | -60 | -51.8 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1000 | -76.38 | -60 | -53.54 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -78.32 | -60 | -55.48 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1400 | -78.62 | -60 | -55.85 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1600 | -79.95 | -60 | -57.06 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -80.74 | -60 | -57.79 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.98 | -60 | -81.11 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -73.88 | -60 | -80.03 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.34 | -60 | -79.51 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -72.12 | -60 | -78.41 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -71.68 | -60 | -77.97 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -68.86 | -60 | -75.23 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -67.77 | -60 | -74.01 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -65.08 | -60 | -71.31 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -41.95 | -33 | -48.27 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -35.7 | -30 | -42.08 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -7.76 | 0.5 | -14.12 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -9.92 | 0.5 | -16.17 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -36.9 | -30 | -43.22 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -41.34 | -33 | -47.71 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -65.46 | -60 | -71.82 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -69.7 | -60 | -76.06 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.75 | -60 | -77.98 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -73.4 | -60 | -79.72 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -74.75 | -60 | -81.05 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -75.17 | -60 | -81.54 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -76.72 | -60 | -82.96 | -55 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -76.48 | -60 | -82.88 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -80.07 | -60 | -56.54 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1600 | -80.26 | -60 | -56.52 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1400 | -79.37 | -60 | -55.66 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -78.84 | -60 | -55.24 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1000 | -77.71 | -60 | -53.9 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -800 | -75.07 | -60 | -51.49 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -73.21 | -60 | -49.54 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -67.73 | -60 | -44.09 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -250 | -40.75 | -33 | -16.97 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -200 | -37.3 | -30 | -13.53 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -100 | -9.07 | 0.5 | 14.6 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 100 | -9.24 | 0.5 | 14.47 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 200 | -37.52 | -30 | -13.99 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 250 | -40.5 | -33 | -16.9 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -67.72 | -60 | -44.05 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -72.9 | -60 | -49.4 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 800 | -74.94 | -60 | -51.38 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1000 | -77.83 | -60 | -54.13 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -79.29 | -60 | -55.6 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1400 | -79.59 | -60 | -55.89 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1600 | -80.88 | -60 | -57.16 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -81.02 | -60 | -57.27 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.69 | -60 | -80.79 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -75.12 | -60 | -79.98 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -74.66 | -60 | -79.62 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -74.08 | -60 | -78.93 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.98 | -60 | -77.87 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -71.69 | -60 | -76.57 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.22 | -60 | -74.15 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -65.38 | -60 | -70.27 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.83 | -33 | -46.76 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -36.46 | -30 | -41.33 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.7 | 0.5 | -13.51 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -9.33 | 0.5 | -14.27 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -37.22 | -30 | -42.02 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -41.25 | -33 | -46.25 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.34 | -60 | -71.24 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -70.59 | -60 | -75.45 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -73.06 | -60 | -78.08 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -75.34 | -60 | -80.26 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -75.29 | -60 | -80.41 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -76.85 | -60 | -81.82 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -78.28 | -60 | -83.27 | -55 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -78.43 | -60 | -83.49 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -80.94 | -60 | -57.11 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1600 | -80.66 | -60 | -56.84 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1400 | -79.14 | -60 | -55.47 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -78.91 | -60 | -55.22 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1000 | -77.15 | -60 | -53.44 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -800 | -75.04 | -60 | -51.37 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -72.79 | -60 | -49.02 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -67.17 | -60 | -43.37 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -250 | -41.33 | -33 | -17.38 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -200 | -37 | -30 | -13.34 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -100 | -9.76 | 0.5 | 14.03 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 100 | -8.25 | 0.5 | 15.64 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 200 | -37.22 | -30 | -13.46 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 250 | -40.96 | -33 | -17.29 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -67.57 | -60 | -43.8 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -73.01 | -60 | -49.11 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 800 | -76.3 | -60 | -52.44 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1000 | -77.82 | -60 | -54.02 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -78.02 | -60 | -54.19 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1400 | -79.18 | -60 | -55.35 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1600 | -80.22 | -60 | -56.39 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -80.54 | -60 | -56.91 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -76.88 | -60 | -81.79 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -75.88 | -60 | -80.62 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -75.52 | -60 | -80.38 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.43 | -60 | -78.32 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.64 | -60 | -77.45 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.4 | -60 | -76.22 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -68.77 | -60 | -73.49 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.01 | -60 | -69.98 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -41.96 | -33 | -46.74 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -37.28 | -30 | -42 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -9.34 | 0.5 | -14.07 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -10.51 | 0.5 | -15.34 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.23 | -30 | -43.05 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -42.19 | -33 | -46.99 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.68 | -60 | -70.39 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -70.31 | -60 | -75.1 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -72.14 | -60 | -76.94 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -74.6 | -60 | -79.48 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -76.15 | -60 | -81.02 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -76.22 | -60 | -81.13 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -78.25 | -60 | -82.98 | -55 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -78.65 | -60 | -83.39 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -79.34 | -60 | -56.54 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1600 | -79.86 | -60 | -57.03 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1400 | -79.21 | -60 | -56.4 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -78.11 | -60 | -55.23 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1000 | -76.77 | -60 | -53.86 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -800 | -74.61 | -60 | -51.79 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -72.37 | -60 | -49.66 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -68.13 | -60 | -45.31 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -250 | -41.22 | -33 | -18.38 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -200 | -36.18 | -30 | -13.36 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -100 | -8.63 | 0.5 | 14.27 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 100 | -8.72 | 0.5 | 14.28 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 200 | -36.94 | -30 | -14.09 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 250 | -40.04 | -33 | -17.32 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -67.88 | -60 | -45.09 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -72.34 | -60 | -49.49 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 800 | -74.66 | -60 | -51.72 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1000 | -76.44 | -60 | -53.5 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -78.22 | -60 | -55.39 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1400 | -78.6 | -60 | -55.8 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1600 | -80.02 | -60 | -57.19 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -80.71 | -60 | -57.78 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.86 | -60 | -81.21 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -73.76 | -60 | -80.01 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.33 | -60 | -79.69 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -72.04 | -60 | -78.28 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -71.65 | -60 | -77.91 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -68.9 | -60 | -75.26 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -67.68 | -60 | -74.03 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -65.16 | -60 | -71.43 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -41.89 | -33 | -48.21 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -35.86 | -30 | -41.98 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -7.89 | 0.5 | -14.13 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -9.99 | 0.5 | -16.15 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -36.81 | -30 | -43.14 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -41.41 | -33 | -47.73 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -65.43 | -60 | -71.74 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -69.66 | -60 | -75.91 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.65 | -60 | -78.09 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -73.49 | -60 | -79.7 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -74.93 | -60 | -81.2 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -75.18 | -60 | -81.46 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -76.65 | -60 | -82.99 | -55 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -76.43 | -60 | -82.71 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -80.15 | -60 | -56.37 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1600 | -80.31 | -60 | -56.6 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1400 | -79.39 | -60 | -55.72 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -78.85 | -60 | -55.17 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1000 | -77.67 | -60 | -53.98 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -800 | -75.13 | -60 | -51.55 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -73.23 | -60 | -49.43 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -67.6 | -60 | -43.96 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -250 | -40.65 | -33 | -17.06 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -200 | -37.21 | -30 | -13.59 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -100 | -9.04 | 0.5 | 14.61 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 100 | -9.17 | 0.5 | 14.47 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 200 | -37.65 | -30 | -13.88 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 250 | -40.64 | -33 | -16.88 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -67.64 | -60 | -44.09 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -72.87 | -60 | -49.3 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 800 | -75 | -60 | -51.41 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1000 | -77.74 | -60 | -54.01 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -79.36 | -60 | -55.59 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1400 | -79.58 | -60 | -56 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1600 | -80.98 | -60 | -57.19 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -80.9 | -60 | -57.3 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.73 | -60 | -80.62 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -75.08 | -60 | -80.07 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -74.74 | -60 | -79.57 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -74.11 | -60 | -78.96 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.91 | -60 | -77.96 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -71.76 | -60 | -76.66 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.13 | -60 | -74 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -65.33 | -60 | -70.2 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.75 | -33 | -46.78 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -36.47 | -30 | -41.26 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.61 | 0.5 | -13.47 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -9.34 | 0.5 | -14.26 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -37.2 | -30 | -42.01 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -41.25 | -33 | -46.16 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.23 | -60 | -71.24 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -70.55 | -60 | -75.58 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -73.17 | -60 | -77.99 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -75.3 | -60 | -80.36 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -75.42 | -60 | -80.25 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -76.96 | -60 | -81.8 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -78.3 | -60 | -83.2 | -55 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -78.4 | -60 | -83.47 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -80.91 | -60 | -57.12 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1600 | -80.64 | -60 | -56.86 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1400 | -79.18 | -60 | -55.33 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -78.89 | -60 | -55.3 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1000 | -77.18 | -60 | -53.4 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -800 | -75.15 | -60 | -51.24 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -72.82 | -60 | -48.99 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -67.08 | -60 | -43.46 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -250 | -41.28 | -33 | -17.49 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -200 | -36.95 | -30 | -13.26 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -100 | -9.68 | 0.5 | 13.9 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 100 | -8.24 | 0.5 | 15.63 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 200 | -37.31 | -30 | -13.51 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 250 | -40.96 | -33 | -17.17 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -67.48 | -60 | -43.83 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -72.92 | -60 | -49.28 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 800 | -76.3 | -60 | -52.46 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1000 | -77.84 | -60 | -54.19 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -78.03 | -60 | -54.37 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1400 | -79.25 | -60 | -55.37 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1600 | -80.24 | -60 | -56.46 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -80.64 | -60 | -56.85 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -76.87 | -60 | -81.67 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -75.76 | -60 | -80.59 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -75.45 | -60 | -80.4 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.45 | -60 | -78.22 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.62 | -60 | -77.49 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.45 | -60 | -76.27 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -68.8 | -60 | -73.46 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.13 | -60 | -69.96 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -42.03 | -33 | -46.85 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -37.24 | -30 | -42.01 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -9.2 | 0.5 | -14.01 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -10.59 | 0.5 | -15.34 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.19 | -30 | -42.99 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -42.07 | -33 | -46.96 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.71 | -60 | -70.51 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -70.42 | -60 | -75.16 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -72.16 | -60 | -76.98 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -74.61 | -60 | -79.49 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -76.13 | -60 | -81.05 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -76.16 | -60 | -81.02 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -78.26 | -60 | -82.98 | -55 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -78.63 | -60 | -83.35 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -79.49 | -60 | -56.6 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1600 | -79.97 | -60 | -57.09 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1400 | -79.23 | -60 | -56.33 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -78.08 | -60 | -55.34 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1000 | -76.81 | -60 | -53.86 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -800 | -74.69 | -60 | -51.92 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -72.47 | -60 | -49.58 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -68 | -60 | -45.2 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -250 | -41.2 | -33 | -18.42 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -200 | -36.17 | -30 | -13.29 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -100 | -8.65 | 0.5 | 14.34 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 100 | -8.69 | 0.5 | 14.17 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 200 | -37.04 | -30 | -14.15 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 250 | -40.08 | -33 | -17.36 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -68.03 | -60 | -45.05 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -72.28 | -60 | -49.44 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 800 | -74.77 | -60 | -51.76 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1000 | -76.36 | -60 | -53.59 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -78.25 | -60 | -55.45 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1400 | -78.67 | -60 | -55.79 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1600 | -80.02 | -60 | -57.22 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -80.71 | -60 | -57.93 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.96 | -60 | -81.22 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -73.71 | -60 | -79.97 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.34 | -60 | -79.51 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -71.98 | -60 | -78.43 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -71.68 | -60 | -77.92 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -68.98 | -60 | -75.29 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -67.76 | -60 | -74.03 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -65.12 | -60 | -71.4 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -41.97 | -33 | -48.13 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -35.82 | -30 | -42.06 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -7.75 | 0.5 | -14.05 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -10.02 | 0.5 | -16.22 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -36.8 | -30 | -43.13 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -41.47 | -33 | -47.66 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -65.59 | -60 | -71.73 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -69.8 | -60 | -75.9 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.77 | -60 | -78.11 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -73.5 | -60 | -79.6 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -74.83 | -60 | -81.09 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -75.22 | -60 | -81.58 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -76.67 | -60 | -82.99 | -55 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -76.56 | -60 | -82.81 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -80.11 | -60 | -56.47 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1600 | -80.31 | -60 | -56.64 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1400 | -79.29 | -60 | -55.83 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -78.97 | -60 | -55.25 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1000 | -77.54 | -60 | -53.9 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -800 | -75.22 | -60 | -51.54 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -73.21 | -60 | -49.52 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -67.77 | -60 | -43.98 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -250 | -40.62 | -33 | -17.07 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -200 | -37.19 | -30 | -13.63 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -100 | -9.12 | 0.5 | 14.52 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 100 | -9.07 | 0.5 | 14.6 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 200 | -37.64 | -30 | -13.94 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 250 | -40.5 | -33 | -16.88 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -67.73 | -60 | -44.13 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -72.92 | -60 | -49.36 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 800 | -75 | -60 | -51.35 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1000 | -77.84 | -60 | -54.11 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -79.34 | -60 | -55.62 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1400 | -79.61 | -60 | -56.06 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1600 | -80.85 | -60 | -57.24 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -81.02 | -60 | -57.3 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.86 | -60 | -80.64 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -75.01 | -60 | -80.08 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -74.67 | -60 | -79.58 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -74.05 | -60 | -78.97 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.92 | -60 | -77.85 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -71.58 | -60 | -76.72 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.12 | -60 | -74.14 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -65.38 | -60 | -70.24 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.79 | -33 | -46.71 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -36.47 | -30 | -41.28 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.67 | 0.5 | -13.5 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -9.32 | 0.5 | -14.3 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -37.19 | -30 | -42.08 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -41.29 | -33 | -46.11 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.22 | -60 | -71.16 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -70.52 | -60 | -75.41 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -73.14 | -60 | -78.09 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -75.23 | -60 | -80.33 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -75.35 | -60 | -80.31 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -77.02 | -60 | -81.87 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -78.19 | -60 | -83.25 | -55 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -78.45 | -60 | -83.37 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -80.83 | -60 | -57.17 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1600 | -80.54 | -60 | -56.9 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1400 | -79.15 | -60 | -55.32 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -78.91 | -60 | -55.25 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1000 | -77.23 | -60 | -53.49 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -800 | -75.09 | -60 | -51.35 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -72.86 | -60 | -49.08 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -67.1 | -60 | -43.31 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -250 | -41.24 | -33 | -17.49 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -200 | -36.96 | -30 | -13.35 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -100 | -9.81 | 0.5 | 13.91 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 100 | -8.12 | 0.5 | 15.54 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 200 | -37.32 | -30 | -13.4 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 250 | -41.07 | -33 | -17.15 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -67.54 | -60 | -43.75 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -73.05 | -60 | -49.29 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 800 | -76.27 | -60 | -52.54 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1000 | -77.96 | -60 | -54.14 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -78.01 | -60 | -54.18 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1400 | -79.22 | -60 | -55.38 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1600 | -80.14 | -60 | -56.48 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -80.61 | -60 | -56.93 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -77.03 | -60 | -81.7 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -75.88 | -60 | -80.63 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -75.5 | -60 | -80.41 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.56 | -60 | -78.32 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.66 | -60 | -77.45 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.43 | -60 | -76.19 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -68.76 | -60 | -73.47 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.16 | -60 | -69.85 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -41.9 | -33 | -46.88 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -37.13 | -30 | -41.94 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -9.36 | 0.5 | -14.14 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -10.52 | 0.5 | -15.5 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.35 | -30 | -43.07 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -42.15 | -33 | -46.92 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.74 | -60 | -70.52 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -70.41 | -60 | -75.06 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -72.19 | -60 | -76.98 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -74.74 | -60 | -79.47 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -76.09 | -60 | -80.92 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -76.3 | -60 | -81.07 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -78.28 | -60 | -83.02 | -55 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -78.6 | -60 | -83.36 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -79.44 | -60 | -56.5 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1600 | -79.94 | -60 | -57.05 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1400 | -79.29 | -60 | -56.37 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -78.24 | -60 | -55.3 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1000 | -76.71 | -60 | -53.83 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -800 | -74.7 | -60 | -51.86 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -72.35 | -60 | -49.66 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -68.17 | -60 | -45.14 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -250 | -41.35 | -33 | -18.44 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -200 | -36.2 | -30 | -13.27 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -100 | -8.54 | 0.5 | 14.23 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 100 | -8.64 | 0.5 | 14.19 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 200 | -37.07 | -30 | -14.15 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 250 | -40.03 | -33 | -17.32 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -68.01 | -60 | -45.19 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -72.35 | -60 | -49.48 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 800 | -74.64 | -60 | -51.87 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1000 | -76.42 | -60 | -53.58 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -78.19 | -60 | -55.38 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1400 | -78.54 | -60 | -55.71 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1600 | -80.05 | -60 | -57.1 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -80.78 | -60 | -57.82 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -74.8 | -60 | -81.12 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1600 | -73.75 | -60 | -80.09 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1400 | -73.41 | -60 | -79.6 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -72.08 | -60 | -78.31 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1000 | -71.74 | -60 | -78 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -800 | -69.05 | -60 | -75.33 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -67.72 | -60 | -74.03 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -65.05 | -60 | -71.45 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -250 | -41.86 | -33 | -48.14 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -200 | -35.81 | -30 | -42.01 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -100 | -7.85 | 0.5 | -14.03 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 100 | -9.88 | 0.5 | -16.18 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 200 | -36.82 | -30 | -43.11 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 250 | -41.46 | -33 | -47.67 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -65.55 | -60 | -71.84 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -69.75 | -60 | -75.9 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 800 | -71.81 | -60 | -77.97 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1000 | -73.43 | -60 | -79.73 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -74.8 | -60 | -81.12 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1400 | -75.3 | -60 | -81.47 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1600 | -76.71 | -60 | -82.98 | -55 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -76.54 | -60 | -82.8 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -80.15 | -60 | -56.49 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1600 | -80.15 | -60 | -56.57 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1400 | -79.3 | -60 | -55.64 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -78.8 | -60 | -55.26 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1000 | -77.64 | -60 | -54.02 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -800 | -75.21 | -60 | -51.4 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -73.05 | -60 | -49.59 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -67.66 | -60 | -44.08 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -250 | -40.71 | -33 | -16.97 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -200 | -37.31 | -30 | -13.57 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -100 | -9.04 | 0.5 | 14.46 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 100 | -9.07 | 0.5 | 14.51 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 200 | -37.5 | -30 | -13.94 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 250 | -40.58 | -33 | -16.94 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -67.66 | -60 | -44.02 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -73.04 | -60 | -49.27 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 800 | -74.99 | -60 | -51.42 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1000 | -77.77 | -60 | -54.11 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -79.29 | -60 | -55.67 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1400 | -79.61 | -60 | -56 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1600 | -80.94 | -60 | -57.18 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -80.93 | -60 | -57.21 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -75.73 | -60 | -80.72 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1600 | -75.09 | -60 | -79.97 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1400 | -74.6 | -60 | -79.56 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -74.06 | -60 | -78.91 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1000 | -72.99 | -60 | -77.89 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -800 | -71.64 | -60 | -76.7 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -69.14 | -60 | -74.08 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -65.24 | -60 | -70.24 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -250 | -41.72 | -33 | -46.67 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -200 | -36.35 | -30 | -41.3 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -100 | -8.68 | 0.5 | -13.58 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 100 | -9.39 | 0.5 | -14.27 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 200 | -37.14 | -30 | -42.18 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 250 | -41.24 | -33 | -46.14 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -66.31 | -60 | -71.14 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -70.57 | -60 | -75.59 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 800 | -73.09 | -60 | -77.98 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1000 | -75.26 | -60 | -80.32 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -75.27 | -60 | -80.29 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1400 | -76.96 | -60 | -81.83 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1600 | -78.27 | -60 | -83.22 | -55 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -78.49 | -60 | -83.33 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -80.83 | -60 | -57.11 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1600 | -80.72 | -60 | -56.91 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1400 | -79.14 | -60 | -55.32 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -78.93 | -60 | -55.17 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1000 | -77.29 | -60 | -53.39 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -800 | -74.99 | -60 | -51.33 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -72.86 | -60 | -48.99 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -67.25 | -60 | -43.34 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -250 | -41.27 | -33 | -17.46 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -200 | -37.02 | -30 | -13.25 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -100 | -9.79 | 0.5 | 14.03 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 100 | -8.16 | 0.5 | 15.61 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 200 | -37.22 | -30 | -13.47 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 250 | -40.95 | -33 | -17.3 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -67.57 | -60 | -43.68 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -72.98 | -60 | -49.14 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 800 | -76.32 | -60 | -52.46 | -55 | PASS |

| | | | | | | | | | | |
|------|----------|-----|--------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1000 | -77.93 | -60 | -54.15 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -78.12 | -60 | -54.31 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1400 | -79.27 | -60 | -55.47 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1600 | -80.31 | -60 | -56.42 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -80.54 | -60 | -56.79 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -77.02 | -60 | -81.74 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1600 | -75.88 | -60 | -80.64 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1400 | -75.53 | -60 | -80.31 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -73.49 | -60 | -78.23 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1000 | -72.57 | -60 | -77.4 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -800 | -71.4 | -60 | -76.11 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -68.67 | -60 | -73.52 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -65.08 | -60 | -69.97 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -250 | -42.02 | -33 | -46.75 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -200 | -37.22 | -30 | -42.07 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -100 | -9.33 | 0.5 | -14.19 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 100 | -10.66 | 0.5 | -15.38 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 200 | -38.29 | -30 | -43.01 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 250 | -42.06 | -33 | -47.01 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -65.67 | -60 | -70.49 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -70.34 | -60 | -75.11 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 800 | -72.14 | -60 | -76.97 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1000 | -74.68 | -60 | -79.52 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -76.16 | -60 | -80.99 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1400 | -76.22 | -60 | -81 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1600 | -78.27 | -60 | -83.03 | -55 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -78.55 | -60 | -83.46 | -55 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -81.98 | -60 | -56.17 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1600 | -82.22 | -60 | -56.41 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1400 | -81.36 | -60 | -55.66 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -79.98 | -60 | -54.22 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1000 | -78.96 | -60 | -53.22 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -800 | -77.85 | -60 | -52.05 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -76 | -60 | -50.16 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -70.72 | -60 | -44.92 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -250 | -41.59 | -33 | -15.65 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -200 | -37 | -30 | -11.18 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -100 | -9.24 | 0.5 | 16.46 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 100 | -8.99 | 0.5 | 16.67 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 200 | -37.69 | -30 | -11.72 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 250 | -41.4 | -33 | -15.69 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -70.8 | -60 | -45.03 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -76.31 | -60 | -50.49 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 800 | -77.78 | -60 | -52.1 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1000 | -78.78 | -60 | -52.91 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -79.66 | -60 | -53.93 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1400 | -80.6 | -60 | -54.84 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1600 | -81.25 | -60 | -55.44 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -82.08 | -60 | -56.2 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -78.41 | -60 | -79.12 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -78.03 | -60 | -78.87 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -76.65 | -60 | -77.43 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -76.31 | -60 | -76.91 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -75.17 | -60 | -76.04 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -73.37 | -60 | -74.28 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -70.67 | -60 | -71.46 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.71 | -60 | -68.47 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -41.12 | -33 | -41.91 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -37.25 | -30 | -38.05 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -11.01 | 0.5 | -11.78 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -9.39 | 0.5 | -10.31 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -37.16 | -30 | -37.94 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.68 | -33 | -42.35 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -68.02 | -60 | -68.78 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -71.17 | -60 | -71.97 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -73.14 | -60 | -73.89 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -75.2 | -60 | -76.02 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -76.34 | -60 | -77.29 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -77.48 | -60 | -78.15 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -78.43 | -60 | -79.24 | -51 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -78.24 | -60 | -79.04 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -80.4 | -60 | -55.57 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1600 | -81.93 | -60 | -57.1 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1400 | -80.41 | -60 | -55.58 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -79.46 | -60 | -54.68 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1000 | -77.93 | -60 | -53.03 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -800 | -76.75 | -60 | -51.83 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -75.94 | -60 | -51.04 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -70.63 | -60 | -45.89 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -250 | -41.16 | -33 | -16.24 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -200 | -36.7 | -30 | -11.88 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -100 | -8.6 | 0.5 | 16.15 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 100 | -7.72 | 0.5 | 17.18 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 200 | -36.01 | -30 | -11.15 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 250 | -41.77 | -33 | -17.03 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -69.96 | -60 | -45 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -74.84 | -60 | -49.99 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 800 | -76.8 | -60 | -52.03 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1000 | -77.8 | -60 | -52.99 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -79.13 | -60 | -54.28 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1400 | -80.21 | -60 | -55.43 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1600 | -80.63 | -60 | -55.83 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -81.71 | -60 | -56.87 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -78.23 | -60 | -79.57 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -77.16 | -60 | -78.4 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -76.58 | -60 | -77.69 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.76 | -60 | -77.04 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.4 | -60 | -75.61 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -72.29 | -60 | -73.62 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -70.81 | -60 | -71.91 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -66.69 | -60 | -67.98 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -41.18 | -33 | -42.25 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -36.93 | -30 | -38.09 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -9.23 | 0.5 | -10.35 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -9.09 | 0.5 | -10.48 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -37.22 | -30 | -38.62 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -41.41 | -33 | -42.65 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -67.48 | -60 | -68.78 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.15 | -60 | -72.3 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -72.51 | -60 | -73.72 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.52 | -60 | -75.77 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -75.67 | -60 | -76.88 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -75.99 | -60 | -77.31 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -77.91 | -60 | -79.06 | -51 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -78.23 | -60 | -79.44 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -81.04 | -60 | -55.7 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1600 | -81.86 | -60 | -56.59 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1400 | -80.78 | -60 | -55.43 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -79.44 | -60 | -54.07 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1000 | -79.05 | -60 | -53.75 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -800 | -78.24 | -60 | -52.87 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -76.81 | -60 | -51.51 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -69.81 | -60 | -44.44 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -250 | -40.95 | -33 | -15.68 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -200 | -37.15 | -30 | -11.81 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -100 | -8.32 | 0.5 | 16.93 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 100 | -8.8 | 0.5 | 16.51 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 200 | -37.05 | -30 | -11.72 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 250 | -41.2 | -33 | -15.88 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -70.56 | -60 | -45.17 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -76.63 | -60 | -51.27 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 800 | -78.01 | -60 | -52.81 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1000 | -79.82 | -60 | -54.51 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -80.41 | -60 | -55.16 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1400 | -80.72 | -60 | -55.53 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1600 | -81.53 | -60 | -56.26 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -80.76 | -60 | -55.51 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -77.24 | -60 | -79.23 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -77.29 | -60 | -79.12 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.58 | -60 | -78.47 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -75.03 | -60 | -76.87 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -73.62 | -60 | -75.63 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -72.39 | -60 | -74.22 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -70.75 | -60 | -72.64 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -66.76 | -60 | -68.59 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -40.79 | -33 | -42.54 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -37.05 | -30 | -38.97 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -9.62 | 0.5 | -11.6 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.72 | 0.5 | -10.66 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -36.58 | -30 | -38.45 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -41.35 | -33 | -43.31 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -66.56 | -60 | -68.48 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -71.43 | -60 | -73.43 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -72.16 | -60 | -73.97 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -75.31 | -60 | -77.1 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -75.43 | -60 | -77.27 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -75.89 | -60 | -77.65 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.7 | -60 | -78.56 | -51 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.03 | -60 | -78.98 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -82.06 | -60 | -56.21 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1600 | -82.28 | -60 | -56.53 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1400 | -81.31 | -60 | -55.59 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -79.94 | -60 | -54.1 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1000 | -79.01 | -60 | -53.27 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -800 | -77.84 | -60 | -52.04 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -76.04 | -60 | -50.2 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -70.75 | -60 | -45.09 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -250 | -41.59 | -33 | -15.71 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -200 | -37.01 | -30 | -11.14 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -100 | -9.32 | 0.5 | 16.54 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 100 | -8.96 | 0.5 | 16.84 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 200 | -37.69 | -30 | -11.79 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 250 | -41.48 | -33 | -15.57 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -70.81 | -60 | -45.15 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -76.24 | -60 | -50.51 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 800 | -77.95 | -60 | -52.02 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1000 | -78.88 | -60 | -52.91 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -79.7 | -60 | -53.97 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1400 | -80.56 | -60 | -54.81 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1600 | -81.27 | -60 | -55.48 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -81.96 | -60 | -56.3 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -78.3 | -60 | -79.03 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -78.03 | -60 | -78.84 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -76.56 | -60 | -77.43 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -76.25 | -60 | -76.95 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -75.17 | -60 | -75.97 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -73.49 | -60 | -74.25 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -70.73 | -60 | -71.5 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.64 | -60 | -68.56 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -41.16 | -33 | -41.79 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -37.32 | -30 | -37.98 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -10.93 | 0.5 | -11.75 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -9.41 | 0.5 | -10.23 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -37.1 | -30 | -37.78 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.6 | -33 | -42.3 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -67.93 | -60 | -68.81 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -71.31 | -60 | -72 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -72.99 | -60 | -73.75 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -75.33 | -60 | -76.1 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -76.41 | -60 | -77.21 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -77.44 | -60 | -78.16 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -78.42 | -60 | -79.32 | -51 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -78.25 | -60 | -79.08 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -80.41 | -60 | -55.51 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1600 | -81.87 | -60 | -57.09 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1400 | -80.53 | -60 | -55.66 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -79.59 | -60 | -54.62 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1000 | -77.91 | -60 | -53.18 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -800 | -76.73 | -60 | -51.95 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -76.04 | -60 | -51.12 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -70.67 | -60 | -45.77 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -250 | -41.03 | -33 | -16.23 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -200 | -36.64 | -30 | -11.85 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -100 | -8.59 | 0.5 | 16.27 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 100 | -7.65 | 0.5 | 17.18 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 200 | -36.12 | -30 | -11.19 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 250 | -41.79 | -33 | -16.96 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -69.88 | -60 | -45.05 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -74.78 | -60 | -50.03 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 800 | -76.76 | -60 | -52 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1000 | -77.92 | -60 | -52.98 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -79.23 | -60 | -54.41 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1400 | -80.24 | -60 | -55.46 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1600 | -80.53 | -60 | -55.83 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -81.57 | -60 | -56.76 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -78.32 | -60 | -79.58 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -77.14 | -60 | -78.38 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -76.65 | -60 | -77.77 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.69 | -60 | -77.03 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.55 | -60 | -75.65 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -72.33 | -60 | -73.54 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -70.83 | -60 | -71.85 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -66.78 | -60 | -67.86 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -41.03 | -33 | -42.25 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -36.94 | -30 | -38.21 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -9.24 | 0.5 | -10.29 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -9.26 | 0.5 | -10.4 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -37.38 | -30 | -38.47 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -41.38 | -33 | -42.59 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -67.44 | -60 | -68.69 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.01 | -60 | -72.29 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -72.54 | -60 | -73.75 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.63 | -60 | -75.66 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -75.73 | -60 | -76.91 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -76.04 | -60 | -77.15 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -77.83 | -60 | -79.02 | -51 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -78.32 | -60 | -79.56 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -80.97 | -60 | -55.7 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1600 | -81.83 | -60 | -56.56 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1400 | -80.83 | -60 | -55.38 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -79.42 | -60 | -54.17 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1000 | -79.04 | -60 | -53.68 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -800 | -78.11 | -60 | -52.81 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -76.86 | -60 | -51.37 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -69.84 | -60 | -44.47 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -250 | -41.06 | -33 | -15.66 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -200 | -37.18 | -30 | -11.84 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -100 | -8.29 | 0.5 | 16.87 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 100 | -8.68 | 0.5 | 16.53 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 200 | -36.88 | -30 | -11.72 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 250 | -41.22 | -33 | -15.9 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -70.51 | -60 | -45.14 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -76.62 | -60 | -51.33 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 800 | -78.06 | -60 | -52.67 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1000 | -79.81 | -60 | -54.47 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -80.48 | -60 | -55.17 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1400 | -80.82 | -60 | -55.34 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1600 | -81.67 | -60 | -56.23 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -80.76 | -60 | -55.4 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -77.4 | -60 | -79.2 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -77.14 | -60 | -79.12 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.58 | -60 | -78.49 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -74.97 | -60 | -77.01 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -73.74 | -60 | -75.48 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -72.33 | -60 | -74.09 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -70.66 | -60 | -72.64 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -66.7 | -60 | -68.64 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -40.72 | -33 | -42.49 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -36.99 | -30 | -38.99 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -9.75 | 0.5 | -11.62 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.62 | 0.5 | -10.66 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -36.65 | -30 | -38.52 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -41.51 | -33 | -43.41 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -66.64 | -60 | -68.49 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -71.53 | -60 | -73.43 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -72.21 | -60 | -73.97 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -75.33 | -60 | -77.16 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -75.37 | -60 | -77.29 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -75.92 | -60 | -77.79 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.73 | -60 | -78.62 | -51 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.17 | -60 | -78.97 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -82.04 | -60 | -56.18 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1600 | -82.21 | -60 | -56.45 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1400 | -81.3 | -60 | -55.54 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -79.95 | -60 | -54.17 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1000 | -79.13 | -60 | -53.33 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -800 | -77.89 | -60 | -52.03 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -76.04 | -60 | -50.13 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -70.89 | -60 | -45.1 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -250 | -41.57 | -33 | -15.77 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -200 | -37.09 | -30 | -11.21 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -100 | -9.23 | 0.5 | 16.61 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 100 | -9.12 | 0.5 | 16.77 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 200 | -37.68 | -30 | -11.88 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 250 | -41.39 | -33 | -15.7 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -70.85 | -60 | -45.06 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -76.22 | -60 | -50.47 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 800 | -77.87 | -60 | -52.02 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1000 | -78.8 | -60 | -53.02 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -79.74 | -60 | -53.88 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1400 | -80.55 | -60 | -54.87 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1600 | -81.27 | -60 | -55.62 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -82.01 | -60 | -56.11 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -78.29 | -60 | -79.02 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -78.17 | -60 | -78.88 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -76.68 | -60 | -77.38 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -76.24 | -60 | -77.06 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -75.29 | -60 | -76.05 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -73.47 | -60 | -74.29 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -70.74 | -60 | -71.55 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.76 | -60 | -68.45 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -41 | -33 | -41.87 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -37.16 | -30 | -37.99 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -11.01 | 0.5 | -11.64 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -9.47 | 0.5 | -10.24 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -37.12 | -30 | -37.81 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.58 | -33 | -42.38 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -67.99 | -60 | -68.83 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -71.19 | -60 | -71.97 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -73.06 | -60 | -73.91 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -75.21 | -60 | -76.1 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -76.36 | -60 | -77.27 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -77.45 | -60 | -78.25 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -78.53 | -60 | -79.2 | -51 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -78.29 | -60 | -78.93 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -80.43 | -60 | -55.58 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1600 | -81.96 | -60 | -57.08 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1400 | -80.51 | -60 | -55.55 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -79.6 | -60 | -54.73 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1000 | -78.01 | -60 | -53.03 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -800 | -76.66 | -60 | -51.85 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -75.96 | -60 | -51.06 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -70.69 | -60 | -45.86 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -250 | -41 | -33 | -16.15 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -200 | -36.68 | -30 | -11.95 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -100 | -8.58 | 0.5 | 16.26 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 100 | -7.62 | 0.5 | 17.12 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 200 | -36.08 | -30 | -11.11 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 250 | -41.73 | -33 | -16.94 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -69.95 | -60 | -45.01 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -74.88 | -60 | -50.03 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 800 | -76.81 | -60 | -52.02 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1000 | -77.91 | -60 | -52.94 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -79.17 | -60 | -54.39 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1400 | -80.33 | -60 | -55.43 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1600 | -80.53 | -60 | -55.8 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -81.64 | -60 | -56.79 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -78.34 | -60 | -79.57 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -77.03 | -60 | -78.4 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -76.5 | -60 | -77.69 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.81 | -60 | -77.02 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.39 | -60 | -75.79 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -72.39 | -60 | -73.55 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -70.72 | -60 | -71.88 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -66.61 | -60 | -67.91 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -41.19 | -33 | -42.29 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -36.98 | -30 | -38.16 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -9.18 | 0.5 | -10.42 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -9.11 | 0.5 | -10.31 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -37.32 | -30 | -38.54 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -41.34 | -33 | -42.58 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -67.47 | -60 | -68.76 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.11 | -60 | -72.31 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -72.67 | -60 | -73.9 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.47 | -60 | -75.84 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -75.77 | -60 | -76.84 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -75.97 | -60 | -77.3 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -77.87 | -60 | -79.13 | -51 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -78.28 | -60 | -79.46 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -81.12 | -60 | -55.68 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1600 | -81.89 | -60 | -56.46 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1400 | -80.78 | -60 | -55.41 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -79.43 | -60 | -54.14 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1000 | -79.17 | -60 | -53.81 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -800 | -78.21 | -60 | -52.9 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -76.8 | -60 | -51.35 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -69.71 | -60 | -44.45 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -250 | -41.03 | -33 | -15.59 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -200 | -37.15 | -30 | -11.82 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -100 | -8.34 | 0.5 | 17.03 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 100 | -8.76 | 0.5 | 16.58 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 200 | -36.87 | -30 | -11.57 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 250 | -41.23 | -33 | -15.93 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -70.41 | -60 | -45.23 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -76.74 | -60 | -51.36 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 800 | -78.04 | -60 | -52.81 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1000 | -79.76 | -60 | -54.44 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -80.5 | -60 | -55.02 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1400 | -80.85 | -60 | -55.53 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1600 | -81.52 | -60 | -56.35 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -80.85 | -60 | -55.4 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -77.26 | -60 | -79.15 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -77.18 | -60 | -79.18 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.64 | -60 | -78.45 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -74.95 | -60 | -76.92 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -73.68 | -60 | -75.47 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -72.39 | -60 | -74.21 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -70.77 | -60 | -72.54 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -66.6 | -60 | -68.55 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -40.74 | -33 | -42.67 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -37.06 | -30 | -38.83 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -9.77 | 0.5 | -11.48 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.73 | 0.5 | -10.65 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -36.68 | -30 | -38.42 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -41.47 | -33 | -43.32 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -66.54 | -60 | -68.48 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -71.45 | -60 | -73.36 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -72.16 | -60 | -74.04 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -75.23 | -60 | -77.2 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -75.39 | -60 | -77.24 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -75.88 | -60 | -77.73 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.84 | -60 | -78.62 | -51 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.06 | -60 | -78.96 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -82.03 | -60 | -56.16 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1600 | -82.18 | -60 | -56.53 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1400 | -81.37 | -60 | -55.59 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -80.05 | -60 | -54.15 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1000 | -79.15 | -60 | -53.18 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -800 | -77.92 | -60 | -52.19 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -76.04 | -60 | -50.18 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -70.88 | -60 | -44.97 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -250 | -41.5 | -33 | -15.72 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -200 | -36.96 | -30 | -11.27 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -100 | -9.29 | 0.5 | 16.6 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 100 | -9.13 | 0.5 | 16.74 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 200 | -37.61 | -30 | -11.75 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 250 | -41.37 | -33 | -15.71 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -70.92 | -60 | -45.16 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -76.23 | -60 | -50.52 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 800 | -77.83 | -60 | -52.07 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1000 | -78.71 | -60 | -52.94 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -79.73 | -60 | -53.99 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1400 | -80.5 | -60 | -54.78 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1600 | -81.34 | -60 | -55.58 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -81.98 | -60 | -56.27 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -78.25 | -60 | -79.16 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1600 | -78.06 | -60 | -78.93 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1400 | -76.57 | -60 | -77.39 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -76.17 | -60 | -76.91 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1000 | -75.21 | -60 | -75.99 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -800 | -73.48 | -60 | -74.28 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -70.71 | -60 | -71.5 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -67.72 | -60 | -68.45 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -250 | -41.08 | -33 | -41.76 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -200 | -37.27 | -30 | -38.11 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -100 | -11.05 | 0.5 | -11.81 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 100 | -9.48 | 0.5 | -10.19 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 200 | -37.05 | -30 | -37.87 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 250 | -41.66 | -33 | -42.39 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -67.99 | -60 | -68.8 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -71.18 | -60 | -72.08 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 800 | -73.1 | -60 | -73.75 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1000 | -75.28 | -60 | -76.09 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -76.34 | -60 | -77.21 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1400 | -77.38 | -60 | -78.11 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1600 | -78.5 | -60 | -79.15 | -51 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -78.23 | -60 | -78.94 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -80.46 | -60 | -55.51 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1600 | -81.92 | -60 | -56.93 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1400 | -80.47 | -60 | -55.7 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -79.64 | -60 | -54.72 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1000 | -77.86 | -60 | -53.07 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -800 | -76.78 | -60 | -51.83 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -75.9 | -60 | -51.2 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -70.6 | -60 | -45.88 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -250 | -41.14 | -33 | -16.27 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -200 | -36.74 | -30 | -11.9 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -100 | -8.54 | 0.5 | 16.15 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 100 | -7.76 | 0.5 | 17.2 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 200 | -35.96 | -30 | -11.28 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 250 | -41.75 | -33 | -16.88 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -69.91 | -60 | -45.05 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -74.83 | -60 | -50.12 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 800 | -76.85 | -60 | -52.01 | -51 | PASS |

| | | | | | | | | | | |
|------|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1000 | -77.82 | -60 | -52.94 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -79.28 | -60 | -54.43 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1400 | -80.18 | -60 | -55.48 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1600 | -80.66 | -60 | -55.79 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -81.69 | -60 | -56.78 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -78.26 | -60 | -79.46 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1600 | -77.08 | -60 | -78.24 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1400 | -76.52 | -60 | -77.8 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -75.73 | -60 | -77.08 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1000 | -74.48 | -60 | -75.77 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -800 | -72.25 | -60 | -73.47 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -70.71 | -60 | -71.92 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -66.77 | -60 | -67.9 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -250 | -41.11 | -33 | -42.38 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -200 | -37.02 | -30 | -38.16 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -100 | -9.08 | 0.5 | -10.45 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 100 | -9.24 | 0.5 | -10.46 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 200 | -37.35 | -30 | -38.44 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 250 | -41.44 | -33 | -42.67 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -67.53 | -60 | -68.76 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -71.13 | -60 | -72.28 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 800 | -72.53 | -60 | -73.84 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1000 | -74.46 | -60 | -75.82 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -75.69 | -60 | -76.82 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1400 | -76.09 | -60 | -77.34 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1600 | -77.78 | -60 | -79.01 | -51 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -78.29 | -60 | -79.52 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -81.05 | -60 | -55.67 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1600 | -81.9 | -60 | -56.54 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1400 | -80.85 | -60 | -55.48 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -79.36 | -60 | -54.18 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1000 | -79.12 | -60 | -53.66 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -800 | -78.1 | -60 | -52.8 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -76.76 | -60 | -51.45 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -69.72 | -60 | -44.36 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -250 | -41.03 | -33 | -15.63 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -200 | -37.15 | -30 | -11.9 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -100 | -8.3 | 0.5 | 16.94 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 100 | -8.83 | 0.5 | 16.54 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 200 | -36.91 | -30 | -11.56 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 250 | -41.31 | -33 | -15.87 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -70.38 | -60 | -45.23 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -76.62 | -60 | -51.38 | -51 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 800 | -78.05 | -60 | -52.68 | -51 | PASS |

| | | | | | | | | | | |
|-----|---------|-----|-------|-------------|-------|--------|-----|--------|-----|------|
| LVL | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1000 | -79.78 | -60 | -54.48 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -80.39 | -60 | -55.05 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1400 | -80.68 | -60 | -55.53 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1600 | -81.59 | -60 | -56.34 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -80.86 | -60 | -55.42 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -77.31 | -60 | -79.25 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1600 | -77.2 | -60 | -79 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1400 | -76.62 | -60 | -78.45 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -74.98 | -60 | -77 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1000 | -73.76 | -60 | -75.59 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -800 | -72.29 | -60 | -74.25 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -70.69 | -60 | -72.71 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -66.65 | -60 | -68.62 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -250 | -40.73 | -33 | -42.67 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -200 | -37.13 | -30 | -38.98 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | -100 | -9.73 | 0.5 | -11.55 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 100 | -8.62 | 0.5 | -10.54 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 200 | -36.56 | -30 | -38.58 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 250 | -41.5 | -33 | -43.3 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -66.54 | -60 | -68.48 | -36 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -71.46 | -60 | -73.34 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 800 | -72.24 | -60 | -74.09 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1000 | -75.21 | -60 | -77.15 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -75.36 | -60 | -77.3 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1400 | -75.85 | -60 | -77.7 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1600 | -76.8 | -60 | -78.62 | -51 | PASS |
| LVL | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -77.21 | -60 | -79.05 | -51 | PASS |

Clause 4.2.11 Switching Spectrum in GPRS multi slot configuration

| Condition | Band | Channel | Frequency (MHz) | Gamma | Offset (kHz) | Result (dBm) | Limit (dBm) | Verdict |
|-----------|----------|---------|-----------------|-------------|--------------|--------------|-------------|---------|
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Ref Power | 31.06 | | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -47.87 | -25.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -44.56 | -22.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -38.62 | -22.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -29.75 | -20.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -30.6 | -20.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -33.28 | -22.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -42.34 | -22.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -48.06 | -25.74 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 2.01 | | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -69.82 | -36 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -58.8 | -32 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -47.98 | -26 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -40.5 | -23 | PASS |

| | | | | | | | | |
|------|----------|-----|--------|-------------|-----------|--------|--------|------|
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -37.64 | -23 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -42.98 | -26 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -55.9 | -32 | PASS |
| HVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -69.56 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Ref Power | 31.44 | | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -45.77 | -25.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -43.35 | -22.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -38.34 | -22.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -28.16 | -20.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -29.88 | -20.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -35.02 | -22.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -42.78 | -22.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -45.76 | -25.47 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 2.92 | | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -70.37 | -36 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -57.87 | -32 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -47.22 | -26 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -40.3 | -23 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -37 | -23 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -42.87 | -26 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -55.56 | -32 | PASS |
| HVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -69.15 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Ref Power | 31.48 | | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -48.7 | -25.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -43.68 | -22.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -40.01 | -22.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -30.84 | -20.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -29.8 | -20.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -34.36 | -22.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -41.65 | -22.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -48.25 | -25.41 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.36 | | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -69.19 | -36 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -58.97 | -32 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -47.92 | -26 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -40.75 | -23 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -37.25 | -23 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -42.97 | -26 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -55.53 | -32 | PASS |
| HVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -68.33 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Ref Power | 31.23 | | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -47.97 | -25.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -44.53 | -22.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -38.59 | -22.74 | PASS |

| | | | | | | | | |
|------|----------|-----|--------|-------------|-----------|--------|--------|------|
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -29.8 | -20.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -30.61 | -20.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -33.24 | -22.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -42.31 | -22.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -48.05 | -25.74 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 2.01 | | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -69.93 | -36 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -58.78 | -32 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -48.05 | -26 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -40.55 | -23 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -37.52 | -23 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -43.07 | -26 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -55.95 | -32 | PASS |
| HVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -69.56 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Ref Power | 31.39 | | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -45.68 | -25.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -43.33 | -22.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -38.4 | -22.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -28.08 | -20.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -29.97 | -20.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -35.01 | -22.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -42.75 | -22.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -45.77 | -25.47 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 2.83 | | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -70.3 | -36 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -57.84 | -32 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -47.33 | -26 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -40.45 | -23 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -36.93 | -23 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -42.81 | -26 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -55.55 | -32 | PASS |
| HVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -69.3 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Ref Power | 31.49 | | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -48.71 | -25.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -43.6 | -22.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -40.09 | -22.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -30.74 | -20.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -29.8 | -20.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -34.3 | -22.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -41.61 | -22.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -48.23 | -25.41 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.32 | | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -69.23 | -36 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -58.97 | -32 | PASS |

| | | | | | | | | |
|------|----------|-----|--------|-------------|-----------|--------|--------|------|
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -48 | -26 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -40.77 | -23 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -37.2 | -23 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -42.9 | -26 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -55.55 | -32 | PASS |
| HVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -68.29 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Ref Power | 31.06 | | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -47.92 | -25.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -44.52 | -22.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -38.52 | -22.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -29.67 | -20.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -30.63 | -20.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -33.24 | -22.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -42.26 | -22.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -48.09 | -25.74 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 2.07 | | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -69.92 | -36 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -58.72 | -32 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -48.11 | -26 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -40.68 | -23 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -37.57 | -23 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -43.1 | -26 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -55.92 | -32 | PASS |
| LVHT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -69.51 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Ref Power | 31.43 | | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -45.83 | -25.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -43.52 | -22.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -38.27 | -22.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -28.06 | -20.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -29.98 | -20.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -34.89 | -22.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -42.81 | -22.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -45.83 | -25.47 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 2.79 | | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -70.26 | -36 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -57.89 | -32 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -47.36 | -26 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -40.46 | -23 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -37 | -23 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -42.83 | -26 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -55.59 | -32 | PASS |
| LVHT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -69.26 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Ref Power | 31.51 | | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -48.68 | -25.41 | PASS |

| | | | | | | | | |
|------|----------|-----|--------|-------------|-----------|--------|--------|------|
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -43.7 | -22.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -39.94 | -22.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -30.91 | -20.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -29.73 | -20.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -34.45 | -22.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -41.7 | -22.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -48.06 | -25.41 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.22 | | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -69.27 | -36 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -58.94 | -32 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -47.9 | -26 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -40.76 | -23 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -37.33 | -23 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -42.98 | -26 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -55.63 | -32 | PASS |
| LVHT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -68.22 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | Ref Power | 31.09 | | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1800 | -47.94 | -25.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -1200 | -44.57 | -22.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -600 | -38.55 | -22.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | -400 | -29.64 | -20.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 400 | -30.61 | -20.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 600 | -33.37 | -22.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1200 | -42.26 | -22.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 3;3;3;3 | 1800 | -48.09 | -25.74 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | Ref Power | 2.03 | | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1800 | -69.81 | -36 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -1200 | -58.82 | -32 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -600 | -48.05 | -26 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | -400 | -40.64 | -23 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 400 | -37.56 | -23 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 600 | -42.97 | -26 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1200 | -56.04 | -32 | PASS |
| LVLT | GPRS1800 | 512 | 1710.2 | 18;18;18;18 | 1800 | -69.54 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | Ref Power | 31.51 | | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1800 | -45.71 | -25.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -1200 | -43.38 | -22.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -600 | -38.29 | -22.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | -400 | -28.09 | -20.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 400 | -29.9 | -20.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 600 | -34.85 | -22.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1200 | -42.77 | -22.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 3;3;3;3 | 1800 | -45.82 | -25.47 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | Ref Power | 2.81 | | PASS |

| | | | | | | | | |
|------|----------|-----|--------|-------------|-----------|--------|--------|------|
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1800 | -70.42 | -36 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -1200 | -57.94 | -32 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -600 | -47.21 | -26 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | -400 | -40.41 | -23 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 400 | -37.03 | -23 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 600 | -42.84 | -26 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1200 | -55.5 | -32 | PASS |
| LVLT | GPRS1800 | 698 | 1747.4 | 18;18;18;18 | 1800 | -69.22 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | Ref Power | 31.41 | | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1800 | -48.65 | -25.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -1200 | -43.77 | -22.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -600 | -39.91 | -22.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | -400 | -30.79 | -20.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 400 | -29.72 | -20.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 600 | -34.49 | -22.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1200 | -41.71 | -22.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 3;3;3;3 | 1800 | -48.1 | -25.41 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | Ref Power | 2.31 | | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1800 | -69.37 | -36 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -1200 | -59.09 | -32 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -600 | -47.92 | -26 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | -400 | -40.67 | -23 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 400 | -37.15 | -23 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 600 | -42.82 | -26 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1200 | -55.51 | -32 | PASS |
| LVLT | GPRS1800 | 885 | 1784.8 | 18;18;18;18 | 1800 | -68.24 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Ref Power | 33.47 | | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -47 | -24 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -36.42 | -21 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -39.22 | -21 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -30.26 | -18.38 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -28.3 | -18.38 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -30.61 | -21 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -37.06 | -21 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -48.12 | -24 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.37 | | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -69.15 | -36 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -55.77 | -32 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -42.33 | -26 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -34.99 | -23 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -38.11 | -23 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -45.13 | -26 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -57.19 | -32 | PASS |
| HVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -69.04 | -36 | PASS |

| | | | | | | | | |
|------|---------|-----|-------|-------------|-----------|--------|--------|------|
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Ref Power | 33.38 | | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -44.85 | -24 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -35.91 | -21 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -38.52 | -21 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -30.35 | -18.54 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -28.38 | -18.54 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -30.65 | -21 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -36.17 | -21 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -44.79 | -24 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.32 | | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.56 | -36 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -55.66 | -32 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -42.55 | -26 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -35.07 | -23 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -37.89 | -23 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -45.18 | -26 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -56.95 | -32 | PASS |
| HVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -67.52 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Ref Power | 33.29 | | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -44.65 | -24 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -36.95 | -21 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -38.85 | -21 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -30.37 | -18.63 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -28.79 | -18.63 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -31.82 | -21 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -36.84 | -21 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -43.98 | -24 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 5.64 | | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.3 | -36 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -56.99 | -32 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -43.26 | -26 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -35.53 | -23 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -38.87 | -23 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -46.02 | -26 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -57.66 | -32 | PASS |
| HVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -68.07 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Ref Power | 33.61 | | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -47.14 | -24 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -36.58 | -21 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -39.26 | -21 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -30.11 | -18.38 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -28.15 | -18.38 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -30.63 | -21 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -37.03 | -21 | PASS |

| | | | | | | | | |
|------|---------|-----|-------|-------------|-----------|--------|--------|------|
| HVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -48.07 | -24 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.43 | | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -69.26 | -36 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -55.67 | -32 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -42.29 | -26 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -34.93 | -23 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -38.21 | -23 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -45.11 | -26 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -57.11 | -32 | PASS |
| HVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -69.11 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Ref Power | 33.39 | | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -44.95 | -24 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -35.93 | -21 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -38.58 | -21 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -30.43 | -18.54 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -28.32 | -18.54 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -30.7 | -21 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -36.19 | -21 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -44.67 | -24 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.32 | | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.74 | -36 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -55.73 | -32 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -42.39 | -26 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -35.08 | -23 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -37.86 | -23 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -45.2 | -26 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -56.87 | -32 | PASS |
| HVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -67.59 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Ref Power | 33.33 | | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -44.5 | -24 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -37 | -21 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -38.75 | -21 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -30.32 | -18.63 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -28.73 | -18.63 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -31.71 | -21 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -36.65 | -21 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -43.97 | -24 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 5.67 | | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.27 | -36 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -57.09 | -32 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -43.19 | -26 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -35.63 | -23 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -38.85 | -23 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -46.01 | -26 | PASS |

| | | | | | | | | |
|------|---------|-----|-------|-------------|-----------|--------|--------|------|
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -57.6 | -32 | PASS |
| HVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -68.13 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Ref Power | 33.44 | | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -47.14 | -24 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -36.55 | -21 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -39.27 | -21 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -30.29 | -18.38 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -28.21 | -18.38 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -30.46 | -21 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -37.15 | -21 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -48.11 | -24 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.36 | | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -69.29 | -36 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -55.65 | -32 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -42.41 | -26 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -35.03 | -23 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -38.1 | -23 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -45.11 | -26 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -57.07 | -32 | PASS |
| LVHT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -69.05 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Ref Power | 33.32 | | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -44.88 | -24 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -35.83 | -21 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -38.61 | -21 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -30.47 | -18.54 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -28.24 | -18.54 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -30.65 | -21 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -36.31 | -21 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -44.71 | -24 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.27 | | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.72 | -36 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -55.64 | -32 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -42.54 | -26 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -35 | -23 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -37.87 | -23 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -45.17 | -26 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -56.87 | -32 | PASS |
| LVHT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -67.51 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Ref Power | 33.24 | | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -44.59 | -24 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -36.95 | -21 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -38.92 | -21 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -30.43 | -18.63 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -28.77 | -18.63 | PASS |

| | | | | | | | | |
|------|---------|-----|-------|-------------|-----------|--------|--------|------|
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -31.67 | -21 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -36.75 | -21 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -43.85 | -24 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 5.73 | | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.31 | -36 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -56.92 | -32 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -43.26 | -26 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -35.53 | -23 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -38.71 | -23 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -46.15 | -26 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -57.56 | -32 | PASS |
| LVHT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -68.11 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | Ref Power | 33.43 | | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1800 | -47.14 | -24 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -1200 | -36.42 | -21 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -600 | -39.32 | -21 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | -400 | -30.12 | -18.38 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 400 | -28.26 | -18.38 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 600 | -30.46 | -21 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1200 | -37.13 | -21 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 3;3;3;3 | 1800 | -48.22 | -24 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | Ref Power | 6.38 | | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1800 | -69.2 | -36 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -1200 | -55.68 | -32 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -600 | -42.28 | -26 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | -400 | -34.85 | -23 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 400 | -38.16 | -23 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 600 | -45.18 | -26 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1200 | -57.15 | -32 | PASS |
| LVLT | GPRS900 | 975 | 880.2 | 17;17;17;17 | 1800 | -68.95 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | Ref Power | 33.45 | | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1800 | -44.94 | -24 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -1200 | -35.87 | -21 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -600 | -38.42 | -21 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | -400 | -30.31 | -18.54 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 400 | -28.31 | -18.54 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 600 | -30.72 | -21 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1200 | -36.28 | -21 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 3;3;3;3 | 1800 | -44.73 | -24 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | Ref Power | 6.38 | | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1800 | -68.65 | -36 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -1200 | -55.68 | -32 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -600 | -42.5 | -26 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | -400 | -34.93 | -23 | PASS |

| | | | | | | | | |
|------|---------|-----|-------|-------------|-----------|--------|--------|------|
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 400 | -37.98 | -23 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 600 | -45.14 | -26 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1200 | -56.99 | -32 | PASS |
| LVLT | GPRS900 | 38 | 897.6 | 17;17;17;17 | 1800 | -67.56 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | Ref Power | 33.34 | | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1800 | -44.52 | -24 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -1200 | -36.98 | -21 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -600 | -38.85 | -21 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | -400 | -30.4 | -18.63 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 400 | -28.77 | -18.63 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 600 | -31.64 | -21 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1200 | -36.66 | -21 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 3;3;3;3 | 1800 | -43.96 | -24 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | Ref Power | 5.78 | | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1800 | -66.24 | -36 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -1200 | -57.09 | -32 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -600 | -43.17 | -26 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | -400 | -35.56 | -23 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 400 | -38.8 | -23 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 600 | -45.98 | -26 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1200 | -57.48 | -32 | PASS |
| LVLT | GPRS900 | 124 | 914.8 | 17;17;17;17 | 1800 | -68.06 | -36 | PASS |

Clause 4.2.1 Transmitter-Frequency error and phase error

| Condition | Band | Channel | Frequency (MHz) | PCL | Type | Result | Low Limit | high Limit | Verdict |
|-----------|---------|---------|-----------------|-----|---------------------------|--------|-----------|------------|---------|
| HVHT | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.8 | -174.74 | 174.74 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error (Degree) | 0.38 | 0 | 5 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.02 | 0 | 20 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.58 | -174.74 | 174.74 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.35 | 0 | 5 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.51 | 0 | 20 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.93 | -174.74 | 174.74 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error (Degree) | 0.42 | 0 | 5 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.15 | 0 | 20 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.61 | -174.74 | 174.74 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.51 | 0 | 5 | PASS |

| | | | | | | | | | |
|-------------|---------|-----|--------|----|------------------------------|-------|---------|--------|------|
| HVLT | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.42 | 0 | 20 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.78 | -174.74 | 174.74 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error (Degree) | 0.38 | 0 | 5 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.15 | 0 | 20 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.47 | -174.74 | 174.74 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.38 | 0 | 5 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.47 | 0 | 20 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.84 | -174.74 | 174.74 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error (Degree) | 0.45 | 0 | 5 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.17 | 0 | 20 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.61 | -174.74 | 174.74 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.46 | 0 | 5 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.59 | 0 | 20 | PASS |
| Vibration-X | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.94 | -174.74 | 174.74 | PASS |
| Vibration-X | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error (Degree) | 0.47 | 0 | 5 | PASS |
| Vibration-X | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.13 | 0 | 20 | PASS |
| Vibration-X | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.66 | -174.74 | 174.74 | PASS |
| Vibration-X | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.32 | 0 | 5 | PASS |
| Vibration-X | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.51 | 0 | 20 | PASS |
| Vibration-Y | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.82 | -174.74 | 174.74 | PASS |
| Vibration-Y | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error (Degree) | 0.41 | 0 | 5 | PASS |
| Vibration-Y | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.17 | 0 | 20 | PASS |
| Vibration-Y | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.47 | -174.74 | 174.74 | PASS |
| Vibration-Y | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.33 | 0 | 5 | PASS |
| Vibration-Y | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.43 | 0 | 20 | PASS |
| Vibration-Z | GSM1800 | 698 | 1747.4 | 0 | Frequency Error (Hz) | -3.82 | -174.74 | 174.74 | PASS |
| Vibration-Z | GSM1800 | 698 | 1747.4 | 0 | RMS Phase Error | 0.46 | 0 | 5 | PASS |

| | | | | | | | | | |
|-------------|---------|-----|--------|----|------------------------------|-------|---------|--------|------|
| | | | | | (Degree) | | | | |
| Vibration-Z | GSM1800 | 698 | 1747.4 | 0 | Peak Phase Error (Degree) | 2.13 | 0 | 20 | PASS |
| Vibration-Z | GSM1800 | 698 | 1747.4 | 15 | Frequency Error (Hz) | -4.64 | -174.74 | 174.74 | PASS |
| Vibration-Z | GSM1800 | 698 | 1747.4 | 15 | RMS Phase Error (Degree) | 0.38 | 0 | 5 | PASS |
| Vibration-Z | GSM1800 | 698 | 1747.4 | 15 | Peak Phase Error (Degree) | 1.48 | 0 | 20 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.35 | -89.76 | 89.76 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.32 | 0 | 5 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 0.99 | 0 | 20 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.48 | -89.76 | 89.76 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.22 | 0 | 5 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 0.89 | 0 | 20 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.31 | -89.76 | 89.76 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.18 | 0 | 5 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 1.03 | 0 | 20 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.5 | -89.76 | 89.76 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.19 | 0 | 5 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 0.9 | 0 | 20 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.42 | -89.76 | 89.76 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.25 | 0 | 5 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 1.12 | 0 | 20 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.6 | -89.76 | 89.76 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.17 | 0 | 5 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 1.04 | 0 | 20 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.3 | -89.76 | 89.76 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.26 | 0 | 5 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 1.13 | 0 | 20 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.51 | -89.76 | 89.76 | PASS |

| | | | | | | | | | |
|-------------|--------|----|-------|----|------------------------------|------|--------|-------|------|
| LVL | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.22 | 0 | 5 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 0.87 | 0 | 20 | PASS |
| Vibration-X | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.39 | -89.76 | 89.76 | PASS |
| Vibration-X | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.17 | 0 | 5 | PASS |
| Vibration-X | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 1.02 | 0 | 20 | PASS |
| Vibration-X | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.57 | -89.76 | 89.76 | PASS |
| Vibration-X | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.27 | 0 | 5 | PASS |
| Vibration-X | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 0.96 | 0 | 20 | PASS |
| Vibration-Y | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.38 | -89.76 | 89.76 | PASS |
| Vibration-Y | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.28 | 0 | 5 | PASS |
| Vibration-Y | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 1.12 | 0 | 20 | PASS |
| Vibration-Y | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.59 | -89.76 | 89.76 | PASS |
| Vibration-Y | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.23 | 0 | 5 | PASS |
| Vibration-Y | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 0.97 | 0 | 20 | PASS |
| Vibration-Z | GSM900 | 38 | 897.6 | 5 | Frequency Error (Hz) | 4.46 | -89.76 | 89.76 | PASS |
| Vibration-Z | GSM900 | 38 | 897.6 | 5 | RMS Phase Error (Degree) | 0.3 | 0 | 5 | PASS |
| Vibration-Z | GSM900 | 38 | 897.6 | 5 | Peak Phase Error (Degree) | 1.02 | 0 | 20 | PASS |
| Vibration-Z | GSM900 | 38 | 897.6 | 19 | Frequency Error (Hz) | 6.57 | -89.76 | 89.76 | PASS |
| Vibration-Z | GSM900 | 38 | 897.6 | 19 | RMS Phase Error (Degree) | 0.23 | 0 | 5 | PASS |
| Vibration-Z | GSM900 | 38 | 897.6 | 19 | Peak Phase Error (Degree) | 0.95 | 0 | 20 | PASS |

Clause 4.2.2 Transmitter-Frequency error under multi path

| Condition | Band | Type | Channel | Frequency (MHz) | PCL | Result (Hz) | Low Limit (Hz) | high Limit (Hz) | Verdict |
|-----------|---------|-----------------|---------|--------------------|-----|----------------|-------------------|--------------------|---------|
| HVHT | GSM1800 | RA130 @RACH | 698 | 1747.4 | 0 | 1.38 | -574.74 | 574.74 | PASS |
| HVHT | GSM1800 | RA130 @Sens1 | 698 | 1747.4 | 0 | -0.19 | -574.74 | 574.74 | PASS |
| HVHT | GSM1800 | RA130 @Sens2 | 698 | 1747.4 | 0 | 2.35 | -574.74 | 574.74 | PASS |

| | | | | | | | | | |
|------|---------|-----------------|-----|--------|---|--------|---------|--------|------|
| HVHT | GSM1800 | RA130 @Sens3 | 698 | 1747.4 | 0 | 4.65 | -574.74 | 574.74 | PASS |
| HVHT | GSM1800 | RA130 @Sens4 | 698 | 1747.4 | 0 | -4.93 | -574.74 | 574.74 | PASS |
| HVHT | GSM1800 | RA130 @Sens5 | 698 | 1747.4 | 0 | -3.75 | -574.74 | 574.74 | PASS |
| HVHT | GSM1800 | HT100 @RACH | 698 | 1747.4 | 0 | -6.4 | -524.74 | 524.74 | PASS |
| HVHT | GSM1800 | HT100 @Sens1 | 698 | 1747.4 | 0 | -4.08 | -524.74 | 524.74 | PASS |
| HVHT | GSM1800 | HT100 @Sens2 | 698 | 1747.4 | 0 | -17.48 | -524.74 | 524.74 | PASS |
| HVHT | GSM1800 | HT100 @Sens3 | 698 | 1747.4 | 0 | -23.31 | -524.74 | 524.74 | PASS |
| HVHT | GSM1800 | HT100 @Sens4 | 698 | 1747.4 | 0 | -22.57 | -524.74 | 524.74 | PASS |
| HVHT | GSM1800 | HT100 @Sens5 | 698 | 1747.4 | 0 | -25.8 | -524.74 | 524.74 | PASS |
| HVHT | GSM1800 | TU50 @RACH | 698 | 1747.4 | 0 | -23.31 | -434.74 | 434.74 | PASS |
| HVHT | GSM1800 | TU50 @Sens1 | 698 | 1747.4 | 0 | -24.07 | -434.74 | 434.74 | PASS |
| HVHT | GSM1800 | TU50 @Sens2 | 698 | 1747.4 | 0 | -22.46 | -434.74 | 434.74 | PASS |
| HVHT | GSM1800 | TU50 @Sens3 | 698 | 1747.4 | 0 | -24.32 | -434.74 | 434.74 | PASS |
| HVHT | GSM1800 | TU50 @Sens4 | 698 | 1747.4 | 0 | -22.25 | -434.74 | 434.74 | PASS |
| HVHT | GSM1800 | TU50 @Sens5 | 698 | 1747.4 | 0 | -21.8 | -434.74 | 434.74 | PASS |
| HVHT | GSM1800 | TU1_5 @RACH | 698 | 1747.4 | 0 | -22.57 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @1 | 698 | 1747.4 | 0 | -24.26 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @2 | 698 | 1747.4 | 0 | -19.71 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @3 | 698 | 1747.4 | 0 | -22.89 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @4 | 698 | 1747.4 | 0 | -25.41 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @5 | 698 | 1747.4 | 0 | -20.96 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @6 | 698 | 1747.4 | 0 | -10.5 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @7 | 698 | 1747.4 | 0 | 1.16 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @8 | 698 | 1747.4 | 0 | -17.89 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @9 | 698 | 1747.4 | 0 | -22.22 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @10 | 698 | 1747.4 | 0 | -26.05 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @11 | 698 | 1747.4 | 0 | -18.06 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @12 | 698 | 1747.4 | 0 | -18.1 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @13 | 698 | 1747.4 | 0 | -19.33 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @14 | 698 | 1747.4 | 0 | -15.48 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @15 | 698 | 1747.4 | 0 | -15.63 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @16 | 698 | 1747.4 | 0 | -20.15 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @17 | 698 | 1747.4 | 0 | -24.71 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @18 | 698 | 1747.4 | 0 | -19.66 | -494.74 | 494.74 | PASS |

| | | | | | | | | | |
|------|---------|--------------|-----|--------|---|--------|---------|--------|------|
| HVHT | GSM1800 | TU1_5 @19 | 698 | 1747.4 | 0 | -20.23 | -494.74 | 494.74 | PASS |
| HVHT | GSM1800 | TU1_5 @20 | 698 | 1747.4 | 0 | -18.84 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | RA130 @RACH | 698 | 1747.4 | 0 | 1.5 | -574.74 | 574.74 | PASS |
| HVLT | GSM1800 | RA130 @Sens1 | 698 | 1747.4 | 0 | -0.21 | -574.74 | 574.74 | PASS |
| HVLT | GSM1800 | RA130 @Sens2 | 698 | 1747.4 | 0 | 2.28 | -574.74 | 574.74 | PASS |
| HVLT | GSM1800 | RA130 @Sens3 | 698 | 1747.4 | 0 | 4.73 | -574.74 | 574.74 | PASS |
| HVLT | GSM1800 | RA130 @Sens4 | 698 | 1747.4 | 0 | -4.77 | -574.74 | 574.74 | PASS |
| HVLT | GSM1800 | RA130 @Sens5 | 698 | 1747.4 | 0 | -3.84 | -574.74 | 574.74 | PASS |
| HVLT | GSM1800 | HT100 @RACH | 698 | 1747.4 | 0 | -6.46 | -524.74 | 524.74 | PASS |
| HVLT | GSM1800 | HT100 @Sens1 | 698 | 1747.4 | 0 | -4.06 | -524.74 | 524.74 | PASS |
| HVLT | GSM1800 | HT100 @Sens2 | 698 | 1747.4 | 0 | -17.39 | -524.74 | 524.74 | PASS |
| HVLT | GSM1800 | HT100 @Sens3 | 698 | 1747.4 | 0 | -23.42 | -524.74 | 524.74 | PASS |
| HVLT | GSM1800 | HT100 @Sens4 | 698 | 1747.4 | 0 | -22.64 | -524.74 | 524.74 | PASS |
| HVLT | GSM1800 | HT100 @Sens5 | 698 | 1747.4 | 0 | -25.89 | -524.74 | 524.74 | PASS |
| HVLT | GSM1800 | TU50 @RACH | 698 | 1747.4 | 0 | -23.32 | -434.74 | 434.74 | PASS |
| HVLT | GSM1800 | TU50 @Sens1 | 698 | 1747.4 | 0 | -24.1 | -434.74 | 434.74 | PASS |
| HVLT | GSM1800 | TU50 @Sens2 | 698 | 1747.4 | 0 | -22.54 | -434.74 | 434.74 | PASS |
| HVLT | GSM1800 | TU50 @Sens3 | 698 | 1747.4 | 0 | -24.4 | -434.74 | 434.74 | PASS |
| HVLT | GSM1800 | TU50 @Sens4 | 698 | 1747.4 | 0 | -22.16 | -434.74 | 434.74 | PASS |
| HVLT | GSM1800 | TU50 @Sens5 | 698 | 1747.4 | 0 | -21.76 | -434.74 | 434.74 | PASS |
| HVLT | GSM1800 | TU1_5 @RACH | 698 | 1747.4 | 0 | -22.57 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @1 | 698 | 1747.4 | 0 | -24.25 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @2 | 698 | 1747.4 | 0 | -19.69 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @3 | 698 | 1747.4 | 0 | -22.73 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @4 | 698 | 1747.4 | 0 | -25.47 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @5 | 698 | 1747.4 | 0 | -20.84 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @6 | 698 | 1747.4 | 0 | -10.63 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @7 | 698 | 1747.4 | 0 | 1.11 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @8 | 698 | 1747.4 | 0 | -17.86 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @9 | 698 | 1747.4 | 0 | -22.23 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @10 | 698 | 1747.4 | 0 | -26.04 | -494.74 | 494.74 | PASS |

| | | | | | | | | | |
|------|---------|--------------|-----|--------|---|--------|---------|--------|------|
| HVLT | GSM1800 | TU1_5 @11 | 698 | 1747.4 | 0 | -18.03 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @12 | 698 | 1747.4 | 0 | -18 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @13 | 698 | 1747.4 | 0 | -19.3 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @14 | 698 | 1747.4 | 0 | -15.5 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @15 | 698 | 1747.4 | 0 | -15.45 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @16 | 698 | 1747.4 | 0 | -20.09 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @17 | 698 | 1747.4 | 0 | -24.65 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @18 | 698 | 1747.4 | 0 | -19.58 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @19 | 698 | 1747.4 | 0 | -20.29 | -494.74 | 494.74 | PASS |
| HVLT | GSM1800 | TU1_5 @20 | 698 | 1747.4 | 0 | -18.89 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | RA130 @RACH | 698 | 1747.4 | 0 | 1.41 | -574.74 | 574.74 | PASS |
| LVHT | GSM1800 | RA130 @Sens1 | 698 | 1747.4 | 0 | -0.27 | -574.74 | 574.74 | PASS |
| LVHT | GSM1800 | RA130 @Sens2 | 698 | 1747.4 | 0 | 2.19 | -574.74 | 574.74 | PASS |
| LVHT | GSM1800 | RA130 @Sens3 | 698 | 1747.4 | 0 | 4.75 | -574.74 | 574.74 | PASS |
| LVHT | GSM1800 | RA130 @Sens4 | 698 | 1747.4 | 0 | -4.93 | -574.74 | 574.74 | PASS |
| LVHT | GSM1800 | RA130 @Sens5 | 698 | 1747.4 | 0 | -3.72 | -574.74 | 574.74 | PASS |
| LVHT | GSM1800 | HT100 @RACH | 698 | 1747.4 | 0 | -6.49 | -524.74 | 524.74 | PASS |
| LVHT | GSM1800 | HT100 @Sens1 | 698 | 1747.4 | 0 | -3.98 | -524.74 | 524.74 | PASS |
| LVHT | GSM1800 | HT100 @Sens2 | 698 | 1747.4 | 0 | -17.38 | -524.74 | 524.74 | PASS |
| LVHT | GSM1800 | HT100 @Sens3 | 698 | 1747.4 | 0 | -23.37 | -524.74 | 524.74 | PASS |
| LVHT | GSM1800 | HT100 @Sens4 | 698 | 1747.4 | 0 | -22.69 | -524.74 | 524.74 | PASS |
| LVHT | GSM1800 | HT100 @Sens5 | 698 | 1747.4 | 0 | -25.85 | -524.74 | 524.74 | PASS |
| LVHT | GSM1800 | TU50 @RACH | 698 | 1747.4 | 0 | -23.31 | -434.74 | 434.74 | PASS |
| LVHT | GSM1800 | TU50 @Sens1 | 698 | 1747.4 | 0 | -23.94 | -434.74 | 434.74 | PASS |
| LVHT | GSM1800 | TU50 @Sens2 | 698 | 1747.4 | 0 | -22.44 | -434.74 | 434.74 | PASS |
| LVHT | GSM1800 | TU50 @Sens3 | 698 | 1747.4 | 0 | -24.29 | -434.74 | 434.74 | PASS |
| LVHT | GSM1800 | TU50 @Sens4 | 698 | 1747.4 | 0 | -22.22 | -434.74 | 434.74 | PASS |
| LVHT | GSM1800 | TU50 @Sens5 | 698 | 1747.4 | 0 | -21.84 | -434.74 | 434.74 | PASS |
| LVHT | GSM1800 | TU1_5 @RACH | 698 | 1747.4 | 0 | -22.59 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @1 | 698 | 1747.4 | 0 | -24.21 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @2 | 698 | 1747.4 | 0 | -19.68 | -494.74 | 494.74 | PASS |

| | | | | | | | | | |
|------|---------|--------------|-----|--------|---|--------|---------|--------|------|
| LVHT | GSM1800 | TU1_5 @3 | 698 | 1747.4 | 0 | -22.71 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @4 | 698 | 1747.4 | 0 | -25.36 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @5 | 698 | 1747.4 | 0 | -20.92 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @6 | 698 | 1747.4 | 0 | -10.62 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @7 | 698 | 1747.4 | 0 | 1.13 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @8 | 698 | 1747.4 | 0 | -17.89 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @9 | 698 | 1747.4 | 0 | -22.19 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @10 | 698 | 1747.4 | 0 | -26.08 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @11 | 698 | 1747.4 | 0 | -18.08 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @12 | 698 | 1747.4 | 0 | -18.09 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @13 | 698 | 1747.4 | 0 | -19.39 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @14 | 698 | 1747.4 | 0 | -15.45 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @15 | 698 | 1747.4 | 0 | -15.45 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @16 | 698 | 1747.4 | 0 | -20.16 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @17 | 698 | 1747.4 | 0 | -24.65 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @18 | 698 | 1747.4 | 0 | -19.49 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @19 | 698 | 1747.4 | 0 | -20.33 | -494.74 | 494.74 | PASS |
| LVHT | GSM1800 | TU1_5 @20 | 698 | 1747.4 | 0 | -18.95 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | RA130 @RACH | 698 | 1747.4 | 0 | 1.33 | -574.74 | 574.74 | PASS |
| LVL | GSM1800 | RA130 @Sens1 | 698 | 1747.4 | 0 | -0.18 | -574.74 | 574.74 | PASS |
| LVL | GSM1800 | RA130 @Sens2 | 698 | 1747.4 | 0 | 2.22 | -574.74 | 574.74 | PASS |
| LVL | GSM1800 | RA130 @Sens3 | 698 | 1747.4 | 0 | 4.74 | -574.74 | 574.74 | PASS |
| LVL | GSM1800 | RA130 @Sens4 | 698 | 1747.4 | 0 | -4.91 | -574.74 | 574.74 | PASS |
| LVL | GSM1800 | RA130 @Sens5 | 698 | 1747.4 | 0 | -3.8 | -574.74 | 574.74 | PASS |
| LVL | GSM1800 | HT100 @RACH | 698 | 1747.4 | 0 | -6.58 | -524.74 | 524.74 | PASS |
| LVL | GSM1800 | HT100 @Sens1 | 698 | 1747.4 | 0 | -4.01 | -524.74 | 524.74 | PASS |
| LVL | GSM1800 | HT100 @Sens2 | 698 | 1747.4 | 0 | -17.39 | -524.74 | 524.74 | PASS |
| LVL | GSM1800 | HT100 @Sens3 | 698 | 1747.4 | 0 | -23.31 | -524.74 | 524.74 | PASS |
| LVL | GSM1800 | HT100 @Sens4 | 698 | 1747.4 | 0 | -22.68 | -524.74 | 524.74 | PASS |
| LVL | GSM1800 | HT100 @Sens5 | 698 | 1747.4 | 0 | -25.84 | -524.74 | 524.74 | PASS |
| LVL | GSM1800 | TU50 @RACH | 698 | 1747.4 | 0 | -23.3 | -434.74 | 434.74 | PASS |
| LVL | GSM1800 | TU50 @Sens1 | 698 | 1747.4 | 0 | -23.94 | -434.74 | 434.74 | PASS |

| | | | | | | | | | |
|------|---------|--------------|-----|--------|---|--------|---------|--------|------|
| LVL | GSM1800 | TU50 @Sens2 | 698 | 1747.4 | 0 | -22.42 | -434.74 | 434.74 | PASS |
| LVL | GSM1800 | TU50 @Sens3 | 698 | 1747.4 | 0 | -24.22 | -434.74 | 434.74 | PASS |
| LVL | GSM1800 | TU50 @Sens4 | 698 | 1747.4 | 0 | -22.22 | -434.74 | 434.74 | PASS |
| LVL | GSM1800 | TU50 @Sens5 | 698 | 1747.4 | 0 | -21.72 | -434.74 | 434.74 | PASS |
| LVL | GSM1800 | TU1_5 @RACH | 698 | 1747.4 | 0 | -22.55 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @1 | 698 | 1747.4 | 0 | -24.28 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @2 | 698 | 1747.4 | 0 | -19.67 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @3 | 698 | 1747.4 | 0 | -22.73 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @4 | 698 | 1747.4 | 0 | -25.39 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @5 | 698 | 1747.4 | 0 | -20.87 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @6 | 698 | 1747.4 | 0 | -10.67 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @7 | 698 | 1747.4 | 0 | 1.14 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @8 | 698 | 1747.4 | 0 | -17.99 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @9 | 698 | 1747.4 | 0 | -22.19 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @10 | 698 | 1747.4 | 0 | -26.03 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @11 | 698 | 1747.4 | 0 | -18.11 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @12 | 698 | 1747.4 | 0 | -18.06 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @13 | 698 | 1747.4 | 0 | -19.34 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @14 | 698 | 1747.4 | 0 | -15.47 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @15 | 698 | 1747.4 | 0 | -15.6 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @16 | 698 | 1747.4 | 0 | -20.11 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @17 | 698 | 1747.4 | 0 | -24.74 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @18 | 698 | 1747.4 | 0 | -19.54 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @19 | 698 | 1747.4 | 0 | -20.17 | -494.74 | 494.74 | PASS |
| LVL | GSM1800 | TU1_5 @20 | 698 | 1747.4 | 0 | -18.83 | -494.74 | 494.74 | PASS |
| HVHT | GSM900 | RA250 @RACH | 38 | 897.6 | 5 | 8.45 | -389.76 | 389.76 | PASS |
| HVHT | GSM900 | RA250 @Sens1 | 38 | 897.6 | 5 | -0.62 | -389.76 | 389.76 | PASS |
| HVHT | GSM900 | RA250 @Sens2 | 38 | 897.6 | 5 | 2.28 | -389.76 | 389.76 | PASS |
| HVHT | GSM900 | RA250 @Sens3 | 38 | 897.6 | 5 | 0.07 | -389.76 | 389.76 | PASS |
| HVHT | GSM900 | RA250 @Sens4 | 38 | 897.6 | 5 | 0.09 | -389.76 | 389.76 | PASS |
| HVHT | GSM900 | RA250 @Sens5 | 38 | 897.6 | 5 | 3.33 | -389.76 | 389.76 | PASS |
| HVHT | GSM900 | HT100 @RACH | 38 | 897.6 | 5 | -2.33 | -269.76 | 269.76 | PASS |
| HVHT | GSM900 | HT100 @Sens1 | 38 | 897.6 | 5 | 5.65 | -269.76 | 269.76 | PASS |
| HVHT | GSM900 | HT100 @Sens2 | 38 | 897.6 | 5 | -3.11 | -269.76 | 269.76 | PASS |

| | | | | | | | | | |
|------|--------|-----------------|----|-------|---|--------|---------|--------|------|
| HVHT | GSM900 | HT100 @Sens3 | 38 | 897.6 | 5 | -10.95 | -269.76 | 269.76 | PASS |
| HVHT | GSM900 | HT100 @Sens4 | 38 | 897.6 | 5 | -6.21 | -269.76 | 269.76 | PASS |
| HVHT | GSM900 | HT100 @Sens5 | 38 | 897.6 | 5 | -11.71 | -269.76 | 269.76 | PASS |
| HVHT | GSM900 | TU50 @RACH | 38 | 897.6 | 5 | -7.88 | -249.76 | 249.76 | PASS |
| HVHT | GSM900 | TU50 @Sens1 | 38 | 897.6 | 5 | -7.79 | -249.76 | 249.76 | PASS |
| HVHT | GSM900 | TU50 @Sens2 | 38 | 897.6 | 5 | -11.74 | -249.76 | 249.76 | PASS |
| HVHT | GSM900 | TU50 @Sens3 | 38 | 897.6 | 5 | -10.41 | -249.76 | 249.76 | PASS |
| HVHT | GSM900 | TU50 @Sens4 | 38 | 897.6 | 5 | -8.75 | -249.76 | 249.76 | PASS |
| HVHT | GSM900 | TU50 @Sens5 | 38 | 897.6 | 5 | -8.76 | -249.76 | 249.76 | PASS |
| HVHT | GSM900 | TU3 @RACH | 38 | 897.6 | 5 | -7.74 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @1 | 38 | 897.6 | 5 | -6.36 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @2 | 38 | 897.6 | 5 | -9.42 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @3 | 38 | 897.6 | 5 | -8.02 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @4 | 38 | 897.6 | 5 | -7.79 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @5 | 38 | 897.6 | 5 | -8.06 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @6 | 38 | 897.6 | 5 | -6.42 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @7 | 38 | 897.6 | 5 | -4.65 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @8 | 38 | 897.6 | 5 | -6.33 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @9 | 38 | 897.6 | 5 | -8.08 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @10 | 38 | 897.6 | 5 | -8.47 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @11 | 38 | 897.6 | 5 | -9.3 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @12 | 38 | 897.6 | 5 | -5.84 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @13 | 38 | 897.6 | 5 | -7.53 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @14 | 38 | 897.6 | 5 | -9.73 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @15 | 38 | 897.6 | 5 | -9.89 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @16 | 38 | 897.6 | 5 | -7.47 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @17 | 38 | 897.6 | 5 | -5.99 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @18 | 38 | 897.6 | 5 | -5.52 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @19 | 38 | 897.6 | 5 | -7.24 | -319.76 | 319.76 | PASS |
| HVHT | GSM900 | TU3 @20 | 38 | 897.6 | 5 | -7.81 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | RA250 @RACH | 38 | 897.6 | 5 | 8.45 | -389.76 | 389.76 | PASS |
| HVLT | GSM900 | RA250 @Sens1 | 38 | 897.6 | 5 | -0.51 | -389.76 | 389.76 | PASS |
| HVLT | GSM900 | RA250 @Sens2 | 38 | 897.6 | 5 | 2.36 | -389.76 | 389.76 | PASS |
| HVLT | GSM900 | RA250 @Sens3 | 38 | 897.6 | 5 | 0.01 | -389.76 | 389.76 | PASS |
| HVLT | GSM900 | RA250 @Sens4 | 38 | 897.6 | 5 | 0.21 | -389.76 | 389.76 | PASS |
| HVLT | GSM900 | RA250 | 38 | 897.6 | 5 | 3.38 | -389.76 | 389.76 | PASS |

| | | | | | | | | | |
|------|--------|-----------------|----|-------|---|--------|---------|--------|------|
| | | @Sens5 | | | | | | | |
| HVLT | GSM900 | HT100 @RACH | 38 | 897.6 | 5 | -2.27 | -269.76 | 269.76 | PASS |
| HVLT | GSM900 | HT100 @Sens1 | 38 | 897.6 | 5 | 5.67 | -269.76 | 269.76 | PASS |
| HVLT | GSM900 | HT100 @Sens2 | 38 | 897.6 | 5 | -3.22 | -269.76 | 269.76 | PASS |
| HVLT | GSM900 | HT100 @Sens3 | 38 | 897.6 | 5 | -11.06 | -269.76 | 269.76 | PASS |
| HVLT | GSM900 | HT100 @Sens4 | 38 | 897.6 | 5 | -6.29 | -269.76 | 269.76 | PASS |
| HVLT | GSM900 | HT100 @Sens5 | 38 | 897.6 | 5 | -11.81 | -269.76 | 269.76 | PASS |
| HVLT | GSM900 | TU50 @RACH | 38 | 897.6 | 5 | -7.88 | -249.76 | 249.76 | PASS |
| HVLT | GSM900 | TU50 @Sens1 | 38 | 897.6 | 5 | -7.81 | -249.76 | 249.76 | PASS |
| HVLT | GSM900 | TU50 @Sens2 | 38 | 897.6 | 5 | -11.76 | -249.76 | 249.76 | PASS |
| HVLT | GSM900 | TU50 @Sens3 | 38 | 897.6 | 5 | -10.32 | -249.76 | 249.76 | PASS |
| HVLT | GSM900 | TU50 @Sens4 | 38 | 897.6 | 5 | -8.76 | -249.76 | 249.76 | PASS |
| HVLT | GSM900 | TU50 @Sens5 | 38 | 897.6 | 5 | -8.82 | -249.76 | 249.76 | PASS |
| HVLT | GSM900 | TU3 @RACH | 38 | 897.6 | 5 | -7.73 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @1 | 38 | 897.6 | 5 | -6.38 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @2 | 38 | 897.6 | 5 | -9.37 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @3 | 38 | 897.6 | 5 | -7.95 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @4 | 38 | 897.6 | 5 | -7.75 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @5 | 38 | 897.6 | 5 | -8.15 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @6 | 38 | 897.6 | 5 | -6.46 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @7 | 38 | 897.6 | 5 | -4.81 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @8 | 38 | 897.6 | 5 | -6.27 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @9 | 38 | 897.6 | 5 | -8.15 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @10 | 38 | 897.6 | 5 | -8.49 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @11 | 38 | 897.6 | 5 | -9.24 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @12 | 38 | 897.6 | 5 | -5.78 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @13 | 38 | 897.6 | 5 | -7.53 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @14 | 38 | 897.6 | 5 | -9.77 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @15 | 38 | 897.6 | 5 | -10.05 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @16 | 38 | 897.6 | 5 | -7.46 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @17 | 38 | 897.6 | 5 | -6.09 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @18 | 38 | 897.6 | 5 | -5.55 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @19 | 38 | 897.6 | 5 | -7.25 | -319.76 | 319.76 | PASS |
| HVLT | GSM900 | TU3 @20 | 38 | 897.6 | 5 | -7.82 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | RA250 @RACH | 38 | 897.6 | 5 | 8.37 | -389.76 | 389.76 | PASS |
| LVHT | GSM900 | RA250 @Sens1 | 38 | 897.6 | 5 | -0.46 | -389.76 | 389.76 | PASS |

| | | | | | | | | | |
|------|--------|-----------------|----|-------|---|--------|---------|--------|------|
| LVHT | GSM900 | RA250 @Sens2 | 38 | 897.6 | 5 | 2.37 | -389.76 | 389.76 | PASS |
| LVHT | GSM900 | RA250 @Sens3 | 38 | 897.6 | 5 | 0.07 | -389.76 | 389.76 | PASS |
| LVHT | GSM900 | RA250 @Sens4 | 38 | 897.6 | 5 | 0.24 | -389.76 | 389.76 | PASS |
| LVHT | GSM900 | RA250 @Sens5 | 38 | 897.6 | 5 | 3.39 | -389.76 | 389.76 | PASS |
| LVHT | GSM900 | HT100 @RACH | 38 | 897.6 | 5 | -2.24 | -269.76 | 269.76 | PASS |
| LVHT | GSM900 | HT100 @Sens1 | 38 | 897.6 | 5 | 5.7 | -269.76 | 269.76 | PASS |
| LVHT | GSM900 | HT100 @Sens2 | 38 | 897.6 | 5 | -3.1 | -269.76 | 269.76 | PASS |
| LVHT | GSM900 | HT100 @Sens3 | 38 | 897.6 | 5 | -11.06 | -269.76 | 269.76 | PASS |
| LVHT | GSM900 | HT100 @Sens4 | 38 | 897.6 | 5 | -6.17 | -269.76 | 269.76 | PASS |
| LVHT | GSM900 | HT100 @Sens5 | 38 | 897.6 | 5 | -11.8 | -269.76 | 269.76 | PASS |
| LVHT | GSM900 | TU50 @RACH | 38 | 897.6 | 5 | -7.86 | -249.76 | 249.76 | PASS |
| LVHT | GSM900 | TU50 @Sens1 | 38 | 897.6 | 5 | -7.84 | -249.76 | 249.76 | PASS |
| LVHT | GSM900 | TU50 @Sens2 | 38 | 897.6 | 5 | -11.74 | -249.76 | 249.76 | PASS |
| LVHT | GSM900 | TU50 @Sens3 | 38 | 897.6 | 5 | -10.42 | -249.76 | 249.76 | PASS |
| LVHT | GSM900 | TU50 @Sens4 | 38 | 897.6 | 5 | -8.82 | -249.76 | 249.76 | PASS |
| LVHT | GSM900 | TU50 @Sens5 | 38 | 897.6 | 5 | -8.69 | -249.76 | 249.76 | PASS |
| LVHT | GSM900 | TU3 @RACH | 38 | 897.6 | 5 | -7.71 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @1 | 38 | 897.6 | 5 | -6.36 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @2 | 38 | 897.6 | 5 | -9.51 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @3 | 38 | 897.6 | 5 | -8.02 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @4 | 38 | 897.6 | 5 | -7.63 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @5 | 38 | 897.6 | 5 | -8.16 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @6 | 38 | 897.6 | 5 | -6.37 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @7 | 38 | 897.6 | 5 | -4.64 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @8 | 38 | 897.6 | 5 | -6.33 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @9 | 38 | 897.6 | 5 | -8.16 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @10 | 38 | 897.6 | 5 | -8.58 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @11 | 38 | 897.6 | 5 | -9.28 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @12 | 38 | 897.6 | 5 | -5.81 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @13 | 38 | 897.6 | 5 | -7.47 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @14 | 38 | 897.6 | 5 | -9.7 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @15 | 38 | 897.6 | 5 | -10 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @16 | 38 | 897.6 | 5 | -7.55 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @17 | 38 | 897.6 | 5 | -6.13 | -319.76 | 319.76 | PASS |

| | | | | | | | | | |
|------|--------|--------------|----|-------|---|--------|---------|--------|------|
| LVHT | GSM900 | TU3 @18 | 38 | 897.6 | 5 | -5.44 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @19 | 38 | 897.6 | 5 | -7.26 | -319.76 | 319.76 | PASS |
| LVHT | GSM900 | TU3 @20 | 38 | 897.6 | 5 | -7.73 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | RA250 @RACH | 38 | 897.6 | 5 | 8.36 | -389.76 | 389.76 | PASS |
| LVLТ | GSM900 | RA250 @Sens1 | 38 | 897.6 | 5 | -0.61 | -389.76 | 389.76 | PASS |
| LVLТ | GSM900 | RA250 @Sens2 | 38 | 897.6 | 5 | 2.2 | -389.76 | 389.76 | PASS |
| LVLТ | GSM900 | RA250 @Sens3 | 38 | 897.6 | 5 | 0.04 | -389.76 | 389.76 | PASS |
| LVLТ | GSM900 | RA250 @Sens4 | 38 | 897.6 | 5 | 0.21 | -389.76 | 389.76 | PASS |
| LVLТ | GSM900 | RA250 @Sens5 | 38 | 897.6 | 5 | 3.37 | -389.76 | 389.76 | PASS |
| LVLТ | GSM900 | HT100 @RACH | 38 | 897.6 | 5 | -2.4 | -269.76 | 269.76 | PASS |
| LVLТ | GSM900 | HT100 @Sens1 | 38 | 897.6 | 5 | 5.66 | -269.76 | 269.76 | PASS |
| LVLТ | GSM900 | HT100 @Sens2 | 38 | 897.6 | 5 | -3.15 | -269.76 | 269.76 | PASS |
| LVLТ | GSM900 | HT100 @Sens3 | 38 | 897.6 | 5 | -11.03 | -269.76 | 269.76 | PASS |
| LVLТ | GSM900 | HT100 @Sens4 | 38 | 897.6 | 5 | -6.16 | -269.76 | 269.76 | PASS |
| LVLТ | GSM900 | HT100 @Sens5 | 38 | 897.6 | 5 | -11.7 | -269.76 | 269.76 | PASS |
| LVLТ | GSM900 | TU50 @RACH | 38 | 897.6 | 5 | -7.72 | -249.76 | 249.76 | PASS |
| LVLТ | GSM900 | TU50 @Sens1 | 38 | 897.6 | 5 | -7.83 | -249.76 | 249.76 | PASS |
| LVLТ | GSM900 | TU50 @Sens2 | 38 | 897.6 | 5 | -11.86 | -249.76 | 249.76 | PASS |
| LVLТ | GSM900 | TU50 @Sens3 | 38 | 897.6 | 5 | -10.36 | -249.76 | 249.76 | PASS |
| LVLТ | GSM900 | TU50 @Sens4 | 38 | 897.6 | 5 | -8.76 | -249.76 | 249.76 | PASS |
| LVLТ | GSM900 | TU50 @Sens5 | 38 | 897.6 | 5 | -8.7 | -249.76 | 249.76 | PASS |
| LVLТ | GSM900 | TU3 @RACH | 38 | 897.6 | 5 | -7.68 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @1 | 38 | 897.6 | 5 | -6.36 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @2 | 38 | 897.6 | 5 | -9.4 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @3 | 38 | 897.6 | 5 | -7.98 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @4 | 38 | 897.6 | 5 | -7.72 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @5 | 38 | 897.6 | 5 | -8.14 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @6 | 38 | 897.6 | 5 | -6.42 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @7 | 38 | 897.6 | 5 | -4.72 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @8 | 38 | 897.6 | 5 | -6.27 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @9 | 38 | 897.6 | 5 | -8.23 | -319.76 | 319.76 | PASS |
| LVLТ | GSM900 | TU3 @10 | 38 | 897.6 | 5 | -8.6 | -319.76 | 319.76 | PASS |

| | | | | | | | | | |
|------|--------|---------|----|-------|---|-------|---------|--------|------|
| LVLT | GSM900 | TU3 @11 | 38 | 897.6 | 5 | -9.22 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @12 | 38 | 897.6 | 5 | -5.76 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @13 | 38 | 897.6 | 5 | -7.6 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @14 | 38 | 897.6 | 5 | -9.79 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @15 | 38 | 897.6 | 5 | -9.98 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @16 | 38 | 897.6 | 5 | -7.51 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @17 | 38 | 897.6 | 5 | -6.01 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @18 | 38 | 897.6 | 5 | -5.44 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @19 | 38 | 897.6 | 5 | -7.27 | -319.76 | 319.76 | PASS |
| LVLT | GSM900 | TU3 @20 | 38 | 897.6 | 5 | -7.78 | -319.76 | 319.76 | PASS |

Clause 4.2.5 Transmitter output power and burst timing

| Condition | Band | Channel | Frequency (MHz) | PCL | Type | Result | Low Limit | high Limit | Verdict |
|-----------|---------|---------|-----------------|-----|--------|--------|-----------|------------|---------|
| HVHT | GSM1800 | 512 | 1710.2 | 0 | Power | 31.03 | 28 | 32 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 1 | Power | 29.55 | 25 | 31 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 1 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 2 | Power | 27.42 | 23 | 29 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 2 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 3 | Power | 25.42 | 21 | 27 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 3 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 4 | Power | 23.46 | 19 | 25 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 4 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 5 | Power | 21.45 | 17 | 23 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 5 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 6 | Power | 19.55 | 15 | 21 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 6 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 7 | Power | 17.41 | 13 | 19 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 7 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 8 | Power | 15.49 | 11 | 17 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 8 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 9 | Power | 13.4 | 8 | 16 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 9 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 10 | Power | 11.37 | 6 | 14 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 10 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 11 | Power | 9.21 | 4 | 12 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 11 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 12 | Power | 7.25 | 2 | 10 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 12 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 13 | Power | 5.32 | 0 | 8 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 13 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 14 | Power | 3.58 | -3 | 7 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | Power | 1.96 | -5 | 5 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| HVHT | GSM1800 | 512 | 1710.2 | 15 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | Power | 31.38 | 28 | 32 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 1 | Power | 29.67 | 25 | 31 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 1 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 2 | Power | 27.76 | 23 | 29 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 2 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 3 | Power | 25.78 | 21 | 27 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 3 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 4 | Power | 23.77 | 19 | 25 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 4 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 5 | Power | 21.82 | 17 | 23 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 5 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 6 | Power | 19.78 | 15 | 21 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 6 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 7 | Power | 17.74 | 13 | 19 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 7 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 8 | Power | 15.9 | 11 | 17 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 9 | Power | 13.77 | 8 | 16 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 9 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 10 | Power | 11.78 | 6 | 14 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 10 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 11 | Power | 9.87 | 4 | 12 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 11 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 12 | Power | 7.88 | 2 | 10 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 12 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 13 | Power | 5.98 | 0 | 8 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 13 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 14 | Power | 4.26 | -3 | 7 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 14 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | Power | 2.7 | -5 | 5 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | Power | 31.41 | 28 | 32 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 1 | Power | 29.72 | 25 | 31 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 1 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 2 | Power | 27.74 | 23 | 29 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 2 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 3 | Power | 25.83 | 21 | 27 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 3 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 4 | Power | 23.72 | 19 | 25 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 4 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 5 | Power | 21.85 | 17 | 23 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| HVHT | GSM1800 | 885 | 1784.8 | 5 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 6 | Power | 19.74 | 15 | 21 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 6 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 7 | Power | 17.64 | 13 | 19 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 7 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 8 | Power | 15.6 | 11 | 17 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 8 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 9 | Power | 13.72 | 8 | 16 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 10 | Power | 11.63 | 6 | 14 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 10 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 11 | Power | 9.52 | 4 | 12 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 11 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 12 | Power | 7.48 | 2 | 10 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 12 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 13 | Power | 5.55 | 0 | 8 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 13 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 14 | Power | 3.85 | -3 | 7 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 14 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | Power | 2.32 | -5 | 5 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | Power | 31.07 | 28 | 32 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 1 | Power | 29.61 | 25 | 31 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 1 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 2 | Power | 27.47 | 23 | 29 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 2 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 3 | Power | 25.43 | 21 | 27 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 3 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 4 | Power | 23.5 | 19 | 25 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 4 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 5 | Power | 21.4 | 17 | 23 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 5 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 6 | Power | 19.42 | 15 | 21 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 7 | Power | 17.36 | 13 | 19 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 7 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 8 | Power | 15.52 | 11 | 17 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 8 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 9 | Power | 13.48 | 8 | 16 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 10 | Power | 11.22 | 6 | 14 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 10 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 11 | Power | 9.28 | 4 | 12 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| HVLT | GSM1800 | 512 | 1710.2 | 11 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 12 | Power | 7.16 | 2 | 10 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 12 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 13 | Power | 5.39 | 0 | 8 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 13 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 14 | Power | 3.56 | -3 | 7 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 14 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | Power | 2.03 | -5 | 5 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | Power | 31.23 | 28 | 32 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 1 | Power | 29.7 | 25 | 31 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 1 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 2 | Power | 27.79 | 23 | 29 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 2 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 3 | Power | 25.75 | 21 | 27 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 3 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 4 | Power | 23.79 | 19 | 25 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 4 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 5 | Power | 21.85 | 17 | 23 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 5 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 6 | Power | 19.81 | 15 | 21 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 6 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 7 | Power | 17.74 | 13 | 19 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 7 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 8 | Power | 15.88 | 11 | 17 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 8 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 9 | Power | 13.91 | 8 | 16 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 10 | Power | 11.74 | 6 | 14 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 10 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 11 | Power | 9.89 | 4 | 12 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 11 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 12 | Power | 7.84 | 2 | 10 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 12 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 13 | Power | 5.84 | 0 | 8 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 13 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 14 | Power | 4.23 | -3 | 7 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 14 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | Power | 2.72 | -5 | 5 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | Power | 31.31 | 28 | 32 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | PvT(%) | -0.03 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 1 | Power | 29.89 | 25 | 31 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| HVLT | GSM1800 | 885 | 1784.8 | 1 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 2 | Power | 27.75 | 23 | 29 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 2 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 3 | Power | 25.78 | 21 | 27 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 3 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 4 | Power | 23.79 | 19 | 25 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 4 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 5 | Power | 21.73 | 17 | 23 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 5 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 6 | Power | 19.64 | 15 | 21 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 6 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 7 | Power | 17.49 | 13 | 19 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 7 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 8 | Power | 15.57 | 11 | 17 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 8 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 9 | Power | 13.62 | 8 | 16 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 10 | Power | 11.51 | 6 | 14 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 10 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 11 | Power | 9.56 | 4 | 12 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 12 | Power | 7.45 | 2 | 10 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 12 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 13 | Power | 5.57 | 0 | 8 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 13 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 14 | Power | 3.78 | -3 | 7 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 14 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | Power | 2.18 | -5 | 5 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | Power | 30.92 | 28 | 32 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 1 | Power | 29.45 | 25 | 31 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 1 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 2 | Power | 27.53 | 23 | 29 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 2 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 3 | Power | 25.48 | 21 | 27 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 3 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 4 | Power | 23.41 | 19 | 25 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 4 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 5 | Power | 21.56 | 17 | 23 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 5 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 6 | Power | 19.47 | 15 | 21 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 6 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 7 | Power | 17.37 | 13 | 19 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| LVHT | GSM1800 | 512 | 1710.2 | 7 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 8 | Power | 15.43 | 11 | 17 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 8 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 9 | Power | 13.44 | 8 | 16 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 9 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 10 | Power | 11.33 | 6 | 14 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 10 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 11 | Power | 9.31 | 4 | 12 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 11 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 12 | Power | 7.09 | 2 | 10 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 12 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 13 | Power | 5.26 | 0 | 8 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 13 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 14 | Power | 3.64 | -3 | 7 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 14 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | Power | 2 | -5 | 5 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | Power | 31.26 | 28 | 32 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 1 | Power | 29.83 | 25 | 31 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 1 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 2 | Power | 27.76 | 23 | 29 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 2 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 3 | Power | 25.74 | 21 | 27 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 3 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 4 | Power | 23.85 | 19 | 25 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 4 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 5 | Power | 21.88 | 17 | 23 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 5 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 6 | Power | 19.69 | 15 | 21 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 6 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 7 | Power | 17.79 | 13 | 19 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 7 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 8 | Power | 15.83 | 11 | 17 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 9 | Power | 13.93 | 8 | 16 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 10 | Power | 11.8 | 6 | 14 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 10 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 11 | Power | 9.8 | 4 | 12 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 11 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 12 | Power | 7.92 | 2 | 10 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 12 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 13 | Power | 5.91 | 0 | 8 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| LVHT | GSM1800 | 698 | 1747.4 | 13 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 14 | Power | 4.38 | -3 | 7 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 14 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | Power | 2.72 | -5 | 5 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | Power | 31.38 | 28 | 32 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 1 | Power | 29.75 | 25 | 31 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 1 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 2 | Power | 27.77 | 23 | 29 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 2 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 3 | Power | 25.76 | 21 | 27 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 3 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 4 | Power | 23.84 | 19 | 25 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 4 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 5 | Power | 21.8 | 17 | 23 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 5 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 6 | Power | 19.67 | 15 | 21 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 6 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 7 | Power | 17.46 | 13 | 19 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 7 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 8 | Power | 15.64 | 11 | 17 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 8 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 9 | Power | 13.74 | 8 | 16 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 9 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 10 | Power | 11.61 | 6 | 14 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 10 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 11 | Power | 9.56 | 4 | 12 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 11 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 12 | Power | 7.38 | 2 | 10 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 12 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 13 | Power | 5.54 | 0 | 8 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 13 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 14 | Power | 3.77 | -3 | 7 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 14 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | Power | 2.16 | -5 | 5 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | Power | 30.94 | 28 | 32 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 1 | Power | 29.61 | 25 | 31 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 1 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 2 | Power | 27.49 | 23 | 29 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 2 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 3 | Power | 25.54 | 21 | 27 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| LVLT | GSM1800 | 512 | 1710.2 | 3 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 4 | Power | 23.46 | 19 | 25 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 4 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 5 | Power | 21.49 | 17 | 23 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 5 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 6 | Power | 19.47 | 15 | 21 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 6 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 7 | Power | 17.31 | 13 | 19 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 7 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 8 | Power | 15.39 | 11 | 17 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 8 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 9 | Power | 13.47 | 8 | 16 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 9 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 10 | Power | 11.37 | 6 | 14 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 10 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 11 | Power | 9.26 | 4 | 12 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 12 | Power | 7.22 | 2 | 10 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 12 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 13 | Power | 5.26 | 0 | 8 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 13 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 14 | Power | 3.56 | -3 | 7 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 14 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | Power | 1.9 | -5 | 5 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | Power | 31.27 | 28 | 32 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 1 | Power | 29.74 | 25 | 31 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 1 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 2 | Power | 27.85 | 23 | 29 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 2 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 3 | Power | 25.89 | 21 | 27 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 3 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 4 | Power | 23.69 | 19 | 25 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 4 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 5 | Power | 21.78 | 17 | 23 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 5 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 6 | Power | 19.83 | 15 | 21 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 6 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 7 | Power | 17.68 | 13 | 19 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 7 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 8 | Power | 15.75 | 11 | 17 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 8 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 9 | Power | 13.8 | 8 | 16 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| LVLT | GSM1800 | 698 | 1747.4 | 9 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 10 | Power | 11.8 | 6 | 14 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 10 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 11 | Power | 9.74 | 4 | 12 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 11 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 12 | Power | 7.88 | 2 | 10 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 12 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 13 | Power | 5.8 | 0 | 8 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 14 | Power | 4.22 | -3 | 7 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 14 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | Power | 2.72 | -5 | 5 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | Power | 31.28 | 28 | 32 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 1 | Power | 29.76 | 25 | 31 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 1 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 2 | Power | 27.8 | 23 | 29 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 2 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 3 | Power | 25.82 | 21 | 27 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 3 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 4 | Power | 23.73 | 19 | 25 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 4 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 5 | Power | 21.66 | 17 | 23 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 5 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 6 | Power | 19.62 | 15 | 21 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 6 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 7 | Power | 17.52 | 13 | 19 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 7 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 8 | Power | 15.59 | 11 | 17 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 9 | Power | 13.66 | 8 | 16 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 10 | Power | 11.59 | 6 | 14 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 10 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 11 | Power | 9.56 | 4 | 12 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 11 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 12 | Power | 7.38 | 2 | 10 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 12 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 13 | Power | 5.5 | 0 | 8 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 13 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 14 | Power | 3.81 | -3 | 7 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 14 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | Power | 2.24 | -5 | 5 | PASS |

| | | | | | | | | | |
|------|---------|-----|--------|----|--------|-------|----|----|------|
| LVLT | GSM1800 | 885 | 1784.8 | 15 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | Power | 33.37 | 31 | 35 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 6 | Power | 31.66 | 28 | 34 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 6 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 7 | Power | 29.67 | 26 | 32 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 7 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 8 | Power | 27.72 | 24 | 30 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 8 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 9 | Power | 25.84 | 22 | 28 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 9 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 10 | Power | 23.8 | 20 | 26 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 10 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 11 | Power | 21.77 | 18 | 24 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 12 | Power | 19.78 | 16 | 22 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 12 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 13 | Power | 17.7 | 14 | 20 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 14 | Power | 15.77 | 12 | 18 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 14 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 15 | Power | 13.81 | 10 | 16 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 15 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 16 | Power | 12.01 | 6 | 16 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 16 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 17 | Power | 9.83 | 4 | 14 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 17 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 18 | Power | 7.98 | 2 | 12 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 18 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | Power | 6.09 | 0 | 10 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | Power | 33.2 | 31 | 35 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 6 | Power | 31.47 | 28 | 34 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 6 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 7 | Power | 29.45 | 26 | 32 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 7 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 8 | Power | 27.56 | 24 | 30 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 8 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 9 | Power | 25.56 | 22 | 28 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 9 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 10 | Power | 23.53 | 20 | 26 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 10 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 11 | Power | 21.46 | 18 | 24 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| HVHT | GSM900 | 38 | 897.6 | 11 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 12 | Power | 19.67 | 16 | 22 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 12 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 13 | Power | 17.66 | 14 | 20 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 13 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 14 | Power | 15.56 | 12 | 18 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 14 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 15 | Power | 13.96 | 10 | 16 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 15 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 16 | Power | 11.93 | 6 | 16 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 16 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 17 | Power | 9.89 | 4 | 14 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 17 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 18 | Power | 7.99 | 2 | 12 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 18 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | Power | 6.06 | 0 | 10 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | Power | 33.05 | 31 | 35 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 6 | Power | 31.54 | 28 | 34 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 6 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 7 | Power | 29.4 | 26 | 32 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 7 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 8 | Power | 27.58 | 24 | 30 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 8 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 9 | Power | 25.53 | 22 | 28 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 9 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 10 | Power | 23.61 | 20 | 26 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 10 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 11 | Power | 21.68 | 18 | 24 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 11 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 12 | Power | 19.68 | 16 | 22 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 12 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 13 | Power | 17.72 | 14 | 20 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 13 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 14 | Power | 15.77 | 12 | 18 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 14 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 15 | Power | 13.49 | 10 | 16 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 15 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 16 | Power | 11.65 | 6 | 16 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 16 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 17 | Power | 9.45 | 4 | 14 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 17 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 18 | Power | 7.48 | 2 | 12 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| HVHT | GSM900 | 124 | 914.8 | 18 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | Power | 5.49 | 0 | 10 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | Power | 33.27 | 31 | 35 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 6 | Power | 31.71 | 28 | 34 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 6 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 7 | Power | 29.82 | 26 | 32 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 7 | PvT(%) | -0.01 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 8 | Power | 27.83 | 24 | 30 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 8 | PvT(%) | -0.09 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 9 | Power | 25.74 | 22 | 28 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 9 | PvT(%) | -0.12 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 10 | Power | 23.79 | 20 | 26 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 10 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 11 | Power | 21.65 | 18 | 24 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 11 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 12 | Power | 19.77 | 16 | 22 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 12 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 13 | Power | 17.82 | 14 | 20 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 13 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 14 | Power | 15.74 | 12 | 18 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 14 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 15 | Power | 13.9 | 10 | 16 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 15 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 16 | Power | 11.91 | 6 | 16 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 16 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 17 | Power | 10 | 4 | 14 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 17 | PvT(%) | -0.14 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 18 | Power | 8.14 | 2 | 12 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 18 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | Power | 6.12 | 0 | 10 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | Power | 33.18 | 31 | 35 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 6 | Power | 31.63 | 28 | 34 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 7 | Power | 29.5 | 26 | 32 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 7 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 8 | Power | 27.55 | 24 | 30 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 8 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 9 | Power | 25.5 | 22 | 28 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 10 | Power | 23.58 | 20 | 26 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| HVLT | GSM900 | 38 | 897.6 | 10 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 11 | Power | 21.49 | 18 | 24 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 11 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 12 | Power | 19.54 | 16 | 22 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 12 | PvT(%) | -0.1 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 13 | Power | 17.74 | 14 | 20 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 13 | PvT(%) | -0.06 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 14 | Power | 15.59 | 12 | 18 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 14 | PvT(%) | -0.15 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 15 | Power | 13.91 | 10 | 16 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 15 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 16 | Power | 11.87 | 6 | 16 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 16 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 17 | Power | 9.94 | 4 | 14 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 17 | PvT(%) | -0.18 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 18 | Power | 8.04 | 2 | 12 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 18 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | Power | 6.12 | 0 | 10 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | PvT(%) | -0.11 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | Power | 32.94 | 31 | 35 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 6 | Power | 31.53 | 28 | 34 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 6 | PvT(%) | -0.04 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 7 | Power | 29.51 | 26 | 32 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 7 | PvT(%) | -0.19 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 8 | Power | 27.58 | 24 | 30 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 8 | PvT(%) | -0.02 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 9 | Power | 25.67 | 22 | 28 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 9 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 10 | Power | 23.66 | 20 | 26 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 10 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 11 | Power | 21.75 | 18 | 24 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 11 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 12 | Power | 19.6 | 16 | 22 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 12 | PvT(%) | -0.08 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 13 | Power | 17.66 | 14 | 20 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 13 | PvT(%) | -0.2 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 14 | Power | 15.65 | 12 | 18 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 14 | PvT(%) | -0.13 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 15 | Power | 13.51 | 10 | 16 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 15 | PvT(%) | -0.16 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 16 | Power | 11.64 | 6 | 16 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 16 | PvT(%) | -0.07 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 17 | Power | 9.63 | 4 | 14 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| HVLT | GSM900 | 124 | 914.8 | 17 | PvT(%) | -0.05 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 18 | Power | 7.5 | 2 | 12 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 18 | PvT(%) | -0.17 | 0 | 0 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | Power | 5.54 | 0 | 10 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | Power | 33.29 | 31 | 35 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 6 | Power | 31.71 | 28 | 34 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 6 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 7 | Power | 29.71 | 26 | 32 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 7 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 8 | Power | 27.85 | 24 | 30 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 8 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 9 | Power | 25.85 | 22 | 28 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 9 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 10 | Power | 23.81 | 20 | 26 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 10 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 11 | Power | 21.69 | 18 | 24 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 11 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 12 | Power | 19.73 | 16 | 22 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 12 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 13 | Power | 17.72 | 14 | 20 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 13 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 14 | Power | 15.84 | 12 | 18 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 15 | Power | 13.81 | 10 | 16 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 15 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 16 | Power | 11.97 | 6 | 16 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 16 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 17 | Power | 9.93 | 4 | 14 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 17 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 18 | Power | 8.02 | 2 | 12 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 18 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | Power | 6.09 | 0 | 10 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | Power | 33.15 | 31 | 35 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 6 | Power | 31.52 | 28 | 34 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 7 | Power | 29.63 | 26 | 32 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 7 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 8 | Power | 27.54 | 24 | 30 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 8 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 9 | Power | 25.67 | 22 | 28 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| LVHT | GSM900 | 38 | 897.6 | 9 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 10 | Power | 23.66 | 20 | 26 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 10 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 11 | Power | 21.43 | 18 | 24 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 11 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 12 | Power | 19.57 | 16 | 22 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 12 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 13 | Power | 17.74 | 14 | 20 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 13 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 14 | Power | 15.55 | 12 | 18 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 14 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 15 | Power | 13.81 | 10 | 16 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 15 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 16 | Power | 11.98 | 6 | 16 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 16 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 17 | Power | 9.87 | 4 | 14 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 17 | PvT(%) | -0.19 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 18 | Power | 7.94 | 2 | 12 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 18 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | Power | 6.12 | 0 | 10 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | Power | 32.99 | 31 | 35 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 6 | Power | 31.57 | 28 | 34 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 6 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 7 | Power | 29.53 | 26 | 32 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 7 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 8 | Power | 27.46 | 24 | 30 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 8 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 9 | Power | 25.52 | 22 | 28 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 9 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 10 | Power | 23.62 | 20 | 26 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 10 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 11 | Power | 21.71 | 18 | 24 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 11 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 12 | Power | 19.59 | 16 | 22 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 12 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 13 | Power | 17.76 | 14 | 20 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 13 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 14 | Power | 15.79 | 12 | 18 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 14 | PvT(%) | -0.08 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 15 | Power | 13.47 | 10 | 16 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 15 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 16 | Power | 11.69 | 6 | 16 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| LVHT | GSM900 | 124 | 914.8 | 16 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 17 | Power | 9.53 | 4 | 14 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 17 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 18 | Power | 7.47 | 2 | 12 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 18 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | Power | 5.42 | 0 | 10 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 5 | Power | 33.19 | 31 | 35 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 5 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 6 | Power | 31.77 | 28 | 34 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 6 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 7 | Power | 29.8 | 26 | 32 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 7 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 8 | Power | 27.67 | 24 | 30 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 8 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 9 | Power | 25.72 | 22 | 28 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 9 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 10 | Power | 23.82 | 20 | 26 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 10 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 11 | Power | 21.81 | 18 | 24 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 11 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 12 | Power | 19.79 | 16 | 22 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 12 | PvT(%) | -0.14 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 13 | Power | 17.73 | 14 | 20 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 13 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 14 | Power | 15.79 | 12 | 18 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 14 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 15 | Power | 13.85 | 10 | 16 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 15 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 16 | Power | 11.9 | 6 | 16 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 16 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 17 | Power | 9.88 | 4 | 14 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 17 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 18 | Power | 8.14 | 2 | 12 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 18 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 19 | Power | 5.94 | 0 | 10 | PASS |
| LVLТ | GSM900 | 975 | 880.2 | 19 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 5 | Power | 33.2 | 31 | 35 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 5 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 6 | Power | 31.53 | 28 | 34 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 6 | PvT(%) | -0.15 | 0 | 0 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 7 | Power | 29.53 | 26 | 32 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 7 | PvT(%) | -0.2 | 0 | 0 | PASS |
| LVLТ | GSM900 | 38 | 897.6 | 8 | Power | 27.66 | 24 | 30 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|----|----|------|
| LVLT | GSM900 | 38 | 897.6 | 8 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 9 | Power | 25.55 | 22 | 28 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 9 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 10 | Power | 23.55 | 20 | 26 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 10 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 11 | Power | 21.49 | 18 | 24 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 11 | PvT(%) | -0.11 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 12 | Power | 19.55 | 16 | 22 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 12 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 13 | Power | 17.63 | 14 | 20 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 13 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 14 | Power | 15.68 | 12 | 18 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 14 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 15 | Power | 13.93 | 10 | 16 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 15 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 16 | Power | 11.97 | 6 | 16 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 16 | PvT(%) | -0.1 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 17 | Power | 10.03 | 4 | 14 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 17 | PvT(%) | -0.12 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 18 | Power | 8.02 | 2 | 12 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 18 | PvT(%) | -0.17 | 0 | 0 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | Power | 6.14 | 0 | 10 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | PvT(%) | -0.01 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | Power | 33 | 31 | 35 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | PvT(%) | -0.04 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 6 | Power | 31.49 | 28 | 34 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 6 | PvT(%) | -0.07 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 7 | Power | 29.5 | 26 | 32 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 7 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 8 | Power | 27.54 | 24 | 30 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 8 | PvT(%) | -0.06 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 9 | Power | 25.55 | 22 | 28 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 9 | PvT(%) | -0.09 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 10 | Power | 23.58 | 20 | 26 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 10 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 11 | Power | 21.68 | 18 | 24 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 11 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 12 | Power | 19.71 | 16 | 22 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 12 | PvT(%) | -0.03 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 13 | Power | 17.72 | 14 | 20 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 13 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 14 | Power | 15.7 | 12 | 18 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 14 | PvT(%) | -0.02 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 15 | Power | 13.5 | 10 | 16 | PASS |

| | | | | | | | | | |
|------|--------|-----|-------|----|--------|-------|---|----|------|
| LVLT | GSM900 | 124 | 914.8 | 15 | PvT(%) | -0.16 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 16 | Power | 11.6 | 6 | 16 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 16 | PvT(%) | -0.13 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 17 | Power | 9.61 | 4 | 14 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 17 | PvT(%) | -0.18 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 18 | Power | 7.49 | 2 | 12 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 18 | PvT(%) | -0.05 | 0 | 0 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | Power | 5.45 | 0 | 10 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | PvT(%) | -0.19 | 0 | 0 | PASS |

Clause 4.2.6 Transmitter-Modulation Spectrum

| Condition | Band | Channel | Frequency (MHz) | PCL | Offset (kHz) | Relative Result (dB) | Relative Limit (dB) | Absolute Result (dBm) | Absolute Limit (dBm) | Verdict |
|-----------|---------|---------|-----------------|-----|--------------|----------------------|---------------------|-----------------------|----------------------|---------|
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -79.46 | -60 | -56.84 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1600 | -79.22 | -60 | -56.58 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1400 | -79.05 | -60 | -56.54 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -77.86 | -60 | -55.26 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1000 | -76.46 | -60 | -53.8 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -800 | -73.85 | -60 | -51.11 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -600 | -72.06 | -60 | -49.5 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -400 | -66.59 | -60 | -44.1 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -250 | -41.59 | -33 | -19.04 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -200 | -36.56 | -30 | -14.01 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -100 | -7.66 | 0.5 | 14.82 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 100 | -8.74 | 0.5 | 13.98 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 200 | -36.42 | -30 | -13.77 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 250 | -40.87 | -33 | -18.19 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 400 | -67.33 | -60 | -44.63 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 600 | -72.02 | -60 | -49.24 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 800 | -74.64 | -60 | -52.02 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1000 | -75.68 | -60 | -53.03 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -77.82 | -60 | -55.15 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1400 | -78.58 | -60 | -56.1 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1600 | -80.03 | -60 | -57.34 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -79.59 | -60 | -56.89 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -75.55 | -60 | -80.9 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1600 | -75.56 | -60 | -80.95 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1400 | -74.24 | -60 | -79.64 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -72.71 | -60 | -78.1 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1000 | -72.1 | -60 | -77.38 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -800 | -69.98 | -60 | -75.3 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -600 | -68.41 | -60 | -73.59 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -400 | -65.19 | -60 | -70.4 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -250 | -41.49 | -33 | -46.95 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -200 | -37.36 | -30 | -42.71 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -100 | -9.47 | 0.5 | -14.78 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 100 | -10.13 | 0.5 | -15.34 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 200 | -37.05 | -30 | -42.49 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 250 | -40.94 | -33 | -46.37 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 400 | -66.03 | -60 | -71.3 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 600 | -70.58 | -60 | -75.81 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 800 | -72.44 | -60 | -77.81 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1000 | -74.73 | -60 | -80.04 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -76.78 | -60 | -81.98 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1400 | -76.72 | -60 | -82.13 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1600 | -77.91 | -60 | -83.04 | -55 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -77.21 | -60 | -82.48 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -79.31 | -60 | -56.46 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1600 | -79.7 | -60 | -56.77 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1400 | -78.09 | -60 | -55.21 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -77.92 | -60 | -55.01 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1000 | -76.38 | -60 | -53.39 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -800 | -75.72 | -60 | -52.74 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -600 | -72.87 | -60 | -50.01 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -400 | -66.49 | -60 | -43.61 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -250 | -41.29 | -33 | -18.3 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -200 | -36.36 | -30 | -13.48 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -100 | -8.56 | 0.5 | 14.46 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 100 | -7.76 | 0.5 | 15.19 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 200 | -36.72 | -30 | -13.73 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 250 | -41.11 | -33 | -18.04 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 400 | -67.29 | -60 | -44.31 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 600 | -72.17 | -60 | -49.29 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 800 | -75.2 | -60 | -52.27 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1000 | -76.33 | -60 | -53.28 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -78.29 | -60 | -55.47 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1400 | -78.14 | -60 | -55.32 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1600 | -79.52 | -60 | -56.49 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -79.72 | -60 | -56.83 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -76.06 | -60 | -81.16 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1600 | -74.87 | -60 | -79.91 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1400 | -73.62 | -60 | -78.65 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -72.56 | -60 | -77.61 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1000 | -71.44 | -60 | -76.54 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -800 | -70.49 | -60 | -75.46 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -600 | -68.55 | -60 | -73.63 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -400 | -65.23 | -60 | -70.21 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -250 | -41.01 | -33 | -46.06 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -200 | -36.56 | -30 | -41.79 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -100 | -8.77 | 0.5 | -13.88 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 100 | -8.68 | 0.5 | -13.64 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 200 | -36.86 | -30 | -41.79 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 250 | -41.31 | -33 | -46.48 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 400 | -65.37 | -60 | -70.48 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 600 | -69.97 | -60 | -75.02 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 800 | -72.03 | -60 | -77.12 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1000 | -74.42 | -60 | -79.4 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -75.7 | -60 | -80.72 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1400 | -76.85 | -60 | -81.97 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1600 | -77.92 | -60 | -83 | -55 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -78.15 | -60 | -83.16 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -81.46 | -60 | -57.62 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1600 | -81.09 | -60 | -57.2 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1400 | -79.76 | -60 | -55.91 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -79.16 | -60 | -55.29 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1000 | -77.08 | -60 | -53.29 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -800 | -75.71 | -60 | -51.82 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -600 | -73.6 | -60 | -49.8 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -400 | -67.12 | -60 | -43.2 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -250 | -41.53 | -33 | -17.69 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -200 | -37.06 | -30 | -13.25 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -100 | -9.54 | 0.5 | 14.38 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 100 | -8.44 | 0.5 | 15.38 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 200 | -37.19 | -30 | -13.31 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 250 | -41.26 | -33 | -17.43 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 400 | -67.41 | -60 | -43.57 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 600 | -72.74 | -60 | -48.88 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 800 | -75.59 | -60 | -51.81 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1000 | -77.53 | -60 | -53.6 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -78.34 | -60 | -54.56 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1400 | -79.62 | -60 | -55.79 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1600 | -80.01 | -60 | -56.27 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -81.35 | -60 | -57.51 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -76.21 | -60 | -81.69 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1600 | -75.27 | -60 | -80.69 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1400 | -73.14 | -60 | -78.55 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -72.76 | -60 | -78.24 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1000 | -71.04 | -60 | -76.61 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -800 | -67.91 | -60 | -73.34 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -600 | -68.46 | -60 | -73.93 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -400 | -62 | -60 | -67.49 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -250 | -41.12 | -33 | -46.5 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -200 | -37.04 | -30 | -42.52 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -100 | -8.55 | 0.5 | -14.07 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 100 | -8.83 | 0.5 | -14.41 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 200 | -37.11 | -30 | -42.65 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 250 | -41.22 | -33 | -46.68 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 400 | -63.19 | -60 | -68.75 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 600 | -70.31 | -60 | -75.76 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 800 | -70.17 | -60 | -75.59 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1000 | -74.1 | -60 | -79.57 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -74.56 | -60 | -79.97 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1400 | -76.24 | -60 | -81.65 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1600 | -77.35 | -60 | -82.72 | -55 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -77.09 | -60 | -82.52 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -79.4 | -60 | -56.69 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1600 | -79.19 | -60 | -56.44 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1400 | -79.11 | -60 | -56.53 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -77.8 | -60 | -55.18 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1000 | -76.37 | -60 | -53.77 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -800 | -73.81 | -60 | -51.23 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -600 | -72.06 | -60 | -49.43 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -400 | -66.64 | -60 | -44.12 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -250 | -41.63 | -33 | -19 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -200 | -36.67 | -30 | -13.98 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -100 | -7.73 | 0.5 | 14.96 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 100 | -8.71 | 0.5 | 13.97 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 200 | -36.38 | -30 | -13.77 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 250 | -40.86 | -33 | -18.25 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 400 | -67.37 | -60 | -44.76 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 600 | -71.89 | -60 | -49.29 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 800 | -74.65 | -60 | -52.02 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1000 | -75.74 | -60 | -53.09 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -77.88 | -60 | -55.23 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1400 | -78.73 | -60 | -56.01 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1600 | -79.86 | -60 | -57.22 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -79.5 | -60 | -56.91 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -75.67 | -60 | -80.93 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1600 | -75.54 | -60 | -80.94 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1400 | -74.33 | -60 | -79.62 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -72.71 | -60 | -78.04 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1000 | -72.02 | -60 | -77.4 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -800 | -69.91 | -60 | -75.18 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -600 | -68.3 | -60 | -73.55 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -400 | -65.1 | -60 | -70.45 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -250 | -41.49 | -33 | -46.82 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -200 | -37.44 | -30 | -42.69 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -100 | -9.37 | 0.5 | -14.7 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 100 | -10.04 | 0.5 | -15.34 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 200 | -37.11 | -30 | -42.47 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 250 | -41.09 | -33 | -46.33 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 400 | -66.05 | -60 | -71.29 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 600 | -70.52 | -60 | -75.79 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 800 | -72.38 | -60 | -77.75 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1000 | -74.81 | -60 | -79.98 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -76.8 | -60 | -81.98 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1400 | -76.89 | -60 | -82.2 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1600 | -77.83 | -60 | -83.17 | -55 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -77.13 | -60 | -82.47 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -79.37 | -60 | -56.45 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1600 | -79.68 | -60 | -56.87 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1400 | -78.07 | -60 | -55.1 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -77.82 | -60 | -54.97 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1000 | -76.39 | -60 | -53.52 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -800 | -75.64 | -60 | -52.75 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -600 | -72.79 | -60 | -49.98 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -400 | -66.42 | -60 | -43.52 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -250 | -41.31 | -33 | -18.34 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -200 | -36.48 | -30 | -13.6 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -100 | -8.64 | 0.5 | 14.3 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 100 | -7.7 | 0.5 | 15.05 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 200 | -36.59 | -30 | -13.69 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 250 | -41.15 | -33 | -18.04 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 400 | -67.19 | -60 | -44.31 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 600 | -72.23 | -60 | -49.26 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 800 | -75.19 | -60 | -52.39 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1000 | -76.26 | -60 | -53.36 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -78.29 | -60 | -55.32 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1400 | -78.12 | -60 | -55.25 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1600 | -79.61 | -60 | -56.66 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -79.88 | -60 | -56.84 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -76.08 | -60 | -81.24 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1600 | -74.68 | -60 | -79.95 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1400 | -73.69 | -60 | -78.72 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -72.42 | -60 | -77.49 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1000 | -71.45 | -60 | -76.54 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -800 | -70.4 | -60 | -75.57 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -600 | -68.6 | -60 | -73.67 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -400 | -65.27 | -60 | -70.22 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -250 | -40.86 | -33 | -45.97 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -200 | -36.62 | -30 | -41.8 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -100 | -8.64 | 0.5 | -13.83 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 100 | -8.69 | 0.5 | -13.64 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 200 | -36.71 | -30 | -41.84 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 250 | -41.22 | -33 | -46.45 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 400 | -65.43 | -60 | -70.47 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 600 | -70.01 | -60 | -74.93 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 800 | -72.22 | -60 | -77.25 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1000 | -74.35 | -60 | -79.39 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -75.66 | -60 | -80.72 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1400 | -76.78 | -60 | -82 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1600 | -77.87 | -60 | -82.98 | -55 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -78.1 | -60 | -83.16 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -81.47 | -60 | -57.45 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1600 | -81.11 | -60 | -57.36 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1400 | -79.77 | -60 | -56.07 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -79.05 | -60 | -55.27 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1000 | -77.19 | -60 | -53.25 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -800 | -75.65 | -60 | -51.89 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -600 | -73.67 | -60 | -49.8 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -400 | -67.12 | -60 | -43.22 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -250 | -41.49 | -33 | -17.58 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -200 | -37.07 | -30 | -13.08 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -100 | -9.5 | 0.5 | 14.37 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 100 | -8.56 | 0.5 | 15.26 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 200 | -37.3 | -30 | -13.36 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 250 | -41.32 | -33 | -17.28 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 400 | -67.38 | -60 | -43.6 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 600 | -72.59 | -60 | -48.76 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 800 | -75.59 | -60 | -51.82 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1000 | -77.53 | -60 | -53.62 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -78.37 | -60 | -54.5 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1400 | -79.57 | -60 | -55.68 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1600 | -80.1 | -60 | -56.12 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -81.34 | -60 | -57.54 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -76.19 | -60 | -81.74 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1600 | -75.19 | -60 | -80.64 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1400 | -73.14 | -60 | -78.66 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -72.63 | -60 | -78.11 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1000 | -71 | -60 | -76.54 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -800 | -67.94 | -60 | -73.34 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -600 | -68.36 | -60 | -73.83 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -400 | -62.04 | -60 | -67.46 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -250 | -41.03 | -33 | -46.53 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -200 | -37.05 | -30 | -42.4 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -100 | -8.46 | 0.5 | -13.93 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 100 | -8.91 | 0.5 | -14.27 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 200 | -37.11 | -30 | -42.62 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 250 | -41.21 | -33 | -46.7 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 400 | -63.33 | -60 | -68.67 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 600 | -70.24 | -60 | -75.68 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 800 | -70.19 | -60 | -75.69 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1000 | -74.04 | -60 | -79.44 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -74.69 | -60 | -80.08 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1400 | -76.29 | -60 | -81.7 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1600 | -77.32 | -60 | -82.91 | -55 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -77.01 | -60 | -82.58 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -79.36 | -60 | -56.77 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1600 | -79.07 | -60 | -56.58 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1400 | -79.05 | -60 | -56.42 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -77.91 | -60 | -55.2 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1000 | -76.48 | -60 | -53.75 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -800 | -73.75 | -60 | -51.24 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -600 | -72.23 | -60 | -49.59 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -400 | -66.71 | -60 | -43.96 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -250 | -41.65 | -33 | -18.94 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -200 | -36.59 | -30 | -13.88 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -100 | -7.73 | 0.5 | 14.86 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 100 | -8.75 | 0.5 | 14.05 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 200 | -36.44 | -30 | -13.72 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 250 | -40.88 | -33 | -18.14 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 400 | -67.42 | -60 | -44.67 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 600 | -72 | -60 | -49.42 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 800 | -74.63 | -60 | -52.02 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1000 | -75.6 | -60 | -53.05 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -77.87 | -60 | -55.05 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1400 | -78.73 | -60 | -55.92 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1600 | -79.96 | -60 | -57.36 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -79.63 | -60 | -56.97 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -75.62 | -60 | -80.91 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1600 | -75.68 | -60 | -80.93 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1400 | -74.23 | -60 | -79.61 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -72.79 | -60 | -78.15 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1000 | -72.11 | -60 | -77.46 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -800 | -70.03 | -60 | -75.25 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -600 | -68.34 | -60 | -73.7 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -400 | -65.17 | -60 | -70.44 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -250 | -41.57 | -33 | -46.84 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -200 | -37.42 | -30 | -42.69 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -100 | -9.44 | 0.5 | -14.7 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 100 | -10.07 | 0.5 | -15.5 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 200 | -37.21 | -30 | -42.38 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 250 | -40.95 | -33 | -46.32 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 400 | -65.98 | -60 | -71.31 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 600 | -70.51 | -60 | -75.86 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 800 | -72.36 | -60 | -77.73 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1000 | -74.78 | -60 | -80.06 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -76.8 | -60 | -82 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1400 | -76.89 | -60 | -82.05 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1600 | -77.86 | -60 | -83.17 | -55 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -77.18 | -60 | -82.6 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -79.46 | -60 | -56.44 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1600 | -79.79 | -60 | -56.7 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1400 | -78.02 | -60 | -55.11 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -77.86 | -60 | -54.86 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1000 | -76.34 | -60 | -53.44 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -800 | -75.63 | -60 | -52.7 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -600 | -72.94 | -60 | -49.97 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -400 | -66.52 | -60 | -43.5 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -250 | -41.25 | -33 | -18.42 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -200 | -36.45 | -30 | -13.47 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -100 | -8.5 | 0.5 | 14.46 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 100 | -7.79 | 0.5 | 15.18 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 200 | -36.58 | -30 | -13.69 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 250 | -41.14 | -33 | -18.1 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 400 | -67.2 | -60 | -44.24 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 600 | -72.21 | -60 | -49.33 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 800 | -75.15 | -60 | -52.3 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1000 | -76.14 | -60 | -53.27 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -78.29 | -60 | -55.35 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1400 | -78.17 | -60 | -55.17 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1600 | -79.6 | -60 | -56.57 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -79.8 | -60 | -56.9 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -76.07 | -60 | -81.26 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1600 | -74.82 | -60 | -79.77 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1400 | -73.62 | -60 | -78.73 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -72.53 | -60 | -77.63 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1000 | -71.48 | -60 | -76.52 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -800 | -70.46 | -60 | -75.62 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -600 | -68.51 | -60 | -73.72 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -400 | -65.11 | -60 | -70.37 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -250 | -40.89 | -33 | -45.94 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -200 | -36.69 | -30 | -41.83 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -100 | -8.79 | 0.5 | -13.75 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 100 | -8.68 | 0.5 | -13.68 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 200 | -36.81 | -30 | -41.83 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 250 | -41.4 | -33 | -46.35 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 400 | -65.47 | -60 | -70.52 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 600 | -69.89 | -60 | -75.09 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 800 | -72.14 | -60 | -77.28 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1000 | -74.42 | -60 | -79.36 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -75.71 | -60 | -80.89 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1400 | -76.92 | -60 | -82 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1600 | -77.88 | -60 | -83.02 | -55 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -78.15 | -60 | -83.13 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -81.51 | -60 | -57.48 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1600 | -81.11 | -60 | -57.31 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1400 | -79.76 | -60 | -55.97 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -79.14 | -60 | -55.28 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1000 | -77.22 | -60 | -53.34 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -800 | -75.76 | -60 | -51.77 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -600 | -73.69 | -60 | -49.7 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -400 | -67.03 | -60 | -43.15 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -250 | -41.52 | -33 | -17.59 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -200 | -36.98 | -30 | -13.25 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -100 | -9.6 | 0.5 | 14.27 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 100 | -8.49 | 0.5 | 15.38 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 200 | -37.28 | -30 | -13.43 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 250 | -41.22 | -33 | -17.33 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 400 | -67.42 | -60 | -43.67 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 600 | -72.61 | -60 | -48.88 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 800 | -75.66 | -60 | -51.84 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1000 | -77.52 | -60 | -53.69 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -78.36 | -60 | -54.53 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1400 | -79.49 | -60 | -55.62 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1600 | -80.07 | -60 | -56.19 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -81.27 | -60 | -57.57 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -76.31 | -60 | -81.74 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1600 | -75.13 | -60 | -80.6 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1400 | -73.2 | -60 | -78.66 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -72.6 | -60 | -78.1 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1000 | -71.13 | -60 | -76.61 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -800 | -67.82 | -60 | -73.28 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -600 | -68.47 | -60 | -73.95 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -400 | -62.02 | -60 | -67.38 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -250 | -41.03 | -33 | -46.57 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -200 | -37.02 | -30 | -42.57 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -100 | -8.52 | 0.5 | -14.12 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 100 | -8.91 | 0.5 | -14.28 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 200 | -37.23 | -30 | -42.66 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 250 | -41.16 | -33 | -46.7 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 400 | -63.22 | -60 | -68.64 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 600 | -70.25 | -60 | -75.7 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 800 | -70.17 | -60 | -75.58 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1000 | -74 | -60 | -79.41 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -74.62 | -60 | -80.01 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1400 | -76.28 | -60 | -81.75 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1600 | -77.42 | -60 | -82.73 | -55 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -77 | -60 | -82.58 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -79.47 | -60 | -56.67 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1600 | -79.19 | -60 | -56.56 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1400 | -79.19 | -60 | -56.49 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -77.86 | -60 | -55.21 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1000 | -76.49 | -60 | -53.78 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -800 | -73.71 | -60 | -51.18 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -600 | -72.1 | -60 | -49.48 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -400 | -66.67 | -60 | -44.06 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -250 | -41.68 | -33 | -19.05 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -200 | -36.54 | -30 | -13.96 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -100 | -7.7 | 0.5 | 14.87 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 100 | -8.61 | 0.5 | 14 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 200 | -36.36 | -30 | -13.65 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 250 | -40.74 | -33 | -18.24 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 400 | -67.32 | -60 | -44.7 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 600 | -71.9 | -60 | -49.38 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 800 | -74.5 | -60 | -51.87 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1000 | -75.61 | -60 | -52.97 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -77.88 | -60 | -55.12 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1400 | -78.59 | -60 | -56.08 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1600 | -80 | -60 | -57.38 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -79.54 | -60 | -57.01 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -75.67 | -60 | -80.97 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1600 | -75.66 | -60 | -80.97 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1400 | -74.3 | -60 | -79.61 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -72.84 | -60 | -78.13 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1000 | -72.11 | -60 | -77.39 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -800 | -69.96 | -60 | -75.17 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -600 | -68.37 | -60 | -73.58 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -400 | -65.03 | -60 | -70.46 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -250 | -41.58 | -33 | -46.89 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -200 | -37.52 | -30 | -42.67 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -100 | -9.36 | 0.5 | -14.7 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 100 | -10.14 | 0.5 | -15.32 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 200 | -37.1 | -30 | -42.43 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 250 | -41.04 | -33 | -46.29 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 400 | -66.04 | -60 | -71.29 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 600 | -70.55 | -60 | -75.81 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 800 | -72.43 | -60 | -77.76 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1000 | -74.78 | -60 | -80.12 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -76.76 | -60 | -82.02 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1400 | -76.72 | -60 | -82.16 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1600 | -77.84 | -60 | -83.09 | -55 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -77.14 | -60 | -82.53 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -79.38 | -60 | -56.53 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1600 | -79.68 | -60 | -56.83 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1400 | -78.03 | -60 | -55.16 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -77.8 | -60 | -54.84 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1000 | -76.47 | -60 | -53.38 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -800 | -75.74 | -60 | -52.75 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -600 | -72.92 | -60 | -49.92 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -400 | -66.46 | -60 | -43.52 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -250 | -41.35 | -33 | -18.3 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -200 | -36.38 | -30 | -13.49 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -100 | -8.59 | 0.5 | 14.47 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 100 | -7.84 | 0.5 | 15.18 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 200 | -36.65 | -30 | -13.69 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 250 | -41 | -33 | -18.08 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 400 | -67.23 | -60 | -44.23 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 600 | -72.2 | -60 | -49.34 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 800 | -75.19 | -60 | -52.23 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1000 | -76.24 | -60 | -53.27 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -78.24 | -60 | -55.5 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1400 | -78.13 | -60 | -55.18 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1600 | -79.43 | -60 | -56.62 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -79.82 | -60 | -56.83 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -76.18 | -60 | -81.21 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1600 | -74.69 | -60 | -79.77 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1400 | -73.7 | -60 | -78.74 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -72.54 | -60 | -77.54 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1000 | -71.46 | -60 | -76.66 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -800 | -70.5 | -60 | -75.54 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -600 | -68.55 | -60 | -73.61 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -400 | -65.17 | -60 | -70.38 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -250 | -40.88 | -33 | -46.11 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -200 | -36.65 | -30 | -41.76 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -100 | -8.74 | 0.5 | -13.86 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 100 | -8.69 | 0.5 | -13.74 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 200 | -36.67 | -30 | -41.77 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 250 | -41.26 | -33 | -46.5 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 400 | -65.39 | -60 | -70.64 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 600 | -69.88 | -60 | -74.93 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 800 | -72.11 | -60 | -77.2 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1000 | -74.31 | -60 | -79.49 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -75.64 | -60 | -80.74 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1400 | -76.82 | -60 | -82.03 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1600 | -77.87 | -60 | -82.91 | -55 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -78.17 | -60 | -83.23 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -81.4 | -60 | -57.45 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1600 | -81.08 | -60 | -57.38 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1400 | -79.86 | -60 | -55.92 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -79.16 | -60 | -55.15 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1000 | -77.12 | -60 | -53.23 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -800 | -75.75 | -60 | -51.77 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -600 | -73.63 | -60 | -49.72 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -400 | -66.98 | -60 | -43.29 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -250 | -41.46 | -33 | -17.65 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -200 | -36.96 | -30 | -13.11 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -100 | -9.55 | 0.5 | 14.27 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 100 | -8.45 | 0.5 | 15.26 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 200 | -37.28 | -30 | -13.36 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 250 | -41.3 | -33 | -17.27 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 400 | -67.48 | -60 | -43.6 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 600 | -72.56 | -60 | -48.73 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 800 | -75.74 | -60 | -51.75 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1000 | -77.49 | -60 | -53.58 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -78.34 | -60 | -54.53 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1400 | -79.54 | -60 | -55.8 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1600 | -79.97 | -60 | -56.11 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -81.42 | -60 | -57.45 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -76.24 | -60 | -81.63 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1600 | -75.12 | -60 | -80.71 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1400 | -73.1 | -60 | -78.63 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -72.68 | -60 | -78.24 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1000 | -71.04 | -60 | -76.57 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -800 | -67.77 | -60 | -73.37 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -600 | -68.47 | -60 | -73.8 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -400 | -61.88 | -60 | -67.34 | -36 | PASS |

| | | | | | | | | | | |
|------|---------|-----|--------|----|-------|--------|-----|--------|-----|------|
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -250 | -41.09 | -33 | -46.65 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -200 | -37.02 | -30 | -42.53 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -100 | -8.47 | 0.5 | -14.05 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 100 | -8.83 | 0.5 | -14.3 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 200 | -37.07 | -30 | -42.72 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 250 | -41.31 | -33 | -46.64 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 400 | -63.23 | -60 | -68.65 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 600 | -70.21 | -60 | -75.74 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 800 | -70.22 | -60 | -75.67 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1000 | -73.99 | -60 | -79.53 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -74.57 | -60 | -79.98 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1400 | -76.32 | -60 | -81.64 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1600 | -77.27 | -60 | -82.74 | -55 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -77.15 | -60 | -82.5 | -55 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1800 | -81.86 | -60 | -56.25 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1600 | -81.8 | -60 | -56.2 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1400 | -80.78 | -60 | -55.17 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1200 | -80.25 | -60 | -54.69 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1000 | -78.41 | -60 | -52.76 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -800 | -76.49 | -60 | -50.86 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -600 | -75.37 | -60 | -49.8 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -400 | -70.53 | -60 | -44.99 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -250 | -42.05 | -33 | -16.4 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -200 | -36.52 | -30 | -10.93 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -100 | -9.29 | 0.5 | 16.48 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 100 | -9.41 | 0.5 | 16.36 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 200 | -37.33 | -30 | -11.69 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 250 | -41.46 | -33 | -15.77 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 400 | -70.91 | -60 | -45.27 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 600 | -75.11 | -60 | -49.43 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 800 | -77.94 | -60 | -52.34 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1000 | -78.82 | -60 | -53.19 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1200 | -80.1 | -60 | -54.55 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1400 | -80.34 | -60 | -54.61 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1600 | -82.24 | -60 | -56.46 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1800 | -82.66 | -60 | -57.16 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1800 | -77.71 | -60 | -79.3 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1600 | -77.4 | -60 | -79.06 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1400 | -76.3 | -60 | -78.04 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1200 | -75.34 | -60 | -77.01 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1000 | -73.72 | -60 | -75.44 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -800 | -71.61 | -60 | -73.27 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -600 | -69.69 | -60 | -71.41 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -400 | -65.87 | -60 | -67.5 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| HVHT | GSM900 | 975 | 880.2 | 19 | -250 | -40.72 | -33 | -42.42 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -200 | -36.89 | -30 | -38.67 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -100 | -8.87 | 0.5 | -10.49 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 100 | -8.63 | 0.5 | -10.34 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 200 | -37.27 | -30 | -38.89 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 250 | -40.89 | -33 | -42.59 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 400 | -66.07 | -60 | -67.78 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 600 | -70.14 | -60 | -71.83 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 800 | -72.37 | -60 | -74.24 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1000 | -73.85 | -60 | -75.47 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1200 | -75.57 | -60 | -77.23 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1400 | -76.49 | -60 | -78.14 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1600 | -77.06 | -60 | -78.82 | -51 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1800 | -77.97 | -60 | -79.56 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1800 | -81.35 | -60 | -56.29 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1600 | -81.27 | -60 | -56.23 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1400 | -79.91 | -60 | -54.65 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1200 | -79.57 | -60 | -54.52 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1000 | -78.35 | -60 | -53.15 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -800 | -77.76 | -60 | -52.66 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -600 | -75.08 | -60 | -49.91 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -400 | -70.34 | -60 | -45.04 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -250 | -41.13 | -33 | -16.02 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -200 | -36.41 | -30 | -11.32 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -100 | -8.48 | 0.5 | 16.65 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 100 | -8.29 | 0.5 | 16.7 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 200 | -36.56 | -30 | -11.52 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 250 | -41.41 | -33 | -16.16 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 400 | -70.39 | -60 | -45.37 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 600 | -75.21 | -60 | -50.14 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 800 | -77.92 | -60 | -52.76 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1000 | -79.1 | -60 | -54.02 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1200 | -79.25 | -60 | -54.07 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1400 | -80.02 | -60 | -54.88 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1600 | -80.81 | -60 | -55.82 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1800 | -82.4 | -60 | -57.27 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1800 | -78.98 | -60 | -79.56 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1600 | -77.82 | -60 | -78.41 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1400 | -76.83 | -60 | -77.48 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1200 | -75.65 | -60 | -76.35 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1000 | -74.75 | -60 | -75.31 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -800 | -72.71 | -60 | -73.44 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -600 | -70.64 | -60 | -71.26 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -400 | -67.24 | -60 | -67.93 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| HVHT | GSM900 | 38 | 897.6 | 19 | -250 | -42.09 | -33 | -42.78 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -200 | -37.81 | -30 | -38.4 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -100 | -10.46 | 0.5 | -11.1 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 100 | -9.35 | 0.5 | -10.08 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 200 | -38.07 | -30 | -38.83 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 250 | -41.67 | -33 | -42.27 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 400 | -67.44 | -60 | -68.11 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 600 | -71.18 | -60 | -71.81 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 800 | -73.8 | -60 | -74.38 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1000 | -74.78 | -60 | -75.42 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1200 | -76.39 | -60 | -76.99 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1400 | -77.28 | -60 | -77.97 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1600 | -78.9 | -60 | -79.6 | -51 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1800 | -78.95 | -60 | -79.53 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1800 | -81.28 | -60 | -55.6 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1600 | -81.92 | -60 | -56.43 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1400 | -80.56 | -60 | -54.89 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1200 | -80.64 | -60 | -55.19 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1000 | -79.44 | -60 | -53.95 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -800 | -77.18 | -60 | -51.61 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -600 | -76.53 | -60 | -50.99 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -400 | -70.47 | -60 | -45.07 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -250 | -41.59 | -33 | -15.99 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -200 | -36.75 | -30 | -11.08 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -100 | -9.46 | 0.5 | 16.04 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 100 | -8.79 | 0.5 | 16.75 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 200 | -37.35 | -30 | -11.75 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 250 | -41.88 | -33 | -16.31 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 400 | -70.63 | -60 | -45.04 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 600 | -76.97 | -60 | -51.39 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 800 | -78.23 | -60 | -52.71 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1000 | -79.68 | -60 | -54.18 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1200 | -81.01 | -60 | -55.56 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1400 | -80.37 | -60 | -54.79 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1600 | -82.26 | -60 | -56.64 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1800 | -80.42 | -60 | -54.77 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1800 | -77.23 | -60 | -79.51 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1600 | -77.28 | -60 | -79.36 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1400 | -76.24 | -60 | -78.41 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1200 | -74.11 | -60 | -76.25 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1000 | -73.42 | -60 | -75.58 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -800 | -71.29 | -60 | -73.28 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -600 | -69.57 | -60 | -71.77 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -400 | -66.19 | -60 | -68.33 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| HVHT | GSM900 | 124 | 914.8 | 19 | -250 | -41.13 | -33 | -43.29 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -200 | -36.79 | -30 | -39.02 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -100 | -9.37 | 0.5 | -11.48 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 100 | -9.23 | 0.5 | -11.26 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 200 | -36.6 | -30 | -38.64 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 250 | -41.28 | -33 | -43.33 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 400 | -67.18 | -60 | -69.31 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 600 | -69.39 | -60 | -71.42 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 800 | -72.21 | -60 | -74.51 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1000 | -74.02 | -60 | -76.24 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1200 | -74.87 | -60 | -77.13 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1400 | -76.16 | -60 | -78.31 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1600 | -77.35 | -60 | -79.45 | -51 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1800 | -77.34 | -60 | -79.5 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1800 | -81.83 | -60 | -56.23 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1600 | -81.97 | -60 | -56.15 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1400 | -80.81 | -60 | -55.18 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1200 | -80.41 | -60 | -54.62 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1000 | -78.55 | -60 | -52.82 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -800 | -76.39 | -60 | -50.72 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -600 | -75.44 | -60 | -49.7 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -400 | -70.58 | -60 | -44.98 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -250 | -42.01 | -33 | -16.45 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -200 | -36.56 | -30 | -10.99 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -100 | -9.31 | 0.5 | 16.35 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 100 | -9.34 | 0.5 | 16.32 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 200 | -37.27 | -30 | -11.68 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 250 | -41.42 | -33 | -15.92 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 400 | -70.96 | -60 | -45.29 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 600 | -75.07 | -60 | -49.33 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 800 | -78.06 | -60 | -52.27 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1000 | -78.73 | -60 | -53.16 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1200 | -80.17 | -60 | -54.49 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1400 | -80.28 | -60 | -54.57 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1600 | -82.17 | -60 | -56.52 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1800 | -82.75 | -60 | -57.1 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1800 | -77.77 | -60 | -79.31 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1600 | -77.4 | -60 | -78.98 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1400 | -76.22 | -60 | -77.88 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1200 | -75.29 | -60 | -76.92 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1000 | -73.83 | -60 | -75.54 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -800 | -71.71 | -60 | -73.31 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -600 | -69.74 | -60 | -71.34 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -400 | -65.89 | -60 | -67.55 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| HVLT | GSM900 | 975 | 880.2 | 19 | -250 | -40.57 | -33 | -42.23 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -200 | -36.97 | -30 | -38.59 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -100 | -8.96 | 0.5 | -10.49 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 100 | -8.56 | 0.5 | -10.28 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 200 | -37.27 | -30 | -38.96 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 250 | -40.82 | -33 | -42.61 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 400 | -65.97 | -60 | -67.67 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 600 | -70.07 | -60 | -71.79 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 800 | -72.41 | -60 | -74.22 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1000 | -73.84 | -60 | -75.59 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1200 | -75.55 | -60 | -77.27 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1400 | -76.52 | -60 | -78.16 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1600 | -77.12 | -60 | -78.66 | -51 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1800 | -77.95 | -60 | -79.59 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1800 | -81.38 | -60 | -56.35 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1600 | -81.4 | -60 | -56.17 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1400 | -79.83 | -60 | -54.75 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1200 | -79.47 | -60 | -54.44 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1000 | -78.32 | -60 | -53.12 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -800 | -77.8 | -60 | -52.71 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -600 | -74.96 | -60 | -49.97 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -400 | -70.26 | -60 | -45.08 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -250 | -41.25 | -33 | -16.15 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -200 | -36.43 | -30 | -11.34 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -100 | -8.44 | 0.5 | 16.71 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 100 | -8.3 | 0.5 | 16.82 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 200 | -36.71 | -30 | -11.61 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 250 | -41.27 | -33 | -16.18 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 400 | -70.37 | -60 | -45.24 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 600 | -75.28 | -60 | -50.19 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 800 | -77.94 | -60 | -52.87 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1000 | -79.21 | -60 | -54.15 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1200 | -79.2 | -60 | -54.06 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1400 | -79.92 | -60 | -54.89 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1600 | -80.8 | -60 | -55.82 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1800 | -82.39 | -60 | -57.34 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1800 | -78.91 | -60 | -79.69 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1600 | -77.86 | -60 | -78.53 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1400 | -76.75 | -60 | -77.47 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1200 | -75.75 | -60 | -76.48 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1000 | -74.78 | -60 | -75.28 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -800 | -72.77 | -60 | -73.33 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -600 | -70.69 | -60 | -71.31 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -400 | -67.22 | -60 | -67.96 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| HVLT | GSM900 | 38 | 897.6 | 19 | -250 | -42.13 | -33 | -42.86 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -200 | -37.76 | -30 | -38.51 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -100 | -10.56 | 0.5 | -11.1 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 100 | -9.37 | 0.5 | -10.06 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 200 | -38.22 | -30 | -38.81 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 250 | -41.57 | -33 | -42.4 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 400 | -67.47 | -60 | -68.12 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 600 | -71.01 | -60 | -71.78 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 800 | -73.76 | -60 | -74.31 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1000 | -74.93 | -60 | -75.44 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1200 | -76.23 | -60 | -76.92 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1400 | -77.17 | -60 | -77.95 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1600 | -78.87 | -60 | -79.53 | -51 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1800 | -78.97 | -60 | -79.59 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1800 | -81.32 | -60 | -55.62 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1600 | -81.81 | -60 | -56.32 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1400 | -80.57 | -60 | -54.96 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1200 | -80.6 | -60 | -55.09 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1000 | -79.49 | -60 | -53.83 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -800 | -77.15 | -60 | -51.54 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -600 | -76.63 | -60 | -51.06 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -400 | -70.45 | -60 | -45.01 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -250 | -41.49 | -33 | -15.96 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -200 | -36.65 | -30 | -11.09 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -100 | -9.39 | 0.5 | 16.15 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 100 | -8.93 | 0.5 | 16.64 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 200 | -37.46 | -30 | -11.91 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 250 | -41.87 | -33 | -16.22 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 400 | -70.63 | -60 | -45.02 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 600 | -76.91 | -60 | -51.35 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 800 | -78.2 | -60 | -52.68 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1000 | -79.62 | -60 | -54.11 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1200 | -81.11 | -60 | -55.56 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1400 | -80.29 | -60 | -54.75 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1600 | -82.31 | -60 | -56.78 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1800 | -80.34 | -60 | -54.84 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1800 | -77.39 | -60 | -79.52 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1600 | -77.19 | -60 | -79.34 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1400 | -76.19 | -60 | -78.36 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1200 | -73.99 | -60 | -76.25 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1000 | -73.45 | -60 | -75.59 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -800 | -71.21 | -60 | -73.43 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -600 | -69.65 | -60 | -71.75 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -400 | -66.17 | -60 | -68.38 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| HVLT | GSM900 | 124 | 914.8 | 19 | -250 | -41 | -33 | -43.14 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -200 | -36.89 | -30 | -38.9 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -100 | -9.51 | 0.5 | -11.49 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 100 | -9.19 | 0.5 | -11.4 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 200 | -36.53 | -30 | -38.7 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 250 | -41.13 | -33 | -43.42 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 400 | -67.24 | -60 | -69.45 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 600 | -69.36 | -60 | -71.42 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 800 | -72.38 | -60 | -74.38 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1000 | -74.16 | -60 | -76.14 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1200 | -74.91 | -60 | -77.15 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1400 | -76.13 | -60 | -78.17 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1600 | -77.24 | -60 | -79.39 | -51 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1800 | -77.47 | -60 | -79.66 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1800 | -81.89 | -60 | -56.24 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1600 | -81.88 | -60 | -56.22 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1400 | -80.79 | -60 | -55.23 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1200 | -80.38 | -60 | -54.77 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1000 | -78.53 | -60 | -52.89 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -800 | -76.38 | -60 | -50.72 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -600 | -75.39 | -60 | -49.72 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -400 | -70.47 | -60 | -44.85 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -250 | -42.07 | -33 | -16.34 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -200 | -36.54 | -30 | -10.94 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -100 | -9.28 | 0.5 | 16.42 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 100 | -9.42 | 0.5 | 16.26 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 200 | -37.32 | -30 | -11.76 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 250 | -41.45 | -33 | -15.91 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 400 | -70.98 | -60 | -45.24 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 600 | -75.13 | -60 | -49.42 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 800 | -77.9 | -60 | -52.33 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1000 | -78.86 | -60 | -53.21 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1200 | -80.15 | -60 | -54.47 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1400 | -80.35 | -60 | -54.58 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1600 | -82.14 | -60 | -56.49 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1800 | -82.64 | -60 | -57.08 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -1800 | -77.76 | -60 | -79.28 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -1600 | -77.27 | -60 | -78.93 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -1400 | -76.33 | -60 | -77.87 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -1200 | -75.25 | -60 | -76.98 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -1000 | -73.73 | -60 | -75.41 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -800 | -71.61 | -60 | -73.45 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -600 | -69.68 | -60 | -71.38 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -400 | -65.9 | -60 | -67.44 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| LVHT | GSM900 | 975 | 880.2 | 19 | -250 | -40.58 | -33 | -42.41 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -200 | -36.9 | -30 | -38.63 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -100 | -8.97 | 0.5 | -10.6 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 100 | -8.72 | 0.5 | -10.37 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 200 | -37.16 | -30 | -38.8 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 250 | -40.91 | -33 | -42.49 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 400 | -66 | -60 | -67.64 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 600 | -70.05 | -60 | -71.78 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 800 | -72.45 | -60 | -74.13 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1000 | -73.91 | -60 | -75.47 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1200 | -75.57 | -60 | -77.15 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1400 | -76.4 | -60 | -78.18 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1600 | -77.12 | -60 | -78.67 | -51 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1800 | -77.94 | -60 | -79.56 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1800 | -81.34 | -60 | -56.34 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1600 | -81.31 | -60 | -56.31 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1400 | -79.79 | -60 | -54.72 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1200 | -79.47 | -60 | -54.43 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1000 | -78.17 | -60 | -53.17 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -800 | -77.77 | -60 | -52.6 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -600 | -74.97 | -60 | -49.94 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -400 | -70.32 | -60 | -45.15 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -250 | -41.15 | -33 | -16.02 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -200 | -36.45 | -30 | -11.47 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -100 | -8.53 | 0.5 | 16.6 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 100 | -8.39 | 0.5 | 16.79 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 200 | -36.68 | -30 | -11.54 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 250 | -41.34 | -33 | -16.3 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 400 | -70.47 | -60 | -45.34 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 600 | -75.31 | -60 | -50.2 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 800 | -77.85 | -60 | -52.86 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1000 | -79.15 | -60 | -54.05 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1200 | -79.33 | -60 | -54.2 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1400 | -80.03 | -60 | -54.94 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1600 | -80.77 | -60 | -55.81 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1800 | -82.34 | -60 | -57.33 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1800 | -79.05 | -60 | -79.68 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1600 | -77.74 | -60 | -78.37 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1400 | -76.77 | -60 | -77.48 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1200 | -75.68 | -60 | -76.4 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1000 | -74.76 | -60 | -75.34 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -800 | -72.65 | -60 | -73.38 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -600 | -70.58 | -60 | -71.2 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -400 | -67.2 | -60 | -68 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| LVHT | GSM900 | 38 | 897.6 | 19 | -250 | -42.23 | -33 | -42.74 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -200 | -37.85 | -30 | -38.45 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -100 | -10.58 | 0.5 | -11.25 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 100 | -9.35 | 0.5 | -10.08 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 200 | -38.06 | -30 | -38.77 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 250 | -41.71 | -33 | -42.35 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 400 | -67.42 | -60 | -68.09 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 600 | -71.18 | -60 | -71.68 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 800 | -73.71 | -60 | -74.42 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1000 | -74.82 | -60 | -75.43 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1200 | -76.29 | -60 | -76.95 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1400 | -77.28 | -60 | -77.85 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1600 | -78.85 | -60 | -79.45 | -51 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1800 | -79 | -60 | -79.64 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1800 | -81.23 | -60 | -55.7 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1600 | -81.81 | -60 | -56.37 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1400 | -80.54 | -60 | -55.04 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1200 | -80.75 | -60 | -55.19 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1000 | -79.4 | -60 | -53.84 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -800 | -77.13 | -60 | -51.72 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -600 | -76.64 | -60 | -51.11 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -400 | -70.45 | -60 | -45.06 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -250 | -41.56 | -33 | -15.93 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -200 | -36.81 | -30 | -11.11 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -100 | -9.49 | 0.5 | 16.16 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 100 | -8.82 | 0.5 | 16.65 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 200 | -37.45 | -30 | -11.91 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 250 | -41.84 | -33 | -16.28 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 400 | -70.6 | -60 | -45 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 600 | -77.08 | -60 | -51.46 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 800 | -78.13 | -60 | -52.61 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1000 | -79.72 | -60 | -54.06 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1200 | -81.07 | -60 | -55.45 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1400 | -80.28 | -60 | -54.83 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1600 | -82.33 | -60 | -56.65 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1800 | -80.32 | -60 | -54.79 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1800 | -77.32 | -60 | -79.44 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1600 | -77.17 | -60 | -79.34 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1400 | -76.22 | -60 | -78.41 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1200 | -74.01 | -60 | -76.26 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1000 | -73.4 | -60 | -75.61 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -800 | -71.17 | -60 | -73.36 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -600 | -69.63 | -60 | -71.75 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -400 | -66.23 | -60 | -68.35 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| LVHT | GSM900 | 124 | 914.8 | 19 | -250 | -41.12 | -33 | -43.22 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -200 | -36.82 | -30 | -39.02 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -100 | -9.35 | 0.5 | -11.57 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 100 | -9.24 | 0.5 | -11.27 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 200 | -36.49 | -30 | -38.74 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 250 | -41.22 | -33 | -43.4 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 400 | -67.21 | -60 | -69.34 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 600 | -69.35 | -60 | -71.44 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 800 | -72.19 | -60 | -74.33 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1000 | -74.03 | -60 | -76.21 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1200 | -74.93 | -60 | -77.11 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1400 | -76.16 | -60 | -78.28 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1600 | -77.21 | -60 | -79.34 | -51 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1800 | -77.42 | -60 | -79.58 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -1800 | -81.97 | -60 | -56.19 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -1600 | -81.81 | -60 | -56.32 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -1400 | -80.8 | -60 | -55.15 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -1200 | -80.26 | -60 | -54.75 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -1000 | -78.57 | -60 | -52.77 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -800 | -76.41 | -60 | -50.83 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -600 | -75.48 | -60 | -49.88 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -400 | -70.54 | -60 | -44.99 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -250 | -42.04 | -33 | -16.42 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -200 | -36.56 | -30 | -10.92 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | -100 | -9.32 | 0.5 | 16.41 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 100 | -9.27 | 0.5 | 16.23 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 200 | -37.28 | -30 | -11.61 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 250 | -41.45 | -33 | -15.75 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 400 | -70.86 | -60 | -45.31 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 600 | -74.99 | -60 | -49.34 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 800 | -77.98 | -60 | -52.3 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 1000 | -78.7 | -60 | -53.1 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 1200 | -80.08 | -60 | -54.5 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 1400 | -80.32 | -60 | -54.61 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 1600 | -82.14 | -60 | -56.61 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | 1800 | -82.69 | -60 | -56.99 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -1800 | -77.66 | -60 | -79.47 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -1600 | -77.35 | -60 | -78.94 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -1400 | -76.36 | -60 | -77.87 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -1200 | -75.35 | -60 | -76.92 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -1000 | -73.84 | -60 | -75.59 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -800 | -71.67 | -60 | -73.31 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -600 | -69.58 | -60 | -71.29 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -400 | -65.84 | -60 | -67.41 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| LVLT | GSM900 | 975 | 880.2 | 19 | -250 | -40.7 | -33 | -42.24 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -200 | -36.99 | -30 | -38.59 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | -100 | -8.8 | 0.5 | -10.51 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 100 | -8.56 | 0.5 | -10.29 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 200 | -37.28 | -30 | -38.78 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 250 | -40.91 | -33 | -42.64 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 400 | -66.11 | -60 | -67.62 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 600 | -70.04 | -60 | -71.7 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 800 | -72.41 | -60 | -74.06 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 1000 | -73.83 | -60 | -75.44 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 1200 | -75.54 | -60 | -77.14 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 1400 | -76.42 | -60 | -78.07 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 1600 | -77.08 | -60 | -78.78 | -51 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 19 | 1800 | -77.95 | -60 | -79.65 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -1800 | -81.46 | -60 | -56.32 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -1600 | -81.3 | -60 | -56.32 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -1400 | -79.88 | -60 | -54.73 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -1200 | -79.58 | -60 | -54.39 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -1000 | -78.19 | -60 | -53.26 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -800 | -77.66 | -60 | -52.59 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -600 | -75.13 | -60 | -49.9 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -400 | -70.21 | -60 | -45.2 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -250 | -41.15 | -33 | -15.98 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -200 | -36.49 | -30 | -11.4 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | -100 | -8.53 | 0.5 | 16.67 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 100 | -8.3 | 0.5 | 16.82 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 200 | -36.67 | -30 | -11.52 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 250 | -41.34 | -33 | -16.24 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 400 | -70.49 | -60 | -45.35 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 600 | -75.31 | -60 | -50.11 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 800 | -77.95 | -60 | -52.81 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 1000 | -79.14 | -60 | -53.99 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 1200 | -79.32 | -60 | -54.19 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 1400 | -79.89 | -60 | -54.84 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 1600 | -80.84 | -60 | -55.84 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 5 | 1800 | -82.44 | -60 | -57.2 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -1800 | -78.89 | -60 | -79.61 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -1600 | -77.75 | -60 | -78.38 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -1400 | -76.86 | -60 | -77.45 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -1200 | -75.77 | -60 | -76.41 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -1000 | -74.64 | -60 | -75.42 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -800 | -72.74 | -60 | -73.37 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -600 | -70.66 | -60 | -71.21 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -400 | -67.22 | -60 | -67.91 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|-------|--------|-----|--------|-----|------|
| LVLT | GSM900 | 38 | 897.6 | 19 | -250 | -42.24 | -33 | -42.71 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -200 | -37.78 | -30 | -38.47 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | -100 | -10.48 | 0.5 | -11.23 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 100 | -9.44 | 0.5 | -10.08 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 200 | -38.23 | -30 | -38.73 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 250 | -41.56 | -33 | -42.36 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 400 | -67.33 | -60 | -68.02 | -36 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 600 | -71.03 | -60 | -71.84 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 800 | -73.75 | -60 | -74.45 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 1000 | -74.95 | -60 | -75.48 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 1200 | -76.25 | -60 | -76.95 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 1400 | -77.32 | -60 | -77.9 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 1600 | -78.77 | -60 | -79.44 | -51 | PASS |
| LVLT | GSM900 | 38 | 897.6 | 19 | 1800 | -79.03 | -60 | -79.66 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -1800 | -81.29 | -60 | -55.71 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -1600 | -81.87 | -60 | -56.35 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -1400 | -80.51 | -60 | -54.98 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -1200 | -80.65 | -60 | -55.08 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -1000 | -79.49 | -60 | -53.91 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -800 | -77.3 | -60 | -51.59 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -600 | -76.69 | -60 | -51.12 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -400 | -70.49 | -60 | -45 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -250 | -41.47 | -33 | -16.01 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -200 | -36.71 | -30 | -11.06 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | -100 | -9.51 | 0.5 | 16.04 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 100 | -8.78 | 0.5 | 16.61 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 200 | -37.33 | -30 | -11.88 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 250 | -41.79 | -33 | -16.3 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 400 | -70.52 | -60 | -45.09 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 600 | -76.98 | -60 | -51.36 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 800 | -78.28 | -60 | -52.67 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 1000 | -79.67 | -60 | -54.02 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 1200 | -81.16 | -60 | -55.53 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 1400 | -80.32 | -60 | -54.79 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 1600 | -82.36 | -60 | -56.8 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 5 | 1800 | -80.39 | -60 | -54.75 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1800 | -77.38 | -60 | -79.5 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1600 | -77.18 | -60 | -79.29 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1400 | -76.17 | -60 | -78.32 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1200 | -73.95 | -60 | -76.09 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1000 | -73.49 | -60 | -75.69 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -800 | -71.16 | -60 | -73.29 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -600 | -69.69 | -60 | -71.78 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -400 | -66.13 | -60 | -68.35 | -36 | PASS |

| | | | | | | | | | | |
|------|--------|-----|-------|----|------|--------|-----|--------|-----|------|
| LVLT | GSM900 | 124 | 914.8 | 19 | -250 | -41.11 | -33 | -43.31 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -200 | -36.79 | -30 | -39.03 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -100 | -9.52 | 0.5 | -11.63 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 100 | -9.16 | 0.5 | -11.26 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 200 | -36.55 | -30 | -38.62 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 250 | -41.26 | -33 | -43.44 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 400 | -67.26 | -60 | -69.28 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 600 | -69.27 | -60 | -71.51 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 800 | -72.23 | -60 | -74.52 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1000 | -74 | -60 | -76.22 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1200 | -74.89 | -60 | -77.11 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1400 | -76.02 | -60 | -78.3 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1600 | -77.35 | -60 | -79.42 | -51 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1800 | -77.44 | -60 | -79.64 | -51 | PASS |

Clause 4.2.6 Transmitter-Switching Spectrum

| Condition | Band | Channel | Frequency (MHz) | PCL | Offset (kHz) | Result (dBm) | Limit (dBm) | Verdict |
|-----------|---------|---------|-----------------|-----|--------------|--------------|-------------|---------|
| HVHT | GSM1800 | 512 | 1710.2 | 0 | Ref Power | 31.23 | | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -47.35 | -25.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -44.11 | -22.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -600 | -37.71 | -22.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | -400 | -28.43 | -20.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 400 | -30.32 | -20.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 600 | -32.27 | -22.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -42.03 | -22.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -47.51 | -25.75 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | Ref Power | 2.14 | | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -70.05 | -36 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -58.23 | -32 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -600 | -47.71 | -26 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | -400 | -40.69 | -23 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 400 | -37.54 | -23 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 600 | -43.28 | -26 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -55.93 | -32 | PASS |
| HVHT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -69.4 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | Ref Power | 31.45 | | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -46.92 | -25.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -43.68 | -22.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -600 | -38.25 | -22.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | -400 | -28.75 | -20.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 400 | -29.3 | -20.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 600 | -34.91 | -22.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -41.99 | -22.49 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -46.66 | -25.49 | PASS |

| | | | | | | | | |
|------|---------|-----|--------|----|-----------|--------|--------|------|
| HVHT | GSM1800 | 698 | 1747.4 | 15 | Ref Power | 2.84 | | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -70.38 | -36 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -57.78 | -32 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -600 | -47.48 | -26 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | -400 | -40.29 | -23 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 400 | -36.99 | -23 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 600 | -42.94 | -26 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -55.51 | -32 | PASS |
| HVHT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -69.31 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | Ref Power | 31.49 | | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -46.23 | -25.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -44.63 | -22.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -600 | -37.85 | -22.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | -400 | -29.64 | -20.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 400 | -29.89 | -20.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 600 | -33.72 | -22.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -40.39 | -22.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -45.53 | -25.43 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | Ref Power | 2.31 | | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -68.02 | -36 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -58.63 | -32 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -600 | -48.06 | -26 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | -400 | -40.51 | -23 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 400 | -37.37 | -23 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 600 | -42.86 | -26 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -55.37 | -32 | PASS |
| HVHT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -69 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | Ref Power | 31.12 | | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -47.35 | -25.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -43.99 | -22.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -600 | -37.75 | -22.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | -400 | -28.29 | -20.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 400 | -30.33 | -20.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 600 | -32.41 | -22.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -41.9 | -22.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -47.55 | -25.75 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | Ref Power | 2.15 | | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -69.92 | -36 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -58.3 | -32 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -600 | -47.66 | -26 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | -400 | -40.77 | -23 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 400 | -37.64 | -23 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 600 | -43.29 | -26 | PASS |
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -55.94 | -32 | PASS |

| | | | | | | | | |
|------|---------|-----|--------|----|-----------|--------|--------|------|
| HVLT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -69.48 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | Ref Power | 31.41 | | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -46.8 | -25.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -43.77 | -22.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -600 | -38.28 | -22.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | -400 | -28.76 | -20.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 400 | -29.28 | -20.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 600 | -34.99 | -22.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -41.92 | -22.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -46.67 | -25.49 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | Ref Power | 2.75 | | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -70.35 | -36 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -57.68 | -32 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -600 | -47.37 | -26 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | -400 | -40.35 | -23 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 400 | -37.12 | -23 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 600 | -42.82 | -26 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -55.53 | -32 | PASS |
| HVLT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -69.35 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | Ref Power | 31.52 | | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -46.06 | -25.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -44.68 | -22.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -600 | -37.96 | -22.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | -400 | -29.7 | -20.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 400 | -29.98 | -20.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 600 | -33.79 | -22.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -40.31 | -22.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -45.62 | -25.43 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | Ref Power | 2.41 | | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -68.13 | -36 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -58.7 | -32 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -600 | -48.06 | -26 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | -400 | -40.61 | -23 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 400 | -37.38 | -23 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 600 | -43.01 | -26 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -55.38 | -32 | PASS |
| HVLT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -69.03 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | Ref Power | 31.19 | | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -47.38 | -25.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -44.1 | -22.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -600 | -37.8 | -22.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | -400 | -28.27 | -20.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 400 | -30.45 | -20.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 600 | -32.36 | -22.75 | PASS |

| | | | | | | | | |
|------|---------|-----|--------|----|-----------|--------|--------|------|
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -41.87 | -22.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -47.67 | -25.75 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | Ref Power | 1.97 | | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -70.05 | -36 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -58.3 | -32 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -600 | -47.66 | -26 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | -400 | -40.71 | -23 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 400 | -37.51 | -23 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 600 | -43.37 | -26 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -55.93 | -32 | PASS |
| LVHT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -69.44 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | Ref Power | 31.32 | | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -46.85 | -25.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -43.71 | -22.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -600 | -38.41 | -22.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | -400 | -28.7 | -20.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 400 | -29.35 | -20.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 600 | -34.98 | -22.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -42.09 | -22.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -46.64 | -25.49 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | Ref Power | 2.87 | | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -70.48 | -36 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -57.8 | -32 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -600 | -47.48 | -26 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | -400 | -40.2 | -23 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 400 | -36.98 | -23 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 600 | -42.94 | -26 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -55.57 | -32 | PASS |
| LVHT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -69.41 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | Ref Power | 31.45 | | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -46.17 | -25.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -44.8 | -22.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -600 | -37.96 | -22.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | -400 | -29.66 | -20.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 400 | -29.89 | -20.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 600 | -33.71 | -22.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -40.26 | -22.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -45.6 | -25.43 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | Ref Power | 2.35 | | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -68.08 | -36 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -58.59 | -32 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -600 | -47.97 | -26 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | -400 | -40.64 | -23 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 400 | -37.41 | -23 | PASS |

| | | | | | | | | |
|------|---------|-----|--------|----|-----------|--------|--------|------|
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 600 | -42.86 | -26 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -55.29 | -32 | PASS |
| LVHT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -69.02 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | Ref Power | 31.08 | | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1800 | -47.46 | -25.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -1200 | -43.98 | -22.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -600 | -37.69 | -22.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | -400 | -28.39 | -20.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 400 | -30.45 | -20.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 600 | -32.36 | -22.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1200 | -41.92 | -22.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 0 | 1800 | -47.58 | -25.75 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | Ref Power | 1.98 | | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1800 | -69.93 | -36 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -1200 | -58.28 | -32 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -600 | -47.57 | -26 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | -400 | -40.67 | -23 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 400 | -37.56 | -23 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 600 | -43.32 | -26 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1200 | -56 | -32 | PASS |
| LVLT | GSM1800 | 512 | 1710.2 | 15 | 1800 | -69.44 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | Ref Power | 31.36 | | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1800 | -46.88 | -25.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -1200 | -43.66 | -22.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -600 | -38.29 | -22.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | -400 | -28.67 | -20.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 400 | -29.38 | -20.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 600 | -34.9 | -22.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1200 | -42.09 | -22.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 0 | 1800 | -46.7 | -25.49 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | Ref Power | 2.84 | | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1800 | -70.42 | -36 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -1200 | -57.73 | -32 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -600 | -47.33 | -26 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | -400 | -40.29 | -23 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 400 | -36.96 | -23 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 600 | -42.91 | -26 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1200 | -55.46 | -32 | PASS |
| LVLT | GSM1800 | 698 | 1747.4 | 15 | 1800 | -69.39 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | Ref Power | 31.49 | | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1800 | -46.07 | -25.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -1200 | -44.72 | -22.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -600 | -37.87 | -22.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | -400 | -29.54 | -20.43 | PASS |

| | | | | | | | | |
|------|---------|-----|--------|----|-----------|--------|--------|------|
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 400 | -29.92 | -20.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 600 | -33.64 | -22.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1200 | -40.37 | -22.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 0 | 1800 | -45.45 | -25.43 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | Ref Power | 2.39 | | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1800 | -68.11 | -36 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -1200 | -58.57 | -32 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -600 | -48.07 | -26 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | -400 | -40.66 | -23 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 400 | -37.43 | -23 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 600 | -42.87 | -26 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1200 | -55.32 | -32 | PASS |
| LVLT | GSM1800 | 885 | 1784.8 | 15 | 1800 | -68.87 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | Ref Power | 33.36 | | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1800 | -43.52 | -24 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -1200 | -35.55 | -21 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -600 | -39.45 | -21 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | -400 | -30.08 | -18.45 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 400 | -29.39 | -18.45 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 600 | -29.88 | -21 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1200 | -35.61 | -21 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 5 | 1800 | -45.77 | -24 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | Ref Power | 6.32 | | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1800 | -69.17 | -36 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -1200 | -55.82 | -32 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -600 | -42.4 | -26 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | -400 | -34.99 | -23 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 400 | -38.23 | -23 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 600 | -45.41 | -26 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1200 | -56.38 | -32 | PASS |
| HVHT | GSM900 | 975 | 880.2 | 19 | 1800 | -66.66 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | Ref Power | 33.27 | | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1800 | -46.61 | -24 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -1200 | -36.65 | -21 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -600 | -38.55 | -21 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | -400 | -29.36 | -18.59 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 400 | -28.29 | -18.59 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 600 | -31.55 | -21 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1200 | -35.55 | -21 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 5 | 1800 | -44.78 | -24 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | Ref Power | 6.34 | | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1800 | -69.62 | -36 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -1200 | -56.25 | -32 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | -600 | -42.44 | -26 | PASS |

| | | | | | | | | |
|------|--------|-----|-------|----|-----------|--------|--------|------|
| HVHT | GSM900 | 38 | 897.6 | 19 | -400 | -35.13 | -23 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 400 | -38.48 | -23 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 600 | -45.43 | -26 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1200 | -56.93 | -32 | PASS |
| HVHT | GSM900 | 38 | 897.6 | 19 | 1800 | -67.26 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | Ref Power | 33.14 | | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1800 | -45.55 | -24 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -1200 | -36.67 | -21 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -600 | -39.43 | -21 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | -400 | -30.04 | -18.68 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 400 | -28.54 | -18.68 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 600 | -31.63 | -21 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1200 | -35.97 | -21 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 5 | 1800 | -45.45 | -24 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | Ref Power | 5.62 | | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1800 | -69.45 | -36 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -1200 | -57.33 | -32 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -600 | -43.29 | -26 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | -400 | -35.61 | -23 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 400 | -38.93 | -23 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 600 | -46.26 | -26 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1200 | -57.82 | -32 | PASS |
| HVHT | GSM900 | 124 | 914.8 | 19 | 1800 | -67.81 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | Ref Power | 33.41 | | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1800 | -43.58 | -24 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -1200 | -35.46 | -21 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -600 | -39.47 | -21 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | -400 | -30.17 | -18.45 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 400 | -29.24 | -18.45 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 600 | -29.96 | -21 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1200 | -35.66 | -21 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 5 | 1800 | -45.8 | -24 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | Ref Power | 6.34 | | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1800 | -69.28 | -36 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -1200 | -55.91 | -32 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -600 | -42.5 | -26 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | -400 | -34.98 | -23 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 400 | -38.12 | -23 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 600 | -45.43 | -26 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1200 | -56.43 | -32 | PASS |
| HVLT | GSM900 | 975 | 880.2 | 19 | 1800 | -66.77 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | Ref Power | 33.24 | | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1800 | -46.73 | -24 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -1200 | -36.51 | -21 | PASS |

| | | | | | | | | |
|------|--------|-----|-------|----|-----------|--------|--------|------|
| HVLT | GSM900 | 38 | 897.6 | 5 | -600 | -38.54 | -21 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | -400 | -29.37 | -18.59 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 400 | -28.38 | -18.59 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 600 | -31.55 | -21 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1200 | -35.61 | -21 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 5 | 1800 | -44.64 | -24 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | Ref Power | 6.31 | | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1800 | -69.76 | -36 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -1200 | -56.18 | -32 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -600 | -42.37 | -26 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | -400 | -35.16 | -23 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 400 | -38.35 | -23 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 600 | -45.37 | -26 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1200 | -56.84 | -32 | PASS |
| HVLT | GSM900 | 38 | 897.6 | 19 | 1800 | -67.35 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | Ref Power | 33.24 | | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1800 | -45.53 | -24 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -1200 | -36.57 | -21 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -600 | -39.54 | -21 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | -400 | -30.12 | -18.68 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 400 | -28.51 | -18.68 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 600 | -31.47 | -21 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1200 | -35.9 | -21 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 5 | 1800 | -45.57 | -24 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | Ref Power | 5.68 | | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1800 | -69.58 | -36 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -1200 | -57.4 | -32 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -600 | -43.45 | -26 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | -400 | -35.6 | -23 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 400 | -38.97 | -23 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 600 | -46.21 | -26 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1200 | -57.75 | -32 | PASS |
| HVLT | GSM900 | 124 | 914.8 | 19 | 1800 | -67.81 | -36 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | Ref Power | 33.42 | | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1800 | -43.61 | -24 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -1200 | -35.52 | -21 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -600 | -39.45 | -21 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | -400 | -30.13 | -18.45 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 400 | -29.4 | -18.45 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 600 | -29.95 | -21 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1200 | -35.72 | -21 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 5 | 1800 | -45.78 | -24 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | Ref Power | 6.23 | | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -1800 | -69.16 | -36 | PASS |

| | | | | | | | | |
|------|--------|-----|-------|----|-----------|--------|--------|------|
| LVHT | GSM900 | 975 | 880.2 | 19 | -1200 | -55.87 | -32 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -600 | -42.35 | -26 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | -400 | -35.02 | -23 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 400 | -38.16 | -23 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 600 | -45.29 | -26 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1200 | -56.33 | -32 | PASS |
| LVHT | GSM900 | 975 | 880.2 | 19 | 1800 | -66.77 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | Ref Power | 33.38 | | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1800 | -46.6 | -24 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -1200 | -36.57 | -21 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -600 | -38.47 | -21 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | -400 | -29.29 | -18.59 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 400 | -28.42 | -18.59 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 600 | -31.44 | -21 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1200 | -35.51 | -21 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 5 | 1800 | -44.72 | -24 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | Ref Power | 6.17 | | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1800 | -69.58 | -36 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -1200 | -56.17 | -32 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -600 | -42.36 | -26 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | -400 | -35.14 | -23 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 400 | -38.4 | -23 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 600 | -45.44 | -26 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1200 | -56.8 | -32 | PASS |
| LVHT | GSM900 | 38 | 897.6 | 19 | 1800 | -67.37 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | Ref Power | 33.24 | | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1800 | -45.52 | -24 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -1200 | -36.74 | -21 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -600 | -39.49 | -21 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | -400 | -30.13 | -18.68 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 400 | -28.57 | -18.68 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 600 | -31.59 | -21 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1200 | -35.93 | -21 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 5 | 1800 | -45.4 | -24 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | Ref Power | 5.64 | | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1800 | -69.43 | -36 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -1200 | -57.25 | -32 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -600 | -43.46 | -26 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | -400 | -35.7 | -23 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 400 | -38.83 | -23 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 600 | -46.17 | -26 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1200 | -57.66 | -32 | PASS |
| LVHT | GSM900 | 124 | 914.8 | 19 | 1800 | -67.91 | -36 | PASS |
| LVLT | GSM900 | 975 | 880.2 | 5 | Ref Power | 33.54 | | PASS |

| | | | | | | | | |
|-----|--------|-----|-------|----|-----------|--------|--------|------|
| LVL | GSM900 | 975 | 880.2 | 5 | -1800 | -43.62 | -24 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | -1200 | -35.57 | -21 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | -600 | -39.43 | -21 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | -400 | -30.26 | -18.45 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | 400 | -29.38 | -18.45 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | 600 | -29.99 | -21 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | 1200 | -35.66 | -21 | PASS |
| LVL | GSM900 | 975 | 880.2 | 5 | 1800 | -45.84 | -24 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | Ref Power | 6.19 | | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | -1800 | -69.33 | -36 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | -1200 | -55.8 | -32 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | -600 | -42.54 | -26 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | -400 | -35.1 | -23 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | 400 | -38.07 | -23 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | 600 | -45.36 | -26 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | 1200 | -56.47 | -32 | PASS |
| LVL | GSM900 | 975 | 880.2 | 19 | 1800 | -66.73 | -36 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | Ref Power | 33.3 | | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | -1800 | -46.78 | -24 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | -1200 | -36.61 | -21 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | -600 | -38.53 | -21 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | -400 | -29.45 | -18.59 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | 400 | -28.29 | -18.59 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | 600 | -31.45 | -21 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | 1200 | -35.49 | -21 | PASS |
| LVL | GSM900 | 38 | 897.6 | 5 | 1800 | -44.71 | -24 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | Ref Power | 6.18 | | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | -1800 | -69.74 | -36 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | -1200 | -56.13 | -32 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | -600 | -42.52 | -26 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | -400 | -35.16 | -23 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | 400 | -38.48 | -23 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | 600 | -45.38 | -26 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | 1200 | -56.84 | -32 | PASS |
| LVL | GSM900 | 38 | 897.6 | 19 | 1800 | -67.23 | -36 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | Ref Power | 33.27 | | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | -1800 | -45.46 | -24 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | -1200 | -36.64 | -21 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | -600 | -39.5 | -21 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | -400 | -30.06 | -18.68 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | 400 | -28.48 | -18.68 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | 600 | -31.52 | -21 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | 1200 | -35.85 | -21 | PASS |
| LVL | GSM900 | 124 | 914.8 | 5 | 1800 | -45.59 | -24 | PASS |

| | | | | | | | | |
|------|--------|-----|-------|----|-----------|--------|-----|------|
| LVLT | GSM900 | 124 | 914.8 | 19 | Ref Power | 5.74 | | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1800 | -69.53 | -36 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -1200 | -57.3 | -32 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -600 | -43.42 | -26 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | -400 | -35.66 | -23 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 400 | -38.8 | -23 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 600 | -46.15 | -26 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1200 | -57.63 | -32 | PASS |
| LVLT | GSM900 | 124 | 914.8 | 19 | 1800 | -67.73 | -36 | PASS |