

**Clause 4.2.26 Frequency error and Modulation accuracy in EGPRS Configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-6	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.09	0	9	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.51	0	30	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-6.96	-174.74	174.74	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.74	0	9	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.54	0	30	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-5.97	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.1	0	9	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.47	0	30	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-6.96	-174.74	174.74	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.74	0	9	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.48	0	30	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-5.97	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.26	0	9	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.51	0	30	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-7.03	-174.74	174.74	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.8	0	9	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.43	0	30	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-5.99	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.21	0	9	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.5	0	30	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-7.09	-174.74	174.74	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.68	0	9	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.44	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-6.04	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.21	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.57	0	30	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-6.93	-174.74	174.74	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.8	0	9	PASS
Vibration-X	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.51	0	30	PASS

Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-6.1	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.13	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.45	0	30	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-7.07	-174.74	174.74	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.8	0	9	PASS
Vibration-Y	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.49	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Frequency Error (Hz)	-5.95	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	RMS EVM (%)	1.23	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	5;5;5;5	Peak EVM (%)	3.47	0	30	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-7.03	-174.74	174.74	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	RMS EVM (%)	0.82	0	9	PASS
Vibration-Z	EGPRS1800	698	1747.4	18;18;18;18	Peak EVM (%)	2.54	0	30	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.76	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.35	0	9	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.69	0	30	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.39	-89.76	89.76	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.46	0	9	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.51	0	30	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.84	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.36	0	9	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.7	0	30	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.35	-89.76	89.76	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.53	0	9	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.51	0	30	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.86	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.17	0	9	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.82	0	30	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.39	-89.76	89.76	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.48	0	9	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.6	0	30	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.7	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.24	0	9	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.72	0	30	PASS

LVLT	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.44	-89.76	89.76	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.49	0	9	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.49	0	30	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.84	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.29	0	9	PASS
Vibration-X	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.74	0	30	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.37	-89.76	89.76	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.57	0	9	PASS
Vibration-X	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.56	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.82	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.23	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.71	0	30	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.37	-89.76	89.76	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.58	0	9	PASS
Vibration-Y	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.64	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Frequency Error (Hz)	-8.78	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	RMS EVM (%)	4.28	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	6;6;6;6	Peak EVM (%)	10.69	0	30	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	6.36	-89.76	89.76	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	RMS EVM (%)	0.58	0	9	PASS
Vibration-Z	EGPRS900	38	897.6	17;17;17;17	Peak EVM (%)	1.57	0	30	PASS

**Clause 4.2.27 Frequency error under multipath inEGPRS Configuration**

Condition	Band	Type	Channel	Frequency (MHz)	Gamma	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.4	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	-3.07	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	-3.59	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	0.86	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	-6.81	-174.74	174.74	PASS
HVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	1.24	-174.74	174.74	PASS

HVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	14.83	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-6.88	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	3.11	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	-8.1	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	-9.19	-524.74	524.74	PASS
HVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	-14.76	-524.74	524.74	PASS
HVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	27.01	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	-13.28	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-20.69	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	-12.56	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-9.96	-434.74	434.74	PASS
HVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-8.52	-434.74	434.74	PASS
HVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	24.06	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-9.79	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-12.1	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-7.78	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-10.72	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-13.13	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-9.27	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-11.83	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-9.53	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-11.05	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-16.91	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-5.72	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.5	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-16.52	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-11.36	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-9.76	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-4.64	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-6.03	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.81	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-12.6	-174.74	174.74	PASS
HVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-6.96	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.35	-174.74	174.74	PASS
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-2.9	-174.74	174.74	PASS



		@Sens1							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-3.43	-174.74	174.74	PASS
		@Sens2							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	0.83	-174.74	174.74	PASS
		@Sens3							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	-6.75	-174.74	174.74	PASS
		@Sens4							
HVLT	EGPRS1800	RA250	698	1747.4	5;5;5;5	1.23	-174.74	174.74	PASS
		@Sens5							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	14.7	-524.74	524.74	PASS
		@Connect							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-6.9	-524.74	524.74	PASS
		@Sens1							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	3.17	-524.74	524.74	PASS
		@Sens2							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-8.17	-524.74	524.74	PASS
		@Sens3							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-9.34	-524.74	524.74	PASS
		@Sens4							
HVLT	EGPRS1800	HT100	698	1747.4	5;5;5;5	-14.77	-524.74	524.74	PASS
		@Sens5							
HVLT	EGPRS1800	TU50	698	1747.4	5;5;5;5	26.96	-434.74	434.74	PASS
		@Connect							
HVLT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	-13.32	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-20.64	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	-12.5	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-9.89	-434.74	434.74	PASS
HVLT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-8.65	-434.74	434.74	PASS
HVLT	EGPRS1800	TU3	698	1747.4	5;5;5;5	24.16	-174.74	174.74	PASS
		@Connect							
HVLT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-9.83	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-12	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-7.79	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-10.82	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-13.21	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-9.37	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-11.97	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-9.5	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-10.91	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-16.97	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-5.87	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.46	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-16.7	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-11.46	-174.74	174.74	PASS

HVLT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-9.77	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-4.62	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-5.99	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.87	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-12.65	-174.74	174.74	PASS
HVLT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-6.91	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.36	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	-2.92	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	-3.53	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	0.98	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	-6.81	-174.74	174.74	PASS
LVHT	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	1.36	-174.74	174.74	PASS
LVHT	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	14.82	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-6.82	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	3.07	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	-8.27	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	-9.27	-524.74	524.74	PASS
LVHT	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	-14.68	-524.74	524.74	PASS
LVHT	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	26.92	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	-13.4	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-20.79	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	-12.44	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-10.03	-434.74	434.74	PASS
LVHT	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-8.61	-434.74	434.74	PASS
LVHT	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	24.02	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-9.82	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-12.11	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-7.87	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-10.71	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-13.2	-174.74	174.74	PASS

LVHT	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-9.37	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-11.93	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-9.55	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-10.88	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-17	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-5.88	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.41	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-16.67	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-11.31	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-9.74	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-4.76	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-5.98	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.83	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-12.7	-174.74	174.74	PASS
LVHT	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-7.06	-174.74	174.74	PASS
LVL	EGPRS1800	RA250 @Connect	698	1747.4	5;5;5;5	-0.39	-174.74	174.74	PASS
LVL	EGPRS1800	RA250 @Sens1	698	1747.4	5;5;5;5	-2.89	-174.74	174.74	PASS
LVL	EGPRS1800	RA250 @Sens2	698	1747.4	5;5;5;5	-3.48	-174.74	174.74	PASS
LVL	EGPRS1800	RA250 @Sens3	698	1747.4	5;5;5;5	0.88	-174.74	174.74	PASS
LVL	EGPRS1800	RA250 @Sens4	698	1747.4	5;5;5;5	-6.69	-174.74	174.74	PASS
LVL	EGPRS1800	RA250 @Sens5	698	1747.4	5;5;5;5	1.35	-174.74	174.74	PASS
LVL	EGPRS1800	HT100 @Connect	698	1747.4	5;5;5;5	14.7	-524.74	524.74	PASS
LVL	EGPRS1800	HT100 @Sens1	698	1747.4	5;5;5;5	-6.96	-524.74	524.74	PASS
LVL	EGPRS1800	HT100 @Sens2	698	1747.4	5;5;5;5	3.03	-524.74	524.74	PASS
LVL	EGPRS1800	HT100 @Sens3	698	1747.4	5;5;5;5	-8.09	-524.74	524.74	PASS
LVL	EGPRS1800	HT100 @Sens4	698	1747.4	5;5;5;5	-9.34	-524.74	524.74	PASS
LVL	EGPRS1800	HT100 @Sens5	698	1747.4	5;5;5;5	-14.68	-524.74	524.74	PASS
LVL	EGPRS1800	TU50 @Connect	698	1747.4	5;5;5;5	27.01	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens1	698	1747.4	5;5;5;5	-13.36	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens2	698	1747.4	5;5;5;5	-20.75	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens3	698	1747.4	5;5;5;5	-12.6	-434.74	434.74	PASS

LVL	EGPRS1800	TU50 @Sens4	698	1747.4	5;5;5;5	-10.02	-434.74	434.74	PASS
LVL	EGPRS1800	TU50 @Sens5	698	1747.4	5;5;5;5	-8.64	-434.74	434.74	PASS
LVL	EGPRS1800	TU3 @Connect	698	1747.4	5;5;5;5	24.08	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @1	698	1747.4	5;5;5;5	-9.84	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @2	698	1747.4	5;5;5;5	-12.16	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @3	698	1747.4	5;5;5;5	-7.76	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @4	698	1747.4	5;5;5;5	-10.73	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @5	698	1747.4	5;5;5;5	-13.22	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @6	698	1747.4	5;5;5;5	-9.28	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @7	698	1747.4	5;5;5;5	-11.9	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @8	698	1747.4	5;5;5;5	-9.49	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @9	698	1747.4	5;5;5;5	-10.91	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @10	698	1747.4	5;5;5;5	-16.95	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @11	698	1747.4	5;5;5;5	-5.71	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @12	698	1747.4	5;5;5;5	-10.47	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @13	698	1747.4	5;5;5;5	-16.68	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @14	698	1747.4	5;5;5;5	-11.33	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @15	698	1747.4	5;5;5;5	-9.63	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @16	698	1747.4	5;5;5;5	-4.7	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @17	698	1747.4	5;5;5;5	-5.98	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @18	698	1747.4	5;5;5;5	-8.81	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @19	698	1747.4	5;5;5;5	-12.64	-174.74	174.74	PASS
LVL	EGPRS1800	TU3 @20	698	1747.4	5;5;5;5	-6.91	-174.74	174.74	PASS
HVHT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-7.82	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-6.13	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-5.72	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-2.3	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-7.23	-389.76	389.76	PASS
HVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-5.18	-389.76	389.76	PASS
HVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-8.52	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-8.72	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-4.97	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-1.33	-269.76	269.76	PASS

HVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-8.21	-269.76	269.76	PASS
HVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-5.13	-269.76	269.76	PASS
HVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-6.86	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-5.37	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.19	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-7.35	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-8.36	-249.76	249.76	PASS
HVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-9.38	-249.76	249.76	PASS
HVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-9.49	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-7.1	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-10.68	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-5.19	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-6.24	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-6.68	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-9.14	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.43	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-10.97	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-4.99	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-7.1	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-6.96	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-9.41	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-6.6	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-4.64	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.54	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-9.51	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-3.35	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-4.36	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-13.06	-319.76	319.76	PASS
HVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-7.63	-319.76	319.76	PASS
HVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-7.89	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-6.18	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-5.75	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-2.38	-389.76	389.76	PASS
HVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-7.08	-389.76	389.76	PASS
HVLT	EGPRS900	RA250	38	897.6	6;6;6;6	-5.29	-389.76	389.76	PASS

		@Sens5							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-8.57	-269.76	269.76	PASS
		@Connect							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-8.73	-269.76	269.76	PASS
		@Sens1							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-5.02	-269.76	269.76	PASS
		@Sens2							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-1.36	-269.76	269.76	PASS
		@Sens3							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-8.2	-269.76	269.76	PASS
		@Sens4							
HVLT	EGPRS900	HT100	38	897.6	6;6;6;6	-5.09	-269.76	269.76	PASS
		@Sens5							
HVLT	EGPRS900	TU50	38	897.6	6;6;6;6	-6.89	-249.76	249.76	PASS
		@Connect							
HVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-5.24	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.35	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-7.33	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-8.32	-249.76	249.76	PASS
HVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-9.37	-249.76	249.76	PASS
HVLT	EGPRS900	TU3	38	897.6	6;6;6;6	-9.51	-319.76	319.76	PASS
		@Connect							
HVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-7.18	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-10.64	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-5.22	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-6.2	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-6.79	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-9.24	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.49	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-10.86	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-4.92	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-7.06	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-7.03	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-9.37	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-6.67	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-4.74	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.52	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-9.46	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-3.3	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-4.33	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-13.04	-319.76	319.76	PASS
HVLT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-7.79	-319.76	319.76	PASS
LVHT	EGPRS900	RA250	38	897.6	6;6;6;6	-7.91	-389.76	389.76	PASS
		@Connect							

LVHT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-6.17	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-5.79	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-2.48	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-7.15	-389.76	389.76	PASS
LVHT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-5.26	-389.76	389.76	PASS
LVHT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-8.53	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-8.8	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-4.85	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-1.36	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-8.11	-269.76	269.76	PASS
LVHT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-5.18	-269.76	269.76	PASS
LVHT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-6.96	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-5.34	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.19	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-7.45	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-8.27	-249.76	249.76	PASS
LVHT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-9.49	-249.76	249.76	PASS
LVHT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-9.52	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-7.18	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-10.64	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-5.08	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-6.21	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-6.61	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-9.07	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.4	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-11	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-4.92	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-7.22	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-6.96	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-9.31	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-6.69	-319.76	319.76	PASS



LVHT	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-4.69	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.63	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-9.48	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-3.38	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-4.38	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-13.1	-319.76	319.76	PASS
LVHT	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-7.72	-319.76	319.76	PASS
LVLT	EGPRS900	RA250 @Connect	38	897.6	6;6;6;6	-7.82	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens1	38	897.6	6;6;6;6	-6.1	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens2	38	897.6	6;6;6;6	-5.64	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens3	38	897.6	6;6;6;6	-2.3	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens4	38	897.6	6;6;6;6	-7.24	-389.76	389.76	PASS
LVLT	EGPRS900	RA250 @Sens5	38	897.6	6;6;6;6	-5.24	-389.76	389.76	PASS
LVLT	EGPRS900	HT100 @Connect	38	897.6	6;6;6;6	-8.59	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens1	38	897.6	6;6;6;6	-8.63	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens2	38	897.6	6;6;6;6	-5.02	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens3	38	897.6	6;6;6;6	-1.34	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens4	38	897.6	6;6;6;6	-8.19	-269.76	269.76	PASS
LVLT	EGPRS900	HT100 @Sens5	38	897.6	6;6;6;6	-5.04	-269.76	269.76	PASS
LVLT	EGPRS900	TU50 @Connect	38	897.6	6;6;6;6	-6.83	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens1	38	897.6	6;6;6;6	-5.37	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens2	38	897.6	6;6;6;6	-7.28	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens3	38	897.6	6;6;6;6	-7.35	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens4	38	897.6	6;6;6;6	-8.18	-249.76	249.76	PASS
LVLT	EGPRS900	TU50 @Sens5	38	897.6	6;6;6;6	-9.37	-249.76	249.76	PASS
LVLT	EGPRS900	TU3 @Connect	38	897.6	6;6;6;6	-9.37	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @1	38	897.6	6;6;6;6	-7.05	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @2	38	897.6	6;6;6;6	-10.73	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @3	38	897.6	6;6;6;6	-5.24	-319.76	319.76	PASS
LVLT	EGPRS900	TU3 @4	38	897.6	6;6;6;6	-6.21	-319.76	319.76	PASS

LVL	EGPRS900	TU3 @5	38	897.6	6;6;6;6	-6.65	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @6	38	897.6	6;6;6;6	-9.08	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @7	38	897.6	6;6;6;6	-12.5	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @8	38	897.6	6;6;6;6	-10.92	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @9	38	897.6	6;6;6;6	-4.98	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @10	38	897.6	6;6;6;6	-7.23	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @11	38	897.6	6;6;6;6	-7.09	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @12	38	897.6	6;6;6;6	-9.38	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @13	38	897.6	6;6;6;6	-6.64	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @14	38	897.6	6;6;6;6	-4.76	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @15	38	897.6	6;6;6;6	-9.54	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @16	38	897.6	6;6;6;6	-9.59	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @17	38	897.6	6;6;6;6	-3.33	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @18	38	897.6	6;6;6;6	-4.25	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @19	38	897.6	6;6;6;6	-13.05	-319.76	319.76	PASS
LVL	EGPRS900	TU3 @20	38	897.6	6;6;6;6	-7.7	-319.76	319.76	PASS

**Clause 4.2.28 EGPRS Transmitter output power**

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.93	22	29	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.53	21	27	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	20.75	19	25	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.52	17	23	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.84	15	21	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	18	13	19	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	15.83	10	18	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	13.96	8	16	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	11.8	6	14	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	10.27	4	12	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	8.37	2	10	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	5.99	-1	9	PASS
HVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS

HVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	4.63	-3	7	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.07	0	0	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	2.15	-5	5	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.99	22	29	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	25.09	21	27	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	21	19	25	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.49	17	23	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.58	15	21	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	18.05	13	19	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	16.01	10	18	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	14.35	8	16	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.18	0	0	PASS
HVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	12.74	6	14	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	10.39	4	12	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	7.97	2	10	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	6.48	-1	9	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	4.34	-3	7	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	2.39	-5	5	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.17	22	29	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.86	21	27	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	20.55	19	25	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.09	17	23	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.24	15	21	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	18.07	13	19	PASS
HVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS

HVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.93	10	18	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.62	8	16	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.93	6	14	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.14	0	0	PASS
HVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	10.35	4	12	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	8.32	2	10	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	6.65	-1	9	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	4.98	-3	7	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	2.87	-5	5	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.91	22	29	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.39	21	27	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	20.71	19	25	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.6	17	23	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.71	15	21	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	18.09	13	19	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	16.02	10	18	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	14.11	8	16	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	11.83	6	14	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	10.34	4	12	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	8.24	2	10	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	5.96	-1	9	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	4.62	-3	7	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	2.2	-5	5	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.09	0	0	PASS

HVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.98	22	29	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	25.04	21	27	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	20.97	19	25	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.49	17	23	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.71	15	21	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	18	13	19	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	16.03	10	18	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	14.27	8	16	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	12.76	6	14	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	10.37	4	12	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	8.03	2	10	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	6.45	-1	9	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.13	0	0	PASS
HVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	4.46	-3	7	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	2.53	-5	5	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.33	22	29	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	25.03	21	27	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	20.62	19	25	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21.14	17	23	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.33	15	21	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.91	13	19	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
HVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	15.98	10	18	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.53	8	16	PASS
HVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.07	0	0	PASS

HVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.91	6	14	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	10.4	4	12	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	8.46	2	10	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	6.66	-1	9	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	4.93	-3	7	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	2.85	-5	5	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.86	22	29	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.48	21	27	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1800	512	1710.2	7;7;7;7	slot1	20.77	19	25	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.55	17	23	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.73	15	21	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS1800	512	1710.2	10;10;10;10	slot1	18.07	13	19	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	512	1710.2	11;11;11;11	slot1	15.99	10	18	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	512	1710.2	12;12;12;12	slot1	13.94	8	16	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1800	512	1710.2	13;13;13;13	slot1	11.76	6	14	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	512	1710.2	14;14;14;14	slot1	10.21	4	12	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	512	1710.2	15;15;15;15	slot1	8.26	2	10	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS1800	512	1710.2	16;16;16;16	slot1	5.96	-1	9	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	512	1710.2	17;17;17;17	slot1	4.66	-3	7	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	slot1	2.14	-5	5	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.97	22	29	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	698	1747.4	6;6;6;6	slot1	25.12	21	27	PASS
LVHT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.09	0	0	PASS

LVHT	EGPRS1800	698	1747.4	7;7;7;7	slot1	21.08	19	25	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.11	0	0	PASS
LVHT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.59	17	23	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.68	15	21	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVHT	EGPRS1800	698	1747.4	10;10;10;10	slot1	18.02	13	19	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVHT	EGPRS1800	698	1747.4	11;11;11;11	slot1	16.01	10	18	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	698	1747.4	12;12;12;12	slot1	14.3	8	16	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS1800	698	1747.4	13;13;13;13	slot1	12.78	6	14	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	698	1747.4	14;14;14;14	slot1	10.42	4	12	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	698	1747.4	15;15;15;15	slot1	8.01	2	10	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	698	1747.4	16;16;16;16	slot1	6.5	-1	9	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS1800	698	1747.4	17;17;17;17	slot1	4.4	-3	7	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	slot1	2.44	-5	5	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.19	22	29	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.04	0	0	PASS
LVHT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.9	21	27	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	885	1784.8	7;7;7;7	slot1	20.49	19	25	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	8;8;8;8	slot1	21	17	23	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.36	15	21	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.92	13	19	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS1800	885	1784.8	11;11;11;11	slot1	16.06	10	18	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.64	8	16	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.89	6	14	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS1800	885	1784.8	14;14;14;14	slot1	10.35	4	12	PASS
LVHT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS



LVHT	EGPRS1800	885	1784.8	15;15;15;15	slot1	8.4	2	10	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	885	1784.8	16;16;16;16	slot1	6.81	-1	9	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS1800	885	1784.8	17;17;17;17	slot1	4.97	-3	7	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.07	0	0	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	slot1	2.86	-5	5	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	slot1	24.88	22	29	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	512	1710.2	6;6;6;6	slot1	24.51	21	27	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	512	1710.2	7;7;7;7	slot1	20.84	19	25	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	512	1710.2	8;8;8;8	slot1	21.47	17	23	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	9;9;9;9	slot1	18.74	15	21	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS1800	512	1710.2	10;10;10;10	slot1	18.01	13	19	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	512	1710.2	11;11;11;11	slot1	15.85	10	18	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	512	1710.2	12;12;12;12	slot1	14.01	8	16	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	512	1710.2	13;13;13;13	slot1	11.85	6	14	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	512	1710.2	14;14;14;14	slot1	10.22	4	12	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	512	1710.2	15;15;15;15	slot1	8.24	2	10	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	512	1710.2	16;16;16;16	slot1	5.98	-1	9	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	512	1710.2	17;17;17;17	slot1	4.63	-3	7	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	slot1	2.18	-5	5	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	slot1	24.81	22	29	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	698	1747.4	6;6;6;6	slot1	25.08	21	27	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	698	1747.4	7;7;7;7	slot1	20.99	19	25	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS1800	698	1747.4	8;8;8;8	slot1	20.47	17	23	PASS
LVLT	EGPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.07	0	0	PASS

LVLT	EGPRS1800	698	1747.4	9;9;9;9	slot1	19.57	15	21	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.07	0	0	PASS
LVLT	EGPRS1800	698	1747.4	10;10;10;10	slot1	17.96	13	19	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	698	1747.4	11;11;11;11	slot1	16.12	10	18	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS1800	698	1747.4	12;12;12;12	slot1	14.33	8	16	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	698	1747.4	13;13;13;13	slot1	12.71	6	14	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	698	1747.4	14;14;14;14	slot1	10.51	4	12	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS1800	698	1747.4	15;15;15;15	slot1	8.06	2	10	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS1800	698	1747.4	16;16;16;16	slot1	6.52	-1	9	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.08	0	0	PASS
LVLT	EGPRS1800	698	1747.4	17;17;17;17	slot1	4.37	-3	7	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	slot1	2.55	-5	5	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.09	0	0	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	slot1	25.17	22	29	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS1800	885	1784.8	6;6;6;6	slot1	24.91	21	27	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	885	1784.8	7;7;7;7	slot1	20.5	19	25	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS1800	885	1784.8	8;8;8;8	slot1	20.99	17	23	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS1800	885	1784.8	9;9;9;9	slot1	19.35	15	21	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS1800	885	1784.8	10;10;10;10	slot1	17.98	13	19	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	885	1784.8	11;11;11;11	slot1	16.02	10	18	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS1800	885	1784.8	12;12;12;12	slot1	14.54	8	16	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS1800	885	1784.8	13;13;13;13	slot1	11.8	6	14	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS1800	885	1784.8	14;14;14;14	slot1	10.31	4	12	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS1800	885	1784.8	15;15;15;15	slot1	8.33	2	10	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	885	1784.8	16;16;16;16	slot1	6.66	-1	9	PASS
LVLT	EGPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.02	0	0	PASS

LVLT	EGPRS1800	885	1784.8	17;17;17;17	slot1	4.92	-3	7	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.06	0	0	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	slot1	2.73	-5	5	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	slot1	27	24	30	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	975	880.2	7;7;7;7	slot1	25	22	28	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	975	880.2	8;8;8;8	slot1	23	20	26	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	EGPRS900	975	880.2	9;9;9;9	slot1	21	18	24	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	975	880.2	10;10;10;10	slot1	19.05	16	22	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVHT	EGPRS900	975	880.2	11;11;11;11	slot1	16.62	14	20	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS900	975	880.2	12;12;12;12	slot1	15.12	12	18	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	975	880.2	13;13;13;13	slot1	12.89	10	16	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	975	880.2	14;14;14;14	slot1	10.64	6	16	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.99	4	14	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	975	880.2	16;16;16;16	slot1	6.39	2	12	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	slot1	4.69	0	10	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	slot1	27.22	24	30	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.02	0	0	PASS
HVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.55	22	28	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	38	897.6	8;8;8;8	slot1	23.42	20	26	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.06	0	0	PASS
HVHT	EGPRS900	38	897.6	9;9;9;9	slot1	21.38	18	24	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	38	897.6	10;10;10;10	slot1	19.41	16	22	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	38	897.6	11;11;11;11	slot1	17	14	20	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.19	0	0	PASS
HVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.23	12	18	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	38	897.6	13;13;13;13	slot1	12.97	10	16	PASS
HVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.06	0	0	PASS

HVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.09	6	16	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	38	897.6	15;15;15;15	slot1	9.59	4	14	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.05	0	0	PASS
HVHT	EGPRS900	38	897.6	16;16;16;16	slot1	7.56	2	12	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.01	0	0	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	slot1	5.42	0	10	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	slot1	27.07	24	30	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	124	914.8	7;7;7;7	slot1	25.69	22	28	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	124	914.8	8;8;8;8	slot1	23.01	20	26	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.04	0	0	PASS
HVHT	EGPRS900	124	914.8	9;9;9;9	slot1	21.29	18	24	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	10;10;10;10	slot1	19.01	16	22	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.08	0	0	PASS
HVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.36	14	20	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.46	12	18	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVHT	EGPRS900	124	914.8	13;13;13;13	slot1	12.8	10	16	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVHT	EGPRS900	124	914.8	14;14;14;14	slot1	11.19	6	16	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.13	0	0	PASS
HVHT	EGPRS900	124	914.8	15;15;15;15	slot1	9.12	4	14	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.12	0	0	PASS
HVHT	EGPRS900	124	914.8	16;16;16;16	slot1	7.04	2	12	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	slot1	5.47	0	10	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	slot1	27.12	24	30	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	975	880.2	7;7;7;7	slot1	24.94	22	28	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.06	0	0	PASS
HVLT	EGPRS900	975	880.2	8;8;8;8	slot1	23.15	20	26	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	975	880.2	9;9;9;9	slot1	20.95	18	24	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.12	0	0	PASS
HVLT	EGPRS900	975	880.2	10;10;10;10	slot1	19.16	16	22	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	975	880.2	11;11;11;11	slot1	16.68	14	20	PASS
HVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS

HVLT	EGPRS900	975	880.2	12;12;12;12	slot1	15.04	12	18	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	975	880.2	13;13;13;13	slot1	12.82	10	16	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.04	0	0	PASS
HVLT	EGPRS900	975	880.2	14;14;14;14	slot1	10.58	6	16	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.93	4	14	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	975	880.2	16;16;16;16	slot1	6.46	2	12	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	slot1	4.72	0	10	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	slot1	27.17	24	30	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.01	0	0	PASS
HVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.54	22	28	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	38	897.6	8;8;8;8	slot1	23.61	20	26	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVLT	EGPRS900	38	897.6	9;9;9;9	slot1	21.44	18	24	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.08	0	0	PASS
HVLT	EGPRS900	38	897.6	10;10;10;10	slot1	19.38	16	22	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	38	897.6	11;11;11;11	slot1	17.03	14	20	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.23	12	18	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.11	10	16	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	38	897.6	14;14;14;14	slot1	11.12	6	16	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVLT	EGPRS900	38	897.6	15;15;15;15	slot1	9.51	4	14	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	38	897.6	16;16;16;16	slot1	7.54	2	12	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	slot1	5.45	0	10	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	slot1	27.17	24	30	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVLT	EGPRS900	124	914.8	7;7;7;7	slot1	25.69	22	28	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	124	914.8	8;8;8;8	slot1	22.93	20	26	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	124	914.8	9;9;9;9	slot1	21.19	18	24	PASS
HVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS

HVLT	EGPRS900	124	914.8	10;10;10;10	slot1	19.05	16	22	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVLT	EGPRS900	124	914.8	11;11;11;11	slot1	17.25	14	20	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS900	124	914.8	12;12;12;12	slot1	15.5	12	18	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.1	0	0	PASS
HVLT	EGPRS900	124	914.8	13;13;13;13	slot1	12.7	10	16	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVLT	EGPRS900	124	914.8	14;14;14;14	slot1	11.12	6	16	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	EGPRS900	124	914.8	15;15;15;15	slot1	9.07	4	14	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.15	0	0	PASS
HVLT	EGPRS900	124	914.8	16;16;16;16	slot1	7.13	2	12	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.02	0	0	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	slot1	5.44	0	10	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	slot1	27.12	24	30	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	975	880.2	7;7;7;7	slot1	25.03	22	28	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	8;8;8;8	slot1	23.09	20	26	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	975	880.2	9;9;9;9	slot1	20.87	18	24	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	975	880.2	10;10;10;10	slot1	19.14	16	22	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	975	880.2	11;11;11;11	slot1	16.77	14	20	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	12;12;12;12	slot1	14.99	12	18	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	975	880.2	13;13;13;13	slot1	12.96	10	16	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	975	880.2	14;14;14;14	slot1	10.5	6	16	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	975	880.2	15;15;15;15	slot1	8.97	4	14	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
LVHT	EGPRS900	975	880.2	16;16;16;16	slot1	6.48	2	12	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	slot1	4.74	0	10	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	slot1	27.2	24	30	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVHT	EGPRS900	38	897.6	7;7;7;7	slot1	25.56	22	28	PASS
LVHT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.12	0	0	PASS



LVHT	EGPRS900	38	897.6	8;8;8;8	slot1	23.43	20	26	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	38	897.6	9;9;9;9	slot1	21.32	18	24	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	EGPRS900	38	897.6	10;10;10;10	slot1	19.28	16	22	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	38	897.6	11;11;11;11	slot1	17.07	14	20	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVHT	EGPRS900	38	897.6	12;12;12;12	slot1	15.39	12	18	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.12	0	0	PASS
LVHT	EGPRS900	38	897.6	13;13;13;13	slot1	13.11	10	16	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.18	0	0	PASS
LVHT	EGPRS900	38	897.6	14;14;14;14	slot1	11.2	6	16	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVHT	EGPRS900	38	897.6	15;15;15;15	slot1	9.46	4	14	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVHT	EGPRS900	38	897.6	16;16;16;16	slot1	7.51	2	12	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	slot1	5.45	0	10	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	slot1	27.19	24	30	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	124	914.8	7;7;7;7	slot1	25.81	22	28	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	124	914.8	8;8;8;8	slot1	23.05	20	26	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVHT	EGPRS900	124	914.8	9;9;9;9	slot1	21.26	18	24	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVHT	EGPRS900	124	914.8	10;10;10;10	slot1	18.99	16	22	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	124	914.8	11;11;11;11	slot1	17.34	14	20	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	124	914.8	12;12;12;12	slot1	15.43	12	18	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVHT	EGPRS900	124	914.8	13;13;13;13	slot1	12.73	10	16	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	124	914.8	14;14;14;14	slot1	11.1	6	16	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.19	0	0	PASS
LVHT	EGPRS900	124	914.8	15;15;15;15	slot1	9.02	4	14	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.01	0	0	PASS
LVHT	EGPRS900	124	914.8	16;16;16;16	slot1	7.12	2	12	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	slot1	5.37	0	10	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	PvT(%)	-0.16	0	0	PASS



LVLT	EGPRS900	975	880.2	6;6;6;6	slot1	27.08	24	30	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	975	880.2	7;7;7;7	slot1	24.99	22	28	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	975	880.2	8;8;8;8	slot1	23.09	20	26	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	975	880.2	9;9;9;9	slot1	20.84	18	24	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	975	880.2	10;10;10;10	slot1	19.15	16	22	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	PvT(%)	-0.02	0	0	PASS
LVLT	EGPRS900	975	880.2	11;11;11;11	slot1	16.71	14	20	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	975	880.2	12;12;12;12	slot1	15	12	18	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	975	880.2	13;13;13;13	slot1	12.89	10	16	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	975	880.2	14;14;14;14	slot1	10.46	6	16	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	975	880.2	15;15;15;15	slot1	8.97	4	14	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS900	975	880.2	16;16;16;16	slot1	6.4	2	12	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	slot1	4.77	0	10	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	slot1	27.08	24	30	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	38	897.6	7;7;7;7	slot1	25.58	22	28	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	8;8;8;8	slot1	23.53	20	26	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	38	897.6	9;9;9;9	slot1	21.37	18	24	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	PvT(%)	-0.04	0	0	PASS
LVLT	EGPRS900	38	897.6	10;10;10;10	slot1	19.43	16	22	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	PvT(%)	-0.01	0	0	PASS
LVLT	EGPRS900	38	897.6	11;11;11;11	slot1	17.13	14	20	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	PvT(%)	-0.1	0	0	PASS
LVLT	EGPRS900	38	897.6	12;12;12;12	slot1	15.22	12	18	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	38	897.6	13;13;13;13	slot1	13.16	10	16	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVLT	EGPRS900	38	897.6	14;14;14;14	slot1	11.18	6	16	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVLT	EGPRS900	38	897.6	15;15;15;15	slot1	9.53	4	14	PASS
LVLT	EGPRS900	38	897.6	16;16;16;16	PvT(%)	-0.04	0	0	PASS

LVLT	EGPRS900	38	897.6	16;16;16;16	slot1	7.55	2	12	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	slot1	5.32	0	10	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	slot1	27.02	24	30	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVLT	EGPRS900	124	914.8	7;7;7;7	slot1	25.71	22	28	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	PvT(%)	-0.12	0	0	PASS
LVLT	EGPRS900	124	914.8	8;8;8;8	slot1	23.09	20	26	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	PvT(%)	-0.11	0	0	PASS
LVLT	EGPRS900	124	914.8	9;9;9;9	slot1	21.32	18	24	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	PvT(%)	-0.13	0	0	PASS
LVLT	EGPRS900	124	914.8	10;10;10;10	slot1	18.91	16	22	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVLT	EGPRS900	124	914.8	11;11;11;11	slot1	17.38	14	20	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	PvT(%)	-0.05	0	0	PASS
LVLT	EGPRS900	124	914.8	12;12;12;12	slot1	15.46	12	18	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	124	914.8	13;13;13;13	slot1	12.71	10	16	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	124	914.8	14;14;14;14	slot1	11.16	6	16	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	PvT(%)	-0.03	0	0	PASS
LVLT	EGPRS900	124	914.8	15;15;15;15	slot1	9.02	4	14	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVLT	EGPRS900	124	914.8	16;16;16;16	slot1	7.2	2	12	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	slot1	5.33	0	10	PASS

**Clause 4.2.29 Modulation Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-80.35	-60	-61.04	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-79.93	-60	-60.59	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-79.07	-60	-59.75	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-77.85	-60	-58.51	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-76.55	-60	-57.07	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-74.57	-60	-55.08	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-72.38	-60	-52.97	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-67.21	-60	-47.9	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-40.97	-33	-21.6	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.77	-30	-17.42	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-8.66	0.5	10.64	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.71	0.5	10.77	-36	PASS

HVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.51	-30	-17.3	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.25	-33	-21.79	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-67.46	-60	-48.22	-36	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-72.05	-60	-52.79	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-74.94	-60	-55.67	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-76.68	-60	-57.35	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-77.93	-60	-58.51	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-78.77	-60	-59.28	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-79.96	-60	-60.59	-55	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-80.63	-60	-61.29	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-77.24	-60	-81.29	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-76.64	-60	-80.46	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-75.69	-60	-79.58	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-74.82	-60	-78.66	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-72.92	-60	-76.99	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-70.91	-60	-74.88	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.34	-60	-72.34	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-64.05	-60	-67.86	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.26	-33	-45.25	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-36.82	-30	-40.82	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.81	0.5	-12.77	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.48	0.5	-12.43	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-36.6	-30	-40.58	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.11	-33	-45.05	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-64.85	-60	-68.68	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.92	-60	-72.99	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-72.16	-60	-76.21	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-74.38	-60	-78.39	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-75.85	-60	-79.9	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-76.98	-60	-80.91	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-77.86	-60	-81.95	-55	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-78.74	-60	-82.66	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-80.5	-60	-61.25	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-80.07	-60	-60.86	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-79.14	-60	-59.82	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-78.07	-60	-58.76	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-76.55	-60	-57.42	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-74.75	-60	-55.33	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-72.48	-60	-53.23	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-67.23	-60	-48.08	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-40.78	-33	-21.37	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.61	-30	-17.29	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.54	0.5	10.77	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.36	0.5	10.91	-36	PASS

HVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.62	-30	-17.37	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-40.71	-33	-21.4	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-67.39	-60	-48.04	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-72.43	-60	-53.29	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-74.75	-60	-55.53	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-76.87	-60	-57.52	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-78	-60	-58.62	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-78.7	-60	-59.49	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-79.91	-60	-60.73	-55	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-80.8	-60	-61.47	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-76.88	-60	-81.13	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-76.37	-60	-80.77	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-75.04	-60	-79.18	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-73.87	-60	-78.15	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.34	-60	-76.55	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.22	-60	-75.35	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.26	-60	-72.46	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.67	-60	-68.98	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.27	-33	-45.4	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-36.73	-30	-40.98	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.11	0.5	-13.4	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-8.87	0.5	-13.18	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.61	-30	-40.89	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.58	-33	-45.93	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.21	-60	-69.48	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.98	-60	-73.23	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-72.81	-60	-77.05	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-74.16	-60	-78.25	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-75.98	-60	-80.2	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-77.12	-60	-81.54	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-77.86	-60	-82.09	-55	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-78.27	-60	-82.48	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-80.3	-60	-60.81	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-80.31	-60	-60.7	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-78.94	-60	-59.45	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-78.05	-60	-58.68	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-76.97	-60	-57.43	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-75.14	-60	-55.49	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-72.57	-60	-52.94	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-67.61	-60	-48.02	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-41.05	-33	-21.41	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-36.88	-30	-17.38	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.9	0.5	10.57	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.84	0.5	10.61	-36	PASS

HVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.52	-30	-16.98	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-41.14	-33	-21.66	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-67.55	-60	-47.95	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-72.47	-60	-52.91	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-74.95	-60	-55.37	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-76.79	-60	-57.21	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-78.12	-60	-58.65	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-79.25	-60	-59.74	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-79.78	-60	-60.13	-55	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-80.73	-60	-61.3	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-76.79	-60	-81.08	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-75.81	-60	-80.06	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-74.82	-60	-79.18	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-73.85	-60	-78.19	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-72.25	-60	-76.59	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-70.58	-60	-75.01	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-67.92	-60	-72.4	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-64.25	-60	-68.61	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.71	-33	-44.96	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-36.67	-30	-41.02	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.41	0.5	-12.73	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.62	0.5	-13.03	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.22	-30	-40.47	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-40.93	-33	-45.43	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-64.74	-60	-69.1	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.81	-60	-73.1	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-72.25	-60	-76.57	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-73.8	-60	-78.28	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-75.3	-60	-79.55	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-76.29	-60	-80.69	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-77.24	-60	-81.44	-55	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-77.88	-60	-82.19	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-80.3	-60	-61.07	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-79.89	-60	-60.61	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-79.14	-60	-59.83	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-77.94	-60	-58.43	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-76.56	-60	-57.23	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-74.49	-60	-55.05	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-72.21	-60	-53	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-67.26	-60	-47.88	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-40.96	-33	-21.57	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.71	-30	-17.32	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-8.71	0.5	10.74	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.73	0.5	10.76	-36	PASS

HVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.66	-30	-17.19	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.21	-33	-21.87	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-67.46	-60	-48.22	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-72.05	-60	-52.83	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-75.01	-60	-55.52	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-76.84	-60	-57.39	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-77.9	-60	-58.45	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-78.71	-60	-59.27	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-80.07	-60	-60.61	-55	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-80.64	-60	-61.29	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-77.32	-60	-81.32	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-76.69	-60	-80.57	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-75.61	-60	-79.61	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-74.82	-60	-78.65	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-72.9	-60	-76.84	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-70.92	-60	-74.93	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.36	-60	-72.29	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-63.93	-60	-67.84	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.17	-33	-45.26	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-36.94	-30	-40.82	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.77	0.5	-12.65	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.59	0.5	-12.62	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-36.48	-30	-40.59	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.13	-33	-45.11	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-64.87	-60	-68.83	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.91	-60	-72.81	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-72.24	-60	-76.22	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-74.51	-60	-78.31	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-75.88	-60	-79.76	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-76.94	-60	-80.88	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-77.87	-60	-81.96	-55	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-78.8	-60	-82.67	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-80.53	-60	-61.16	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-80.09	-60	-60.88	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-79	-60	-59.79	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-77.95	-60	-58.66	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-76.65	-60	-57.24	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-74.79	-60	-55.33	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-72.41	-60	-53.3	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-67.27	-60	-47.99	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-40.8	-33	-21.51	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.57	-30	-17.32	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.61	0.5	10.77	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.53	0.5	10.89	-36	PASS



HVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.64	-30	-17.34	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-40.65	-33	-21.46	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-67.25	-60	-47.99	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-72.41	-60	-53.25	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-74.78	-60	-55.42	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-76.82	-60	-57.68	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-78	-60	-58.62	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-78.69	-60	-59.35	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-79.98	-60	-60.62	-55	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-80.72	-60	-61.54	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-77.04	-60	-81.26	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-76.55	-60	-80.74	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-75.05	-60	-79.22	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-74.03	-60	-78.23	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.38	-60	-76.57	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.16	-60	-75.39	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.2	-60	-72.46	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.67	-60	-68.88	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.09	-33	-45.42	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-36.58	-30	-40.93	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.14	0.5	-13.29	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-8.85	0.5	-13.22	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.73	-30	-40.96	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.7	-33	-45.95	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.15	-60	-69.58	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.95	-60	-73.21	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-72.68	-60	-76.96	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-74.02	-60	-78.33	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-75.96	-60	-80.38	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-77.16	-60	-81.55	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-77.86	-60	-82.19	-55	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-78.18	-60	-82.49	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-80.45	-60	-60.73	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-80.34	-60	-60.69	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-78.94	-60	-59.34	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-78.1	-60	-58.53	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-76.81	-60	-57.4	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-75.17	-60	-55.56	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-72.52	-60	-52.89	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-67.67	-60	-47.96	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-40.98	-33	-21.35	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-36.82	-30	-17.33	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.95	0.5	10.61	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.81	0.5	10.58	-36	PASS



HVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.67	-30	-17.1	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-41.07	-33	-21.5	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-67.53	-60	-47.99	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-72.43	-60	-52.85	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-74.92	-60	-55.35	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-76.67	-60	-57.2	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-78.16	-60	-58.57	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-79.26	-60	-59.8	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-79.83	-60	-60.24	-55	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-80.87	-60	-61.21	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-76.66	-60	-81.06	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-75.74	-60	-80.09	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-74.74	-60	-79.27	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-73.93	-60	-78.25	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-72.22	-60	-76.56	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-70.73	-60	-74.99	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-68.07	-60	-72.39	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-64.3	-60	-68.7	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.67	-33	-44.97	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-36.54	-30	-41.03	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.41	0.5	-12.83	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.73	0.5	-13.01	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.28	-30	-40.53	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.03	-33	-45.44	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-64.87	-60	-69.18	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.9	-60	-73.23	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-72.28	-60	-76.63	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-73.96	-60	-78.24	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-75.29	-60	-79.65	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-76.4	-60	-80.57	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-77.19	-60	-81.55	-55	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-77.84	-60	-82.2	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-80.42	-60	-61.04	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-79.94	-60	-60.61	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-79.18	-60	-59.75	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-77.8	-60	-58.6	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-76.52	-60	-57.26	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-800	-74.42	-60	-55.13	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-72.39	-60	-52.9	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-67.22	-60	-47.84	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-250	-41.06	-33	-21.6	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.74	-30	-17.36	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-100	-8.72	0.5	10.76	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.75	0.5	10.7	-36	PASS

LVHT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.64	-30	-17.24	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.13	-33	-21.86	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-67.42	-60	-48.12	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-72.19	-60	-52.73	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	800	-75.01	-60	-55.53	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1000	-76.83	-60	-57.38	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-77.79	-60	-58.36	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1400	-78.6	-60	-59.28	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1600	-79.96	-60	-60.67	-55	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-80.64	-60	-61.32	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-77.28	-60	-81.27	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-76.52	-60	-80.65	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-75.72	-60	-79.62	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-74.81	-60	-78.72	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-72.87	-60	-76.96	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-800	-70.96	-60	-74.87	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.51	-60	-72.29	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-63.94	-60	-67.84	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.18	-33	-45.12	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-200	-36.95	-30	-40.89	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.67	0.5	-12.69	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.66	0.5	-12.58	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	200	-36.58	-30	-40.55	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	250	-41	-33	-45.09	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-64.82	-60	-68.84	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.86	-60	-72.96	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	800	-72.22	-60	-76.21	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1000	-74.41	-60	-78.34	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-75.91	-60	-79.8	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1400	-76.81	-60	-80.83	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1600	-77.97	-60	-81.83	-55	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-78.73	-60	-82.76	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-80.51	-60	-61.21	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-80.14	-60	-60.77	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-79.1	-60	-59.68	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-77.96	-60	-58.68	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-76.7	-60	-57.36	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-800	-74.73	-60	-55.45	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-72.48	-60	-53.16	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-67.24	-60	-47.94	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-250	-40.73	-33	-21.52	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.69	-30	-17.28	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.57	0.5	10.68	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.49	0.5	10.74	-36	PASS

LVHT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.74	-30	-17.32	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	250	-40.62	-33	-21.42	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-67.24	-60	-48.05	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-72.38	-60	-53.27	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	800	-74.69	-60	-55.41	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1000	-76.81	-60	-57.53	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-77.9	-60	-58.8	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1400	-78.58	-60	-59.41	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1600	-79.98	-60	-60.75	-55	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-80.81	-60	-61.39	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-76.9	-60	-81.24	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-76.52	-60	-80.7	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-74.92	-60	-79.35	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-74.04	-60	-78.32	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.33	-60	-76.55	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.28	-60	-75.48	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.3	-60	-72.57	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.66	-60	-69	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.21	-33	-45.47	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-200	-36.6	-30	-40.92	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.1	0.5	-13.4	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	100	-8.86	0.5	-13.1	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.8	-30	-40.88	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.55	-33	-45.91	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.28	-60	-69.45	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.9	-60	-73.05	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	800	-72.68	-60	-77.06	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1000	-74.1	-60	-78.25	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-75.97	-60	-80.38	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1400	-77.26	-60	-81.42	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1600	-77.91	-60	-82.07	-55	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-78.25	-60	-82.43	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-80.32	-60	-60.83	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-80.29	-60	-60.69	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-78.92	-60	-59.31	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-78.23	-60	-58.68	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-76.92	-60	-57.3	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-800	-75.07	-60	-55.51	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-72.5	-60	-52.98	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-67.56	-60	-48.1	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-250	-41.05	-33	-21.39	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-200	-36.78	-30	-17.21	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.97	0.5	10.52	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.9	0.5	10.58	-36	PASS

LVHT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.49	-30	-16.98	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	250	-41.17	-33	-21.62	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-67.68	-60	-48.14	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-72.56	-60	-52.92	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	800	-74.97	-60	-55.42	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1000	-76.69	-60	-57.17	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-78.14	-60	-58.62	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1400	-79.24	-60	-59.75	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1600	-79.77	-60	-60.24	-55	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-80.79	-60	-61.3	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-76.66	-60	-80.99	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-75.88	-60	-80.21	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-74.85	-60	-79.23	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-73.93	-60	-78.25	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-72.33	-60	-76.55	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-800	-70.65	-60	-74.98	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-67.88	-60	-72.34	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-64.28	-60	-68.6	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.73	-33	-44.99	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-200	-36.54	-30	-40.99	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.38	0.5	-12.66	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.63	0.5	-13.12	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.16	-30	-40.45	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	250	-41	-33	-45.26	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-64.74	-60	-69.19	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.84	-60	-73.05	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	800	-72.24	-60	-76.63	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1000	-73.96	-60	-78.33	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-75.23	-60	-79.63	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1400	-76.22	-60	-80.56	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1600	-77.15	-60	-81.48	-55	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-77.8	-60	-82.06	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-80.38	-60	-61.07	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1600	-79.92	-60	-60.61	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1400	-79.17	-60	-59.72	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-77.87	-60	-58.48	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1000	-76.64	-60	-57.16	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-800	-74.43	-60	-55.08	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-72.34	-60	-52.83	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-67.21	-60	-47.79	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-250	-40.94	-33	-21.54	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-200	-36.84	-30	-17.39	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-100	-8.59	0.5	10.76	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	100	-8.78	0.5	10.62	-36	PASS

LVLT	EGPRS1800	512	1710.2	5;5;5;5	200	-36.54	-30	-17.29	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	250	-41.07	-33	-21.76	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-67.48	-60	-48.04	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-72.18	-60	-52.81	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	800	-74.97	-60	-55.7	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1000	-76.87	-60	-57.33	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-77.82	-60	-58.37	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1400	-78.68	-60	-59.33	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1600	-79.99	-60	-60.54	-55	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-80.63	-60	-61.3	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-77.25	-60	-81.27	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1600	-76.64	-60	-80.6	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1400	-75.68	-60	-79.6	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-74.79	-60	-78.81	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1000	-72.99	-60	-76.88	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-800	-70.84	-60	-74.82	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-68.5	-60	-72.39	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-64.05	-60	-67.98	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-250	-41.2	-33	-45.29	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-200	-36.77	-30	-40.88	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-100	-8.78	0.5	-12.62	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	100	-8.65	0.5	-12.56	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	200	-36.48	-30	-40.6	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	250	-41.12	-33	-44.96	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-64.87	-60	-68.7	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-68.87	-60	-72.97	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	800	-72.24	-60	-76.07	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1000	-74.51	-60	-78.44	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-75.83	-60	-79.79	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1400	-76.96	-60	-80.91	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1600	-77.91	-60	-81.92	-55	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-78.7	-60	-82.8	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-80.6	-60	-61.3	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1600	-80.09	-60	-60.9	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1400	-79.01	-60	-59.81	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-77.98	-60	-58.74	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1000	-76.54	-60	-57.36	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-800	-74.6	-60	-55.5	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-72.5	-60	-53.3	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-67.3	-60	-48.05	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-250	-40.79	-33	-21.44	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-200	-36.53	-30	-17.33	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-100	-8.49	0.5	10.81	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	100	-8.42	0.5	10.8	-36	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	200	-36.74	-30	-17.32	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	250	-40.64	-33	-21.46	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-67.26	-60	-48	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-72.43	-60	-53.29	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	800	-74.65	-60	-55.56	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1000	-76.89	-60	-57.54	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-78	-60	-58.79	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1400	-78.73	-60	-59.33	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1600	-80.03	-60	-60.69	-55	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-80.78	-60	-61.42	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-76.88	-60	-81.29	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1600	-76.4	-60	-80.69	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1400	-75.06	-60	-79.18	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-74.06	-60	-78.14	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1000	-72.38	-60	-76.66	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-800	-71.2	-60	-75.5	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-68.26	-60	-72.57	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-64.59	-60	-68.91	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-250	-41.12	-33	-45.45	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-200	-36.65	-30	-41.02	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-100	-9.05	0.5	-13.25	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	100	-8.95	0.5	-13.17	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	200	-36.65	-30	-40.93	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	250	-41.55	-33	-45.98	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-65.24	-60	-69.57	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-68.91	-60	-73.22	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	800	-72.78	-60	-76.96	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1000	-74.07	-60	-78.4	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-76.1	-60	-80.22	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1400	-77.15	-60	-81.4	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1600	-77.83	-60	-82.1	-55	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-78.22	-60	-82.47	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-80.34	-60	-60.89	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1600	-80.34	-60	-60.79	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1400	-78.99	-60	-59.36	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-78.24	-60	-58.54	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1000	-76.82	-60	-57.37	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-800	-75.15	-60	-55.44	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-72.45	-60	-52.98	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-67.49	-60	-48	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-250	-41.09	-33	-21.54	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-200	-36.84	-30	-17.34	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-100	-8.88	0.5	10.58	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	100	-8.82	0.5	10.72	-36	PASS



LVLT	EGPRS1800	885	1784.8	5;5;5;5	200	-36.53	-30	-16.95	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	250	-41.16	-33	-21.5	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-67.57	-60	-48	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-72.54	-60	-52.84	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	800	-75.05	-60	-55.47	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1000	-76.73	-60	-57.17	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-78.13	-60	-58.53	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1400	-79.25	-60	-59.67	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1600	-79.87	-60	-60.19	-55	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-80.87	-60	-61.34	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-76.69	-60	-81.03	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1600	-75.87	-60	-80.13	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1400	-74.75	-60	-79.23	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-73.88	-60	-78.23	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1000	-72.3	-60	-76.59	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-800	-70.59	-60	-75.06	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-68.02	-60	-72.34	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-64.34	-60	-68.69	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-250	-40.59	-33	-45.12	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-200	-36.72	-30	-41.03	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-100	-8.48	0.5	-12.81	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	100	-8.68	0.5	-13.02	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	200	-36.12	-30	-40.59	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	250	-41.1	-33	-45.39	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-64.88	-60	-69.13	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-68.88	-60	-73.21	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	800	-72.31	-60	-76.52	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1000	-73.98	-60	-78.34	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-75.2	-60	-79.5	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1400	-76.39	-60	-80.65	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1600	-77.05	-60	-81.48	-55	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-77.75	-60	-82.1	-55	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-81.46	-60	-61.1	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-81.69	-60	-61.37	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-80.62	-60	-60.43	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-80.19	-60	-59.76	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-79.17	-60	-58.72	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-800	-77.58	-60	-57.14	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-75.25	-60	-54.77	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-70	-60	-49.5	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-250	-41.19	-33	-20.92	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-200	-36.81	-30	-16.4	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-100	-8.79	0.5	11.42	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.78	0.5	11.63	-36	PASS



HVHT	EGPRS900	975	880.2	6;6;6;6	200	-36.97	-30	-16.61	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	250	-40.92	-33	-20.68	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-69.86	-60	-49.37	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-75.35	-60	-55	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	800	-77.59	-60	-57.22	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1000	-79.15	-60	-58.86	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-80.32	-60	-59.84	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1400	-80.33	-60	-59.88	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1600	-81.62	-60	-61.24	-51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-81.76	-60	-61.45	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-78.85	-60	-79.27	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-78.62	-60	-79.03	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-77.14	-60	-77.66	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-76	-60	-76.38	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.25	-60	-74.54	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-800	-72.46	-60	-72.86	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-69.06	-60	-69.5	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-64.52	-60	-65.03	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-250	-41.23	-33	-41.54	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-200	-36.54	-30	-36.98	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.39	0.5	-8.94	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	100	-8.58	0.5	-8.96	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	200	-36.64	-30	-37.02	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	250	-41.02	-33	-41.46	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-65.24	-60	-65.76	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-69.78	-60	-70.23	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	800	-72.75	-60	-73.1	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1000	-74.73	-60	-75.26	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-76.42	-60	-77	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1400	-77.19	-60	-77.64	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1600	-78.64	-60	-79.02	-51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-79.28	-60	-79.61	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-81.97	-60	-61.72	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-81.5	-60	-61.34	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-80.82	-60	-60.64	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-80.59	-60	-60.36	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-78.94	-60	-58.72	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-800	-77.76	-60	-57.43	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-75.12	-60	-55.04	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-70.39	-60	-50.06	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-250	-40.99	-33	-20.79	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-200	-37.06	-30	-16.78	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-100	-8.64	0.5	11.48	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	100	-8.8	0.5	11.46	-36	PASS

HVHT	EGPRS900	38	897.6	6;6;6;6	200	-36.87	-30	-16.77	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	250	-41.09	-33	-21.03	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-70.21	-60	-50.06	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-75.22	-60	-55.13	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	800	-77.52	-60	-57.44	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1000	-79.36	-60	-59.19	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-80.28	-60	-60.07	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1400	-80.26	-60	-60.22	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1600	-81.46	-60	-61.41	-51	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-82.02	-60	-61.98	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-79.54	-60	-79.48	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-78.76	-60	-78.62	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-78.02	-60	-77.9	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-76.55	-60	-76.46	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.69	-60	-74.45	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-800	-72.71	-60	-72.59	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-600	-69.94	-60	-69.83	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-400	-65.71	-60	-65.52	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-250	-41.47	-33	-41.4	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-200	-37.2	-30	-36.92	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	-100	-9.09	0.5	-9.01	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	100	-9.19	0.5	-8.89	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	200	-37.22	-30	-37.01	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	250	-40.98	-33	-40.88	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	400	-65.97	-60	-65.78	-36	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	600	-69.65	-60	-69.44	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	800	-73.54	-60	-73.41	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1000	-75.22	-60	-74.94	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1200	-77.05	-60	-76.97	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1400	-77.84	-60	-77.76	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1600	-79.47	-60	-79.33	-51	PASS
HVHT	EGPRS900	38	897.6	17;17;17;17	1800	-79.85	-60	-79.82	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-81.52	-60	-61.1	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-82.46	-60	-61.94	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-81.25	-60	-60.97	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-81.02	-60	-60.57	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-79.68	-60	-59.45	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-800	-78.35	-60	-57.99	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-76.33	-60	-55.78	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-70.43	-60	-50.04	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-250	-41.39	-33	-21.09	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-200	-37.06	-30	-16.68	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-100	-8.97	0.5	11.43	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	100	-8.99	0.5	11.48	-36	PASS

HVHT	EGPRS900	124	914.8	6;6;6;6	200	-37.09	-30	-16.65	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	250	-41.46	-33	-21.1	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-70.63	-60	-50.2	-36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-76.4	-60	-56.04	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	800	-78.55	-60	-58.04	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1000	-79.89	-60	-59.46	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-81.17	-60	-60.67	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1400	-80.96	-60	-60.57	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1600	-82.14	-60	-61.9	-51	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-81.29	-60	-60.97	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-78.58	-60	-78.94	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-78.42	-60	-78.75	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-77.45	-60	-77.79	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-76.53	-60	-76.89	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-75.07	-60	-75.57	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-800	-72.93	-60	-73.25	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-69.82	-60	-70.14	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-65.58	-60	-65.93	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-250	-41.38	-33	-41.78	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-200	-37.1	-30	-37.43	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-100	-8.71	0.5	-9.13	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	100	-9.37	0.5	-9.76	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	200	-37.08	-30	-37.41	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	250	-41.31	-33	-41.47	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-66.09	-60	-66.45	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-69.93	-60	-70.4	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	800	-73.33	-60	-73.66	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1000	-75.02	-60	-75.39	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-76.36	-60	-76.72	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1400	-77.38	-60	-77.66	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1600	-78.83	-60	-79.19	-51	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-78.95	-60	-79.3	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-81.49	-60	-61.1	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-81.75	-60	-61.39	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-80.61	-60	-60.31	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-80.21	-60	-59.76	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-79.07	-60	-58.79	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-800	-77.62	-60	-57.28	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-75.22	-60	-54.86	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-69.93	-60	-49.64	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-250	-41.23	-33	-20.94	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-200	-36.72	-30	-16.36	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-100	-8.93	0.5	11.52	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.69	0.5	11.68	-36	PASS

HVLT	EGPRS900	975	880.2	6;6;6;6	200	-36.87	-30	-16.66	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	250	-41	-33	-20.66	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-69.83	-60	-49.37	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-75.24	-60	-55.06	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	800	-77.7	-60	-57.33	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1000	-79.05	-60	-58.81	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-80.32	-60	-59.88	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1400	-80.19	-60	-60.01	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1600	-81.68	-60	-61.24	-51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-81.81	-60	-61.57	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-78.89	-60	-79.4	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-78.58	-60	-79.2	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-77.26	-60	-77.72	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.97	-60	-76.48	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.23	-60	-74.58	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-800	-72.56	-60	-72.99	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-69.15	-60	-69.61	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-64.65	-60	-64.98	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-250	-41.24	-33	-41.58	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-200	-36.58	-30	-37.09	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.38	0.5	-8.92	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	100	-8.41	0.5	-9.01	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	200	-36.64	-30	-37.19	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	250	-41.16	-33	-41.47	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-65.4	-60	-65.73	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-69.87	-60	-70.37	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	800	-72.61	-60	-73.1	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1000	-74.83	-60	-75.23	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-76.5	-60	-76.91	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1400	-77.25	-60	-77.55	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1600	-78.46	-60	-79	-51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-79.16	-60	-79.68	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-81.99	-60	-61.68	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-81.57	-60	-61.23	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-80.93	-60	-60.76	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-80.51	-60	-60.39	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-78.9	-60	-58.66	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-800	-77.68	-60	-57.49	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-75.21	-60	-54.94	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-70.36	-60	-50.2	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-250	-41.1	-33	-20.76	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-200	-37	-30	-16.78	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-100	-8.79	0.5	11.53	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	100	-8.88	0.5	11.37	-36	PASS

HVLT	EGPRS900	38	897.6	6;6;6;6	200	-36.89	-30	-16.73	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	250	-41.15	-33	-20.92	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-70.19	-60	-49.98	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-75.32	-60	-55.14	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	800	-77.62	-60	-57.4	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1000	-79.2	-60	-59.03	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-80.19	-60	-60.13	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1400	-80.36	-60	-60.07	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1600	-81.5	-60	-61.28	-51	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-82.2	-60	-61.89	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-79.62	-60	-79.32	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-78.84	-60	-78.6	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-77.96	-60	-77.81	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-76.54	-60	-76.5	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.74	-60	-74.53	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-800	-72.84	-60	-72.66	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-600	-70.02	-60	-69.8	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-400	-65.77	-60	-65.48	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-250	-41.52	-33	-41.44	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-200	-37.25	-30	-36.96	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	-100	-9.14	0.5	-8.92	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	100	-9.15	0.5	-9.02	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	200	-37.08	-30	-36.94	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	250	-41.01	-33	-40.73	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	400	-66.05	-60	-65.87	-36	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	600	-69.61	-60	-69.53	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	800	-73.52	-60	-73.39	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1000	-75.23	-60	-74.92	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1200	-77.13	-60	-76.85	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1400	-77.79	-60	-77.63	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1600	-79.4	-60	-79.39	-51	PASS
HVLT	EGPRS900	38	897.6	17;17;17;17	1800	-79.81	-60	-79.64	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-81.56	-60	-61.08	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-82.42	-60	-62.08	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-81.44	-60	-60.92	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-81.01	-60	-60.58	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-79.69	-60	-59.39	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-800	-78.41	-60	-57.96	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-76.21	-60	-55.93	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-70.35	-60	-50.05	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-250	-41.46	-33	-21.02	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-200	-37.03	-30	-16.64	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-100	-8.89	0.5	11.38	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	100	-8.89	0.5	11.38	-36	PASS

HVLT	EGPRS900	124	914.8	6;6;6;6	200	-37.05	-30	-16.74	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	250	-41.54	-33	-21.08	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-70.52	-60	-50.19	-36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-76.31	-60	-56.04	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	800	-78.51	-60	-58.18	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1000	-79.79	-60	-59.55	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-81.14	-60	-60.77	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1400	-80.83	-60	-60.5	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1600	-82.24	-60	-61.84	-51	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-81.36	-60	-61	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-78.7	-60	-78.98	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-78.52	-60	-78.88	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-77.41	-60	-77.73	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-76.52	-60	-76.88	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-75.16	-60	-75.57	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-800	-73.03	-60	-73.25	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-69.71	-60	-70.2	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-65.55	-60	-65.83	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-250	-41.45	-33	-41.79	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-200	-37.03	-30	-37.45	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-100	-8.73	0.5	-9.19	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	100	-9.39	0.5	-9.71	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	200	-37.13	-30	-37.44	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	250	-41.14	-33	-41.65	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-65.96	-60	-66.29	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-69.99	-60	-70.38	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	800	-73.31	-60	-73.72	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1000	-75	-60	-75.5	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-76.35	-60	-76.86	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1400	-77.39	-60	-77.8	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1600	-78.83	-60	-79.11	-51	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-78.86	-60	-79.25	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-81.64	-60	-61.24	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1600	-81.71	-60	-61.36	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1400	-80.62	-60	-60.31	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-80.24	-60	-59.88	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1000	-79.1	-60	-58.76	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-800	-77.63	-60	-57.27	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-75.31	-60	-54.9	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-69.86	-60	-49.67	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-250	-41.1	-33	-20.9	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-200	-36.79	-30	-16.48	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-100	-8.92	0.5	11.42	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	100	-8.83	0.5	11.6	-36	PASS



LVHT	EGPRS900	975	880.2	6;6;6;6	200	-37.03	-30	-16.63	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	250	-41	-33	-20.64	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-69.73	-60	-49.49	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-75.27	-60	-55.04	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	800	-77.65	-60	-57.31	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1000	-79.07	-60	-58.82	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-80.19	-60	-59.8	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1400	-80.32	-60	-60.02	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1600	-81.72	-60	-61.36	-51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-81.91	-60	-61.58	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-78.95	-60	-79.43	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1600	-78.64	-60	-79.13	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1400	-77.3	-60	-77.69	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.93	-60	-76.57	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.19	-60	-74.63	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-800	-72.57	-60	-72.83	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-69.16	-60	-69.5	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-64.65	-60	-65.01	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-250	-41.23	-33	-41.62	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-200	-36.59	-30	-37	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-100	-8.32	0.5	-8.76	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	100	-8.45	0.5	-8.93	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	200	-36.65	-30	-37.11	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	250	-41.11	-33	-41.61	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-65.23	-60	-65.8	-36	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-69.96	-60	-70.25	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	800	-72.61	-60	-73.22	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1000	-74.86	-60	-75.16	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-76.41	-60	-76.98	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1400	-77.18	-60	-77.67	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1600	-78.62	-60	-78.95	-51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-79.18	-60	-79.59	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-81.96	-60	-61.66	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1600	-81.56	-60	-61.22	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1400	-80.86	-60	-60.65	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-80.53	-60	-60.39	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1000	-78.8	-60	-58.66	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-800	-77.76	-60	-57.5	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-75.21	-60	-55.09	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-70.28	-60	-50.13	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-250	-41.12	-33	-20.78	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-200	-37.06	-30	-16.88	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-100	-8.75	0.5	11.4	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	100	-8.72	0.5	11.48	-36	PASS



LVHT	EGPRS900	38	897.6	6;6;6;6	200	-36.95	-30	-16.79	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	250	-41.08	-33	-21.04	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-70.3	-60	-50.07	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-75.26	-60	-55.13	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	800	-77.65	-60	-57.32	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1000	-79.34	-60	-59.06	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-80.31	-60	-60.09	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1400	-80.37	-60	-60.2	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1600	-81.55	-60	-61.36	-51	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-82.17	-60	-61.9	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1800	-79.65	-60	-79.33	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1600	-78.77	-60	-78.57	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1400	-78.11	-60	-77.82	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1200	-76.65	-60	-76.45	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.62	-60	-74.44	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-800	-72.78	-60	-72.69	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-600	-69.96	-60	-69.91	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-400	-65.71	-60	-65.54	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-250	-41.49	-33	-41.34	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-200	-37.13	-30	-36.97	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	-100	-8.99	0.5	-9.01	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	100	-9.14	0.5	-8.9	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	200	-37.08	-30	-37.03	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	250	-41.01	-33	-40.79	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	400	-66.05	-60	-65.79	-36	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	600	-69.67	-60	-69.4	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	800	-73.67	-60	-73.41	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1000	-75.09	-60	-74.96	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1200	-77.07	-60	-77.02	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1400	-77.76	-60	-77.72	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1600	-79.58	-60	-79.38	-51	PASS
LVHT	EGPRS900	38	897.6	17;17;17;17	1800	-79.91	-60	-79.75	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-81.53	-60	-60.99	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1600	-82.31	-60	-61.9	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1400	-81.27	-60	-60.87	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-80.98	-60	-60.53	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1000	-79.69	-60	-59.36	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-800	-78.37	-60	-58.1	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-76.23	-60	-55.78	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-70.31	-60	-49.91	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-250	-41.48	-33	-21.07	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-200	-36.98	-30	-16.59	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-100	-8.95	0.5	11.51	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	100	-8.96	0.5	11.46	-36	PASS

LVHT	EGPRS900	124	914.8	6;6;6;6	200	-37.1	-30	-16.63	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	250	-41.46	-33	-21.08	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-70.45	-60	-50.18	-36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-76.33	-60	-55.9	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	800	-78.5	-60	-58.06	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1000	-79.89	-60	-59.44	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-81.14	-60	-60.74	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1400	-80.86	-60	-60.55	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1600	-82.2	-60	-61.76	-51	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-81.44	-60	-60.99	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-78.55	-60	-78.9	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1600	-78.55	-60	-78.76	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1400	-77.41	-60	-77.64	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-76.39	-60	-76.82	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1000	-75.21	-60	-75.52	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-800	-73.08	-60	-73.35	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-69.74	-60	-70.17	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-65.53	-60	-65.97	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-250	-41.48	-33	-41.75	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-200	-37.04	-30	-37.46	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-100	-8.88	0.5	-9.1	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	100	-9.34	0.5	-9.64	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	200	-37.09	-30	-37.5	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	250	-41.2	-33	-41.5	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-65.98	-60	-66.38	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-69.99	-60	-70.33	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	800	-73.3	-60	-73.61	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1000	-75.07	-60	-75.43	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-76.41	-60	-76.71	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1400	-77.39	-60	-77.82	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1600	-78.75	-60	-79.2	-51	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-78.86	-60	-79.3	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-81.56	-60	-61.24	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1600	-81.6	-60	-61.27	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1400	-80.76	-60	-60.27	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-80.13	-60	-59.8	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1000	-79.1	-60	-58.88	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-800	-77.57	-60	-57.3	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-75.22	-60	-54.88	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-69.96	-60	-49.59	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-250	-41.12	-33	-20.81	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-200	-36.71	-30	-16.43	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-100	-8.85	0.5	11.56	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	100	-8.7	0.5	11.5	-36	PASS

LVLT	EGPRS900	975	880.2	6;6;6;6	200	-36.89	-30	-16.64	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	250	-40.98	-33	-20.72	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-69.68	-60	-49.48	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-75.36	-60	-54.93	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	800	-77.59	-60	-57.27	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1000	-79.07	-60	-58.7	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-80.2	-60	-59.95	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1400	-80.3	-60	-59.92	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1600	-81.55	-60	-61.38	-51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-81.92	-60	-61.56	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-78.96	-60	-79.38	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1600	-78.66	-60	-79.05	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1400	-77.28	-60	-77.58	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-75.95	-60	-76.42	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1000	-74.23	-60	-74.72	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-800	-72.48	-60	-72.89	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-69.09	-60	-69.48	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-64.5	-60	-64.94	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-250	-41.22	-33	-41.63	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-200	-36.56	-30	-37.01	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-100	-8.35	0.5	-8.81	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	100	-8.53	0.5	-8.88	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	200	-36.64	-30	-37.13	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	250	-41.02	-33	-41.48	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-65.37	-60	-65.81	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-69.88	-60	-70.36	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	800	-72.65	-60	-73.11	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1000	-74.75	-60	-75.27	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-76.4	-60	-76.84	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1400	-77.09	-60	-77.53	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1600	-78.6	-60	-78.98	-51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-79.23	-60	-79.64	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-82.01	-60	-61.8	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1600	-81.52	-60	-61.25	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1400	-80.96	-60	-60.7	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-80.64	-60	-60.4	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1000	-78.85	-60	-58.66	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-800	-77.71	-60	-57.47	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-75.27	-60	-54.96	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-70.41	-60	-50.08	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-250	-41.11	-33	-20.93	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-200	-36.98	-30	-16.7	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-100	-8.72	0.5	11.39	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	100	-8.73	0.5	11.45	-36	PASS

LVLT	EGPRS900	38	897.6	6;6;6;6	200	-37.04	-30	-16.74	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	250	-41.22	-33	-20.97	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-70.21	-60	-49.98	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-75.3	-60	-55.14	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	800	-77.65	-60	-57.36	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1000	-79.24	-60	-59.11	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-80.18	-60	-59.97	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1400	-80.33	-60	-60.1	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1600	-81.46	-60	-61.27	-51	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-82.03	-60	-61.94	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1800	-79.6	-60	-79.45	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1600	-78.82	-60	-78.69	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1400	-78.04	-60	-77.97	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1200	-76.52	-60	-76.47	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-1000	-74.73	-60	-74.47	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-800	-72.87	-60	-72.54	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-600	-70.08	-60	-69.83	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-400	-65.65	-60	-65.49	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-250	-41.59	-33	-41.32	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-200	-37.23	-30	-36.91	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	-100	-9.16	0.5	-8.95	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	100	-9.11	0.5	-8.92	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	200	-37.05	-30	-36.91	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	250	-41.09	-33	-40.9	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	400	-66.04	-60	-65.82	-36	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	600	-69.58	-60	-69.46	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	800	-73.62	-60	-73.39	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1000	-75.17	-60	-74.93	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1200	-77.17	-60	-77.04	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1400	-77.77	-60	-77.68	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1600	-79.42	-60	-79.4	-51	PASS
LVLT	EGPRS900	38	897.6	17;17;17;17	1800	-79.82	-60	-79.72	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-81.48	-60	-61.04	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1600	-82.44	-60	-62.05	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1400	-81.41	-60	-60.88	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-80.97	-60	-60.65	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1000	-79.7	-60	-59.47	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-800	-78.44	-60	-57.91	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-76.19	-60	-55.8	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-70.46	-60	-49.95	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-250	-41.55	-33	-21.04	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-200	-37.01	-30	-16.67	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-100	-8.87	0.5	11.48	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	100	-8.86	0.5	11.52	-36	PASS

LVLT	EGPRS900	124	914.8	6;6;6;6	200	-37.13	-30	-16.6	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	250	-41.52	-33	-21.16	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-70.63	-60	-50.12	-36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-76.24	-60	-56.04	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	800	-78.53	-60	-58.06	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1000	-79.96	-60	-59.56	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-81.09	-60	-60.67	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1400	-80.82	-60	-60.52	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1600	-82.24	-60	-61.74	-51	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-81.28	-60	-61.02	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-78.66	-60	-78.98	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1600	-78.55	-60	-78.84	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1400	-77.28	-60	-77.8	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-76.49	-60	-76.89	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1000	-75.19	-60	-75.54	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-800	-72.93	-60	-73.27	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-69.89	-60	-70.16	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-65.45	-60	-65.94	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-250	-41.43	-33	-41.87	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-200	-37.19	-30	-37.53	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-100	-8.89	0.5	-9.23	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	100	-9.32	0.5	-9.61	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	200	-37.04	-30	-37.34	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	250	-41.3	-33	-41.63	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-65.98	-60	-66.44	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-70.02	-60	-70.27	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	800	-73.28	-60	-73.68	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1000	-75.09	-60	-75.39	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-76.37	-60	-76.69	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1400	-77.4	-60	-77.64	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1600	-78.8	-60	-79.04	-51	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-78.83	-60	-79.3	-51	PASS

**Clause 4.2.29 Switching Spectrum in EGPRS configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	27.47		PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-49.47	-29.45	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-43.32	-26.45	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-38.22	-25.22	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-33.84	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-26.59	-23	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-30.05	-25.22	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-37.04	-26.45	PASS
HVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.01	-29.45	PASS

HVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	4.03		PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.53	-36	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-61.17	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-54.88	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-45.37	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-37.09	-23	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-45.96	-26	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-58.92	-32	PASS
HVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-67.17	-36	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	27.29		PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.24	-29.58	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.59	-26.58	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-37.22	-25.29	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-32.99	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.24	-23	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-30.51	-25.29	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-36.71	-26.58	PASS
HVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-46.1	-29.58	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	3.59		PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.7	-36	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-64.11	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-56.27	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-46.19	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-37.37	-23	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-46.59	-26	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-59.35	-32	PASS
HVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-68.22	-36	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	27.42		PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-49.18	-29.44	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-43.37	-26.44	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-37.87	-25.22	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.3	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-26.22	-23	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-30.06	-25.22	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-36.79	-26.44	PASS
HVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-45.86	-29.44	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	3.7		PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.32	-36	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-63.41	-32	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-56.42	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-45.72	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-37.07	-23	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-46.59	-26	PASS
HVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-58.61	-32	PASS



HVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.04	-36	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	27.39		PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-49.52	-29.45	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-43.45	-26.45	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-38.25	-25.22	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-33.85	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-26.53	-23	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-30.15	-25.22	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-37.09	-26.45	PASS
HVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.05	-29.45	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	3.91		PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.61	-36	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-61.23	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-54.84	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-45.52	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-37.04	-23	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-46.01	-26	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-58.9	-32	PASS
HVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-67.28	-36	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	27.4		PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.26	-29.58	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.57	-26.58	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-37.17	-25.29	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-33.07	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.43	-23	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-30.53	-25.29	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-36.64	-26.58	PASS
HVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-45.97	-29.58	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	3.59		PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.69	-36	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-64	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-56.29	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-46.07	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-37.23	-23	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-46.73	-26	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-59.27	-32	PASS
HVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-68.27	-36	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	27.52		PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-49.15	-29.44	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-43.38	-26.44	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-37.84	-25.22	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.16	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-26.11	-23	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-30.14	-25.22	PASS

HVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-36.93	-26.44	PASS
HVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-45.75	-29.44	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	3.66		PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.36	-36	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-63.39	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-56.47	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-45.54	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-37.11	-23	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-46.57	-26	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-58.64	-32	PASS
HVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.11	-36	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	27.4		PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-49.41	-29.45	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-43.39	-26.45	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-600	-38.19	-25.22	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	-400	-33.98	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	400	-26.44	-23	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	600	-30.07	-25.22	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1200	-37.05	-26.45	PASS
LVHT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.08	-29.45	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	4.04		PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.61	-36	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-61.33	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-600	-54.99	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	-400	-45.37	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	400	-37.12	-23	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	600	-45.99	-26	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1200	-58.82	-32	PASS
LVHT	EGPRS1800	512	1710.2	18;18;18;18	1800	-67.26	-36	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	27.22		PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.19	-29.58	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.64	-26.58	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-600	-37.31	-25.29	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	-400	-33.04	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.35	-23	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	600	-30.47	-25.29	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1200	-36.64	-26.58	PASS
LVHT	EGPRS1800	698	1747.4	5;5;5;5	1800	-45.99	-29.58	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	3.52		PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.61	-36	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-64.11	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-600	-56.28	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	-400	-46.01	-23	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	400	-37.36	-23	PASS

LVHT	EGPRS1800	698	1747.4	18;18;18;18	600	-46.72	-26	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1200	-59.37	-32	PASS
LVHT	EGPRS1800	698	1747.4	18;18;18;18	1800	-68.29	-36	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	27.53		PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-49.16	-29.44	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-43.48	-26.44	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-600	-37.8	-25.22	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.11	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	400	-26.23	-23	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	600	-30.2	-25.22	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1200	-36.9	-26.44	PASS
LVHT	EGPRS1800	885	1784.8	5;5;5;5	1800	-45.85	-29.44	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	3.65		PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.49	-36	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-63.4	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-600	-56.54	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	-400	-45.57	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	400	-37.19	-23	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	600	-46.48	-26	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1200	-58.73	-32	PASS
LVHT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.1	-36	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	Ref Power	27.51		PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1800	-49.36	-29.45	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-1200	-43.37	-26.45	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-600	-38.19	-25.22	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	-400	-33.97	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	400	-26.58	-23	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	600	-30.16	-25.22	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1200	-36.99	-26.45	PASS
LVLT	EGPRS1800	512	1710.2	5;5;5;5	1800	-46.04	-29.45	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	Ref Power	4.02		PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1800	-70.56	-36	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-1200	-61.21	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-600	-54.92	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	-400	-45.36	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	400	-37.02	-23	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	600	-45.86	-26	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1200	-58.84	-32	PASS
LVLT	EGPRS1800	512	1710.2	18;18;18;18	1800	-67.12	-36	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	Ref Power	27.24		PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1800	-48.14	-29.58	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-1200	-43.47	-26.58	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-600	-37.32	-25.29	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	-400	-33.05	-23	PASS

LVLT	EGPRS1800	698	1747.4	5;5;5;5	400	-27.38	-23	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	600	-30.54	-25.29	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1200	-36.71	-26.58	PASS
LVLT	EGPRS1800	698	1747.4	5;5;5;5	1800	-46	-29.58	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	Ref Power	3.59		PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1800	-70.72	-36	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-1200	-63.99	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-600	-56.3	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	-400	-46.06	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	400	-37.3	-23	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	600	-46.61	-26	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1200	-59.28	-32	PASS
LVLT	EGPRS1800	698	1747.4	18;18;18;18	1800	-68.22	-36	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	Ref Power	27.37		PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1800	-49.19	-29.44	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-1200	-43.36	-26.44	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-600	-37.86	-25.22	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	-400	-32.19	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	400	-26.12	-23	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	600	-30.05	-25.22	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1200	-36.8	-26.44	PASS
LVLT	EGPRS1800	885	1784.8	5;5;5;5	1800	-45.75	-29.44	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	Ref Power	3.58		PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1800	-71.35	-36	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-1200	-63.55	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-600	-56.35	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	-400	-45.57	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	400	-37.08	-23	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	600	-46.55	-26	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1200	-58.64	-32	PASS
LVLT	EGPRS1800	885	1784.8	18;18;18;18	1800	-68.05	-36	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	28.42		PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-51.26	-28.51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-43.6	-25.51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-600	-42.72	-25.25	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	-400	-34.01	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	400	-34.25	-23	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	600	-37.16	-25.25	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1200	-42.46	-25.51	PASS
HVHT	EGPRS900	975	880.2	6;6;6;6	1800	-50.99	-28.51	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	7.67		PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-69.02	-36	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-58.45	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	-600	-58.36	-26	PASS

HVHT	EGPRS900	975	880.2	17;17;17;17	-400	-40.66	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	400	-34.47	-23	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	600	-53.25	-26	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1200	-56.2	-32	PASS
HVHT	EGPRS900	975	880.2	17;17;17;17	1800	-69.05	-36	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	28.28		PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-52.35	-28.66	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.06	-25.66	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-600	-42.78	-25.33	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	-400	-33.66	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	400	-33.7	-23	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	600	-38.44	-25.33	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1200	-42.92	-25.66	PASS
HVHT	EGPRS900	38	897.6	6;6;6;6	1800	-50.86	-28.66	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	28.21		PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-50.63	-28.71	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.19	-25.71	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-600	-43.07	-25.36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	-400	-34.98	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	400	-31.35	-23	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	600	-40.08	-25.36	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1200	-43.95	-25.71	PASS
HVHT	EGPRS900	124	914.8	6;6;6;6	1800	-51.49	-28.71	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	7.38		PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.75	-36	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-59.18	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-600	-58.12	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	-400	-40.38	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	400	-34.91	-23	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	600	-51.32	-26	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1200	-56.14	-32	PASS
HVHT	EGPRS900	124	914.8	17;17;17;17	1800	-69.23	-36	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	28.46		PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-51.17	-28.51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-43.57	-25.51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-600	-42.67	-25.25	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	-400	-34	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	400	-34.17	-23	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	600	-37.16	-25.25	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1200	-42.37	-25.51	PASS
HVLT	EGPRS900	975	880.2	6;6;6;6	1800	-51.02	-28.51	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	7.72		PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.85	-36	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-58.4	-32	PASS

HVLT	EGPRS900	975	880.2	17;17;17;17	-600	-58.41	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	-400	-40.61	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	400	-34.51	-23	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	600	-53.26	-26	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1200	-56.21	-32	PASS
HVLT	EGPRS900	975	880.2	17;17;17;17	1800	-69.1	-36	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	28.32		PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-52.36	-28.66	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.12	-25.66	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-600	-42.65	-25.33	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	-400	-33.49	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	400	-33.73	-23	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	600	-38.55	-25.33	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1200	-43.02	-25.66	PASS
HVLT	EGPRS900	38	897.6	6;6;6;6	1800	-50.88	-28.66	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	28.13		PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-50.72	-28.71	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.03	-25.71	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-600	-42.93	-25.36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	-400	-34.98	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	400	-31.37	-23	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	600	-40.12	-25.36	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1200	-43.92	-25.71	PASS
HVLT	EGPRS900	124	914.8	6;6;6;6	1800	-51.51	-28.71	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	7.33		PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.88	-36	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-59.07	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-600	-58.13	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	-400	-40.35	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	400	-34.86	-23	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	600	-51.38	-26	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1200	-56.3	-32	PASS
HVLT	EGPRS900	124	914.8	17;17;17;17	1800	-69.3	-36	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	Ref Power	28.4		PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1800	-51.25	-28.51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-1200	-43.61	-25.51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-600	-42.74	-25.25	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	-400	-33.97	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	400	-34.19	-23	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	600	-37.06	-25.25	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1200	-42.5	-25.51	PASS
LVHT	EGPRS900	975	880.2	6;6;6;6	1800	-51.12	-28.51	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	Ref Power	7.73		PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.96	-36	PASS



LVHT	EGPRS900	975	880.2	17;17;17;17	-1200	-58.57	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-600	-58.35	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	-400	-40.54	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	400	-34.47	-23	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	600	-53.18	-26	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1200	-56.12	-32	PASS
LVHT	EGPRS900	975	880.2	17;17;17;17	1800	-69.15	-36	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	Ref Power	28.31		PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1800	-52.38	-28.66	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.06	-25.66	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-600	-42.69	-25.33	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	-400	-33.62	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	400	-33.71	-23	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	600	-38.48	-25.33	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1200	-42.95	-25.66	PASS
LVHT	EGPRS900	38	897.6	6;6;6;6	1800	-50.9	-28.66	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	Ref Power	28.24		PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1800	-50.6	-28.71	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.16	-25.71	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-600	-42.9	-25.36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	-400	-35.04	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	400	-31.47	-23	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	600	-40.03	-25.36	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1200	-44.02	-25.71	PASS
LVHT	EGPRS900	124	914.8	6;6;6;6	1800	-51.57	-28.71	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	Ref Power	7.31		PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.77	-36	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-1200	-59.04	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-600	-58.04	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	-400	-40.33	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	400	-34.75	-23	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	600	-51.42	-26	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1200	-56.21	-32	PASS
LVHT	EGPRS900	124	914.8	17;17;17;17	1800	-69.25	-36	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	Ref Power	28.3		PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1800	-51.18	-28.51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-1200	-43.55	-25.51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-600	-42.64	-25.25	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	-400	-34.06	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	400	-34.17	-23	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	600	-37.12	-25.25	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1200	-42.49	-25.51	PASS
LVLT	EGPRS900	975	880.2	6;6;6;6	1800	-51.06	-28.51	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	Ref Power	7.64		PASS

LVLT	EGPRS900	975	880.2	17;17;17;17	-1800	-68.94	-36	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-1200	-58.54	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-600	-58.37	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	-400	-40.58	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	400	-34.53	-23	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	600	-53.15	-26	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1200	-56.22	-32	PASS
LVLT	EGPRS900	975	880.2	17;17;17;17	1800	-69.15	-36	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	Ref Power	28.32		PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1800	-52.34	-28.66	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-1200	-44.08	-25.66	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-600	-42.67	-25.33	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	-400	-33.58	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	400	-33.72	-23	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	600	-38.45	-25.33	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1200	-42.88	-25.66	PASS
LVLT	EGPRS900	38	897.6	6;6;6;6	1800	-50.96	-28.66	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	Ref Power	28.28		PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1800	-50.54	-28.71	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-1200	-44.1	-25.71	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-600	-42.97	-25.36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	-400	-34.87	-23	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	400	-31.4	-23	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	600	-40.13	-25.36	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1200	-43.87	-25.71	PASS
LVLT	EGPRS900	124	914.8	6;6;6;6	1800	-51.5	-28.71	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	Ref Power	7.26		PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1800	-68.86	-36	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-1200	-59.15	-32	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-600	-58.15	-26	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	-400	-40.35	-23	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	400	-34.8	-23	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	600	-51.34	-26	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1200	-56.26	-32	PASS
LVLT	EGPRS900	124	914.8	17;17;17;17	1800	-69.35	-36	PASS

**Clause 4.2.4 Frequency error and phase error in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Type	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	2.52	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.48	0	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error	2.75	0	20	PASS

					(Degree)				
HVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	0.03	-174.74	174.74	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.44	0	5	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.37	0	20	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	2.5	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.43	0	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.74	0	20	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	-0.02	-174.74	174.74	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.51	0	5	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.52	0	20	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	2.45	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.47	0	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.74	0	20	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	0.14	-174.74	174.74	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.52	0	5	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.52	0	20	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	2.54	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.48	0	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.9	0	20	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	0.03	-174.74	174.74	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.37	0	5	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.49	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Frequency Error	2.46	-174.74	174.74	PASS

					(Hz)				
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.51	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.73	0	20	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	0.03	-174.74	174.74	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.56	0	5	PASS
Vibration-X	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.56	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	2.38	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.39	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.72	0	20	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	0.09	-174.74	174.74	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.53	0	5	PASS
Vibration-Y	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.5	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Frequency Error (Hz)	2.45	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	RMS Phase Error (Degree)	0.54	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	3;3;3;3	Peak Phase Error (Degree)	2.82	0	20	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Frequency Error (Hz)	0.13	-174.74	174.74	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	RMS Phase Error (Degree)	0.41	0	5	PASS
Vibration-Z	GPRS1800	698	1747.4	18;18;18;18	Peak Phase Error (Degree)	5.42	0	20	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.68	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.34	0	5	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.92	0	20	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.51	-89.76	89.76	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error	0.36	0	5	PASS

					(Degree)				
HVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.33	0	20	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.66	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.24	0	5	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.85	0	20	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.67	-89.76	89.76	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.37	0	5	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.27	0	20	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.74	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.22	0	5	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.99	0	20	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.58	-89.76	89.76	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.34	0	5	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.26	0	20	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.66	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.22	0	5	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.92	0	20	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.59	-89.76	89.76	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.36	0	5	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.31	0	20	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.72	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.34	0	5	PASS
Vibration-X	GPRS900	38	897.6	3;3;3;3	Peak Phase Error	0.9	0	20	PASS

					(Degree)				
Vibration-X	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.57	-89.76	89.76	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.33	0	5	PASS
Vibration-X	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.38	0	20	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.61	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.31	0	5	PASS
Vibration-Y	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.88	0	20	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.66	-89.76	89.76	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.37	0	5	PASS
Vibration-Y	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.39	0	20	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Frequency Error (Hz)	4.67	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	RMS Phase Error (Degree)	0.31	0	5	PASS
Vibration-Z	GPRS900	38	897.6	3;3;3;3	Peak Phase Error (Degree)	0.96	0	20	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Frequency Error (Hz)	2.58	-89.76	89.76	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	RMS Phase Error (Degree)	0.28	0	5	PASS
Vibration-Z	GPRS900	38	897.6	17;17;17;17	Peak Phase Error (Degree)	2.31	0	20	PASS

**Clause 4.2.10 Transmitter output power in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Slot	Result	Low Limit	high Limit	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	31.56	28	32	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.79	25	31	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.95	23	29	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	26.01	21	27	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	24.16	19	25	PASS



HVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	21.39	17	23	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19.38	15	21	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	17.45	13	19	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	15.53	11	17	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	13.89	8	16	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	11.99	6	14	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	10.27	4	12	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	9.25	2	10	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	7.3	0	8	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	5.98	-3	7	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	4.3	-5	5	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.18	28	32	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.56	25	31	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	27.73	23	29	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	25.63	21	27	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	23.83	19	25	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	21.17	17	23	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	19.18	15	21	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	17.46	13	19	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	15.56	11	17	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	13.92	8	16	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	11.89	6	14	PASS

HVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	10.15	4	12	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	9.03	2	10	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	7.15	0	8	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	5.64	-3	7	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	3.88	-5	5	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.18	28	32	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.5	25	31	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	27.57	23	29	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	25.57	21	27	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	23.82	19	25	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.95	17	23	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.2	0	0	PASS
HVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	19.19	15	21	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	17.44	13	19	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	15.48	11	17	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	13.71	8	16	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.89	6	14	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.85	4	12	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	8.83	2	10	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	6.71	0	8	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	5.12	-3	7	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	3.35	-5	5	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	31.55	28	32	PASS

HVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.82	25	31	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.89	23	29	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.91	21	27	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	24.19	19	25	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	21.24	17	23	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19.51	15	21	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	17.41	13	19	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	15.61	11	17	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	13.76	8	16	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	12.01	6	14	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	10.25	4	12	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	9.12	2	10	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.2	0	0	PASS
HVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	7.28	0	8	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	5.9	-3	7	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	4.29	-5	5	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.21	28	32	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.47	25	31	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	27.68	23	29	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	25.68	21	27	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	23.93	19	25	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	21.11	17	23	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	19.19	15	21	PASS

HVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	17.43	13	19	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	15.58	11	17	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	13.91	8	16	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	11.96	6	14	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	10.03	4	12	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	9.04	2	10	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	7.11	0	8	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	5.74	-3	7	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	3.9	-5	5	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.21	28	32	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.57	25	31	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	27.59	23	29	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	25.72	21	27	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	23.75	19	25	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	21	17	23	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	19.26	15	21	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	17.35	13	19	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	15.53	11	17	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	13.66	8	16	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.83	6	14	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.95	4	12	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	8.71	2	10	PASS

HVLT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	6.75	0	8	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	5.17	-3	7	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.03	0	0	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	3.34	-5	5	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	31.48	28	32	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.74	25	31	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.89	23	29	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.92	21	27	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	24.12	19	25	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	21.28	17	23	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19.55	15	21	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	17.45	13	19	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	15.53	11	17	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	13.9	8	16	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	12.08	6	14	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	10.24	4	12	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	9.18	2	10	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	7.32	0	8	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	5.88	-3	7	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	4.33	-5	5	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.3	28	32	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.64	25	31	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	27.67	23	29	PASS

LVHT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	25.68	21	27	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	23.75	19	25	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	21	17	23	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	19.13	15	21	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	17.41	13	19	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	15.57	11	17	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	13.81	8	16	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	12.07	6	14	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	10.06	4	12	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	9.12	2	10	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	7.07	0	8	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVHT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	5.7	-3	7	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	3.88	-5	5	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.2	28	32	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.49	25	31	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	27.53	23	29	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	25.7	21	27	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	23.87	19	25	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	885	1784.8	8;8;8;8	Power slot1	21.05	17	23	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS1800	885	1784.8	9;9;9;9	Power slot1	19.11	15	21	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS1800	885	1784.8	10;10;10;10	Power slot1	17.4	13	19	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.04	0	0	PASS
LVHT	GPRS1800	885	1784.8	11;11;11;11	Power slot1	15.5	11	17	PASS



LVHT	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS1800	885	1784.8	12;12;12;12	Power slot1	13.76	8	16	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.75	6	14	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.78	4	12	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS1800	885	1784.8	15;15;15;15	Power slot1	8.82	2	10	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS1800	885	1784.8	16;16;16;16	Power slot1	6.66	0	8	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS1800	885	1784.8	17;17;17;17	Power slot1	5.25	-3	7	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Power slot1	3.32	-5	5	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Power slot1	31.57	28	32	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS1800	512	1710.2	4;4;4;4	Power slot1	29.74	25	31	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	5;5;5;5	Power slot1	27.86	23	29	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	512	1710.2	6;6;6;6	Power slot1	25.99	21	27	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	7;7;7;7	Power slot1	24.15	19	25	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	512	1710.2	8;8;8;8	Power slot1	21.25	17	23	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	512	1710.2	9;9;9;9	Power slot1	19.49	15	21	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	512	1710.2	10;10;10;10	Power slot1	17.47	13	19	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	11;11;11;11	Power slot1	15.67	11	17	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	12;12;12;12	Power slot1	13.77	8	16	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	PvT(%)	-0.06	0	0	PASS
LVLT	GPRS1800	512	1710.2	13;13;13;13	Power slot1	12.06	6	14	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	512	1710.2	14;14;14;14	Power slot1	10.23	4	12	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	512	1710.2	15;15;15;15	Power slot1	9.15	2	10	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	16;16;16;16	Power slot1	7.28	0	8	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS1800	512	1710.2	17;17;17;17	Power slot1	5.91	-3	7	PASS

LVLT	GPRS1800	512	1710.2	18;18;18;18	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Power slot1	4.33	-5	5	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Power slot1	31.21	28	32	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS1800	698	1747.4	4;4;4;4	Power slot1	29.58	25	31	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	698	1747.4	5;5;5;5	Power slot1	27.67	23	29	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	PvT(%)	-0.16	0	0	PASS
LVLT	GPRS1800	698	1747.4	6;6;6;6	Power slot1	25.79	21	27	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	7;7;7;7	Power slot1	23.87	19	25	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	PvT(%)	-0.11	0	0	PASS
LVLT	GPRS1800	698	1747.4	8;8;8;8	Power slot1	21.12	17	23	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	9;9;9;9	Power slot1	19.28	15	21	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS1800	698	1747.4	10;10;10;10	Power slot1	17.39	13	19	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	698	1747.4	11;11;11;11	Power slot1	15.7	11	17	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	PvT(%)	-0.07	0	0	PASS
LVLT	GPRS1800	698	1747.4	12;12;12;12	Power slot1	13.77	8	16	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS1800	698	1747.4	13;13;13;13	Power slot1	12.02	6	14	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS1800	698	1747.4	14;14;14;14	Power slot1	10.07	4	12	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS1800	698	1747.4	15;15;15;15	Power slot1	8.99	2	10	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS1800	698	1747.4	16;16;16;16	Power slot1	6.99	0	8	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	PvT(%)	-0.2	0	0	PASS
LVLT	GPRS1800	698	1747.4	17;17;17;17	Power slot1	5.59	-3	7	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Power slot1	4.04	-5	5	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	PvT(%)	-0.17	0	0	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Power slot1	31.16	28	32	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	4;4;4;4	Power slot1	29.46	25	31	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS1800	885	1784.8	5;5;5;5	Power slot1	27.65	23	29	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS1800	885	1784.8	6;6;6;6	Power slot1	25.56	21	27	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS1800	885	1784.8	7;7;7;7	Power slot1	23.85	19	25	PASS

LVL	GPRS1800	885	1784.8	8;8;8;8	PvT(%)	-0.03	0	0	PASS
LVL	GPRS1800	885	1784.8	8;8;8;8	Power slot1	20.91	17	23	PASS
LVL	GPRS1800	885	1784.8	9;9;9;9	PvT(%)	-0.13	0	0	PASS
LVL	GPRS1800	885	1784.8	9;9;9;9	Power slot1	19.17	15	21	PASS
LVL	GPRS1800	885	1784.8	10;10;10;10	PvT(%)	-0.08	0	0	PASS
LVL	GPRS1800	885	1784.8	10;10;10;10	Power slot1	17.27	13	19	PASS
LVL	GPRS1800	885	1784.8	11;11;11;11	PvT(%)	-0.05	0	0	PASS
LVL	GPRS1800	885	1784.8	11;11;11;11	Power slot1	15.43	11	17	PASS
LVL	GPRS1800	885	1784.8	12;12;12;12	PvT(%)	-0.13	0	0	PASS
LVL	GPRS1800	885	1784.8	12;12;12;12	Power slot1	13.7	8	16	PASS
LVL	GPRS1800	885	1784.8	13;13;13;13	PvT(%)	-0.06	0	0	PASS
LVL	GPRS1800	885	1784.8	13;13;13;13	Power slot1	11.79	6	14	PASS
LVL	GPRS1800	885	1784.8	14;14;14;14	PvT(%)	-0.14	0	0	PASS
LVL	GPRS1800	885	1784.8	14;14;14;14	Power slot1	9.86	4	12	PASS
LVL	GPRS1800	885	1784.8	15;15;15;15	PvT(%)	-0.16	0	0	PASS
LVL	GPRS1800	885	1784.8	15;15;15;15	Power slot1	8.77	2	10	PASS
LVL	GPRS1800	885	1784.8	16;16;16;16	PvT(%)	-0.07	0	0	PASS
LVL	GPRS1800	885	1784.8	16;16;16;16	Power slot1	6.65	0	8	PASS
LVL	GPRS1800	885	1784.8	17;17;17;17	PvT(%)	-0.1	0	0	PASS
LVL	GPRS1800	885	1784.8	17;17;17;17	Power slot1	5.15	-3	7	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	PvT(%)	-0.03	0	0	PASS
LVL	GPRS1800	885	1784.8	18;18;18;18	Power slot1	3.37	-5	5	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	33.64	31	35	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	32.07	28	34	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	30.27	26	32	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.12	0	0	PASS
HVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	28.32	24	30	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	26.21	22	28	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	24.3	20	26	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	22.36	18	24	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	20.42	16	22	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.05	0	0	PASS
HVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	18.59	14	20	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.13	0	0	PASS
HVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	16.55	12	18	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	14.7	10	16	PASS

HVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	12.9	6	16	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	10.95	4	14	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	9.2	2	12	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	7.5	0	10	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	33.49	31	35	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	31.97	28	34	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	30.11	26	32	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	28.1	24	30	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	26.12	22	28	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	24.26	20	26	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.01	0	0	PASS
HVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	22.33	18	24	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	20.51	16	22	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	18.48	14	20	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	16.67	12	18	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.02	0	0	PASS
HVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	14.54	10	16	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.09	0	0	PASS
HVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	12.77	6	16	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.16	0	0	PASS
HVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	10.97	4	14	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.18	0	0	PASS
HVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	9.01	2	12	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.03	0	0	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	7.13	0	10	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.06	0	0	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.62	31	35	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	32.01	28	34	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.17	0	0	PASS
HVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	30.02	26	32	PASS

HVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.19	0	0	PASS
HVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	28.12	24	30	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.08	0	0	PASS
HVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	26.21	22	28	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	24.34	20	26	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	22.36	18	24	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	20.41	16	22	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	18.47	14	20	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	16.63	12	18	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	14.52	10	16	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.15	0	0	PASS
HVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	12.82	6	16	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.1	0	0	PASS
HVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	10.89	4	14	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.11	0	0	PASS
HVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	9.05	2	12	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	7.2	0	10	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	33.75	31	35	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	32.1	28	34	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	30.24	26	32	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	28.17	24	30	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	26.29	22	28	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	24.3	20	26	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	22.42	18	24	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	20.35	16	22	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	975	880.2	11;11;11;11	Power slot1	18.54	14	20	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	12;12;12;12	Power slot1	16.67	12	18	PASS

HVLT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	975	880.2	13;13;13;13	Power slot1	14.66	10	16	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	975	880.2	14;14;14;14	Power slot1	12.82	6	16	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.13	0	0	PASS
HVLT	GPRS900	975	880.2	15;15;15;15	Power slot1	11.05	4	14	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.09	0	0	PASS
HVLT	GPRS900	975	880.2	16;16;16;16	Power slot1	9.21	2	12	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Power slot1	7.53	0	10	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.08	0	0	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Power slot1	33.49	31	35	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	38	897.6	4;4;4;4	Power slot1	32.09	28	34	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	38	897.6	5;5;5;5	Power slot1	30	26	32	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.16	0	0	PASS
HVLT	GPRS900	38	897.6	6;6;6;6	Power slot1	28.25	24	30	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	38	897.6	7;7;7;7	Power slot1	26.14	22	28	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	38	897.6	8;8;8;8	Power slot1	24.21	20	26	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	38	897.6	9;9;9;9	Power slot1	22.4	18	24	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.07	0	0	PASS
HVLT	GPRS900	38	897.6	10;10;10;10	Power slot1	20.35	16	22	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	11;11;11;11	Power slot1	18.56	14	20	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.15	0	0	PASS
HVLT	GPRS900	38	897.6	12;12;12;12	Power slot1	16.8	12	18	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS900	38	897.6	13;13;13;13	Power slot1	14.64	10	16	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.06	0	0	PASS
HVLT	GPRS900	38	897.6	14;14;14;14	Power slot1	12.79	6	16	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	38	897.6	15;15;15;15	Power slot1	10.84	4	14	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.05	0	0	PASS
HVLT	GPRS900	38	897.6	16;16;16;16	Power slot1	9.06	2	12	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Power slot1	7.19	0	10	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.18	0	0	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.58	31	35	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
HVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	32.11	28	34	PASS



HVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.19	0	0	PASS
HVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	30.07	26	32	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	28.23	24	30	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	26.32	22	28	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.01	0	0	PASS
HVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	24.25	20	26	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	22.5	18	24	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.17	0	0	PASS
HVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	20.37	16	22	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.11	0	0	PASS
HVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	18.57	14	20	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	16.65	12	18	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	14.52	10	16	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.12	0	0	PASS
HVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	12.76	6	16	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.04	0	0	PASS
HVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	10.9	4	14	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.14	0	0	PASS
HVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	9.05	2	12	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.1	0	0	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	7.08	0	10	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Power slot1	33.59	31	35	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.06	0	0	PASS
LVHT	GPRS900	975	880.2	4;4;4;4	Power slot1	32.21	28	34	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.08	0	0	PASS
LVHT	GPRS900	975	880.2	5;5;5;5	Power slot1	30.27	26	32	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	975	880.2	6;6;6;6	Power slot1	28.15	24	30	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	975	880.2	7;7;7;7	Power slot1	26.23	22	28	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	975	880.2	8;8;8;8	Power slot1	24.26	20	26	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	975	880.2	9;9;9;9	Power slot1	22.43	18	24	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	975	880.2	10;10;10;10	Power slot1	20.4	16	22	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	975	880.2	11;11;11;11	Power slot1	18.45	14	20	PASS

LVHT	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	975	880.2	12;12;12;12	Power slot1	16.64	12	18	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.2	0	0	PASS
LVHT	GPRS900	975	880.2	13;13;13;13	Power slot1	14.66	10	16	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	975	880.2	14;14;14;14	Power slot1	12.83	6	16	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	975	880.2	15;15;15;15	Power slot1	11.07	4	14	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	975	880.2	16;16;16;16	Power slot1	9.18	2	12	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Power slot1	7.54	0	10	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Power slot1	33.63	31	35	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	38	897.6	4;4;4;4	Power slot1	32.1	28	34	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	5;5;5;5	Power slot1	30.03	26	32	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	38	897.6	6;6;6;6	Power slot1	28.11	24	30	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	38	897.6	7;7;7;7	Power slot1	26.15	22	28	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	8;8;8;8	Power slot1	24.19	20	26	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	38	897.6	9;9;9;9	Power slot1	22.4	18	24	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.03	0	0	PASS
LVHT	GPRS900	38	897.6	10;10;10;10	Power slot1	20.4	16	22	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	38	897.6	11;11;11;11	Power slot1	18.6	14	20	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	12;12;12;12	Power slot1	16.8	12	18	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.12	0	0	PASS
LVHT	GPRS900	38	897.6	13;13;13;13	Power slot1	14.49	10	16	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	38	897.6	14;14;14;14	Power slot1	12.75	6	16	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.1	0	0	PASS
LVHT	GPRS900	38	897.6	15;15;15;15	Power slot1	10.95	4	14	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.05	0	0	PASS
LVHT	GPRS900	38	897.6	16;16;16;16	Power slot1	9	2	12	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.15	0	0	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Power slot1	7.28	0	10	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.59	31	35	PASS

LVHT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
LVHT	GPRS900	124	914.8	4;4;4;4	Power slot1	32.05	28	34	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.13	0	0	PASS
LVHT	GPRS900	124	914.8	5;5;5;5	Power slot1	30.03	26	32	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	6;6;6;6	Power slot1	28.21	24	30	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	7;7;7;7	Power slot1	26.3	22	28	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.01	0	0	PASS
LVHT	GPRS900	124	914.8	8;8;8;8	Power slot1	24.26	20	26	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.19	0	0	PASS
LVHT	GPRS900	124	914.8	9;9;9;9	Power slot1	22.44	18	24	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	124	914.8	10;10;10;10	Power slot1	20.52	16	22	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.11	0	0	PASS
LVHT	GPRS900	124	914.8	11;11;11;11	Power slot1	18.62	14	20	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.14	0	0	PASS
LVHT	GPRS900	124	914.8	12;12;12;12	Power slot1	16.61	12	18	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	124	914.8	13;13;13;13	Power slot1	14.66	10	16	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.18	0	0	PASS
LVHT	GPRS900	124	914.8	14;14;14;14	Power slot1	12.75	6	16	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVHT	GPRS900	124	914.8	15;15;15;15	Power slot1	10.93	4	14	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.09	0	0	PASS
LVHT	GPRS900	124	914.8	16;16;16;16	Power slot1	9.05	2	12	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.16	0	0	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Power slot1	7.17	0	10	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Power slot1	33.68	31	35	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	PvT(%)	-0.19	0	0	PASS
LVLT	GPRS900	975	880.2	4;4;4;4	Power slot1	32.2	28	34	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	975	880.2	5;5;5;5	Power slot1	30.2	26	32	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	975	880.2	6;6;6;6	Power slot1	28.27	24	30	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	975	880.2	7;7;7;7	Power slot1	26.32	22	28	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	PvT(%)	-0.08	0	0	PASS
LVLT	GPRS900	975	880.2	8;8;8;8	Power slot1	24.26	20	26	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	PvT(%)	-0.18	0	0	PASS
LVLT	GPRS900	975	880.2	9;9;9;9	Power slot1	22.32	18	24	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	PvT(%)	-0.05	0	0	PASS
LVLT	GPRS900	975	880.2	10;10;10;10	Power slot1	20.48	16	22	PASS

LVL	GPRS900	975	880.2	11;11;11;11	PvT(%)	-0.2	0	0	PASS
LVL	GPRS900	975	880.2	11;11;11;11	Power slot1	18.56	14	20	PASS
LVL	GPRS900	975	880.2	12;12;12;12	PvT(%)	-0.08	0	0	PASS
LVL	GPRS900	975	880.2	12;12;12;12	Power slot1	16.56	12	18	PASS
LVL	GPRS900	975	880.2	13;13;13;13	PvT(%)	-0.04	0	0	PASS
LVL	GPRS900	975	880.2	13;13;13;13	Power slot1	14.82	10	16	PASS
LVL	GPRS900	975	880.2	14;14;14;14	PvT(%)	-0.19	0	0	PASS
LVL	GPRS900	975	880.2	14;14;14;14	Power slot1	12.93	6	16	PASS
LVL	GPRS900	975	880.2	15;15;15;15	PvT(%)	-0.08	0	0	PASS
LVL	GPRS900	975	880.2	15;15;15;15	Power slot1	11.11	4	14	PASS
LVL	GPRS900	975	880.2	16;16;16;16	PvT(%)	-0.15	0	0	PASS
LVL	GPRS900	975	880.2	16;16;16;16	Power slot1	9.16	2	12	PASS
LVL	GPRS900	975	880.2	17;17;17;17	PvT(%)	-0.07	0	0	PASS
LVL	GPRS900	975	880.2	17;17;17;17	Power slot1	7.43	0	10	PASS
LVL	GPRS900	38	897.6	3;3;3;3	PvT(%)	-0.15	0	0	PASS
LVL	GPRS900	38	897.6	3;3;3;3	Power slot1	33.54	31	35	PASS
LVL	GPRS900	38	897.6	4;4;4;4	PvT(%)	-0.13	0	0	PASS
LVL	GPRS900	38	897.6	4;4;4;4	Power slot1	31.96	28	34	PASS
LVL	GPRS900	38	897.6	5;5;5;5	PvT(%)	-0.04	0	0	PASS
LVL	GPRS900	38	897.6	5;5;5;5	Power slot1	30.09	26	32	PASS
LVL	GPRS900	38	897.6	6;6;6;6	PvT(%)	-0.1	0	0	PASS
LVL	GPRS900	38	897.6	6;6;6;6	Power slot1	28.22	24	30	PASS
LVL	GPRS900	38	897.6	7;7;7;7	PvT(%)	-0.05	0	0	PASS
LVL	GPRS900	38	897.6	7;7;7;7	Power slot1	26.24	22	28	PASS
LVL	GPRS900	38	897.6	8;8;8;8	PvT(%)	-0.04	0	0	PASS
LVL	GPRS900	38	897.6	8;8;8;8	Power slot1	24.18	20	26	PASS
LVL	GPRS900	38	897.6	9;9;9;9	PvT(%)	-0.09	0	0	PASS
LVL	GPRS900	38	897.6	9;9;9;9	Power slot1	22.38	18	24	PASS
LVL	GPRS900	38	897.6	10;10;10;10	PvT(%)	-0.06	0	0	PASS
LVL	GPRS900	38	897.6	10;10;10;10	Power slot1	20.48	16	22	PASS
LVL	GPRS900	38	897.6	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVL	GPRS900	38	897.6	11;11;11;11	Power slot1	18.59	14	20	PASS
LVL	GPRS900	38	897.6	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVL	GPRS900	38	897.6	12;12;12;12	Power slot1	16.67	12	18	PASS
LVL	GPRS900	38	897.6	13;13;13;13	PvT(%)	-0.07	0	0	PASS
LVL	GPRS900	38	897.6	13;13;13;13	Power slot1	14.54	10	16	PASS
LVL	GPRS900	38	897.6	14;14;14;14	PvT(%)	-0.02	0	0	PASS
LVL	GPRS900	38	897.6	14;14;14;14	Power slot1	12.74	6	16	PASS
LVL	GPRS900	38	897.6	15;15;15;15	PvT(%)	-0.17	0	0	PASS
LVL	GPRS900	38	897.6	15;15;15;15	Power slot1	10.84	4	14	PASS
LVL	GPRS900	38	897.6	16;16;16;16	PvT(%)	-0.09	0	0	PASS
LVL	GPRS900	38	897.6	16;16;16;16	Power slot1	8.97	2	12	PASS
LVL	GPRS900	38	897.6	17;17;17;17	PvT(%)	-0.19	0	0	PASS
LVL	GPRS900	38	897.6	17;17;17;17	Power slot1	7.11	0	10	PASS

LVLT	GPRS900	124	914.8	3;3;3;3	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Power slot1	33.64	31	35	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	PvT(%)	-0.02	0	0	PASS
LVLT	GPRS900	124	914.8	4;4;4;4	Power slot1	32.08	28	34	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	PvT(%)	-0.1	0	0	PASS
LVLT	GPRS900	124	914.8	5;5;5;5	Power slot1	30.06	26	32	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	PvT(%)	-0.03	0	0	PASS
LVLT	GPRS900	124	914.8	6;6;6;6	Power slot1	28.08	24	30	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	124	914.8	7;7;7;7	Power slot1	26.2	22	28	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	124	914.8	8;8;8;8	Power slot1	24.26	20	26	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	124	914.8	9;9;9;9	Power slot1	22.48	18	24	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	PvT(%)	-0.14	0	0	PASS
LVLT	GPRS900	124	914.8	10;10;10;10	Power slot1	20.49	16	22	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	PvT(%)	-0.15	0	0	PASS
LVLT	GPRS900	124	914.8	11;11;11;11	Power slot1	18.57	14	20	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	PvT(%)	-0.01	0	0	PASS
LVLT	GPRS900	124	914.8	12;12;12;12	Power slot1	16.76	12	18	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	PvT(%)	-0.09	0	0	PASS
LVLT	GPRS900	124	914.8	13;13;13;13	Power slot1	14.62	10	16	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	PvT(%)	-0.12	0	0	PASS
LVLT	GPRS900	124	914.8	14;14;14;14	Power slot1	12.79	6	16	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	124	914.8	15;15;15;15	Power slot1	10.94	4	14	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	PvT(%)	-0.13	0	0	PASS
LVLT	GPRS900	124	914.8	16;16;16;16	Power slot1	8.89	2	12	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	PvT(%)	-0.04	0	0	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Power slot1	7.16	0	10	PASS

**Clause 4.2.11 Modulation Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-80.56	-60	-56.74	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-81.33	-60	-57.33	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-80	-60	-56.01	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.05	-60	-54.09	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.88	-60	-53.95	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-76.11	-60	-52.07	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.95	-60	-49.97	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.88	-60	-43.78	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.24	-33	-17.19	-36	PASS

HVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.33	-30	-13.44	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.35	0.5	14.66	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	100	-9.37	0.5	14.7	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	200	-37.46	-30	-13.5	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.2	-33	-17.09	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-67.53	-60	-43.47	-36	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-73.02	-60	-48.93	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	800	-75.79	-60	-51.82	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-77.98	-60	-53.93	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.71	-60	-54.73	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.1	-60	-55.14	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-80.93	-60	-56.91	-55	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-81.37	-60	-57.39	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-76.28	-60	-81.74	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-75.89	-60	-81.5	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-74.63	-60	-80.24	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.59	-60	-79.24	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.09	-60	-77.52	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.38	-60	-75.95	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.13	-60	-73.68	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.15	-60	-70.58	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.7	-33	-47.38	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.72	-30	-42.29	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.18	0.5	-13.74	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.63	0.5	-14.25	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.53	-30	-42.08	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	250	-41.51	-33	-47.04	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-66.11	-60	-71.6	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-69.37	-60	-74.79	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	800	-71.71	-60	-77.2	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-73.9	-60	-79.4	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-75.43	-60	-80.93	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-77.24	-60	-82.82	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.96	-60	-82.41	-55	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.78	-60	-82.39	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-81.63	-60	-57.9	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-81.25	-60	-57.43	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-80.39	-60	-56.59	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.36	-60	-54.5	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.66	-60	-53.66	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.49	-60	-51.61	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.15	-60	-49.31	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-69.05	-60	-45.26	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.61	-33	-16.84	-36	PASS



HVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.95	-30	-14.33	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.94	0.5	14.88	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	100	-10.3	0.5	13.56	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	200	-36.89	-30	-13.11	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	250	-41.62	-33	-17.89	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-68.34	-60	-44.47	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-73.53	-60	-49.71	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	800	-76.16	-60	-52.33	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.42	-60	-53.59	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.29	-60	-54.34	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.22	-60	-55.41	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-80.36	-60	-56.56	-55	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-81.3	-60	-57.57	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-75.02	-60	-81.01	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-74.59	-60	-80.8	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-73.87	-60	-79.85	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-72.57	-60	-78.62	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.45	-60	-77.4	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.28	-60	-76.22	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-67.94	-60	-73.99	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-64.46	-60	-70.47	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.59	-33	-47.67	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.12	-30	-42.15	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.44	0.5	-14.53	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	100	-8.41	0.5	-14.33	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.72	-30	-42.61	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	250	-41.05	-33	-46.89	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-65.03	-60	-71.2	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-69.59	-60	-75.59	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	800	-71.19	-60	-77.33	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-73.56	-60	-79.77	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-74.44	-60	-80.49	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.88	-60	-81.96	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.35	-60	-82.55	-55	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.34	-60	-83.21	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.48	-60	-57.41	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.7	-60	-56.56	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.35	-60	-56.23	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.66	-60	-55.47	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.48	-60	-53.26	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-74.08	-60	-50.97	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.31	-60	-49.15	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.45	-60	-44.37	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.18	-33	-17.98	-36	PASS

HVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.63	-30	-13.5	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.78	0.5	14.44	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	100	-8.5	0.5	14.69	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36.43	-30	-13.31	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.19	-33	-18.01	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-67.21	-60	-43.92	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-73.11	-60	-49.94	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	800	-74.82	-60	-51.59	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-77.07	-60	-53.71	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-77.48	-60	-54.21	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.7	-60	-55.45	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.97	-60	-56.73	-55	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.41	-60	-57.26	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-80.72	-60	-56.68	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-81.18	-60	-57.17	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.89	-60	-56.02	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.11	-60	-54.03	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.81	-60	-53.82	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-76.07	-60	-52	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.93	-60	-50.05	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.92	-60	-43.82	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.33	-33	-17.21	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.4	-30	-13.28	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.36	0.5	14.72	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	100	-9.4	0.5	14.62	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	200	-37.62	-30	-13.5	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	250	-41.23	-33	-17.09	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-67.63	-60	-43.48	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-72.94	-60	-49.08	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	800	-75.83	-60	-51.85	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-78.09	-60	-54	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.68	-60	-54.71	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.11	-60	-55.14	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-81.03	-60	-57.06	-55	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-81.41	-60	-57.3	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-76.32	-60	-81.7	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-75.91	-60	-81.48	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-74.72	-60	-80.23	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.61	-60	-79.06	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.09	-60	-77.43	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.5	-60	-75.98	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.23	-60	-73.64	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.02	-60	-70.47	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.88	-33	-47.25	-36	PASS

HVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.77	-30	-42.21	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.14	0.5	-13.74	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.73	0.5	-14.21	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.69	-30	-42.06	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	250	-41.38	-33	-46.95	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-66.12	-60	-71.46	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-69.3	-60	-74.86	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	800	-71.61	-60	-77.12	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-73.94	-60	-79.4	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-75.42	-60	-80.97	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-77.35	-60	-82.74	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.95	-60	-82.3	-55	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.73	-60	-82.31	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-81.75	-60	-57.79	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-81.21	-60	-57.44	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-80.29	-60	-56.51	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.38	-60	-54.54	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.55	-60	-53.77	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.44	-60	-51.66	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.21	-60	-49.37	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-69.07	-60	-45.17	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.73	-33	-16.95	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-37.95	-30	-14.27	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.92	0.5	15.04	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	100	-10.22	0.5	13.58	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	200	-37.01	-30	-13.18	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	250	-41.73	-33	-17.84	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-68.31	-60	-44.4	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-73.46	-60	-49.77	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	800	-76.21	-60	-52.31	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.46	-60	-53.67	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.31	-60	-54.4	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.23	-60	-55.5	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-80.4	-60	-56.65	-55	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-81.27	-60	-57.57	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-74.99	-60	-81	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-74.73	-60	-80.73	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-73.88	-60	-79.84	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-72.57	-60	-78.5	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.35	-60	-77.42	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.22	-60	-76.3	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-68.11	-60	-73.98	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-64.56	-60	-70.5	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.61	-33	-47.55	-36	PASS

HVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.18	-30	-42.12	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.41	0.5	-14.43	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	100	-8.41	0.5	-14.41	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.74	-30	-42.75	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	250	-40.95	-33	-46.95	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-65.12	-60	-71.12	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-69.69	-60	-75.68	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	800	-71.26	-60	-77.25	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-73.56	-60	-79.69	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-74.37	-60	-80.47	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-76.01	-60	-81.94	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.48	-60	-82.4	-55	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.3	-60	-83.24	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.52	-60	-57.37	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.8	-60	-56.58	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.31	-60	-56.22	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.53	-60	-55.43	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.51	-60	-53.26	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-74.11	-60	-50.85	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.3	-60	-49.01	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.55	-60	-44.43	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.07	-33	-17.92	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.62	-30	-13.47	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.7	0.5	14.38	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	100	-8.52	0.5	14.64	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36.41	-30	-13.28	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.1	-33	-17.85	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-67.15	-60	-44	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-73.15	-60	-49.87	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	800	-74.76	-60	-51.56	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-76.91	-60	-53.78	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-77.33	-60	-54.28	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.79	-60	-55.55	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.82	-60	-56.67	-55	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.47	-60	-57.32	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-80.71	-60	-56.71	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1600	-81.34	-60	-57.17	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.86	-60	-55.91	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78.18	-60	-54.11	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.87	-60	-53.91	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-800	-76.07	-60	-51.99	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.96	-60	-49.97	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.8	-60	-43.85	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.18	-33	-17.16	-36	PASS

LVHT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.45	-30	-13.44	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.36	0.5	14.74	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	100	-9.44	0.5	14.71	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	200	-37.53	-30	-13.58	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	250	-41.19	-33	-17.15	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-67.47	-60	-43.58	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-72.96	-60	-48.97	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	800	-75.9	-60	-51.9	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1000	-78.1	-60	-54.05	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.71	-60	-54.68	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.07	-60	-55.22	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1600	-80.93	-60	-56.94	-55	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-81.41	-60	-57.46	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-76.19	-60	-81.68	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1600	-75.96	-60	-81.56	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1400	-74.71	-60	-80.14	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.74	-60	-79.11	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.03	-60	-77.44	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.49	-60	-75.99	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.23	-60	-73.7	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.12	-60	-70.56	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.8	-33	-47.25	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.8	-30	-42.38	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.21	0.5	-13.66	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	100	-8.65	0.5	-14.18	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	200	-36.61	-30	-42.09	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	250	-41.37	-33	-47.04	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-66.1	-60	-71.43	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-69.37	-60	-74.78	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	800	-71.59	-60	-77.2	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1000	-73.98	-60	-79.33	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-75.45	-60	-81.05	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1400	-77.22	-60	-82.87	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.92	-60	-82.27	-55	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.88	-60	-82.37	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-81.61	-60	-57.78	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1600	-81.27	-60	-57.42	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1400	-80.37	-60	-56.57	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.34	-60	-54.63	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.61	-60	-53.8	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.53	-60	-51.61	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.08	-60	-49.44	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-69.03	-60	-45.13	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.64	-33	-16.98	-36	PASS

LVHT	GPRS1800	698	1747.4	3;3;3;3	-200	-38.02	-30	-14.23	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.85	0.5	14.96	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	100	-10.25	0.5	13.66	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	200	-37.03	-30	-13.14	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	250	-41.59	-33	-17.87	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-68.23	-60	-44.49	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-73.46	-60	-49.67	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	800	-76.17	-60	-52.36	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.38	-60	-53.59	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.28	-60	-54.42	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.25	-60	-55.42	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1600	-80.42	-60	-56.63	-55	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-81.33	-60	-57.52	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-74.98	-60	-81.09	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1600	-74.6	-60	-80.69	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1400	-73.81	-60	-79.76	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-72.59	-60	-78.64	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.44	-60	-77.4	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.16	-60	-76.28	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-68.08	-60	-74.11	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-64.51	-60	-70.61	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.61	-33	-47.67	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.15	-30	-42.08	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.45	0.5	-14.41	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	100	-8.39	0.5	-14.42	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	200	-36.69	-30	-42.59	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	250	-40.93	-33	-47.04	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-65.13	-60	-71.07	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-69.64	-60	-75.63	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	800	-71.28	-60	-77.33	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1000	-73.7	-60	-79.63	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-74.46	-60	-80.57	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.92	-60	-81.94	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.35	-60	-82.46	-55	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.32	-60	-83.22	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.44	-60	-57.31	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.76	-60	-56.63	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.38	-60	-56.12	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.64	-60	-55.32	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.51	-60	-53.36	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-800	-74.02	-60	-50.85	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.2	-60	-49.07	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.56	-60	-44.33	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.2	-33	-18.05	-36	PASS



LVHT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.54	-30	-13.41	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.73	0.5	14.4	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	100	-8.47	0.5	14.56	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	200	-36.41	-30	-13.3	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	250	-41.11	-33	-17.95	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-67.17	-60	-43.97	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-73.23	-60	-50.04	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	800	-74.73	-60	-51.57	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1000	-77	-60	-53.79	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-77.4	-60	-54.22	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.62	-60	-55.46	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.85	-60	-56.74	-55	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.42	-60	-57.24	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-80.7	-60	-56.7	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1600	-81.35	-60	-57.16	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1400	-79.86	-60	-55.95	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-78	-60	-54.19	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1000	-77.9	-60	-53.88	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-800	-76	-60	-51.97	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-73.93	-60	-50.04	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-67.82	-60	-43.76	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-250	-41.27	-33	-17.33	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-200	-37.32	-30	-13.37	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-100	-9.42	0.5	14.67	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	100	-9.28	0.5	14.57	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	200	-37.55	-30	-13.46	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	250	-41.11	-33	-17.23	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-67.61	-60	-43.59	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-73.04	-60	-49.06	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	800	-75.82	-60	-51.88	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1000	-77.91	-60	-53.95	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-78.74	-60	-54.66	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1400	-79.24	-60	-55.11	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1600	-81.02	-60	-57.06	-55	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-81.43	-60	-57.31	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-76.33	-60	-81.68	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1600	-75.95	-60	-81.5	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1400	-74.62	-60	-80.29	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-73.75	-60	-79.11	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1000	-72.03	-60	-77.45	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-800	-70.35	-60	-75.9	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-68.18	-60	-73.56	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-65.08	-60	-70.47	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-250	-41.73	-33	-47.2	-36	PASS

LVLT	GPRS1800	512	1710.2	18;18;18;18	-200	-36.74	-30	-42.19	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-100	-8.3	0.5	-13.7	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	100	-8.71	0.5	-14.17	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	200	-36.66	-30	-42	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	250	-41.46	-33	-46.95	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-66.1	-60	-71.42	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-69.4	-60	-74.91	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	800	-71.64	-60	-77.2	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1000	-73.99	-60	-79.34	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-75.54	-60	-81.03	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1400	-77.39	-60	-82.85	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1600	-76.91	-60	-82.36	-55	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-76.77	-60	-82.28	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-81.73	-60	-57.88	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1600	-81.22	-60	-57.38	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1400	-80.38	-60	-56.64	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-78.3	-60	-54.58	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1000	-77.58	-60	-53.81	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-800	-75.49	-60	-51.7	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-73.22	-60	-49.44	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-69.11	-60	-45.13	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-250	-40.71	-33	-16.89	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-200	-38.02	-30	-14.25	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-100	-8.83	0.5	15.04	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	100	-10.32	0.5	13.51	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	200	-36.88	-30	-13.09	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	250	-41.6	-33	-17.82	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-68.21	-60	-44.45	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-73.48	-60	-49.67	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	800	-76.12	-60	-52.31	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1000	-77.45	-60	-53.55	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-78.24	-60	-54.34	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1400	-79.34	-60	-55.54	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1600	-80.44	-60	-56.52	-55	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-81.3	-60	-57.55	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-75.02	-60	-81	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1600	-74.67	-60	-80.78	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1400	-73.91	-60	-79.93	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-72.51	-60	-78.53	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1000	-71.33	-60	-77.48	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-800	-70.09	-60	-76.27	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-68.11	-60	-74.11	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-64.43	-60	-70.47	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-250	-41.66	-33	-47.69	-36	PASS

LVLT	GPRS1800	698	1747.4	18;18;18;18	-200	-36.12	-30	-42.09	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-100	-8.44	0.5	-14.57	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	100	-8.34	0.5	-14.41	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	200	-36.63	-30	-42.71	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	250	-40.97	-33	-46.98	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-65.15	-60	-71.14	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-69.64	-60	-75.53	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	800	-71.24	-60	-77.16	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1000	-73.61	-60	-79.76	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-74.55	-60	-80.49	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1400	-75.97	-60	-81.94	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1600	-76.4	-60	-82.4	-55	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-77.22	-60	-83.3	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-80.46	-60	-57.38	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1600	-79.69	-60	-56.59	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1400	-79.39	-60	-56.16	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-78.52	-60	-55.33	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1000	-76.64	-60	-53.32	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-800	-74.06	-60	-50.93	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-72.37	-60	-49.15	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-67.51	-60	-44.3	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-250	-41.14	-33	-18.02	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-200	-36.62	-30	-13.43	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-100	-8.8	0.5	14.37	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	100	-8.51	0.5	14.56	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	200	-36.49	-30	-13.28	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	250	-41.09	-33	-17.88	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-67.13	-60	-43.93	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-73.19	-60	-49.9	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	800	-74.78	-60	-51.64	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1000	-76.97	-60	-53.86	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-77.4	-60	-54.29	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1400	-78.75	-60	-55.45	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1600	-79.85	-60	-56.73	-55	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-80.38	-60	-57.24	-55	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-82.03	-60	-55.64	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1600	-82.3	-60	-55.85	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1400	-81.4	-60	-55.14	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-80.56	-60	-54.3	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1000	-78.97	-60	-52.51	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-800	-78.17	-60	-51.81	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-76.09	-60	-49.62	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-70.2	-60	-43.91	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-250	-41.26	-33	-14.96	-36	PASS

HVHT	GPRS900	975	880.2	3;3;3;3	-200	-37.27	-30	-10.93	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-100	-8.93	0.5	17.31	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	100	-9.27	0.5	17.15	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	200	-36.79	-30	-10.31	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	250	-41.07	-33	-14.68	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-71.39	-60	-44.83	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-76.09	-60	-49.72	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	800	-77.88	-60	-51.41	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1000	-79.28	-60	-52.99	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-80.56	-60	-54.1	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1400	-80.99	-60	-54.45	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1600	-83.25	-60	-56.82	-51	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-82.3	-60	-56.01	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-78.77	-60	-80.34	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1600	-77.79	-60	-79.31	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1400	-76.66	-60	-78.22	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-76.19	-60	-77.73	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1000	-73.9	-60	-75.41	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-800	-71.7	-60	-73.3	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-69.95	-60	-71.44	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-66.63	-60	-68.2	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.69	-33	-43.27	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-200	-36.71	-30	-38.28	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-100	-9.37	0.5	-10.93	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	100	-8.74	0.5	-10.35	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	200	-37.06	-30	-38.65	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	250	-41.38	-33	-42.82	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-66.67	-60	-68.07	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-70.94	-60	-72.51	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	800	-73.57	-60	-75.03	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1000	-74.76	-60	-76.21	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-75.91	-60	-77.46	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1400	-77	-60	-78.5	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1600	-78.18	-60	-79.56	-51	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-78.49	-60	-79.96	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-82.09	-60	-56.86	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1600	-80.24	-60	-55.1	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1400	-78.85	-60	-53.68	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-77.63	-60	-52.64	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1000	-78.21	-60	-53.14	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-800	-74.7	-60	-49.62	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-73.12	-60	-47.95	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-70.97	-60	-45.94	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-250	-42	-33	-16.82	-36	PASS

HVHT	GPRS900	38	897.6	3;3;3;3	-200	-35.45	-30	-10.36	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-100	-8.81	0.5	16.37	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	100	-5.5	0.5	19.67	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	200	-35.97	-30	-10.64	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	250	-41.29	-33	-16.18	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-71.16	-60	-45.91	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-74.64	-60	-49.42	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	800	-78.91	-60	-53.86	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1000	-77.15	-60	-51.92	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-80.56	-60	-55.44	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1400	-80.67	-60	-55.54	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1600	-81.69	-60	-56.54	-51	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-79.73	-60	-54.63	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-77.67	-60	-79.97	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1600	-76.82	-60	-79.01	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1400	-75.44	-60	-77.65	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-74.75	-60	-76.84	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1000	-74.14	-60	-76.26	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-800	-72.44	-60	-74.69	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-69.77	-60	-71.91	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-66.09	-60	-68.16	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.27	-33	-43.35	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-200	-36.64	-30	-38.94	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.15	0.5	-10.23	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	100	-9.77	0.5	-11.97	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	200	-36.63	-30	-38.75	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	250	-41.19	-33	-43.45	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-66.88	-60	-69.19	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-69.85	-60	-71.96	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	800	-71.92	-60	-74.07	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1000	-74.35	-60	-76.52	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-75.27	-60	-77.47	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1400	-75.82	-60	-78.04	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1600	-77.54	-60	-79.74	-51	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-77.37	-60	-79.6	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-81.36	-60	-55.67	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1600	-81.93	-60	-56.05	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1400	-81.28	-60	-55.33	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-80.55	-60	-54.73	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1000	-79.89	-60	-54.13	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-800	-78.34	-60	-52.46	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-76.35	-60	-50.46	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-70.1	-60	-44.24	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-250	-42.08	-33	-16.4	-36	PASS

HVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.19	-30	-11.33	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-100	-8.48	0.5	17.32	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	100	-8.25	0.5	17.7	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	200	-36.79	-30	-11.06	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	250	-42.24	-33	-16.37	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-70.39	-60	-44.63	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-76.21	-60	-50.31	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	800	-78.56	-60	-52.58	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1000	-80.05	-60	-54.25	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-80.09	-60	-54.15	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.49	-60	-54.59	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1600	-82.05	-60	-56.36	-51	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.43	-60	-54.51	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-77.39	-60	-79.76	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1600	-76.67	-60	-78.99	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1400	-76.43	-60	-78.97	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-74.93	-60	-77.46	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1000	-73.41	-60	-75.87	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-800	-71.96	-60	-74.46	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-69.74	-60	-72.12	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-66.16	-60	-68.58	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-250	-41.33	-33	-43.6	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-200	-36.99	-30	-39.41	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-100	-8.88	0.5	-11.26	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	100	-9.27	0.5	-11.63	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	200	-37.24	-30	-39.62	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	250	-41.08	-33	-43.58	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-66.12	-60	-68.46	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-70.28	-60	-72.68	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	800	-72.62	-60	-74.97	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1000	-73.53	-60	-75.95	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-74.91	-60	-77.36	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1400	-75.89	-60	-78.29	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1600	-77.31	-60	-79.6	-51	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-76.72	-60	-79.29	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-81.97	-60	-55.51	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1600	-82.38	-60	-56	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1400	-81.52	-60	-55.08	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-80.66	-60	-54.27	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1000	-79.06	-60	-52.55	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-800	-78.21	-60	-51.88	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-75.97	-60	-49.69	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-70.27	-60	-43.88	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-250	-41.39	-33	-14.89	-36	PASS



HVLT	GPRS900	975	880.2	3;3;3;3	-200	-37.31	-30	-10.9	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-100	-9.12	0.5	17.35	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	100	-9.25	0.5	17.01	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	200	-36.7	-30	-10.26	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	250	-41.06	-33	-14.65	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-71.41	-60	-44.86	-36	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-76.16	-60	-49.68	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	800	-77.96	-60	-51.54	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1000	-79.37	-60	-52.93	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-80.4	-60	-54.08	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1400	-80.87	-60	-54.48	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1600	-83.17	-60	-56.78	-51	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-82.35	-60	-55.95	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-78.7	-60	-80.25	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1600	-77.79	-60	-79.44	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1400	-76.75	-60	-78.2	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-76.33	-60	-77.77	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1000	-73.99	-60	-75.42	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-800	-71.72	-60	-73.29	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-69.84	-60	-71.37	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-66.66	-60	-68.17	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-250	-41.84	-33	-43.21	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-200	-36.85	-30	-38.33	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-100	-9.34	0.5	-10.82	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	100	-8.72	0.5	-10.3	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	200	-37.24	-30	-38.58	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	250	-41.32	-33	-42.78	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-66.52	-60	-68.08	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-70.99	-60	-72.55	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	800	-73.48	-60	-75.07	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1000	-74.78	-60	-76.21	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-75.86	-60	-77.52	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1400	-77.07	-60	-78.55	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1600	-78.07	-60	-79.6	-51	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-78.55	-60	-80.03	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-82.01	-60	-56.97	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1600	-80.29	-60	-55.21	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1400	-79.01	-60	-53.8	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-77.71	-60	-52.62	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1000	-78.23	-60	-53.13	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-800	-74.67	-60	-49.67	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-73.06	-60	-47.99	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-71.13	-60	-45.9	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-250	-42.04	-33	-16.81	-36	PASS

HVLT	GPRS900	38	897.6	3;3;3;3	-200	-35.43	-30	-10.24	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-100	-8.78	0.5	16.39	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	100	-5.58	0.5	19.62	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	200	-35.89	-30	-10.67	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	250	-41.3	-33	-16.07	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-71.02	-60	-45.81	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-74.61	-60	-49.55	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	800	-78.93	-60	-53.76	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1000	-76.97	-60	-51.98	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-80.64	-60	-55.46	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1400	-80.67	-60	-55.47	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1600	-81.82	-60	-56.61	-51	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-79.75	-60	-54.54	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-77.74	-60	-79.95	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1600	-76.68	-60	-78.91	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1400	-75.53	-60	-77.57	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-74.75	-60	-76.93	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1000	-74	-60	-76.24	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-800	-72.35	-60	-74.63	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-69.81	-60	-71.91	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-66.09	-60	-68.29	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.18	-33	-43.33	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-200	-36.76	-30	-38.86	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.18	0.5	-10.27	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	100	-9.79	0.5	-12	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	200	-36.66	-30	-38.86	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	250	-41.27	-33	-43.26	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-66.88	-60	-69.24	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-69.8	-60	-72.06	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	800	-71.88	-60	-74.04	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1000	-74.33	-60	-76.46	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-75.24	-60	-77.57	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1400	-75.82	-60	-78.18	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1600	-77.43	-60	-79.61	-51	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-77.44	-60	-79.64	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-81.36	-60	-55.55	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1600	-81.96	-60	-56.13	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1400	-81.11	-60	-55.39	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-80.57	-60	-54.68	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1000	-79.84	-60	-54.03	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-800	-78.42	-60	-52.48	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-76.3	-60	-50.48	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-70.18	-60	-44.23	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-250	-42.12	-33	-16.38	-36	PASS

HVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.29	-30	-11.34	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-100	-8.52	0.5	17.31	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	100	-8.23	0.5	17.64	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	200	-36.81	-30	-11.11	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	250	-42.2	-33	-16.38	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-70.37	-60	-44.61	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-76.23	-60	-50.27	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	800	-78.53	-60	-52.56	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1000	-80.09	-60	-54.19	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-79.96	-60	-54.14	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.48	-60	-54.52	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1600	-82.07	-60	-56.36	-51	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.38	-60	-54.57	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-77.28	-60	-79.72	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1600	-76.66	-60	-79.13	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1400	-76.44	-60	-78.98	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-75.03	-60	-77.36	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1000	-73.38	-60	-75.74	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-800	-71.96	-60	-74.45	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-69.84	-60	-72.09	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-66.22	-60	-68.56	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-250	-41.23	-33	-43.61	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-200	-36.96	-30	-39.38	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-100	-8.76	0.5	-11.19	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	100	-9.33	0.5	-11.59	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	200	-37.23	-30	-39.56	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	250	-41.2	-33	-43.62	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-66.12	-60	-68.43	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-70.26	-60	-72.71	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	800	-72.68	-60	-75.09	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1000	-73.5	-60	-76.02	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-74.98	-60	-77.37	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1400	-75.89	-60	-78.26	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1600	-77.4	-60	-79.72	-51	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-76.71	-60	-79.2	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-82.06	-60	-55.63	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1600	-82.38	-60	-55.85	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1400	-81.39	-60	-55.02	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-80.67	-60	-54.22	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1000	-78.9	-60	-52.63	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-800	-78.22	-60	-51.8	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-76	-60	-49.69	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-70.21	-60	-43.81	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-250	-41.35	-33	-15.01	-36	PASS

LVHT	GPRS900	975	880.2	3;3;3;3	-200	-37.2	-30	-10.8	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-100	-9.01	0.5	17.47	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	100	-9.26	0.5	17.13	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	200	-36.78	-30	-10.3	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	250	-41.1	-33	-14.59	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-71.4	-60	-44.88	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-76	-60	-49.69	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	800	-77.92	-60	-51.56	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1000	-79.33	-60	-52.9	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-80.45	-60	-54.08	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1400	-81.01	-60	-54.46	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1600	-83.29	-60	-56.86	-51	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-82.46	-60	-55.89	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-78.89	-60	-80.41	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1600	-77.88	-60	-79.46	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1400	-76.7	-60	-78.26	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-76.2	-60	-77.76	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1000	-73.98	-60	-75.54	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-800	-71.79	-60	-73.3	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-69.96	-60	-71.5	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-66.63	-60	-68.2	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-250	-41.74	-33	-43.28	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-200	-36.82	-30	-38.35	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-100	-9.39	0.5	-10.81	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	100	-8.88	0.5	-10.32	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	200	-37.09	-30	-38.75	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	250	-41.19	-33	-42.73	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-66.69	-60	-68.2	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-70.96	-60	-72.56	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	800	-73.44	-60	-75.13	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1000	-74.66	-60	-76.32	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-76.02	-60	-77.53	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1400	-77.06	-60	-78.47	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1600	-78.01	-60	-79.65	-51	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-78.38	-60	-80.07	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-82.15	-60	-56.92	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1600	-80.34	-60	-55.12	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1400	-78.83	-60	-53.71	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-77.79	-60	-52.48	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1000	-78.33	-60	-53.03	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-800	-74.77	-60	-49.66	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-73.05	-60	-47.86	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-71.1	-60	-45.88	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-250	-42.03	-33	-16.72	-36	PASS

LVHT	GPRS900	38	897.6	3;3;3;3	-200	-35.45	-30	-10.31	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-100	-8.72	0.5	16.32	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	100	-5.63	0.5	19.56	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	200	-35.94	-30	-10.73	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	250	-41.37	-33	-16.16	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-71.1	-60	-45.86	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-74.68	-60	-49.55	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	800	-78.89	-60	-53.89	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1000	-77.05	-60	-51.89	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-80.56	-60	-55.42	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1400	-80.59	-60	-55.53	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1600	-81.66	-60	-56.53	-51	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-79.65	-60	-54.61	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-77.71	-60	-79.84	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1600	-76.8	-60	-79	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1400	-75.37	-60	-77.58	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-74.68	-60	-76.77	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1000	-74.02	-60	-76.19	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-800	-72.44	-60	-74.7	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-69.9	-60	-71.9	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-66.15	-60	-68.26	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-250	-41.22	-33	-43.32	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-200	-36.73	-30	-38.92	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-100	-8.2	0.5	-10.37	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	100	-9.82	0.5	-11.87	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	200	-36.65	-30	-38.72	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	250	-41.13	-33	-43.29	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-67.06	-60	-69.2	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-69.83	-60	-72.09	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	800	-72.05	-60	-74.23	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1000	-74.23	-60	-76.42	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1200	-75.38	-60	-77.56	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1400	-75.87	-60	-78.06	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1600	-77.55	-60	-79.65	-51	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-77.42	-60	-79.64	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-81.39	-60	-55.56	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1600	-81.97	-60	-56.05	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1400	-81.21	-60	-55.35	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-80.59	-60	-54.73	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1000	-79.98	-60	-54.07	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-800	-78.27	-60	-52.55	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-76.36	-60	-50.54	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-70.08	-60	-44.21	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-250	-42.06	-33	-16.29	-36	PASS

LVHT	GPRS900	124	914.8	3;3;3;3	-200	-37.14	-30	-11.4	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-100	-8.64	0.5	17.24	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	100	-8.13	0.5	17.53	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	200	-36.91	-30	-11.01	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	250	-42.24	-33	-16.43	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-70.51	-60	-44.51	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-76.18	-60	-50.25	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	800	-78.45	-60	-52.58	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1000	-80.13	-60	-54.17	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-80.01	-60	-54.08	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1400	-80.41	-60	-54.55	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1600	-82.21	-60	-56.34	-51	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-80.26	-60	-54.5	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-77.41	-60	-79.74	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1600	-76.76	-60	-79.01	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1400	-76.53	-60	-78.84	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-74.96	-60	-77.37	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1000	-73.37	-60	-75.85	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-800	-72.05	-60	-74.41	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-69.75	-60	-72.19	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-66.24	-60	-68.56	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-250	-41.35	-33	-43.59	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-200	-37.06	-30	-39.42	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-100	-8.85	0.5	-11.26	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	100	-9.27	0.5	-11.63	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	200	-37.24	-30	-39.67	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	250	-41.14	-33	-43.62	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-66.09	-60	-68.45	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-70.38	-60	-72.65	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	800	-72.67	-60	-75.05	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1000	-73.49	-60	-75.89	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-74.98	-60	-77.33	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1400	-75.84	-60	-78.34	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1600	-77.37	-60	-79.65	-51	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-76.89	-60	-79.2	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-82	-60	-55.59	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1600	-82.35	-60	-55.92	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1400	-81.47	-60	-55.02	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-80.63	-60	-54.16	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1000	-79.08	-60	-52.5	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-800	-78.11	-60	-51.8	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-76.03	-60	-49.55	-51	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-70.18	-60	-43.88	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-250	-41.39	-33	-14.93	-36	PASS



LVL	GPRS900	975	880.2	3;3;3;3	-200	-37.18	-30	-10.77	-36	PASS
LVL	GPRS900	975	880.2	3;3;3;3	-100	-8.98	0.5	17.3	-36	PASS
LVL	GPRS900	975	880.2	3;3;3;3	100	-9.42	0.5	17.09	-36	PASS
LVL	GPRS900	975	880.2	3;3;3;3	200	-36.65	-30	-10.28	-36	PASS
LVL	GPRS900	975	880.2	3;3;3;3	250	-41.04	-33	-14.64	-36	PASS
LVL	GPRS900	975	880.2	3;3;3;3	400	-71.29	-60	-44.91	-36	PASS
LVL	GPRS900	975	880.2	3;3;3;3	600	-76.04	-60	-49.74	-51	PASS
LVL	GPRS900	975	880.2	3;3;3;3	800	-77.88	-60	-51.4	-51	PASS
LVL	GPRS900	975	880.2	3;3;3;3	1000	-79.22	-60	-53.01	-51	PASS
LVL	GPRS900	975	880.2	3;3;3;3	1200	-80.52	-60	-54.02	-51	PASS
LVL	GPRS900	975	880.2	3;3;3;3	1400	-80.91	-60	-54.49	-51	PASS
LVL	GPRS900	975	880.2	3;3;3;3	1600	-83.22	-60	-56.88	-51	PASS
LVL	GPRS900	975	880.2	3;3;3;3	1800	-82.28	-60	-55.98	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-1800	-78.83	-60	-80.23	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-1600	-77.87	-60	-79.42	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-1400	-76.65	-60	-78.28	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-1200	-76.27	-60	-77.88	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-1000	-73.87	-60	-75.41	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-800	-71.8	-60	-73.27	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-600	-69.95	-60	-71.43	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-400	-66.63	-60	-68.1	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-250	-41.81	-33	-43.38	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-200	-36.87	-30	-38.31	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	-100	-9.41	0.5	-10.85	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	100	-8.72	0.5	-10.31	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	200	-37.05	-30	-38.62	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	250	-41.2	-33	-42.84	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	400	-66.52	-60	-68.15	-36	PASS
LVL	GPRS900	975	880.2	17;17;17;17	600	-71	-60	-72.51	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	800	-73.59	-60	-75.01	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	1000	-74.76	-60	-76.17	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	1200	-76.01	-60	-77.52	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	1400	-76.96	-60	-78.54	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	1600	-78.17	-60	-79.57	-51	PASS
LVL	GPRS900	975	880.2	17;17;17;17	1800	-78.53	-60	-79.96	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-1800	-81.99	-60	-56.84	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-1600	-80.27	-60	-55.06	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-1400	-78.98	-60	-53.7	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-1200	-77.76	-60	-52.51	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-1000	-78.31	-60	-53.09	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-800	-74.83	-60	-49.56	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-600	-73.03	-60	-47.87	-51	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-400	-71.09	-60	-45.97	-36	PASS
LVL	GPRS900	38	897.6	3;3;3;3	-250	-42.04	-33	-16.89	-36	PASS

LVLT	GPRS900	38	897.6	3;3;3;3	-200	-35.55	-30	-10.26	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-100	-8.75	0.5	16.46	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	100	-5.65	0.5	19.66	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	200	-35.96	-30	-10.67	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	250	-41.28	-33	-16.23	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-71.1	-60	-45.83	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	600	-74.69	-60	-49.46	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	800	-78.98	-60	-53.84	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1000	-77	-60	-51.93	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-80.69	-60	-55.49	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1400	-80.76	-60	-55.56	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1600	-81.64	-60	-56.54	-51	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-79.82	-60	-54.5	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-77.73	-60	-79.83	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1600	-76.68	-60	-78.99	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1400	-75.38	-60	-77.59	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-74.74	-60	-76.75	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1000	-74.05	-60	-76.2	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-800	-72.51	-60	-74.68	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-69.81	-60	-71.92	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-66.07	-60	-68.26	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-250	-41.11	-33	-43.42	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-200	-36.76	-30	-38.92	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-100	-8.06	0.5	-10.33	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	100	-9.84	0.5	-11.9	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	200	-36.7	-30	-38.86	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	250	-41.08	-33	-43.44	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-66.87	-60	-69.07	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-69.8	-60	-72.1	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	800	-71.93	-60	-74.15	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1000	-74.31	-60	-76.46	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-75.25	-60	-77.48	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1400	-75.94	-60	-78.05	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1600	-77.46	-60	-79.67	-51	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-77.49	-60	-79.53	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-81.47	-60	-55.53	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1600	-81.91	-60	-56.16	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1400	-81.15	-60	-55.31	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-80.53	-60	-54.61	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1000	-79.97	-60	-54.05	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-800	-78.3	-60	-52.41	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-76.34	-60	-50.58	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-70.22	-60	-44.27	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-250	-42.12	-33	-16.4	-36	PASS

LVLT	GPRS900	124	914.8	3;3;3;3	-200	-37.12	-30	-11.36	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-100	-8.48	0.5	17.19	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	100	-8.23	0.5	17.55	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	200	-36.85	-30	-11.1	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	250	-42.17	-33	-16.4	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-70.35	-60	-44.55	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-76.06	-60	-50.3	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	800	-78.53	-60	-52.72	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1000	-80.08	-60	-54.25	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-80.02	-60	-54.12	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1400	-80.41	-60	-54.6	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1600	-82.14	-60	-56.23	-51	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-80.29	-60	-54.6	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-77.31	-60	-79.76	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1600	-76.61	-60	-79.05	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1400	-76.51	-60	-78.85	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-75.09	-60	-77.38	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1000	-73.4	-60	-75.77	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-800	-72.09	-60	-74.44	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-69.82	-60	-72.14	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-400	-66.21	-60	-68.62	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-250	-41.19	-33	-43.76	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-200	-36.91	-30	-39.37	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-100	-8.75	0.5	-11.24	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	100	-9.25	0.5	-11.68	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	200	-37.14	-30	-39.53	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	250	-41.19	-33	-43.44	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-66.01	-60	-68.39	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-70.42	-60	-72.81	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	800	-72.69	-60	-75.05	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1000	-73.57	-60	-76.01	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-75.01	-60	-77.42	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1400	-75.83	-60	-78.36	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1600	-77.27	-60	-79.73	-51	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-76.71	-60	-79.17	-51	PASS

**Clause 4.2.11 Switching Spectrum in GPRS multi slot configuration**

Condition	Band	Channel	Frequency (MHz)	Gamma	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	31.14		PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-47.5	-25.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-45.18	-22.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.15	-22.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-29.28	-20.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	400	-29.22	-20.66	PASS

HVHT	GPRS1800	512	1710.2	3;3;3;3	600	-33.68	-22.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.94	-22.66	PASS
HVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-46.15	-25.66	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.32		PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-71.02	-36	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-64.33	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-60	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-46.42	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	400	-38.26	-23	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	600	-46.84	-26	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-58.6	-32	PASS
HVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-68.52	-36	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.07		PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-47.97	-25.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-42.45	-22.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-39.25	-22.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-32.46	-20.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	400	-28.71	-20.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	600	-33.72	-22.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.25	-22.78	PASS
HVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-46.87	-25.78	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.21		PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-71.02	-36	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-64.76	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-59	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-46.07	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	400	-38.36	-23	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	600	-46.35	-26	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-58.27	-32	PASS
HVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-69.06	-36	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.03		PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-46.17	-25.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-42.72	-22.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-39.19	-22.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-31.23	-20.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	400	-27.16	-20.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	600	-34.41	-22.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.73	-22.86	PASS
HVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-46.34	-25.86	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	1.84		PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.87	-36	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-65.12	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.57	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-46.59	-23	PASS

HVHT	GPRS1800	885	1784.8	18;18;18;18	400	-38.44	-23	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	600	-45.93	-26	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-58.51	-32	PASS
HVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.89	-36	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	31.31		PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-47.51	-25.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-45.24	-22.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.09	-22.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-29.33	-20.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	400	-29.13	-20.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	600	-33.72	-22.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.97	-22.66	PASS
HVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-46.07	-25.66	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.34		PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-70.85	-36	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-64.33	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-59.83	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-46.55	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	400	-38.3	-23	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	600	-46.86	-26	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-58.49	-32	PASS
HVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-68.52	-36	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.21		PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-47.99	-25.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-42.27	-22.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-39.18	-22.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-32.32	-20.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	400	-28.68	-20.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	600	-33.58	-22.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.1	-22.78	PASS
HVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-46.81	-25.78	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.22		PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-70.98	-36	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-64.79	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-59.06	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-46.08	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	400	-38.34	-23	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	600	-46.53	-26	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-58.14	-32	PASS
HVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-69.02	-36	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.12		PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-46.12	-25.86	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-42.66	-22.86	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-39.16	-22.86	PASS

HVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-31.28	-20.86	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	400	-27.08	-20.86	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	600	-34.33	-22.86	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.79	-22.86	PASS
HVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-46.23	-25.86	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	1.93		PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.91	-36	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-65.15	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.57	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-46.61	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	400	-38.36	-23	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	600	-45.9	-26	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-58.45	-32	PASS
HVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.87	-36	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	31.19		PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1800	-47.45	-25.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-1200	-45.14	-22.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.05	-22.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	-400	-29.32	-20.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	400	-29.19	-20.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	600	-33.74	-22.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.93	-22.66	PASS
LVHT	GPRS1800	512	1710.2	3;3;3;3	1800	-46.07	-25.66	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.31		PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1800	-71.02	-36	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-1200	-64.36	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-600	-59.85	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	-400	-46.56	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	400	-38.28	-23	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	600	-46.83	-26	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1200	-58.67	-32	PASS
LVHT	GPRS1800	512	1710.2	18;18;18;18	1800	-68.47	-36	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.1		PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1800	-47.96	-25.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-1200	-42.44	-22.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-600	-39.28	-22.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	-400	-32.4	-20.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	400	-28.84	-20.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	600	-33.7	-22.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.19	-22.78	PASS
LVHT	GPRS1800	698	1747.4	3;3;3;3	1800	-46.83	-25.78	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.22		PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1800	-71.02	-36	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-1200	-64.82	-32	PASS



LVHT	GPRS1800	698	1747.4	18;18;18;18	-600	-59.07	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	-400	-46.06	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	400	-38.35	-23	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	600	-46.42	-26	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1200	-58.11	-32	PASS
LVHT	GPRS1800	698	1747.4	18;18;18;18	1800	-69.18	-36	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.04		PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1800	-46.3	-25.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-1200	-42.74	-22.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-600	-39.05	-22.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	-400	-31.24	-20.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	400	-27.13	-20.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	600	-34.37	-22.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.7	-22.86	PASS
LVHT	GPRS1800	885	1784.8	3;3;3;3	1800	-46.33	-25.86	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	1.87		PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.86	-36	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-1200	-65.19	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.41	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	-400	-46.62	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	400	-38.33	-23	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	600	-45.9	-26	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1200	-58.44	-32	PASS
LVHT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.7	-36	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	Ref Power	31.23		PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1800	-47.38	-25.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-1200	-45.11	-22.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-600	-37.11	-22.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	-400	-29.27	-20.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	400	-29.23	-20.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	600	-33.73	-22.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1200	-39.92	-22.66	PASS
LVLT	GPRS1800	512	1710.2	3;3;3;3	1800	-46.05	-25.66	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	Ref Power	2.25		PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1800	-70.87	-36	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-1200	-64.29	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-600	-59.94	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	-400	-46.43	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	400	-38.23	-23	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	600	-46.76	-26	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1200	-58.49	-32	PASS
LVLT	GPRS1800	512	1710.2	18;18;18;18	1800	-68.33	-36	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	Ref Power	31.16		PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-1800	-47.93	-25.78	PASS

LVLT	GPRS1800	698	1747.4	3;3;3;3	-1200	-42.39	-22.78	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-600	-39.31	-22.78	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	-400	-32.44	-20.78	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	400	-28.65	-20.78	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	600	-33.76	-22.78	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1200	-39.07	-22.78	PASS
LVLT	GPRS1800	698	1747.4	3;3;3;3	1800	-46.85	-25.78	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	Ref Power	2.19		PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1800	-71	-36	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-1200	-64.76	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-600	-58.96	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	-400	-46.07	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	400	-38.26	-23	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	600	-46.51	-26	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1200	-58.2	-32	PASS
LVLT	GPRS1800	698	1747.4	18;18;18;18	1800	-69.16	-36	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	Ref Power	31.09		PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1800	-46.18	-25.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-1200	-42.7	-22.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-600	-39.03	-22.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	-400	-31.24	-20.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	400	-27.17	-20.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	600	-34.32	-22.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1200	-37.77	-22.86	PASS
LVLT	GPRS1800	885	1784.8	3;3;3;3	1800	-46.23	-25.86	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	Ref Power	1.9		PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1800	-69.91	-36	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-1200	-65.21	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-600	-58.6	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	-400	-46.58	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	400	-38.27	-23	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	600	-46	-26	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1200	-58.44	-32	PASS
LVLT	GPRS1800	885	1784.8	18;18;18;18	1800	-68.71	-36	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	33.92		PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.56	-24	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-1200	-38.76	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-600	-34.08	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	-400	-27.68	-17.89	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	400	-34.12	-17.89	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	600	-30.52	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1200	-36.44	-21	PASS
HVHT	GPRS900	975	880.2	3;3;3;3	1800	-45.88	-24	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	6.14		PASS

HVHT	GPRS900	975	880.2	17;17;17;17	-1800	-68.42	-36	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-1200	-59.27	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-600	-54.74	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	-400	-41.17	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	400	-34.85	-23	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	600	-49.16	-26	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1200	-57.03	-32	PASS
HVHT	GPRS900	975	880.2	17;17;17;17	1800	-68.62	-36	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.84		PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1800	-44.21	-24	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-1200	-39.06	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-600	-34.44	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	-400	-28.47	-18.01	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	400	-34.06	-18.01	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	600	-30.93	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1200	-36.43	-21	PASS
HVHT	GPRS900	38	897.6	3;3;3;3	1800	-44.95	-24	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	5.69		PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1800	-68.92	-36	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-1200	-59.05	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-600	-53.01	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	-400	-41.32	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	400	-35	-23	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	600	-48.66	-26	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1200	-56.47	-32	PASS
HVHT	GPRS900	38	897.6	17;17;17;17	1800	-70.08	-36	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.94		PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1800	-43.67	-24	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-1200	-37.83	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-600	-35.48	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	-400	-28.97	-18.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	400	-33	-18.03	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	600	-31.29	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1200	-36.49	-21	PASS
HVHT	GPRS900	124	914.8	3;3;3;3	1800	-44.24	-24	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	5.75		PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1800	-68.08	-36	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-1200	-58.58	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-600	-53.34	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	-400	-40.93	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	400	-35.14	-23	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	600	-48.57	-26	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1200	-56.74	-32	PASS
HVHT	GPRS900	124	914.8	17;17;17;17	1800	-69.93	-36	PASS

HVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	34.08		PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.6	-24	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-1200	-38.83	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-600	-34.06	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	-400	-27.71	-17.89	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	400	-34.13	-17.89	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	600	-30.5	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1200	-36.41	-21	PASS
HVLT	GPRS900	975	880.2	3;3;3;3	1800	-45.88	-24	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	6.26		PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1800	-68.43	-36	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-1200	-59.28	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-600	-54.75	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	-400	-41.21	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	400	-35.01	-23	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	600	-49.21	-26	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1200	-56.91	-32	PASS
HVLT	GPRS900	975	880.2	17;17;17;17	1800	-68.45	-36	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.85		PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1800	-44.24	-24	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-1200	-38.95	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-600	-34.36	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	-400	-28.52	-18.01	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	400	-34.01	-18.01	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	600	-30.75	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1200	-36.33	-21	PASS
HVLT	GPRS900	38	897.6	3;3;3;3	1800	-45.1	-24	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	5.66		PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1800	-68.87	-36	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-1200	-59.08	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-600	-52.98	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	-400	-41.39	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	400	-35.02	-23	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	600	-48.75	-26	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1200	-56.43	-32	PASS
HVLT	GPRS900	38	897.6	17;17;17;17	1800	-70.16	-36	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.85		PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1800	-43.6	-24	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-1200	-37.76	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-600	-35.32	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	-400	-29.07	-18.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	400	-33.15	-18.03	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	600	-31.32	-21	PASS
HVLT	GPRS900	124	914.8	3;3;3;3	1200	-36.56	-21	PASS

HVLT	GPRS900	124	914.8	3;3;3;3	1800	-44.13	-24	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	5.74		PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1800	-68.03	-36	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-1200	-58.58	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-600	-53.24	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	-400	-40.99	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	400	-35.06	-23	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	600	-48.62	-26	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1200	-56.71	-32	PASS
HVLT	GPRS900	124	914.8	17;17;17;17	1800	-69.92	-36	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	Ref Power	34.03		PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1800	-44.71	-24	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-1200	-38.65	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-600	-33.95	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	-400	-27.72	-17.89	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	400	-34.2	-17.89	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	600	-30.52	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1200	-36.43	-21	PASS
LVHT	GPRS900	975	880.2	3;3;3;3	1800	-46	-24	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	Ref Power	6.23		PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1800	-68.27	-36	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-1200	-59.22	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-600	-54.6	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	-400	-41.29	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	400	-35.02	-23	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	600	-49.2	-26	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1200	-56.9	-32	PASS
LVHT	GPRS900	975	880.2	17;17;17;17	1800	-68.5	-36	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.95		PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1800	-44.25	-24	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-1200	-38.9	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-600	-34.37	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	-400	-28.57	-18.01	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	400	-34.06	-18.01	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	600	-30.82	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1200	-36.33	-21	PASS
LVHT	GPRS900	38	897.6	3;3;3;3	1800	-44.99	-24	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	Ref Power	5.81		PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1800	-68.9	-36	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-1200	-59.12	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-600	-53	-26	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	-400	-41.22	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	400	-35.14	-23	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	600	-48.76	-26	PASS

LVHT	GPRS900	38	897.6	17;17;17;17	1200	-56.54	-32	PASS
LVHT	GPRS900	38	897.6	17;17;17;17	1800	-70.12	-36	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.94		PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1800	-43.55	-24	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-1200	-37.82	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-600	-35.39	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	-400	-28.99	-18.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	400	-32.98	-18.03	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	600	-31.28	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1200	-36.65	-21	PASS
LVHT	GPRS900	124	914.8	3;3;3;3	1800	-44.15	-24	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	Ref Power	5.77		PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1800	-68.08	-36	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-1200	-58.65	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-600	-53.34	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	-400	-40.99	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	400	-35.13	-23	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	600	-48.57	-26	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1200	-56.73	-32	PASS
LVHT	GPRS900	124	914.8	17;17;17;17	1800	-69.94	-36	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	Ref Power	33.94		PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1800	-44.65	-24	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-1200	-38.71	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-600	-34.05	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	-400	-27.62	-17.89	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	400	-34.18	-17.89	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	600	-30.57	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1200	-36.46	-21	PASS
LVLT	GPRS900	975	880.2	3;3;3;3	1800	-45.86	-24	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	Ref Power	6.23		PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1800	-68.37	-36	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-1200	-59.26	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-600	-54.65	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	-400	-41.18	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	400	-34.94	-23	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	600	-49.23	-26	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1200	-57.01	-32	PASS
LVLT	GPRS900	975	880.2	17;17;17;17	1800	-68.54	-36	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	Ref Power	33.8		PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1800	-44.26	-24	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-1200	-38.99	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-600	-34.54	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	-400	-28.48	-18.01	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	400	-34.02	-18.01	PASS



LVLT	GPRS900	38	897.6	3;3;3;3	600	-30.91	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1200	-36.37	-21	PASS
LVLT	GPRS900	38	897.6	3;3;3;3	1800	-44.94	-24	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	Ref Power	5.79		PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1800	-69	-36	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-1200	-58.94	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-600	-52.95	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	-400	-41.39	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	400	-35.14	-23	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	600	-48.72	-26	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1200	-56.42	-32	PASS
LVLT	GPRS900	38	897.6	17;17;17;17	1800	-70.05	-36	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	Ref Power	33.9		PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1800	-43.62	-24	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-1200	-37.76	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-600	-35.34	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	-400	-29.05	-18.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	400	-33.07	-18.03	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	600	-31.2	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1200	-36.52	-21	PASS
LVLT	GPRS900	124	914.8	3;3;3;3	1800	-44.25	-24	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	Ref Power	5.68		PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1800	-68.02	-36	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-1200	-58.75	-32	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-600	-53.33	-26	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	-400	-41.05	-23	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	400	-35.14	-23	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	600	-48.5	-26	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1200	-56.57	-32	PASS
LVLT	GPRS900	124	914.8	17;17;17;17	1800	-69.93	-36	PASS

**Clause 4.2.1 Transmitter-Frequency error and phase error**

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.93	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.47	0	5	PASS
HVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	3.02	0	20	PASS
HVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.09	-174.74	174.74	PASS
HVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.43	0	5	PASS
HVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.66	0	20	PASS

HVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.8	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.44	0	5	PASS
HVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.99	0	20	PASS
HVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.1	-174.74	174.74	PASS
HVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.53	0	5	PASS
HVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.66	0	20	PASS
LVHT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.85	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.47	0	5	PASS
LVHT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	3.06	0	20	PASS
LVHT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.23	-174.74	174.74	PASS
LVHT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.43	0	5	PASS
LVHT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.51	0	20	PASS
LVLT	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.93	-174.74	174.74	PASS
LVLT	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.49	0	5	PASS
LVLT	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.95	0	20	PASS
LVLT	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.12	-174.74	174.74	PASS
LVLT	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.41	0	5	PASS
LVLT	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.54	0	20	PASS
Vibration-X	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.95	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.49	0	5	PASS
Vibration-X	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	2.99	0	20	PASS
Vibration-X	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.24	-174.74	174.74	PASS
Vibration-X	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.45	0	5	PASS
Vibration-X	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.5	0	20	PASS
Vibration-Y	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.82	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.59	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	0	Peak Phase Error	2.99	0	20	PASS

					(Degree)				
Vibration-Y	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.09	-174.74	174.74	PASS
Vibration-Y	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.36	0	5	PASS
Vibration-Y	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.55	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	0	Frequency Error (Hz)	-4.87	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	0	RMS Phase Error (Degree)	0.58	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	0	Peak Phase Error (Degree)	3.04	0	20	PASS
Vibration-Z	GSM1800	698	1747.4	15	Frequency Error (Hz)	-2.26	-174.74	174.74	PASS
Vibration-Z	GSM1800	698	1747.4	15	RMS Phase Error (Degree)	0.54	0	5	PASS
Vibration-Z	GSM1800	698	1747.4	15	Peak Phase Error (Degree)	5.54	0	20	PASS
HVHT	GSM900	38	897.6	5	Frequency Error (Hz)	7.04	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.2	0	5	PASS
HVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.94	0	20	PASS
HVHT	GSM900	38	897.6	19	Frequency Error (Hz)	8.49	-89.76	89.76	PASS
HVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.28	0	5	PASS
HVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.25	0	20	PASS
HVLT	GSM900	38	897.6	5	Frequency Error (Hz)	7.05	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.17	0	5	PASS
HVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.79	0	20	PASS
HVLT	GSM900	38	897.6	19	Frequency Error (Hz)	8.41	-89.76	89.76	PASS
HVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.32	0	5	PASS
HVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.32	0	20	PASS
LVHT	GSM900	38	897.6	5	Frequency Error (Hz)	6.97	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.24	0	5	PASS
LVHT	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.95	0	20	PASS
LVHT	GSM900	38	897.6	19	Frequency Error (Hz)	8.51	-89.76	89.76	PASS
LVHT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.25	0	5	PASS

LVHT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.2	0	20	PASS
LVLT	GSM900	38	897.6	5	Frequency Error (Hz)	6.88	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.32	0	5	PASS
LVLT	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.86	0	20	PASS
LVLT	GSM900	38	897.6	19	Frequency Error (Hz)	8.37	-89.76	89.76	PASS
LVLT	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.19	0	5	PASS
LVLT	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.31	0	20	PASS
Vibration-X	GSM900	38	897.6	5	Frequency Error (Hz)	7.02	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.3	0	5	PASS
Vibration-X	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.81	0	20	PASS
Vibration-X	GSM900	38	897.6	19	Frequency Error (Hz)	8.37	-89.76	89.76	PASS
Vibration-X	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.26	0	5	PASS
Vibration-X	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.36	0	20	PASS
Vibration-Y	GSM900	38	897.6	5	Frequency Error (Hz)	6.92	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.14	0	5	PASS
Vibration-Y	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.85	0	20	PASS
Vibration-Y	GSM900	38	897.6	19	Frequency Error (Hz)	8.41	-89.76	89.76	PASS
Vibration-Y	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.33	0	5	PASS
Vibration-Y	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.25	0	20	PASS
Vibration-Z	GSM900	38	897.6	5	Frequency Error (Hz)	6.97	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	5	RMS Phase Error (Degree)	0.31	0	5	PASS
Vibration-Z	GSM900	38	897.6	5	Peak Phase Error (Degree)	0.83	0	20	PASS
Vibration-Z	GSM900	38	897.6	19	Frequency Error (Hz)	8.51	-89.76	89.76	PASS
Vibration-Z	GSM900	38	897.6	19	RMS Phase Error (Degree)	0.3	0	5	PASS
Vibration-Z	GSM900	38	897.6	19	Peak Phase Error (Degree)	2.35	0	20	PASS

**Clause 4.2.2 Transmitter-Frequency error under multi path**

Condition	Band	Type	Channel	Frequency (MHz)	PCL	Result (Hz)	Low Limit (Hz)	high Limit (Hz)	Verdict
HVHT	GSM1800	RA130 @RACH	698	1747.4	0	-1.98	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.92	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-6.79	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-2.99	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens4	698	1747.4	0	-9.18	-574.74	574.74	PASS
HVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-4.31	-574.74	574.74	PASS
HVHT	GSM1800	HT100 @RACH	698	1747.4	0	-1.09	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens1	698	1747.4	0	1.08	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens2	698	1747.4	0	-5.05	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-22.66	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-30.13	-524.74	524.74	PASS
HVHT	GSM1800	HT100 @Sens5	698	1747.4	0	-18.47	-524.74	524.74	PASS
HVHT	GSM1800	TU50 @RACH	698	1747.4	0	-16.32	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-10.08	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.76	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-3.87	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens4	698	1747.4	0	0.22	-434.74	434.74	PASS
HVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-4.54	-434.74	434.74	PASS
HVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-5.82	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @1	698	1747.4	0	2.82	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @2	698	1747.4	0	-1.33	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @3	698	1747.4	0	0.66	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @4	698	1747.4	0	4.16	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @5	698	1747.4	0	0.35	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @6	698	1747.4	0	7.62	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @7	698	1747.4	0	7.96	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @8	698	1747.4	0	1.95	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @9	698	1747.4	0	3.11	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @10	698	1747.4	0	8.1	-494.74	494.74	PASS

HVHT	GSM1800	TU1_5 @11	698	1747.4	0	5.71	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @12	698	1747.4	0	6.35	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @13	698	1747.4	0	3.61	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @14	698	1747.4	0	3.11	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @15	698	1747.4	0	1.49	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @16	698	1747.4	0	6.22	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @17	698	1747.4	0	5.35	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @18	698	1747.4	0	-0.07	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @19	698	1747.4	0	7.28	-494.74	494.74	PASS
HVHT	GSM1800	TU1_5 @20	698	1747.4	0	8.32	-494.74	494.74	PASS
HVLT	GSM1800	RA130 @RACH	698	1747.4	0	-1.93	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.9	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens2	698	1747.4	0	-6.76	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens3	698	1747.4	0	-3.01	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens4	698	1747.4	0	-9.13	-574.74	574.74	PASS
HVLT	GSM1800	RA130 @Sens5	698	1747.4	0	-4.23	-574.74	574.74	PASS
HVLT	GSM1800	HT100 @RACH	698	1747.4	0	-1.15	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens1	698	1747.4	0	1.2	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens2	698	1747.4	0	-5.07	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens3	698	1747.4	0	-22.75	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens4	698	1747.4	0	-30.19	-524.74	524.74	PASS
HVLT	GSM1800	HT100 @Sens5	698	1747.4	0	-18.51	-524.74	524.74	PASS
HVLT	GSM1800	TU50 @RACH	698	1747.4	0	-16.4	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens1	698	1747.4	0	-10.02	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.75	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens3	698	1747.4	0	-3.98	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens4	698	1747.4	0	0.3	-434.74	434.74	PASS
HVLT	GSM1800	TU50 @Sens5	698	1747.4	0	-4.53	-434.74	434.74	PASS
HVLT	GSM1800	TU1_5 @RACH	698	1747.4	0	-5.7	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @1	698	1747.4	0	2.78	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @2	698	1747.4	0	-1.36	-494.74	494.74	PASS



HVLT	GSM1800	TU1_5 @3	698	1747.4	0	0.55	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @4	698	1747.4	0	4.14	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @5	698	1747.4	0	0.43	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @6	698	1747.4	0	7.62	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @7	698	1747.4	0	7.96	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @8	698	1747.4	0	2.07	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @9	698	1747.4	0	3.24	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @10	698	1747.4	0	8.07	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @11	698	1747.4	0	5.64	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @12	698	1747.4	0	6.32	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @13	698	1747.4	0	3.79	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @14	698	1747.4	0	3.04	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @15	698	1747.4	0	1.52	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @16	698	1747.4	0	6.15	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @17	698	1747.4	0	5.34	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @18	698	1747.4	0	-0.12	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @19	698	1747.4	0	7.35	-494.74	494.74	PASS
HVLT	GSM1800	TU1_5 @20	698	1747.4	0	8.4	-494.74	494.74	PASS
LVHT	GSM1800	RA130 @RACH	698	1747.4	0	-2.01	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.97	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens2	698	1747.4	0	-6.76	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens3	698	1747.4	0	-3.09	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens4	698	1747.4	0	-9.15	-574.74	574.74	PASS
LVHT	GSM1800	RA130 @Sens5	698	1747.4	0	-4.32	-574.74	574.74	PASS
LVHT	GSM1800	HT100 @RACH	698	1747.4	0	-1.07	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens1	698	1747.4	0	1.17	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens2	698	1747.4	0	-5.08	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens3	698	1747.4	0	-22.71	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens4	698	1747.4	0	-30.05	-524.74	524.74	PASS
LVHT	GSM1800	HT100 @Sens5	698	1747.4	0	-18.5	-524.74	524.74	PASS
LVHT	GSM1800	TU50 @RACH	698	1747.4	0	-16.4	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens1	698	1747.4	0	-9.99	-434.74	434.74	PASS

LVHT	GSM1800	TU50 @Sens2	698	1747.4	0	-8.74	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens3	698	1747.4	0	-4.04	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens4	698	1747.4	0	0.26	-434.74	434.74	PASS
LVHT	GSM1800	TU50 @Sens5	698	1747.4	0	-4.6	-434.74	434.74	PASS
LVHT	GSM1800	TU1_5 @RACH	698	1747.4	0	-5.72	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @1	698	1747.4	0	2.79	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @2	698	1747.4	0	-1.19	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @3	698	1747.4	0	0.6	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @4	698	1747.4	0	4.27	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @5	698	1747.4	0	0.51	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @6	698	1747.4	0	7.78	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @7	698	1747.4	0	7.97	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @8	698	1747.4	0	2.09	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @9	698	1747.4	0	3.15	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @10	698	1747.4	0	7.97	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @11	698	1747.4	0	5.63	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @12	698	1747.4	0	6.36	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @13	698	1747.4	0	3.8	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @14	698	1747.4	0	3.11	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @15	698	1747.4	0	1.54	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @16	698	1747.4	0	6.25	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @17	698	1747.4	0	5.38	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @18	698	1747.4	0	-0.15	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @19	698	1747.4	0	7.17	-494.74	494.74	PASS
LVHT	GSM1800	TU1_5 @20	698	1747.4	0	8.49	-494.74	494.74	PASS
LVLT	GSM1800	RA130 @RACH	698	1747.4	0	-1.9	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens1	698	1747.4	0	-3.97	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens2	698	1747.4	0	-6.82	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens3	698	1747.4	0	-2.98	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens4	698	1747.4	0	-9.17	-574.74	574.74	PASS
LVLT	GSM1800	RA130 @Sens5	698	1747.4	0	-4.31	-574.74	574.74	PASS
LVLT	GSM1800	HT100 @RACH	698	1747.4	0	-1.05	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens1	698	1747.4	0	1.06	-524.74	524.74	PASS
LVLT	GSM1800	HT100 @Sens2	698	1747.4	0	-4.97	-524.74	524.74	PASS

LVL	GSM1800	HT100 @Sens3	698	1747.4	0	-22.78	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens4	698	1747.4	0	-30.03	-524.74	524.74	PASS
LVL	GSM1800	HT100 @Sens5	698	1747.4	0	-18.48	-524.74	524.74	PASS
LVL	GSM1800	TU50 @RACH	698	1747.4	0	-16.43	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens1	698	1747.4	0	-10.08	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens2	698	1747.4	0	-8.85	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens3	698	1747.4	0	-3.99	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens4	698	1747.4	0	0.35	-434.74	434.74	PASS
LVL	GSM1800	TU50 @Sens5	698	1747.4	0	-4.52	-434.74	434.74	PASS
LVL	GSM1800	TU1_5 @RACH	698	1747.4	0	-5.7	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @1	698	1747.4	0	2.76	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @2	698	1747.4	0	-1.21	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @3	698	1747.4	0	0.55	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @4	698	1747.4	0	4.14	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @5	698	1747.4	0	0.48	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @6	698	1747.4	0	7.68	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @7	698	1747.4	0	7.97	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @8	698	1747.4	0	2.06	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @9	698	1747.4	0	3.24	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @10	698	1747.4	0	7.98	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @11	698	1747.4	0	5.78	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @12	698	1747.4	0	6.27	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @13	698	1747.4	0	3.8	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @14	698	1747.4	0	3.03	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @15	698	1747.4	0	1.42	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @16	698	1747.4	0	6.17	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @17	698	1747.4	0	5.43	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @18	698	1747.4	0	-0.11	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @19	698	1747.4	0	7.19	-494.74	494.74	PASS
LVL	GSM1800	TU1_5 @20	698	1747.4	0	8.36	-494.74	494.74	PASS
HVHT	GSM900	RA250 @RACH	38	897.6	5	3.17	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens1	38	897.6	5	5.35	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens2	38	897.6	5	3.15	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens3	38	897.6	5	1.32	-389.76	389.76	PASS
HVHT	GSM900	RA250 @Sens4	38	897.6	5	3.54	-389.76	389.76	PASS

HVHT	GSM900	RA250 @Sens5	38	897.6	5	2.05	-389.76	389.76	PASS
HVHT	GSM900	HT100 @RACH	38	897.6	5	-8.35	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens1	38	897.6	5	-7.19	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens2	38	897.6	5	-7.41	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens3	38	897.6	5	-6.43	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens4	38	897.6	5	-10.11	-269.76	269.76	PASS
HVHT	GSM900	HT100 @Sens5	38	897.6	5	-9.27	-269.76	269.76	PASS
HVHT	GSM900	TU50 @RACH	38	897.6	5	-7.86	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens1	38	897.6	5	-7.88	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens2	38	897.6	5	-3.82	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens3	38	897.6	5	-6.97	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens4	38	897.6	5	-6.06	-249.76	249.76	PASS
HVHT	GSM900	TU50 @Sens5	38	897.6	5	-6.63	-249.76	249.76	PASS
HVHT	GSM900	TU3 @RACH	38	897.6	5	-6.32	-319.76	319.76	PASS
HVHT	GSM900	TU3 @1	38	897.6	5	-1.11	-319.76	319.76	PASS
HVHT	GSM900	TU3 @2	38	897.6	5	-2.42	-319.76	319.76	PASS
HVHT	GSM900	TU3 @3	38	897.6	5	-1.74	-319.76	319.76	PASS
HVHT	GSM900	TU3 @4	38	897.6	5	-3.91	-319.76	319.76	PASS
HVHT	GSM900	TU3 @5	38	897.6	5	-2.65	-319.76	319.76	PASS
HVHT	GSM900	TU3 @6	38	897.6	5	-5.06	-319.76	319.76	PASS
HVHT	GSM900	TU3 @7	38	897.6	5	-0.3	-319.76	319.76	PASS
HVHT	GSM900	TU3 @8	38	897.6	5	-1.46	-319.76	319.76	PASS
HVHT	GSM900	TU3 @9	38	897.6	5	-1.52	-319.76	319.76	PASS
HVHT	GSM900	TU3 @10	38	897.6	5	0.01	-319.76	319.76	PASS
HVHT	GSM900	TU3 @11	38	897.6	5	1.62	-319.76	319.76	PASS
HVHT	GSM900	TU3 @12	38	897.6	5	1.31	-319.76	319.76	PASS
HVHT	GSM900	TU3 @13	38	897.6	5	-0.49	-319.76	319.76	PASS
HVHT	GSM900	TU3 @14	38	897.6	5	2.13	-319.76	319.76	PASS
HVHT	GSM900	TU3 @15	38	897.6	5	-2.08	-319.76	319.76	PASS
HVHT	GSM900	TU3 @16	38	897.6	5	2.9	-319.76	319.76	PASS
HVHT	GSM900	TU3 @17	38	897.6	5	2.9	-319.76	319.76	PASS
HVHT	GSM900	TU3 @18	38	897.6	5	-0.04	-319.76	319.76	PASS
HVHT	GSM900	TU3 @19	38	897.6	5	3.64	-319.76	319.76	PASS
HVHT	GSM900	TU3 @20	38	897.6	5	1.49	-319.76	319.76	PASS
HVLT	GSM900	RA250 @RACH	38	897.6	5	3.17	-389.76	389.76	PASS
HVLT	GSM900	RA250	38	897.6	5	5.31	-389.76	389.76	PASS

		@Sens1							
HVLT	GSM900	RA250	38	897.6	5	3.22	-389.76	389.76	PASS
		@Sens2							
HVLT	GSM900	RA250	38	897.6	5	1.32	-389.76	389.76	PASS
		@Sens3							
HVLT	GSM900	RA250	38	897.6	5	3.49	-389.76	389.76	PASS
		@Sens4							
HVLT	GSM900	RA250	38	897.6	5	2.07	-389.76	389.76	PASS
		@Sens5							
HVLT	GSM900	HT100	38	897.6	5	-8.45	-269.76	269.76	PASS
		@RACH							
HVLT	GSM900	HT100	38	897.6	5	-7.22	-269.76	269.76	PASS
		@Sens1							
HVLT	GSM900	HT100	38	897.6	5	-7.32	-269.76	269.76	PASS
		@Sens2							
HVLT	GSM900	HT100	38	897.6	5	-6.55	-269.76	269.76	PASS
		@Sens3							
HVLT	GSM900	HT100	38	897.6	5	-10.2	-269.76	269.76	PASS
		@Sens4							
HVLT	GSM900	HT100	38	897.6	5	-9.28	-269.76	269.76	PASS
		@Sens5							
HVLT	GSM900	TU50 @RACH	38	897.6	5	-7.88	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens1	38	897.6	5	-7.76	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens2	38	897.6	5	-3.77	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens3	38	897.6	5	-6.94	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens4	38	897.6	5	-6.11	-249.76	249.76	PASS
HVLT	GSM900	TU50 @Sens5	38	897.6	5	-6.68	-249.76	249.76	PASS
HVLT	GSM900	TU3 @RACH	38	897.6	5	-6.36	-319.76	319.76	PASS
HVLT	GSM900	TU3 @1	38	897.6	5	-1.02	-319.76	319.76	PASS
HVLT	GSM900	TU3 @2	38	897.6	5	-2.4	-319.76	319.76	PASS
HVLT	GSM900	TU3 @3	38	897.6	5	-1.82	-319.76	319.76	PASS
HVLT	GSM900	TU3 @4	38	897.6	5	-3.92	-319.76	319.76	PASS
HVLT	GSM900	TU3 @5	38	897.6	5	-2.72	-319.76	319.76	PASS
HVLT	GSM900	TU3 @6	38	897.6	5	-5.08	-319.76	319.76	PASS
HVLT	GSM900	TU3 @7	38	897.6	5	-0.36	-319.76	319.76	PASS
HVLT	GSM900	TU3 @8	38	897.6	5	-1.62	-319.76	319.76	PASS
HVLT	GSM900	TU3 @9	38	897.6	5	-1.52	-319.76	319.76	PASS
HVLT	GSM900	TU3 @10	38	897.6	5	-0.03	-319.76	319.76	PASS
HVLT	GSM900	TU3 @11	38	897.6	5	1.45	-319.76	319.76	PASS
HVLT	GSM900	TU3 @12	38	897.6	5	1.31	-319.76	319.76	PASS
HVLT	GSM900	TU3 @13	38	897.6	5	-0.58	-319.76	319.76	PASS
HVLT	GSM900	TU3 @14	38	897.6	5	2.27	-319.76	319.76	PASS
HVLT	GSM900	TU3 @15	38	897.6	5	-2.21	-319.76	319.76	PASS
HVLT	GSM900	TU3 @16	38	897.6	5	2.9	-319.76	319.76	PASS

HVLT	GSM900	TU3 @17	38	897.6	5	2.78	-319.76	319.76	PASS
HVLT	GSM900	TU3 @18	38	897.6	5	0.02	-319.76	319.76	PASS
HVLT	GSM900	TU3 @19	38	897.6	5	3.66	-319.76	319.76	PASS
HVLT	GSM900	TU3 @20	38	897.6	5	1.4	-319.76	319.76	PASS
LVHT	GSM900	RA250 @RACH	38	897.6	5	3.15	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens1	38	897.6	5	5.34	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens2	38	897.6	5	3.06	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens3	38	897.6	5	1.32	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens4	38	897.6	5	3.52	-389.76	389.76	PASS
LVHT	GSM900	RA250 @Sens5	38	897.6	5	1.96	-389.76	389.76	PASS
LVHT	GSM900	HT100 @RACH	38	897.6	5	-8.36	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens1	38	897.6	5	-7.2	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens2	38	897.6	5	-7.4	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens3	38	897.6	5	-6.47	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens4	38	897.6	5	-10.13	-269.76	269.76	PASS
LVHT	GSM900	HT100 @Sens5	38	897.6	5	-9.34	-269.76	269.76	PASS
LVHT	GSM900	TU50 @RACH	38	897.6	5	-7.96	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens1	38	897.6	5	-7.9	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens2	38	897.6	5	-3.81	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens3	38	897.6	5	-7.01	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens4	38	897.6	5	-6.01	-249.76	249.76	PASS
LVHT	GSM900	TU50 @Sens5	38	897.6	5	-6.62	-249.76	249.76	PASS
LVHT	GSM900	TU3 @RACH	38	897.6	5	-6.36	-319.76	319.76	PASS
LVHT	GSM900	TU3 @1	38	897.6	5	-0.97	-319.76	319.76	PASS
LVHT	GSM900	TU3 @2	38	897.6	5	-2.28	-319.76	319.76	PASS
LVHT	GSM900	TU3 @3	38	897.6	5	-1.8	-319.76	319.76	PASS
LVHT	GSM900	TU3 @4	38	897.6	5	-3.85	-319.76	319.76	PASS
LVHT	GSM900	TU3 @5	38	897.6	5	-2.64	-319.76	319.76	PASS
LVHT	GSM900	TU3 @6	38	897.6	5	-5.17	-319.76	319.76	PASS
LVHT	GSM900	TU3 @7	38	897.6	5	-0.35	-319.76	319.76	PASS
LVHT	GSM900	TU3 @8	38	897.6	5	-1.46	-319.76	319.76	PASS
LVHT	GSM900	TU3 @9	38	897.6	5	-1.42	-319.76	319.76	PASS



LVHT	GSM900	TU3 @10	38	897.6	5	0.06	-319.76	319.76	PASS
LVHT	GSM900	TU3 @11	38	897.6	5	1.59	-319.76	319.76	PASS
LVHT	GSM900	TU3 @12	38	897.6	5	1.24	-319.76	319.76	PASS
LVHT	GSM900	TU3 @13	38	897.6	5	-0.54	-319.76	319.76	PASS
LVHT	GSM900	TU3 @14	38	897.6	5	2.2	-319.76	319.76	PASS
LVHT	GSM900	TU3 @15	38	897.6	5	-2.06	-319.76	319.76	PASS
LVHT	GSM900	TU3 @16	38	897.6	5	2.73	-319.76	319.76	PASS
LVHT	GSM900	TU3 @17	38	897.6	5	2.94	-319.76	319.76	PASS
LVHT	GSM900	TU3 @18	38	897.6	5	0.05	-319.76	319.76	PASS
LVHT	GSM900	TU3 @19	38	897.6	5	3.62	-319.76	319.76	PASS
LVHT	GSM900	TU3 @20	38	897.6	5	1.39	-319.76	319.76	PASS
LVLT	GSM900	RA250 @RACH	38	897.6	5	3.21	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens1	38	897.6	5	5.21	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens2	38	897.6	5	3.15	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens3	38	897.6	5	1.42	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens4	38	897.6	5	3.54	-389.76	389.76	PASS
LVLT	GSM900	RA250 @Sens5	38	897.6	5	2.1	-389.76	389.76	PASS
LVLT	GSM900	HT100 @RACH	38	897.6	5	-8.46	-269.76	269.76	PASS
LVLT	GSM900	HT100 @Sens1	38	897.6	5	-7.23	-269.76	269.76	PASS
LVLT	GSM900	HT100 @Sens2	38	897.6	5	-7.45	-269.76	269.76	PASS
LVLT	GSM900	HT100 @Sens3	38	897.6	5	-6.38	-269.76	269.76	PASS
LVLT	GSM900	HT100 @Sens4	38	897.6	5	-10.2	-269.76	269.76	PASS
LVLT	GSM900	HT100 @Sens5	38	897.6	5	-9.41	-269.76	269.76	PASS
LVLT	GSM900	TU50 @RACH	38	897.6	5	-7.83	-249.76	249.76	PASS
LVLT	GSM900	TU50 @Sens1	38	897.6	5	-7.85	-249.76	249.76	PASS
LVLT	GSM900	TU50 @Sens2	38	897.6	5	-3.85	-249.76	249.76	PASS
LVLT	GSM900	TU50 @Sens3	38	897.6	5	-6.84	-249.76	249.76	PASS
LVLT	GSM900	TU50 @Sens4	38	897.6	5	-6.17	-249.76	249.76	PASS
LVLT	GSM900	TU50 @Sens5	38	897.6	5	-6.71	-249.76	249.76	PASS
LVLT	GSM900	TU3 @RACH	38	897.6	5	-6.36	-319.76	319.76	PASS
LVLT	GSM900	TU3 @1	38	897.6	5	-0.98	-319.76	319.76	PASS
LVLT	GSM900	TU3 @2	38	897.6	5	-2.41	-319.76	319.76	PASS

LVL	GSM900	TU3 @3	38	897.6	5	-1.83	-319.76	319.76	PASS
LVL	GSM900	TU3 @4	38	897.6	5	-3.83	-319.76	319.76	PASS
LVL	GSM900	TU3 @5	38	897.6	5	-2.54	-319.76	319.76	PASS
LVL	GSM900	TU3 @6	38	897.6	5	-5.11	-319.76	319.76	PASS
LVL	GSM900	TU3 @7	38	897.6	5	-0.26	-319.76	319.76	PASS
LVL	GSM900	TU3 @8	38	897.6	5	-1.54	-319.76	319.76	PASS
LVL	GSM900	TU3 @9	38	897.6	5	-1.39	-319.76	319.76	PASS
LVL	GSM900	TU3 @10	38	897.6	5	-0.04	-319.76	319.76	PASS
LVL	GSM900	TU3 @11	38	897.6	5	1.62	-319.76	319.76	PASS
LVL	GSM900	TU3 @12	38	897.6	5	1.33	-319.76	319.76	PASS
LVL	GSM900	TU3 @13	38	897.6	5	-0.58	-319.76	319.76	PASS
LVL	GSM900	TU3 @14	38	897.6	5	2.23	-319.76	319.76	PASS
LVL	GSM900	TU3 @15	38	897.6	5	-2.22	-319.76	319.76	PASS
LVL	GSM900	TU3 @16	38	897.6	5	2.83	-319.76	319.76	PASS
LVL	GSM900	TU3 @17	38	897.6	5	2.77	-319.76	319.76	PASS
LVL	GSM900	TU3 @18	38	897.6	5	-0.03	-319.76	319.76	PASS
LVL	GSM900	TU3 @19	38	897.6	5	3.72	-319.76	319.76	PASS
LVL	GSM900	TU3 @20	38	897.6	5	1.35	-319.76	319.76	PASS

**Clause 4.2.5 Transmitter output power and burst timing**

Condition	Band	Channel	Frequency (MHz)	PCL	Type	Result	Low Limit	high Limit	Verdict
HVHT	GSM1800	512	1710.2	0	Power	31.27	28	32	PASS
HVHT	GSM1800	512	1710.2	0	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	512	1710.2	1	Power	29.62	25	31	PASS
HVHT	GSM1800	512	1710.2	1	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	512	1710.2	2	Power	27.74	23	29	PASS
HVHT	GSM1800	512	1710.2	2	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	512	1710.2	3	Power	25.79	21	27	PASS
HVHT	GSM1800	512	1710.2	3	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	4	Power	23.92	19	25	PASS
HVHT	GSM1800	512	1710.2	4	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	5	Power	21.11	17	23	PASS
HVHT	GSM1800	512	1710.2	5	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	512	1710.2	6	Power	19.21	15	21	PASS
HVHT	GSM1800	512	1710.2	6	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	512	1710.2	7	Power	17.36	13	19	PASS
HVHT	GSM1800	512	1710.2	7	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	512	1710.2	8	Power	15.34	11	17	PASS
HVHT	GSM1800	512	1710.2	8	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	512	1710.2	9	Power	13.62	8	16	PASS
HVHT	GSM1800	512	1710.2	9	PvT(%)	-0.14	0	0	PASS
HVHT	GSM1800	512	1710.2	10	Power	11.94	6	14	PASS
HVHT	GSM1800	512	1710.2	10	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	512	1710.2	11	Power	10.14	4	12	PASS

HVHT	GSM1800	512	1710.2	11	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	512	1710.2	12	Power	9.08	2	10	PASS
HVHT	GSM1800	512	1710.2	12	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	512	1710.2	13	Power	7.1	0	8	PASS
HVHT	GSM1800	512	1710.2	13	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	512	1710.2	14	Power	5.8	-3	7	PASS
HVHT	GSM1800	512	1710.2	14	PvT(%)	-0.05	0	0	PASS
HVHT	GSM1800	512	1710.2	15	Power	4.29	-5	5	PASS
HVHT	GSM1800	512	1710.2	15	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	698	1747.4	0	Power	30.98	28	32	PASS
HVHT	GSM1800	698	1747.4	0	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	698	1747.4	1	Power	29.42	25	31	PASS
HVHT	GSM1800	698	1747.4	1	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	698	1747.4	2	Power	27.36	23	29	PASS
HVHT	GSM1800	698	1747.4	2	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	3	Power	25.52	21	27	PASS
HVHT	GSM1800	698	1747.4	3	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	698	1747.4	4	Power	23.54	19	25	PASS
HVHT	GSM1800	698	1747.4	4	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	698	1747.4	5	Power	20.88	17	23	PASS
HVHT	GSM1800	698	1747.4	5	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	698	1747.4	6	Power	19	15	21	PASS
HVHT	GSM1800	698	1747.4	6	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	7	Power	17.3	13	19	PASS
HVHT	GSM1800	698	1747.4	7	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	698	1747.4	8	Power	15.37	11	17	PASS
HVHT	GSM1800	698	1747.4	8	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	698	1747.4	9	Power	13.67	8	16	PASS
HVHT	GSM1800	698	1747.4	9	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	698	1747.4	10	Power	11.89	6	14	PASS
HVHT	GSM1800	698	1747.4	10	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	698	1747.4	11	Power	9.97	4	12	PASS
HVHT	GSM1800	698	1747.4	11	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	698	1747.4	12	Power	8.93	2	10	PASS
HVHT	GSM1800	698	1747.4	12	PvT(%)	-0.13	0	0	PASS
HVHT	GSM1800	698	1747.4	13	Power	7.03	0	8	PASS
HVHT	GSM1800	698	1747.4	13	PvT(%)	-0.11	0	0	PASS
HVHT	GSM1800	698	1747.4	14	Power	5.48	-3	7	PASS
HVHT	GSM1800	698	1747.4	14	PvT(%)	-0.2	0	0	PASS
HVHT	GSM1800	698	1747.4	15	Power	3.79	-5	5	PASS
HVHT	GSM1800	698	1747.4	15	PvT(%)	-0.01	0	0	PASS
HVHT	GSM1800	885	1784.8	0	Power	30.92	28	32	PASS
HVHT	GSM1800	885	1784.8	0	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	885	1784.8	1	Power	29.43	25	31	PASS

HVHT	GSM1800	885	1784.8	1	PvT(%)	-0.07	0	0	PASS
HVHT	GSM1800	885	1784.8	2	Power	27.34	23	29	PASS
HVHT	GSM1800	885	1784.8	2	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	885	1784.8	3	Power	25.38	21	27	PASS
HVHT	GSM1800	885	1784.8	3	PvT(%)	-0.1	0	0	PASS
HVHT	GSM1800	885	1784.8	4	Power	23.54	19	25	PASS
HVHT	GSM1800	885	1784.8	4	PvT(%)	-0.03	0	0	PASS
HVHT	GSM1800	885	1784.8	5	Power	20.74	17	23	PASS
HVHT	GSM1800	885	1784.8	5	PvT(%)	-0.19	0	0	PASS
HVHT	GSM1800	885	1784.8	6	Power	19.06	15	21	PASS
HVHT	GSM1800	885	1784.8	6	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	885	1784.8	7	Power	17.18	13	19	PASS
HVHT	GSM1800	885	1784.8	7	PvT(%)	-0.18	0	0	PASS
HVHT	GSM1800	885	1784.8	8	Power	15.36	11	17	PASS
HVHT	GSM1800	885	1784.8	8	PvT(%)	-0.09	0	0	PASS
HVHT	GSM1800	885	1784.8	9	Power	13.57	8	16	PASS
HVHT	GSM1800	885	1784.8	9	PvT(%)	-0.12	0	0	PASS
HVHT	GSM1800	885	1784.8	10	Power	11.6	6	14	PASS
HVHT	GSM1800	885	1784.8	10	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	885	1784.8	11	Power	9.66	4	12	PASS
HVHT	GSM1800	885	1784.8	11	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	885	1784.8	12	Power	8.75	2	10	PASS
HVHT	GSM1800	885	1784.8	12	PvT(%)	-0.04	0	0	PASS
HVHT	GSM1800	885	1784.8	13	Power	6.47	0	8	PASS
HVHT	GSM1800	885	1784.8	13	PvT(%)	-0.02	0	0	PASS
HVHT	GSM1800	885	1784.8	14	Power	5.08	-3	7	PASS
HVHT	GSM1800	885	1784.8	14	PvT(%)	-0.17	0	0	PASS
HVHT	GSM1800	885	1784.8	15	Power	3.18	-5	5	PASS
HVHT	GSM1800	885	1784.8	15	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	0	Power	31.16	28	32	PASS
HVLT	GSM1800	512	1710.2	0	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	512	1710.2	1	Power	29.68	25	31	PASS
HVLT	GSM1800	512	1710.2	1	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	2	Power	27.67	23	29	PASS
HVLT	GSM1800	512	1710.2	2	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	3	Power	25.62	21	27	PASS
HVLT	GSM1800	512	1710.2	3	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	512	1710.2	4	Power	23.87	19	25	PASS
HVLT	GSM1800	512	1710.2	4	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	512	1710.2	5	Power	21.14	17	23	PASS
HVLT	GSM1800	512	1710.2	5	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	6	Power	19.35	15	21	PASS
HVLT	GSM1800	512	1710.2	6	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	512	1710.2	7	Power	17.31	13	19	PASS

HVLT	GSM1800	512	1710.2	7	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	512	1710.2	8	Power	15.51	11	17	PASS
HVLT	GSM1800	512	1710.2	8	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	512	1710.2	9	Power	13.59	8	16	PASS
HVLT	GSM1800	512	1710.2	9	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	512	1710.2	10	Power	11.75	6	14	PASS
HVLT	GSM1800	512	1710.2	10	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	512	1710.2	11	Power	10.06	4	12	PASS
HVLT	GSM1800	512	1710.2	11	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	512	1710.2	12	Power	8.96	2	10	PASS
HVLT	GSM1800	512	1710.2	12	PvT(%)	-0.18	0	0	PASS
HVLT	GSM1800	512	1710.2	13	Power	7.28	0	8	PASS
HVLT	GSM1800	512	1710.2	13	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	512	1710.2	14	Power	5.84	-3	7	PASS
HVLT	GSM1800	512	1710.2	14	PvT(%)	-0.1	0	0	PASS
HVLT	GSM1800	512	1710.2	15	Power	4.3	-5	5	PASS
HVLT	GSM1800	512	1710.2	15	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	698	1747.4	0	Power	31.04	28	32	PASS
HVLT	GSM1800	698	1747.4	0	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	1	Power	29.24	25	31	PASS
HVLT	GSM1800	698	1747.4	1	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	2	Power	27.47	23	29	PASS
HVLT	GSM1800	698	1747.4	2	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	3	Power	25.55	21	27	PASS
HVLT	GSM1800	698	1747.4	3	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	698	1747.4	4	Power	23.57	19	25	PASS
HVLT	GSM1800	698	1747.4	4	PvT(%)	-0.11	0	0	PASS
HVLT	GSM1800	698	1747.4	5	Power	20.84	17	23	PASS
HVLT	GSM1800	698	1747.4	5	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	698	1747.4	6	Power	19.06	15	21	PASS
HVLT	GSM1800	698	1747.4	6	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	698	1747.4	7	Power	17.16	13	19	PASS
HVLT	GSM1800	698	1747.4	7	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	698	1747.4	8	Power	15.48	11	17	PASS
HVLT	GSM1800	698	1747.4	8	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	698	1747.4	9	Power	13.63	8	16	PASS
HVLT	GSM1800	698	1747.4	9	PvT(%)	-0.03	0	0	PASS
HVLT	GSM1800	698	1747.4	10	Power	11.86	6	14	PASS
HVLT	GSM1800	698	1747.4	10	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	698	1747.4	11	Power	9.98	4	12	PASS
HVLT	GSM1800	698	1747.4	11	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	698	1747.4	12	Power	8.92	2	10	PASS
HVLT	GSM1800	698	1747.4	12	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	698	1747.4	13	Power	6.95	0	8	PASS

HVLT	GSM1800	698	1747.4	13	PvT(%)	-0.12	0	0	PASS
HVLT	GSM1800	698	1747.4	14	Power	5.47	-3	7	PASS
HVLT	GSM1800	698	1747.4	14	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	698	1747.4	15	Power	3.89	-5	5	PASS
HVLT	GSM1800	698	1747.4	15	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	885	1784.8	0	Power	30.95	28	32	PASS
HVLT	GSM1800	885	1784.8	0	PvT(%)	-0.15	0	0	PASS
HVLT	GSM1800	885	1784.8	1	Power	29.34	25	31	PASS
HVLT	GSM1800	885	1784.8	1	PvT(%)	-0.07	0	0	PASS
HVLT	GSM1800	885	1784.8	2	Power	27.32	23	29	PASS
HVLT	GSM1800	885	1784.8	2	PvT(%)	-0.02	0	0	PASS
HVLT	GSM1800	885	1784.8	3	Power	25.44	21	27	PASS
HVLT	GSM1800	885	1784.8	3	PvT(%)	-0.08	0	0	PASS
HVLT	GSM1800	885	1784.8	4	Power	23.56	19	25	PASS
HVLT	GSM1800	885	1784.8	4	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	5	Power	20.73	17	23	PASS
HVLT	GSM1800	885	1784.8	5	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	6	Power	19.04	15	21	PASS
HVLT	GSM1800	885	1784.8	6	PvT(%)	-0.04	0	0	PASS
HVLT	GSM1800	885	1784.8	7	Power	17.04	13	19	PASS
HVLT	GSM1800	885	1784.8	7	PvT(%)	-0.09	0	0	PASS
HVLT	GSM1800	885	1784.8	8	Power	15.43	11	17	PASS
HVLT	GSM1800	885	1784.8	8	PvT(%)	-0.2	0	0	PASS
HVLT	GSM1800	885	1784.8	9	Power	13.57	8	16	PASS
HVLT	GSM1800	885	1784.8	9	PvT(%)	-0.13	0	0	PASS
HVLT	GSM1800	885	1784.8	10	Power	11.58	6	14	PASS
HVLT	GSM1800	885	1784.8	10	PvT(%)	-0.01	0	0	PASS
HVLT	GSM1800	885	1784.8	11	Power	9.76	4	12	PASS
HVLT	GSM1800	885	1784.8	11	PvT(%)	-0.19	0	0	PASS
HVLT	GSM1800	885	1784.8	12	Power	8.68	2	10	PASS
HVLT	GSM1800	885	1784.8	12	PvT(%)	-0.17	0	0	PASS
HVLT	GSM1800	885	1784.8	13	Power	6.55	0	8	PASS
HVLT	GSM1800	885	1784.8	13	PvT(%)	-0.06	0	0	PASS
HVLT	GSM1800	885	1784.8	14	Power	5.12	-3	7	PASS
HVLT	GSM1800	885	1784.8	14	PvT(%)	-0.14	0	0	PASS
HVLT	GSM1800	885	1784.8	15	Power	3.22	-5	5	PASS
HVLT	GSM1800	885	1784.8	15	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	512	1710.2	0	Power	31.23	28	32	PASS
LVHT	GSM1800	512	1710.2	0	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	512	1710.2	1	Power	29.6	25	31	PASS
LVHT	GSM1800	512	1710.2	1	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	512	1710.2	2	Power	27.7	23	29	PASS
LVHT	GSM1800	512	1710.2	2	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	512	1710.2	3	Power	25.74	21	27	PASS

LVHT	GSM1800	512	1710.2	3	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	512	1710.2	4	Power	23.77	19	25	PASS
LVHT	GSM1800	512	1710.2	4	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	5	Power	21.1	17	23	PASS
LVHT	GSM1800	512	1710.2	5	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	512	1710.2	6	Power	19.21	15	21	PASS
LVHT	GSM1800	512	1710.2	6	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	7	Power	17.33	13	19	PASS
LVHT	GSM1800	512	1710.2	7	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	8	Power	15.42	11	17	PASS
LVHT	GSM1800	512	1710.2	8	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	512	1710.2	9	Power	13.54	8	16	PASS
LVHT	GSM1800	512	1710.2	9	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	512	1710.2	10	Power	11.82	6	14	PASS
LVHT	GSM1800	512	1710.2	10	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	512	1710.2	11	Power	10.11	4	12	PASS
LVHT	GSM1800	512	1710.2	11	PvT(%)	-0.05	0	0	PASS
LVHT	GSM1800	512	1710.2	12	Power	8.99	2	10	PASS
LVHT	GSM1800	512	1710.2	12	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	512	1710.2	13	Power	7.13	0	8	PASS
LVHT	GSM1800	512	1710.2	13	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	512	1710.2	14	Power	5.79	-3	7	PASS
LVHT	GSM1800	512	1710.2	14	PvT(%)	-0.06	0	0	PASS
LVHT	GSM1800	512	1710.2	15	Power	4.23	-5	5	PASS
LVHT	GSM1800	512	1710.2	15	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	698	1747.4	0	Power	30.96	28	32	PASS
LVHT	GSM1800	698	1747.4	0	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	698	1747.4	1	Power	29.42	25	31	PASS
LVHT	GSM1800	698	1747.4	1	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	2	Power	27.32	23	29	PASS
LVHT	GSM1800	698	1747.4	2	PvT(%)	-0.09	0	0	PASS
LVHT	GSM1800	698	1747.4	3	Power	25.45	21	27	PASS
LVHT	GSM1800	698	1747.4	3	PvT(%)	-0.08	0	0	PASS
LVHT	GSM1800	698	1747.4	4	Power	23.65	19	25	PASS
LVHT	GSM1800	698	1747.4	4	PvT(%)	-0.15	0	0	PASS
LVHT	GSM1800	698	1747.4	5	Power	20.8	17	23	PASS
LVHT	GSM1800	698	1747.4	5	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	698	1747.4	6	Power	19.1	15	21	PASS
LVHT	GSM1800	698	1747.4	6	PvT(%)	-0.04	0	0	PASS
LVHT	GSM1800	698	1747.4	7	Power	17.21	13	19	PASS
LVHT	GSM1800	698	1747.4	7	PvT(%)	-0.03	0	0	PASS
LVHT	GSM1800	698	1747.4	8	Power	15.48	11	17	PASS
LVHT	GSM1800	698	1747.4	8	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	698	1747.4	9	Power	13.73	8	16	PASS



LVHT	GSM1800	698	1747.4	9	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	698	1747.4	10	Power	11.81	6	14	PASS
LVHT	GSM1800	698	1747.4	10	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	698	1747.4	11	Power	9.88	4	12	PASS
LVHT	GSM1800	698	1747.4	11	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	698	1747.4	12	Power	8.86	2	10	PASS
LVHT	GSM1800	698	1747.4	12	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	698	1747.4	13	Power	6.95	0	8	PASS
LVHT	GSM1800	698	1747.4	13	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	698	1747.4	14	Power	5.56	-3	7	PASS
LVHT	GSM1800	698	1747.4	14	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	698	1747.4	15	Power	3.75	-5	5	PASS
LVHT	GSM1800	698	1747.4	15	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	0	Power	30.97	28	32	PASS
LVHT	GSM1800	885	1784.8	0	PvT(%)	-0.1	0	0	PASS
LVHT	GSM1800	885	1784.8	1	Power	29.29	25	31	PASS
LVHT	GSM1800	885	1784.8	1	PvT(%)	-0.2	0	0	PASS
LVHT	GSM1800	885	1784.8	2	Power	27.47	23	29	PASS
LVHT	GSM1800	885	1784.8	2	PvT(%)	-0.16	0	0	PASS
LVHT	GSM1800	885	1784.8	3	Power	25.51	21	27	PASS
LVHT	GSM1800	885	1784.8	3	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	4	Power	23.56	19	25	PASS
LVHT	GSM1800	885	1784.8	4	PvT(%)	-0.12	0	0	PASS
LVHT	GSM1800	885	1784.8	5	Power	20.89	17	23	PASS
LVHT	GSM1800	885	1784.8	5	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	885	1784.8	6	Power	19.02	15	21	PASS
LVHT	GSM1800	885	1784.8	6	PvT(%)	-0.07	0	0	PASS
LVHT	GSM1800	885	1784.8	7	Power	17.19	13	19	PASS
LVHT	GSM1800	885	1784.8	7	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	8	Power	15.24	11	17	PASS
LVHT	GSM1800	885	1784.8	8	PvT(%)	-0.14	0	0	PASS
LVHT	GSM1800	885	1784.8	9	Power	13.63	8	16	PASS
LVHT	GSM1800	885	1784.8	9	PvT(%)	-0.02	0	0	PASS
LVHT	GSM1800	885	1784.8	10	Power	11.73	6	14	PASS
LVHT	GSM1800	885	1784.8	10	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	885	1784.8	11	Power	9.72	4	12	PASS
LVHT	GSM1800	885	1784.8	11	PvT(%)	-0.18	0	0	PASS
LVHT	GSM1800	885	1784.8	12	Power	8.56	2	10	PASS
LVHT	GSM1800	885	1784.8	12	PvT(%)	-0.11	0	0	PASS
LVHT	GSM1800	885	1784.8	13	Power	6.57	0	8	PASS
LVHT	GSM1800	885	1784.8	13	PvT(%)	-0.13	0	0	PASS
LVHT	GSM1800	885	1784.8	14	Power	4.97	-3	7	PASS
LVHT	GSM1800	885	1784.8	14	PvT(%)	-0.01	0	0	PASS
LVHT	GSM1800	885	1784.8	15	Power	3.32	-5	5	PASS

LVHT	GSM1800	885	1784.8	15	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	512	1710.2	0	Power	31.21	28	32	PASS
LVLT	GSM1800	512	1710.2	0	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	512	1710.2	1	Power	29.51	25	31	PASS
LVLT	GSM1800	512	1710.2	1	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	512	1710.2	2	Power	27.57	23	29	PASS
LVLT	GSM1800	512	1710.2	2	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	512	1710.2	3	Power	25.66	21	27	PASS
LVLT	GSM1800	512	1710.2	3	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1800	512	1710.2	4	Power	23.88	19	25	PASS
LVLT	GSM1800	512	1710.2	4	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	512	1710.2	5	Power	21.15	17	23	PASS
LVLT	GSM1800	512	1710.2	5	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1800	512	1710.2	6	Power	19.28	15	21	PASS
LVLT	GSM1800	512	1710.2	6	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	512	1710.2	7	Power	17.27	13	19	PASS
LVLT	GSM1800	512	1710.2	7	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	512	1710.2	8	Power	15.43	11	17	PASS
LVLT	GSM1800	512	1710.2	8	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	512	1710.2	9	Power	13.62	8	16	PASS
LVLT	GSM1800	512	1710.2	9	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	512	1710.2	10	Power	11.93	6	14	PASS
LVLT	GSM1800	512	1710.2	10	PvT(%)	-0.2	0	0	PASS
LVLT	GSM1800	512	1710.2	11	Power	9.98	4	12	PASS
LVLT	GSM1800	512	1710.2	11	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	512	1710.2	12	Power	9.11	2	10	PASS
LVLT	GSM1800	512	1710.2	12	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	512	1710.2	13	Power	7.15	0	8	PASS
LVLT	GSM1800	512	1710.2	13	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	512	1710.2	14	Power	5.79	-3	7	PASS
LVLT	GSM1800	512	1710.2	14	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	512	1710.2	15	Power	4.2	-5	5	PASS
LVLT	GSM1800	512	1710.2	15	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	0	Power	31.08	28	32	PASS
LVLT	GSM1800	698	1747.4	0	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1800	698	1747.4	1	Power	29.41	25	31	PASS
LVLT	GSM1800	698	1747.4	1	PvT(%)	-0.04	0	0	PASS
LVLT	GSM1800	698	1747.4	2	Power	27.33	23	29	PASS
LVLT	GSM1800	698	1747.4	2	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	698	1747.4	3	Power	25.42	21	27	PASS
LVLT	GSM1800	698	1747.4	3	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	698	1747.4	4	Power	23.67	19	25	PASS
LVLT	GSM1800	698	1747.4	4	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	698	1747.4	5	Power	20.87	17	23	PASS

LVLT	GSM1800	698	1747.4	5	PvT(%)	-0.07	0	0	PASS
LVLT	GSM1800	698	1747.4	6	Power	18.92	15	21	PASS
LVLT	GSM1800	698	1747.4	6	PvT(%)	-0.05	0	0	PASS
LVLT	GSM1800	698	1747.4	7	Power	17.3	13	19	PASS
LVLT	GSM1800	698	1747.4	7	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	698	1747.4	8	Power	15.39	11	17	PASS
LVLT	GSM1800	698	1747.4	8	PvT(%)	-0.18	0	0	PASS
LVLT	GSM1800	698	1747.4	9	Power	13.73	8	16	PASS
LVLT	GSM1800	698	1747.4	9	PvT(%)	-0.02	0	0	PASS
LVLT	GSM1800	698	1747.4	10	Power	11.74	6	14	PASS
LVLT	GSM1800	698	1747.4	10	PvT(%)	-0.19	0	0	PASS
LVLT	GSM1800	698	1747.4	11	Power	9.87	4	12	PASS
LVLT	GSM1800	698	1747.4	11	PvT(%)	-0.15	0	0	PASS
LVLT	GSM1800	698	1747.4	12	Power	8.95	2	10	PASS
LVLT	GSM1800	698	1747.4	12	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	698	1747.4	13	Power	6.98	0	8	PASS
LVLT	GSM1800	698	1747.4	13	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	698	1747.4	14	Power	5.41	-3	7	PASS
LVLT	GSM1800	698	1747.4	14	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	698	1747.4	15	Power	3.75	-5	5	PASS
LVLT	GSM1800	698	1747.4	15	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	0	Power	30.96	28	32	PASS
LVLT	GSM1800	885	1784.8	0	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	885	1784.8	1	Power	29.25	25	31	PASS
LVLT	GSM1800	885	1784.8	1	PvT(%)	-0.03	0	0	PASS
LVLT	GSM1800	885	1784.8	2	Power	27.36	23	29	PASS
LVLT	GSM1800	885	1784.8	2	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	3	Power	25.36	21	27	PASS
LVLT	GSM1800	885	1784.8	3	PvT(%)	-0.17	0	0	PASS
LVLT	GSM1800	885	1784.8	4	Power	23.58	19	25	PASS
LVLT	GSM1800	885	1784.8	4	PvT(%)	-0.06	0	0	PASS
LVLT	GSM1800	885	1784.8	5	Power	20.85	17	23	PASS
LVLT	GSM1800	885	1784.8	5	PvT(%)	-0.14	0	0	PASS
LVLT	GSM1800	885	1784.8	6	Power	18.97	15	21	PASS
LVLT	GSM1800	885	1784.8	6	PvT(%)	-0.1	0	0	PASS
LVLT	GSM1800	885	1784.8	7	Power	17.08	13	19	PASS
LVLT	GSM1800	885	1784.8	7	PvT(%)	-0.01	0	0	PASS
LVLT	GSM1800	885	1784.8	8	Power	15.35	11	17	PASS
LVLT	GSM1800	885	1784.8	8	PvT(%)	-0.13	0	0	PASS
LVLT	GSM1800	885	1784.8	9	Power	13.6	8	16	PASS
LVLT	GSM1800	885	1784.8	9	PvT(%)	-0.16	0	0	PASS
LVLT	GSM1800	885	1784.8	10	Power	11.75	6	14	PASS
LVLT	GSM1800	885	1784.8	10	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	885	1784.8	11	Power	9.67	4	12	PASS

LVLT	GSM1800	885	1784.8	11	PvT(%)	-0.08	0	0	PASS
LVLT	GSM1800	885	1784.8	12	Power	8.69	2	10	PASS
LVLT	GSM1800	885	1784.8	12	PvT(%)	-0.09	0	0	PASS
LVLT	GSM1800	885	1784.8	13	Power	6.53	0	8	PASS
LVLT	GSM1800	885	1784.8	13	PvT(%)	-0.12	0	0	PASS
LVLT	GSM1800	885	1784.8	14	Power	5.09	-3	7	PASS
LVLT	GSM1800	885	1784.8	14	PvT(%)	-0.11	0	0	PASS
LVLT	GSM1800	885	1784.8	15	Power	3.27	-5	5	PASS
LVLT	GSM1800	885	1784.8	15	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	5	Power	33.76	31	35	PASS
HVHT	GSM900	975	880.2	5	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	975	880.2	6	Power	32.21	28	34	PASS
HVHT	GSM900	975	880.2	6	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	975	880.2	7	Power	30.32	26	32	PASS
HVHT	GSM900	975	880.2	7	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	8	Power	28.35	24	30	PASS
HVHT	GSM900	975	880.2	8	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	975	880.2	9	Power	26.33	22	28	PASS
HVHT	GSM900	975	880.2	9	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	975	880.2	10	Power	24.27	20	26	PASS
HVHT	GSM900	975	880.2	10	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	975	880.2	11	Power	22.52	18	24	PASS
HVHT	GSM900	975	880.2	11	PvT(%)	-0.04	0	0	PASS
HVHT	GSM900	975	880.2	12	Power	20.41	16	22	PASS
HVHT	GSM900	975	880.2	12	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	975	880.2	13	Power	18.5	14	20	PASS
HVHT	GSM900	975	880.2	13	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	975	880.2	14	Power	16.66	12	18	PASS
HVHT	GSM900	975	880.2	14	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	975	880.2	15	Power	14.85	10	16	PASS
HVHT	GSM900	975	880.2	15	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	975	880.2	16	Power	12.9	6	16	PASS
HVHT	GSM900	975	880.2	16	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	975	880.2	17	Power	11.01	4	14	PASS
HVHT	GSM900	975	880.2	17	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	975	880.2	18	Power	9.31	2	12	PASS
HVHT	GSM900	975	880.2	18	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	975	880.2	19	Power	7.63	0	10	PASS
HVHT	GSM900	975	880.2	19	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	38	897.6	5	Power	33.71	31	35	PASS
HVHT	GSM900	38	897.6	5	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	38	897.6	6	Power	32.11	28	34	PASS
HVHT	GSM900	38	897.6	6	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	38	897.6	7	Power	30.11	26	32	PASS

HVHT	GSM900	38	897.6	7	PvT(%)	-0.05	0	0	PASS
HVHT	GSM900	38	897.6	8	Power	28.24	24	30	PASS
HVHT	GSM900	38	897.6	8	PvT(%)	-0.17	0	0	PASS
HVHT	GSM900	38	897.6	9	Power	26.25	22	28	PASS
HVHT	GSM900	38	897.6	9	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	38	897.6	10	Power	24.24	20	26	PASS
HVHT	GSM900	38	897.6	10	PvT(%)	-0.15	0	0	PASS
HVHT	GSM900	38	897.6	11	Power	22.43	18	24	PASS
HVHT	GSM900	38	897.6	11	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	12	Power	20.35	16	22	PASS
HVHT	GSM900	38	897.6	12	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	38	897.6	13	Power	18.5	14	20	PASS
HVHT	GSM900	38	897.6	13	PvT(%)	-0.1	0	0	PASS
HVHT	GSM900	38	897.6	14	Power	16.65	12	18	PASS
HVHT	GSM900	38	897.6	14	PvT(%)	-0.2	0	0	PASS
HVHT	GSM900	38	897.6	15	Power	14.62	10	16	PASS
HVHT	GSM900	38	897.6	15	PvT(%)	-0.03	0	0	PASS
HVHT	GSM900	38	897.6	16	Power	12.77	6	16	PASS
HVHT	GSM900	38	897.6	16	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	38	897.6	17	Power	10.93	4	14	PASS
HVHT	GSM900	38	897.6	17	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	38	897.6	18	Power	9.01	2	12	PASS
HVHT	GSM900	38	897.6	18	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	38	897.6	19	Power	7.32	0	10	PASS
HVHT	GSM900	38	897.6	19	PvT(%)	-0.01	0	0	PASS
HVHT	GSM900	124	914.8	5	Power	33.56	31	35	PASS
HVHT	GSM900	124	914.8	5	PvT(%)	-0.09	0	0	PASS
HVHT	GSM900	124	914.8	6	Power	32.06	28	34	PASS
HVHT	GSM900	124	914.8	6	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	124	914.8	7	Power	30.11	26	32	PASS
HVHT	GSM900	124	914.8	7	PvT(%)	-0.16	0	0	PASS
HVHT	GSM900	124	914.8	8	Power	28.1	24	30	PASS
HVHT	GSM900	124	914.8	8	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	124	914.8	9	Power	26.21	22	28	PASS
HVHT	GSM900	124	914.8	9	PvT(%)	-0.07	0	0	PASS
HVHT	GSM900	124	914.8	10	Power	24.37	20	26	PASS
HVHT	GSM900	124	914.8	10	PvT(%)	-0.18	0	0	PASS
HVHT	GSM900	124	914.8	11	Power	22.37	18	24	PASS
HVHT	GSM900	124	914.8	11	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	124	914.8	12	Power	20.47	16	22	PASS
HVHT	GSM900	124	914.8	12	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	13	Power	18.54	14	20	PASS
HVHT	GSM900	124	914.8	13	PvT(%)	-0.06	0	0	PASS
HVHT	GSM900	124	914.8	14	Power	16.67	12	18	PASS

HVHT	GSM900	124	914.8	14	PvT(%)	-0.14	0	0	PASS
HVHT	GSM900	124	914.8	15	Power	14.67	10	16	PASS
HVHT	GSM900	124	914.8	15	PvT(%)	-0.13	0	0	PASS
HVHT	GSM900	124	914.8	16	Power	12.72	6	16	PASS
HVHT	GSM900	124	914.8	16	PvT(%)	-0.02	0	0	PASS
HVHT	GSM900	124	914.8	17	Power	10.95	4	14	PASS
HVHT	GSM900	124	914.8	17	PvT(%)	-0.19	0	0	PASS
HVHT	GSM900	124	914.8	18	Power	8.96	2	12	PASS
HVHT	GSM900	124	914.8	18	PvT(%)	-0.11	0	0	PASS
HVHT	GSM900	124	914.8	19	Power	7.19	0	10	PASS
HVHT	GSM900	124	914.8	19	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	975	880.2	5	Power	33.79	31	35	PASS
HVLT	GSM900	975	880.2	5	PvT(%)	-0.04	0	0	PASS
HVLT	GSM900	975	880.2	6	Power	32.16	28	34	PASS
HVLT	GSM900	975	880.2	6	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	975	880.2	7	Power	30.21	26	32	PASS
HVLT	GSM900	975	880.2	7	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	975	880.2	8	Power	28.31	24	30	PASS
HVLT	GSM900	975	880.2	8	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	975	880.2	9	Power	26.37	22	28	PASS
HVLT	GSM900	975	880.2	9	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	975	880.2	10	Power	24.35	20	26	PASS
HVLT	GSM900	975	880.2	10	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	975	880.2	11	Power	22.5	18	24	PASS
HVLT	GSM900	975	880.2	11	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	975	880.2	12	Power	20.36	16	22	PASS
HVLT	GSM900	975	880.2	12	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	975	880.2	13	Power	18.52	14	20	PASS
HVLT	GSM900	975	880.2	13	PvT(%)	-0.06	0	0	PASS
HVLT	GSM900	975	880.2	14	Power	16.62	12	18	PASS
HVLT	GSM900	975	880.2	14	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	975	880.2	15	Power	14.8	10	16	PASS
HVLT	GSM900	975	880.2	15	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	975	880.2	16	Power	12.93	6	16	PASS
HVLT	GSM900	975	880.2	16	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	975	880.2	17	Power	11.05	4	14	PASS
HVLT	GSM900	975	880.2	17	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	975	880.2	18	Power	9.27	2	12	PASS
HVLT	GSM900	975	880.2	18	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	975	880.2	19	Power	7.6	0	10	PASS
HVLT	GSM900	975	880.2	19	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	38	897.6	5	Power	33.61	31	35	PASS
HVLT	GSM900	38	897.6	5	PvT(%)	-0.07	0	0	PASS
HVLT	GSM900	38	897.6	6	Power	32.13	28	34	PASS

HVLT	GSM900	38	897.6	6	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	38	897.6	7	Power	30.15	26	32	PASS
HVLT	GSM900	38	897.6	7	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	38	897.6	8	Power	28.21	24	30	PASS
HVLT	GSM900	38	897.6	8	PvT(%)	-0.17	0	0	PASS
HVLT	GSM900	38	897.6	9	Power	26.19	22	28	PASS
HVLT	GSM900	38	897.6	9	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	10	Power	24.34	20	26	PASS
HVLT	GSM900	38	897.6	10	PvT(%)	-0.12	0	0	PASS
HVLT	GSM900	38	897.6	11	Power	22.49	18	24	PASS
HVLT	GSM900	38	897.6	11	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	38	897.6	12	Power	20.41	16	22	PASS
HVLT	GSM900	38	897.6	12	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	38	897.6	13	Power	18.52	14	20	PASS
HVLT	GSM900	38	897.6	13	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	38	897.6	14	Power	16.82	12	18	PASS
HVLT	GSM900	38	897.6	14	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	38	897.6	15	Power	14.63	10	16	PASS
HVLT	GSM900	38	897.6	15	PvT(%)	-0.11	0	0	PASS
HVLT	GSM900	38	897.6	16	Power	12.84	6	16	PASS
HVLT	GSM900	38	897.6	16	PvT(%)	-0.03	0	0	PASS
HVLT	GSM900	38	897.6	17	Power	10.94	4	14	PASS
HVLT	GSM900	38	897.6	17	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	38	897.6	18	Power	8.94	2	12	PASS
HVLT	GSM900	38	897.6	18	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	38	897.6	19	Power	7.28	0	10	PASS
HVLT	GSM900	38	897.6	19	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	124	914.8	5	Power	33.6	31	35	PASS
HVLT	GSM900	124	914.8	5	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	124	914.8	6	Power	32.11	28	34	PASS
HVLT	GSM900	124	914.8	6	PvT(%)	-0.1	0	0	PASS
HVLT	GSM900	124	914.8	7	Power	30.12	26	32	PASS
HVLT	GSM900	124	914.8	7	PvT(%)	-0.02	0	0	PASS
HVLT	GSM900	124	914.8	8	Power	28.2	24	30	PASS
HVLT	GSM900	124	914.8	8	PvT(%)	-0.13	0	0	PASS
HVLT	GSM900	124	914.8	9	Power	26.27	22	28	PASS
HVLT	GSM900	124	914.8	9	PvT(%)	-0.18	0	0	PASS
HVLT	GSM900	124	914.8	10	Power	24.38	20	26	PASS
HVLT	GSM900	124	914.8	10	PvT(%)	-0.16	0	0	PASS
HVLT	GSM900	124	914.8	11	Power	22.36	18	24	PASS
HVLT	GSM900	124	914.8	11	PvT(%)	-0.08	0	0	PASS
HVLT	GSM900	124	914.8	12	Power	20.47	16	22	PASS
HVLT	GSM900	124	914.8	12	PvT(%)	-0.01	0	0	PASS
HVLT	GSM900	124	914.8	13	Power	18.59	14	20	PASS



HVLT	GSM900	124	914.8	13	PvT(%)	-0.15	0	0	PASS
HVLT	GSM900	124	914.8	14	Power	16.63	12	18	PASS
HVLT	GSM900	124	914.8	14	PvT(%)	-0.14	0	0	PASS
HVLT	GSM900	124	914.8	15	Power	14.64	10	16	PASS
HVLT	GSM900	124	914.8	15	PvT(%)	-0.19	0	0	PASS
HVLT	GSM900	124	914.8	16	Power	12.78	6	16	PASS
HVLT	GSM900	124	914.8	16	PvT(%)	-0.09	0	0	PASS
HVLT	GSM900	124	914.8	17	Power	10.9	4	14	PASS
HVLT	GSM900	124	914.8	17	PvT(%)	-0.2	0	0	PASS
HVLT	GSM900	124	914.8	18	Power	9.02	2	12	PASS
HVLT	GSM900	124	914.8	18	PvT(%)	-0.05	0	0	PASS
HVLT	GSM900	124	914.8	19	Power	7.23	0	10	PASS
HVLT	GSM900	124	914.8	19	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	5	Power	33.68	31	35	PASS
LVHT	GSM900	975	880.2	5	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	975	880.2	6	Power	32.27	28	34	PASS
LVHT	GSM900	975	880.2	6	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	975	880.2	7	Power	30.36	26	32	PASS
LVHT	GSM900	975	880.2	7	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	8	Power	28.27	24	30	PASS
LVHT	GSM900	975	880.2	8	PvT(%)	-0.1	0	0	PASS
LVHT	GSM900	975	880.2	9	Power	26.24	22	28	PASS
LVHT	GSM900	975	880.2	9	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	10	Power	24.32	20	26	PASS
LVHT	GSM900	975	880.2	10	PvT(%)	-0.02	0	0	PASS
LVHT	GSM900	975	880.2	11	Power	22.38	18	24	PASS
LVHT	GSM900	975	880.2	11	PvT(%)	-0.16	0	0	PASS
LVHT	GSM900	975	880.2	12	Power	20.46	16	22	PASS
LVHT	GSM900	975	880.2	12	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	975	880.2	13	Power	18.54	14	20	PASS
LVHT	GSM900	975	880.2	13	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	975	880.2	14	Power	16.73	12	18	PASS
LVHT	GSM900	975	880.2	14	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	975	880.2	15	Power	14.77	10	16	PASS
LVHT	GSM900	975	880.2	15	PvT(%)	-0.03	0	0	PASS
LVHT	GSM900	975	880.2	16	Power	12.87	6	16	PASS
LVHT	GSM900	975	880.2	16	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	975	880.2	17	Power	11.04	4	14	PASS
LVHT	GSM900	975	880.2	17	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	975	880.2	18	Power	9.25	2	12	PASS
LVHT	GSM900	975	880.2	18	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	975	880.2	19	Power	7.47	0	10	PASS
LVHT	GSM900	975	880.2	19	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	38	897.6	5	Power	33.67	31	35	PASS

LVHT	GSM900	38	897.6	5	PvT(%)	-0.06	0	0	PASS
LVHT	GSM900	38	897.6	6	Power	32.07	28	34	PASS
LVHT	GSM900	38	897.6	6	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	38	897.6	7	Power	30.13	26	32	PASS
LVHT	GSM900	38	897.6	7	PvT(%)	-0.17	0	0	PASS
LVHT	GSM900	38	897.6	8	Power	28.21	24	30	PASS
LVHT	GSM900	38	897.6	8	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	38	897.6	9	Power	26.19	22	28	PASS
LVHT	GSM900	38	897.6	9	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	38	897.6	10	Power	24.22	20	26	PASS
LVHT	GSM900	38	897.6	10	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	38	897.6	11	Power	22.49	18	24	PASS
LVHT	GSM900	38	897.6	11	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	38	897.6	12	Power	20.47	16	22	PASS
LVHT	GSM900	38	897.6	12	PvT(%)	-0.17	0	0	PASS
LVHT	GSM900	38	897.6	13	Power	18.5	14	20	PASS
LVHT	GSM900	38	897.6	13	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	38	897.6	14	Power	16.78	12	18	PASS
LVHT	GSM900	38	897.6	14	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	38	897.6	15	Power	14.51	10	16	PASS
LVHT	GSM900	38	897.6	15	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	38	897.6	16	Power	12.8	6	16	PASS
LVHT	GSM900	38	897.6	16	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	17	Power	10.9	4	14	PASS
LVHT	GSM900	38	897.6	17	PvT(%)	-0.13	0	0	PASS
LVHT	GSM900	38	897.6	18	Power	8.94	2	12	PASS
LVHT	GSM900	38	897.6	18	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	38	897.6	19	Power	7.25	0	10	PASS
LVHT	GSM900	38	897.6	19	PvT(%)	-0.09	0	0	PASS
LVHT	GSM900	124	914.8	5	Power	33.58	31	35	PASS
LVHT	GSM900	124	914.8	5	PvT(%)	-0.08	0	0	PASS
LVHT	GSM900	124	914.8	6	Power	32.05	28	34	PASS
LVHT	GSM900	124	914.8	6	PvT(%)	-0.12	0	0	PASS
LVHT	GSM900	124	914.8	7	Power	30.12	26	32	PASS
LVHT	GSM900	124	914.8	7	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	124	914.8	8	Power	28.16	24	30	PASS
LVHT	GSM900	124	914.8	8	PvT(%)	-0.07	0	0	PASS
LVHT	GSM900	124	914.8	9	Power	26.27	22	28	PASS
LVHT	GSM900	124	914.8	9	PvT(%)	-0.11	0	0	PASS
LVHT	GSM900	124	914.8	10	Power	24.39	20	26	PASS
LVHT	GSM900	124	914.8	10	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	11	Power	22.36	18	24	PASS
LVHT	GSM900	124	914.8	11	PvT(%)	-0.04	0	0	PASS
LVHT	GSM900	124	914.8	12	Power	20.41	16	22	PASS

LVHT	GSM900	124	914.8	12	PvT(%)	-0.14	0	0	PASS
LVHT	GSM900	124	914.8	13	Power	18.66	14	20	PASS
LVHT	GSM900	124	914.8	13	PvT(%)	-0.05	0	0	PASS
LVHT	GSM900	124	914.8	14	Power	16.65	12	18	PASS
LVHT	GSM900	124	914.8	14	PvT(%)	-0.01	0	0	PASS
LVHT	GSM900	124	914.8	15	Power	14.6	10	16	PASS
LVHT	GSM900	124	914.8	15	PvT(%)	-0.2	0	0	PASS
LVHT	GSM900	124	914.8	16	Power	12.9	6	16	PASS
LVHT	GSM900	124	914.8	16	PvT(%)	-0.18	0	0	PASS
LVHT	GSM900	124	914.8	17	Power	10.91	4	14	PASS
LVHT	GSM900	124	914.8	17	PvT(%)	-0.17	0	0	PASS
LVHT	GSM900	124	914.8	18	Power	8.88	2	12	PASS
LVHT	GSM900	124	914.8	18	PvT(%)	-0.02	0	0	PASS
LVHT	GSM900	124	914.8	19	Power	7.08	0	10	PASS
LVHT	GSM900	124	914.8	19	PvT(%)	-0.18	0	0	PASS
LVLТ	GSM900	975	880.2	5	Power	33.7	31	35	PASS
LVLТ	GSM900	975	880.2	5	PvT(%)	-0.02	0	0	PASS
LVLТ	GSM900	975	880.2	6	Power	32.21	28	34	PASS
LVLТ	GSM900	975	880.2	6	PvT(%)	-0.07	0	0	PASS
LVLТ	GSM900	975	880.2	7	Power	30.23	26	32	PASS
LVLТ	GSM900	975	880.2	7	PvT(%)	-0.06	0	0	PASS
LVLТ	GSM900	975	880.2	8	Power	28.24	24	30	PASS
LVLТ	GSM900	975	880.2	8	PvT(%)	-0.01	0	0	PASS
LVLТ	GSM900	975	880.2	9	Power	26.36	22	28	PASS
LVLТ	GSM900	975	880.2	9	PvT(%)	-0.14	0	0	PASS
LVLТ	GSM900	975	880.2	10	Power	24.41	20	26	PASS
LVLТ	GSM900	975	880.2	10	PvT(%)	-0.12	0	0	PASS
LVLТ	GSM900	975	880.2	11	Power	22.45	18	24	PASS
LVLТ	GSM900	975	880.2	11	PvT(%)	-0.02	0	0	PASS
LVLТ	GSM900	975	880.2	12	Power	20.34	16	22	PASS
LVLТ	GSM900	975	880.2	12	PvT(%)	-0.13	0	0	PASS
LVLТ	GSM900	975	880.2	13	Power	18.47	14	20	PASS
LVLТ	GSM900	975	880.2	13	PvT(%)	-0.09	0	0	PASS
LVLТ	GSM900	975	880.2	14	Power	16.62	12	18	PASS
LVLТ	GSM900	975	880.2	14	PvT(%)	-0.19	0	0	PASS
LVLТ	GSM900	975	880.2	15	Power	14.72	10	16	PASS
LVLТ	GSM900	975	880.2	15	PvT(%)	-0.08	0	0	PASS
LVLТ	GSM900	975	880.2	16	Power	13	6	16	PASS
LVLТ	GSM900	975	880.2	16	PvT(%)	-0.13	0	0	PASS
LVLТ	GSM900	975	880.2	17	Power	11.12	4	14	PASS
LVLТ	GSM900	975	880.2	17	PvT(%)	-0.19	0	0	PASS
LVLТ	GSM900	975	880.2	18	Power	9.32	2	12	PASS
LVLТ	GSM900	975	880.2	18	PvT(%)	-0.05	0	0	PASS
LVLТ	GSM900	975	880.2	19	Power	7.61	0	10	PASS

LVLT	GSM900	975	880.2	19	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	38	897.6	5	Power	33.67	31	35	PASS
LVLT	GSM900	38	897.6	5	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	38	897.6	6	Power	32.08	28	34	PASS
LVLT	GSM900	38	897.6	6	PvT(%)	-0.09	0	0	PASS
LVLT	GSM900	38	897.6	7	Power	30.13	26	32	PASS
LVLT	GSM900	38	897.6	7	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	38	897.6	8	Power	28.21	24	30	PASS
LVLT	GSM900	38	897.6	8	PvT(%)	-0.03	0	0	PASS
LVLT	GSM900	38	897.6	9	Power	26.08	22	28	PASS
LVLT	GSM900	38	897.6	9	PvT(%)	-0.07	0	0	PASS
LVLT	GSM900	38	897.6	10	Power	24.34	20	26	PASS
LVLT	GSM900	38	897.6	10	PvT(%)	-0.11	0	0	PASS
LVLT	GSM900	38	897.6	11	Power	22.33	18	24	PASS
LVLT	GSM900	38	897.6	11	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	38	897.6	12	Power	20.43	16	22	PASS
LVLT	GSM900	38	897.6	12	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	38	897.6	13	Power	18.68	14	20	PASS
LVLT	GSM900	38	897.6	13	PvT(%)	-0.08	0	0	PASS
LVLT	GSM900	38	897.6	14	Power	16.82	12	18	PASS
LVLT	GSM900	38	897.6	14	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	38	897.6	15	Power	14.63	10	16	PASS
LVLT	GSM900	38	897.6	15	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	38	897.6	16	Power	12.76	6	16	PASS
LVLT	GSM900	38	897.6	16	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	38	897.6	17	Power	10.97	4	14	PASS
LVLT	GSM900	38	897.6	17	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	38	897.6	18	Power	8.88	2	12	PASS
LVLT	GSM900	38	897.6	18	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	38	897.6	19	Power	7.15	0	10	PASS
LVLT	GSM900	38	897.6	19	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	124	914.8	5	Power	33.58	31	35	PASS
LVLT	GSM900	124	914.8	5	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	124	914.8	6	Power	31.99	28	34	PASS
LVLT	GSM900	124	914.8	6	PvT(%)	-0.09	0	0	PASS
LVLT	GSM900	124	914.8	7	Power	30.11	26	32	PASS
LVLT	GSM900	124	914.8	7	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	8	Power	28.05	24	30	PASS
LVLT	GSM900	124	914.8	8	PvT(%)	-0.19	0	0	PASS
LVLT	GSM900	124	914.8	9	Power	26.21	22	28	PASS
LVLT	GSM900	124	914.8	9	PvT(%)	-0.05	0	0	PASS
LVLT	GSM900	124	914.8	10	Power	24.37	20	26	PASS
LVLT	GSM900	124	914.8	10	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	124	914.8	11	Power	22.43	18	24	PASS

LVLT	GSM900	124	914.8	11	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	124	914.8	12	Power	20.44	16	22	PASS
LVLT	GSM900	124	914.8	12	PvT(%)	-0.1	0	0	PASS
LVLT	GSM900	124	914.8	13	Power	18.57	14	20	PASS
LVLT	GSM900	124	914.8	13	PvT(%)	-0.17	0	0	PASS
LVLT	GSM900	124	914.8	14	Power	16.76	12	18	PASS
LVLT	GSM900	124	914.8	14	PvT(%)	-0.18	0	0	PASS
LVLT	GSM900	124	914.8	15	Power	14.55	10	16	PASS
LVLT	GSM900	124	914.8	15	PvT(%)	-0.14	0	0	PASS
LVLT	GSM900	124	914.8	16	Power	12.87	6	16	PASS
LVLT	GSM900	124	914.8	16	PvT(%)	-0.12	0	0	PASS
LVLT	GSM900	124	914.8	17	Power	10.88	4	14	PASS
LVLT	GSM900	124	914.8	17	PvT(%)	-0.06	0	0	PASS
LVLT	GSM900	124	914.8	18	Power	8.91	2	12	PASS
LVLT	GSM900	124	914.8	18	PvT(%)	-0.15	0	0	PASS
LVLT	GSM900	124	914.8	19	Power	7.21	0	10	PASS
LVLT	GSM900	124	914.8	19	PvT(%)	-0.05	0	0	PASS

**Clause 4.2.6 Transmitter-Modulation Spectrum**

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Relative Result (dB)	Relative Limit (dB)	Absolute Result (dBm)	Absolute Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	-1800	-79.74	-60	-57.09	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1600	-78.85	-60	-56.23	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1400	-77.82	-60	-55.02	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-77.07	-60	-54.38	-55	PASS
HVHT	GSM1800	512	1710.2	0	-1000	-76.4	-60	-53.64	-55	PASS
HVHT	GSM1800	512	1710.2	0	-800	-74.3	-60	-51.57	-55	PASS
HVHT	GSM1800	512	1710.2	0	-600	-71.66	-60	-48.89	-55	PASS
HVHT	GSM1800	512	1710.2	0	-400	-66.12	-60	-43.28	-36	PASS
HVHT	GSM1800	512	1710.2	0	-250	-41.01	-33	-18.34	-36	PASS
HVHT	GSM1800	512	1710.2	0	-200	-36.19	-30	-13.47	-36	PASS
HVHT	GSM1800	512	1710.2	0	-100	-8.03	0.5	14.59	-36	PASS
HVHT	GSM1800	512	1710.2	0	100	-7.37	0.5	15.22	-36	PASS
HVHT	GSM1800	512	1710.2	0	200	-36.5	-30	-13.86	-36	PASS
HVHT	GSM1800	512	1710.2	0	250	-40.57	-33	-17.96	-36	PASS
HVHT	GSM1800	512	1710.2	0	400	-66.28	-60	-43.71	-36	PASS
HVHT	GSM1800	512	1710.2	0	600	-72.14	-60	-49.48	-55	PASS
HVHT	GSM1800	512	1710.2	0	800	-74.95	-60	-52.22	-55	PASS
HVHT	GSM1800	512	1710.2	0	1000	-76.04	-60	-53.41	-55	PASS
HVHT	GSM1800	512	1710.2	0	1200	-76.95	-60	-54.2	-55	PASS
HVHT	GSM1800	512	1710.2	0	1400	-77.85	-60	-55.26	-55	PASS
HVHT	GSM1800	512	1710.2	0	1600	-79.51	-60	-56.71	-55	PASS
HVHT	GSM1800	512	1710.2	0	1800	-79.64	-60	-56.89	-55	PASS

HVHT	GSM1800	512	1710.2	15	-1800	-74.47	-60	-81.11	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1600	-73.85	-60	-80.59	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1400	-73.45	-60	-80.28	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-72.51	-60	-79.3	-55	PASS
HVHT	GSM1800	512	1710.2	15	-1000	-70.41	-60	-77.14	-55	PASS
HVHT	GSM1800	512	1710.2	15	-800	-68.95	-60	-75.75	-55	PASS
HVHT	GSM1800	512	1710.2	15	-600	-67.01	-60	-73.71	-55	PASS
HVHT	GSM1800	512	1710.2	15	-400	-62.74	-60	-69.33	-36	PASS
HVHT	GSM1800	512	1710.2	15	-250	-40.7	-33	-47.25	-36	PASS
HVHT	GSM1800	512	1710.2	15	-200	-35.65	-30	-42.23	-36	PASS
HVHT	GSM1800	512	1710.2	15	-100	-7.48	0.5	-14.29	-36	PASS
HVHT	GSM1800	512	1710.2	15	100	-7.17	0.5	-13.84	-36	PASS
HVHT	GSM1800	512	1710.2	15	200	-35.54	-30	-42.07	-36	PASS
HVHT	GSM1800	512	1710.2	15	250	-40.11	-33	-46.76	-36	PASS
HVHT	GSM1800	512	1710.2	15	400	-63.98	-60	-70.65	-36	PASS
HVHT	GSM1800	512	1710.2	15	600	-67.59	-60	-74.25	-55	PASS
HVHT	GSM1800	512	1710.2	15	800	-69.64	-60	-76.5	-55	PASS
HVHT	GSM1800	512	1710.2	15	1000	-72.04	-60	-78.65	-55	PASS
HVHT	GSM1800	512	1710.2	15	1200	-73.51	-60	-80.24	-55	PASS
HVHT	GSM1800	512	1710.2	15	1400	-75.48	-60	-82.07	-55	PASS
HVHT	GSM1800	512	1710.2	15	1600	-76.34	-60	-83.02	-55	PASS
HVHT	GSM1800	512	1710.2	15	1800	-76.44	-60	-83.29	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1800	-79.83	-60	-57.27	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1600	-78.87	-60	-56.37	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1400	-78.96	-60	-56.32	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-77.28	-60	-54.78	-55	PASS
HVHT	GSM1800	698	1747.4	0	-1000	-76.1	-60	-53.53	-55	PASS
HVHT	GSM1800	698	1747.4	0	-800	-74.82	-60	-52.29	-55	PASS
HVHT	GSM1800	698	1747.4	0	-600	-72.45	-60	-49.74	-55	PASS
HVHT	GSM1800	698	1747.4	0	-400	-66.22	-60	-43.59	-36	PASS
HVHT	GSM1800	698	1747.4	0	-250	-40.69	-33	-18.22	-36	PASS
HVHT	GSM1800	698	1747.4	0	-200	-36.58	-30	-14.07	-36	PASS
HVHT	GSM1800	698	1747.4	0	-100	-8.5	0.5	14	-36	PASS
HVHT	GSM1800	698	1747.4	0	100	-8.27	0.5	14.39	-36	PASS
HVHT	GSM1800	698	1747.4	0	200	-36.43	-30	-13.85	-36	PASS
HVHT	GSM1800	698	1747.4	0	250	-40.44	-33	-17.74	-36	PASS
HVHT	GSM1800	698	1747.4	0	400	-66.66	-60	-44.06	-36	PASS
HVHT	GSM1800	698	1747.4	0	600	-72.27	-60	-49.86	-55	PASS
HVHT	GSM1800	698	1747.4	0	800	-73.92	-60	-51.23	-55	PASS
HVHT	GSM1800	698	1747.4	0	1000	-76.06	-60	-53.55	-55	PASS
HVHT	GSM1800	698	1747.4	0	1200	-77.7	-60	-55.1	-55	PASS
HVHT	GSM1800	698	1747.4	0	1400	-78.34	-60	-55.75	-55	PASS
HVHT	GSM1800	698	1747.4	0	1600	-78.93	-60	-56.44	-55	PASS
HVHT	GSM1800	698	1747.4	0	1800	-80.27	-60	-57.77	-55	PASS

HVHT	GSM1800	698	1747.4	15	-1800	-74.82	-60	-80.12	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1600	-76.23	-60	-81.78	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1400	-74.89	-60	-80.43	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-73.39	-60	-78.93	-55	PASS
HVHT	GSM1800	698	1747.4	15	-1000	-71.35	-60	-76.68	-55	PASS
HVHT	GSM1800	698	1747.4	15	-800	-71.06	-60	-76.49	-55	PASS
HVHT	GSM1800	698	1747.4	15	-600	-68.28	-60	-73.75	-55	PASS
HVHT	GSM1800	698	1747.4	15	-400	-64.38	-60	-69.83	-36	PASS
HVHT	GSM1800	698	1747.4	15	-250	-41.27	-33	-46.77	-36	PASS
HVHT	GSM1800	698	1747.4	15	-200	-37.02	-30	-42.44	-36	PASS
HVHT	GSM1800	698	1747.4	15	-100	-9.64	0.5	-15.06	-36	PASS
HVHT	GSM1800	698	1747.4	15	100	-9.32	0.5	-14.78	-36	PASS
HVHT	GSM1800	698	1747.4	15	200	-36.77	-30	-42.3	-36	PASS
HVHT	GSM1800	698	1747.4	15	250	-41.74	-33	-47.25	-36	PASS
HVHT	GSM1800	698	1747.4	15	400	-64.11	-60	-69.54	-36	PASS
HVHT	GSM1800	698	1747.4	15	600	-69	-60	-74.43	-55	PASS
HVHT	GSM1800	698	1747.4	15	800	-71.68	-60	-77.08	-55	PASS
HVHT	GSM1800	698	1747.4	15	1000	-74.2	-60	-79.56	-55	PASS
HVHT	GSM1800	698	1747.4	15	1200	-75.02	-60	-80.36	-55	PASS
HVHT	GSM1800	698	1747.4	15	1400	-76.09	-60	-81.52	-55	PASS
HVHT	GSM1800	698	1747.4	15	1600	-77.01	-60	-82.5	-55	PASS
HVHT	GSM1800	698	1747.4	15	1800	-77.22	-60	-82.81	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1800	-80.44	-60	-57.23	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1600	-79.99	-60	-56.74	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1400	-78.72	-60	-55.55	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-78.11	-60	-54.97	-55	PASS
HVHT	GSM1800	885	1784.8	0	-1000	-77.1	-60	-53.98	-55	PASS
HVHT	GSM1800	885	1784.8	0	-800	-74.71	-60	-51.64	-55	PASS
HVHT	GSM1800	885	1784.8	0	-600	-71.99	-60	-48.68	-55	PASS
HVHT	GSM1800	885	1784.8	0	-400	-67.8	-60	-44.67	-36	PASS
HVHT	GSM1800	885	1784.8	0	-250	-41.65	-33	-18.5	-36	PASS
HVHT	GSM1800	885	1784.8	0	-200	-36.2	-30	-12.9	-36	PASS
HVHT	GSM1800	885	1784.8	0	-100	-9.35	0.5	13.87	-36	PASS
HVHT	GSM1800	885	1784.8	0	100	-9.16	0.5	14.12	-36	PASS
HVHT	GSM1800	885	1784.8	0	200	-36.32	-30	-13.22	-36	PASS
HVHT	GSM1800	885	1784.8	0	250	-41.38	-33	-18.13	-36	PASS
HVHT	GSM1800	885	1784.8	0	400	-67.73	-60	-44.47	-36	PASS
HVHT	GSM1800	885	1784.8	0	600	-72.18	-60	-49.11	-55	PASS
HVHT	GSM1800	885	1784.8	0	800	-75.25	-60	-52	-55	PASS
HVHT	GSM1800	885	1784.8	0	1000	-76.19	-60	-53	-55	PASS
HVHT	GSM1800	885	1784.8	0	1200	-78.2	-60	-54.94	-55	PASS
HVHT	GSM1800	885	1784.8	0	1400	-78.31	-60	-55.28	-55	PASS
HVHT	GSM1800	885	1784.8	0	1600	-79.51	-60	-56.31	-55	PASS
HVHT	GSM1800	885	1784.8	0	1800	-80.15	-60	-56.98	-55	PASS



HVHT	GSM1800	885	1784.8	15	-1800	-74.82	-60	-81.26	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1600	-73.44	-60	-79.82	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1400	-73.22	-60	-79.43	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-72.55	-60	-78.75	-55	PASS
HVHT	GSM1800	885	1784.8	15	-1000	-70.26	-60	-76.62	-55	PASS
HVHT	GSM1800	885	1784.8	15	-800	-69.03	-60	-75.33	-55	PASS
HVHT	GSM1800	885	1784.8	15	-600	-67.25	-60	-73.52	-55	PASS
HVHT	GSM1800	885	1784.8	15	-400	-63.24	-60	-69.49	-36	PASS
HVHT	GSM1800	885	1784.8	15	-250	-40.8	-33	-47.16	-36	PASS
HVHT	GSM1800	885	1784.8	15	-200	-36.27	-30	-42.7	-36	PASS
HVHT	GSM1800	885	1784.8	15	-100	-8.63	0.5	-14.97	-36	PASS
HVHT	GSM1800	885	1784.8	15	100	-8.27	0.5	-14.41	-36	PASS
HVHT	GSM1800	885	1784.8	15	200	-37.16	-30	-43.42	-36	PASS
HVHT	GSM1800	885	1784.8	15	250	-40.81	-33	-47.24	-36	PASS
HVHT	GSM1800	885	1784.8	15	400	-63.28	-60	-69.57	-36	PASS
HVHT	GSM1800	885	1784.8	15	600	-67.98	-60	-74.15	-55	PASS
HVHT	GSM1800	885	1784.8	15	800	-70.73	-60	-77.11	-55	PASS
HVHT	GSM1800	885	1784.8	15	1000	-72.46	-60	-78.73	-55	PASS
HVHT	GSM1800	885	1784.8	15	1200	-73.96	-60	-80.43	-55	PASS
HVHT	GSM1800	885	1784.8	15	1400	-76.04	-60	-82.27	-55	PASS
HVHT	GSM1800	885	1784.8	15	1600	-75.43	-60	-81.67	-55	PASS
HVHT	GSM1800	885	1784.8	15	1800	-76.59	-60	-82.82	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1800	-79.8	-60	-57.03	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1600	-78.87	-60	-56.22	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1400	-77.79	-60	-55.12	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-76.9	-60	-54.23	-55	PASS
HVLT	GSM1800	512	1710.2	0	-1000	-76.41	-60	-53.63	-55	PASS
HVLT	GSM1800	512	1710.2	0	-800	-74.28	-60	-51.69	-55	PASS
HVLT	GSM1800	512	1710.2	0	-600	-71.54	-60	-48.9	-55	PASS
HVLT	GSM1800	512	1710.2	0	-400	-65.95	-60	-43.39	-36	PASS
HVLT	GSM1800	512	1710.2	0	-250	-40.9	-33	-18.28	-36	PASS
HVLT	GSM1800	512	1710.2	0	-200	-36.26	-30	-13.64	-36	PASS
HVLT	GSM1800	512	1710.2	0	-100	-8.1	0.5	14.56	-36	PASS
HVLT	GSM1800	512	1710.2	0	100	-7.45	0.5	15.33	-36	PASS
HVLT	GSM1800	512	1710.2	0	200	-36.47	-30	-13.78	-36	PASS
HVLT	GSM1800	512	1710.2	0	250	-40.67	-33	-17.98	-36	PASS
HVLT	GSM1800	512	1710.2	0	400	-66.46	-60	-43.62	-36	PASS
HVLT	GSM1800	512	1710.2	0	600	-72.13	-60	-49.41	-55	PASS
HVLT	GSM1800	512	1710.2	0	800	-74.83	-60	-52.32	-55	PASS
HVLT	GSM1800	512	1710.2	0	1000	-76.13	-60	-53.28	-55	PASS
HVLT	GSM1800	512	1710.2	0	1200	-77.05	-60	-54.39	-55	PASS
HVLT	GSM1800	512	1710.2	0	1400	-77.91	-60	-55.11	-55	PASS
HVLT	GSM1800	512	1710.2	0	1600	-79.38	-60	-56.74	-55	PASS
HVLT	GSM1800	512	1710.2	0	1800	-79.57	-60	-56.95	-55	PASS

HVLT	GSM1800	512	1710.2	15	-1800	-74.46	-60	-81.2	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1600	-73.76	-60	-80.51	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1400	-73.44	-60	-80.14	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-72.6	-60	-79.27	-55	PASS
HVLT	GSM1800	512	1710.2	15	-1000	-70.34	-60	-77.08	-55	PASS
HVLT	GSM1800	512	1710.2	15	-800	-68.96	-60	-75.58	-55	PASS
HVLT	GSM1800	512	1710.2	15	-600	-67.07	-60	-73.65	-55	PASS
HVLT	GSM1800	512	1710.2	15	-400	-62.75	-60	-69.39	-36	PASS
HVLT	GSM1800	512	1710.2	15	-250	-40.69	-33	-47.25	-36	PASS
HVLT	GSM1800	512	1710.2	15	-200	-35.53	-30	-42.33	-36	PASS
HVLT	GSM1800	512	1710.2	15	-100	-7.48	0.5	-14.14	-36	PASS
HVLT	GSM1800	512	1710.2	15	100	-7.22	0.5	-13.82	-36	PASS
HVLT	GSM1800	512	1710.2	15	200	-35.47	-30	-42.03	-36	PASS
HVLT	GSM1800	512	1710.2	15	250	-40.12	-33	-46.67	-36	PASS
HVLT	GSM1800	512	1710.2	15	400	-64.07	-60	-70.68	-36	PASS
HVLT	GSM1800	512	1710.2	15	600	-67.68	-60	-74.29	-55	PASS
HVLT	GSM1800	512	1710.2	15	800	-69.75	-60	-76.31	-55	PASS
HVLT	GSM1800	512	1710.2	15	1000	-72.14	-60	-78.74	-55	PASS
HVLT	GSM1800	512	1710.2	15	1200	-73.52	-60	-80.23	-55	PASS
HVLT	GSM1800	512	1710.2	15	1400	-75.51	-60	-82.18	-55	PASS
HVLT	GSM1800	512	1710.2	15	1600	-76.36	-60	-83.04	-55	PASS
HVLT	GSM1800	512	1710.2	15	1800	-76.63	-60	-83.22	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1800	-79.93	-60	-57.33	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1600	-78.88	-60	-56.34	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1400	-78.93	-60	-56.32	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-77.33	-60	-54.84	-55	PASS
HVLT	GSM1800	698	1747.4	0	-1000	-76.06	-60	-53.56	-55	PASS
HVLT	GSM1800	698	1747.4	0	-800	-74.88	-60	-52.23	-55	PASS
HVLT	GSM1800	698	1747.4	0	-600	-72.3	-60	-49.87	-55	PASS
HVLT	GSM1800	698	1747.4	0	-400	-66.2	-60	-43.62	-36	PASS
HVLT	GSM1800	698	1747.4	0	-250	-40.74	-33	-18.19	-36	PASS
HVLT	GSM1800	698	1747.4	0	-200	-36.67	-30	-13.98	-36	PASS
HVLT	GSM1800	698	1747.4	0	-100	-8.56	0.5	14.02	-36	PASS
HVLT	GSM1800	698	1747.4	0	100	-8.19	0.5	14.34	-36	PASS
HVLT	GSM1800	698	1747.4	0	200	-36.47	-30	-13.97	-36	PASS
HVLT	GSM1800	698	1747.4	0	250	-40.28	-33	-17.75	-36	PASS
HVLT	GSM1800	698	1747.4	0	400	-66.64	-60	-44.02	-36	PASS
HVLT	GSM1800	698	1747.4	0	600	-72.35	-60	-49.84	-55	PASS
HVLT	GSM1800	698	1747.4	0	800	-73.79	-60	-51.34	-55	PASS
HVLT	GSM1800	698	1747.4	0	1000	-76.15	-60	-53.62	-55	PASS
HVLT	GSM1800	698	1747.4	0	1200	-77.85	-60	-55.15	-55	PASS
HVLT	GSM1800	698	1747.4	0	1400	-78.49	-60	-55.84	-55	PASS
HVLT	GSM1800	698	1747.4	0	1600	-78.9	-60	-56.26	-55	PASS
HVLT	GSM1800	698	1747.4	0	1800	-80.35	-60	-57.85	-55	PASS

HVLT	GSM1800	698	1747.4	15	-1800	-74.77	-60	-80.28	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1600	-76.28	-60	-81.66	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1400	-74.89	-60	-80.43	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-73.46	-60	-78.97	-55	PASS
HVLT	GSM1800	698	1747.4	15	-1000	-71.28	-60	-76.76	-55	PASS
HVLT	GSM1800	698	1747.4	15	-800	-70.93	-60	-76.4	-55	PASS
HVLT	GSM1800	698	1747.4	15	-600	-68.22	-60	-73.72	-55	PASS
HVLT	GSM1800	698	1747.4	15	-400	-64.31	-60	-69.87	-36	PASS
HVLT	GSM1800	698	1747.4	15	-250	-41.23	-33	-46.81	-36	PASS
HVLT	GSM1800	698	1747.4	15	-200	-36.91	-30	-42.44	-36	PASS
HVLT	GSM1800	698	1747.4	15	-100	-9.58	0.5	-15.13	-36	PASS
HVLT	GSM1800	698	1747.4	15	100	-9.4	0.5	-14.71	-36	PASS
HVLT	GSM1800	698	1747.4	15	200	-36.82	-30	-42.21	-36	PASS
HVLT	GSM1800	698	1747.4	15	250	-41.62	-33	-47.26	-36	PASS
HVLT	GSM1800	698	1747.4	15	400	-64.14	-60	-69.54	-36	PASS
HVLT	GSM1800	698	1747.4	15	600	-68.94	-60	-74.47	-55	PASS
HVLT	GSM1800	698	1747.4	15	800	-71.58	-60	-77.12	-55	PASS
HVLT	GSM1800	698	1747.4	15	1000	-74.1	-60	-79.64	-55	PASS
HVLT	GSM1800	698	1747.4	15	1200	-74.89	-60	-80.53	-55	PASS
HVLT	GSM1800	698	1747.4	15	1400	-75.9	-60	-81.49	-55	PASS
HVLT	GSM1800	698	1747.4	15	1600	-77.1	-60	-82.54	-55	PASS
HVLT	GSM1800	698	1747.4	15	1800	-77.27	-60	-82.79	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1800	-80.49	-60	-57.21	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1600	-79.93	-60	-56.72	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1400	-78.63	-60	-55.45	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-78.05	-60	-54.9	-55	PASS
HVLT	GSM1800	885	1784.8	0	-1000	-77.23	-60	-54.06	-55	PASS
HVLT	GSM1800	885	1784.8	0	-800	-74.85	-60	-51.52	-55	PASS
HVLT	GSM1800	885	1784.8	0	-600	-71.87	-60	-48.81	-55	PASS
HVLT	GSM1800	885	1784.8	0	-400	-67.83	-60	-44.55	-36	PASS
HVLT	GSM1800	885	1784.8	0	-250	-41.76	-33	-18.56	-36	PASS
HVLT	GSM1800	885	1784.8	0	-200	-36.02	-30	-12.83	-36	PASS
HVLT	GSM1800	885	1784.8	0	-100	-9.29	0.5	13.83	-36	PASS
HVLT	GSM1800	885	1784.8	0	100	-9.18	0.5	14.02	-36	PASS
HVLT	GSM1800	885	1784.8	0	200	-36.39	-30	-13.27	-36	PASS
HVLT	GSM1800	885	1784.8	0	250	-41.36	-33	-18.11	-36	PASS
HVLT	GSM1800	885	1784.8	0	400	-67.77	-60	-44.58	-36	PASS
HVLT	GSM1800	885	1784.8	0	600	-72.28	-60	-49.02	-55	PASS
HVLT	GSM1800	885	1784.8	0	800	-75.08	-60	-51.9	-55	PASS
HVLT	GSM1800	885	1784.8	0	1000	-76.08	-60	-53.08	-55	PASS
HVLT	GSM1800	885	1784.8	0	1200	-78.18	-60	-55.03	-55	PASS
HVLT	GSM1800	885	1784.8	0	1400	-78.4	-60	-55.2	-55	PASS
HVLT	GSM1800	885	1784.8	0	1600	-79.38	-60	-56.32	-55	PASS
HVLT	GSM1800	885	1784.8	0	1800	-80.25	-60	-57	-55	PASS

HVLT	GSM1800	885	1784.8	15	-1800	-74.92	-60	-81.28	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1600	-73.44	-60	-79.76	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1400	-73.16	-60	-79.55	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-72.61	-60	-78.78	-55	PASS
HVLT	GSM1800	885	1784.8	15	-1000	-70.29	-60	-76.54	-55	PASS
HVLT	GSM1800	885	1784.8	15	-800	-69.07	-60	-75.33	-55	PASS
HVLT	GSM1800	885	1784.8	15	-600	-67.21	-60	-73.55	-55	PASS
HVLT	GSM1800	885	1784.8	15	-400	-63.16	-60	-69.56	-36	PASS
HVLT	GSM1800	885	1784.8	15	-250	-40.92	-33	-47.11	-36	PASS
HVLT	GSM1800	885	1784.8	15	-200	-36.36	-30	-42.52	-36	PASS
HVLT	GSM1800	885	1784.8	15	-100	-8.8	0.5	-15	-36	PASS
HVLT	GSM1800	885	1784.8	15	100	-8.13	0.5	-14.4	-36	PASS
HVLT	GSM1800	885	1784.8	15	200	-37.2	-30	-43.57	-36	PASS
HVLT	GSM1800	885	1784.8	15	250	-40.92	-33	-47.06	-36	PASS
HVLT	GSM1800	885	1784.8	15	400	-63.45	-60	-69.66	-36	PASS
HVLT	GSM1800	885	1784.8	15	600	-68.05	-60	-74.28	-55	PASS
HVLT	GSM1800	885	1784.8	15	800	-70.87	-60	-77.1	-55	PASS
HVLT	GSM1800	885	1784.8	15	1000	-72.46	-60	-78.78	-55	PASS
HVLT	GSM1800	885	1784.8	15	1200	-74.01	-60	-80.26	-55	PASS
HVLT	GSM1800	885	1784.8	15	1400	-75.89	-60	-82.19	-55	PASS
HVLT	GSM1800	885	1784.8	15	1600	-75.48	-60	-81.74	-55	PASS
HVLT	GSM1800	885	1784.8	15	1800	-76.66	-60	-82.92	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1800	-79.64	-60	-57	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1600	-78.75	-60	-56.19	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1400	-77.76	-60	-55.18	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-77.08	-60	-54.26	-55	PASS
LVHT	GSM1800	512	1710.2	0	-1000	-76.25	-60	-53.71	-55	PASS
LVHT	GSM1800	512	1710.2	0	-800	-74.32	-60	-51.69	-55	PASS
LVHT	GSM1800	512	1710.2	0	-600	-71.61	-60	-48.92	-55	PASS
LVHT	GSM1800	512	1710.2	0	-400	-66.02	-60	-43.43	-36	PASS
LVHT	GSM1800	512	1710.2	0	-250	-41.02	-33	-18.21	-36	PASS
LVHT	GSM1800	512	1710.2	0	-200	-36.16	-30	-13.49	-36	PASS
LVHT	GSM1800	512	1710.2	0	-100	-8.04	0.5	14.7	-36	PASS
LVHT	GSM1800	512	1710.2	0	100	-7.33	0.5	15.19	-36	PASS
LVHT	GSM1800	512	1710.2	0	200	-36.57	-30	-13.89	-36	PASS
LVHT	GSM1800	512	1710.2	0	250	-40.66	-33	-17.97	-36	PASS
LVHT	GSM1800	512	1710.2	0	400	-66.41	-60	-43.64	-36	PASS
LVHT	GSM1800	512	1710.2	0	600	-72.19	-60	-49.48	-55	PASS
LVHT	GSM1800	512	1710.2	0	800	-74.92	-60	-52.21	-55	PASS
LVHT	GSM1800	512	1710.2	0	1000	-76.11	-60	-53.42	-55	PASS
LVHT	GSM1800	512	1710.2	0	1200	-76.96	-60	-54.33	-55	PASS
LVHT	GSM1800	512	1710.2	0	1400	-77.9	-60	-55.28	-55	PASS
LVHT	GSM1800	512	1710.2	0	1600	-79.42	-60	-56.82	-55	PASS
LVHT	GSM1800	512	1710.2	0	1800	-79.5	-60	-56.87	-55	PASS

LVHT	GSM1800	512	1710.2	15	-1800	-74.41	-60	-81.1	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1600	-73.88	-60	-80.42	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1400	-73.51	-60	-80.29	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-72.49	-60	-79.16	-55	PASS
LVHT	GSM1800	512	1710.2	15	-1000	-70.38	-60	-77.13	-55	PASS
LVHT	GSM1800	512	1710.2	15	-800	-68.97	-60	-75.75	-55	PASS
LVHT	GSM1800	512	1710.2	15	-600	-66.96	-60	-73.59	-55	PASS
LVHT	GSM1800	512	1710.2	15	-400	-62.83	-60	-69.45	-36	PASS
LVHT	GSM1800	512	1710.2	15	-250	-40.57	-33	-47.24	-36	PASS
LVHT	GSM1800	512	1710.2	15	-200	-35.6	-30	-42.34	-36	PASS
LVHT	GSM1800	512	1710.2	15	-100	-7.5	0.5	-14.11	-36	PASS
LVHT	GSM1800	512	1710.2	15	100	-7.13	0.5	-13.8	-36	PASS
LVHT	GSM1800	512	1710.2	15	200	-35.51	-30	-42.17	-36	PASS
LVHT	GSM1800	512	1710.2	15	250	-40.05	-33	-46.64	-36	PASS
LVHT	GSM1800	512	1710.2	15	400	-64	-60	-70.61	-36	PASS
LVHT	GSM1800	512	1710.2	15	600	-67.7	-60	-74.36	-55	PASS
LVHT	GSM1800	512	1710.2	15	800	-69.67	-60	-76.47	-55	PASS
LVHT	GSM1800	512	1710.2	15	1000	-72.13	-60	-78.73	-55	PASS
LVHT	GSM1800	512	1710.2	15	1200	-73.5	-60	-80.3	-55	PASS
LVHT	GSM1800	512	1710.2	15	1400	-75.43	-60	-82.18	-55	PASS
LVHT	GSM1800	512	1710.2	15	1600	-76.3	-60	-83.01	-55	PASS
LVHT	GSM1800	512	1710.2	15	1800	-76.46	-60	-83.26	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1800	-79.81	-60	-57.34	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1600	-78.93	-60	-56.31	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1400	-79	-60	-56.25	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-77.42	-60	-54.7	-55	PASS
LVHT	GSM1800	698	1747.4	0	-1000	-76.06	-60	-53.48	-55	PASS
LVHT	GSM1800	698	1747.4	0	-800	-74.98	-60	-52.41	-55	PASS
LVHT	GSM1800	698	1747.4	0	-600	-72.49	-60	-49.81	-55	PASS
LVHT	GSM1800	698	1747.4	0	-400	-66.08	-60	-43.56	-36	PASS
LVHT	GSM1800	698	1747.4	0	-250	-40.77	-33	-18.11	-36	PASS
LVHT	GSM1800	698	1747.4	0	-200	-36.62	-30	-13.89	-36	PASS
LVHT	GSM1800	698	1747.4	0	-100	-8.59	0.5	14.09	-36	PASS
LVHT	GSM1800	698	1747.4	0	100	-8.24	0.5	14.41	-36	PASS
LVHT	GSM1800	698	1747.4	0	200	-36.42	-30	-13.86	-36	PASS
LVHT	GSM1800	698	1747.4	0	250	-40.37	-33	-17.76	-36	PASS
LVHT	GSM1800	698	1747.4	0	400	-66.71	-60	-44.1	-36	PASS
LVHT	GSM1800	698	1747.4	0	600	-72.43	-60	-49.69	-55	PASS
LVHT	GSM1800	698	1747.4	0	800	-73.92	-60	-51.21	-55	PASS
LVHT	GSM1800	698	1747.4	0	1000	-76.05	-60	-53.65	-55	PASS
LVHT	GSM1800	698	1747.4	0	1200	-77.73	-60	-55.1	-55	PASS
LVHT	GSM1800	698	1747.4	0	1400	-78.39	-60	-55.84	-55	PASS
LVHT	GSM1800	698	1747.4	0	1600	-78.95	-60	-56.43	-55	PASS
LVHT	GSM1800	698	1747.4	0	1800	-80.42	-60	-57.85	-55	PASS

LVHT	GSM1800	698	1747.4	15	-1800	-74.83	-60	-80.29	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1600	-76.27	-60	-81.7	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1400	-74.89	-60	-80.41	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-73.43	-60	-78.99	-55	PASS
LVHT	GSM1800	698	1747.4	15	-1000	-71.3	-60	-76.67	-55	PASS
LVHT	GSM1800	698	1747.4	15	-800	-70.94	-60	-76.55	-55	PASS
LVHT	GSM1800	698	1747.4	15	-600	-68.17	-60	-73.64	-55	PASS
LVHT	GSM1800	698	1747.4	15	-400	-64.33	-60	-69.85	-36	PASS
LVHT	GSM1800	698	1747.4	15	-250	-41.28	-33	-46.69	-36	PASS
LVHT	GSM1800	698	1747.4	15	-200	-36.89	-30	-42.37	-36	PASS
LVHT	GSM1800	698	1747.4	15	-100	-9.63	0.5	-15.19	-36	PASS
LVHT	GSM1800	698	1747.4	15	100	-9.24	0.5	-14.83	-36	PASS
LVHT	GSM1800	698	1747.4	15	200	-36.86	-30	-42.26	-36	PASS
LVHT	GSM1800	698	1747.4	15	250	-41.68	-33	-47.13	-36	PASS
LVHT	GSM1800	698	1747.4	15	400	-64.16	-60	-69.49	-36	PASS
LVHT	GSM1800	698	1747.4	15	600	-69.01	-60	-74.54	-55	PASS
LVHT	GSM1800	698	1747.4	15	800	-71.64	-60	-77.17	-55	PASS
LVHT	GSM1800	698	1747.4	15	1000	-74.17	-60	-79.57	-55	PASS
LVHT	GSM1800	698	1747.4	15	1200	-75	-60	-80.37	-55	PASS
LVHT	GSM1800	698	1747.4	15	1400	-75.92	-60	-81.39	-55	PASS
LVHT	GSM1800	698	1747.4	15	1600	-77.01	-60	-82.41	-55	PASS
LVHT	GSM1800	698	1747.4	15	1800	-77.3	-60	-82.81	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1800	-80.35	-60	-57.16	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1600	-80.01	-60	-56.69	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1400	-78.76	-60	-55.58	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-78	-60	-54.86	-55	PASS
LVHT	GSM1800	885	1784.8	0	-1000	-77.21	-60	-54.01	-55	PASS
LVHT	GSM1800	885	1784.8	0	-800	-74.8	-60	-51.53	-55	PASS
LVHT	GSM1800	885	1784.8	0	-600	-72.05	-60	-48.87	-55	PASS
LVHT	GSM1800	885	1784.8	0	-400	-67.83	-60	-44.5	-36	PASS
LVHT	GSM1800	885	1784.8	0	-250	-41.69	-33	-18.45	-36	PASS
LVHT	GSM1800	885	1784.8	0	-200	-36.02	-30	-12.9	-36	PASS
LVHT	GSM1800	885	1784.8	0	-100	-9.34	0.5	13.89	-36	PASS
LVHT	GSM1800	885	1784.8	0	100	-9.06	0.5	14.12	-36	PASS
LVHT	GSM1800	885	1784.8	0	200	-36.44	-30	-13.16	-36	PASS
LVHT	GSM1800	885	1784.8	0	250	-41.43	-33	-18.12	-36	PASS
LVHT	GSM1800	885	1784.8	0	400	-67.63	-60	-44.47	-36	PASS
LVHT	GSM1800	885	1784.8	0	600	-72.3	-60	-48.99	-55	PASS
LVHT	GSM1800	885	1784.8	0	800	-75.1	-60	-51.93	-55	PASS
LVHT	GSM1800	885	1784.8	0	1000	-76.14	-60	-52.96	-55	PASS
LVHT	GSM1800	885	1784.8	0	1200	-78.15	-60	-54.93	-55	PASS
LVHT	GSM1800	885	1784.8	0	1400	-78.34	-60	-55.29	-55	PASS
LVHT	GSM1800	885	1784.8	0	1600	-79.37	-60	-56.23	-55	PASS
LVHT	GSM1800	885	1784.8	0	1800	-80.14	-60	-57.11	-55	PASS

LVHT	GSM1800	885	1784.8	15	-1800	-74.82	-60	-81.14	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1600	-73.4	-60	-79.8	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1400	-73.19	-60	-79.62	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-72.58	-60	-78.79	-55	PASS
LVHT	GSM1800	885	1784.8	15	-1000	-70.36	-60	-76.49	-55	PASS
LVHT	GSM1800	885	1784.8	15	-800	-69.04	-60	-75.46	-55	PASS
LVHT	GSM1800	885	1784.8	15	-600	-67.27	-60	-73.53	-55	PASS
LVHT	GSM1800	885	1784.8	15	-400	-63.28	-60	-69.6	-36	PASS
LVHT	GSM1800	885	1784.8	15	-250	-40.98	-33	-47.26	-36	PASS
LVHT	GSM1800	885	1784.8	15	-200	-36.26	-30	-42.62	-36	PASS
LVHT	GSM1800	885	1784.8	15	-100	-8.73	0.5	-14.98	-36	PASS
LVHT	GSM1800	885	1784.8	15	100	-8.11	0.5	-14.54	-36	PASS
LVHT	GSM1800	885	1784.8	15	200	-37.21	-30	-43.49	-36	PASS
LVHT	GSM1800	885	1784.8	15	250	-40.9	-33	-47.09	-36	PASS
LVHT	GSM1800	885	1784.8	15	400	-63.4	-60	-69.57	-36	PASS
LVHT	GSM1800	885	1784.8	15	600	-67.93	-60	-74.21	-55	PASS
LVHT	GSM1800	885	1784.8	15	800	-70.73	-60	-77.08	-55	PASS
LVHT	GSM1800	885	1784.8	15	1000	-72.46	-60	-78.77	-55	PASS
LVHT	GSM1800	885	1784.8	15	1200	-74.14	-60	-80.29	-55	PASS
LVHT	GSM1800	885	1784.8	15	1400	-76.06	-60	-82.18	-55	PASS
LVHT	GSM1800	885	1784.8	15	1600	-75.4	-60	-81.74	-55	PASS
LVHT	GSM1800	885	1784.8	15	1800	-76.57	-60	-82.8	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1800	-79.71	-60	-57	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1600	-78.92	-60	-56.26	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1400	-77.77	-60	-55.17	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-77.03	-60	-54.27	-55	PASS
LVLT	GSM1800	512	1710.2	0	-1000	-76.26	-60	-53.7	-55	PASS
LVLT	GSM1800	512	1710.2	0	-800	-74.32	-60	-51.56	-55	PASS
LVLT	GSM1800	512	1710.2	0	-600	-71.53	-60	-48.91	-55	PASS
LVLT	GSM1800	512	1710.2	0	-400	-66.09	-60	-43.32	-36	PASS
LVLT	GSM1800	512	1710.2	0	-250	-40.93	-33	-18.22	-36	PASS
LVLT	GSM1800	512	1710.2	0	-200	-36.16	-30	-13.5	-36	PASS
LVLT	GSM1800	512	1710.2	0	-100	-8.06	0.5	14.73	-36	PASS
LVLT	GSM1800	512	1710.2	0	100	-7.33	0.5	15.21	-36	PASS
LVLT	GSM1800	512	1710.2	0	200	-36.57	-30	-13.78	-36	PASS
LVLT	GSM1800	512	1710.2	0	250	-40.56	-33	-17.96	-36	PASS
LVLT	GSM1800	512	1710.2	0	400	-66.37	-60	-43.73	-36	PASS
LVLT	GSM1800	512	1710.2	0	600	-72.1	-60	-49.58	-55	PASS
LVLT	GSM1800	512	1710.2	0	800	-74.88	-60	-52.29	-55	PASS
LVLT	GSM1800	512	1710.2	0	1000	-76.06	-60	-53.42	-55	PASS
LVLT	GSM1800	512	1710.2	0	1200	-76.94	-60	-54.26	-55	PASS
LVLT	GSM1800	512	1710.2	0	1400	-77.87	-60	-55.2	-55	PASS
LVLT	GSM1800	512	1710.2	0	1600	-79.53	-60	-56.89	-55	PASS
LVLT	GSM1800	512	1710.2	0	1800	-79.56	-60	-56.82	-55	PASS



LVLT	GSM1800	512	1710.2	15	-1800	-74.54	-60	-81.23	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1600	-73.86	-60	-80.52	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1400	-73.5	-60	-80.2	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-72.57	-60	-79.13	-55	PASS
LVLT	GSM1800	512	1710.2	15	-1000	-70.47	-60	-77.11	-55	PASS
LVLT	GSM1800	512	1710.2	15	-800	-68.98	-60	-75.65	-55	PASS
LVLT	GSM1800	512	1710.2	15	-600	-66.95	-60	-73.77	-55	PASS
LVLT	GSM1800	512	1710.2	15	-400	-62.7	-60	-69.37	-36	PASS
LVLT	GSM1800	512	1710.2	15	-250	-40.65	-33	-47.4	-36	PASS
LVLT	GSM1800	512	1710.2	15	-200	-35.66	-30	-42.27	-36	PASS
LVLT	GSM1800	512	1710.2	15	-100	-7.58	0.5	-14.2	-36	PASS
LVLT	GSM1800	512	1710.2	15	100	-7.24	0.5	-13.84	-36	PASS
LVLT	GSM1800	512	1710.2	15	200	-35.35	-30	-42.03	-36	PASS
LVLT	GSM1800	512	1710.2	15	250	-39.97	-33	-46.63	-36	PASS
LVLT	GSM1800	512	1710.2	15	400	-64.05	-60	-70.69	-36	PASS
LVLT	GSM1800	512	1710.2	15	600	-67.6	-60	-74.3	-55	PASS
LVLT	GSM1800	512	1710.2	15	800	-69.79	-60	-76.33	-55	PASS
LVLT	GSM1800	512	1710.2	15	1000	-71.99	-60	-78.8	-55	PASS
LVLT	GSM1800	512	1710.2	15	1200	-73.61	-60	-80.31	-55	PASS
LVLT	GSM1800	512	1710.2	15	1400	-75.42	-60	-82.03	-55	PASS
LVLT	GSM1800	512	1710.2	15	1600	-76.3	-60	-83.15	-55	PASS
LVLT	GSM1800	512	1710.2	15	1800	-76.47	-60	-83.24	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1800	-79.88	-60	-57.19	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1600	-78.93	-60	-56.3	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1400	-78.86	-60	-56.29	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-77.46	-60	-54.84	-55	PASS
LVLT	GSM1800	698	1747.4	0	-1000	-76.08	-60	-53.61	-55	PASS
LVLT	GSM1800	698	1747.4	0	-800	-74.85	-60	-52.24	-55	PASS
LVLT	GSM1800	698	1747.4	0	-600	-72.31	-60	-49.75	-55	PASS
LVLT	GSM1800	698	1747.4	0	-400	-66.13	-60	-43.49	-36	PASS
LVLT	GSM1800	698	1747.4	0	-250	-40.76	-33	-18.21	-36	PASS
LVLT	GSM1800	698	1747.4	0	-200	-36.55	-30	-13.9	-36	PASS
LVLT	GSM1800	698	1747.4	0	-100	-8.47	0.5	14.02	-36	PASS
LVLT	GSM1800	698	1747.4	0	100	-8.21	0.5	14.47	-36	PASS
LVLT	GSM1800	698	1747.4	0	200	-36.55	-30	-13.85	-36	PASS
LVLT	GSM1800	698	1747.4	0	250	-40.37	-33	-17.83	-36	PASS
LVLT	GSM1800	698	1747.4	0	400	-66.67	-60	-44.1	-36	PASS
LVLT	GSM1800	698	1747.4	0	600	-72.35	-60	-49.83	-55	PASS
LVLT	GSM1800	698	1747.4	0	800	-73.81	-60	-51.34	-55	PASS
LVLT	GSM1800	698	1747.4	0	1000	-76.21	-60	-53.64	-55	PASS
LVLT	GSM1800	698	1747.4	0	1200	-77.79	-60	-55.24	-55	PASS
LVLT	GSM1800	698	1747.4	0	1400	-78.52	-60	-55.84	-55	PASS
LVLT	GSM1800	698	1747.4	0	1600	-78.99	-60	-56.38	-55	PASS
LVLT	GSM1800	698	1747.4	0	1800	-80.34	-60	-57.84	-55	PASS

LVLT	GSM1800	698	1747.4	15	-1800	-74.81	-60	-80.12	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1600	-76.32	-60	-81.68	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1400	-74.84	-60	-80.28	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-73.49	-60	-78.89	-55	PASS
LVLT	GSM1800	698	1747.4	15	-1000	-71.31	-60	-76.68	-55	PASS
LVLT	GSM1800	698	1747.4	15	-800	-71.03	-60	-76.55	-55	PASS
LVLT	GSM1800	698	1747.4	15	-600	-68.26	-60	-73.7	-55	PASS
LVLT	GSM1800	698	1747.4	15	-400	-64.4	-60	-69.92	-36	PASS
LVLT	GSM1800	698	1747.4	15	-250	-41.32	-33	-46.66	-36	PASS
LVLT	GSM1800	698	1747.4	15	-200	-36.87	-30	-42.39	-36	PASS
LVLT	GSM1800	698	1747.4	15	-100	-9.63	0.5	-15.12	-36	PASS
LVLT	GSM1800	698	1747.4	15	100	-9.39	0.5	-14.72	-36	PASS
LVLT	GSM1800	698	1747.4	15	200	-36.83	-30	-42.33	-36	PASS
LVLT	GSM1800	698	1747.4	15	250	-41.74	-33	-47.18	-36	PASS
LVLT	GSM1800	698	1747.4	15	400	-64.13	-60	-69.62	-36	PASS
LVLT	GSM1800	698	1747.4	15	600	-68.97	-60	-74.47	-55	PASS
LVLT	GSM1800	698	1747.4	15	800	-71.6	-60	-77.15	-55	PASS
LVLT	GSM1800	698	1747.4	15	1000	-74.12	-60	-79.68	-55	PASS
LVLT	GSM1800	698	1747.4	15	1200	-74.94	-60	-80.4	-55	PASS
LVLT	GSM1800	698	1747.4	15	1400	-76.04	-60	-81.48	-55	PASS
LVLT	GSM1800	698	1747.4	15	1600	-76.95	-60	-82.42	-55	PASS
LVLT	GSM1800	698	1747.4	15	1800	-77.23	-60	-82.69	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1800	-80.39	-60	-57.13	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1600	-79.91	-60	-56.69	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1400	-78.64	-60	-55.44	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1200	-78.16	-60	-54.94	-55	PASS
LVLT	GSM1800	885	1784.8	0	-1000	-77.18	-60	-53.91	-55	PASS
LVLT	GSM1800	885	1784.8	0	-800	-74.79	-60	-51.57	-55	PASS
LVLT	GSM1800	885	1784.8	0	-600	-71.92	-60	-48.83	-55	PASS
LVLT	GSM1800	885	1784.8	0	-400	-67.83	-60	-44.58	-36	PASS
LVLT	GSM1800	885	1784.8	0	-250	-41.7	-33	-18.46	-36	PASS
LVLT	GSM1800	885	1784.8	0	-200	-36.15	-30	-12.98	-36	PASS
LVLT	GSM1800	885	1784.8	0	-100	-9.39	0.5	13.93	-36	PASS
LVLT	GSM1800	885	1784.8	0	100	-9.11	0.5	14.01	-36	PASS
LVLT	GSM1800	885	1784.8	0	200	-36.34	-30	-13.32	-36	PASS
LVLT	GSM1800	885	1784.8	0	250	-41.35	-33	-18.14	-36	PASS
LVLT	GSM1800	885	1784.8	0	400	-67.68	-60	-44.56	-36	PASS
LVLT	GSM1800	885	1784.8	0	600	-72.18	-60	-48.98	-55	PASS
LVLT	GSM1800	885	1784.8	0	800	-75.11	-60	-51.99	-55	PASS
LVLT	GSM1800	885	1784.8	0	1000	-76.19	-60	-52.97	-55	PASS
LVLT	GSM1800	885	1784.8	0	1200	-78.12	-60	-54.98	-55	PASS
LVLT	GSM1800	885	1784.8	0	1400	-78.32	-60	-55.21	-55	PASS
LVLT	GSM1800	885	1784.8	0	1600	-79.54	-60	-56.3	-55	PASS
LVLT	GSM1800	885	1784.8	0	1800	-80.3	-60	-56.97	-55	PASS

LVL	GSM1800	885	1784.8	15	-1800	-74.81	-60	-81.26	-55	PASS
LVL	GSM1800	885	1784.8	15	-1600	-73.43	-60	-79.79	-55	PASS
LVL	GSM1800	885	1784.8	15	-1400	-73.22	-60	-79.46	-55	PASS
LVL	GSM1800	885	1784.8	15	-1200	-72.46	-60	-78.93	-55	PASS
LVL	GSM1800	885	1784.8	15	-1000	-70.24	-60	-76.54	-55	PASS
LVL	GSM1800	885	1784.8	15	-800	-69.07	-60	-75.34	-55	PASS
LVL	GSM1800	885	1784.8	15	-600	-67.19	-60	-73.53	-55	PASS
LVL	GSM1800	885	1784.8	15	-400	-63.17	-60	-69.51	-36	PASS
LVL	GSM1800	885	1784.8	15	-250	-40.91	-33	-47.2	-36	PASS
LVL	GSM1800	885	1784.8	15	-200	-36.3	-30	-42.7	-36	PASS
LVL	GSM1800	885	1784.8	15	-100	-8.75	0.5	-14.98	-36	PASS
LVL	GSM1800	885	1784.8	15	100	-8.15	0.5	-14.56	-36	PASS
LVL	GSM1800	885	1784.8	15	200	-37.12	-30	-43.49	-36	PASS
LVL	GSM1800	885	1784.8	15	250	-40.81	-33	-47.24	-36	PASS
LVL	GSM1800	885	1784.8	15	400	-63.43	-60	-69.59	-36	PASS
LVL	GSM1800	885	1784.8	15	600	-68.03	-60	-74.19	-55	PASS
LVL	GSM1800	885	1784.8	15	800	-70.73	-60	-77.06	-55	PASS
LVL	GSM1800	885	1784.8	15	1000	-72.57	-60	-78.76	-55	PASS
LVL	GSM1800	885	1784.8	15	1200	-74.07	-60	-80.43	-55	PASS
LVL	GSM1800	885	1784.8	15	1400	-76.05	-60	-82.19	-55	PASS
LVL	GSM1800	885	1784.8	15	1600	-75.41	-60	-81.69	-55	PASS
LVL	GSM1800	885	1784.8	15	1800	-76.68	-60	-82.95	-55	PASS
HVHT	GSM900	975	880.2	5	-1800	-81.48	-60	-55.57	-51	PASS
HVHT	GSM900	975	880.2	5	-1600	-81.83	-60	-55.88	-51	PASS
HVHT	GSM900	975	880.2	5	-1400	-80.39	-60	-54.57	-51	PASS
HVHT	GSM900	975	880.2	5	-1200	-79.82	-60	-53.92	-51	PASS
HVHT	GSM900	975	880.2	5	-1000	-79.39	-60	-53.62	-51	PASS
HVHT	GSM900	975	880.2	5	-800	-78.15	-60	-52.27	-51	PASS
HVHT	GSM900	975	880.2	5	-600	-74.96	-60	-49.01	-51	PASS
HVHT	GSM900	975	880.2	5	-400	-70.23	-60	-44.37	-36	PASS
HVHT	GSM900	975	880.2	5	-250	-41.14	-33	-15.29	-36	PASS
HVHT	GSM900	975	880.2	5	-200	-37.35	-30	-11.58	-36	PASS
HVHT	GSM900	975	880.2	5	-100	-8.18	0.5	17.58	-36	PASS
HVHT	GSM900	975	880.2	5	100	-7.83	0.5	18.06	-36	PASS
HVHT	GSM900	975	880.2	5	200	-36.82	-30	-10.89	-36	PASS
HVHT	GSM900	975	880.2	5	250	-41.27	-33	-15.4	-36	PASS
HVHT	GSM900	975	880.2	5	400	-69.79	-60	-44	-36	PASS
HVHT	GSM900	975	880.2	5	600	-75.46	-60	-49.68	-51	PASS
HVHT	GSM900	975	880.2	5	800	-78.03	-60	-52.09	-51	PASS
HVHT	GSM900	975	880.2	5	1000	-79.95	-60	-54.04	-51	PASS
HVHT	GSM900	975	880.2	5	1200	-79.66	-60	-53.78	-51	PASS
HVHT	GSM900	975	880.2	5	1400	-80.48	-60	-54.65	-51	PASS
HVHT	GSM900	975	880.2	5	1600	-80.83	-60	-54.91	-51	PASS
HVHT	GSM900	975	880.2	5	1800	-81.86	-60	-55.98	-51	PASS

HVHT	GSM900	975	880.2	19	-1800	-77.99	-60	-79.46	-51	PASS
HVHT	GSM900	975	880.2	19	-1600	-77.45	-60	-78.95	-51	PASS
HVHT	GSM900	975	880.2	19	-1400	-76.43	-60	-77.85	-51	PASS
HVHT	GSM900	975	880.2	19	-1200	-75.26	-60	-76.58	-51	PASS
HVHT	GSM900	975	880.2	19	-1000	-74.81	-60	-76.31	-51	PASS
HVHT	GSM900	975	880.2	19	-800	-70.45	-60	-71.89	-51	PASS
HVHT	GSM900	975	880.2	19	-600	-68.86	-60	-70.3	-51	PASS
HVHT	GSM900	975	880.2	19	-400	-65.5	-60	-67.04	-36	PASS
HVHT	GSM900	975	880.2	19	-250	-41.39	-33	-42.74	-36	PASS
HVHT	GSM900	975	880.2	19	-200	-37.71	-30	-39.08	-36	PASS
HVHT	GSM900	975	880.2	19	-100	-8.66	0.5	-10.05	-36	PASS
HVHT	GSM900	975	880.2	19	100	-9.92	0.5	-11.29	-36	PASS
HVHT	GSM900	975	880.2	19	200	-36.77	-30	-38.13	-36	PASS
HVHT	GSM900	975	880.2	19	250	-41.63	-33	-43.09	-36	PASS
HVHT	GSM900	975	880.2	19	400	-65.34	-60	-66.67	-36	PASS
HVHT	GSM900	975	880.2	19	600	-69.21	-60	-70.77	-51	PASS
HVHT	GSM900	975	880.2	19	800	-72.15	-60	-73.4	-51	PASS
HVHT	GSM900	975	880.2	19	1000	-74.22	-60	-75.62	-51	PASS
HVHT	GSM900	975	880.2	19	1200	-76.4	-60	-77.76	-51	PASS
HVHT	GSM900	975	880.2	19	1400	-76.7	-60	-78.18	-51	PASS
HVHT	GSM900	975	880.2	19	1600	-77.62	-60	-78.84	-51	PASS
HVHT	GSM900	975	880.2	19	1800	-78.43	-60	-79.79	-51	PASS
HVHT	GSM900	38	897.6	5	-1800	-82.78	-60	-56.99	-51	PASS
HVHT	GSM900	38	897.6	5	-1600	-82.17	-60	-56.23	-51	PASS
HVHT	GSM900	38	897.6	5	-1400	-80.66	-60	-54.74	-51	PASS
HVHT	GSM900	38	897.6	5	-1200	-80.34	-60	-54.56	-51	PASS
HVHT	GSM900	38	897.6	5	-1000	-78.56	-60	-52.91	-51	PASS
HVHT	GSM900	38	897.6	5	-800	-77.75	-60	-51.96	-51	PASS
HVHT	GSM900	38	897.6	5	-600	-75.26	-60	-49.33	-51	PASS
HVHT	GSM900	38	897.6	5	-400	-69.9	-60	-44.06	-36	PASS
HVHT	GSM900	38	897.6	5	-250	-42.16	-33	-16.34	-36	PASS
HVHT	GSM900	38	897.6	5	-200	-36.6	-30	-10.88	-36	PASS
HVHT	GSM900	38	897.6	5	-100	-9.61	0.5	16.14	-36	PASS
HVHT	GSM900	38	897.6	5	100	-7.94	0.5	17.79	-36	PASS
HVHT	GSM900	38	897.6	5	200	-37.01	-30	-11.08	-36	PASS
HVHT	GSM900	38	897.6	5	250	-41.25	-33	-15.48	-36	PASS
HVHT	GSM900	38	897.6	5	400	-70.99	-60	-45.2	-36	PASS
HVHT	GSM900	38	897.6	5	600	-75.37	-60	-49.52	-51	PASS
HVHT	GSM900	38	897.6	5	800	-77.61	-60	-51.78	-51	PASS
HVHT	GSM900	38	897.6	5	1000	-79.1	-60	-53.32	-51	PASS
HVHT	GSM900	38	897.6	5	1200	-79.72	-60	-53.92	-51	PASS
HVHT	GSM900	38	897.6	5	1400	-80.15	-60	-54.43	-51	PASS
HVHT	GSM900	38	897.6	5	1600	-81.79	-60	-55.88	-51	PASS
HVHT	GSM900	38	897.6	5	1800	-81.65	-60	-55.85	-51	PASS

HVHT	GSM900	38	897.6	19	-1800	-79.24	-60	-80.68	-51	PASS
HVHT	GSM900	38	897.6	19	-1600	-77.49	-60	-78.98	-51	PASS
HVHT	GSM900	38	897.6	19	-1400	-75.94	-60	-77.3	-51	PASS
HVHT	GSM900	38	897.6	19	-1200	-75.88	-60	-77.39	-51	PASS
HVHT	GSM900	38	897.6	19	-1000	-73.74	-60	-75.16	-51	PASS
HVHT	GSM900	38	897.6	19	-800	-71.91	-60	-73.47	-51	PASS
HVHT	GSM900	38	897.6	19	-600	-69.88	-60	-71.28	-51	PASS
HVHT	GSM900	38	897.6	19	-400	-64.59	-60	-66.1	-36	PASS
HVHT	GSM900	38	897.6	19	-250	-41.6	-33	-43.27	-36	PASS
HVHT	GSM900	38	897.6	19	-200	-37.45	-30	-38.97	-36	PASS
HVHT	GSM900	38	897.6	19	-100	-10.02	0.5	-11.54	-36	PASS
HVHT	GSM900	38	897.6	19	100	-9.86	0.5	-11.25	-36	PASS
HVHT	GSM900	38	897.6	19	200	-37.79	-30	-39.26	-36	PASS
HVHT	GSM900	38	897.6	19	250	-41.77	-33	-43.14	-36	PASS
HVHT	GSM900	38	897.6	19	400	-65.38	-60	-66.88	-36	PASS
HVHT	GSM900	38	897.6	19	600	-70.04	-60	-71.37	-51	PASS
HVHT	GSM900	38	897.6	19	800	-72.44	-60	-73.78	-51	PASS
HVHT	GSM900	38	897.6	19	1000	-74.61	-60	-75.97	-51	PASS
HVHT	GSM900	38	897.6	19	1200	-75.44	-60	-76.94	-51	PASS
HVHT	GSM900	38	897.6	19	1400	-76.98	-60	-78.45	-51	PASS
HVHT	GSM900	38	897.6	19	1600	-78.12	-60	-79.69	-51	PASS
HVHT	GSM900	38	897.6	19	1800	-79.24	-60	-80.68	-51	PASS
HVHT	GSM900	124	914.8	5	-1800	-80.88	-60	-54.49	-51	PASS
HVHT	GSM900	124	914.8	5	-1600	-82.46	-60	-56.14	-51	PASS
HVHT	GSM900	124	914.8	5	-1400	-81.77	-60	-55.35	-51	PASS
HVHT	GSM900	124	914.8	5	-1200	-81.36	-60	-55.12	-51	PASS
HVHT	GSM900	124	914.8	5	-1000	-80.38	-60	-54.1	-51	PASS
HVHT	GSM900	124	914.8	5	-800	-78.24	-60	-51.89	-51	PASS
HVHT	GSM900	124	914.8	5	-600	-76.11	-60	-49.75	-51	PASS
HVHT	GSM900	124	914.8	5	-400	-71.77	-60	-45.38	-36	PASS
HVHT	GSM900	124	914.8	5	-250	-42.09	-33	-15.85	-36	PASS
HVHT	GSM900	124	914.8	5	-200	-37.45	-30	-11.19	-36	PASS
HVHT	GSM900	124	914.8	5	-100	-9.71	0.5	16.66	-36	PASS
HVHT	GSM900	124	914.8	5	100	-9.55	0.5	16.86	-36	PASS
HVHT	GSM900	124	914.8	5	200	-37.51	-30	-11.14	-36	PASS
HVHT	GSM900	124	914.8	5	250	-41.74	-33	-15.47	-36	PASS
HVHT	GSM900	124	914.8	5	400	-71.04	-60	-44.69	-36	PASS
HVHT	GSM900	124	914.8	5	600	-76.92	-60	-50.52	-51	PASS
HVHT	GSM900	124	914.8	5	800	-78.39	-60	-51.99	-51	PASS
HVHT	GSM900	124	914.8	5	1000	-80.56	-60	-54.15	-51	PASS
HVHT	GSM900	124	914.8	5	1200	-81.79	-60	-55.31	-51	PASS
HVHT	GSM900	124	914.8	5	1400	-81.07	-60	-54.69	-51	PASS
HVHT	GSM900	124	914.8	5	1600	-83.14	-60	-56.94	-51	PASS
HVHT	GSM900	124	914.8	5	1800	-81.83	-60	-55.42	-51	PASS

HVHT	GSM900	124	914.8	19	-1800	-76.55	-60	-78.86	-51	PASS
HVHT	GSM900	124	914.8	19	-1600	-76.45	-60	-78.91	-51	PASS
HVHT	GSM900	124	914.8	19	-1400	-76.61	-60	-79.02	-51	PASS
HVHT	GSM900	124	914.8	19	-1200	-74.22	-60	-76.62	-51	PASS
HVHT	GSM900	124	914.8	19	-1000	-73.37	-60	-75.8	-51	PASS
HVHT	GSM900	124	914.8	19	-800	-70.74	-60	-73.19	-51	PASS
HVHT	GSM900	124	914.8	19	-600	-68.22	-60	-70.62	-51	PASS
HVHT	GSM900	124	914.8	19	-400	-64.79	-60	-67.25	-36	PASS
HVHT	GSM900	124	914.8	19	-250	-40.92	-33	-43.32	-36	PASS
HVHT	GSM900	124	914.8	19	-200	-36.52	-30	-38.92	-36	PASS
HVHT	GSM900	124	914.8	19	-100	-8.75	0.5	-11.01	-36	PASS
HVHT	GSM900	124	914.8	19	100	-8.8	0.5	-11.37	-36	PASS
HVHT	GSM900	124	914.8	19	200	-36.02	-30	-38.45	-36	PASS
HVHT	GSM900	124	914.8	19	250	-41.04	-33	-43.46	-36	PASS
HVHT	GSM900	124	914.8	19	400	-64.8	-60	-67.25	-36	PASS
HVHT	GSM900	124	914.8	19	600	-69.03	-60	-71.46	-51	PASS
HVHT	GSM900	124	914.8	19	800	-71.28	-60	-73.67	-51	PASS
HVHT	GSM900	124	914.8	19	1000	-73.51	-60	-75.9	-51	PASS
HVHT	GSM900	124	914.8	19	1200	-74.29	-60	-76.69	-51	PASS
HVHT	GSM900	124	914.8	19	1400	-75.6	-60	-78.11	-51	PASS
HVHT	GSM900	124	914.8	19	1600	-75.62	-60	-78.06	-51	PASS
HVHT	GSM900	124	914.8	19	1800	-77.53	-60	-79.9	-51	PASS
HVLT	GSM900	975	880.2	5	-1800	-81.46	-60	-55.58	-51	PASS
HVLT	GSM900	975	880.2	5	-1600	-81.88	-60	-56.05	-51	PASS
HVLT	GSM900	975	880.2	5	-1400	-80.41	-60	-54.58	-51	PASS
HVLT	GSM900	975	880.2	5	-1200	-79.79	-60	-53.89	-51	PASS
HVLT	GSM900	975	880.2	5	-1000	-79.38	-60	-53.45	-51	PASS
HVLT	GSM900	975	880.2	5	-800	-78.21	-60	-52.25	-51	PASS
HVLT	GSM900	975	880.2	5	-600	-74.87	-60	-49.08	-51	PASS
HVLT	GSM900	975	880.2	5	-400	-70.1	-60	-44.26	-36	PASS
HVLT	GSM900	975	880.2	5	-250	-41.12	-33	-15.28	-36	PASS
HVLT	GSM900	975	880.2	5	-200	-37.54	-30	-11.54	-36	PASS
HVLT	GSM900	975	880.2	5	-100	-8.3	0.5	17.59	-36	PASS
HVLT	GSM900	975	880.2	5	100	-7.87	0.5	18.07	-36	PASS
HVLT	GSM900	975	880.2	5	200	-36.69	-30	-10.89	-36	PASS
HVLT	GSM900	975	880.2	5	250	-41.2	-33	-15.37	-36	PASS
HVLT	GSM900	975	880.2	5	400	-69.83	-60	-43.88	-36	PASS
HVLT	GSM900	975	880.2	5	600	-75.5	-60	-49.58	-51	PASS
HVLT	GSM900	975	880.2	5	800	-78.03	-60	-52.07	-51	PASS
HVLT	GSM900	975	880.2	5	1000	-79.92	-60	-54.09	-51	PASS
HVLT	GSM900	975	880.2	5	1200	-79.73	-60	-53.9	-51	PASS
HVLT	GSM900	975	880.2	5	1400	-80.44	-60	-54.66	-51	PASS
HVLT	GSM900	975	880.2	5	1600	-80.95	-60	-55.06	-51	PASS
HVLT	GSM900	975	880.2	5	1800	-81.88	-60	-55.88	-51	PASS

HVLT	GSM900	975	880.2	19	-1800	-78.05	-60	-79.3	-51	PASS
HVLT	GSM900	975	880.2	19	-1600	-77.41	-60	-78.96	-51	PASS
HVLT	GSM900	975	880.2	19	-1400	-76.48	-60	-77.96	-51	PASS
HVLT	GSM900	975	880.2	19	-1200	-75.26	-60	-76.71	-51	PASS
HVLT	GSM900	975	880.2	19	-1000	-74.76	-60	-76.19	-51	PASS
HVLT	GSM900	975	880.2	19	-800	-70.33	-60	-71.88	-51	PASS
HVLT	GSM900	975	880.2	19	-600	-68.83	-60	-70.16	-51	PASS
HVLT	GSM900	975	880.2	19	-400	-65.6	-60	-67.06	-36	PASS
HVLT	GSM900	975	880.2	19	-250	-41.28	-33	-42.74	-36	PASS
HVLT	GSM900	975	880.2	19	-200	-37.63	-30	-39	-36	PASS
HVLT	GSM900	975	880.2	19	-100	-8.65	0.5	-10.01	-36	PASS
HVLT	GSM900	975	880.2	19	100	-9.9	0.5	-11.41	-36	PASS
HVLT	GSM900	975	880.2	19	200	-36.87	-30	-38.16	-36	PASS
HVLT	GSM900	975	880.2	19	250	-41.64	-33	-42.95	-36	PASS
HVLT	GSM900	975	880.2	19	400	-65.17	-60	-66.66	-36	PASS
HVLT	GSM900	975	880.2	19	600	-69.25	-60	-70.75	-51	PASS
HVLT	GSM900	975	880.2	19	800	-72.13	-60	-73.54	-51	PASS
HVLT	GSM900	975	880.2	19	1000	-74.16	-60	-75.46	-51	PASS
HVLT	GSM900	975	880.2	19	1200	-76.44	-60	-77.88	-51	PASS
HVLT	GSM900	975	880.2	19	1400	-76.62	-60	-78.12	-51	PASS
HVLT	GSM900	975	880.2	19	1600	-77.49	-60	-78.95	-51	PASS
HVLT	GSM900	975	880.2	19	1800	-78.38	-60	-79.91	-51	PASS
HVLT	GSM900	38	897.6	5	-1800	-82.67	-60	-56.97	-51	PASS
HVLT	GSM900	38	897.6	5	-1600	-82.05	-60	-56.24	-51	PASS
HVLT	GSM900	38	897.6	5	-1400	-80.47	-60	-54.67	-51	PASS
HVLT	GSM900	38	897.6	5	-1200	-80.26	-60	-54.47	-51	PASS
HVLT	GSM900	38	897.6	5	-1000	-78.58	-60	-52.82	-51	PASS
HVLT	GSM900	38	897.6	5	-800	-77.86	-60	-52.05	-51	PASS
HVLT	GSM900	38	897.6	5	-600	-75.31	-60	-49.36	-51	PASS
HVLT	GSM900	38	897.6	5	-400	-70.01	-60	-44.08	-36	PASS
HVLT	GSM900	38	897.6	5	-250	-42.05	-33	-16.28	-36	PASS
HVLT	GSM900	38	897.6	5	-200	-36.7	-30	-10.85	-36	PASS
HVLT	GSM900	38	897.6	5	-100	-9.65	0.5	16.24	-36	PASS
HVLT	GSM900	38	897.6	5	100	-7.96	0.5	17.75	-36	PASS
HVLT	GSM900	38	897.6	5	200	-36.94	-30	-11.15	-36	PASS
HVLT	GSM900	38	897.6	5	250	-41.24	-33	-15.45	-36	PASS
HVLT	GSM900	38	897.6	5	400	-71.07	-60	-45.18	-36	PASS
HVLT	GSM900	38	897.6	5	600	-75.21	-60	-49.4	-51	PASS
HVLT	GSM900	38	897.6	5	800	-77.62	-60	-51.85	-51	PASS
HVLT	GSM900	38	897.6	5	1000	-79.14	-60	-53.23	-51	PASS
HVLT	GSM900	38	897.6	5	1200	-79.87	-60	-53.92	-51	PASS
HVLT	GSM900	38	897.6	5	1400	-80.2	-60	-54.52	-51	PASS
HVLT	GSM900	38	897.6	5	1600	-81.66	-60	-55.81	-51	PASS
HVLT	GSM900	38	897.6	5	1800	-81.61	-60	-55.71	-51	PASS



HVLT	GSM900	38	897.6	19	-1800	-79.07	-60	-80.52	-51	PASS
HVLT	GSM900	38	897.6	19	-1600	-77.47	-60	-78.99	-51	PASS
HVLT	GSM900	38	897.6	19	-1400	-75.95	-60	-77.41	-51	PASS
HVLT	GSM900	38	897.6	19	-1200	-75.92	-60	-77.52	-51	PASS
HVLT	GSM900	38	897.6	19	-1000	-73.74	-60	-75.14	-51	PASS
HVLT	GSM900	38	897.6	19	-800	-71.99	-60	-73.45	-51	PASS
HVLT	GSM900	38	897.6	19	-600	-69.85	-60	-71.32	-51	PASS
HVLT	GSM900	38	897.6	19	-400	-64.68	-60	-66.05	-36	PASS
HVLT	GSM900	38	897.6	19	-250	-41.75	-33	-43.22	-36	PASS
HVLT	GSM900	38	897.6	19	-200	-37.49	-30	-38.81	-36	PASS
HVLT	GSM900	38	897.6	19	-100	-10.09	0.5	-11.57	-36	PASS
HVLT	GSM900	38	897.6	19	100	-9.74	0.5	-11.24	-36	PASS
HVLT	GSM900	38	897.6	19	200	-37.78	-30	-39.25	-36	PASS
HVLT	GSM900	38	897.6	19	250	-41.64	-33	-43.23	-36	PASS
HVLT	GSM900	38	897.6	19	400	-65.27	-60	-66.89	-36	PASS
HVLT	GSM900	38	897.6	19	600	-69.94	-60	-71.48	-51	PASS
HVLT	GSM900	38	897.6	19	800	-72.38	-60	-73.73	-51	PASS
HVLT	GSM900	38	897.6	19	1000	-74.62	-60	-76.05	-51	PASS
HVLT	GSM900	38	897.6	19	1200	-75.53	-60	-76.92	-51	PASS
HVLT	GSM900	38	897.6	19	1400	-76.94	-60	-78.42	-51	PASS
HVLT	GSM900	38	897.6	19	1600	-78.25	-60	-79.59	-51	PASS
HVLT	GSM900	38	897.6	19	1800	-79.11	-60	-80.71	-51	PASS
HVLT	GSM900	124	914.8	5	-1800	-80.86	-60	-54.55	-51	PASS
HVLT	GSM900	124	914.8	5	-1600	-82.41	-60	-56.05	-51	PASS
HVLT	GSM900	124	914.8	5	-1400	-81.69	-60	-55.46	-51	PASS
HVLT	GSM900	124	914.8	5	-1200	-81.3	-60	-55.04	-51	PASS
HVLT	GSM900	124	914.8	5	-1000	-80.26	-60	-54.02	-51	PASS
HVLT	GSM900	124	914.8	5	-800	-78.23	-60	-51.9	-51	PASS
HVLT	GSM900	124	914.8	5	-600	-76.07	-60	-49.73	-51	PASS
HVLT	GSM900	124	914.8	5	-400	-71.78	-60	-45.4	-36	PASS
HVLT	GSM900	124	914.8	5	-250	-42.13	-33	-15.81	-36	PASS
HVLT	GSM900	124	914.8	5	-200	-37.49	-30	-11.19	-36	PASS
HVLT	GSM900	124	914.8	5	-100	-9.6	0.5	16.7	-36	PASS
HVLT	GSM900	124	914.8	5	100	-9.39	0.5	16.85	-36	PASS
HVLT	GSM900	124	914.8	5	200	-37.54	-30	-11.15	-36	PASS
HVLT	GSM900	124	914.8	5	250	-41.8	-33	-15.44	-36	PASS
HVLT	GSM900	124	914.8	5	400	-71.03	-60	-44.76	-36	PASS
HVLT	GSM900	124	914.8	5	600	-76.82	-60	-50.49	-51	PASS
HVLT	GSM900	124	914.8	5	800	-78.34	-60	-52.04	-51	PASS
HVLT	GSM900	124	914.8	5	1000	-80.57	-60	-54.28	-51	PASS
HVLT	GSM900	124	914.8	5	1200	-81.63	-60	-55.46	-51	PASS
HVLT	GSM900	124	914.8	5	1400	-81.04	-60	-54.68	-51	PASS
HVLT	GSM900	124	914.8	5	1600	-83.21	-60	-56.92	-51	PASS
HVLT	GSM900	124	914.8	5	1800	-81.85	-60	-55.45	-51	PASS

HVLT	GSM900	124	914.8	19	-1800	-76.51	-60	-78.87	-51	PASS
HVLT	GSM900	124	914.8	19	-1600	-76.57	-60	-79.02	-51	PASS
HVLT	GSM900	124	914.8	19	-1400	-76.57	-60	-78.96	-51	PASS
HVLT	GSM900	124	914.8	19	-1200	-74.35	-60	-76.6	-51	PASS
HVLT	GSM900	124	914.8	19	-1000	-73.23	-60	-75.68	-51	PASS
HVLT	GSM900	124	914.8	19	-800	-70.88	-60	-73.21	-51	PASS
HVLT	GSM900	124	914.8	19	-600	-68.23	-60	-70.55	-51	PASS
HVLT	GSM900	124	914.8	19	-400	-64.87	-60	-67.35	-36	PASS
HVLT	GSM900	124	914.8	19	-250	-40.97	-33	-43.3	-36	PASS
HVLT	GSM900	124	914.8	19	-200	-36.46	-30	-38.93	-36	PASS
HVLT	GSM900	124	914.8	19	-100	-8.76	0.5	-11.03	-36	PASS
HVLT	GSM900	124	914.8	19	100	-8.86	0.5	-11.27	-36	PASS
HVLT	GSM900	124	914.8	19	200	-36.19	-30	-38.53	-36	PASS
HVLT	GSM900	124	914.8	19	250	-41.02	-33	-43.55	-36	PASS
HVLT	GSM900	124	914.8	19	400	-64.78	-60	-67.31	-36	PASS
HVLT	GSM900	124	914.8	19	600	-68.96	-60	-71.38	-51	PASS
HVLT	GSM900	124	914.8	19	800	-71.21	-60	-73.69	-51	PASS
HVLT	GSM900	124	914.8	19	1000	-73.37	-60	-75.93	-51	PASS
HVLT	GSM900	124	914.8	19	1200	-74.38	-60	-76.64	-51	PASS
HVLT	GSM900	124	914.8	19	1400	-75.61	-60	-78.15	-51	PASS
HVLT	GSM900	124	914.8	19	1600	-75.57	-60	-77.97	-51	PASS
HVLT	GSM900	124	914.8	19	1800	-77.44	-60	-79.97	-51	PASS
LVHT	GSM900	975	880.2	5	-1800	-81.51	-60	-55.61	-51	PASS
LVHT	GSM900	975	880.2	5	-1600	-81.84	-60	-55.92	-51	PASS
LVHT	GSM900	975	880.2	5	-1400	-80.47	-60	-54.44	-51	PASS
LVHT	GSM900	975	880.2	5	-1200	-79.95	-60	-54.05	-51	PASS
LVHT	GSM900	975	880.2	5	-1000	-79.47	-60	-53.46	-51	PASS
LVHT	GSM900	975	880.2	5	-800	-78.25	-60	-52.27	-51	PASS
LVHT	GSM900	975	880.2	5	-600	-74.97	-60	-49.02	-51	PASS
LVHT	GSM900	975	880.2	5	-400	-70.11	-60	-44.2	-36	PASS
LVHT	GSM900	975	880.2	5	-250	-41.19	-33	-15.37	-36	PASS
LVHT	GSM900	975	880.2	5	-200	-37.52	-30	-11.6	-36	PASS
LVHT	GSM900	975	880.2	5	-100	-8.2	0.5	17.55	-36	PASS
LVHT	GSM900	975	880.2	5	100	-7.78	0.5	18.12	-36	PASS
LVHT	GSM900	975	880.2	5	200	-36.72	-30	-10.78	-36	PASS
LVHT	GSM900	975	880.2	5	250	-41.19	-33	-15.28	-36	PASS
LVHT	GSM900	975	880.2	5	400	-69.91	-60	-44.06	-36	PASS
LVHT	GSM900	975	880.2	5	600	-75.53	-60	-49.59	-51	PASS
LVHT	GSM900	975	880.2	5	800	-77.87	-60	-52.17	-51	PASS
LVHT	GSM900	975	880.2	5	1000	-79.93	-60	-54.02	-51	PASS
LVHT	GSM900	975	880.2	5	1200	-79.74	-60	-53.93	-51	PASS
LVHT	GSM900	975	880.2	5	1400	-80.59	-60	-54.63	-51	PASS
LVHT	GSM900	975	880.2	5	1600	-80.83	-60	-54.93	-51	PASS
LVHT	GSM900	975	880.2	5	1800	-81.73	-60	-56.01	-51	PASS

LVHT	GSM900	975	880.2	19	-1800	-77.94	-60	-79.43	-51	PASS
LVHT	GSM900	975	880.2	19	-1600	-77.57	-60	-78.96	-51	PASS
LVHT	GSM900	975	880.2	19	-1400	-76.5	-60	-77.91	-51	PASS
LVHT	GSM900	975	880.2	19	-1200	-75.17	-60	-76.7	-51	PASS
LVHT	GSM900	975	880.2	19	-1000	-74.79	-60	-76.32	-51	PASS
LVHT	GSM900	975	880.2	19	-800	-70.32	-60	-71.88	-51	PASS
LVHT	GSM900	975	880.2	19	-600	-68.76	-60	-70.17	-51	PASS
LVHT	GSM900	975	880.2	19	-400	-65.64	-60	-67.04	-36	PASS
LVHT	GSM900	975	880.2	19	-250	-41.35	-33	-42.78	-36	PASS
LVHT	GSM900	975	880.2	19	-200	-37.52	-30	-39.1	-36	PASS
LVHT	GSM900	975	880.2	19	-100	-8.64	0.5	-10.03	-36	PASS
LVHT	GSM900	975	880.2	19	100	-9.88	0.5	-11.41	-36	PASS
LVHT	GSM900	975	880.2	19	200	-36.79	-30	-38.24	-36	PASS
LVHT	GSM900	975	880.2	19	250	-41.58	-33	-42.99	-36	PASS
LVHT	GSM900	975	880.2	19	400	-65.31	-60	-66.66	-36	PASS
LVHT	GSM900	975	880.2	19	600	-69.22	-60	-70.77	-51	PASS
LVHT	GSM900	975	880.2	19	800	-72.12	-60	-73.51	-51	PASS
LVHT	GSM900	975	880.2	19	1000	-74.22	-60	-75.55	-51	PASS
LVHT	GSM900	975	880.2	19	1200	-76.36	-60	-77.87	-51	PASS
LVHT	GSM900	975	880.2	19	1400	-76.71	-60	-78.04	-51	PASS
LVHT	GSM900	975	880.2	19	1600	-77.57	-60	-78.99	-51	PASS
LVHT	GSM900	975	880.2	19	1800	-78.37	-60	-79.82	-51	PASS
LVHT	GSM900	38	897.6	5	-1800	-82.79	-60	-56.98	-51	PASS
LVHT	GSM900	38	897.6	5	-1600	-82.06	-60	-56.25	-51	PASS
LVHT	GSM900	38	897.6	5	-1400	-80.47	-60	-54.84	-51	PASS
LVHT	GSM900	38	897.6	5	-1200	-80.36	-60	-54.52	-51	PASS
LVHT	GSM900	38	897.6	5	-1000	-78.57	-60	-52.76	-51	PASS
LVHT	GSM900	38	897.6	5	-800	-77.81	-60	-52.12	-51	PASS
LVHT	GSM900	38	897.6	5	-600	-75.27	-60	-49.32	-51	PASS
LVHT	GSM900	38	897.6	5	-400	-69.89	-60	-44.23	-36	PASS
LVHT	GSM900	38	897.6	5	-250	-42.07	-33	-16.35	-36	PASS
LVHT	GSM900	38	897.6	5	-200	-36.55	-30	-10.87	-36	PASS
LVHT	GSM900	38	897.6	5	-100	-9.61	0.5	16.27	-36	PASS
LVHT	GSM900	38	897.6	5	100	-7.97	0.5	17.8	-36	PASS
LVHT	GSM900	38	897.6	5	200	-36.89	-30	-11.09	-36	PASS
LVHT	GSM900	38	897.6	5	250	-41.29	-33	-15.54	-36	PASS
LVHT	GSM900	38	897.6	5	400	-71.02	-60	-45.34	-36	PASS
LVHT	GSM900	38	897.6	5	600	-75.23	-60	-49.55	-51	PASS
LVHT	GSM900	38	897.6	5	800	-77.65	-60	-51.91	-51	PASS
LVHT	GSM900	38	897.6	5	1000	-79.22	-60	-53.35	-51	PASS
LVHT	GSM900	38	897.6	5	1200	-79.74	-60	-54.05	-51	PASS
LVHT	GSM900	38	897.6	5	1400	-80.23	-60	-54.5	-51	PASS
LVHT	GSM900	38	897.6	5	1600	-81.76	-60	-55.93	-51	PASS
LVHT	GSM900	38	897.6	5	1800	-81.65	-60	-55.76	-51	PASS

LVHT	GSM900	38	897.6	19	-1800	-79.1	-60	-80.71	-51	PASS
LVHT	GSM900	38	897.6	19	-1600	-77.61	-60	-78.95	-51	PASS
LVHT	GSM900	38	897.6	19	-1400	-75.85	-60	-77.35	-51	PASS
LVHT	GSM900	38	897.6	19	-1200	-76.03	-60	-77.33	-51	PASS
LVHT	GSM900	38	897.6	19	-1000	-73.73	-60	-75.12	-51	PASS
LVHT	GSM900	38	897.6	19	-800	-71.95	-60	-73.41	-51	PASS
LVHT	GSM900	38	897.6	19	-600	-69.84	-60	-71.38	-51	PASS
LVHT	GSM900	38	897.6	19	-400	-64.53	-60	-66.11	-36	PASS
LVHT	GSM900	38	897.6	19	-250	-41.66	-33	-43.23	-36	PASS
LVHT	GSM900	38	897.6	19	-200	-37.38	-30	-38.83	-36	PASS
LVHT	GSM900	38	897.6	19	-100	-10	0.5	-11.57	-36	PASS
LVHT	GSM900	38	897.6	19	100	-9.78	0.5	-11.33	-36	PASS
LVHT	GSM900	38	897.6	19	200	-37.66	-30	-39.22	-36	PASS
LVHT	GSM900	38	897.6	19	250	-41.72	-33	-43.11	-36	PASS
LVHT	GSM900	38	897.6	19	400	-65.31	-60	-66.76	-36	PASS
LVHT	GSM900	38	897.6	19	600	-70.06	-60	-71.51	-51	PASS
LVHT	GSM900	38	897.6	19	800	-72.31	-60	-73.89	-51	PASS
LVHT	GSM900	38	897.6	19	1000	-74.53	-60	-76.01	-51	PASS
LVHT	GSM900	38	897.6	19	1200	-75.52	-60	-77.01	-51	PASS
LVHT	GSM900	38	897.6	19	1400	-76.93	-60	-78.43	-51	PASS
LVHT	GSM900	38	897.6	19	1600	-78.31	-60	-79.61	-51	PASS
LVHT	GSM900	38	897.6	19	1800	-79.07	-60	-80.56	-51	PASS
LVHT	GSM900	124	914.8	5	-1800	-80.77	-60	-54.48	-51	PASS
LVHT	GSM900	124	914.8	5	-1600	-82.33	-60	-56.06	-51	PASS
LVHT	GSM900	124	914.8	5	-1400	-81.76	-60	-55.42	-51	PASS
LVHT	GSM900	124	914.8	5	-1200	-81.36	-60	-55.12	-51	PASS
LVHT	GSM900	124	914.8	5	-1000	-80.3	-60	-54.04	-51	PASS
LVHT	GSM900	124	914.8	5	-800	-78.17	-60	-51.93	-51	PASS
LVHT	GSM900	124	914.8	5	-600	-76.01	-60	-49.78	-51	PASS
LVHT	GSM900	124	914.8	5	-400	-71.86	-60	-45.53	-36	PASS
LVHT	GSM900	124	914.8	5	-250	-42.19	-33	-15.84	-36	PASS
LVHT	GSM900	124	914.8	5	-200	-37.46	-30	-11.1	-36	PASS
LVHT	GSM900	124	914.8	5	-100	-9.65	0.5	16.57	-36	PASS
LVHT	GSM900	124	914.8	5	100	-9.42	0.5	16.81	-36	PASS
LVHT	GSM900	124	914.8	5	200	-37.49	-30	-11.04	-36	PASS
LVHT	GSM900	124	914.8	5	250	-41.67	-33	-15.45	-36	PASS
LVHT	GSM900	124	914.8	5	400	-71.06	-60	-44.83	-36	PASS
LVHT	GSM900	124	914.8	5	600	-76.79	-60	-50.59	-51	PASS
LVHT	GSM900	124	914.8	5	800	-78.38	-60	-52.03	-51	PASS
LVHT	GSM900	124	914.8	5	1000	-80.55	-60	-54.24	-51	PASS
LVHT	GSM900	124	914.8	5	1200	-81.68	-60	-55.34	-51	PASS
LVHT	GSM900	124	914.8	5	1400	-81.05	-60	-54.75	-51	PASS
LVHT	GSM900	124	914.8	5	1600	-83.22	-60	-56.76	-51	PASS
LVHT	GSM900	124	914.8	5	1800	-81.85	-60	-55.56	-51	PASS

LVHT	GSM900	124	914.8	19	-1800	-76.53	-60	-78.95	-51	PASS
LVHT	GSM900	124	914.8	19	-1600	-76.59	-60	-78.96	-51	PASS
LVHT	GSM900	124	914.8	19	-1400	-76.58	-60	-79.01	-51	PASS
LVHT	GSM900	124	914.8	19	-1200	-74.31	-60	-76.62	-51	PASS
LVHT	GSM900	124	914.8	19	-1000	-73.28	-60	-75.72	-51	PASS
LVHT	GSM900	124	914.8	19	-800	-70.88	-60	-73.19	-51	PASS
LVHT	GSM900	124	914.8	19	-600	-68.13	-60	-70.64	-51	PASS
LVHT	GSM900	124	914.8	19	-400	-64.93	-60	-67.34	-36	PASS
LVHT	GSM900	124	914.8	19	-250	-40.87	-33	-43.34	-36	PASS
LVHT	GSM900	124	914.8	19	-200	-36.51	-30	-38.89	-36	PASS
LVHT	GSM900	124	914.8	19	-100	-8.61	0.5	-11.07	-36	PASS
LVHT	GSM900	124	914.8	19	100	-8.84	0.5	-11.23	-36	PASS
LVHT	GSM900	124	914.8	19	200	-36.05	-30	-38.46	-36	PASS
LVHT	GSM900	124	914.8	19	250	-41.1	-33	-43.52	-36	PASS
LVHT	GSM900	124	914.8	19	400	-64.8	-60	-67.2	-36	PASS
LVHT	GSM900	124	914.8	19	600	-69.07	-60	-71.39	-51	PASS
LVHT	GSM900	124	914.8	19	800	-71.15	-60	-73.6	-51	PASS
LVHT	GSM900	124	914.8	19	1000	-73.38	-60	-75.79	-51	PASS
LVHT	GSM900	124	914.8	19	1200	-74.25	-60	-76.77	-51	PASS
LVHT	GSM900	124	914.8	19	1400	-75.62	-60	-78.13	-51	PASS
LVHT	GSM900	124	914.8	19	1600	-75.48	-60	-77.92	-51	PASS
LVHT	GSM900	124	914.8	19	1800	-77.48	-60	-79.98	-51	PASS
LVLT	GSM900	975	880.2	5	-1800	-81.55	-60	-55.53	-51	PASS
LVLT	GSM900	975	880.2	5	-1600	-81.9	-60	-55.9	-51	PASS
LVLT	GSM900	975	880.2	5	-1400	-80.44	-60	-54.5	-51	PASS
LVLT	GSM900	975	880.2	5	-1200	-79.79	-60	-53.98	-51	PASS
LVLT	GSM900	975	880.2	5	-1000	-79.48	-60	-53.46	-51	PASS
LVLT	GSM900	975	880.2	5	-800	-78.22	-60	-52.35	-51	PASS
LVLT	GSM900	975	880.2	5	-600	-75.01	-60	-49.07	-51	PASS
LVLT	GSM900	975	880.2	5	-400	-70.21	-60	-44.28	-36	PASS
LVLT	GSM900	975	880.2	5	-250	-41.18	-33	-15.26	-36	PASS
LVLT	GSM900	975	880.2	5	-200	-37.43	-30	-11.62	-36	PASS
LVLT	GSM900	975	880.2	5	-100	-8.31	0.5	17.69	-36	PASS
LVLT	GSM900	975	880.2	5	100	-7.76	0.5	18.11	-36	PASS
LVLT	GSM900	975	880.2	5	200	-36.79	-30	-10.93	-36	PASS
LVLT	GSM900	975	880.2	5	250	-41.19	-33	-15.32	-36	PASS
LVLT	GSM900	975	880.2	5	400	-69.89	-60	-43.98	-36	PASS
LVLT	GSM900	975	880.2	5	600	-75.49	-60	-49.59	-51	PASS
LVLT	GSM900	975	880.2	5	800	-78.04	-60	-52.06	-51	PASS
LVLT	GSM900	975	880.2	5	1000	-79.87	-60	-53.93	-51	PASS
LVLT	GSM900	975	880.2	5	1200	-79.64	-60	-53.89	-51	PASS
LVLT	GSM900	975	880.2	5	1400	-80.59	-60	-54.59	-51	PASS
LVLT	GSM900	975	880.2	5	1600	-80.85	-60	-54.92	-51	PASS
LVLT	GSM900	975	880.2	5	1800	-81.79	-60	-55.94	-51	PASS

LVLT	GSM900	975	880.2	19	-1800	-77.88	-60	-79.41	-51	PASS
LVLT	GSM900	975	880.2	19	-1600	-77.56	-60	-78.91	-51	PASS
LVLT	GSM900	975	880.2	19	-1400	-76.44	-60	-77.92	-51	PASS
LVLT	GSM900	975	880.2	19	-1200	-75.24	-60	-76.59	-51	PASS
LVLT	GSM900	975	880.2	19	-1000	-74.77	-60	-76.29	-51	PASS
LVLT	GSM900	975	880.2	19	-800	-70.39	-60	-71.87	-51	PASS
LVLT	GSM900	975	880.2	19	-600	-68.89	-60	-70.23	-51	PASS
LVLT	GSM900	975	880.2	19	-400	-65.54	-60	-67.06	-36	PASS
LVLT	GSM900	975	880.2	19	-250	-41.4	-33	-42.78	-36	PASS
LVLT	GSM900	975	880.2	19	-200	-37.67	-30	-38.99	-36	PASS
LVLT	GSM900	975	880.2	19	-100	-8.67	0.5	-10.01	-36	PASS
LVLT	GSM900	975	880.2	19	100	-9.99	0.5	-11.36	-36	PASS
LVLT	GSM900	975	880.2	19	200	-36.71	-30	-38.23	-36	PASS
LVLT	GSM900	975	880.2	19	250	-41.56	-33	-43.02	-36	PASS
LVLT	GSM900	975	880.2	19	400	-65.21	-60	-66.61	-36	PASS
LVLT	GSM900	975	880.2	19	600	-69.23	-60	-70.69	-51	PASS
LVLT	GSM900	975	880.2	19	800	-72.12	-60	-73.57	-51	PASS
LVLT	GSM900	975	880.2	19	1000	-74.08	-60	-75.64	-51	PASS
LVLT	GSM900	975	880.2	19	1200	-76.33	-60	-77.93	-51	PASS
LVLT	GSM900	975	880.2	19	1400	-76.62	-60	-78.21	-51	PASS
LVLT	GSM900	975	880.2	19	1600	-77.62	-60	-78.85	-51	PASS
LVLT	GSM900	975	880.2	19	1800	-78.38	-60	-79.82	-51	PASS
LVLT	GSM900	38	897.6	5	-1800	-82.81	-60	-56.93	-51	PASS
LVLT	GSM900	38	897.6	5	-1600	-82.03	-60	-56.29	-51	PASS
LVLT	GSM900	38	897.6	5	-1400	-80.52	-60	-54.83	-51	PASS
LVLT	GSM900	38	897.6	5	-1200	-80.27	-60	-54.53	-51	PASS
LVLT	GSM900	38	897.6	5	-1000	-78.61	-60	-52.73	-51	PASS
LVLT	GSM900	38	897.6	5	-800	-77.91	-60	-52.09	-51	PASS
LVLT	GSM900	38	897.6	5	-600	-75.14	-60	-49.36	-51	PASS
LVLT	GSM900	38	897.6	5	-400	-69.92	-60	-44.18	-36	PASS
LVLT	GSM900	38	897.6	5	-250	-42.1	-33	-16.39	-36	PASS
LVLT	GSM900	38	897.6	5	-200	-36.55	-30	-10.9	-36	PASS
LVLT	GSM900	38	897.6	5	-100	-9.58	0.5	16.12	-36	PASS
LVLT	GSM900	38	897.6	5	100	-7.96	0.5	17.72	-36	PASS
LVLT	GSM900	38	897.6	5	200	-36.88	-30	-11.11	-36	PASS
LVLT	GSM900	38	897.6	5	250	-41.35	-33	-15.53	-36	PASS
LVLT	GSM900	38	897.6	5	400	-71.12	-60	-45.32	-36	PASS
LVLT	GSM900	38	897.6	5	600	-75.28	-60	-49.51	-51	PASS
LVLT	GSM900	38	897.6	5	800	-77.61	-60	-51.82	-51	PASS
LVLT	GSM900	38	897.6	5	1000	-79.15	-60	-53.31	-51	PASS
LVLT	GSM900	38	897.6	5	1200	-79.75	-60	-53.99	-51	PASS
LVLT	GSM900	38	897.6	5	1400	-80.21	-60	-54.4	-51	PASS
LVLT	GSM900	38	897.6	5	1600	-81.8	-60	-55.92	-51	PASS
LVLT	GSM900	38	897.6	5	1800	-81.53	-60	-55.79	-51	PASS

LVLT	GSM900	38	897.6	19	-1800	-79.05	-60	-80.61	-51	PASS
LVLT	GSM900	38	897.6	19	-1600	-77.62	-60	-79.07	-51	PASS
LVLT	GSM900	38	897.6	19	-1400	-75.89	-60	-77.31	-51	PASS
LVLT	GSM900	38	897.6	19	-1200	-75.96	-60	-77.33	-51	PASS
LVLT	GSM900	38	897.6	19	-1000	-73.6	-60	-75.1	-51	PASS
LVLT	GSM900	38	897.6	19	-800	-71.97	-60	-73.47	-51	PASS
LVLT	GSM900	38	897.6	19	-600	-69.81	-60	-71.28	-51	PASS
LVLT	GSM900	38	897.6	19	-400	-64.58	-60	-66.14	-36	PASS
LVLT	GSM900	38	897.6	19	-250	-41.6	-33	-43.15	-36	PASS
LVLT	GSM900	38	897.6	19	-200	-37.49	-30	-38.89	-36	PASS
LVLT	GSM900	38	897.6	19	-100	-10.12	0.5	-11.5	-36	PASS
LVLT	GSM900	38	897.6	19	100	-9.79	0.5	-11.3	-36	PASS
LVLT	GSM900	38	897.6	19	200	-37.77	-30	-39.28	-36	PASS
LVLT	GSM900	38	897.6	19	250	-41.65	-33	-43.2	-36	PASS
LVLT	GSM900	38	897.6	19	400	-65.37	-60	-66.86	-36	PASS
LVLT	GSM900	38	897.6	19	600	-70.05	-60	-71.49	-51	PASS
LVLT	GSM900	38	897.6	19	800	-72.39	-60	-73.85	-51	PASS
LVLT	GSM900	38	897.6	19	1000	-74.66	-60	-76.11	-51	PASS
LVLT	GSM900	38	897.6	19	1200	-75.54	-60	-76.94	-51	PASS
LVLT	GSM900	38	897.6	19	1400	-76.89	-60	-78.36	-51	PASS
LVLT	GSM900	38	897.6	19	1600	-78.15	-60	-79.65	-51	PASS
LVLT	GSM900	38	897.6	19	1800	-79.17	-60	-80.54	-51	PASS
LVLT	GSM900	124	914.8	5	-1800	-80.85	-60	-54.54	-51	PASS
LVLT	GSM900	124	914.8	5	-1600	-82.33	-60	-56.17	-51	PASS
LVLT	GSM900	124	914.8	5	-1400	-81.66	-60	-55.38	-51	PASS
LVLT	GSM900	124	914.8	5	-1200	-81.33	-60	-55.05	-51	PASS
LVLT	GSM900	124	914.8	5	-1000	-80.38	-60	-54.06	-51	PASS
LVLT	GSM900	124	914.8	5	-800	-78.27	-60	-51.95	-51	PASS
LVLT	GSM900	124	914.8	5	-600	-76.11	-60	-49.63	-51	PASS
LVLT	GSM900	124	914.8	5	-400	-71.68	-60	-45.5	-36	PASS
LVLT	GSM900	124	914.8	5	-250	-42.02	-33	-15.88	-36	PASS
LVLT	GSM900	124	914.8	5	-200	-37.4	-30	-11.07	-36	PASS
LVLT	GSM900	124	914.8	5	-100	-9.64	0.5	16.73	-36	PASS
LVLT	GSM900	124	914.8	5	100	-9.4	0.5	16.8	-36	PASS
LVLT	GSM900	124	914.8	5	200	-37.45	-30	-11.19	-36	PASS
LVLT	GSM900	124	914.8	5	250	-41.67	-33	-15.46	-36	PASS
LVLT	GSM900	124	914.8	5	400	-71.02	-60	-44.81	-36	PASS
LVLT	GSM900	124	914.8	5	600	-76.8	-60	-50.47	-51	PASS
LVLT	GSM900	124	914.8	5	800	-78.41	-60	-52.06	-51	PASS
LVLT	GSM900	124	914.8	5	1000	-80.43	-60	-54.28	-51	PASS
LVLT	GSM900	124	914.8	5	1200	-81.75	-60	-55.36	-51	PASS
LVLT	GSM900	124	914.8	5	1400	-81.05	-60	-54.65	-51	PASS
LVLT	GSM900	124	914.8	5	1600	-83.14	-60	-56.81	-51	PASS
LVLT	GSM900	124	914.8	5	1800	-81.75	-60	-55.41	-51	PASS



LVL	GSM900	124	914.8	19	-1800	-76.58	-60	-79.05	-51	PASS
LVL	GSM900	124	914.8	19	-1600	-76.6	-60	-78.94	-51	PASS
LVL	GSM900	124	914.8	19	-1400	-76.5	-60	-79	-51	PASS
LVL	GSM900	124	914.8	19	-1200	-74.21	-60	-76.63	-51	PASS
LVL	GSM900	124	914.8	19	-1000	-73.38	-60	-75.66	-51	PASS
LVL	GSM900	124	914.8	19	-800	-70.86	-60	-73.23	-51	PASS
LVL	GSM900	124	914.8	19	-600	-68.21	-60	-70.63	-51	PASS
LVL	GSM900	124	914.8	19	-400	-64.88	-60	-67.28	-36	PASS
LVL	GSM900	124	914.8	19	-250	-40.82	-33	-43.31	-36	PASS
LVL	GSM900	124	914.8	19	-200	-36.48	-30	-38.99	-36	PASS
LVL	GSM900	124	914.8	19	-100	-8.63	0.5	-11.1	-36	PASS
LVL	GSM900	124	914.8	19	100	-8.84	0.5	-11.29	-36	PASS
LVL	GSM900	124	914.8	19	200	-36.02	-30	-38.43	-36	PASS
LVL	GSM900	124	914.8	19	250	-41.01	-33	-43.54	-36	PASS
LVL	GSM900	124	914.8	19	400	-64.84	-60	-67.24	-36	PASS
LVL	GSM900	124	914.8	19	600	-68.91	-60	-71.53	-51	PASS
LVL	GSM900	124	914.8	19	800	-71.09	-60	-73.54	-51	PASS
LVL	GSM900	124	914.8	19	1000	-73.34	-60	-75.85	-51	PASS
LVL	GSM900	124	914.8	19	1200	-74.2	-60	-76.8	-51	PASS
LVL	GSM900	124	914.8	19	1400	-75.71	-60	-78.11	-51	PASS
LVL	GSM900	124	914.8	19	1600	-75.56	-60	-77.92	-51	PASS
LVL	GSM900	124	914.8	19	1800	-77.47	-60	-79.87	-51	PASS

**Clause 4.2.6 Transmitter-Switching Spectrum**

Condition	Band	Channel	Frequency (MHz)	PCL	Offset (kHz)	Result (dBm)	Limit (dBm)	Verdict
HVHT	GSM1800	512	1710.2	0	Ref Power	31.17		PASS
HVHT	GSM1800	512	1710.2	0	-1800	-46.44	-25.71	PASS
HVHT	GSM1800	512	1710.2	0	-1200	-44.78	-22.71	PASS
HVHT	GSM1800	512	1710.2	0	-600	-37.76	-22.71	PASS
HVHT	GSM1800	512	1710.2	0	-400	-30.73	-20.71	PASS
HVHT	GSM1800	512	1710.2	0	400	-29.06	-20.71	PASS
HVHT	GSM1800	512	1710.2	0	600	-33.82	-22.71	PASS
HVHT	GSM1800	512	1710.2	0	1200	-39.48	-22.71	PASS
HVHT	GSM1800	512	1710.2	0	1800	-46.49	-25.71	PASS
HVHT	GSM1800	512	1710.2	15	Ref Power	2.22		PASS
HVHT	GSM1800	512	1710.2	15	-1800	-71.01	-36	PASS
HVHT	GSM1800	512	1710.2	15	-1200	-66.29	-32	PASS
HVHT	GSM1800	512	1710.2	15	-600	-58.31	-26	PASS
HVHT	GSM1800	512	1710.2	15	-400	-46.55	-23	PASS
HVHT	GSM1800	512	1710.2	15	400	-38.56	-23	PASS
HVHT	GSM1800	512	1710.2	15	600	-46.89	-26	PASS
HVHT	GSM1800	512	1710.2	15	1200	-58.47	-32	PASS
HVHT	GSM1800	512	1710.2	15	1800	-67.81	-36	PASS
HVHT	GSM1800	698	1747.4	0	Ref Power	31		PASS

HVHT	GSM1800	698	1747.4	0	-1800	-46.1	-25.82	PASS
HVHT	GSM1800	698	1747.4	0	-1200	-44.97	-22.82	PASS
HVHT	GSM1800	698	1747.4	0	-600	-38.57	-22.82	PASS
HVHT	GSM1800	698	1747.4	0	-400	-33.02	-20.82	PASS
HVHT	GSM1800	698	1747.4	0	400	-27.9	-20.82	PASS
HVHT	GSM1800	698	1747.4	0	600	-34.03	-22.82	PASS
HVHT	GSM1800	698	1747.4	0	1200	-38.98	-22.82	PASS
HVHT	GSM1800	698	1747.4	0	1800	-46.77	-25.82	PASS
HVHT	GSM1800	698	1747.4	15	Ref Power	2.12		PASS
HVHT	GSM1800	698	1747.4	15	-1800	-70.45	-36	PASS
HVHT	GSM1800	698	1747.4	15	-1200	-64.88	-32	PASS
HVHT	GSM1800	698	1747.4	15	-600	-58.19	-26	PASS
HVHT	GSM1800	698	1747.4	15	-400	-46.62	-23	PASS
HVHT	GSM1800	698	1747.4	15	400	-38.48	-23	PASS
HVHT	GSM1800	698	1747.4	15	600	-46.4	-26	PASS
HVHT	GSM1800	698	1747.4	15	1200	-59.76	-32	PASS
HVHT	GSM1800	698	1747.4	15	1800	-68.41	-36	PASS
HVHT	GSM1800	885	1784.8	0	Ref Power	30.92		PASS
HVHT	GSM1800	885	1784.8	0	-1800	-46.73	-25.9	PASS
HVHT	GSM1800	885	1784.8	0	-1200	-45.17	-22.9	PASS
HVHT	GSM1800	885	1784.8	0	-600	-37.57	-22.9	PASS
HVHT	GSM1800	885	1784.8	0	-400	-31.19	-20.9	PASS
HVHT	GSM1800	885	1784.8	0	400	-27.76	-20.9	PASS
HVHT	GSM1800	885	1784.8	0	600	-33.35	-22.9	PASS
HVHT	GSM1800	885	1784.8	0	1200	-38.27	-22.9	PASS
HVHT	GSM1800	885	1784.8	0	1800	-46.37	-25.9	PASS
HVHT	GSM1800	885	1784.8	15	Ref Power	1.78		PASS
HVHT	GSM1800	885	1784.8	15	-1800	-70.29	-36	PASS
HVHT	GSM1800	885	1784.8	15	-1200	-65.65	-32	PASS
HVHT	GSM1800	885	1784.8	15	-600	-59.38	-26	PASS
HVHT	GSM1800	885	1784.8	15	-400	-46.58	-23	PASS
HVHT	GSM1800	885	1784.8	15	400	-38.63	-23	PASS
HVHT	GSM1800	885	1784.8	15	600	-46.28	-26	PASS
HVHT	GSM1800	885	1784.8	15	1200	-58.23	-32	PASS
HVHT	GSM1800	885	1784.8	15	1800	-69.2	-36	PASS
HVLT	GSM1800	512	1710.2	0	Ref Power	31.12		PASS
HVLT	GSM1800	512	1710.2	0	-1800	-46.41	-25.71	PASS
HVLT	GSM1800	512	1710.2	0	-1200	-44.77	-22.71	PASS
HVLT	GSM1800	512	1710.2	0	-600	-37.76	-22.71	PASS
HVLT	GSM1800	512	1710.2	0	-400	-30.67	-20.71	PASS
HVLT	GSM1800	512	1710.2	0	400	-29.04	-20.71	PASS
HVLT	GSM1800	512	1710.2	0	600	-33.74	-22.71	PASS
HVLT	GSM1800	512	1710.2	0	1200	-39.47	-22.71	PASS
HVLT	GSM1800	512	1710.2	0	1800	-46.63	-25.71	PASS

HVLT	GSM1800	512	1710.2	15	Ref Power	2.28		PASS
HVLT	GSM1800	512	1710.2	15	-1800	-70.95	-36	PASS
HVLT	GSM1800	512	1710.2	15	-1200	-66.13	-32	PASS
HVLT	GSM1800	512	1710.2	15	-600	-58.43	-26	PASS
HVLT	GSM1800	512	1710.2	15	-400	-46.67	-23	PASS
HVLT	GSM1800	512	1710.2	15	400	-38.48	-23	PASS
HVLT	GSM1800	512	1710.2	15	600	-46.73	-26	PASS
HVLT	GSM1800	512	1710.2	15	1200	-58.6	-32	PASS
HVLT	GSM1800	512	1710.2	15	1800	-67.82	-36	PASS
HVLT	GSM1800	698	1747.4	0	Ref Power	31.12		PASS
HVLT	GSM1800	698	1747.4	0	-1800	-46.23	-25.82	PASS
HVLT	GSM1800	698	1747.4	0	-1200	-44.99	-22.82	PASS
HVLT	GSM1800	698	1747.4	0	-600	-38.51	-22.82	PASS
HVLT	GSM1800	698	1747.4	0	-400	-32.9	-20.82	PASS
HVLT	GSM1800	698	1747.4	0	400	-27.9	-20.82	PASS
HVLT	GSM1800	698	1747.4	0	600	-33.99	-22.82	PASS
HVLT	GSM1800	698	1747.4	0	1200	-38.91	-22.82	PASS
HVLT	GSM1800	698	1747.4	0	1800	-46.69	-25.82	PASS
HVLT	GSM1800	698	1747.4	15	Ref Power	2.21		PASS
HVLT	GSM1800	698	1747.4	15	-1800	-70.36	-36	PASS
HVLT	GSM1800	698	1747.4	15	-1200	-65.04	-32	PASS
HVLT	GSM1800	698	1747.4	15	-600	-58.32	-26	PASS
HVLT	GSM1800	698	1747.4	15	-400	-46.74	-23	PASS
HVLT	GSM1800	698	1747.4	15	400	-38.35	-23	PASS
HVLT	GSM1800	698	1747.4	15	600	-46.37	-26	PASS
HVLT	GSM1800	698	1747.4	15	1200	-59.63	-32	PASS
HVLT	GSM1800	698	1747.4	15	1800	-68.38	-36	PASS
HVLT	GSM1800	885	1784.8	0	Ref Power	30.94		PASS
HVLT	GSM1800	885	1784.8	0	-1800	-46.69	-25.9	PASS
HVLT	GSM1800	885	1784.8	0	-1200	-45.25	-22.9	PASS
HVLT	GSM1800	885	1784.8	0	-600	-37.46	-22.9	PASS
HVLT	GSM1800	885	1784.8	0	-400	-31.18	-20.9	PASS
HVLT	GSM1800	885	1784.8	0	400	-27.78	-20.9	PASS
HVLT	GSM1800	885	1784.8	0	600	-33.36	-22.9	PASS
HVLT	GSM1800	885	1784.8	0	1200	-38.31	-22.9	PASS
HVLT	GSM1800	885	1784.8	0	1800	-46.27	-25.9	PASS
HVLT	GSM1800	885	1784.8	15	Ref Power	1.85		PASS
HVLT	GSM1800	885	1784.8	15	-1800	-70.39	-36	PASS
HVLT	GSM1800	885	1784.8	15	-1200	-65.73	-32	PASS
HVLT	GSM1800	885	1784.8	15	-600	-59.33	-26	PASS
HVLT	GSM1800	885	1784.8	15	-400	-46.5	-23	PASS
HVLT	GSM1800	885	1784.8	15	400	-38.64	-23	PASS
HVLT	GSM1800	885	1784.8	15	600	-46.37	-26	PASS
HVLT	GSM1800	885	1784.8	15	1200	-58.28	-32	PASS

HVLT	GSM1800	885	1784.8	15	1800	-69.17	-36	PASS
LVHT	GSM1800	512	1710.2	0	Ref Power	31.09		PASS
LVHT	GSM1800	512	1710.2	0	-1800	-46.44	-25.71	PASS
LVHT	GSM1800	512	1710.2	0	-1200	-44.7	-22.71	PASS
LVHT	GSM1800	512	1710.2	0	-600	-37.86	-22.71	PASS
LVHT	GSM1800	512	1710.2	0	-400	-30.77	-20.71	PASS
LVHT	GSM1800	512	1710.2	0	400	-29.12	-20.71	PASS
LVHT	GSM1800	512	1710.2	0	600	-33.8	-22.71	PASS
LVHT	GSM1800	512	1710.2	0	1200	-39.52	-22.71	PASS
LVHT	GSM1800	512	1710.2	0	1800	-46.6	-25.71	PASS
LVHT	GSM1800	512	1710.2	15	Ref Power	2.29		PASS
LVHT	GSM1800	512	1710.2	15	-1800	-70.96	-36	PASS
LVHT	GSM1800	512	1710.2	15	-1200	-66.15	-32	PASS
LVHT	GSM1800	512	1710.2	15	-600	-58.47	-26	PASS
LVHT	GSM1800	512	1710.2	15	-400	-46.53	-23	PASS
LVHT	GSM1800	512	1710.2	15	400	-38.49	-23	PASS
LVHT	GSM1800	512	1710.2	15	600	-46.82	-26	PASS
LVHT	GSM1800	512	1710.2	15	1200	-58.43	-32	PASS
LVHT	GSM1800	512	1710.2	15	1800	-67.77	-36	PASS
LVHT	GSM1800	698	1747.4	0	Ref Power	31.09		PASS
LVHT	GSM1800	698	1747.4	0	-1800	-46.26	-25.82	PASS
LVHT	GSM1800	698	1747.4	0	-1200	-44.88	-22.82	PASS
LVHT	GSM1800	698	1747.4	0	-600	-38.57	-22.82	PASS
LVHT	GSM1800	698	1747.4	0	-400	-32.94	-20.82	PASS
LVHT	GSM1800	698	1747.4	0	400	-27.84	-20.82	PASS
LVHT	GSM1800	698	1747.4	0	600	-33.95	-22.82	PASS
LVHT	GSM1800	698	1747.4	0	1200	-39.03	-22.82	PASS
LVHT	GSM1800	698	1747.4	0	1800	-46.66	-25.82	PASS
LVHT	GSM1800	698	1747.4	15	Ref Power	2.14		PASS
LVHT	GSM1800	698	1747.4	15	-1800	-70.47	-36	PASS
LVHT	GSM1800	698	1747.4	15	-1200	-64.87	-32	PASS
LVHT	GSM1800	698	1747.4	15	-600	-58.37	-26	PASS
LVHT	GSM1800	698	1747.4	15	-400	-46.72	-23	PASS
LVHT	GSM1800	698	1747.4	15	400	-38.45	-23	PASS
LVHT	GSM1800	698	1747.4	15	600	-46.49	-26	PASS
LVHT	GSM1800	698	1747.4	15	1200	-59.77	-32	PASS
LVHT	GSM1800	698	1747.4	15	1800	-68.35	-36	PASS
LVHT	GSM1800	885	1784.8	0	Ref Power	30.99		PASS
LVHT	GSM1800	885	1784.8	0	-1800	-46.72	-25.9	PASS
LVHT	GSM1800	885	1784.8	0	-1200	-45.12	-22.9	PASS
LVHT	GSM1800	885	1784.8	0	-600	-37.56	-22.9	PASS
LVHT	GSM1800	885	1784.8	0	-400	-31.19	-20.9	PASS
LVHT	GSM1800	885	1784.8	0	400	-27.73	-20.9	PASS
LVHT	GSM1800	885	1784.8	0	600	-33.33	-22.9	PASS

LVHT	GSM1800	885	1784.8	0	1200	-38.14	-22.9	PASS
LVHT	GSM1800	885	1784.8	0	1800	-46.24	-25.9	PASS
LVHT	GSM1800	885	1784.8	15	Ref Power	1.83		PASS
LVHT	GSM1800	885	1784.8	15	-1800	-70.39	-36	PASS
LVHT	GSM1800	885	1784.8	15	-1200	-65.79	-32	PASS
LVHT	GSM1800	885	1784.8	15	-600	-59.28	-26	PASS
LVHT	GSM1800	885	1784.8	15	-400	-46.65	-23	PASS
LVHT	GSM1800	885	1784.8	15	400	-38.54	-23	PASS
LVHT	GSM1800	885	1784.8	15	600	-46.3	-26	PASS
LVHT	GSM1800	885	1784.8	15	1200	-58.19	-32	PASS
LVHT	GSM1800	885	1784.8	15	1800	-69.1	-36	PASS
LVLT	GSM1800	512	1710.2	0	Ref Power	31.21		PASS
LVLT	GSM1800	512	1710.2	0	-1800	-46.48	-25.71	PASS
LVLT	GSM1800	512	1710.2	0	-1200	-44.81	-22.71	PASS
LVLT	GSM1800	512	1710.2	0	-600	-37.71	-22.71	PASS
LVLT	GSM1800	512	1710.2	0	-400	-30.75	-20.71	PASS
LVLT	GSM1800	512	1710.2	0	400	-29.02	-20.71	PASS
LVLT	GSM1800	512	1710.2	0	600	-33.81	-22.71	PASS
LVLT	GSM1800	512	1710.2	0	1200	-39.46	-22.71	PASS
LVLT	GSM1800	512	1710.2	0	1800	-46.52	-25.71	PASS
LVLT	GSM1800	512	1710.2	15	Ref Power	2.37		PASS
LVLT	GSM1800	512	1710.2	15	-1800	-70.84	-36	PASS
LVLT	GSM1800	512	1710.2	15	-1200	-66.25	-32	PASS
LVLT	GSM1800	512	1710.2	15	-600	-58.49	-26	PASS
LVLT	GSM1800	512	1710.2	15	-400	-46.53	-23	PASS
LVLT	GSM1800	512	1710.2	15	400	-38.46	-23	PASS
LVLT	GSM1800	512	1710.2	15	600	-46.78	-26	PASS
LVLT	GSM1800	512	1710.2	15	1200	-58.55	-32	PASS
LVLT	GSM1800	512	1710.2	15	1800	-67.78	-36	PASS
LVLT	GSM1800	698	1747.4	0	Ref Power	31.17		PASS
LVLT	GSM1800	698	1747.4	0	-1800	-46.16	-25.82	PASS
LVLT	GSM1800	698	1747.4	0	-1200	-44.88	-22.82	PASS
LVLT	GSM1800	698	1747.4	0	-600	-38.43	-22.82	PASS
LVLT	GSM1800	698	1747.4	0	-400	-32.86	-20.82	PASS
LVLT	GSM1800	698	1747.4	0	400	-27.84	-20.82	PASS
LVLT	GSM1800	698	1747.4	0	600	-33.91	-22.82	PASS
LVLT	GSM1800	698	1747.4	0	1200	-38.92	-22.82	PASS
LVLT	GSM1800	698	1747.4	0	1800	-46.69	-25.82	PASS
LVLT	GSM1800	698	1747.4	15	Ref Power	2.18		PASS
LVLT	GSM1800	698	1747.4	15	-1800	-70.43	-36	PASS
LVLT	GSM1800	698	1747.4	15	-1200	-65	-32	PASS
LVLT	GSM1800	698	1747.4	15	-600	-58.28	-26	PASS
LVLT	GSM1800	698	1747.4	15	-400	-46.77	-23	PASS
LVLT	GSM1800	698	1747.4	15	400	-38.51	-23	PASS

LVL	GSM1800	698	1747.4	15	600	-46.46	-26	PASS
LVL	GSM1800	698	1747.4	15	1200	-59.77	-32	PASS
LVL	GSM1800	698	1747.4	15	1800	-68.43	-36	PASS
LVL	GSM1800	885	1784.8	0	Ref Power	31.06		PASS
LVL	GSM1800	885	1784.8	0	-1800	-46.69	-25.9	PASS
LVL	GSM1800	885	1784.8	0	-1200	-45.1	-22.9	PASS
LVL	GSM1800	885	1784.8	0	-600	-37.44	-22.9	PASS
LVL	GSM1800	885	1784.8	0	-400	-31.19	-20.9	PASS
LVL	GSM1800	885	1784.8	0	400	-27.68	-20.9	PASS
LVL	GSM1800	885	1784.8	0	600	-33.36	-22.9	PASS
LVL	GSM1800	885	1784.8	0	1200	-38.12	-22.9	PASS
LVL	GSM1800	885	1784.8	0	1800	-46.28	-25.9	PASS
LVL	GSM1800	885	1784.8	15	Ref Power	1.79		PASS
LVL	GSM1800	885	1784.8	15	-1800	-70.31	-36	PASS
LVL	GSM1800	885	1784.8	15	-1200	-65.76	-32	PASS
LVL	GSM1800	885	1784.8	15	-600	-59.33	-26	PASS
LVL	GSM1800	885	1784.8	15	-400	-46.58	-23	PASS
LVL	GSM1800	885	1784.8	15	400	-38.63	-23	PASS
LVL	GSM1800	885	1784.8	15	600	-46.44	-26	PASS
LVL	GSM1800	885	1784.8	15	1200	-58.15	-32	PASS
LVL	GSM1800	885	1784.8	15	1800	-69.04	-36	PASS
HVHT	GSM900	975	880.2	5	Ref Power	34.02		PASS
HVHT	GSM900	975	880.2	5	-1800	-43.89	-24	PASS
HVHT	GSM900	975	880.2	5	-1200	-38.08	-21	PASS
HVHT	GSM900	975	880.2	5	-600	-35.1	-21	PASS
HVHT	GSM900	975	880.2	5	-400	-27.76	-17.94	PASS
HVHT	GSM900	975	880.2	5	400	-33.81	-17.94	PASS
HVHT	GSM900	975	880.2	5	600	-30.32	-21	PASS
HVHT	GSM900	975	880.2	5	1200	-36.63	-21	PASS
HVHT	GSM900	975	880.2	5	1800	-46.1	-24	PASS
HVHT	GSM900	975	880.2	19	Ref Power	6.17		PASS
HVHT	GSM900	975	880.2	19	-1800	-67.45	-36	PASS
HVHT	GSM900	975	880.2	19	-1200	-58.23	-32	PASS
HVHT	GSM900	975	880.2	19	-600	-54.2	-26	PASS
HVHT	GSM900	975	880.2	19	-400	-41.23	-23	PASS
HVHT	GSM900	975	880.2	19	400	-34.87	-23	PASS
HVHT	GSM900	975	880.2	19	600	-49.23	-26	PASS
HVHT	GSM900	975	880.2	19	1200	-56.02	-32	PASS
HVHT	GSM900	975	880.2	19	1800	-68.41	-36	PASS
HVHT	GSM900	38	897.6	5	Ref Power	33.85		PASS
HVHT	GSM900	38	897.6	5	-1800	-45.07	-24	PASS
HVHT	GSM900	38	897.6	5	-1200	-37.94	-21	PASS
HVHT	GSM900	38	897.6	5	-600	-34.09	-21	PASS
HVHT	GSM900	38	897.6	5	-400	-28.76	-18.05	PASS

HVHT	GSM900	38	897.6	5	400	-33.82	-18.05	PASS
HVHT	GSM900	38	897.6	5	600	-30.94	-21	PASS
HVHT	GSM900	38	897.6	5	1200	-36.37	-21	PASS
HVHT	GSM900	38	897.6	5	1800	-45.89	-24	PASS
HVHT	GSM900	38	897.6	19	Ref Power	5.74		PASS
HVHT	GSM900	38	897.6	19	-1800	-67.55	-36	PASS
HVHT	GSM900	38	897.6	19	-1200	-59.23	-32	PASS
HVHT	GSM900	38	897.6	19	-600	-53.12	-26	PASS
HVHT	GSM900	38	897.6	19	-400	-40.84	-23	PASS
HVHT	GSM900	38	897.6	19	400	-34.79	-23	PASS
HVHT	GSM900	38	897.6	19	600	-48.6	-26	PASS
HVHT	GSM900	38	897.6	19	1200	-56.23	-32	PASS
HVHT	GSM900	38	897.6	19	1800	-69.87	-36	PASS
HVHT	GSM900	124	914.8	5	Ref Power	33.82		PASS
HVHT	GSM900	124	914.8	5	-1800	-45.83	-24	PASS
HVHT	GSM900	124	914.8	5	-1200	-38.8	-21	PASS
HVHT	GSM900	124	914.8	5	-600	-35.23	-21	PASS
HVHT	GSM900	124	914.8	5	-400	-28.34	-18.08	PASS
HVHT	GSM900	124	914.8	5	400	-33.83	-18.08	PASS
HVHT	GSM900	124	914.8	5	600	-31.5	-21	PASS
HVHT	GSM900	124	914.8	5	1200	-36.36	-21	PASS
HVHT	GSM900	124	914.8	5	1800	-44.6	-24	PASS
HVHT	GSM900	124	914.8	19	Ref Power	5.71		PASS
HVHT	GSM900	124	914.8	19	-1800	-68.75	-36	PASS
HVHT	GSM900	124	914.8	19	-1200	-58.98	-32	PASS
HVHT	GSM900	124	914.8	19	-600	-53.35	-26	PASS
HVHT	GSM900	124	914.8	19	-400	-40.59	-23	PASS
HVHT	GSM900	124	914.8	19	400	-35.06	-23	PASS
HVHT	GSM900	124	914.8	19	600	-48.32	-26	PASS
HVHT	GSM900	124	914.8	19	1200	-56.69	-32	PASS
HVHT	GSM900	124	914.8	19	1800	-67.41	-36	PASS
HVLT	GSM900	975	880.2	5	Ref Power	33.97		PASS
HVLT	GSM900	975	880.2	5	-1800	-43.87	-24	PASS
HVLT	GSM900	975	880.2	5	-1200	-38.14	-21	PASS
HVLT	GSM900	975	880.2	5	-600	-35.16	-21	PASS
HVLT	GSM900	975	880.2	5	-400	-27.61	-17.94	PASS
HVLT	GSM900	975	880.2	5	400	-33.87	-17.94	PASS
HVLT	GSM900	975	880.2	5	600	-30.18	-21	PASS
HVLT	GSM900	975	880.2	5	1200	-36.57	-21	PASS
HVLT	GSM900	975	880.2	5	1800	-46.06	-24	PASS
HVLT	GSM900	975	880.2	19	Ref Power	6.05		PASS
HVLT	GSM900	975	880.2	19	-1800	-67.36	-36	PASS
HVLT	GSM900	975	880.2	19	-1200	-58.19	-32	PASS
HVLT	GSM900	975	880.2	19	-600	-54.21	-26	PASS



HVLT	GSM900	975	880.2	19	-400	-41.1	-23	PASS
HVLT	GSM900	975	880.2	19	400	-34.92	-23	PASS
HVLT	GSM900	975	880.2	19	600	-49.32	-26	PASS
HVLT	GSM900	975	880.2	19	1200	-56.01	-32	PASS
HVLT	GSM900	975	880.2	19	1800	-68.56	-36	PASS
HVLT	GSM900	38	897.6	5	Ref Power	33.8		PASS
HVLT	GSM900	38	897.6	5	-1800	-44.96	-24	PASS
HVLT	GSM900	38	897.6	5	-1200	-38.03	-21	PASS
HVLT	GSM900	38	897.6	5	-600	-34.17	-21	PASS
HVLT	GSM900	38	897.6	5	-400	-28.81	-18.05	PASS
HVLT	GSM900	38	897.6	5	400	-33.81	-18.05	PASS
HVLT	GSM900	38	897.6	5	600	-30.81	-21	PASS
HVLT	GSM900	38	897.6	5	1200	-36.3	-21	PASS
HVLT	GSM900	38	897.6	5	1800	-46.02	-24	PASS
HVLT	GSM900	38	897.6	19	Ref Power	5.57		PASS
HVLT	GSM900	38	897.6	19	-1800	-67.57	-36	PASS
HVLT	GSM900	38	897.6	19	-1200	-59.21	-32	PASS
HVLT	GSM900	38	897.6	19	-600	-53.09	-26	PASS
HVLT	GSM900	38	897.6	19	-400	-40.85	-23	PASS
HVLT	GSM900	38	897.6	19	400	-34.8	-23	PASS
HVLT	GSM900	38	897.6	19	600	-48.6	-26	PASS
HVLT	GSM900	38	897.6	19	1200	-56.25	-32	PASS
HVLT	GSM900	38	897.6	19	1800	-69.84	-36	PASS
HVLT	GSM900	124	914.8	5	Ref Power	33.91		PASS
HVLT	GSM900	124	914.8	5	-1800	-45.89	-24	PASS
HVLT	GSM900	124	914.8	5	-1200	-38.85	-21	PASS
HVLT	GSM900	124	914.8	5	-600	-35.28	-21	PASS
HVLT	GSM900	124	914.8	5	-400	-28.2	-18.08	PASS
HVLT	GSM900	124	914.8	5	400	-33.73	-18.08	PASS
HVLT	GSM900	124	914.8	5	600	-31.32	-21	PASS
HVLT	GSM900	124	914.8	5	1200	-36.36	-21	PASS
HVLT	GSM900	124	914.8	5	1800	-44.56	-24	PASS
HVLT	GSM900	124	914.8	19	Ref Power	5.65		PASS
HVLT	GSM900	124	914.8	19	-1800	-68.6	-36	PASS
HVLT	GSM900	124	914.8	19	-1200	-59.13	-32	PASS
HVLT	GSM900	124	914.8	19	-600	-53.44	-26	PASS
HVLT	GSM900	124	914.8	19	-400	-40.6	-23	PASS
HVLT	GSM900	124	914.8	19	400	-35	-23	PASS
HVLT	GSM900	124	914.8	19	600	-48.5	-26	PASS
HVLT	GSM900	124	914.8	19	1200	-56.8	-32	PASS
HVLT	GSM900	124	914.8	19	1800	-67.5	-36	PASS
LVHT	GSM900	975	880.2	5	Ref Power	34.01		PASS
LVHT	GSM900	975	880.2	5	-1800	-43.8	-24	PASS
LVHT	GSM900	975	880.2	5	-1200	-38.08	-21	PASS

LVHT	GSM900	975	880.2	5	-600	-35.01	-21	PASS
LVHT	GSM900	975	880.2	5	-400	-27.61	-17.94	PASS
LVHT	GSM900	975	880.2	5	400	-33.83	-17.94	PASS
LVHT	GSM900	975	880.2	5	600	-30.22	-21	PASS
LVHT	GSM900	975	880.2	5	1200	-36.64	-21	PASS
LVHT	GSM900	975	880.2	5	1800	-46.06	-24	PASS
LVHT	GSM900	975	880.2	19	Ref Power	6.16		PASS
LVHT	GSM900	975	880.2	19	-1800	-67.52	-36	PASS
LVHT	GSM900	975	880.2	19	-1200	-58.23	-32	PASS
LVHT	GSM900	975	880.2	19	-600	-54.15	-26	PASS
LVHT	GSM900	975	880.2	19	-400	-41.11	-23	PASS
LVHT	GSM900	975	880.2	19	400	-34.78	-23	PASS
LVHT	GSM900	975	880.2	19	600	-49.23	-26	PASS
LVHT	GSM900	975	880.2	19	1200	-55.87	-32	PASS
LVHT	GSM900	975	880.2	19	1800	-68.51	-36	PASS
LVHT	GSM900	38	897.6	5	Ref Power	33.78		PASS
LVHT	GSM900	38	897.6	5	-1800	-44.9	-24	PASS
LVHT	GSM900	38	897.6	5	-1200	-38.08	-21	PASS
LVHT	GSM900	38	897.6	5	-600	-34.14	-21	PASS
LVHT	GSM900	38	897.6	5	-400	-28.68	-18.05	PASS
LVHT	GSM900	38	897.6	5	400	-33.69	-18.05	PASS
LVHT	GSM900	38	897.6	5	600	-30.81	-21	PASS
LVHT	GSM900	38	897.6	5	1200	-36.24	-21	PASS
LVHT	GSM900	38	897.6	5	1800	-45.92	-24	PASS
LVHT	GSM900	38	897.6	19	Ref Power	5.67		PASS
LVHT	GSM900	38	897.6	19	-1800	-67.48	-36	PASS
LVHT	GSM900	38	897.6	19	-1200	-59.3	-32	PASS
LVHT	GSM900	38	897.6	19	-600	-53.27	-26	PASS
LVHT	GSM900	38	897.6	19	-400	-40.85	-23	PASS
LVHT	GSM900	38	897.6	19	400	-34.82	-23	PASS
LVHT	GSM900	38	897.6	19	600	-48.66	-26	PASS
LVHT	GSM900	38	897.6	19	1200	-56.21	-32	PASS
LVHT	GSM900	38	897.6	19	1800	-69.82	-36	PASS
LVHT	GSM900	124	914.8	5	Ref Power	33.79		PASS
LVHT	GSM900	124	914.8	5	-1800	-45.8	-24	PASS
LVHT	GSM900	124	914.8	5	-1200	-38.95	-21	PASS
LVHT	GSM900	124	914.8	5	-600	-35.2	-21	PASS
LVHT	GSM900	124	914.8	5	-400	-28.25	-18.08	PASS
LVHT	GSM900	124	914.8	5	400	-33.71	-18.08	PASS
LVHT	GSM900	124	914.8	5	600	-31.43	-21	PASS
LVHT	GSM900	124	914.8	5	1200	-36.23	-21	PASS
LVHT	GSM900	124	914.8	5	1800	-44.58	-24	PASS
LVHT	GSM900	124	914.8	19	Ref Power	5.59		PASS
LVHT	GSM900	124	914.8	19	-1800	-68.61	-36	PASS

LVHT	GSM900	124	914.8	19	-1200	-59.06	-32	PASS
LVHT	GSM900	124	914.8	19	-600	-53.33	-26	PASS
LVHT	GSM900	124	914.8	19	-400	-40.73	-23	PASS
LVHT	GSM900	124	914.8	19	400	-35.13	-23	PASS
LVHT	GSM900	124	914.8	19	600	-48.46	-26	PASS
LVHT	GSM900	124	914.8	19	1200	-56.78	-32	PASS
LVHT	GSM900	124	914.8	19	1800	-67.53	-36	PASS
LVLT	GSM900	975	880.2	5	Ref Power	33.86		PASS
LVLT	GSM900	975	880.2	5	-1800	-43.79	-24	PASS
LVLT	GSM900	975	880.2	5	-1200	-38.22	-21	PASS
LVLT	GSM900	975	880.2	5	-600	-35.09	-21	PASS
LVLT	GSM900	975	880.2	5	-400	-27.62	-17.94	PASS
LVLT	GSM900	975	880.2	5	400	-33.74	-17.94	PASS
LVLT	GSM900	975	880.2	5	600	-30.25	-21	PASS
LVLT	GSM900	975	880.2	5	1200	-36.71	-21	PASS
LVLT	GSM900	975	880.2	5	1800	-46.05	-24	PASS
LVLT	GSM900	975	880.2	19	Ref Power	6.02		PASS
LVLT	GSM900	975	880.2	19	-1800	-67.36	-36	PASS
LVLT	GSM900	975	880.2	19	-1200	-58.14	-32	PASS
LVLT	GSM900	975	880.2	19	-600	-54.28	-26	PASS
LVLT	GSM900	975	880.2	19	-400	-41.08	-23	PASS
LVLT	GSM900	975	880.2	19	400	-34.75	-23	PASS
LVLT	GSM900	975	880.2	19	600	-49.24	-26	PASS
LVLT	GSM900	975	880.2	19	1200	-55.92	-32	PASS
LVLT	GSM900	975	880.2	19	1800	-68.41	-36	PASS
LVLT	GSM900	38	897.6	5	Ref Power	33.75		PASS
LVLT	GSM900	38	897.6	5	-1800	-45	-24	PASS
LVLT	GSM900	38	897.6	5	-1200	-37.97	-21	PASS
LVLT	GSM900	38	897.6	5	-600	-34.16	-21	PASS
LVLT	GSM900	38	897.6	5	-400	-28.72	-18.05	PASS
LVLT	GSM900	38	897.6	5	400	-33.79	-18.05	PASS
LVLT	GSM900	38	897.6	5	600	-30.89	-21	PASS
LVLT	GSM900	38	897.6	5	1200	-36.29	-21	PASS
LVLT	GSM900	38	897.6	5	1800	-45.98	-24	PASS
LVLT	GSM900	38	897.6	19	Ref Power	5.71		PASS
LVLT	GSM900	38	897.6	19	-1800	-67.56	-36	PASS
LVLT	GSM900	38	897.6	19	-1200	-59.2	-32	PASS
LVLT	GSM900	38	897.6	19	-600	-53.26	-26	PASS
LVLT	GSM900	38	897.6	19	-400	-40.85	-23	PASS
LVLT	GSM900	38	897.6	19	400	-34.8	-23	PASS
LVLT	GSM900	38	897.6	19	600	-48.58	-26	PASS
LVLT	GSM900	38	897.6	19	1200	-56.31	-32	PASS
LVLT	GSM900	38	897.6	19	1800	-69.88	-36	PASS
LVLT	GSM900	124	914.8	5	Ref Power	33.83		PASS

LVLT	GSM900	124	914.8	5	-1800	-45.9	-24	PASS
LVLT	GSM900	124	914.8	5	-1200	-38.84	-21	PASS
LVLT	GSM900	124	914.8	5	-600	-35.29	-21	PASS
LVLT	GSM900	124	914.8	5	-400	-28.29	-18.08	PASS
LVLT	GSM900	124	914.8	5	400	-33.83	-18.08	PASS
LVLT	GSM900	124	914.8	5	600	-31.39	-21	PASS
LVLT	GSM900	124	914.8	5	1200	-36.2	-21	PASS
LVLT	GSM900	124	914.8	5	1800	-44.68	-24	PASS
LVLT	GSM900	124	914.8	19	Ref Power	5.65		PASS
LVLT	GSM900	124	914.8	19	-1800	-68.75	-36	PASS
LVLT	GSM900	124	914.8	19	-1200	-59.02	-32	PASS
LVLT	GSM900	124	914.8	19	-600	-53.38	-26	PASS
LVLT	GSM900	124	914.8	19	-400	-40.71	-23	PASS
LVLT	GSM900	124	914.8	19	400	-35.04	-23	PASS
LVLT	GSM900	124	914.8	19	600	-48.46	-26	PASS
LVLT	GSM900	124	914.8	19	1200	-56.76	-32	PASS
LVLT	GSM900	124	914.8	19	1800	-67.44	-36	PASS